

September 18, 2007  
Project 101960

Mr. Joseph T. Martella, II  
Rhode Island Department of Environmental Management  
Office of Waste Management  
235 Promenade Street  
Providence, RI 02908-5767

**Re: Status Report: August 2007 Activities  
Former Gorham Manufacturing Facility  
333 Adelaide Avenue, Providence, RI  
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

September 18, 2007  
Project 101960

Mr. Joseph T. Martella, II  
Rhode Island Department of Environmental Management  
Office of Waste Management  
235 Promenade Street  
Providence, RI 02908-5767

**Re: Status Report: August 2007 Activities  
Former Gorham Manufacturing Facility  
333 Adelaide Avenue, Providence, RI  
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

## **FIELD ACTIVITIES**

The following field activities were conducted during this period.

### Underground Storage Tank Excavation Site Air Monitoring

Shaw conducted air monitoring using a Mini Rae 2000 photo ionization detector (PID) equipped with a 10.6 eV lamp calibrated to 100 parts per million using an isobutylene standard in the immediate area of the former Stop&Shop gas station underground storage tank (UST). Air monitoring was conducted at eight (8) monitoring points around the perimeter of the approximately 40 foot by 15 foot excavation area. All screening results were non-detect.

### Well Replacement

Shaw oversaw the replacement of monitoring well MW-209D. Technical Drilling Services, Inc. (TDS) of Sterling, MA completed the well replacement. The obstructed/damaged well was completely removed for the subsurface by removing the existing roadbox and pulling the entire PVC riser and screen out of the ground. The well riser and screen were repaired and the entire replacement well was pushed back down the existing open bore hole to a depth of 65 feet below ground surface. The well was completed with a new road box. Well construction details are contained in the attached drilling log (Appendix A). Upon completion, the well was developed by purging to improve hydraulic connectivity between the screened interval and the groundwater formation. Purge water was screened via a Mini Rae 2000 PID and returned to the ground surface in accordance with RIDEM policy. A well elevation survey was also performed to update the replacement well reference elevation.

### Monitoring Activities

Field parameters were measured in wells on August 14, 2007. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation measurements were also collected. These results are presented in Tables 1 and 2.

### Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on August 14, 2007 from 21 monitoring wells within and around the treatment area, including compliance wells. One duplicate sample was also collected for VOC analysis. One sample was collected from monitoring well CW-6 and a duplicate sample (CW-6 DUP) for total petroleum hydrocarbons (TPH) (EPA Method 8015 B). Samples were collected from monitoring wells MW-109D and GZA-3 and one duplicate sample (GZA-3 DUP) for lead analysis via EPA Method SW-846. Groundwater

Mr. Joseph T. Martella, II  
September 18, 2007  
Page 3 of 5

samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

## **SUMMARY OF ANALYTICAL DATA**

A summary of all the analytical data associated with the groundwater sampling conducted in August 14, 2007 is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix B of this report. The PCE concentrations found in wells MW-101S, MW-101D, MW-201D, MW-202D, and MW-202S, are currently above the treatment goal of 7,700 ug/L.

A summary of the compliance well results is contained in Table 4. The results for the compliance wells indicate that exceedances occurred for wells MW-209D (PCE), MW-218D (PCE, TCE, and 1,1-DCE), and well MW-218S (PCE and vinyl chloride).

## **FUTURE ACTIVITIES**


Field parameter measurements, groundwater elevation measurements, and groundwater sampling will continue on a quarterly basis. Compliance well sampling will continue on a semi-annual basis. The next quarterly sampling event is scheduled to be conducted in November 2007. The next semi-annual compliance well sampling event is scheduled for February 2008.

Mr. Joseph T. Martella, II  
September 18, 2007  
Page 4 of 5

If you have any questions, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

**SHAW ENVIRONMENTAL, INC.**



Edward P. Van Doren, PE, LSP  
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – Groundwater Analytical Result

Table 4 – Compliance Wells Analytical Results

Appendices:

Appendix A – Drilling Log

Appendix B – Laboratory Analytical Report


Appendix C – Method 2 GB Calculation

cc: Craig Roy, RIDEM OWR  
Greg Simpson, Textron  
Jamieson Schiff, Textron  
Dave Heislein, MACTEC  
Thomas Dellar, City of Providence  
Jeff Morgan, Stop & Shop  
Ronald Ruth, Sherin and Lodgen

**CERTIFICATIONS**

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated September 18, 2007, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren, PE, LSP  
Project Manager

9/24/07  
Date:


We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.





Gregory L. Simpson  
Project Manager

9/20/07  
Date:




**LEGEND**

- MW-101S MONITORING WELL
- PROPOSED WELL LOCATION



File: N:\dvg\Gorham\ontgf-14.dwg Layout: SP User: James.O'Donnell Mar 08, 2007 - 5:31pm



**Shaw**™ Shaw Environmental, Inc.




DATE	1/30/07
DWN	J.O'D.
APP	
REV	
PROJECT NO.	101960

**FIGURE 1**  
**TEXTRON PROVIDENCE**  
**333 ADELAIDE AVENUE**  
**PROVIDENCE, RHODE ISLAND**  
**SITE PLAN**

File: N:\dwg\Gorham\unitgr-03.dwg Layout: Prop well User: James.O'Donnell Jun 21, 2005 - 4:29pm



- LEGEND**
- MW-101S EXISTING MONITORING WELL
  - ⊕ SB-2 EXISTING SOIL BORING
  - ⊗ 04IS01 PROPOSED INJECTION WELL



DATE	6/21/05
DWN	J.O'D.
APP	
REV	
PROJECT NO.	101980

**FIGURE 2**  
 TEXTRON PROVIDENCE  
 333 ADELAIDE AVENUE  
 PROVIDENCE, RHODE ISLAND  
**INJECTION WELL LOCATIONS**



**Table 1**  
**Summary Field Parameters**  
**August 2007**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

WELL ID	DATE	pH	Temperature (deg.c)	Conductivity (ms/cm)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (mv)
MW-101D	8/14/2007	6.46	14.98	0.727	2.08	353.9
MW-101S	8/14/2007	6.33	14.92	0.579	1.68	379.7
MW-112	8/14/2007	6.56	13.76	0.583	2.11	328.0
MW-116D	8/14/2007	5.58	16.79	0.157	2.53	401.8
MW-116S	8/14/2007	6.18	18.13	0.160	4.52	480.7
MW-201D	8/14/2007	6.93	14.66	1.049	1.84	400.8
MW-202D	8/14/2007	6.20	15.21	1.019	1.64	421.8
MW-202S	8/14/2007	6.16	15.20	0.720	2.23	405.8
MW-207D	8/14/2007	7.14	15.65	0.083	2.88	333.2
MW-207S	8/14/2007	6.37	15.29	1.356	1.49	373.5
MW-209D	8/14/2007	6.63	13.18	0.528	1.53	413.1
MW-216D	8/14/2007	6.67	13.46	0.334	1.61	331.7
MW-216S	8/14/2007	N/A	N/A	N/A	N/A	N/A
MW-217D	8/14/2007	6.78	13.35	0.515	2.22	42.8
MW-217S	8/14/2007	6.63	13.21	0.707	0.83	115.1
MW-218D	8/14/2007	6.46	14.12	0.480	1.92	370.0
MW-218S	8/14/2007	6.17	13.70	0.875	0.65	354.8
Note C° = degrees Celsius ms/cm = microsiemens per centimeter mg/l = milligrams per liter mV = milli volts                      N/A = Not available due to LNAPL in well.						

**Table 2**  
**Groundwater Elevations**  
**August 2007**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
CW-01	8/14/2007	99.52	25.42	--	74.10
CW-02	8/14/2007	98.86	24.60	--	74.26
CW-06	8/14/2007	99.52	24.91	--	74.61
GZA-3	8/14/2007	NA	17.77	--	NA
GZA-5	8/14/2007	82.34	20.96	--	61.38
GZA-6	8/14/2007	76.98	NM	--	NA
MW-101D	8/14/2007	98.91	24.60	--	74.31
MW-101S	8/14/2007	98.90	24.64	--	74.26
MW-109D	8/14/2007	NA	19.03	--	NA
MW-112	8/14/2007	100.63	26.88	--	73.75
MW-116D	8/14/2007	98.92	24.48	--	74.44
MW-116S	8/14/2007	99.40	24.64	--	74.76
MW-201D	8/14/2007	98.80	24.48	--	74.32
MW-207D	8/14/2007	98.18	23.95	--	74.23
MW-207S	8/14/2007	98.28	24.05	--	74.23
MW-209D	8/14/2007	99.90	26.00	--	73.90
MW-216D	8/14/2007	98.69	25.24	--	73.45
MW-216S	8/14/2007	99.58	25.26	0.02	74.34
MW-217D	8/14/2007	98.65	24.76	--	73.89
MW-217S	8/14/2007	98.71	24.80	--	73.91
MW-218D	8/14/2007	99.67	25.36	--	74.31
MW-218S	8/14/2007	99.61	25.25	--	74.36
MW-220S	8/14/2007	99.41	25.19	--	74.22
MW-221S	8/14/2007	98.92	25.42	0.01	73.51

Notes:  
Groundwater elevations are based on an arbitrary reference datum established for the site.

**Table 3**  
**Groundwater Analytical Results**  
**August 2007**  
 Former Gorham Manufacturing Facility  
 Providence, Rhode Island

Sample Identifier Date Sampled Constituent	CW-01 8/14/2007 Primary	CW-02 8/14/2007 Primary	CW-06 8/14/2007 Primary	CW-06 8/14/2007 Duplicate	GZA-3 8/14/2007 Primary	GZA-3 8/14/2007 Duplicate	MW-101D 8/14/2007 Primary	MW-101S 8/14/2007 Primary	MW-101S 8/14/2007 Duplicate	MW-109D 8/14/2007 Primary	MW-112 8/14/2007 Primary	MW-116D 8/14/2007 Primary	MW-116S 8/14/2007 Primary
<b>Method 8260 (ug/l)</b>													
1,1,1-Trichloroethane	<200	<2	---	---	<2	---	8	7.8	8	<2	<2	<2	<2
1,1-Dichloroethane	<200	<2	---	---	2.4	---	<2	<2	<2	<2	<2	<2	<2
1,1-Dichloroethene	160	<1	---	---	<1	---	4.8	<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<200	<2	---	---	<2	---	4.1	<2	<2	<2	<2	<2	<2
1,2,4-Trimethylbenzene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
1,3,5-Trimethylbenzene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
4-Isopropyltoluene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
Bromodichloromethane	<200	<2	---	---	<2	---	<2	<2	<2	<2	3.6	3.4	3
Carbon tetrachloride	<200	<2	---	---	<2	---	37	<2	<2	<2	<2	<2	<2
Chloroform	<200	<2	---	---	<2	---	9.4	<2	<2	<2	30	46	40
cis-1,2-Dichloroethene	410	<2	---	---	9.8	---	610	33	31	<2	<2	<2	<2
Ethylbenzene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
m/p-Xylene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
Methyltert-butylether	<200	<2	---	---	<2	---	3.9	13	12	<2	<2	<2	<2
Naphthalene	<500	<5	---	---	<5	---	<5	<5	<5	<5	<5	<5	<5
o-Xylene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
Tetrachloroethene	<200	<2	---	---	<2	---	36000	39000	38000	<2	34	<2	<2
Toluene	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
Trichloroethene	4900	<2	---	---	3.6	---	290	48	46	<2	2.5	<2	<2
Vinyl chloride	<200	<2	---	---	5.1	---	22	<2	<2	<2	<2	<2	<2
Xylene (total)	<200	<2	---	---	<2	---	<2	<2	<2	<2	<2	<2	<2
<b>TPH (mg/l)</b>													
Unidentified TPH	---	---	9	9.2	---	---	---	---	---	---	---	---	---
<b>Metals 6010B (ug/l)</b>													
Dissolved Lead	---	---	---	---	<12	<12	---	---	---	<12	---	---	---

**Notes:**  
 < = Less than the laboratory reporting limit  
 ug/l = Micro grams per liter, parts per billion  
 mg/l = Milligrams per liter, parts per million  
 TPH = Total Petroleum Hydrocarbons  
 --- = Not analyzed for.

**Table 3**  
**Groundwater Analytical Results**  
**August 2007**  
 Former Gorham Manufacturing Facility  
 Providence, Rhode Island

Sample Identifier Date Sampled Constituent	MW-201D	MW-202D	MW-202S	MW-207D	MW-207S	MW-209D	MW-216D	MW-216S	MW-217D	MW-217S	MW-218D	MW-218S
	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary	8/14/2007 Primary
<b>Method 8260 (ug/l)</b>												
1,1,1-Trichloroethane	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
1,1-Dichloroethane	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
1,1-Dichloroethene	<100	<50	<100	<10	<50	<10	<1	<1	<1	<1	26	<10
1,2,4-Trichlorobenzene	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
1,2,4-Trimethylbenzene	<200	<100	<200	<20	<100	<20	<2	17	<2	<2	<20	<20
1,3,5-Trimethylbenzene	<200	<100	<200	<20	<100	<20	<2	13	<2	<2	<20	<20
4-Isopropyltoluene	<200	<100	<200	<20	<100	<20	<2	3	<2	<2	<20	<20
Bromodichloromethane	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
Carbon tetrachloride	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
Chloroform	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
cis-1,2-Dichloroethene	<200	<100	<200	<20	<100	<20	<2	60	130	53	31	550
Ethylbenzene	<200	<100	<200	<20	<100	<20	<2	2.6	<2	<2	<20	<20
m/p-xylene	<200	<100	<200	<20	<100	<20	<2	6.9	<2	<2	<20	<20
Methyltert-butylether	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	<20
Naphthalene	<500	<250	<500	<50	<250	<50	<5	24	<5	<5	<50	<50
o-Xylene	<200	<100	<200	<20	<100	<20	<2	9	<2	<2	<20	<20
Tetrachloroethene	10000	47000	56000	220	4400	520	6.7	7	8.7	20	740	390
Toluene	<200	<100	<200	<20	<100	<20	<2	2.6	<2	<2	<20	<20
Trichloroethene	960	<100	<200	<20	140	74	3.4	<2	44	<2	880	<20
Vinyl chloride	<200	<100	<200	<20	<100	<20	<2	<2	<2	<2	<20	36
Xylene (total)	<200	<100	<200	<20	<100	<20	<2	16	<2	<2	<20	<20
<b>TPH (mg/l)</b>												
Unidentified TPH	****	****	****	****	****	****	****	****	****	****	****	****
<b>Metals 6010B (ug/l)</b>												
Dissolved Lead												
Notes:												
< = Less than the laboratory report												
ug/l = Micro grams per liter, parts per												
mg/l = Milligrams per liter, parts per												
TPH = Total Petroleum Hydrocarbon												
**** = Not analyzed for.												

**Table 4  
Compliance Wells Analytical Results  
August 2007  
Former Gorham  
Manufacturing Facility  
Providence, Rhode Island**

<b>Mashapaug Pond Compliance Wells</b>				
Sample ID Date Collected CONSTITUENT	GZA-3 8/14/2007	GZA-3 8/14/2007 Duplicate	MW-109D 8/14/2007	Compliance Standard <sup>1</sup>
<b>Metals (mg/L)</b>				
Lead	<0.012	<0.012	<0.012	0.03
<b>VOCs (ug/L)</b>				
1,1-Dichloroethane	2.4	---	<2	50,000
cis-1,2-Dichloroethene	9.8	---	<2	50,000
Tetrachloroethene	3.6	---	<2	5,000
Trichloroethene	5.1	---	<2	20,000

<b>TPH Remediation Area Well</b>			
Sample ID Date Collected CONSTITUENT	CW-6 8/14/2007	CW-6 8/14/2007 Duplicate	Compliance Standard <sup>1</sup>
TPH (mg/L)	9	9.2	20

<b>Sewer Interceptor Area Wells</b>			
Sample ID Date Collected CONSTITUENT	CW-1 8/14/2007	CW-2 8/14/2007	Compliance Standard <sup>2</sup>
<b>VOCs (ug/L)</b>			
1,1-Dichloroethene	160	<1	23,000
cis-1,2-Dichloroethene	410	<2	69,000
Trichloroethene	4,900	<2	87,000

<b>Adelaide Avenue Wells</b>					
Sample ID Date Collected CONSTITUENT	MW-112 8/14/2007	MW-209D 8/14/2007	MW-218D 8/14/2007	MW-218S 8/14/2007	Compliance Standard <sup>3</sup>
<b>VOCs (ug/L)</b>					
cis-1,2-Dichloroethene	<2	<20	31	550	2,400
1,1-Dichloroethene	<1	<10	26	<10	7
Chloroform	30	<20	<20	<20	1,900
Tetrachloroethene	34	520	740	390	150
Trichloroethene	2.5	74	880	<20	540
Vinyl chloride	<2	<20	<20	36	2

**Notes:**

1. These Site specific compliance standards were taken from the approved RAWP dated April 1, 2001 and/or the RIDEM Remediation Regulations.
2. These compliance standards taken from Table 5 - Upper Concentration Limits for GB Groundwater, RIDEM Remediation Regulations.
3. These compliance standards taken from Table 4 -GB Groundwater Objectives of the RIDEM Remediation Regulations or in the case of vinyl chloride the compliance standard was taken from Table 3 of the Remediation Regulations and for chloroform the compliance standard was calculated from the algorithm in Appendix F of the Remediation Regulations (calculations attached as Appendix C).

mg/L - milligrams per liter

ug/L - micrograms per liter

< - compound was not detected below the laboratory reporting limit, concentration shown is the reporting limit.

VOCs - volatile organic compounds

TPH - total petroleum hydrocarbons

NA - Indicates that the analysis was not performed.



# Drilling Log

Monitoring Well **MW-209D-R**

Page: 1 of 1

Project Former Gorham Manufacturing Facility Owner Textron, Inc.  
 Location 333 Adelaide Avenue, Providence, RI Proj. No. 101960  
 Surface Elev. NA Total Hole Depth 65.0 ft. North \_\_\_\_\_ East \_\_\_\_\_  
 Top of Casing NA Water Level Initial NA Static NA Diameter \_\_\_\_\_  
 Screen: Dia 2 in. Length 10 ft. Type/Size 0.010 in.  
 Casing: Dia 2 in. Length 55 ft. Type NA  
 Fill Material Native, sand, bentonite, concrete Rig/Core \_\_\_\_\_  
 Drill Co. American Drilling Method Hollow Stem Auger  
 Driller \_\_\_\_\_ Log By Ben Short Date 8/7/07 Permit # NA  
 Checked By \_\_\_\_\_ License No. \_\_\_\_\_

COMMENTS

Depth (ft.)	Well Completion	PID (ppm)	Sample ID % Recovery	Blow Count Recovery	Graphic Log	USCS Class.	Description (Color, Texture, Structure) Geologic Descriptions are Based on the USCS.
0							
10							Replacement well for MW-209D Please refer to drilling log for MW-209D for description.
20							
30							
40							
50							
60							
70							Replacement well set at 65 feet below surface grade.

SHAW COMMERCIAL Rev. 6/12/02 TEXTRON PROVIDENCE.GPJ IT\_CORP.GDT 9/7/07



September 19, 2007

**ANALYTICAL TEST RESULTS**

Ed VanDoren  
SHAW E & I, Inc.  
11 Northeastern Boulevard  
Salem, NH 030791953  
TEL: (603) 870-4530  
FAX: (603) 870-4501

Subject: 101960 Textron Gorham

Workorder No.: 0708061

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 25 samples on 8/15/07 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 119 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart  
Vice President

**State Certifications:** NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

*Hard copy of the State Certification is available upon request.*

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960 Textron Gorham  
**Lab Order:** 0708061  
**Date Received:** 8/15/07

**Work Order Sample Summary**

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Collection Date</b>	<b>Collection Time</b>
0708061-01A	MW-207D	8/14/07	8:00 AM
0708061-02A	MW-207S	8/14/07	8:30 AM
0708061-03A	MW-202D	8/14/07	9:00 AM
0708061-04A	MW-202S	8/14/07	9:30 AM
0708061-05A	MW-101S	8/14/07	10:00 AM
0708061-06A	MW-101S (DUP)	8/14/07	10:00 AM
0708061-07A	MW-101D	8/14/07	10:30 AM
0708061-08A	MW-218D	8/14/07	7:00 AM
0708061-09A	MW-218S	8/14/07	7:30 AM
0708061-10A	MW-209D	8/14/07	6:30 AM
0708061-11A	MW-112	8/14/07	6:00 AM
0708061-12A	MW-201D	8/14/07	11:00 AM
0708061-13A	MW-116S	8/14/07	12:00 PM
0708061-14A	MW-116D	8/14/07	11:30 AM
0708061-15A	MW-216S	8/14/07	12:30 PM
0708061-16A	MW-216D	8/14/07	1:00 PM
0708061-17A	MW-217S	8/14/07	1:30 PM
0708061-18A	MW-217D	8/14/07	2:00 PM
0708061-19A	CW-6	8/14/07	10:45 AM
0708061-20A	CW-6 DUP	8/14/07	10:45 AM
0708061-21A	CW-2	8/14/07	2:30 PM
0708061-22A	CW-1	8/14/07	3:00 PM
0708061-23A	MW-109D	8/14/07	3:30 PM
0708061-23B	MW-109D	8/14/07	3:30 PM
0708061-24A	GZA-3	8/14/07	4:00 PM
0708061-24B	GZA-3	8/14/07	4:00 PM
0708061-25A	GZA-3 DUP	8/14/07	4:00 PM



# AMRO Environmental Laboratories Corp.

18-Sep-07

Lab Order: 0708061  
 Client: SHAW E & I, Inc.  
 Project: 101960 Textron Gorham

## DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0708061-01A	MW-207D	8/14/2007 8:00:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS EPA 5030B	8/17/2007	R37700	8/17/2007	
0708061-02A	MW-207S	8/14/2007 8:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/17/2007	R37700	8/17/2007	
0708061-03A	MW-202D	8/14/2007 9:00:00 AM		EPA 8260B VOLATILES by GC/MS	8/14/2007	R37702	8/17/2007	
0708061-04A	MW-202S	8/14/2007 9:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	R37711	8/20/2007	
0708061-05A	MW-101S	8/14/2007 10:00:00 AM		EPA 8260B VOLATILES by GC/MS	8/14/2007	R37702	8/17/2007	
0708061-06A	MW-101S (DUP)	8/14/2007 10:00:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	R37711	8/20/2007	
					8/21/2007	R37723	8/21/2007	
					8/17/2007	R37700	8/17/2007	
					8/17/2007	R37700	8/17/2007	
					8/21/2007	R37723	8/21/2007	
0708061-07A	MW-101D	8/14/2007 10:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/21/2007	R37723	8/21/2007	
					8/21/2007	R37723	8/21/2007	
					8/21/2007	R37723	8/21/2007	
					8/21/2007	R37723	8/21/2007	
					8/21/2007	R37723	8/21/2007	

18-Sep-07

## AMRO Environmental Laboratories Corp.

## DATES REPORT

Lab Order: 0708061

Client: SHAW E &amp; I, Inc.

Project: 101960 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Analysis Date Batch ID	TCLP Date
0708061-07A	MW-101D	8/14/2007 10:30:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS EPA 5030B	8/14/2007	8/20/2007 R37707	
0708061-08A	MW-218D	8/14/2007 7:00:00 AM		EPA 8260B VOLATILES by GC/MS	8/14/2007	8/17/2007 R37702	
0708061-09A	MW-218S	8/14/2007 7:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	8/20/2007 R37711	
0708061-10A	MW-209D	8/14/2007 6:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	8/20/2007 R37711	
0708061-11A	MW-112	8/14/2007 6:00:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	8/20/2007 R37711	
0708061-12A	MW-201D	8/14/2007 11:00:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	8/20/2007 R37711	
0708061-13A	MW-116S	8/14/2007 12:00:00 PM		EPA 8260B VOLATILES by GC/MS	8/20/2007	8/20/2007 R37711	
0708061-14A	MW-116D	8/14/2007 11:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2007	8/20/2007 R37711	
0708061-15A	MW-216S	8/14/2007 12:30:00 PM		EPA 8260B VOLATILES by GC/MS	8/17/2007	8/17/2007 R37700	
0708061-16A	MW-216D	8/14/2007 1:00:00 PM		EPA 8260B VOLATILES by GC/MS	8/21/2007	8/21/2007 R37723	
0708061-17A	MW-217S	8/14/2007 1:30:00 PM		EPA 8260B VOLATILES by GC/MS	8/17/2007	8/17/2007 R37700	
0708061-18A	MW-217D	8/14/2007 2:00:00 PM		EPA 8260B VOLATILES by GC/MS	8/17/2007	8/17/2007 R37700	

# AMRO Environmental Laboratories Corp.

18-Sep-07

Lab Order: 0708061

Client: SHAW E & I, Inc.

Project: 101960 Textron Gorham

## DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Batch ID	Analysis Date TCLP Date
0708061-19A	CW-6	8/14/2007 10:45:00 AM	Groundwater	TPH by GC/FID (modified 8015B) AQPREP SEP FUNNEL: FING	8/17/2007	17463	8/18/2007
0708061-20A	CW-6 DUP			TPH by GC/FID (modified 8015B)	8/17/2007	17463	8/18/2007
0708061-21A	CW-2	8/14/2007 2:30:00 PM		EPA 8260B VOLATILES by GC/MS EPA 5030B	8/17/2007	R37700	8/17/2007
0708061-22A	CW-1	8/14/2007 3:00:00 PM		EPA 8260B VOLATILES by GC/MS	8/20/2007	R37711	8/20/2007
0708061-23A	MW-109D	8/14/2007 3:30:00 PM		EPA 8260B VOLATILES by GC/MS	8/17/2007	R37700	8/17/2007
0708061-23B				EPA 6010B ICP METALS, DISSOLVED EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	8/16/2007	17460	8/21/2007
0708061-24A	GZA-3	8/14/2007 4:00:00 PM		EPA 6010B ICP METALS, DISSOLVED EPA 8260B VOLATILES by GC/MS EPA 5030B	8/16/2007	17460	8/17/2007
0708061-24B				EPA 6010B ICP METALS, DISSOLVED EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	8/21/2007	R37723	8/21/2007
0708061-25A	GZA-3 DUP			EPA 6010B ICP METALS, DISSOLVED	8/16/2007	17460	8/17/2007
0708061-25B				EPA 6010B ICP METALS, DISSOLVED	8/16/2007	17460	8/21/2007
0708061-26A				EPA 6010B ICP METALS, DISSOLVED	8/16/2007	17460	8/17/2007
0708061-26B				EPA 6010B ICP METALS, DISSOLVED	8/16/2007	17460	8/17/2007

Office: (603) 424-2022  
 Fax: (603) 429-8496  
 web: www.amrolabs.com

55636

CHAIN-OF-CUSTODY RECORD

AMRO Environmental Laboratories Corporation  
 111 Herrick Street  
 Merrimack, NH 03054

Project No.: 101960 P.O.#: 157431	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed Vandoren	AMRO Project No.: 0708061
Results Needed by:	Seal Intact? Yes No N/A	Total # of Cont. & Size	Requested Analyses	Remarks
Date/Time Sampled	Matrix	Comp.	Grab	
MW-207D	GW	2	✓	Email GISKey formatted EDD and PDF of report to: Catherine.Joe@shawgrp.com
MW-207S		2	✓	
MW-202D		2	✓	
MW-202S		2	✓	
MW-101S		2	✓	
MW-101S (Dup)		2	✓	
MW-101D		2	✓	
MW-218D		2	✓	
MW-218S		2	✓	
MW-209D		2	✓	
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O-Other				
Send Results To: Edward Vandoren Shaw Environmental, Inc. 11 Northeastern Blvd. Salem, NH 03079-1953 PHONE #: 603-870-4530 FAX #: 603-870-4501				
E-mail: [Signature]				
Priority Turnaround Time Authorization: Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER BY: [Signature]				
MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>				
Dissolved Metals Field Filtered? YES <input type="checkbox"/> NO <input type="checkbox"/>				
MCP Methods Needed: YES <input type="checkbox"/> NO <input type="checkbox"/>				
AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/>				
EDD required: YES <input type="checkbox"/> NO <input type="checkbox"/>				
GISKey Format: YES <input type="checkbox"/> NO <input type="checkbox"/>				
Required Reporting Limits: S-1 <input type="checkbox"/> S-2 <input type="checkbox"/> S-3 <input type="checkbox"/> Other: <input type="checkbox"/>				
KNOWN SITE CONTAMINATION: <input type="checkbox"/>				
AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.				
AMROCOC2004, Rev.3 08/19/04				

1 of 3

White: Lab Copy Yellow: Client Copy

Project No.: 101960	Project Name: Textron Gorham	Project Manager: Ed Vandoren	Project State: RI	AMRO Project No.: 0708061
P.O.#: 157431	Results Needed by:	Requested Analyses:	Remarks:	
QUOTE #:	Seal Intact? Yes No N/A	Matrix	Email GISKEY formatted EDD and PDF of report to: Catherine.Joe@Shawgrp.com	
Sample ID:	Date/Time Sampled	Total # of Cont. & Size	Comp.	Grab
MW-112	8/14/17 0600	2	✓	✓
MW-201D	8/14/17 1100	2	✓	✓
MW-216S	8/14/17 1130	2	✓	✓
MW-116D	8/14/17 1200	2	✓	✓
MW-216S	8/14/17 1230	2	✓	✓
MW-216D	8/14/17 1300	2	✓	✓
MW-217S	8/14/17 1330	2	✓	✓
MW-217D	8/14/17 1400	2	✓	✓
CW-6	8/14/17 1045	2	✓	✓
CW-6 DUP	8/14/17 1045	2	✓	✓

Handwritten notes in table:  
 EPA 8260 (VOC) TPA  
 HAD  
 \*MY BZ HAD

Project Turnaround Time Authorization: METALS 8 RCRA  13 PP  23 TAL  14 MCP   
 Method: 6010  200.7  Other Metals:   
 Dissolved Metals Field Filtered? YES  NO   
 MCP Presumptive Certainty Required? YES  NO   
 Received By: [Signature]  
 Date/Time: 8/14/17 1730  
 8/15/17 1330  
 8/16/17 1545

Required Reporting Limits: S-1  GW-1   
 S-2  GW-2   
 S-3  GW-3   
 Other:

AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.

White: Lab Copy Yellow: Client Copy SHEET OF AMROCC02004, Rev.3\_08/18/04

AMRO Environmental Laboratories Corporation  
 111 Herrick Street  
 Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

55637B

Office: (603) 424-2022  
 Fax: (603) 429-8496  
 web: www.amrolabs.com

Project No.: 101960	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed Vandoren	AMRO Project No.: 0708061
P.O.#: 157431	Results Needed by:	Total # of Cont. & Size	Requested Analyses	Remarks: Email GISKey formatted EDD and PDF of report to: Catherine.Joe@shawgrp.com
QUOTE #:	Seal Intact? Yes No N/A	Matrix	Requested Analyses	
Sample ID.:	Date/Time Sampled		Requested Analyses	
CW-2	8/14/17 1430	GW	Requested Analyses	
CW-1	8/14/17 1500		Requested Analyses	
MW-109D	8/14/17 1530		Requested Analyses	
GZA-3	8/14/17 1600		Requested Analyses	
GZA-3 DUP	8/14/17 1600		Requested Analyses	
Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other				
Send Results To: Edward Vandoren				
Shaw Environmental, Inc.				
11 Northeastern Blvd.				
Salem, NH 03079-1953				
PHONE #: 603-870-4530 FAX #: 603-870-4501				
E-mail:				
AUTHORIZATION No.: BY: _____ Received By: _____ Date/Time: 8/14/17 1730 8/15/17 1330 8/15/17 1528 Samples arriving after 12:00 noon will be tracked and billed as received on the following day.				
METALS 8 RCRA <input type="checkbox"/> 13 PP <input type="checkbox"/> 23 TAL <input type="checkbox"/> 14 MCP <input type="checkbox"/> Method: 6010 <input type="checkbox"/> 200.7 <input type="checkbox"/> Other Metals: _____ Dissolved Metals Field Filtered? YES <input type="checkbox"/> NO <input type="checkbox"/> MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/> AMRO report package level needed: _____ EDD required: _____ GISKey Format				
Required Reporting Limits: S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/> S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/> S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/> Other: _____ KNOWN SITE CONTAMINATION: _____ AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.				
White: Lab Copy Yellow: Client Copy SHEET OF AMROCC2004, Rev.3 08/18/04				

3 of 2

**Login Account for multiple users**

---

**From:** Sasso, Vallerie [Vallerie.Sasso@shawgrp.com]  
**Sent:** Monday, August 20, 2007 4:12 PM  
**To:** Login Account for multiple users  
**Cc:** Leahy, Daniel; VanDoren, Edward  
**Subject:** RE: Textron Sampling Times (AMRO 0708067)

MW-116S @ 12:00  
 MW-116D @ 11:30  
 As per Dan Leahy

*Vallerie Sasso*  
 Shaw Environmental, Inc.  
 88C Elm Street  
 Hopkinton, MA 01748

Phone: 508-497-6163

---

**From:** Login Account for multiple users [mailto:login@amrolabs.com]  
**Sent:** Monday, August 20, 2007 3:19 PM  
**To:** Sasso, Vallerie  
**Subject:** FW: Textron Sampling Times (AMRO 0708067)

Here is the email, Vallerie. Thanks for your help!

Connie

---

**From:** Login Account for multiple users  
**Sent:** Thursday, August 16, 2007 12:17 PM  
**To:** 'VanDoren, Edward'  
**Cc:** Maria Nicoletta Borduz  
**Subject:** Textron Sampling Times (AMRO 0708061)  
 Hello Ed -

I need to clarify some sampling times, as 2 of them are switched. The IDs are typed on the labels and the times handwritten.

Sample ID	COC	Vials
MW-116S	1130	1200
MW-116D	1200	1130

Can we assume that the correct IDs are on the vials? If so, which time goes with which?

Thanks!

Connie in Receiving

\*\*\*\*Internet Email Confidentiality Footer\*\*\*\* Privileged/Confidential Information may be contained in this message. If you are not the addressee indicated in this message (or responsible for delivery of the message to such person), you may not copy or deliver this message to anyone. In such case, you should destroy this message and notify the sender by reply email. Please advise immediately if you or your employer do not consent to Internet email for messages of this kind. Opinions, conclusions and other information in this message that do not relate to the official business of The Shaw Group Inc. or its

Client: SHAW ENVIRONMENTAL, INC AMRO ID: 0708061  
 Project Name: TEXTROL GORHAM Date Rec.: 8-15-07  
 Ship via: (circle one) Fed Ex., UPS, AMRO Courier Date Due: 8-22-07  
 Hand Del., Other Courier, Other:

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input type="checkbox"/> neither <input type="checkbox"/> TEMP = <u>3°</u>				
8. Were samples received the same day they were sampled? Is client temperature 4°C ± 2°C?	✓	✓		
If no obtain authorization from the client for the analyses. Client authorization from: _____ Date: _____ Obtained by: _____				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			2 TIMES SWITCHED- EMAIL TO CLIENT
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			

19. VPH and VOA Soils only:  
 Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)  
 Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk  
 If M or SB:  
 Does preservative cover the soil? If NO then client must be faxed.  
 Does preservation level come close to the fill line on the vial? If NO then client must be faxed.  
 Were vials provided by AMRO? If NO then weights MUST be obtained from client  
 Was dry weight aliquot provided? If NO then fax client and inform the VOA lab ASAP.

20. Subcontracted Samples:  
 What samples sent:  
 Where sent:  
 Date:  
 Analysis:  
 TAT:

21. Information entered into:  
 Internal Tracking Log?  
 Dry Weight Log?  
 Client Log?  
 Composite Log?  
 Filtration Log?

Received By: CC Date: 8-15-07 Logged in By: CC Date: 8-15-07  
 Labeled By: CC Date: 8-15-07 Checked By: MG Date: 8-16-07





**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960 Textron Gorham  
**Lab Order:** 0708061

**CASE NARRATIVE**

**GC/MS VOLATILES:**

1. A Laboratory Control Sample (LCS) and Laboratory Sample Duplicate (LCSD) were performed on 08/17/07 (Batch ID: R37700).

1.1 The % Recovery for 8 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

2. A Laboratory Control Sample (LCS) was performed on 08/20/07 (Batch ID: R37711).

2.1 The % Recovery for 2 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

3. A Laboratory Control Sample (LCS) was performed on 08/20/07 (Batch ID: R37707).

3.1 The % Recovery for 2 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

3.2 Two surrogate compounds recovered above the laboratory control limits.

4. A Laboratory Control Sample (LCS) and Laboratory Sample Duplicate (LCSD) were performed on 08/21/07 (Batch ID: R37723).

4.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.

4.2 The % Recovery for 10 analytes out of 67 analytes in the LCSD was outside the laboratory control limits.

5. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-207D (0708061-01A) Batch ID: R37700.

5.1 The % Recovery for 5 analytes out of 67 analytes in the MS was outside the laboratory control limits.

5.2 The RPD for 2 analytes out of 67 analytes was outside the laboratory control limits.

5.3 The surrogate 1,2-Dichloroethane-d4 recovered above the laboratory control limits in the MS and MSD.

6. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-112 (0708061-11A) Batch ID: R37711.

---

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960 Textron Gorham  
**Lab Order:** 0708061

---

**CASE NARRATIVE**

6.1 The % Recovery for 1 analyte out of 67 analytes in the MS was outside the laboratory control limits.

6.2 The % Recovery for 1 analyte out of 67 analytes in the MSD was outside the laboratory control limits.

7. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample GZA-3 (0708061-24A) Batch ID: R37723.

7.1 The % Recovery for 4 analytes out of 67 analytes in the MS was outside the laboratory control limits.

7.2 The % Recovery for 9 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

8. The surrogate 1,2-Dichloroethane-d4 recovered above the laboratory control limit in samples MW-207D (0708061-01A), MW-207S (0708061-02A), MW-217D (0708061-18A), CW-2 (0708061-21A) and MW-109D (0708061-23A).

**METALS:**

1. A Method Blank (MB) was performed on Batch ID: 17460.

1.1 The MB contained 12.41 ug/L Lead. The associated samples were ND, therefore there is no impact on the results.

## DATA COMMENT PAGE

### Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

### Micro Data Qualifiers

TNTC Too numerous to count

### Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

#### Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.

**Client Sample ID:** MW-207D

**Lab Order:** 0708061

**Collection Date:** 8/14/07 8:00:00 AM

**Project:** 101960 Textron Gorham

**Matrix:** GROUNDWATER

**Lab ID:** 0708061-01A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	8/17/07 7:52:00 PM
Chloromethane	ND	50		µg/L	10	8/17/07 7:52:00 PM
Vinyl chloride	ND	20		µg/L	10	8/17/07 7:52:00 PM
Chloroethane	ND	50		µg/L	10	8/17/07 7:52:00 PM
Bromomethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Diethyl ether	ND	50		µg/L	10	8/17/07 7:52:00 PM
Acetone	ND	100		µg/L	10	8/17/07 7:52:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/17/07 7:52:00 PM
Carbon disulfide	ND	20		µg/L	10	8/17/07 7:52:00 PM
Methylene chloride	ND	50		µg/L	10	8/17/07 7:52:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/17/07 7:52:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
2-Butanone	ND	100		µg/L	10	8/17/07 7:52:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/17/07 7:52:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Chloroform	ND	20		µg/L	10	8/17/07 7:52:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/17/07 7:52:00 PM
Bromochloromethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Benzene	ND	10		µg/L	10	8/17/07 7:52:00 PM
Trichloroethene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Dibromomethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/17/07 7:52:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/17/07 7:52:00 PM
Toluene	ND	20		µg/L	10	8/17/07 7:52:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/17/07 7:52:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
2-Hexanone	ND	100		µg/L	10	8/17/07 7:52:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Tetrachloroethene	220	20		µg/L	10	8/17/07 7:52:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/17/07 7:52:00 PM

# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-01A

**Client Sample ID:** MW-207D  
**Collection Date:** 8/14/07 8:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Ethylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
m,p-Xylene	ND	20		µg/L	10	8/17/07 7:52:00 PM
o-Xylene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Styrene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Bromoform	ND	20		µg/L	10	8/17/07 7:52:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/17/07 7:52:00 PM
Bromobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/17/07 7:52:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/17/07 7:52:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Naphthalene	ND	50		µg/L	10	8/17/07 7:52:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/17/07 7:52:00 PM
Surr: Dibromofluoromethane	106	85-116		%REC	10	8/17/07 7:52:00 PM
Surr: 1,2-Dichloroethane-d4	130	77-127	S	%REC	10	8/17/07 7:52:00 PM
Surr: Toluene-d8	97.2	86-114		%REC	10	8/17/07 7:52:00 PM
Surr: 4-Bromofluorobenzene	85.0	79-117		%REC	10	8/17/07 7:52:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-02A

**Client Sample ID:** MW-207S  
**Collection Date:** 8/14/07 8:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	250		µg/L	50	8/17/07 8:26:00 PM
Chloromethane	ND	250		µg/L	50	8/17/07 8:26:00 PM
Vinyl chloride	ND	100		µg/L	50	8/17/07 8:26:00 PM
Chloroethane	ND	250		µg/L	50	8/17/07 8:26:00 PM
Bromomethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Trichlorofluoromethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Diethyl ether	ND	250		µg/L	50	8/17/07 8:26:00 PM
Acetone	ND	500		µg/L	50	8/17/07 8:26:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	8/17/07 8:26:00 PM
Carbon disulfide	ND	100		µg/L	50	8/17/07 8:26:00 PM
Methylene chloride	ND	250		µg/L	50	8/17/07 8:26:00 PM
Methyl tert-butyl ether	ND	100		µg/L	50	8/17/07 8:26:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,1-Dichloroethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
2-Butanone	ND	500		µg/L	50	8/17/07 8:26:00 PM
2,2-Dichloropropane	ND	100		µg/L	50	8/17/07 8:26:00 PM
cis-1,2-Dichloroethene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Chloroform	ND	100		µg/L	50	8/17/07 8:26:00 PM
Tetrahydrofuran	ND	500		µg/L	50	8/17/07 8:26:00 PM
Bromochloromethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,1-Dichloropropene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Carbon tetrachloride	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,2-Dichloroethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Benzene	ND	50		µg/L	50	8/17/07 8:26:00 PM
Trichloroethene	140	100		µg/L	50	8/17/07 8:26:00 PM
1,2-Dichloropropane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Bromodichloromethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Dibromomethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	50	8/17/07 8:26:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	8/17/07 8:26:00 PM
Toluene	ND	100		µg/L	50	8/17/07 8:26:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	8/17/07 8:26:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,2-Dibromoethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
2-Hexanone	ND	500		µg/L	50	8/17/07 8:26:00 PM
1,3-Dichloropropane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Tetrachloroethene	4,400	100		µg/L	50	8/17/07 8:26:00 PM
Dibromochloromethane	ND	100		µg/L	50	8/17/07 8:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-02A

**Client Sample ID:** MW-207S  
**Collection Date:** 8/14/07 8:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,1,1,2-Tetrachloroethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Ethylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
m,p-Xylene	ND	100		µg/L	50	8/17/07 8:26:00 PM
o-Xylene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Styrene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Bromoform	ND	100		µg/L	50	8/17/07 8:26:00 PM
Isopropylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,2,3-Trichloropropane	ND	100		µg/L	50	8/17/07 8:26:00 PM
Bromobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
n-Propylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
2-Chlorotoluene	ND	100		µg/L	50	8/17/07 8:26:00 PM
4-Chlorotoluene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,3,5-Trimethylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
tert-Butylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,2,4-Trimethylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
sec-Butylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
4-Isopropyltoluene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
n-Butylbenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
1,2-Dibromo-3-chloropropane	ND	250		µg/L	50	8/17/07 8:26:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Hexachlorobutadiene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Naphthalene	ND	250		µg/L	50	8/17/07 8:26:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	50	8/17/07 8:26:00 PM
Surr: Dibromofluoromethane	108	85-116		%REC	50	8/17/07 8:26:00 PM
Surr: 1,2-Dichloroethane-d4	130	77-127	S	%REC	50	8/17/07 8:26:00 PM
Surr: Toluene-d8	98.9	86-114		%REC	50	8/17/07 8:26:00 PM
Surr: 4-Bromofluorobenzene	84.9	79-117		%REC	50	8/17/07 8:26:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-03A

**Client Sample ID:** MW-202D  
**Collection Date:** 8/14/07 9:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	250		µg/L	50	8/17/07 7:31:00 PM
Chloromethane	ND	250		µg/L	50	8/17/07 7:31:00 PM
Vinyl chloride	ND	100		µg/L	50	8/17/07 7:31:00 PM
Chloroethane	ND	250		µg/L	50	8/17/07 7:31:00 PM
Bromomethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Trichlorofluoromethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Diethyl ether	ND	250		µg/L	50	8/17/07 7:31:00 PM
Acetone	ND	500		µg/L	50	8/17/07 7:31:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	8/17/07 7:31:00 PM
Carbon disulfide	ND	100		µg/L	50	8/17/07 7:31:00 PM
Methylene chloride	ND	250		µg/L	50	8/17/07 7:31:00 PM
Methyl tert-butyl ether	ND	100		µg/L	50	8/17/07 7:31:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,1-Dichloroethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
2-Butanone	ND	500		µg/L	50	8/17/07 7:31:00 PM
2,2-Dichloropropane	ND	100		µg/L	50	8/17/07 7:31:00 PM
cis-1,2-Dichloroethene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Chloroform	ND	100		µg/L	50	8/17/07 7:31:00 PM
Tetrahydrofuran	ND	500		µg/L	50	8/17/07 7:31:00 PM
Bromochloromethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,1-Dichloropropene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Carbon tetrachloride	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2-Dichloroethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Benzene	ND	50		µg/L	50	8/17/07 7:31:00 PM
Trichloroethene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2-Dichloropropane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Bromodichloromethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Dibromomethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	50	8/17/07 7:31:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	8/17/07 7:31:00 PM
Toluene	ND	100		µg/L	50	8/17/07 7:31:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	8/17/07 7:31:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2-Dibromoethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
2-Hexanone	ND	500		µg/L	50	8/17/07 7:31:00 PM
1,3-Dichloropropane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Tetrachloroethene	47,000	2,000		µg/L	1000	8/20/07 1:13:00 PM
Dibromochloromethane	ND	100		µg/L	50	8/17/07 7:31:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-03A

**Client Sample ID:** MW-202D  
**Collection Date:** 8/14/07 9:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,1,1,2-Tetrachloroethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Ethylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
m,p-Xylene	ND	100		µg/L	50	8/17/07 7:31:00 PM
o-Xylene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Styrene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Bromoform	ND	100		µg/L	50	8/17/07 7:31:00 PM
Isopropylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2,3-Trichloropropane	ND	100		µg/L	50	8/17/07 7:31:00 PM
Bromobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
n-Propylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
2-Chlorotoluene	ND	100		µg/L	50	8/17/07 7:31:00 PM
4-Chlorotoluene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,3,5-Trimethylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
tert-Butylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2,4-Trimethylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
sec-Butylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
4-Isopropyltoluene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
n-Butylbenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
1,2-Dibromo-3-chloropropane	ND	250		µg/L	50	8/17/07 7:31:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Hexachlorobutadiene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Naphthalene	ND	250		µg/L	50	8/17/07 7:31:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	50	8/17/07 7:31:00 PM
Surr: Dibromofluoromethane	101	85-116		%REC	50	8/17/07 7:31:00 PM
Surr: 1,2-Dichloroethane-d4	108	77-127		%REC	50	8/17/07 7:31:00 PM
Surr: Toluene-d8	96.8	86-114		%REC	50	8/17/07 7:31:00 PM
Surr: 4-Bromofluorobenzene	92.0	79-117		%REC	50	8/17/07 7:31:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-04A

**Client Sample ID:** MW-202S  
**Collection Date:** 8/14/07 9:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	500		µg/L	100	8/17/07 8:06:00 PM
Chloromethane	ND	500		µg/L	100	8/17/07 8:06:00 PM
Vinyl chloride	ND	200		µg/L	100	8/17/07 8:06:00 PM
Chloroethane	ND	500		µg/L	100	8/17/07 8:06:00 PM
Bromomethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Diethyl ether	ND	500		µg/L	100	8/17/07 8:06:00 PM
Acetone	ND	1,000		µg/L	100	8/17/07 8:06:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	8/17/07 8:06:00 PM
Carbon disulfide	ND	200		µg/L	100	8/17/07 8:06:00 PM
Methylene chloride	ND	500		µg/L	100	8/17/07 8:06:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/17/07 8:06:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
2-Butanone	ND	1,000		µg/L	100	8/17/07 8:06:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/17/07 8:06:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Chloroform	ND	200		µg/L	100	8/17/07 8:06:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/17/07 8:06:00 PM
Bromochloromethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Benzene	ND	100		µg/L	100	8/17/07 8:06:00 PM
Trichloroethene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Dibromomethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/17/07 8:06:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/17/07 8:06:00 PM
Toluene	ND	200		µg/L	100	8/17/07 8:06:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/17/07 8:06:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/17/07 8:06:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Tetrachloroethene	56,000	2,000		µg/L	1000	8/20/07 1:47:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/17/07 8:06:00 PM

# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0708061  
 Project: 101960 Textron Gorham  
 Lab ID: 0708061-04A

Client Sample ID: MW-202S  
 Collection Date: 8/14/07 9:30:00 AM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Ethylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
m,p-Xylene	ND	200		µg/L	100	8/17/07 8:06:00 PM
o-Xylene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Styrene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Bromoform	ND	200		µg/L	100	8/17/07 8:06:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/17/07 8:06:00 PM
Bromobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/17/07 8:06:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/17/07 8:06:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Naphthalene	ND	500		µg/L	100	8/17/07 8:06:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/17/07 8:06:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	100	8/17/07 8:06:00 PM
Surr: 1,2-Dichloroethane-d4	111	77-127		%REC	100	8/17/07 8:06:00 PM
Surr: Toluene-d8	98.5	86-114		%REC	100	8/17/07 8:06:00 PM
Surr: 4-Bromofluorobenzene	95.8	79-117		%REC	100	8/17/07 8:06:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-05A

**Client Sample ID:** MW-101S  
**Collection Date:** 8/14/07 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
Acetone	ND	10		µg/L	1	8/17/07 2:05:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 2:05:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
Methyl tert-butyl ether	13	2.0		µg/L	1	8/17/07 2:05:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 2:05:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
cis-1,2-Dichloroethene	33	2.0		µg/L	1	8/17/07 2:05:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 2:05:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,1,1-Trichloroethane	7.8	2.0		µg/L	1	8/17/07 2:05:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 2:05:00 PM
Trichloroethene	48	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 2:05:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 2:05:00 PM
Toluene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 2:05:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 2:05:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Tetrachloroethene	39,000	2,000		µg/L	1000	8/21/07 4:35:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-05A

**Client Sample ID:** MW-101S  
**Collection Date:** 8/14/07 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
o-Xylene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Naphthalene	ND	5.0		µg/L	1	8/17/07 2:05:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:05:00 PM
Surr: Dibromofluoromethane	106	85-116		%REC	1	8/17/07 2:05:00 PM
Surr: 1,2-Dichloroethane-d4	115	77-127		%REC	1	8/17/07 2:05:00 PM
Surr: Toluene-d8	98.4	86-114		%REC	1	8/17/07 2:05:00 PM
Surr: 4-Bromofluorobenzene	87.4	79-117		%REC	1	8/17/07 2:05:00 PM

# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0708061  
 Project: 101960 Textron Gorham  
 Lab ID: 0708061-06A

Client Sample ID: MW-101S (DUP)  
 Collection Date: 8/14/07 10:00:00 AM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
Acetone	ND	10		µg/L	1	8/17/07 2:40:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 2:40:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
Methyl tert-butyl ether	12	2.0		µg/L	1	8/17/07 2:40:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 2:40:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
cis-1,2-Dichloroethene	31	2.0		µg/L	1	8/17/07 2:40:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 2:40:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,1,1-Trichloroethane	8.0	2.0		µg/L	1	8/17/07 2:40:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 2:40:00 PM
Trichloroethene	46	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 2:40:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 2:40:00 PM
Toluene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 2:40:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 2:40:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Tetrachloroethene	38,000	2,000		µg/L	1000	8/21/07 5:10:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-06A

**Client Sample ID:** MW-101S (DUP)  
**Collection Date:** 8/14/07 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
o-Xylene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Naphthalene	ND	5.0		µg/L	1	8/17/07 2:40:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 2:40:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	1	8/17/07 2:40:00 PM
Surr: 1,2-Dichloroethane-d4	118	77-127		%REC	1	8/17/07 2:40:00 PM
Surr: Toluene-d8	97.8	86-114		%REC	1	8/17/07 2:40:00 PM
Surr: 4-Bromofluorobenzene	88.7	79-117		%REC	1	8/17/07 2:40:00 PM



# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-07A

**Client Sample ID:** MW-101D  
**Collection Date:** 8/14/07 10:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
Chloromethane	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
Vinyl chloride	22	2.0		µg/L	1	8/20/07 5:54:00 PM
Chloroethane	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
Bromomethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
Acetone	ND	10		µg/L	1	8/20/07 5:54:00 PM
1,1-Dichloroethene	4.8	1.0		µg/L	1	8/20/07 5:54:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
Methyl tert-butyl ether	3.9	2.0		µg/L	1	8/20/07 5:54:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
2-Butanone	ND	10		µg/L	1	8/20/07 5:54:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
cis-1,2-Dichloroethene	610	200		µg/L	100	8/21/07 6:19:00 PM
Chloroform	9.4	2.0		µg/L	1	8/20/07 5:54:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/20/07 5:54:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,1,1-Trichloroethane	8.0	2.0		µg/L	1	8/20/07 5:54:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Carbon tetrachloride	37	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Benzene	ND	1.0		µg/L	1	8/20/07 5:54:00 PM
Trichloroethene	290	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/20/07 5:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 5:54:00 PM
Toluene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 5:54:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
2-Hexanone	ND	10		µg/L	1	8/20/07 5:54:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Tetrachloroethene	36,000	2,000		µg/L	1000	8/21/07 5:45:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-07A

**Client Sample ID:** MW-101D  
**Collection Date:** 8/14/07 10:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
o-Xylene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Styrene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Bromoform	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
1,2,4-Trichlorobenzene	4.1	2.0		µg/L	1	8/20/07 5:54:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Naphthalene	ND	5.0		µg/L	1	8/20/07 5:54:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 5:54:00 PM
Surr: Dibromofluoromethane	109	85-116		%REC	1	8/20/07 5:54:00 PM
Surr: 1,2-Dichloroethane-d4	125	77-127		%REC	1	8/20/07 5:54:00 PM
Surr: Toluene-d8	96.7	86-114		%REC	1	8/20/07 5:54:00 PM
Surr: 4-Bromofluorobenzene	86.1	79-117		%REC	1	8/20/07 5:54:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-08A

**Client Sample ID:** MW-218D  
**Collection Date:** 8/14/07 7:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	8/17/07 8:40:00 PM
Chloromethane	ND	50		µg/L	10	8/17/07 8:40:00 PM
Vinyl chloride	ND	20		µg/L	10	8/17/07 8:40:00 PM
Chloroethane	ND	50		µg/L	10	8/17/07 8:40:00 PM
Bromomethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Diethyl ether	ND	50		µg/L	10	8/17/07 8:40:00 PM
Acetone	ND	100		µg/L	10	8/17/07 8:40:00 PM
1,1-Dichloroethene	26	10		µg/L	10	8/17/07 8:40:00 PM
Carbon disulfide	ND	20		µg/L	10	8/17/07 8:40:00 PM
Methylene chloride	ND	50		µg/L	10	8/17/07 8:40:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/17/07 8:40:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
2-Butanone	ND	100		µg/L	10	8/17/07 8:40:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/17/07 8:40:00 PM
cis-1,2-Dichloroethene	31	20		µg/L	10	8/17/07 8:40:00 PM
Chloroform	ND	20		µg/L	10	8/17/07 8:40:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/17/07 8:40:00 PM
Bromochloromethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/17/07 8:40:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Benzene	ND	10		µg/L	10	8/17/07 8:40:00 PM
Trichloroethene	880	20		µg/L	10	8/17/07 8:40:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Dibromomethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/17/07 8:40:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/17/07 8:40:00 PM
Toluene	ND	20		µg/L	10	8/17/07 8:40:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/17/07 8:40:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
2-Hexanone	ND	100		µg/L	10	8/17/07 8:40:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Tetrachloroethene	740	20		µg/L	10	8/17/07 8:40:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/17/07 8:40:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-08A

**Client Sample ID:** MW-218D  
**Collection Date:** 8/14/07 7:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Ethylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
m,p-Xylene	ND	20		µg/L	10	8/17/07 8:40:00 PM
o-Xylene	ND	20		µg/L	10	8/17/07 8:40:00 PM
Styrene	ND	20		µg/L	10	8/17/07 8:40:00 PM
Bromoform	ND	20		µg/L	10	8/17/07 8:40:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/17/07 8:40:00 PM
Bromobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/17/07 8:40:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/17/07 8:40:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/17/07 8:40:00 PM
Naphthalene	ND	50		µg/L	10	8/17/07 8:40:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/17/07 8:40:00 PM
Surr: Dibromofluoromethane	106	85-116		%REC	10	8/17/07 8:40:00 PM
Surr: 1,2-Dichloroethane-d4	112	77-127		%REC	10	8/17/07 8:40:00 PM
Surr: Toluene-d8	97.7	86-114		%REC	10	8/17/07 8:40:00 PM
Surr: 4-Bromofluorobenzene	95.1	79-117		%REC	10	8/17/07 8:40:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-09A

**Client Sample ID:** MW-218S  
**Collection Date:** 8/14/07 7:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	8/20/07 4:37:00 PM
Chloromethane	ND	50		µg/L	10	8/20/07 4:37:00 PM
Vinyl chloride	36	20		µg/L	10	8/20/07 4:37:00 PM
Chloroethane	ND	50		µg/L	10	8/20/07 4:37:00 PM
Bromomethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Diethyl ether	ND	50		µg/L	10	8/20/07 4:37:00 PM
Acetone	ND	100		µg/L	10	8/20/07 4:37:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/20/07 4:37:00 PM
Carbon disulfide	ND	20		µg/L	10	8/20/07 4:37:00 PM
Methylene chloride	ND	50		µg/L	10	8/20/07 4:37:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/20/07 4:37:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
2-Butanone	ND	100		µg/L	10	8/20/07 4:37:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/20/07 4:37:00 PM
cis-1,2-Dichloroethene	550	20		µg/L	10	8/20/07 4:37:00 PM
Chloroform	ND	20		µg/L	10	8/20/07 4:37:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/20/07 4:37:00 PM
Bromochloromethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/20/07 4:37:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Benzene	ND	10		µg/L	10	8/20/07 4:37:00 PM
Trichloroethene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Dibromomethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/20/07 4:37:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/20/07 4:37:00 PM
Toluene	ND	20		µg/L	10	8/20/07 4:37:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/20/07 4:37:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
2-Hexanone	ND	100		µg/L	10	8/20/07 4:37:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Tetrachloroethene	390	20		µg/L	10	8/20/07 4:37:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/20/07 4:37:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-09A

**Client Sample ID:** MW-218S  
**Collection Date:** 8/14/07 7:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Ethylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
m,p-Xylene	ND	20		µg/L	10	8/20/07 4:37:00 PM
o-Xylene	ND	20		µg/L	10	8/20/07 4:37:00 PM
Styrene	ND	20		µg/L	10	8/20/07 4:37:00 PM
Bromoform	ND	20		µg/L	10	8/20/07 4:37:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/20/07 4:37:00 PM
Bromobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/20/07 4:37:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/20/07 4:37:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/20/07 4:37:00 PM
Naphthalene	ND	50		µg/L	10	8/20/07 4:37:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/20/07 4:37:00 PM
Surr: Dibromofluoromethane	99.7	85-116		%REC	10	8/20/07 4:37:00 PM
Surr: 1,2-Dichloroethane-d4	115	77-127		%REC	10	8/20/07 4:37:00 PM
Surr: Toluene-d8	100	86-114		%REC	10	8/20/07 4:37:00 PM
Surr: 4-Bromofluorobenzene	89.4	79-117		%REC	10	8/20/07 4:37:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-10A

**Client Sample ID:** MW-209D  
**Collection Date:** 8/14/07 6:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	8/20/07 5:11:00 PM
Chloromethane	ND	50		µg/L	10	8/20/07 5:11:00 PM
Vinyl chloride	ND	20		µg/L	10	8/20/07 5:11:00 PM
Chloroethane	ND	50		µg/L	10	8/20/07 5:11:00 PM
Bromomethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Diethyl ether	ND	50		µg/L	10	8/20/07 5:11:00 PM
Acetone	ND	100		µg/L	10	8/20/07 5:11:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/20/07 5:11:00 PM
Carbon disulfide	ND	20		µg/L	10	8/20/07 5:11:00 PM
Methylene chloride	ND	50		µg/L	10	8/20/07 5:11:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/20/07 5:11:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
2-Butanone	ND	100		µg/L	10	8/20/07 5:11:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/20/07 5:11:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Chloroform	ND	20		µg/L	10	8/20/07 5:11:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/20/07 5:11:00 PM
Bromochloromethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Benzene	ND	10		µg/L	10	8/20/07 5:11:00 PM
Trichloroethene	74	20		µg/L	10	8/20/07 5:11:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Dibromomethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/20/07 5:11:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/20/07 5:11:00 PM
Toluene	ND	20		µg/L	10	8/20/07 5:11:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/20/07 5:11:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
2-Hexanone	ND	100		µg/L	10	8/20/07 5:11:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Tetrachloroethene	520	20		µg/L	10	8/20/07 5:11:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/20/07 5:11:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-10A

**Client Sample ID:** MW-209D  
**Collection Date:** 8/14/07 6:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Ethylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
m,p-Xylene	ND	20		µg/L	10	8/20/07 5:11:00 PM
o-Xylene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Styrene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Bromoform	ND	20		µg/L	10	8/20/07 5:11:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/20/07 5:11:00 PM
Bromobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/20/07 5:11:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/20/07 5:11:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Naphthalene	ND	50		µg/L	10	8/20/07 5:11:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/20/07 5:11:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	10	8/20/07 5:11:00 PM
Surr: 1,2-Dichloroethane-d4	107	77-127		%REC	10	8/20/07 5:11:00 PM
Surr: Toluene-d8	97.4	86-114		%REC	10	8/20/07 5:11:00 PM
Surr: 4-Bromofluorobenzene	93.1	79-117		%REC	10	8/20/07 5:11:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-11A

**Client Sample ID:** MW-112  
**Collection Date:** 8/14/07 6:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
Chloromethane	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Chloroethane	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
Bromomethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
Acetone	ND	10		µg/L	1	8/20/07 12:38:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/20/07 12:38:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
2-Butanone	ND	10		µg/L	1	8/20/07 12:38:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Chloroform	30	2.0		µg/L	1	8/20/07 12:38:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/20/07 12:38:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Benzene	ND	1.0		µg/L	1	8/20/07 12:38:00 PM
Trichloroethene	2.5	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Bromodichloromethane	3.6	2.0		µg/L	1	8/20/07 12:38:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/20/07 12:38:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 12:38:00 PM
Toluene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 12:38:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
2-Hexanone	ND	10		µg/L	1	8/20/07 12:38:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Tetrachloroethene	34	2.0		µg/L	1	8/20/07 12:38:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM

# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0708061  
 Project: 101960 Textron Gorham  
 Lab ID: 0708061-11A

Client Sample ID: MW-112  
 Collection Date: 8/14/07 6:00:00 AM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
o-Xylene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Styrene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Bromoform	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Naphthalene	ND	5.0		µg/L	1	8/20/07 12:38:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 12:38:00 PM
Surr: Dibromofluoromethane	102	85-116		%REC	1	8/20/07 12:38:00 PM
Surr: 1,2-Dichloroethane-d4	111	77-127		%REC	1	8/20/07 12:38:00 PM
Surr: Toluene-d8	98.7	86-114		%REC	1	8/20/07 12:38:00 PM
Surr: 4-Bromofluorobenzene	94.8	79-117		%REC	1	8/20/07 12:38:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-12A

**Client Sample ID:** MW-201D  
**Collection Date:** 8/14/07 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	8/20/07 5:46:00 PM
Chloromethane	ND	500		µg/L	100	8/20/07 5:46:00 PM
Vinyl chloride	ND	200		µg/L	100	8/20/07 5:46:00 PM
Chloroethane	ND	500		µg/L	100	8/20/07 5:46:00 PM
Bromomethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Diethyl ether	ND	500		µg/L	100	8/20/07 5:46:00 PM
Acetone	ND	1,000		µg/L	100	8/20/07 5:46:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	8/20/07 5:46:00 PM
Carbon disulfide	ND	200		µg/L	100	8/20/07 5:46:00 PM
Methylene chloride	ND	500		µg/L	100	8/20/07 5:46:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/20/07 5:46:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
2-Butanone	ND	1,000		µg/L	100	8/20/07 5:46:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/20/07 5:46:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Chloroform	ND	200		µg/L	100	8/20/07 5:46:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/20/07 5:46:00 PM
Bromochloromethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Benzene	ND	100		µg/L	100	8/20/07 5:46:00 PM
Trichloroethene	960	200		µg/L	100	8/20/07 5:46:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Dibromomethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/20/07 5:46:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/20/07 5:46:00 PM
Toluene	ND	200		µg/L	100	8/20/07 5:46:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/20/07 5:46:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/20/07 5:46:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Tetrachloroethene	10,000	200		µg/L	100	8/20/07 5:46:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/20/07 5:46:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-12A

**Client Sample ID:** MW-201D  
**Collection Date:** 8/14/07 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Ethylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
m,p-Xylene	ND	200		µg/L	100	8/20/07 5:46:00 PM
o-Xylene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Styrene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Bromoform	ND	200		µg/L	100	8/20/07 5:46:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/20/07 5:46:00 PM
Bromobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/20/07 5:46:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/20/07 5:46:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Naphthalene	ND	500		µg/L	100	8/20/07 5:46:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/20/07 5:46:00 PM
Surr: Dibromofluoromethane	103	85-116		%REC	100	8/20/07 5:46:00 PM
Surr: 1,2-Dichloroethane-d4	106	77-127		%REC	100	8/20/07 5:46:00 PM
Surr: Toluene-d8	99.2	86-114		%REC	100	8/20/07 5:46:00 PM
Surr: 4-Bromofluorobenzene	93.8	79-117		%REC	100	8/20/07 5:46:00 PM

# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0708061  
 Project: 101960 Textron Gorham  
 Lab ID: 0708061-13A

Client Sample ID: MW-116S  
 Collection Date: 8/14/07 12:00:00 PM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
Chloromethane	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Chloroethane	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
Bromomethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
Acetone	ND	10		µg/L	1	8/20/07 2:21:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/20/07 2:21:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
2-Butanone	ND	10		µg/L	1	8/20/07 2:21:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Chloroform	40	2.0		µg/L	1	8/20/07 2:21:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/20/07 2:21:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Benzene	ND	1.0		µg/L	1	8/20/07 2:21:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Bromodichloromethane	3.0	2.0		µg/L	1	8/20/07 2:21:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/20/07 2:21:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 2:21:00 PM
Toluene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 2:21:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
2-Hexanone	ND	10		µg/L	1	8/20/07 2:21:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM

# AMRO Environmental Laboratories Corp.

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-13A

**Client Sample ID:** MW-116S  
**Collection Date:** 8/14/07 12:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
o-Xylene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Styrene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Bromoform	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Naphthalene	ND	5.0		µg/L	1	8/20/07 2:21:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:21:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	1	8/20/07 2:21:00 PM
Surr: 1,2-Dichloroethane-d4	109	77-127		%REC	1	8/20/07 2:21:00 PM
Surr: Toluene-d8	98.9	86-114		%REC	1	8/20/07 2:21:00 PM
Surr: 4-Bromofluorobenzene	94.5	79-117		%REC	1	8/20/07 2:21:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-14A

**Client Sample ID:** MW-116D  
**Collection Date:** 8/14/07 11:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
Chloromethane	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Chloroethane	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
Bromomethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
Acetone	ND	10		µg/L	1	8/20/07 2:55:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/20/07 2:55:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
2-Butanone	ND	10		µg/L	1	8/20/07 2:55:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Chloroform	46	2.0		µg/L	1	8/20/07 2:55:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/20/07 2:55:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Benzene	ND	1.0		µg/L	1	8/20/07 2:55:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Bromodichloromethane	3.4	2.0		µg/L	1	8/20/07 2:55:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/20/07 2:55:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 2:55:00 PM
Toluene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/20/07 2:55:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
2-Hexanone	ND	10		µg/L	1	8/20/07 2:55:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-14A

**Client Sample ID:** MW-116D  
**Collection Date:** 8/14/07 11:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
o-Xylene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Styrene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Bromoform	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Naphthalene	ND	5.0		µg/L	1	8/20/07 2:55:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/20/07 2:55:00 PM
Surr: Dibromofluoromethane	102	85-116		%REC	1	8/20/07 2:55:00 PM
Surr: 1,2-Dichloroethane-d4	110	77-127		%REC	1	8/20/07 2:55:00 PM
Surr: Toluene-d8	97.8	86-114		%REC	1	8/20/07 2:55:00 PM
Surr: 4-Bromofluorobenzene	92.9	79-117		%REC	1	8/20/07 2:55:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-15A

**Client Sample ID:** MW-216S  
**Collection Date:** 8/14/07 12:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 4:58:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 4:58:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 4:58:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 4:58:00 PM
Acetone	ND	10		µg/L	1	8/17/07 4:58:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 4:58:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 4:58:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 4:58:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
cis-1,2-Dichloroethene	60	2.0		µg/L	1	8/17/07 4:58:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 4:58:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 4:58:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 4:58:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 4:58:00 PM
Toluene	2.6	2.0		µg/L	1	8/17/07 4:58:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 4:58:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 4:58:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Tetrachloroethene	7.0	2.0		µg/L	1	8/17/07 4:58:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-15A

**Client Sample ID:** MW-216S  
**Collection Date:** 8/14/07 12:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Ethylbenzene	2.6	2.0		µg/L	1	8/17/07 4:58:00 PM
m,p-Xylene	6.9	2.0		µg/L	1	8/17/07 4:58:00 PM
o-Xylene	9.0	2.0		µg/L	1	8/17/07 4:58:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,3,5-Trimethylbenzene	13	2.0		µg/L	1	8/17/07 4:58:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2,4-Trimethylbenzene	17	2.0		µg/L	1	8/17/07 4:58:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
4-Isopropyltoluene	3.0	2.0		µg/L	1	8/17/07 4:58:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 4:58:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Naphthalene	24	5.0		µg/L	1	8/17/07 4:58:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 4:58:00 PM
Surr: Dibromofluoromethane	107	85-116		%REC	1	8/17/07 4:58:00 PM
Surr: 1,2-Dichloroethane-d4	122	77-127		%REC	1	8/17/07 4:58:00 PM
Surr: Toluene-d8	100	86-114		%REC	1	8/17/07 4:58:00 PM
Surr: 4-Bromofluorobenzene	88.6	79-117		%REC	1	8/17/07 4:58:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-16A

**Client Sample ID:** MW-216D  
**Collection Date:** 8/14/07 1:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
Chloromethane	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Chloroethane	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
Bromomethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
Acetone	ND	10		µg/L	1	8/21/07 3:26:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/21/07 3:26:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
2-Butanone	ND	10		µg/L	1	8/21/07 3:26:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Chloroform	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/21/07 3:26:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Benzene	ND	1.0		µg/L	1	8/21/07 3:26:00 PM
Trichloroethene	3.4	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/21/07 3:26:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/21/07 3:26:00 PM
Toluene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/21/07 3:26:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
2-Hexanone	ND	10		µg/L	1	8/21/07 3:26:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Tetrachloroethene	6.7	2.0		µg/L	1	8/21/07 3:26:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-16A

**Client Sample ID:** MW-216D  
**Collection Date:** 8/14/07 1:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
o-Xylene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Styrene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Bromoform	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Naphthalene	ND	5.0		µg/L	1	8/21/07 3:26:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/21/07 3:26:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	1	8/21/07 3:26:00 PM
Surr: 1,2-Dichloroethane-d4	122	77-127		%REC	1	8/21/07 3:26:00 PM
Surr: Toluene-d8	99.1	86-114		%REC	1	8/21/07 3:26:00 PM
Surr: 4-Bromofluorobenzene	85.2	79-117		%REC	1	8/21/07 3:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-17A

**Client Sample ID:** MW-217S  
**Collection Date:** 8/14/07 1:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
Acetone	ND	10		µg/L	1	8/17/07 5:32:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 5:32:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 5:32:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
cis-1,2-Dichloroethene	53	2.0		µg/L	1	8/17/07 5:32:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 5:32:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 5:32:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 5:32:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 5:32:00 PM
Toluene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 5:32:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 5:32:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Tetrachloroethene	20	2.0		µg/L	1	8/17/07 5:32:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0708061  
 Project: 101960 Textron Gorham  
 Lab ID: 0708061-17A

Client Sample ID: MW-217S  
 Collection Date: 8/14/07 1:30:00 PM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
o-Xylene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Naphthalene	ND	5.0		µg/L	1	8/17/07 5:32:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 5:32:00 PM
Surr: Dibromofluoromethane	108	85-116		%REC	1	8/17/07 5:32:00 PM
Surr: 1,2-Dichloroethane-d4	127	77-127		%REC	1	8/17/07 5:32:00 PM
Surr: Toluene-d8	99.2	86-114		%REC	1	8/17/07 5:32:00 PM
Surr: 4-Bromofluorobenzene	87.5	79-117		%REC	1	8/17/07 5:32:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-18A

**Client Sample ID:** MW-217D  
**Collection Date:** 8/14/07 2:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
Acetone	ND	10		µg/L	1	8/17/07 6:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 6:07:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 6:07:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
cis-1,2-Dichloroethene	130	2.0		µg/L	1	8/17/07 6:07:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 6:07:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 6:07:00 PM
Trichloroethene	44	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 6:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 6:07:00 PM
Toluene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 6:07:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 6:07:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Tetrachloroethene	8.7	2.0		µg/L	1	8/17/07 6:07:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-18A

**Client Sample ID:** MW-217D  
**Collection Date:** 8/14/07 2:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
o-Xylene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Naphthalene	ND	5.0		µg/L	1	8/17/07 6:07:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:07:00 PM
Surr: Dibromofluoromethane	109	85-116		%REC	1	8/17/07 6:07:00 PM
Surr: 1,2-Dichloroethane-d4	129	77-127	S	%REC	1	8/17/07 6:07:00 PM
Surr: Toluene-d8	99.8	86-114		%REC	1	8/17/07 6:07:00 PM
Surr: 4-Bromofluorobenzene	87.4	79-117		%REC	1	8/17/07 6:07:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-21A

**Client Sample ID:** CW-2  
**Collection Date:** 8/14/07 2:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
Acetone	ND	10		µg/L	1	8/17/07 6:42:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 6:42:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 6:42:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 6:42:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 6:42:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 6:42:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 6:42:00 PM
Toluene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 6:42:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 6:42:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-21A

**Client Sample ID:** CW-2  
**Collection Date:** 8/14/07 2:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
o-Xylene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Naphthalene	ND	5.0		µg/L	1	8/17/07 6:42:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 6:42:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	1	8/17/07 6:42:00 PM
Surr: 1,2-Dichloroethane-d4	128	77-127	S	%REC	1	8/17/07 6:42:00 PM
Surr: Toluene-d8	99.1	86-114		%REC	1	8/17/07 6:42:00 PM
Surr: 4-Bromofluorobenzene	88.7	79-117		%REC	1	8/17/07 6:42:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-22A

**Client Sample ID:** CW-1  
**Collection Date:** 8/14/07 3:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	8/20/07 6:55:00 PM
Chloromethane	ND	500		µg/L	100	8/20/07 6:55:00 PM
Vinyl chloride	ND	200		µg/L	100	8/20/07 6:55:00 PM
Chloroethane	ND	500		µg/L	100	8/20/07 6:55:00 PM
Bromomethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Diethyl ether	ND	500		µg/L	100	8/20/07 6:55:00 PM
Acetone	ND	1,000		µg/L	100	8/20/07 6:55:00 PM
1,1-Dichloroethene	160	100		µg/L	100	8/20/07 6:55:00 PM
Carbon disulfide	ND	200		µg/L	100	8/20/07 6:55:00 PM
Methylene chloride	ND	500		µg/L	100	8/20/07 6:55:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/20/07 6:55:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
2-Butanone	ND	1,000		µg/L	100	8/20/07 6:55:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/20/07 6:55:00 PM
cis-1,2-Dichloroethene	410	200		µg/L	100	8/20/07 6:55:00 PM
Chloroform	ND	200		µg/L	100	8/20/07 6:55:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/20/07 6:55:00 PM
Bromochloromethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Benzene	ND	100		µg/L	100	8/20/07 6:55:00 PM
Trichloroethene	4,900	200		µg/L	100	8/20/07 6:55:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Dibromomethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/20/07 6:55:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/20/07 6:55:00 PM
Toluene	ND	200		µg/L	100	8/20/07 6:55:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/20/07 6:55:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/20/07 6:55:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Tetrachloroethene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/20/07 6:55:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-22A

**Client Sample ID:** CW-1  
**Collection Date:** 8/14/07 3:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Ethylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
m,p-Xylene	ND	200		µg/L	100	8/20/07 6:55:00 PM
o-Xylene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Styrene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Bromoform	ND	200		µg/L	100	8/20/07 6:55:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/20/07 6:55:00 PM
Bromobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/20/07 6:55:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/20/07 6:55:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Naphthalene	ND	500		µg/L	100	8/20/07 6:55:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/20/07 6:55:00 PM
Surr: Dibromofluoromethane	103	85-116		%REC	100	8/20/07 6:55:00 PM
Surr: 1,2-Dichloroethane-d4	116	77-127		%REC	100	8/20/07 6:55:00 PM
Surr: Toluene-d8	101	86-114		%REC	100	8/20/07 6:55:00 PM
Surr: 4-Bromofluorobenzene	95.5	79-117		%REC	100	8/20/07 6:55:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-23A

**Client Sample ID:** MW-109D  
**Collection Date:** 8/14/07 3:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
Chloromethane	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Chloroethane	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
Bromomethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
Acetone	ND	10		µg/L	1	8/17/07 7:17:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/17/07 7:17:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
2-Butanone	ND	10		µg/L	1	8/17/07 7:17:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Chloroform	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/17/07 7:17:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Benzene	ND	1.0		µg/L	1	8/17/07 7:17:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/17/07 7:17:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 7:17:00 PM
Toluene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/17/07 7:17:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
2-Hexanone	ND	10		µg/L	1	8/17/07 7:17:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-23A

**Client Sample ID:** MW-109D  
**Collection Date:** 8/14/07 3:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
o-Xylene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Styrene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Bromoform	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Naphthalene	ND	5.0		µg/L	1	8/17/07 7:17:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/17/07 7:17:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	1	8/17/07 7:17:00 PM
Surr: 1,2-Dichloroethane-d4	130	77-127	S	%REC	1	8/17/07 7:17:00 PM
Surr: Toluene-d8	98.2	86-114		%REC	1	8/17/07 7:17:00 PM
Surr: 4-Bromofluorobenzene	87.7	79-117		%REC	1	8/17/07 7:17:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Client Sample ID:</b>	GZA-3
<b>Lab Order:</b>	0708061	<b>Collection Date:</b>	8/14/07 4:00:00 PM
<b>Project:</b>	101960 Textron Gorham	<b>Matrix:</b>	GROUNDWATER
<b>Lab ID:</b>	0708061-24A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
Chloromethane	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
Vinyl chloride	5.1	2.0		µg/L	1	8/21/07 4:01:00 PM
Chloroethane	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
Bromomethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
Acetone	ND	10		µg/L	1	8/21/07 4:01:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/21/07 4:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,1-Dichloroethane	2.4	2.0		µg/L	1	8/21/07 4:01:00 PM
2-Butanone	ND	10		µg/L	1	8/21/07 4:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
cis-1,2-Dichloroethene	9.8	2.0		µg/L	1	8/21/07 4:01:00 PM
Chloroform	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/21/07 4:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Benzene	ND	1.0		µg/L	1	8/21/07 4:01:00 PM
Trichloroethene	3.6	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/21/07 4:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/21/07 4:01:00 PM
Toluene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/21/07 4:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
2-Hexanone	ND	10		µg/L	1	8/21/07 4:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0708061  
**Project:** 101960 Textron Gorham  
**Lab ID:** 0708061-24A

**Client Sample ID:** GZA-3  
**Collection Date:** 8/14/07 4:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
o-Xylene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Styrene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Bromoform	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Naphthalene	ND	5.0		µg/L	1	8/21/07 4:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/21/07 4:01:00 PM
Surr: Dibromofluoromethane	110	85-116		%REC	1	8/21/07 4:01:00 PM
Surr: 1,2-Dichloroethane-d4	123	77-127		%REC	1	8/21/07 4:01:00 PM
Surr: Toluene-d8	101	86-114		%REC	1	8/21/07 4:01:00 PM
Surr: 4-Bromofluorobenzene	84.4	79-117		%REC	1	8/21/07 4:01:00 PM



AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: mb-08/17/07 Batch ID: R37700 Test Code: SW8260B Units: µg/L Analysis Date 8/17/2007, 12:56:00 PM Prep Date: 8/17/2007  
Client ID: Run ID: V-1\_070817A SeqNo: 628868

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

QC SUMMARY REPORT  
 Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit  
 S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance Criteria	Notes
sec-Butylbenzene	ND	2.0	0	107	85
4-Isopropyltoluene	ND	2.0	0	119	77
1,3-Dichlorobenzene	ND	2.0	0	98.7	86
1,4-Dichlorobenzene	ND	2.0	0	90.6	79
n-Butylbenzene	ND	2.0	25	0	116
1,2-Dichlorobenzene	ND	2.0	25	0	127
1,2-Dibromo-3-chloropropane	ND	5.0	25	0	114
1,2,4-Trichlorobenzene	ND	2.0	25	0	117
Hexachlorobutadiene	ND	2.0	25	0	0
Naphthalene	ND	5.0	25	0	0
1,2,3-Trichlorobenzene	ND	2.0	25	0	0
Surr: Dibromofluoromethane	26.67	2.0	25	0	0
Surr: 1,2-Dichloroethane-d4	29.65	2.0	25	0	0
Surr: Toluene-d8	24.68	2.0	25	0	0
Surr: 4-Bromofluorobenzene	22.64	2.0	25	0	0

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: mb-08/17/07 Batch ID: R37702 Test Code: SW8260B Units: µg/L Analysis Date 8/17/2007 1:14:00 PM Prep Date: 8/17/2007  
Client ID: Run ID: V-3\_070817A SeqNo: 628901

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0	0	25	85	116
4-Isopropyltoluene	ND	2.0	0	25	77	127
1,3-Dichlorobenzene	ND	2.0	0	25	86	114
1,4-Dichlorobenzene	ND	2.0	0	25	79	117
n-Butylbenzene	ND	2.0	0	25	0	0
1,2-Dichlorobenzene	ND	2.0	0	25	0	0
1,2-Dibromo-3-chloropropane	ND	5.0	0	25	0	0
1,2,4-Trichlorobenzene	ND	2.0	0	25	0	0
Hexachlorobutadiene	ND	2.0	0	25	0	0
Naphthalene	ND	5.0	0	25	0	0
1,2,3-Trichlorobenzene	ND	2.0	0	25	0	0
Surr: Dibromofluoromethane	25.37	2.0	101	25	101	0
Surr: 1,2-Dichloroethane-d4	28.09	2.0	112	25	112	0
Surr: Toluene-d8	24.18	2.0	96.7	25	96.7	0
Surr: 4-Bromofluorobenzene	24.06	2.0	96.2	25	96.2	0

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: mb-08/20/07 Batch ID: R37707 Test Code: SW8260B Units: µg/L Analysis Date 8/20/2007 11:33:00 AM Prep Date: 8/20/2007  
Client ID: Run ID: V-1\_070820A SeqNo: 628993

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

# AMRO Environmental Laboratories Corp.

## QC SUMMARY REPORT Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0	µg/L			
4-Isopropyltoluene	ND	2.0	µg/L			
1,3-Dichlorobenzene	ND	2.0	µg/L			
1,4-Dichlorobenzene	ND	2.0	µg/L			
n-Butylbenzene	ND	2.0	µg/L			
1,2-Dichlorobenzene	ND	2.0	µg/L			
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L			
1,2,4-Trichlorobenzene	ND	2.0	µg/L			
Hexachlorobutadiene	ND	2.0	µg/L			
Naphthalene	ND	5.0	µg/L			
1,2,3-Trichlorobenzene	ND	2.0	µg/L			
Surr: Dibromofluoromethane	25.43	25	µg/L	102	85	116
Surr: 1,2-Dichloroethane-d4	31.31	25	µg/L	125	77	127
Surr: Toluene-d8	24.5	25	µg/L	98	86	114
Surr: 4-Bromofluorobenzene	21.61	25	µg/L	86.4	79	117

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Method Blank

Sample ID: mb-08/20/07 Batch ID: R37711 Test Code: SW8260B Units: µg/L Analysis Date 8/20/2007 12:04:00 PM Prep Date: 8/20/2007  
 Client ID: Run ID: V-3\_070820A SeqNo: 629040

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur.

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery	Acceptance	Recovery	Acceptance
sec-Butylbenzene	ND	2.0	µg/L			
4-Isopropyltoluene	ND	2.0	µg/L			
1,3-Dichlorobenzene	ND	2.0	µg/L			
1,4-Dichlorobenzene	ND	2.0	µg/L			
n-Butylbenzene	ND	2.0	µg/L			
1,2-Dichlorobenzene	ND	2.0	µg/L			
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L			
1,2,4-Trichlorobenzene	ND	2.0	µg/L			
Hexachlorobutadiene	ND	2.0	µg/L			
Naphthalene	ND	5.0	µg/L			
1,2,3-Trichlorobenzene	ND	2.0	µg/L			
Surr: Dibromofluoromethane	25.85	25	µg/L	0	103	85
Surr: 1,2-Dichloroethane-d4	28.37	25	µg/L	0	113	77
Surr: Toluene-d8	24.49	25	µg/L	0	98	86
Surr: 4-Bromofluorobenzene	23.73	25	µg/L	0	94.9	79
						116
						127
						114
						117

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: mb-08/21/07 Batch ID: R37723 Test Code: SW8260B Units: µg/L Analysis Date 8/21/2007 1:08:00 PM Prep Date: 8/21/2007  
Client ID: Run ID: V-1\_070821A SeqNo: 629283

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

# AMRO Environmental Laboratories Corp.

## QC SUMMARY REPORT

Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery Limits	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0						
4-Isopropyltoluene	ND	2.0						
1,3-Dichlorobenzene	ND	2.0						
1,4-Dichlorobenzene	ND	2.0						
n-Butylbenzene	ND	2.0						
1,2-Dichlorobenzene	ND	2.0						
1,2-Dibromo-3-chloropropane	ND	5.0						
1,2,4-Trichlorobenzene	ND	2.0						
Hexachlorobutadiene	ND	2.0						
Naphthalene	ND	5.0						
1,2,3-Trichlorobenzene	ND	2.0						
Surr: Dibromofluoromethane	26.06	2.0	25	0	104	85	116	0
Surr: 1,2-Dichloroethane-d4	31.31	2.0	25	0	125	77	127	0
Surr: Toluene-d8	24.7	2.0	25	0	98.8	86	114	0
Surr: 4-Bromofluorobenzene	21.34	2.0	25	0	85.4	79	117	0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID:	Batch ID:	Test Code:	Units:	Analysis Date	Prep Date:						
lcst-08/17/07	R37700	SW8260B	µg/L	8/17/2007, 11:11:00 AM	8/17/2007						
Client ID:	Run ID:	SeqNo:	QC Spike Amount	Original Sample	HighLimit	LowLimit	%RPD	RPDLimit	Que		
	V-1_070817A	628869		Result							
Analyte	QC Sample Result	FL	Units	Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	23.3	5.0	µg/L	0	116	10	150	0	0		
Chloromethane	18.95	5.0	µg/L	0	94.8	37	150	0	0		
Vinyl chloride	21.88	2.0	µg/L	0	109	48	150	0	0		
Chloroethane	21.11	5.0	µg/L	0	108	54	142	0	0		
Bromomethane	21.28	2.0	µg/L	0	108	51	137	0	0		
Trichlorofluoromethane	24.41	2.0	µg/L	0	122	62	141	0	0		
Diethyl ether	19.11	5.0	µg/L	0	95.6	68	134	0	0		
Acetone	18.21	10	µg/L	0	91	9	150	0	0		
1,1-Dichloroethene	20.29	1.0	µg/L	0	101	68	146	0	0		
Carbon disulfide	19.46	2.0	µg/L	0	97.3	52	131	0	0		
Methylene chloride	18.93	5.0	µg/L	0	94.6	67	138	0	0		
Methyl tert-butyl ether	20.47	2.0	µg/L	0	102	63	139	0	0		
trans-1,2-Dichloroethene	18.52	2.0	µg/L	0	92.6	81	126	0	0		
1,1-Dichloroethane	19.23	2.0	µg/L	0	96.2	78	124	0	0		
2-Butanone	19.15	10	µg/L	0	95.8	41	150	0	0		
2,2-Dichloropropane	22.84	2.0	µg/L	0	114	71	150	0	0		
cis-1,2-Dichloroethene	18.37	2.0	µg/L	0	91.8	78	121	0	0		
Chloroform	20.69	2.0	µg/L	0	103	82	123	0	0		
Tetrahydrofuran	17.75	10	µg/L	0	88.8	51	146	0	0		
Bromochloromethane	19.65	2.0	µg/L	0	98.2	77	131	0	0		
1,1,1-Trichloroethane	22	2.0	µg/L	0	110	81	127	0	0		
1,1-Dichloropropene	20.83	2.0	µg/L	0	104	76	119	0	0		
Carbon tetrachloride	20.73	2.0	µg/L	0	104	76	129	0	0		
1,2-Dichloroethane	22.12	2.0	µg/L	0	111	76	127	0	0		
Benzene	19.47	1.0	µg/L	0	97.4	81	118	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur



Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

QC SUMMARY REPORT  
 Laboratory Control Spike - Full List

Compound	Reported Limit	Concentration	Recovery	Spikes	Method	Qualifiers			
Trichloroethene	20.3	2.0	µg/L	20	0	102	81	119	0
1,2-Dichloropropane	18.91	2.0	µg/L	20	0	94.6	79	120	0
Bromodichloromethane	19.72	2.0	µg/L	20	0	98.6	77	131	0
Dibromomethane	20.63	2.0	µg/L	20	0	103	76	128	0
4-Methyl-2-pentanone	19.16	1.0	µg/L	20	0	95.8	51	141	0
cis-1,3-Dichloropropene	19.39	1.0	µg/L	20	0	97	76	120	0
Toluene	18.61	2.0	µg/L	20	0	93	83	119	0
trans-1,3-Dichloropropene	20.2	1.0	µg/L	20	0	101	66	128	0
1,1,2-Trichloroethane	19.22	2.0	µg/L	20	0	96.1	74	123	0
1,2-Dibromoethane	20.72	2.0	µg/L	20	0	104	72	128	0
2-Hexanone	20.18	1.0	µg/L	20	0	101	31	148	0
1,3-Dichloropropane	21.81	2.0	µg/L	20	0	109	76	122	0
Tetrachloroethene	22.21	2.0	µg/L	20	0	111	81	124	0
Dibromochloromethane	19.89	2.0	µg/L	20	0	99.4	63	126	0
Chlorobenzene	20.81	2.0	µg/L	20	0	104	84	113	0
1,1,1,2-Tetrachloroethane	22.31	2.0	µg/L	20	0	112	73	124	0
Ethylbenzene	21.37	2.0	µg/L	20	0	107	83	118	0
m,p-Xylene	42.89	2.0	µg/L	40	0	107	85	116	0
o-Xylene	21.05	2.0	µg/L	20	0	105	84	115	0
Styrene	22.25	2.0	µg/L	20	0	111	81	118	0
Bromoform	17.12	2.0	µg/L	20	0	85.6	55	126	0
Isopropylbenzene	23.96	2.0	µg/L	20	0	120	77	125	0
1,1,2,2-Tetrachloroethane	23.2	2.0	µg/L	20	0	116	62	134	0
1,2,3-Trichloropropane	24.59	2.0	µg/L	20	0	123	62	132	0
Bromobenzene	22.73	2.0	µg/L	20	0	114	78	119	0
n-Propylbenzene	24.25	2.0	µg/L	20	0	121	77	127	0
2-Chlorotoluene	22.76	2.0	µg/L	20	0	114	78	118	0
4-Chlorotoluene	22.66	2.0	µg/L	20	0	113	77	119	0
1,3,5-Trimethylbenzene	24.12	2.0	µg/L	20	0	121	80	120	0
tert-Butylbenzene	24.14	2.0	µg/L	20	0	121	81	120	0
1,2,4-Trimethylbenzene	24.2	2.0	µg/L	20	0	121	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	25.93	2.0	µg/L	20	0	130	82	123	0
4-Isopropyltoluene	25.6	2.0	µg/L	20	0	128	80	126	0
1,3-Dichlorobenzene	23.16	2.0	µg/L	20	0	116	84	115	0
1,4-Dichlorobenzene	23.36	2.0	µg/L	20	0	117	79	117	0
n-Butylbenzene	26.21	2.0	µg/L	20	0	131	76	128	0
1,2-Dichlorobenzene	24.03	2.0	µg/L	20	0	120	81	117	0
1,2-Dibromo-3-chloropropane	20.95	5.0	µg/L	20	0	105	47	136	0
1,2,4-Trichlorobenzene	25.03	2.0	µg/L	20	0	125	73	126	0
Hexachlorobutadiene	20.15	2.0	µg/L	20	0	101	77	134	0
Naphthalene	24.3	5.0	µg/L	20	0	122	58	138	0
1,2,3-Trichlorobenzene	24.51	2.0	µg/L	20	0	123	76	124	0
Surr: Dibromofluoromethane	26.39	2.0	µg/L	25	0	106	85	116	0
Surr: 1,2-Dichloroethane-d4	29.15	2.0	µg/L	25	0	117	77	127	0
Surr: Toluene-d8	24.98	2.0	µg/L	25	0	99.9	86	114	0
Surr: 4-Bromofluorobenzene	22.69	2.0	µg/L	25	0	90.8	79	117	0

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Sample ID: lcsdf-08/17/07	Batch ID: R37700	Test Code: SW8260B	Units: µg/L	Analysis Date 8/17/2007, 11:46:00 AM	Prep Date: 8/17/2007					
Client ID:	Run ID: V-1_070817A	QC Spike Amount	QC Spike Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Analyte	RL	Units	Result	Result	HighLimit	LowLimit	HighLimit	%RPD	RPDLimit	Que
Dichlorodifluoromethane	5.0	µg/L	22.68	0	10	150	23.3	2.7	25	
Chloromethane	5.0	µg/L	17.29	0	37	150	18.95	9.16	25	
Vinyl chloride	2.0	µg/L	19.21	0	48	150	21.88	13	25	
Chloroethane	5.0	µg/L	18.61	0	54	142	21.11	12.6	25	
Bromomethane	2.0	µg/L	19.42	0	51	137	21.28	9.14	25	
Trichlorofluoromethane	2.0	µg/L	22.31	0	62	141	24.41	8.99	25	
Acetone	10	µg/L	18.34	0	9	150	18.21	0.711	25	
1,1-Dichloroethene	1.0	µg/L	18.73	0	68	146	20.29	8	25	
Carbon disulfide	2.0	µg/L	17.22	0	52	131	19.46	12.2	25	
Methylene chloride	5.0	µg/L	17.93	0	67	138	18.93	5.43	25	
Methyl tert-butyl ether	2.0	µg/L	19.61	0	63	139	20.47	4.29	25	
trans-1,2-Dichloroethene	2.0	µg/L	17.11	0	81	126	18.52	7.91	25	
1,1-Dichloroethane	2.0	µg/L	17.99	0	78	124	19.23	6.66	25	
2-Butanone	10	µg/L	20.98	0	41	150	19.15	9.12	25	
2,2-Dichloropropane	2.0	µg/L	20.79	0	71	150	22.84	9.4	25	
cis-1,2-Dichloroethene	2.0	µg/L	17.08	0	78	121	18.37	7.28	25	
Chloroform	2.0	µg/L	19.29	0	82	123	20.69	7	25	
Bromochloromethane	2.0	µg/L	18.29	0	77	131	19.65	7.17	25	
1,1,1-Trichloroethane	2.0	µg/L	19.45	0	81	127	22	12.3	25	
1,1-Dichloropropene	2.0	µg/L	19.3	0	76	119	20.83	7.63	25	
Carbon tetrachloride	2.0	µg/L	18.74	0	76	129	20.73	10.1	25	
1,2-Dichloroethane	2.0	µg/L	20.81	0	76	127	22.12	6.1	25	
Benzene	1.0	µg/L	18.01	0	81	118	19.47	7.79	25	
Trichloroethene	2.0	µg/L	18.7	0	81	119	20.3	8.21	25	
1,2-Dichloropropane	2.0	µg/L	17.74	0	79	120	18.91	6.38	25	

Qualifiers: ND - Not Detected at the Reporting Limit  
 S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Compound	Concentration (µg/L)	Recovery (%)	Recovery Limit (%)	Acceptance	Sample No.	Control No.	Control Value (µg/L)	Control Error (%)	Control No.
Bromodichloromethane	18.46	2.0	2.0	0	20	77	19.72	6.6	25
Dibromomethane	19.77	2.0	2.0	0	20	76	20.63	4.26	25
4-Methyl-2-pentanone	19.02	10	20	0	20	51	19.16	0.733	25
cis-1,3-Dichloropropene	17.96	1.0	20	0	20	76	19.39	7.66	25
Toluene	17.46	2.0	20	0	20	83	18.61	6.38	25
trans-1,3-Dichloropropene	18.45	1.0	20	0	20	66	20.2	9.06	25
1,1,2-Trichloroethane	18.77	2.0	20	0	20	74	19.22	2.37	25
1,2-Dibromoethane	19.7	2.0	20	0	20	72	20.72	5.05	25
2-Hexanone	20.55	10	20	0	20	31	20.18	1.82	25
1,3-Dichloropropane	21.06	2.0	20	0	20	76	21.81	3.5	25
Tetrachloroethene	20.39	2.0	20	0	20	81	22.21	8.54	25
Dibromochloromethane	18.48	2.0	20	0	20	63	19.89	7.35	25
Chlorobenzene	18.89	2.0	20	0	20	84	20.81	9.67	25
1,1,1,2-Tetrachloroethane	20.48	2.0	20	0	20	73	22.31	8.55	25
Ethylbenzene	19.53	2.0	20	0	20	83	21.37	9	25
m,p-Xylene	38.46	2.0	40	0	40	85	42.89	10.9	25
o-Xylene	19.21	2.0	20	0	20	84	21.05	9.14	25
Styrene	20.1	2.0	20	0	20	81	22.25	10.2	25
Bromoform	16.14	2.0	20	0	20	55	17.12	5.89	25
Isopropylbenzene	22.07	2.0	20	0	20	77	23.96	8.21	25
1,1,2,2-Tetrachloroethane	22.83	2.0	20	0	20	62	23.2	1.61	25
1,2,3-Trichloropropane	24.09	2.0	20	0	20	62	24.59	2.05	25
Bromobenzene	20.59	2.0	20	0	20	78	22.73	9.88	25
n-Propylbenzene	21.75	2.0	20	0	20	77	24.25	10.9	25
2-Chlorotoluene	20.44	2.0	20	0	20	78	22.76	10.7	25
4-Chlorotoluene	20.82	2.0	20	0	20	77	22.66	8.46	25
1,3,5-Trimethylbenzene	21.57	2.0	20	0	20	80	24.12	11.2	25
tert-Butylbenzene	21.55	2.0	20	0	20	81	24.14	11.3	25
1,2,4-Trimethylbenzene	21.57	2.0	20	0	20	80	24.2	11.5	25
sec-Butylbenzene	22.58	2.0	20	0	20	82	25.93	13.8	25
4-Isopropyltoluene	22.16	2.0	20	0	20	80	25.6	14.4	25

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

1,3-Dichlorobenzene	21.07	2.0	µg/L	20	0	105	84	115	23.16	9.45	25									
1,4-Dichlorobenzene	21.59	2.0	µg/L	20	0	108	79	117	23.36	7.88	25									
n-Butylbenzene	22.21	2.0	µg/L	20	0	111	76	128	26.21	16.5	25									
1,2-Dichlorobenzene	21.58	2.0	µg/L	20	0	108	81	117	24.03	10.7	25									
1,2-Dibromo-3-chloropropane	21.5	5.0	µg/L	20	0	108	47	136	20.95	2.59	25									
1,2,4-Trichlorobenzene	22.09	2.0	µg/L	20	0	110	73	126	25.03	12.5	25									
Hexachlorobutadiene	18.21	2.0	µg/L	20	0	91	77	134	20.15	10.1	25									
Naphthalene	23.93	5.0	µg/L	20	0	120	58	138	24.3	1.53	25									
1,2,3-Trichlorobenzene	22.34	2.0	µg/L	20	0	112	76	124	24.51	9.26	25									
Surr: Dibromofluoromethane	26.21	2.0	µg/L	25	0	105	85	116	0	0	0									
Surr: 1,2-Dichloroethane-d4	30.05	2.0	µg/L	25	0	120	77	127	0	0	0									
Surr: Toluene-d8	25.17	2.0	µg/L	25	0	101	86	114	0	0	0									
Surr: 4-Bromofluorobenzene	22.83	2.0	µg/L	25	0	91.3	79	117	0	0	0									

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

Sample ID: Iesf-08/17/07 Batch ID: R37702 Test Code: SW8260B Units: µg/L Analysis Date 8/17/2007 12:06:00 PM Prep Date: 8/17/2007  
 Client ID: Run ID: V-3\_070817A SeqNo: 628902

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	24.33	5.0	µg/L	20	0	122	10	150	0	0	150	0
Chloromethane	23.94	5.0	µg/L	20	0	120	37	150	0	0	150	0
Vinyl chloride	25.43	2.0	µg/L	20	0	127	48	150	0	0	150	0
Chloroethane	23.12	5.0	µg/L	20	0	116	54	142	0	0	142	0
Bromomethane	24.48	2.0	µg/L	20	0	122	51	137	0	0	137	0
Trichlorofluoromethane	26.78	2.0	µg/L	20	0	134	62	141	0	0	141	0
Diethyl ether	21.44	5.0	µg/L	20	0	107	68	134	0	0	134	0
Acetone	23.61	10	µg/L	20	0	118	9	150	0	0	150	0
1,1-Dichloroethene	21.67	1.0	µg/L	20	0	108	68	146	0	0	146	0
Carbon disulfide	20.97	2.0	µg/L	20	0	105	52	131	0	0	131	0
Methylene chloride	23.52	5.0	µg/L	20	0	118	67	138	0	0	138	0
Methyl tert-butyl ether	24.65	2.0	µg/L	20	0	123	63	139	0	0	139	0
trans-1,2-Dichloroethene	21.4	2.0	µg/L	20	0	107	81	126	0	0	126	0
1,1-Dichloroethane	21.4	2.0	µg/L	20	0	107	78	124	0	0	124	0
2-Butanone	23.75	10	µg/L	20	0	119	41	150	0	0	150	0
2,2-Dichloropropane	25.69	2.0	µg/L	20	0	128	71	150	0	0	150	0
cis-1,2-Dichloroethene	20.04	2.0	µg/L	20	0	100	78	121	0	0	121	0
Chloroform	20.57	2.0	µg/L	20	0	103	82	123	0	0	123	0
Tetrahydrofuran	26.52	10	µg/L	20	0	133	51	146	0	0	146	0
Bromochloromethane	21.51	2.0	µg/L	20	0	108	77	131	0	0	131	0
1,1,1-Trichloroethane	21.39	2.0	µg/L	20	0	107	81	127	0	0	127	0
1,1-Dichloropropene	22.14	2.0	µg/L	20	0	111	76	119	0	0	119	0
Carbon tetrachloride	19.19	2.0	µg/L	20	0	96	76	129	0	0	129	0
1,2-Dichloroethane	23.8	2.0	µg/L	20	0	119	76	127	0	0	127	0
Benzene	21.54	1.0	µg/L	20	0	108	81	118	0	0	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Reporting Limit	Concentration	Recovery	Acceptance	Recovery	Acceptance	Recovery	Acceptance
Trichloroethene	21.08	2.0	µg/L	20	0	105	81	119
1,2-Dichloropropane	20.87	2.0	µg/L	20	0	104	79	120
Bromodichloromethane	18.55	2.0	µg/L	20	0	92.8	77	131
Dibromomethane	22.09	2.0	µg/L	20	0	110	76	128
4-Methyl-2-pentanone	20.28	10	µg/L	20	0	101	51	141
cis-1,3-Dichloropropene	19.57	1.0	µg/L	20	0	97.8	76	120
Toluene	20.68	2.0	µg/L	20	0	103	83	119
trans-1,3-Dichloropropene	19.15	1.0	µg/L	20	0	95.8	66	128
1,1,2-Trichloroethane	19.7	2.0	µg/L	20	0	98.5	74	123
1,2-Dibromoethane	21.8	2.0	µg/L	20	0	109	72	128
2-Hexanone	21.17	10	µg/L	20	0	106	31	148
1,3-Dichloropropane	22.12	2.0	µg/L	20	0	111	76	122
Tetrachloroethene	22.06	2.0	µg/L	20	0	110	81	124
Dibromochloromethane	18.49	2.0	µg/L	20	0	92.5	63	126
Chlorobenzene	20.41	2.0	µg/L	20	0	102	84	113
1,1,1,2-Tetrachloroethane	20.59	2.0	µg/L	20	0	103	73	124
Ethylbenzene	20.54	2.0	µg/L	20	0	103	83	118
m,p-Xylene	40.6	2.0	µg/L	40	0	102	85	116
o-Xylene	20.33	2.0	µg/L	20	0	102	84	115
Styrene	20.78	2.0	µg/L	20	0	104	81	118
Bromoform	16.57	2.0	µg/L	20	0	82.8	55	126
Isopropylbenzene	21.96	2.0	µg/L	20	0	110	77	125
1,1,2,2-Tetrachloroethane	21.9	2.0	µg/L	20	0	110	62	134
1,2,3-Trichloropropane	23.53	2.0	µg/L	20	0	118	62	132
Bromobenzene	20.8	2.0	µg/L	20	0	104	78	119
n-Propylbenzene	20.77	2.0	µg/L	20	0	104	77	127
2-Chlorotoluene	21.76	2.0	µg/L	20	0	109	78	118
4-Chlorotoluene	20.53	2.0	µg/L	20	0	103	77	119
1,3,5-Trimethylbenzene	21.22	2.0	µg/L	20	0	106	80	120
tert-Butylbenzene	20.45	2.0	µg/L	20	0	102	81	120
1,2,4-Trimethylbenzene	20.96	2.0	µg/L	20	0	105	80	118

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	21	2.0	µg/L	20	0	105	82	123	0
sec-Butylbenzene	21	2.0	µg/L	20	0	105	82	123	0
4-Isopropyltoluene	21.74	2.0	µg/L	20	0	109	80	126	0
1,3-Dichlorobenzene	20.05	2.0	µg/L	20	0	100	84	115	0
1,4-Dichlorobenzene	20.6	2.0	µg/L	20	0	103	79	117	0
n-Butylbenzene	22.77	2.0	µg/L	20	0	114	76	128	0
1,2-Dichlorobenzene	21.34	2.0	µg/L	20	0	107	81	117	0
1,2-Dibromo-3-chloropropane	21.55	5.0	µg/L	20	0	108	47	136	0
1,2,4-Trichlorobenzene	20.15	2.0	µg/L	20	0	101	73	126	0
Hexachlorobutadiene	17.51	2.0	µg/L	20	0	87.6	77	134	0
Naphthalene	20.5	5.0	µg/L	20	0	103	58	138	0
1,2,3-Trichlorobenzene	21.57	2.0	µg/L	20	0	108	76	124	0
Surr: Dibromofluoromethane	25.69	2.0	µg/L	25	0	103	85	116	0
Surr: 1,2-Dichloroethane-d4	27.47	2.0	µg/L	25	0	110	77	127	0
Surr: Toluene-d8	24.46	2.0	µg/L	25	0	97.8	86	114	0
Surr: 4-Bromofluorobenzene	23.49	2.0	µg/L	25	0	94	79	117	0

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0708061  
**Project:** 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

**Sample ID:** Icsf-08/20/07    **Batch ID:** R37707    **Test Code:** SW8260B    **Units:** µg/L    **Analysis Date:** 8/20/2007, 9:49:00 AM    **Prep Date:** 8/20/2007  
**Client ID:**    **Run ID:** V-1\_070820A    **SeqNo:** 628994

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	20.26	5.0	µg/L	20	0	101	10	150	0	0	0	
Chloromethane	15.38	5.0	µg/L	20	0	76.9	37	150	0	0	0	
Vinyl chloride	17.93	2.0	µg/L	20	0	89.7	48	150	0	0	0	
Chloroethane	21.47	5.0	µg/L	20	0	107	54	142	0	0	0	
Bromomethane	23.05	2.0	µg/L	20	0	115	51	137	0	0	0	
Trichlorofluoromethane	24.54	2.0	µg/L	20	0	123	62	141	0	0	0	
Diethyl ether	20.18	5.0	µg/L	20	0	101	68	134	0	0	0	
Acetone	20.5	10	µg/L	20	0	103	9	150	0	0	0	
1,1-Dichloroethene	20.23	1.0	µg/L	20	0	101	68	146	0	0	0	
Carbon disulfide	19.21	2.0	µg/L	20	0	96	52	131	0	0	0	
Methylene chloride	17.2	5.0	µg/L	20	0	86	67	138	0	0	0	
Methyl tert-butyl ether	22.01	2.0	µg/L	20	0	110	63	139	0	0	0	
trans-1,2-Dichloroethene	18.55	2.0	µg/L	20	0	92.8	81	126	0	0	0	
1,1-Dichloroethane	19.44	2.0	µg/L	20	0	97.2	78	124	0	0	0	
2-Butanone	25.11	10	µg/L	20	0	126	41	150	0	0	0	
2,2-Dichloropropane	22.84	2.0	µg/L	20	0	114	71	150	0	0	0	
cis-1,2-Dichloroethene	18.16	2.0	µg/L	20	0	90.8	78	121	0	0	0	
Chloroform	21.17	2.0	µg/L	20	0	106	82	123	0	0	0	
Tetrahydrofuran	20.37	10	µg/L	20	0	102	51	146	0	0	0	
Bromochloromethane	20.12	2.0	µg/L	20	0	101	77	131	0	0	0	
1,1,1-Trichloroethane	21.45	2.0	µg/L	20	0	107	81	127	0	0	0	
1,1-Dichloropropene	19.89	2.0	µg/L	20	0	99.4	76	119	0	0	0	
Carbon tetrachloride	19.99	2.0	µg/L	20	0	100	76	129	0	0	0	
1,2-Dichloroethane	22.33	2.0	µg/L	20	0	112	76	127	0	0	0	
Benzene	18.18	1.0	µg/L	20	0	90.9	81	118	0	0	0	

**Qualifiers:** ND - Not Detected at the Reporting Limit    S - Spike Recovery outside accepted recovery limits    B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits    R - RPD outside accepted recovery limits    NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0708061  
**Project:** 101960 Textron Gorham

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Reporting Limit (µg/L)	Recovery (%)	Acceptance	Reporting Limit (µg/L)	Recovery (%)	Acceptance
Trichloroethene	18.21	2.0	µg/L	20	0	91	81	119	0
1,2-Dichloropropane	17.75	2.0	µg/L	20	0	88.8	79	120	0
Bromodichloromethane	18.94	2.0	µg/L	20	0	94.7	77	131	0
Dibromomethane	19.56	2.0	µg/L	20	0	97.8	76	128	0
4-Methyl-2-pentanone	21.8	10	µg/L	20	0	109	51	141	0
cis-1,3-Dichloropropene	18.45	1.0	µg/L	20	0	92.2	76	120	0
Toluene	17.09	2.0	µg/L	20	0	85.4	83	119	0
trans-1,3-Dichloropropene	19.6	1.0	µg/L	20	0	98	66	128	0
1,1,2-Trichloroethane	18.12	2.0	µg/L	20	0	90.6	74	123	0
1,2-Dibromoethane	19.08	2.0	µg/L	20	0	95.4	72	128	0
2-Hexanone	21.92	10	µg/L	20	0	110	31	148	0
1,3-Dichloropropane	21.75	2.0	µg/L	20	0	109	76	122	0
Tetrachloroethene	20.47	2.0	µg/L	20	0	102	81	124	0
Dibromochloromethane	19.69	2.0	µg/L	20	0	98.4	63	126	0
Chlorobenzene	19.5	2.0	µg/L	20	0	97.5	84	113	0
1,1,1,2-Tetrachloroethane	21.42	2.0	µg/L	20	0	107	73	124	0
Ethylbenzene	20.22	2.0	µg/L	20	0	101	83	118	0
m,p-Xylene	39.79	2.0	µg/L	40	0	99.5	85	116	0
o-Xylene	20.14	2.0	µg/L	20	0	101	84	115	0
Styrene	20.56	2.0	µg/L	20	0	103	81	118	0
Bromoform	17.18	2.0	µg/L	20	0	85.9	55	126	0
Isopropylbenzene	23.78	2.0	µg/L	20	0	119	77	125	0
1,1,2,2-Tetrachloroethane	25.21	2.0	µg/L	20	0	126	62	134	0
1,2,3-Trichloropropane	27.43	2.0	µg/L	20	0	137	62	132	0
Bromobenzene	21.57	2.0	µg/L	20	0	108	78	119	0
n-Propylbenzene	23.92	2.0	µg/L	20	0	120	77	127	0
2-Chlorotoluene	22.42	2.0	µg/L	20	0	112	78	118	0
4-Chlorotoluene	22.32	2.0	µg/L	20	0	112	77	119	0
1,3,5-Trimethylbenzene	23.27	2.0	µg/L	20	0	116	80	120	0
tert-Butylbenzene	23.58	2.0	µg/L	20	0	118	81	120	0
1,2,4-Trimethylbenzene	23.3	2.0	µg/L	20	0	116	80	118	0

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Chemical Name	Reporting Limit	Concentration	Units	Volume	Recovery	Acceptance	Method	Notes
sec-Butylbenzene	25.1	2.0	µg/L	20	0	126	82	123
4-Isopropyltoluene	24.18	2.0	µg/L	20	0	121	80	126
1,3-Dichlorobenzene	22.27	2.0	µg/L	20	0	111	84	115
1,4-Dichlorobenzene	23.05	2.0	µg/L	20	0	115	79	117
n-Butylbenzene	24.87	2.0	µg/L	20	0	124	76	128
1,2-Dichlorobenzene	22.78	2.0	µg/L	20	0	114	81	117
1,2-Dibromo-3-chloropropane	24.95	5.0	µg/L	20	0	125	47	136
1,2,4-Trichlorobenzene	23.37	2.0	µg/L	20	0	117	73	126
Hexachlorobutadiene	18.65	2.0	µg/L	20	0	93.3	77	134
Naphthalene	26.85	5.0	µg/L	20	0	134	58	138
1,2,3-Trichlorobenzene	23.39	2.0	µg/L	20	0	117	76	124
Surr: Dibromofluoromethane	29.06	2.0	µg/L	25	0	116	85	116
Surr: 1,2-Dichloroethane-d4	32.32	2.0	µg/L	25	0	129	77	127
Surr: Toluene-d8	24.67	2.0	µg/L	25	0	98.7	86	114
Surr: 4-Bromofluorobenzene	22.16	2.0	µg/L	25	0	88.6	79	117

S S

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: lcsf-08/20/07 Batch ID: R37711 Test Code: SW8260B Units: µg/L Analysis Date 8/20/2007 10:55:00 AM Prep Date: 8/20/2007  
Client ID: Run ID: V-3\_070820A SeqNo: 629041

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	20.21	5.0	µg/L	20	0	101	10	150	0	0		
Chloromethane	20.02	5.0	µg/L	20	0	100	37	150	0	0		
Vinyl chloride	21.97	2.0	µg/L	20	0	110	48	150	0	0		
Chloroethane	20.02	5.0	µg/L	20	0	100	54	142	0	0		
Bromomethane	21.26	2.0	µg/L	20	0	106	51	137	0	0		
Trichlorofluoromethane	23.36	2.0	µg/L	20	0	117	62	141	0	0		
Diethyl ether	22.9	5.0	µg/L	20	0	114	68	134	0	0		
Acetone	26.47	10	µg/L	20	0	132	9	150	0	0		
1,1-Dichloroethene	18.86	1.0	µg/L	20	0	94.3	68	146	0	0		
Carbon disulfide	18.74	2.0	µg/L	20	0	93.7	52	131	0	0		
Methylene chloride	20.07	5.0	µg/L	20	0	100	67	138	0	0		
Methyl tert-butyl ether	25.17	2.0	µg/L	20	0	126	63	139	0	0		
trans-1,2-Dichloroethene	19.57	2.0	µg/L	20	0	97.8	81	126	0	0		
1,1-Dichloroethane	19.78	2.0	µg/L	20	0	98.9	78	124	0	0		
2-Butanone	26.72	10	µg/L	20	0	134	41	150	0	0		
2,2-Dichloropropane	22.57	2.0	µg/L	20	0	113	71	150	0	0		
cis-1,2-Dichloroethene	18.72	2.0	µg/L	20	0	93.6	78	121	0	0		
Chloroform	19.73	2.0	µg/L	20	0	98.6	82	123	0	0		
Tetrahydrofuran	31.94	10	µg/L	20	0	160	51	146	0	0		
Bromochloromethane	22.32	2.0	µg/L	20	0	112	77	131	0	0		
1,1,1-Trichloroethane	21.2	2.0	µg/L	20	0	106	81	127	0	0		
1,1-Dichloropropene	20.28	2.0	µg/L	20	0	101	76	119	0	0		
Carbon tetrachloride	19.35	2.0	µg/L	20	0	96.8	76	129	0	0		
1,2-Dichloroethane	23.45	2.0	µg/L	20	0	117	76	127	0	0		
Benzene	19.59	1.0	µg/L	20	0	98	81	118	0	0		S

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

Compound	Reporting Limit	Concentration	Recovery	Recovery Limits	Spikes	Spikes	Spikes	Spikes	Spikes
		µg/L	%	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
Trichloroethene	19.2	2.0	96	0	0	81	119	0	0
1,2-Dichloropropane	21.1	2.0	106	0	0	79	120	0	0
Bromodichloromethane	18.52	2.0	92.6	0	0	77	131	0	0
Dibromomethane	23.29	2.0	116	0	0	76	128	0	0
4-Methyl-2-pentanone	23.72	10	119	0	0	51	141	0	0
cis-1,3-Dichloropropene	19.35	1.0	96.8	0	0	76	120	0	0
Toluene	19.54	2.0	97.7	0	0	83	119	0	0
trans-1,3-Dichloropropene	19.96	1.0	99.8	0	0	66	128	0	0
1,1,2-Trichloroethane	20.26	2.0	101	0	0	74	123	0	0
1,2-Dibromoethane	23.3	2.0	116	0	0	72	128	0	0
2-Hexanone	24.04	10	120	0	0	31	148	0	0
1,3-Dichloropropane	22.89	2.0	114	0	0	76	122	0	0
Tetrachloroethene	20.71	2.0	104	0	0	81	124	0	0
Dibromochloromethane	19.66	2.0	98.3	0	0	63	126	0	0
Chlorobenzene	19.76	2.0	98.8	0	0	84	113	0	0
1,1,1,2-Tetrachloroethane	21.14	2.0	106	0	0	73	124	0	0
Ethylbenzene	19.45	2.0	97.3	0	0	83	118	0	0
m,p-Xylene	39.48	2.0	98.7	0	0	85	116	0	0
o-Xylene	19.91	2.0	99.6	0	0	84	115	0	0
Styrene	20.55	2.0	103	0	0	81	118	0	0
Bromoform	18.97	2.0	94.8	0	0	55	126	0	0
Isopropylbenzene	19.4	2.0	97	0	0	77	125	0	0
1,1,2,2-Tetrachloroethane	22.43	2.0	112	0	0	62	134	0	0
1,2,3-Trichloropropane	25.23	2.0	126	0	0	62	132	0	0
Bromobenzene	19.06	2.0	95.3	0	0	78	119	0	0
n-Propylbenzene	17.85	2.0	89.2	0	0	77	127	0	0
2-Chlorotoluene	18.31	2.0	91.6	0	0	78	118	0	0
4-Chlorotoluene	18	2.0	90	0	0	77	119	0	0
1,3,5-Trimethylbenzene	18.43	2.0	92.2	0	0	80	120	0	0
tert-Butylbenzene	17.65	2.0	88.2	0	0	81	120	0	0
1,2,4-Trimethylbenzene	18.49	2.0	92.5	0	0	80	118	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Reported	Method	Notes
sec-Butylbenzene	2.0	91.4	0	123	82	
4-Isopropyltoluene	2.0	94.5	0	126	80	
1,3-Dichlorobenzene	2.0	93.4	0	115	84	
1,4-Dichlorobenzene	2.0	98.4	0	117	79	
n-Butylbenzene	2.0	99.8	0	128	76	
1,2-Dichlorobenzene	2.0	96.9	0	117	81	
1,2-Dibromo-3-chloropropane	5.0	108	0	136	47	
1,2,4-Trichlorobenzene	2.0	93.8	0	126	73	
Hexachlorobutadiene	2.0	73.4	0	134	77	
Naphthalene	5.0	100	0	138	58	
1,2,3-Trichlorobenzene	2.0	103	0	124	76	
Surr: Dibromofluoromethane	2.0	102	0	116	85	
Surr: 1,2-Dichloroethane-d4	2.0	110	0	127	77	
Surr: Toluene-d8	2.0	101	0	114	86	
Surr: 4-Bromofluorobenzene	2.0	101	0	117	79	

S

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID:	icst-08/21/07	Batch ID:	R37723	Test Code:	SW8260B	Units:	µg/L	Analysis Date:	8/21/2007, 11:26:00 AM	Prep Date:	8/21/2007	
Client ID:		Run ID:	V-1_070821A	SeqNo:	629284							
Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	14.4	5.0	µg/L	20	0	72	10	150	0	0	150	0
Chloromethane	13.68	5.0	µg/L	20	0	68.4	37	150	0	0	150	0
Vinyl chloride	15.65	2.0	µg/L	20	0	78.2	48	150	0	0	150	0
Chloroethane	17.96	5.0	µg/L	20	0	89.8	54	142	0	0	142	0
Bromomethane	19.36	2.0	µg/L	20	0	96.8	51	137	0	0	137	0
Trichlorofluoromethane	20.87	2.0	µg/L	20	0	104	62	141	0	0	141	0
Diethyl ether	20.16	5.0	µg/L	20	0	101	68	134	0	0	134	0
Acetone	17.45	10	µg/L	20	0	87.2	9	150	0	0	150	0
1,1-Dichloroethene	18.21	1.0	µg/L	20	0	91	68	146	0	0	146	0
Carbon disulfide	16.94	2.0	µg/L	20	0	84.7	52	131	0	0	131	0
Methylene chloride	16.77	5.0	µg/L	20	0	83.8	67	138	0	0	138	0
Methyl tert-butyl ether	22.34	2.0	µg/L	20	0	112	63	139	0	0	139	0
trans-1,2-Dichloroethene	17.08	2.0	µg/L	20	0	85.4	81	126	0	0	126	0
1,1-Dichloroethane	17.67	2.0	µg/L	20	0	88.4	78	124	0	0	124	0
2-Butanone	18.68	10	µg/L	20	0	93.4	41	150	0	0	150	0
2,2-Dichloropropane	20.44	2.0	µg/L	20	0	102	71	150	0	0	150	0
cis-1,2-Dichloroethene	17.24	2.0	µg/L	20	0	86.2	78	121	0	0	121	0
Chloroform	19.76	2.0	µg/L	20	0	98.8	82	123	0	0	123	0
Tetrahydrofuran	18.85	10	µg/L	20	0	94.2	51	146	0	0	146	0
Bromochloromethane	19.82	2.0	µg/L	20	0	99.1	77	131	0	0	131	0
1,1,1-Trichloroethane	19.3	2.0	µg/L	20	0	96.5	81	127	0	0	127	0
1,1-Dichloropropene	17.96	2.0	µg/L	20	0	89.8	76	119	0	0	119	0
Carbon tetrachloride	17.67	2.0	µg/L	20	0	88.4	76	129	0	0	129	0
1,2-Dichloroethane	23.04	2.0	µg/L	20	0	115	76	127	0	0	127	0
Benzene	17.31	1.0	µg/L	20	0	86.6	81	118	0	0	118	0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 22-Aug-07

AMRO Environmental Laboratories Corp.

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT:	SHAW E & I, Inc.	Work Order:	0708061	Project:	101960 Textron Gorham	Reporting Limit	Concentration	Recovery	Spikes	Results	Pass/Fail
Trichloroethene	17.33	2.0	µg/L	20	0	86.7	81	119	0		
1,2-Dichloropropane	18.14	2.0	µg/L	20	0	90.7	79	120	0		
Bromodichloromethane	19.16	2.0	µg/L	20	0	95.8	77	131	0		
Dibromomethane	20.34	2.0	µg/L	20	0	102	76	128	0		
4-Methyl-2-pentanone	20.3	10	µg/L	20	0	102	51	141	0		
cis-1,3-Dichloropropene	18.8	1.0	µg/L	20	0	94	76	120	0		
Toluene	16.35	2.0	µg/L	20	0	81.8	83	119	0		
trans-1,3-Dichloropropene	19.54	1.0	µg/L	20	0	97.7	66	128	0		
1,1,2-Trichloroethane	20.15	2.0	µg/L	20	0	101	74	123	0		
1,2-Dibromoethane	20.07	2.0	µg/L	20	0	100	72	128	0		
2-Hexanone	20.55	10	µg/L	20	0	103	31	148	0		
1,3-Dichloropropane	22.9	2.0	µg/L	20	0	114	76	122	0		
Tetrachloroethene	18.87	2.0	µg/L	20	0	94.4	81	124	0		
Dibromochloromethane	19.96	2.0	µg/L	20	0	99.8	63	126	0		
Chlorobenzene	18.68	2.0	µg/L	20	0	93.4	84	113	0		
1,1,1,2-Tetrachloroethane	21.35	2.0	µg/L	20	0	107	73	124	0		
Ethylbenzene	19.17	2.0	µg/L	20	0	95.8	83	118	0		
m,p-Xylene	38.02	2.0	µg/L	40	0	95	85	116	0		
o-Xylene	19.13	2.0	µg/L	20	0	95.7	84	115	0		
Styrene	20.04	2.0	µg/L	20	0	100	81	118	0		
Bromoform	16.95	2.0	µg/L	20	0	84.8	55	126	0		
Isopropylbenzene	21.91	2.0	µg/L	20	0	110	77	125	0		
1,1,2,2-Tetrachloroethane	24.67	2.0	µg/L	20	0	123	62	134	0		
1,2,3-Trichloropropane	25.91	2.0	µg/L	20	0	130	62	132	0		
Bromobenzene	21.25	2.0	µg/L	20	0	106	78	119	0		
n-Propylbenzene	21.69	2.0	µg/L	20	0	108	77	127	0		
2-Chlorotoluene	20.78	2.0	µg/L	20	0	104	78	118	0		
4-Chlorotoluene	20.73	2.0	µg/L	20	0	104	77	119	0		
1,3,5-Trimethylbenzene	21.69	2.0	µg/L	20	0	108	80	120	0		
tert-Butylbenzene	21.76	2.0	µg/L	20	0	109	81	120	0		
1,2,4-Trimethylbenzene	22.3	2.0	µg/L	20	0	112	80	118	0		

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.





AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Sample ID:	icsdf-08/21/07	Batch ID:	R37723	Test Code:	SW8260B	Units:	µg/L	Analysis Date:	8/21/2007 12:00:00 PM	Prep Date:	8/21/2007	
Client ID:		Run ID:	V-1_070821A	SeqNo:			629285					
Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	16.53	5.0	µg/L	20	0	82.6	10	150	0	0	25	
Chloromethane	15.81	5.0	µg/L	20	0	79	37	150	0	0	25	
Vinyl chloride	18.13	2.0	µg/L	20	0	90.7	48	150	0	0	25	
Chloroethane	20.37	5.0	µg/L	20	0	102	54	142	0	0	25	
Bromomethane	20.97	2.0	µg/L	20	0	105	51	137	0	0	25	
Trichlorofluoromethane	23.27	2.0	µg/L	20	0	116	62	141	0	0	25	
Acetone	20.81	10	µg/L	20	0	104	9	150	0	0	25	
1,1-Dichloroethene	20.35	1.0	µg/L	20	0	102	68	146	0	0	25	
Carbon disulfide	18.76	2.0	µg/L	20	0	93.8	52	131	0	0	25	
Methylene chloride	17.37	5.0	µg/L	20	0	86.8	67	138	0	0	25	
Methyl tert-butyl ether	21.68	2.0	µg/L	20	0	108	63	139	0	0	25	
trans-1,2-Dichloroethene	18.63	2.0	µg/L	20	0	93.2	81	126	0	0	25	
1,1-Dichloroethane	19.33	2.0	µg/L	20	0	96.7	78	124	0	0	25	
2-Butanone	23.13	10	µg/L	20	0	116	41	150	0	0	25	
2,2-Dichloropropane	22.37	2.0	µg/L	20	0	112	71	150	0	0	25	
cis-1,2-Dichloroethene	18.78	2.0	µg/L	20	0	93.9	78	121	0	0	25	
Chloroform	20.23	2.0	µg/L	20	0	101	82	123	0	0	25	
Bromochloromethane	19.98	2.0	µg/L	20	0	99.9	77	131	0	0	25	
1,1,1-Trichloroethane	20.75	2.0	µg/L	20	0	104	81	127	0	0	25	
1,1-Dichloropropene	20.11	2.0	µg/L	20	0	101	76	119	0	0	25	
Carbon tetrachloride	19.44	2.0	µg/L	20	0	97.2	76	129	0	0	25	
1,2-Dichloroethane	22.72	2.0	µg/L	20	0	114	76	127	0	0	25	
Benzene	18.91	1.0	µg/L	20	0	94.6	81	118	0	0	25	
Trichloroethene	19.46	2.0	µg/L	20	0	97.3	81	119	0	0	25	
1,2-Dichloropropane	18.46	2.0	µg/L	20	0	92.3	79	120	0	0	25	

Qualifiers: ND - Not Detected at the Reporting Limit  
 S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0708061  
**Project:** 101960 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Compound	19.45	20.78	21.52	19.27	17.72	20.02	19.42	20.62	21.7	22.36	20.83	19.68	19.9	21.77	20.61	40.88	20.49	21.2	16.97	24.64	25.76	27.53	22.21	24.48	22.91	22.53	24.26	24.36	24.35	25.95	25.69	
Bromodichloromethane	2.0	2.0	10	2.0	2.0	2.0	2.0	2.0	10	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
Dibromomethane	19.45	20.78	21.52	19.27	17.72	20.02	19.42	20.62	21.7	22.36	20.83	19.68	19.9	21.77	20.61	40.88	20.49	21.2	16.97	24.64	25.76	27.53	22.21	24.48	22.91	22.53	24.26	24.36	24.35	25.95	25.69	
4-Methyl-2-pentanone	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	40	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
cis-1,3-Dichloropropene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Toluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
trans-1,3-Dichloropropene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,1,2-Trichloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,2-Dibromoethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
2-Hexanone	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,3-Dichloropropane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Tetrachloroethene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Dibromochloromethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Chlorobenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,1,1,2-Tetrachloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Ethylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
m,p-Xylene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
o-Xylene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Styrene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Bromoform	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Isopropylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,1,2,2-Tetrachloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,2,3-Trichloropropane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Bromobenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
n-Propylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
2-Chlorotoluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
4-Chlorotoluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,3,5-Trimethylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
tert-Butylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,2,4-Trimethylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
sec-Butylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
4-Isopropyltoluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

QC SUMMARY REPORT

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham  
 Laboratory Control Spike Duplicate - Full List

	22.8	2.0	µg/L	20	0	114	84	115	0	25
1,3-Dichlorobenzene	22.8	2.0	µg/L	20	0	114	84	115	0	25
1,4-Dichlorobenzene	23.63	2.0	µg/L	20	0	118	79	117	0	25
n-Butylbenzene	26.12	2.0	µg/L	20	0	131	76	128	0	25
1,2-Dichlorobenzene	24.05	2.0	µg/L	20	0	120	81	117	0	25
1,2-Dibromo-3-chloropropane	24.04	5.0	µg/L	20	0	120	47	136	0	25
1,2,4-Trichlorobenzene	24.82	2.0	µg/L	20	0	124	73	126	0	25
Hexachlorobutadiene	19.38	2.0	µg/L	20	0	96.9	77	134	0	25
Naphthalene	26.94	5.0	µg/L	20	0	135	58	138	0	25
1,2,3-Trichlorobenzene	25.05	2.0	µg/L	20	0	125	76	124	0	25
Surr: Dibromofluoromethane	26.04	2.0	µg/L	25	0	104	85	116	0	0
Surr: 1,2-Dichloroethane-d4	31.6	2.0	µg/L	25	0	126	77	127	0	0
Surr: Toluene-d8	24.48	2.0	µg/L	25	0	97.9	86	114	0	0
Surr: 4-Bromofluorobenzene	21.78	2.0	µg/L	25	0	87.1	79	117	0	0

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Sample ID: 0708061-01Amsf Batch ID: R37700 Test Code: SW8260B Units: µg/L Analysis Date 8/17/2007 9:01:00 PM Prep Date: 8/14/2007  
 Client ID: MW-207D Run ID: V-1\_070817A SeqNo: 628866

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	249.3	50	µg/L	200	0	125	16	150	0			
Chloromethane	181.4	50	µg/L	200	0	90.7	35	150	0			
Vinyl chloride	211.9	20	µg/L	200	0	106	49	150	0			
Chloroethane	240.5	50	µg/L	200	0	120	58	147	0			
Bromomethane	257.9	20	µg/L	200	0	129	49	142	0			
Trichlorofluoromethane	290.3	20	µg/L	200	0	145	57	149	0			
Diethyl ether	208	50	µg/L	200	0	104	66	136	0			
Acetone	197.4	100	µg/L	200	0	98.7	16	150	0			
1,1-Dichloroethene	229.8	10	µg/L	200	0	115	70	150	0			
Carbon disulfide	211.1	20	µg/L	200	0	106	47	135	0			
Methylene chloride	189.4	50	µg/L	200	14.3	87.6	66	142	0			
Methyl tert-butyl ether	221.3	20	µg/L	200	0	111	63	138	0			
trans-1,2-Dichloroethene	203.6	20	µg/L	200	0	102	78	135	0			
1,1-Dichloroethane	211	20	µg/L	200	0	106	76	131	0			
2-Butanone	190.4	100	µg/L	200	0	95.2	51	142	0			
2,2-Dichloropropane	219.4	20	µg/L	200	0	110	60	149	0			
cis-1,2-Dichloroethene	195.8	20	µg/L	200	0	97.9	74	128	0			
Chloroform	226.9	20	µg/L	200	0	113	80	129	0			
Tetrahydrofuran	199.2	100	µg/L	200	0	99.6	53	145	0			
Bromochloromethane	205.1	20	µg/L	200	0	103	78	130	0			
1,1,1-Trichloroethane	229.5	20	µg/L	200	0	115	77	139	0			
1,1-Dichloropropene	218	20	µg/L	200	0	109	74	127	0			
Carbon tetrachloride	210.3	20	µg/L	200	0	105	73	138	0			
1,2-Dichloroethane	225.3	20	µg/L	200	0	113	75	130	0			
Benzene	192.1	10	µg/L	200	0	96	79	123	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

## QC SUMMARY REPORT

Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.	Work Order:	0708061	Project:	101960 Textron Gorham	205.2	20	µg/L	200	0	103	79	126	0
Trichloroethene	181.7	20	µg/L	200	0	90.8	76	125	0					
1,2-Dichloropropane	191.5	20	µg/L	200	0	95.8	69	119	0					
Bromodichloromethane	204	20	µg/L	200	0	102	76	127	0					
Dibromomethane	200.7	100	µg/L	200	0	100	53	141	0					
4-Methyl-2-pentanone	182.9	10	µg/L	200	0	91.5	70	119	0					
cis-1,3-Dichloropropene	179.7	20	µg/L	200	0	89.8	82	124	0					
Toluene	188.7	10	µg/L	200	0	94.4	64	124	0					
trans-1,3-Dichloropropene	182.8	20	µg/L	200	0	91.4	73	127	0					
1,1,2-Trichloroethane	193.6	20	µg/L	200	0	96.8	73	127	0					
1,2-Dibromoethane	212.2	100	µg/L	200	0	106	37	145	0					
2-Hexanone	221.6	20	µg/L	200	0	111	76	123	0					
1,3-Dichloropropane	445.5	20	µg/L	200	224.5	110	82	129	0					
Tetrachloroethene	192	20	µg/L	200	0	96	59	125	0					
Dibromochloromethane	208.2	20	µg/L	200	0	104	80	120	0					
Chlorobenzene	222.6	20	µg/L	200	0	111	72	124	0					
1,1,1,2-Tetrachloroethane	216.4	20	µg/L	200	0	108	83	123	0					
Ethylbenzene	426.5	20	µg/L	400	0	107	84	121	0					
m,p-Xylene	212.7	20	µg/L	200	0	106	83	119	0					
o-Xylene	217	20	µg/L	200	0	108	80	122	0					
Styrene	159.9	20	µg/L	200	0	80	54	119	0					
Bromoform	259.3	20	µg/L	200	0	130	75	131	0					
Isopropylbenzene	240.4	20	µg/L	200	0	120	61	139	0					
1,1,2,2-Tetrachloroethane	263.6	20	µg/L	200	0	132	66	130	0					
1,2,3-Trichloropropane	221.6	20	µg/L	200	0	111	77	124	0					
Bromobenzene	256.1	20	µg/L	200	0	128	76	131	0					
n-Propylbenzene	232.7	20	µg/L	200	0	116	78	125	0					
2-Chlorotoluene	231.7	20	µg/L	200	0	116	75	124	0					
4-Chlorotoluene	250.3	20	µg/L	200	0	125	79	124	0					
1,3,5-Trimethylbenzene	250.9	20	µg/L	200	0	125	79	126	0					
tert-Butylbenzene	245.8	20	µg/L	200	0	123	77	124	0					
1,2,4-Trimethylbenzene														S

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	268.4	20	µg/L	200	0	134	82	128	0
4-Isopropyltoluene	261.6	20	µg/L	200	0	131	77	128	0
1,3-Dichlorobenzene	232	20	µg/L	200	0	116	80	122	0
1,4-Dichlorobenzene	237.9	20	µg/L	200	0	119	78	123	0
n-Butylbenzene	261.5	20	µg/L	200	0	131	74	130	0
1,2-Dichlorobenzene	238.5	20	µg/L	200	0	119	78	121	0
1,2-Dibromo-3-chloropropane	220.7	50	µg/L	200	0	110	50	127	0
1,2,4-Trichlorobenzene	212	20	µg/L	200	0	106	67	128	0
Hexachlorobutadiene	173.1	20	µg/L	200	0	86.6	74	134	0
Naphthalene	231	50	µg/L	200	0	116	57	131	0
1,2,3-Trichlorobenzene	205.7	20	µg/L	200	0	103	64	131	0
Surr: Dibromofluoromethane	269.2	20	µg/L	250	0	108	85	116	0
Surr: 1,2-Dichloroethane-d4	322.4	20	µg/L	250	0	129	77	127	0
Surr: Toluene-d8	244.9	20	µg/L	250	0	98	86	114	0
Surr: 4-Bromofluorobenzene	215.6	20	µg/L	250	0	86.2	79	117	0

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Sample ID: 0708061-01Amsdf	Batch ID: R37700	Test Code: SW8260B	Units: µg/L	Analysis Date 8/17/2007 9:36:00 PM	Prep Date: 8/14/2007							
Client ID: MW-207D	Run ID: V-1_070817A	SeqNo: 628867										
Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	227.3	50	µg/L	200	0	114	16	150	249.3	9.23	20	
Chloromethane	166.3	50	µg/L	200	0	83.2	35	150	181.4	8.69	20	
Vinyl chloride	196	20	µg/L	200	0	98	49	150	211.9	7.8	20	
Chloroethane	218.1	50	µg/L	200	0	109	58	147	240.5	9.77	20	
Bromomethane	238.1	20	µg/L	200	0	119	49	142	257.9	7.98	20	
Trichlorofluoromethane	272.8	20	µg/L	200	0	136	57	149	290.3	6.22	20	
Diethyl ether	192.1	50	µg/L	200	0	96	66	136	208	7.95	20	
Acetone	171.8	100	µg/L	200	0	85.9	16	150	197.4	13.9	20	
1,1-Dichloroethene	217.5	10	µg/L	200	0	109	70	150	229.8	5.5	20	
Carbon disulfide	197.6	20	µg/L	200	0	98.8	47	135	211.1	6.61	20	
Methylene chloride	186.3	50	µg/L	200	14.3	86	66	142	189.4	1.65	20	
Methyl tert-butyl ether	208.7	20	µg/L	200	0	104	63	138	221.3	5.86	20	
trans-1,2-Dichloroethene	193	20	µg/L	200	0	96.5	78	135	203.6	5.35	20	
1,1-Dichloroethane	196.1	20	µg/L	200	0	98	76	131	211	7.32	20	
2-Butanone	159.8	100	µg/L	200	0	79.9	51	142	190.4	17.5	20	
2,2-Dichloropropane	206.2	20	µg/L	200	0	103	60	149	219.4	6.2	20	
cis-1,2-Dichloroethene	184.4	20	µg/L	200	0	92.2	74	128	195.8	6	20	
Chloroform	212.8	20	µg/L	200	0	106	80	129	226.9	6.41	20	
Tetrahydrofuran	160.2	100	µg/L	200	0	80.1	53	145	199.2	21.7	20	R
Bromochloromethane	191.1	20	µg/L	200	0	95.6	78	130	205.1	7.07	20	
1,1,1-Trichloroethane	222.9	20	µg/L	200	0	111	77	139	229.5	2.92	20	
1,1-Dichloropropene	202.3	20	µg/L	200	0	101	74	127	218	7.47	20	
Carbon tetrachloride	200.4	20	µg/L	200	0	100	73	138	210.3	4.82	20	
1,2-Dichloroethane	208.6	20	µg/L	200	0	104	75	130	225.3	7.7	20	
Benzene	178.7	10	µg/L	200	0	89.4	79	123	192.1	7.23	20	

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Compound	Concentration (µg/L)	Reporting Limit	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Sample 7	Sample 8	Sample 9	Sample 10	Sample 11	Sample 12	Sample 13	Sample 14	Sample 15	Sample 16	Sample 17	Sample 18	Sample 19	Sample 20
Trichloroethene	189.3	20	200	0	94.6	79	126	205.2	8.06	20												
1,2-Dichloropropane	169.4	20	200	0	84.7	76	125	181.7	7.01	20												
Bromodichloromethane	181.2	20	200	0	90.6	69	119	191.5	5.53	20												
Dibromomethane	183.3	20	200	0	91.7	76	127	204	10.7	20												
4-Methyl-2-pentanone	175.3	100	200	0	87.6	53	141	200.7	13.5	20												
cis-1,3-Dichloropropene	172.2	10	200	0	86.1	70	119	182.9	6.03	20												
Toluene	170.8	20	200	0	85.4	92	124	179.7	5.08	20												
trans-1,3-Dichloropropene	174.3	10	200	0	87.2	64	124	188.7	7.93	20												
1,1,2-Trichloroethane	167.9	20	200	0	84	73	127	182.8	8.5	20												
1,2-Dibromoethane	175.2	20	200	0	87.6	73	127	193.6	9.98	20												
2-Hexanone	172.1	100	200	0	86	37	145	212.2	20.9	20												
1,3-Dichloropropane	200.6	20	200	0	100	76	123	221.6	9.95	20												
Tetrachloroethene	407.6	20	200	224.5	91.6	82	129	445.5	8.89	20												
Dibromochloromethane	180	20	200	0	90	59	125	192	6.45	20												
Chlorobenzene	190	20	200	0	95	80	120	208.2	9.14	20												
1,1,1,2-Tetrachloroethane	203.4	20	200	0	102	72	124	222.6	9.01	20												
Ethylbenzene	198.1	20	200	0	99	83	123	216.4	8.83	20												
m,p-Xylene	395.1	20	400	0	98.8	84	121	426.5	7.64	20												
o-Xylene	193.4	20	200	0	96.7	83	119	212.7	9.51	20												
Styrene	199.9	20	200	0	100	80	122	217	8.2	20												
Bromoform	143.2	20	200	0	71.6	54	119	159.9	11	20												
Isopropylbenzene	232.3	20	200	0	116	75	131	259.3	11	20												
1,1,2,2-Tetrachloroethane	213.7	20	200	0	107	61	139	240.4	11.8	20												
1,2,3-Trichloropropane	228.3	20	200	0	114	66	130	263.6	14.4	20												
Bromobenzene	203	20	200	0	102	77	124	221.6	8.76	20												
n-Propylbenzene	227.4	20	200	0	114	76	131	256.1	11.9	20												
2-Chlorotoluene	213.2	20	200	0	107	78	125	232.7	8.75	20												
4-Chlorotoluene	206.1	20	200	0	103	75	124	231.7	11.7	20												
1,3,5-Trimethylbenzene	219.5	20	200	0	110	79	124	250.3	13.1	20												
tert-Butylbenzene	220.4	20	200	0	110	79	126	250.9	12.9	20												
1,2,4-Trimethylbenzene	218.8	20	200	0	109	77	124	245.8	11.6	20												

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

QC SUMMARY REPORT  
 Matrix Spike - Full List

Sample ID: 0708061-11Amsf Batch ID: R37711 Test Code: SW8260B Units: µg/L Analysis Date 8/20/2007 7:29:00 PM Prep Date: 8/14/2007  
 Client ID: MW-112 Run ID: V-3\_070820A SeqNo: 629038

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	137.1	25	µg/L	100	0	137	16	150	0			
Chloromethane	123.4	25	µg/L	100	0	123	35	150	0			
Vinyl chloride	140.5	10	µg/L	100	0	140	49	150	0			
Chloroethane	130	25	µg/L	100	0	130	58	147	0			
Bromomethane	137.6	10	µg/L	100	0	138	49	142	0			
Trichlorofluoromethane	151.3	10	µg/L	100	0	151	57	149	0			S
Diethyl ether	108.6	25	µg/L	100	0	109	66	136	0			
Acetone	103	50	µg/L	100	0	103	16	150	0			
1,1-Dichloroethene	114.8	5.0	µg/L	100	0	115	70	150	0			
Carbon disulfide	112.7	10	µg/L	100	0	113	47	135	0			
Methylene chloride	115.7	25	µg/L	100	0.74	115	66	142	0			
Methyl tert-butyl ether	124.3	10	µg/L	100	0.69	124	63	138	0			
trans-1,2-Dichloroethene	114.7	10	µg/L	100	0	115	78	135	0			
1,1-Dichloroethane	116.6	10	µg/L	100	0	117	76	131	0			
2-Butanone	102.7	50	µg/L	100	0	103	51	142	0			
2,2-Dichloropropane	129.3	10	µg/L	100	0	129	60	149	0			
cis-1,2-Dichloroethene	109	10	µg/L	100	0	109	74	128	0			
Chloroform	131.5	10	µg/L	100	30.5	101	80	129	0			
Tetrahydrofuran	125	50	µg/L	100	0	125	53	145	0			
Bromochloromethane	108.3	10	µg/L	100	0	108	78	130	0			
1,1,1-Trichloroethane	117.5	10	µg/L	100	0	118	77	139	0			
1,1-Dichloropropene	117.8	10	µg/L	100	0	118	74	127	0			
Carbon tetrachloride	98.9	10	µg/L	100	0	98.9	73	138	0			
1,2-Dichloroethane	123.2	10	µg/L	100	0	123	75	130	0			
Benzene	111	5.0	µg/L	100	0	111	79	123	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike - Full List

Compound	107.2	111.2	105	106	119	114.8	99.7	100.2	92.5	91.65	96.45	126.1	137.8	124.7	114.5	107	82	128	128	122	123	130	121	127	128	134	131	131	116	127	114	117
sec-Butylbenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	92	128	128	122	123	130	121	127	128	134	131	131	116	127	114	117
4-Isopropyltoluene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	77	128	128	122	123	130	121	127	128	134	131	131	116	127	114	117
1,3-Dichlorobenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	80	122	128	122	123	130	121	127	128	134	131	131	116	127	114	117
1,4-Dichlorobenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	78	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
n-Butylbenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	74	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
1,2-Dichlorobenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	78	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
1,2-Dibromo-3-chloropropane	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	50	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
1,2,4-Trichlorobenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	67	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
Hexachlorobutadiene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	74	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
Naphthalene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	57	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
1,2,3-Trichlorobenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	64	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
Surr: Dibromofluoromethane	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	85	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
Surr: 1,2-Dichloroethane-d4	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	77	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
Surr: Toluene-d8	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	86	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117
Surr: 4-Bromofluorobenzene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125	0	79	123	122	122	123	130	121	127	128	134	131	131	116	127	114	117

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

Sample ID: 0708061-11Amsdf Batch ID: R37711 Test Code: SW8260B Units: µg/L Analysis Date 8/20/2007 8:03:00 PM Prep Date: 8/14/2007  
 Client ID: MW-112 Run ID: V-3\_070820A SeqNo: 629039

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	132.4	25	µg/L	100	0	132	16	150	137.1	3.45	20	
Chloromethane	122.6	25	µg/L	100	0	123	35	150	123.4	0.65	20	
Vinyl chloride	142.8	10	µg/L	100	0	143	49	150	140.5	1.62	20	
Chloroethane	130.1	25	µg/L	100	0	130	58	147	130	0.115	20	
Bromomethane	140.2	10	µg/L	100	0	140	49	142	137.6	1.84	20	
Trichlorofluoromethane	154.2	10	µg/L	100	0	154	57	149	151.3	1.93	20	S
Diethyl ether	101.1	25	µg/L	100	0	101	66	136	108.6	7.2	20	
Acetone	86.05	50	µg/L	100	0	86	16	150	103	17.9	20	
1,1-Dichloroethene	122.3	5.0	µg/L	100	0	122	70	150	114.8	6.29	20	
Carbon disulfide	113.6	10	µg/L	100	0	114	47	135	112.7	0.751	20	
Methylene chloride	118.9	25	µg/L	100	0.74	118	66	142	115.7	2.73	20	
Methyl tert-butyl ether	116.1	10	µg/L	100	0.69	115	63	138	124.3	6.82	20	
trans-1,2-Dichloroethene	121.8	10	µg/L	100	0	122	78	135	114.7	6	20	
1,1-Dichloroethane	121.5	10	µg/L	100	0	122	76	131	116.6	4.07	20	
2-Butanone	86.95	50	µg/L	100	0	87	51	142	102.7	16.6	20	
2,2-Dichloropropane	128.9	10	µg/L	100	0	129	60	149	129.3	0.31	20	
cis-1,2-Dichloroethene	114.4	10	µg/L	100	0	114	74	128	109	4.74	20	
Chloroform	140	10	µg/L	100	30.5	110	80	129	131.5	6.26	20	
Tetrahydrofuran	111.4	50	µg/L	100	0	111	53	145	125	11.5	20	
Bromochloromethane	111.7	10	µg/L	100	0	112	78	130	108.3	3.09	20	
1,1,1-Trichloroethane	118	10	µg/L	100	0	118	77	139	117.5	0.425	20	
1,1-Dichloropropene	125.4	10	µg/L	100	0	125	74	127	117.8	6.17	20	
Carbon tetrachloride	102.6	10	µg/L	100	0	103	73	138	98.9	3.72	20	
1,2-Dichloroethane	120.4	10	µg/L	100	0	120	75	130	123.2	2.34	20	
Benzene	115.8	5.0	µg/L	100	0	116	79	123	111	4.19	20	

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Compound	114	10	µg/L	100	2.48	112	79	126	110.3	3.34	20
Trichloroethene	114	10	µg/L	100	2.48	112	79	126	110.3	3.34	20
1,2-Dichloropropane	114.2	10	µg/L	100	0	114	76	125	112	2.03	20
Bromodichloromethane	102.1	10	µg/L	100	3.57	98.5	69	119	98.3	3.79	20
Dibromomethane	108	10	µg/L	100	0	108	76	127	113.4	4.83	20
4-Methyl-2-pentanone	81.2	50	µg/L	100	0	81.2	53	141	93.4	14	20
cis-1,3-Dichloropropene	99.6	5.0	µg/L	100	0	99.6	70	119	96	3.68	20
Toluene	111	10	µg/L	100	0	111	82	124	107.7	2.97	20
trans-1,3-Dichloropropene	92.3	5.0	µg/L	100	0	92.3	64	124	92.85	0.594	20
1,1,2-Trichloroethane	95.45	10	µg/L	100	0	95.4	73	127	98.95	3.6	20
1,2-Dibromoethane	108	10	µg/L	100	0	108	73	127	111.2	2.92	20
2-Hexanone	77.55	50	µg/L	100	0	77.6	37	145	87	11.5	20
1,3-Dichloropropane	109.2	10	µg/L	100	0	109	76	123	111.3	1.95	20
Tetrachloroethene	142.8	10	µg/L	100	34	109	82	129	139.4	2.45	20
Dibromochloromethane	87.05	10	µg/L	100	0	87	59	125	90.45	3.83	20
Chlorobenzene	106.6	10	µg/L	100	0	107	80	120	108	1.21	20
1,1,1,2-Tetrachloroethane	107.2	10	µg/L	100	0	107	72	124	108	0.744	20
Ethylbenzene	109.5	10	µg/L	100	0	110	83	123	106.2	3.01	20
m,p-Xylene	218.6	10	µg/L	200	0	109	84	121	215.4	1.5	20
o-Xylene	108.6	10	µg/L	100	0	109	83	119	109.2	0.597	20
Styrene	107.7	10	µg/L	100	0	108	80	122	105.6	1.92	20
Bromoform	71.45	10	µg/L	100	0	71.5	54	119	76.8	7.22	20
Isopropylbenzene	120.4	10	µg/L	100	0	120	75	131	116.4	3.42	20
1,1,2,2-Tetrachloroethane	98.5	10	µg/L	100	0	98.5	61	139	110.4	11.4	20
1,2,3-Trichloropropane	108	10	µg/L	100	0	108	66	130	115.3	6.54	20
Bromobenzene	109.6	10	µg/L	100	0	110	77	124	103.4	5.73	20
n-Propylbenzene	115	10	µg/L	100	0	115	76	131	110.8	3.68	20
2-Chlorotoluene	114.5	10	µg/L	100	0	114	78	125	112.2	1.98	20
4-Chlorotoluene	109.8	10	µg/L	100	0	110	75	124	106.8	2.72	20
1,3,5-Trimethylbenzene	114	10	µg/L	100	0	114	79	124	110.6	3.03	20
tert-Butylbenzene	109.8	10	µg/L	100	0	110	79	126	103.6	5.86	20
1,2,4-Trimethylbenzene	113.9	10	µg/L	100	0	114	77	124	109.9	3.57	20

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Compound	111.7	10	µg/L	100	0	112	82	128	107.2	4.16	20
sec-Butylbenzene	111.7	10	µg/L	100	0	112	82	128	107.2	4.16	20
4-Isopropyltoluene	115	10	µg/L	100	0	115	77	128	111.2	3.4	20
1,3-Dichlorobenzene	105.6	10	µg/L	100	0	106	80	122	105	0.665	20
1,4-Dichlorobenzene	111.8	10	µg/L	100	0	112	78	123	106	5.37	20
n-Butylbenzene	127.4	10	µg/L	100	0	127	74	130	119	6.9	20
1,2-Dichlorobenzene	114.2	10	µg/L	100	0	114	78	121	114.8	0.568	20
1,2-Dibromo-3-chloropropane	84.6	25	µg/L	100	0	84.6	50	127	99.7	16.4	20
1,2,4-Trichlorobenzene	104	10	µg/L	100	0	104	67	128	100.2	3.72	20
Hexachlorobutadiene	96.35	10	µg/L	100	0	96.4	74	134	92.5	4.08	20
Naphthalene	89.2	25	µg/L	100	0	89.2	57	131	91.65	2.71	20
1,2,3-Trichlorobenzene	100.6	10	µg/L	100	0	101	64	131	96.45	4.16	20
Surr: Dibromofluoromethane	129.1	10	µg/L	125	0	103	85	116	0	0	0
Surr: 1,2-Dichloroethane-d4	137.2	10	µg/L	125	0	110	77	127	0	0	0
Surr: Toluene-d8	124.6	10	µg/L	125	0	99.6	86	114	0	0	0
Surr: 4-Bromofluorobenzene	118.3	10	µg/L	125	0	94.6	79	117	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Sample ID: 0708061-24Amsf Batch ID: R37723 Test Code: SW8260B Units: µg/L Analysis Date: 8/21/2007 6:54:00 PM Prep Date: 8/14/2007  
 Client ID: GZA-3 Run ID: V-1\_070821A SeqNo: 629278

Analyte	QC Sample Result	RL	Units	Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Dichlorodifluoromethane	95	25	µg/L	100	0	95	16	150	0			
Chloromethane	83.85	25	µg/L	100	0	83.8	35	150	0			
Vinyl chloride	100.5	10	µg/L	100	5.14	95.3	49	150	0			
Chloroethane	108	25	µg/L	100	0	108	58	147	0			
Bromomethane	110.2	10	µg/L	100	0	110	49	142	0			
Trichlorofluoromethane	124.4	10	µg/L	100	0	124	57	149	0			
Diethyl ether	94.35	25	µg/L	100	0	94.4	66	136	0			
Acetone	95.3	50	µg/L	100	0	95.3	16	150	0			
1,1-Dichloroethene	107.4	5.0	µg/L	100	0	107	70	150	0			
Carbon disulfide	99.25	10	µg/L	100	0	99.2	47	135	0			
Methylene chloride	89.6	25	µg/L	100	0	89.6	66	142	0			
Methyl tert-butyl ether	101.8	10	µg/L	100	0	102	63	138	0			
trans-1,2-Dichloroethene	98.95	10	µg/L	100	0	99	78	135	0			
1,1-Dichloroethane	99.75	10	µg/L	100	2.39	97.4	76	131	0			
2-Butanone	95.2	50	µg/L	100	0	95.2	51	142	0			
2,2-Dichloropropane	111.1	10	µg/L	100	0	111	60	149	0			
cis-1,2-Dichloroethene	101.6	10	µg/L	100	9.81	91.8	74	128	0			
Chloroform	106.2	10	µg/L	100	0	106	80	129	0			
Tetrahydrofuran	93.15	50	µg/L	100	0	93.2	53	145	0			
Bromochloromethane	97.95	10	µg/L	100	0	98	78	130	0			
1,1,1-Trichloroethane	111.4	10	µg/L	100	0	111	77	139	0			
1,1-Dichloropropene	107.6	10	µg/L	100	0	108	74	127	0			
Carbon tetrachloride	102.1	10	µg/L	100	0	102	73	138	0			
1,2-Dichloroethane	109.5	10	µg/L	100	0	110	75	130	0			
Benzene	97.9	5.0	µg/L	100	0.67	97.2	79	123	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Compound	134.4	129.4	113.6	116.2	133.5	115.4	101.7	120.6	96	128.2	113.7	130.2	151.7	124.4	106.8
sec-Butylbenzene	10	10	10	10	10	10	25	10	10	25	10	10	10	10	10
4-Isopropyltoluene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125
1,3-Dichlorobenzene	0.62	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,4-Dichlorobenzene	134	129	114	116	134	115	102	121	96	128	114	104	121	99.5	85.5
n-Butylbenzene	82	77	80	78	74	78	50	67	74	57	64	85	77	86	79
1,2-Dichlorobenzene	128	128	122	123	130	121	127	128	134	131	131	116	127	114	117
1,2-Dibromo-3-chloropropane	S	S													
1,2,4-Trichlorobenzene															
Hexachlorobutadiene															
Naphthalene															
1,2,3-Trichlorobenzene															
Surr: Dibromofluoromethane															
Surr: 1,2-Dichloroethane-d4															
Surr: Toluene-d8															
Surr: 4-Bromofluorobenzene															

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0708061  
**Project:** 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

**Sample ID:** 0708061-24Amsdf **Batch ID:** R37723  
**Client ID:** GZA-3

**Test Code:** SW8260B **Units:** µg/L  
**Analysis Date:** 8/21/2007 7:28:00 PM **Prep Date:** 8/14/2007  
**Run ID:** V-1\_070821A **SeqNo:** 629279

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Queue
Dichlorodifluoromethane	91.9	25	µg/L	100	0	91.9	16	150	95	3.32	20	
Chloromethane	82.45	25	µg/L	100	0	82.5	35	150	83.85	1.68	20	
Vinyl chloride	100.4	10	µg/L	100	5.14	95.3	49	150	100.5	0.0498	20	
Chloroethane	104.5	25	µg/L	100	0	104	58	147	108	3.29	20	
Bromomethane	108.7	10	µg/L	100	0	109	49	142	110.2	1.42	20	
Trichlorofluoromethane	126.6	10	µg/L	100	0	127	57	149	124.4	1.75	20	
Diethyl ether	97.65	25	µg/L	100	0	97.6	66	136	94.35	3.44	20	
Acetone	97	50	µg/L	100	0	97	16	150	95.3	1.77	20	
1,1-Dichloroethene	108.2	5.0	µg/L	100	0	108	70	150	107.4	0.742	20	
Carbon disulfide	99.9	10	µg/L	100	0	99.9	47	135	99.25	0.653	20	
Methylene chloride	89.85	25	µg/L	100	0	89.8	66	142	89.6	0.279	20	
Methyl tert-butyl ether	99.5	10	µg/L	100	0	99.5	63	138	101.8	2.24	20	
trans-1,2-Dichloroethene	97.75	10	µg/L	100	0	97.8	78	135	98.95	1.22	20	
1,1-Dichloroethane	99.95	10	µg/L	100	2.39	97.6	76	131	99.75	0.2	20	
2-Butanone	99.75	50	µg/L	100	0	99.8	51	142	95.2	4.67	20	
2,2-Dichloropropane	108	10	µg/L	100	0	108	60	149	111.1	2.78	20	
cis-1,2-Dichloroethene	100.8	10	µg/L	100	9.81	91	74	128	101.6	0.791	20	
Chloroform	105.8	10	µg/L	100	0	106	80	129	106.2	0.378	20	
Tetrahydrofuran	98.65	50	µg/L	100	0	98.6	53	145	93.15	5.74	20	
Bromochloromethane	95.9	10	µg/L	100	0	95.9	78	130	97.95	2.12	20	
1,1,1-Trichloroethane	107.5	10	µg/L	100	0	108	77	139	111.4	3.61	20	
1,1-Dichloropropene	109	10	µg/L	100	0	109	74	127	107.6	1.29	20	
Carbon tetrachloride	104.5	10	µg/L	100	0	104	73	138	102.1	2.32	20	
1,2-Dichloroethane	111.2	10	µg/L	100	0	111	75	130	109.5	1.54	20	
Benzene	98.95	5.0	µg/L	100	0.67	98.3	79	123	97.9	1.07	20	

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

CLIENT: SHAW E & I, Inc.

Work Order: 0708061

Project: 101960 Textron Gorham

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Compound	103.6	10	µg/L	100	3.58	100	79	126	104.8	1.15	20
Trichloroethene	103.6	10	µg/L	100	3.58	100	79	126	104.8	1.15	20
1,2-Dichloropropane	94.35	10	µg/L	100	0	94.4	76	125	93.7	0.691	20
Bromodichloromethane	96.8	10	µg/L	100	0	96.8	69	119	94.75	2.14	20
Dibromomethane	101.8	10	µg/L	100	0	102	76	127	99.05	2.74	20
4-Methyl-2-pentanone	102	50	µg/L	100	0	102	53	141	106.2	4.04	20
cis-1,3-Dichloropropene	94.5	5.0	µg/L	100	0	94.5	70	119	94.25	0.265	20
Toluene	94.2	10	µg/L	100	0	94.2	82	124	92.45	1.88	20
trans-1,3-Dichloropropene	97.65	5.0	µg/L	100	0	97.6	64	124	96.15	1.55	20
1,1,2-Trichloroethane	96.6	10	µg/L	100	0	96.6	73	127	95.4	1.25	20
1,2-Dibromoethane	101	10	µg/L	100	0	101	73	127	103	1.96	20
2-Hexanone	110	50	µg/L	100	0	110	37	145	99.4	10.2	20
1,3-Dichloropropane	112.4	10	µg/L	100	0	112	76	123	107.1	4.78	20
Tetrachloroethene	111.7	10	µg/L	100	0.86	111	82	129	110.2	1.31	20
Dibromochloromethane	94.5	10	µg/L	100	0	94.5	59	125	94.5	0	20
Chlorobenzene	101.8	10	µg/L	100	0	102	80	120	101.7	0.0492	20
1,1,1,2-Tetrachloroethane	106.2	10	µg/L	100	0	106	72	124	107.7	1.4	20
Ethylbenzene	108.2	10	µg/L	100	0	108	83	123	106.6	1.54	20
m,p-Xylene	211	10	µg/L	200	0	105	84	121	209	0.953	20
o-Xylene	103.2	10	µg/L	100	0	103	83	119	102.6	0.583	20
Styrene	104.4	10	µg/L	100	0	104	80	122	105	0.573	20
Bromoform	80.2	10	µg/L	100	0	80.2	54	119	79.6	0.751	20
Isopropylbenzene	130.1	10	µg/L	100	0.77	129	75	131	127.8	1.78	20
1,1,2,2-Tetrachloroethane	126.8	10	µg/L	100	0	127	61	139	122.4	3.53	20
1,2,3-Trichloropropane	137	10	µg/L	100	0	137	66	130	132.7	3.23	20
Bromobenzene	113.2	10	µg/L	100	0	113	77	124	109.6	3.14	20
n-Propylbenzene	131.3	10	µg/L	100	0	131	76	131	127.2	3.13	20
2-Chlorotoluene	117.2	10	µg/L	100	0	117	78	125	116.9	0.299	20
4-Chlorotoluene	118.6	10	µg/L	100	0	119	75	124	115.6	2.56	20
1,3,5-Trimethylbenzene	124.2	10	µg/L	100	0	124	79	124	122.8	1.13	20
tert-Butylbenzene	129.2	10	µg/L	100	0	129	79	126	125.2	3.14	20
1,2,4-Trimethylbenzene	124.9	10	µg/L	100	0	125	77	124	122.2	2.23	20

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 22-Aug-07

## QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0708061  
 Project: 101960 Textron Gorham

Compound	136.6	131.2	117	118.7	136.2	119	119.2	124.6	101.3	142.8	123.4	131	152.2	123.8	108.2
sec-Butylbenzene	10	10	10	10	10	10	25	10	10	25	10	10	10	10	10
4-Isopropyltoluene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125
1,3-Dichlorobenzene	0.62	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,4-Dichlorobenzene	136	131	117	119	136	119	119	125	101	143	123	105	122	99	86.5
n-Butylbenzene	82	77	80	78	74	78	50	67	74	57	64	85	77	86	79
1,2-Dichlorobenzene	128	128	122	123	130	121	127	128	134	131	131	116	114	114	117
1,2-Dibromo-3-chloropropane	134.4	129.4	113.6	116.2	133.5	115.4	101.7	120.6	96	128.2	113.7	0	0	0	0
1,2,4-Trichlorobenzene	1.62	1.34	2.95	2.13	2.04	3.07	15.8	3.3	5.37	10.8	8.18	0	0	0	0
Hexachlorobutadiene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Naphthalene	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
1,2,3-Trichlorobenzene															
Surr: Dibromofluoromethane															
Surr: 1,2-Dichloroethane-d4															
Surr: Toluene-d8															
Surr: 4-Bromofluorobenzene															

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Client Sample ID:</b>	CW-6
<b>Lab Order:</b>	0708061	<b>Tag Number:</b>	
<b>Project:</b>	101960 Textron Gorham	<b>Collection Date:</b>	8/14/07 10:45:00 AM
<b>Lab ID:</b>	0708061-19A	<b>Matrix:</b>	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>TPH BY GC/FID (MODIFIED 8015B)</b>		<b>SW8015B</b>				Analyst: FQ
Gasoline	ND	0.052		mg/L	1	8/18/07 2:11:00 AM
Mineral Spirits	ND	0.052		mg/L	1	8/18/07 2:11:00 AM
Kerosene	ND	0.052		mg/L	1	8/18/07 2:11:00 AM
Diesel Fuel/Fuel Oil #2	ND	0.052		mg/L	1	8/18/07 2:11:00 AM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	8/18/07 2:11:00 AM
Unidentified Hydrocarbons	9.0	0.21		mg/L	1	8/18/07 2:11:00 AM
Surr: o-Terphenyl	72.5	31-131		%REC	1	8/18/07 2:11:00 AM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

**Qualifiers:**

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

<b>CLIENT:</b> SHAW E & I, Inc.	<b>Client Sample ID:</b> CW-6 DUP
<b>Lab Order:</b> 0708061	<b>Tag Number:</b>
<b>Project:</b> 101960 Textron Gorham	<b>Collection Date:</b> 8/14/07 10:45:00 AM
<b>Lab ID:</b> 0708061-20A	<b>Matrix:</b> GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>TPH BY GC/FID (MODIFIED 8015B)</b>		<b>SW8015B</b>				Analyst: FQ
Gasoline	ND	0.052		mg/L	1	8/18/07 2:47:00 AM
Mineral Spirits	ND	0.052		mg/L	1	8/18/07 2:47:00 AM
Kerosene	ND	0.052		mg/L	1	8/18/07 2:47:00 AM
Diesel Fuel/Fuel Oil #2	ND	0.052		mg/L	1	8/18/07 2:47:00 AM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	8/18/07 2:47:00 AM
Unidentified Hydrocarbons	9.2	0.21		mg/L	1	8/18/07 2:47:00 AM
Surr: o-Terphenyl	70.3	31-131		%REC	1	8/18/07 2:47:00 AM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

<b>Qualifiers:</b>	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	E - Value above quantitation range
	H - Method prescribed holding time exceeded.	# - See Case Narrative
	RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	



Date: 18-Sep-07

# AMRO Environmental Laboratories Corp.

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0708061  
**Project:** 101960 Textron Gorham

## QC SUMMARY REPORT

Method Blank

Sample ID: MB-17463	Batch ID: 17463	Test Code: SW8015B	Units: mg/L	Analysis Date: 8/18/2007 12:22:00 AM	Prep Date: 8/17/2007						
Client ID:	Run ID: GC-FING1_070817A	QC Spike Amount	Original Sample	SeqNo: 629250							
Analyte	QC Sample Result	RL	Units	Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	QC
Gasoline	ND	0.050	mg/L								
Mineral Spirits	ND	0.050	mg/L								
Kerosene	ND	0.050	mg/L								
Diesel Fuel/Fuel Oil #2	ND	0.050	mg/L								
Motor Oil/Hydraulic Oil	ND	0.10	mg/L								
Unidentified Hydrocarbons	ND	0.20	mg/L								
Surr: o-Terphenyl	0.07957	0	mg/L	0.1	79.6	31	131	0			0

Sample ID: MB-17463 II	Batch ID: 17463	Test Code: SW8015B	Units: mg/L	Analysis Date: 8/20/2007 7:35:00 PM	Prep Date:						
Client ID:	Run ID: GC-FING1_070820A	QC Spike Amount	Original Sample	SeqNo: 629255							
Analyte	QC Sample Result	RL	Units	Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	QC
Gasoline	ND	0.050	mg/L								
Mineral Spirits	ND	0.050	mg/L								
Kerosene	ND	0.050	mg/L								
Diesel Fuel/Fuel Oil #2	ND	0.050	mg/L								
Motor Oil/Hydraulic Oil	ND	0.10	mg/L								
Unidentified Hydrocarbons	ND	0.20	mg/L								
Surr: o-Terphenyl	0.0686	0	mg/L	0.1	68.6	31	131	0			0

**Qualifiers:** ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 18-Sep-07

**QC SUMMARY REPORT**  
Laboratory Control Spike

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: LCS-17463 Batch ID: 17463 Test Code: SW8015B Units: mg/L Analysis Date 8/18/2007 12:58:00 AM Prep Date: 8/17/2007  
Client ID: Run ID: GC-FING1\_070817A SeqNo: 629251

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Diesel Fuel/Fuel Oil #2	1.554	0.050	mg/L	2	0	77.7	42	119	0			
Surr: o-Terphenyl	0.06648	0	mg/L	0.1	0	66.5	31	131	0			

Sample ID: LCSD-17463 Batch ID: 17463 Test Code: SW8015B Units: mg/L Analysis Date 8/18/2007 1:34:00 AM Prep Date: 8/17/2007  
Client ID: Run ID: GC-FING1\_070817A SeqNo: 629252

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Diesel Fuel/Fuel Oil #2	1.586	0.050	mg/L	2	0	79.3	42	119	1.554	2.03	40	
Surr: o-Terphenyl	0.07329	0	mg/L	0.1	0	73.3	31	131	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 31-Aug-07

**CLIENT:** SHAW E & I, Inc.  
**Project:** 101960 Textron Gorham

**Lab Order:** 0708061

**Lab ID:** 0708061-23 **Collection Date:** 8/14/07 3:30:00 PM

**Collection Time:**

**Client Sample ID:** MW-109D **Matrix:** GROUNDWATER

**Analyses** **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

**ICP METALS DISSOLVED SW-846** **SW6010B** **Analyst: AL**

Lead ND 12.0 µg/L 1 8/21/07 4:21:11 PM

**Lab ID:** 0708061-24 **Collection Date:** 8/14/07 4:00:00 PM

**Collection Time:**

**Client Sample ID:** GZA-3 **Matrix:** GROUNDWATER

**Analyses** **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

**ICP METALS DISSOLVED SW-846** **SW6010B** **Analyst: AL**

Lead ND 12.0 µg/L 1 8/21/07 4:39:05 PM

**Lab ID:** 0708061-25 **Collection Date:** 8/14/07 4:00:00 PM

**Collection Time:**

**Client Sample ID:** GZA-3 DUP **Matrix:** GROUNDWATER

**Analyses** **Result** **RL** **Qual** **Units** **DF** **Date Analyzed**

**ICP METALS DISSOLVED SW-846** **SW6010B** **Analyst: AL**

Lead ND 12.0 µg/L 1 8/21/07 4:46:00 PM

Date: 19-Sep-07

# AMRO Environmental Laboratories Corp.

## QC SUMMARY REPORT

Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID mb-17460 Batch ID: 17460 Test Code: SW6010B Units: µg/L Analysis Date 8/17/07 7:09:07 PM Prep Date 8/16/07  
Client ID: Run ID: ICP-OPTIMA\_070817A SeqNo: 628736

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qua
Lead	12.41	12	µg/L								

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 19-Sep-07

# AMRO Environmental Laboratories Corp.

## QC SUMMARY REPORT Laboratory Control Spike

CLIENT: SHAW E & I, Inc.  
Work Order: 0708061  
Project: 101960 Textron Gorham

Sample ID: Ics-17460    Batch ID: 17460    Test Code: SW6010B    Units: µg/L    Analysis Date: 8/17/07 7:13:31 PM    Prep Date: 8/16/07  
Client ID:    Run ID: ICP-OPTIMA\_070817A    SeqNo: 628737

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	2016	12	µg/L	1998	0	101	80	120	0			

Sample ID: Icsd-17460    Batch ID: 17460    Test Code: SW6010B    Units: µg/L    Analysis Date: 8/17/07 7:19:20 PM    Prep Date: 8/16/07  
Client ID:    Run ID: ICP-OPTIMA\_070817A    SeqNo: 628738

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	2014	12	µg/L	1998	0	101	80	120	2016	0.119	0	

Qualifiers: ND - Not Detected at the Reporting Limit    S - Spike Recovery outside accepted recovery limits    B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits    R - RPD outside accepted recovery limits    NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

**Method 2 GB Groundwater Objective Algorithm**  
**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

**GB Groundwater Objective for Chloroform**

Water Concentration	$C_w$	1.90 mg/l	Calculated from formula	<b>Notes</b>
Air Concentration	$C_a$	50 ppm	Chemical Specific PEL (OSHA 1910.1000 Table Z-1)	
Temperature of Water	T	0.248 mg/l	Constant	
Solubility	WS	293 K	Chemical Specific (Mackay, Shui & Ma, Vol. 3, pg. 408-409)	
Vapor Pressure	VP	8000 mg/l-water	Chemical Specific (Mackay, Shui & Ma, Vol. 3, pg. 410, ~21000 Pa @ 20 C)	
Molecular Weight	MW	160 mm Hg	Chemical Specific (Mackay, Shui & Ma, Vol. 3, pg. 407)	
		119.38 g/mole		

**Upper Concentration Limit for Chloroform**

Water Concentration	$C_w$	3795 mg/l	Calculated from formula
Air Concentration	$C_a$	496.0 mg/l	Chemical Specific 10%LEL (see below)
Temperature of Water	T	293 K	Constant
Solubility	WS	8000 mg/l-water	Chemical Specific (Mackay, Shui & Ma, Vol. 3, pg. 408-409)
Vapor Pressure	VP	160 mm Hg	Chemical Specific (Mackay, Shui & Ma, Vol. 3, pg. 410, ~21000 Pa @ 20 C)
Molecular Weight	MW	119.38 g/mole	Chemical Specific (Mackay, Shui & Ma, Vol. 3, pg. 407)

LEL	100 %	NIOSH Pocket Guide to Chemical Hazards
10% LEL	1000000 ppm	(1% = 10,000 ppm)
Conversion Factor	100000 ppm	
10% LEL	4.96 mg/m <sup>3</sup> per ppm	NIOSH Pocket Guide to Chemical Hazards
	496000 mg/m <sup>3</sup>	
	496.0 mg/l	

$$C_w = \frac{(C_a)(T)(WS)}{(VP)(MW)}(16.04)$$