

**Remedial Action Closure Report
Adelaide Avenue High School
375 Adelaide Avenue
Providence, Rhode Island**

Prepared for

City of Providence
Department of Public Property
25 Dorrance Street
Providence, Rhode Island 02903

Prepared by

EA Engineering, Science, and Technology, Inc.
2350 Post Road
Warwick, Rhode Island 02886
(401) 736-3440

August 2007
EA Project No. 61965.01

CONTENTS

LIST OF FIGURES

ACRONYMS AND ABBREVIATIONS

	<u>Page</u>
1. INTRODUCTION AND SITE DESCRIPTION	1
2. REMEDIAL OBJECTIVES	2
2.1 Soil	2
2.2 Groundwater	2
2.3 Surface Water and Sediment Objectives.....	2
2.4 Air Objectives	2
3. REMEDIAL COMPLETION	4
3.1 Engineered Cap Construction	4
3.1.1 Closure Cap Subgrade.....	5
3.1.2 Geosynthetic Fabric Filter Layer	5
3.1.3 Protective Cover Soil Layer/Vegetative Cover.....	5
3.1.4 Site Improvements	6
3.2 Environmental Land Usage Restriction	6
3.3 Sub-Slab Depressurization System	6
3.3.1 Sub-Slab Aggregate Material.....	7
3.3.2 Vapor Suction Pits	7
3.3.3 Vent Piping	7
3.3.4 Suction Fans.....	7
3.3.5 System Monitoring and Sampling Locations.....	8
3.3.5.1 Sub-Slab Monitoring/Sampling Locations.....	8
3.3.5.2 Indoor Air Methane Monitoring.....	8
3.3.5.3 Rooftop Monitoring/Sampling Locations	8
3.4 Fence Installation, Monitoring, and Maintenance	9
3.4.1 Fence Installation	9
3.4.2 Fence Monitoring During Remedy Implementation.....	9
3.5 Long-Term Monitoring, Reporting, and Operation and Maintenance.....	9

	<u>Page</u>
4. DEMONSTRATED POINTS OF COMPLIANCE.....	10
4.1 Soil	10
4.2 SSD System Effluent	11
4.3 Sub-Slab Soil Gas and Pressure.....	11
4.4 Indoor Air	12
4.5 Outdoor Air.....	12
4.6 Other Media	13
5. ADDITIONAL AMENDED OA COMPLIANCE.....	14
5.1 Community Notice.....	14
5.2 Initiation of Work	14
5.3 No Acceptance of Waste From Off-Site Sources	14
5.4 Off-Site Disposal of Excess Site Soil	14
6. CERTIFICATIONS	15
APPENDIX A: AMENDED OA	
APPENDIX B: AS-BUILT SITE PLAN AND DRAWINGS	
APPENDIX C: SITE PHOTOS	
APPENDIX D: CLEAN GRAVEL FILL DOCUMENTATION	
APPENDIX E: CLEAN LOAM FILL DOCUMENTATION	
APPENDIX F: ENVIRONMENTAL LAND USAGE RESTRICTION	
APPENDIX G: O&M MANUAL	
APPENDIX H: NUISANCE DUST SAMPLING DOCUMENTATION	
APPENDIX I: RHODE ISLAND RESOURCE RECOVERY CORPORATION DISPOSAL DOCUMENTATION	

LIST OF FIGURES

<u>Number</u>	<u>Title</u>
1	Site location map.

ACRONYMS AND ABBREVIATIONS

ACGIH	American Conference of Governmental Industrial Hygienists
CFM	Cubic feet per minute
CTRRTAC	State of Connecticut Draft Proposed Residential Targeted Air Concentrations
EA	EA Engineering, Science, and Technology, Inc.
EPA	Environmental Protection Agency
ELUR	Environmental Land Usage Restriction
HVAC	Heating, ventilation, and air conditioning
IMP	Interior monitoring point
LEL	Lower explosive limit
LFG	Landfill gas
LGM	Landfill gas meter
LRAWP	Limited Remedial Action Work Plan
MP	Monitoring point
O&M	Operation and Maintenance
OA	Order of Approval
PID	Photo-ionization detector
PPE	Personal protective equipment
PPM	Parts per million
PVC	Polyvinyl chloride
RAWP	Remedial Action Work Plan
RACR	Remedial Action Closure Report
RIDEM	Rhode Island Department of Environmental Management
RIRRC	Rhode Island Resource Recovery Corporation
SHERP	Safety, Health, and Emergency Response Plan
SSD	Sub-slab depressurization
TLV	Threshold limit value
VOC	Volatile organic compound

1. INTRODUCTION

On behalf of the City of Providence (the City), EA Engineering, Science, and Technology, Inc. has prepared this Remedial Action Closure Report (RACR) for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island now referred to as the Adelaide Avenue School site (the Site). A Site Location Map is provided as Figure 1. This RACR has been prepared to satisfy the remedial action closure requirements specified in Section 11.09 of the Rhode Island Department of Environmental Management (RIDEM) Rules and Regulations for the Investigation and Remediation of Hazardous Material Releases (the Remediation Regulations dated August 1996, as amended February 2004) and Item 6(i) of the RIDEM Order of Approval issued in June 2006, as amended in February and July 2007. For the purposes of this RACR, the original and the amended Orders of Approval will collectively be referred to as the Amended OA. A copy of the Amended OA, recorded in the City of Providence Land Evidence Records, is provided in Appendix A.

2. REMEDIAL OBJECTIVES

2.1 SOIL

The long-term remedial objective for soil is to prevent direct exposure to Site soils containing contaminant levels above the RIDEM Residential Direct Exposure Criteria. An engineered cap was constructed at the Site to isolate the soil and protect the health of future Site visitors.

The short-term remedial objective for soil during remedial and construction activities was to minimize direct contact with Site soils.

2.2 GROUNDWATER

Groundwater beneath the Site, located at approximately 25-ft. below ground surface, is classified as GB by RIDEM. The 2005 site investigation indicated that groundwater beneath the Site is in compliance with the RIDEM GB Groundwater Objectives. No contact with site groundwater occurred during construction activities, and groundwater would not be used for any purpose during or following construction activities. Therefore, no groundwater objectives were proposed in the Remedial Action Work Plan (RAWP) or imposed by RIDEM for the Site.

2.3 SURFACE WATER AND SEDIMENT OBJECTIVES

There is no surface water or sediment located at the Site. No contact with nearby Mashapaug Pond or sediments occurred during construction and remediation activities, and restrictive fencing with deterrent vegetation was installed along the northern Parcel B property boundary prior to implementation of the RAWP to further restrict access to nearby surface water and sediment. Therefore, no surface water or sediment objectives were proposed in the RAWP or imposed by RIDEM for the Site.

2.4 AIR OBJECTIVES

The site investigation and Limited Remedial Action Work Plan (LRAWP) activities completed in 2005 indicated that there was a potential for VOCs and, to a lesser extent, methane gas to build up beneath the future building slab and migrate into the proposed structure. Therefore, the first long-term air objective for the Site is to prevent the users of the proposed structure from direct exposure to indoor air containing methane in excess of 1 percent of the lower explosive limit (LEL) or VOCs in excess of Draft Proposed State of Connecticut Residential Target Air Concentrations (CT RTAC). Installation, operation, and maintenance of an active sub-slab depressurization (SSD) system and implementation of an air monitoring and sampling program that includes periodic sub-slab air sampling and laboratory analysis for VOCs and continuous indoor air methane monitoring will achieve this objective.

The second long-term air objective for the Site is to prevent the discharge of contaminants from the sub-slab venting system to the atmosphere in concentrations that exceed criteria contained in

the RIDEM Air Pollution Control Regulations (Regulation No. 9). Preliminary air emission estimates, based upon soil gas survey data collected during the 2005 site investigation, indicated that emissions from the proposed SSD system would not likely require treatment or a permit from RIDEM's Office of Air Resources. Actual emission values calculated after the system was installed and operational, based upon laboratory analysis performed on the SSD system effluent, has verified that no treatment/ permitting requirements currently apply.

The short-term air objective for the Site was to prevent airborne nuisance dust migration from impacting nearby residents during intrusive construction or remediation activities. This objective was accomplished by implementing a comprehensive, RIDEM-approved dust monitoring and dust suppression program during intrusive phases of the project.

3. REMEDIAL COMPLETION

The long-term remedy proposed for the Site involves the following elements:

- Engineered cap construction.
- Instituting an Environmental Land Usage Restriction (ELUR) for the property.
- Installation, operation, monitoring, and maintenance of an active SSD system.
- Installation, operation, monitoring, and maintenance of a continuous indoor methane monitoring and alarm system.
- Installation, monitoring, and maintenance of a fence designed to prohibit access to areas abutting the school parcel that are yet to be fully characterized and/or remediated.

This long-term remedy for impacted soils and soil vapor is consistent with the Remediation Regulations and is appropriate and safe for the specific use (high school) proposed within the boundaries of the portion of the contaminated site for which it is designed (Parcel B). Furthermore, as an additional measure of safety and protection, the proposed remedy is also designed to provide an effective physical barrier (fencing) to prevent access to abutting areas scheduled for remediation, or potentially in need of remediation as applicable site investigations and RAWPs are being developed and/or implemented. The completion of these remedial elements is documented in the following subsections.

3.1 ENGINEERED CAP CONSTRUCTION

The objective for this project was to integrate access roadways, parking areas, building footprints, and the landscaped areas into the final cap design. The engineered cap components consisted of the following layers:

- Closure cap subgrade
- Geosynthetic fabric filter layer (for landscaped areas)
- Protective cover soil
- Vegetative cover
- Site improvements.

These layers are more fully described below, in order of ascendance above the native site soils. Unless otherwise specifically noted in this RACR, the design criteria and specifications presented in the original RAWP, or the modified design criteria and specifications approved by RIDEM during implementation of the RAWP, have been adhered to. An As-Built Site Plan illustrating the various engineered cap elements and thicknesses is provided in Appendix B. Progress and finish photographs of various elements of the engineered cap are presented in Appendix C.

3.1.1 Closure Cap Subgrade

A closure cap subgrade was prepared from the existing site grade to create adequate storm water drainage for the Site and serve as a suitable base for other components of the closure cap system.

3.1.2 Geosynthetic Fabric Filter Layer

A geosynthetic fabric filter layer (ProPex 4510) was placed above the closure cap subgrade and below a protective soil cover for virtually all landscaped areas of the site to prevent human exposure to impacted soil. The only landscaped areas where fabric was not installed beneath the protective soil cover were areas where a minimum of 2-ft. of clean fill was installed. These areas include the landscaped island within the pavement in front of the school building, a landscaped area near the school's southwest corner, and the landscaped areas in the northern portion of the Site where RIDEM required 2-ft. of clean fill.

3.1.3 Protective Cover Soil Layer/Vegetative Cover

The protective cover soil layer of the closure cap system, also commonly termed the vegetative support soil layer, consisted of a minimum of 2-ft. of certified clean fill material or equivalent in all areas of the site, and a minimum of 2-ft. of clean soil in all areas known or suspected to be subject to the RIDEM Rules and Regulations for Composting Facilities and Solid Waste Management Facilities (Solid Waste Regulations), and under the jurisdiction of RIDEM's Solid Waste Program. One foot of clean fill material over the approved geosynthetic fabric filter layer, 4-in. of concrete or asphalt over 6-in. of appropriate clean fill/gravel base, or the concrete building slab over 6-in. of gravel aggregate are all considered to be the "equivalent" of 2-ft. of clean fill for this project. The upper 4–8 in. of the soil layer consisted of organic topsoil (i.e., loam) to promote vegetation.

All clean fill material imported to the Site, including sub-grade material and loam, was sampled and analyzed for compliance with the RIDEM Method 1 Residential Direct Exposure Criteria in accordance with the following frequency: one sample for every 500 cubic yards was analyzed for arsenic, and one quarter of the total number of compliance samples was also analyzed for VOCs, Total Priority Pollutant metals, polycyclic aromatic hydrocarbons, and total petroleum hydrocarbons. Laboratory analytical results were forwarded to RIDEM via electronic mail, and written approval was received from RIDEM prior to use at the Site. A total of approximately 5,966 cubic yards of sub-grade material from P.J. Keating, Inc. (Cranston, RI) and 933 cubic yards of loam from Richmond Sand & Gravel (Richmond, RI) were brought to the site for use in constructing the engineered cap during the project. Laboratory results for all approved sub-grade fill and loam used at the Site, RIDEM correspondence approving its use, and weight slips for the material and correspondence provided by the supplier of the fill attesting to its origin and suitability are provided in Appendices D and E, respectively.

Referring to the As-Built Site Plan in Appendix B, multiple hand-dug test pits were conducted in the engineered cap which verified that the minimum-required thicknesses and geosynthetic fabric (where applicable, refer to Section 3.1.2) were installed at the Site.

3.1.4 Site Improvements

The Adelaide Avenue School development includes extensive non-landscaped areas containing the school structure, paved roadways, paved walkways, and paved parking areas. Asphalt areas include a minimum of 6-in. of appropriate base coarse fill material covered with a minimum of 4-in. of bituminous asphalt (combined binder and wearing course). Concrete pavement areas include a minimum of 4-in. of poured concrete over a minimum of 6-in. of appropriate base coarse material. An active sub-slab venting system, consisting of a network of suction fans, piping, and suction pits designed to create a negative pressure beneath the school, was installed beneath the building structure. The school's concrete slab foundation serves as the cap beneath the school.

3.2 ENVIRONMENTAL LAND USAGE RESTRICTION

In accordance with Item 17 of the Amended OA, an ELUR, approved by RIDEM for use at the Site and documenting the required maintenance and annual inspection of the remedy, will be recorded in the City's land evidence records for the property following RIDEM approval of this RACR and the As-Built Site Plan (Appendix B). A copy of the ELUR to be recorded is provided in Appendix F.

3.3 SUB-SLAB DEPRESSURIZATION SYSTEM

The design of the active SSD system proposed for the Site was based upon the U.S. Environmental Protection Agency's (EPA's) guidance for radon gas evacuation systems as outlined in Radon Prevention in the Design and Construction of Schools and Other Large Buildings, EPA/625/R-92/016 (January 1993). The SSD system is designed to create a low-pressure zone beneath the school structure which will prevent VOCs and methane (if any) from entering the building through a series of suction fans, subsurface piping, sub-slab aggregate material, and other design features. Air exhausted from under the slab is released to the atmosphere above the roof of the school building.

Air emission design calculations, based upon soil gas data for the Site collected prior to RAWP implementation, predicted that no permits and no treatment of the system effluent will be required. Air emission samples from the three rooftop suction fans, collected in March 2007 after the SSD system was initially turned on-line and again in June 2007, confirmed that no RIDEM air permit applicability thresholds were exceeded. The air emission sampling data was summarized along with indoor, ambient, and sub-slab air sampling data in monthly correspondence to RIDEM between April and August 2007. Please refer to these previous submittals for more information if needed. In accordance with Item 6(f) of the Amended OA, future air sampling data will be presented in Quarterly Status Reports.

Each of the major design components of the active sub-slab venting system is presented in the following subsections. The suction pit locations, vertical piping locations, and other design specifications are presented on the As-Built SSD System Drawings in Appendix B. Various progress and finish photographs of elements of the SSD system are presented in Appendix C.

3.3.1 Sub-Slab Aggregate Material

An approximate 6-in. layer of aggregate material meeting American Society for Testing and Materials Size No. 5 specifications or equivalent (approximately 0.5- to 1-in. diameter) was evenly placed beneath the entire building slab. A 6-mil polyethylene vapor barrier was placed on top of the aggregate material prior to pouring of the concrete slab to prevent wet concrete from entering the void spaces in the aggregate layer.

3.3.2 Vapor Suction Pits

A total of eight vapor suction pits were installed beneath the building slab to facilitate communication throughout the sub-slab aggregate layer. Each suction pit was constructed as a 4-ft × 4-ft × 8-in. deep void area within the aggregate layer in various locations beneath the school building slab.

3.3.3 Vent Piping

Each suction pit installed beneath the slab is connected via horizontal 4-in. diameter polyvinyl chloride (PVC) vent pipe to one of three vertical risers extending through the floor slab and continuing up through the building roof. All piping joints were solvent welded, and all exposed riser piping within the school either passes through rooms that students do not have access to (e.g., mechanical or electrical rooms) or is located at elevations that render the piping inaccessible. The three vent piping risers penetrate through the school building roofline and terminate a minimum of 25-ft. from any outdoor air intake to reduce the potential for SSD system effluent entry into the building.

3.3.4 Suction Fans

Three in-line suction fans, each capable of providing approximately 500 ft³ per minute (cfm) of air flow at 0-in. of water column static pressure were installed to create negative pressure beneath the building and exhaust potential sub-slab vapors to the atmosphere. The fans were installed in line with the roof top vent piping via rubber sewage pipe connectors to facilitate proper sealing, quiet operation, and fan maintenance/replacement activities (if needed). The fans were installed on the roof to eliminate the potential adverse effects caused by piping leaks, if any, on the exhaust side of the fans. The SSD system includes electronic controls on each suction fan which are tied into a warning notification light, audible alarm, and an auto dialer to notify responsible personnel if a significant reduction in airflow has occurred at any of the fans (i.e., system operational problem). The system warning light, audible alarm, and auto dialer are located in the school administration office area.

3.3.5 System Monitoring and Sampling Locations

Multiple representative monitoring and sampling locations have been installed at the Site within the sub-slab region, the building interior, and on the rooftop of the school building. These monitoring and sampling locations are presented in the following subsections.

3.3.5.1 Sub-Slab Monitoring/Sampling Locations

A total of eleven representative monitoring/sampling points were installed beneath the school building. Eight of the monitoring points, labeled MP-1 through MP-8 on the As-Built SSD System Drawings in Appendix B, consist of 10-20 ft. of 1-in. diameter PVC piping extending from grade just outside of the school building to the aggregate layer beneath the building, and are terminated with a 2-ft length of PVC screen wrapped in fabric filter to facilitate vapor monitoring and/or sampling. A bolt-down, gasketed, protective road-box was installed over each of these eight monitoring points flush within the concrete or landscaped areas surrounding the school building. Three of the monitoring points, labeled IMP-1 through IMP-3 on the As-Built SSD System Drawings in Appendix B, were installed through the concrete slab at various interior locations within the school structure. The interior monitoring points consist of an 8-inch stainless steel, recessed, sealed implant finished with a bolt-down, gasketed, protective enclosure.

3.3.5.2 Indoor Air Methane Monitoring

An indoor air monitoring system designed to continuously monitor the percentage of the methane LEL inside the proposed school building was installed. The indoor monitoring system includes eight continuous methane monitoring locations located throughout the first floor of the school building. Each sensor is electronically connected to a controller equipped with a battery backup feature, a visual warning notification light, an audible alarm, and an auto dialer in the school administration area. The continuous methane sensors are equipped to trigger an alarm notification at the controller when the concentration of methane gas at any of the sensors is equal to or greater than 500 ppm or 1 percent of the methane LEL for a period of 1.5 consecutive minutes. In the absence of OSHA standards regarding permissible methane exposure limits, this sensor setting was selected based upon the threshold limit value (TLV) guidance established by the American Conference of Governmental Industrial Hygienists (ACGIH). The ACGIH TLV for methane (2 percent LEL or 1,000 ppm) is a guideline regarding the safe levels of exposure to methane from various hazards found in the workplace. A TLV reflects the level of exposure that a typical worker can experience without an unreasonable risk of disease or injury. A sensor setting of one-half the ACGIH TLV (1 percent LEL or 500 ppm) was selected to afford a significant measure of additional Site safety.

3.3.5.3 Rooftop Monitoring/Sampling Locations

Vacuum gauges, air velocity monitoring locations, and air sampling ports have been installed in the vicinity of the inline suction fans on the building rooftop to facilitate system monitoring and sampling procedures.

3.4 FENCE INSTALLATION, MONITORING, AND MAINTENANCE

3.4.1 Fence Installation

Prior to initiating Site development and RAWP implementation activities, a new 8-ft high chain link fence with deterrent vegetation planted along the proposed development side of the fencing was installed along the northern property boundary of the school property (Parcel B) in accordance with a Superior Court Order, dated 29 March 2006. In accordance with the Court Order, the fencing along the northern property boundary of Parcel B (i.e., the school parcel) includes signage in English and Spanish that states, "Warning – Keep Out – Environmental Cleanup in Progress." Please refer to correspondence submitted to RIDEM dated 15 July 2006 for more information regarding the location, construction details, and photographs illustrating the completion of the court ordered fencing.

Based upon the fact that site assessment and/or site remediation activities at neighboring properties to the north and west of the school were yet to be initiated or still ongoing, a second 8-ft. high chain link fence was installed in accordance with RIDEM approval along the northern and western property lines of the Site to minimize potential access to these abutting properties from the school Site.

Temporary fencing with fabric windscreen was in place around the school property's eastern, western, and southern property boundaries throughout the majority of school construction until such time that the cap was completed.

3.4.2 Fence Monitoring During Remedy Implementation

The permanent and temporary fences described above were periodically monitored throughout the remedy implementation period. Several issues of fence vandalism by trespassers or fence maintenance requirements were addressed by the City's subcontractors during implementation of the Site remedy.

3.5 LONG-TERM MONITORING, REPORTING, AND OPERATION AND MAINTENANCE

Now that the school is constructed and the remedy has been installed, the City is responsible for long-term operation and maintenance of the remedy and identification and correction of non-compliant Site conditions including, but not limited to, equipment failures or exceedances of established action levels. An Operation and Maintenance (O&M) Manual has been prepared for the site and is included in Appendix G.

4. DEMONSTRATED POINTS OF COMPLIANCE

Compliance with the RAWP objectives has been demonstrated through completion of the following activities:

- Construction of the engineered cap.
- Construction the sub-slab venting system.
- Completion of venting system start-up sampling activities.
- Installation of indoor methane alarm system and start-up of methane system monitoring.

Documentation illustrating compliance with the RAWP objectives is provided in the following subsections and within the various attachments to this RACR. Long-term compliance of the remedy will be determined by successful and timely completion of the maintenance and monitoring procedures and through preparation and submittal of Annual ELUR Inspection Reports. As required by RIDEM, the Annual ELUR Inspection Report for the Site will include a discussion relative to the regulatory compliance status of abutting parcels that comprise the entire former Gorham property. The first ELUR Inspection Report will be prepared and submitted approximately one year from the date that RIDEM approves this RACR and the ELUR is recorded in the City's land evidence records.

4.1 SOIL

The impacted soil at the site was considered to be in compliance once it was capped as proposed in the RAWP or as approved by subsequent RIDEM approvals. An ELUR, previously discussed in this RACR, will be placed on the Site once the RACR is approved by RIDEM.

The engineered cap installed at the Site consists of a minimum of 2-ft. of clean fill or the equivalent (where allowable). Department-approved equivalents to 2-ft. of clean fill include the school building footprint, asphalt and concrete paved areas, and 1-ft. of clean fill over a geosynthetic fabric as described in Section 3.1.

Soil compliance at this Site was also demonstrated through laboratory analysis of the clean fill material used for construction of the engineered cap by obtaining written approval from RIDEM for said clean fill material, through visual inspection of paving and concrete pouring activities, visual inspection of geosynthetic fabric installation, and field measurements of cap depths within hand-dug test pits in multiple areas across the Site. Copies of laboratory analytical reports and RIDEM correspondence approving use of fill material, and weight receipts obtained from the subcontractor responsible for delivering the fill material to the site are provided in Appendices D and E, respectively.

A copy of an As-Built Site Plan that includes the hand-dug test pit locations and associated cap thicknesses is provided in Appendix B and photos illustrating various elements of cap installation activities are included in Appendix C.

4.2 SSD SYSTEM EFFLUENT

Preliminary air emission estimates based upon the maximum soil gas concentrations collected during the soil vapor survey completed on 5 October 2005, and the proposed total effluent air flow rate of 1,500 cfm (500 cfm each for 3 suction fans) were summarized in the RAWP. The emission estimates were far below the hourly, daily, and annual permit applicability thresholds of 10 lb/hour and 100 lb/day for an air contaminant, 10 tons/year (individual Hazardous Air Pollutants [HAPs]), and 25 tons/year (combined HAPs) specified in Section 9.3.1 of RIDEM's Air Pollution Control Regulation No. 9, and were also in compliance with the HAP minimum quantities specified in Appendix A of RIDEM's Air Pollution Control Regulation No. 9.

Following startup of the SSD system in March 2007, and again in June 2007, three venting system effluent air samples (one from the discharge of each suction fan) were collected and submitted for laboratory analysis of VOCs (via Method TO-15). The effluent data was used to calculate actual emission values and to re-evaluate if treatment or permitting requirements apply. The actual air emission values confirmed that RIDEM permit applicability thresholds are not being exceeded by the SSD system effluent.

4.3 SUB-SLAB SOIL GAS AND PRESSURE

Between 12 March and 30 July 2007, a total of six rounds of sub-slab air sampling have been completed at the Site. In addition to these six rounds of sub-slab air sample collection, field monitoring for VOCs, methane, and sub-slab vacuum was also performed weekly through the first 3 months of system operation and monthly thereafter (total number of monitoring events = 16) during this time period. Remedial compliance has been demonstrated at the site based upon the following:

- Throughout the time period of O&M from SSD System start-up until the writing of this RACR, sub-slab vacuum ranging from -0.04 to -0.20 inches of water column was maintained at all monitoring points located across the sub-slab region.
- The sub-slab Action Level for methane (10% LEL) established for this project has not been exceeded at any time in any of the sub-slab monitoring ports located across the sub-slab region.
- Sub-slab VOC monitoring and sampling has been completed in accordance with the Amended OA.

Please refer to the data summary reports previously submitted to RIDEM for more details regarding these sub-slab sampling results collected at the Site prior to the date of this RACR.

4.4 INDOOR AIR

The indoor methane monitoring system continuously monitors the methane concentration within the school building at the eight Department-approved monitoring locations, and is equipped to notify school officials and other responsible parties (via visual alarm, audible alarm, and auto dialer) if an exceedence of the 1% LEL Indoor Air Action Level (i.e., 500 ppm) occurs. The indoor methane monitoring system has been continuously operational at the site since 15 May 2007 without interruption, failure of any kind, or exceedence of the indoor air methane Action Level.

With respect to VOCs, between 12 March and 30 July 2007, a total of six rounds of indoor air sampling have been completed at all eight Department-approved sampling locations within the school. In addition to these six rounds of indoor air sample collection, field monitoring for VOCs and methane was also performed weekly through the first 3 months of system operation and monthly thereafter (total number of monitoring events = 16) during this time period. Remedial compliance has been demonstrated at the site based upon the following:

- With the exception of VOCs attributable to construction activities (e.g., painting, application of adhesives, etc.), VOCs contained in new building materials (e.g., carpeting, vinyl products, tiles, etc.), VOCs known to be found in background ambient air throughout the United States and also found in background ambient outdoor air at this Site, or VOCs most likely attributable to inadvertent laboratory contamination, no VOCs were found in indoor air at the Site in concentrations that exceed the Action Levels applicable to indoor air.
- Upon receipt and review of the laboratory data associated with these sampling events, RIDEM was immediately notified of any issues of non-compliance and written sampling summary reports were submitted to RIDEM within one week of said notifications.

Please refer to the previously submitted data summary reports for more details regarding these indoor air sampling results collected at the Site prior to the date of this RACR.

4.5 OUTDOOR AIR

The following Department-approved dust suppression and dust monitoring program was implemented during intrusive construction activities at the Site:

- During intrusive site construction activities, a tow-behind water tank equipped with multiple spray nozzles and a hose attachment regularly traversed the work area and applied water to minimize nuisance dust. In some instances, water sprinklers were used in place of or to supplement water application by the tow-behind water tank.
- Water was also manually applied to specific work areas, debris, soil piles, and any other areas in need of dust control not covered by the tank's spray nozzles.

- Fabric wind screens were installed and maintained along the perimeter fencing at the Site to minimize off-site dust migration.
- During the first week of intrusive construction activities, daily time-weighted air samples were collected and analyzed for nuisance dust via Phase Contrast Microscopy (PCM). Due to compliant sampling results, the Department-approved sampling frequency was reduced to once per week for the remainder of the intrusive activities. No sampling was performed or required during times when no intrusive site activities were ongoing.
- All samples were collected from a stationary sampling station equipped with a low volume sampling pump located along the southern fence line closest to the residential neighborhood abutting the Site. The sampling pump collected a time-weighted sample over the course of the workday during hours of on-site activities.
- All dust sampling results were less than the dust action levels established for this project.
- Dust sampling data was forwarded to RIDEM upon receipt from the laboratory and are also provided in Appendix H.

4.6 OTHER MEDIA

There are no remedial objectives for groundwater, surface water, or any other types of media (e.g., sediment) at the site. Therefore, points of compliance are not applicable with respect to these other types of media.

5. ADDITIONAL AMENDED OA COMPLIANCE

Information and supporting documentation relative to compliance with other Amended OA provisions not already discussed in previous sections of this RACR are presented below.

5.1 COMMUNITY NOTICE

On behalf of the City, EA prepared and distributed a bi-lingual community notice in accordance with Provision 2 of the Amended OA.

5.2 INITIATION OF WORK

In accordance with Provision 3 of the Amended OA, work at the Site was initiated within thirty (30) days of the City's receipt of the June 2006 Order of Approval.

5.3 NO ACCEPTANCE OF WASTE FROM OFF-SITE SOURCES

In accordance with Provision 4 of the Amended OA, no hazardous waste was accepted from any off-site sources for treatment or disposal at the Site


5.4 OFF-SITE DISPOSAL OF EXCESS SITE SOIL

In November 2006, during the implementation of the remedy, approximately 1,130 cubic yards of excess site soil was removed from the Site and was disposed of at the Rhode Island Resource Recovery Corporation (RIRRC). Removal of the soil was needed to accommodate the Site grading necessary to construct the engineered cap. Prior to disposal, the excess soil was sampled for various chemical parameters and the results were submitted to the RIRRC for review and acceptance. The RIRRC approved disposal of the soil at their Johnston, RI facility (Central Landfill) as alternative cover.

Copies of the RIRRC Acceptance Letter, associated soil sampling laboratory reports, and disposal receipts from the Central Landfill are provided in Appendix I.

6. CERTIFICATIONS

The undersigned certify that this RACR is a complete and accurate representation of the contaminated site and contains all known facts to the best of their knowledge.



8/29/07

Peter M. Grivers, P.E., Project Manager
EA Engineering, Science, and Technology, Inc.


Date



8/29/07

Timothy C. Regan, P.E., Senior Engineer
EA Engineering, Science, and Technology, Inc.



Date



8/29/07

Alan Sepe
Director, Providence Department of Public Property

Date



FORMER GORHAM MANUFACTURING SITE, PARCEL B
 333 ADELAIDE AVENUE
 PROVIDENCE, RHODE ISLAND

FIGURE 1
 SITE LOCATION MAP

PROJECT MGR: TR	DESIGNED BY: DC	CREATED BY: DC	CHECKED BY: JP	SCALE: AS SHOWN	DATE: FEBRUARY 2005	PROJECT NO: 6196501	FILE NO: I:\RIFIG1 333 ADELAIDE_PROV.MXD
--------------------	--------------------	-------------------	-------------------	--------------------	------------------------	------------------------	--

Appendix A

Recorded Order of Approval and Amendments



RHODE ISLAND
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
235 Promenade Street, Providence, RI 02908-5767 TDD 401-222-4462

June 9, 2006

CERTIFIED MAIL

Alan Sepe, Acting Director
Department of Public Properties
City of Providence
25 Dorrance Street
Providence, RI 02903

RE: Order of Approval, Proposed Providence Public School Site – Parcel B
Formerly a portion of the Gorham/Textron Dump site, 333 Adelaide Avenue, Providence
City of Providence Tax Assessor's Office Plat 51, Lot 323, Parcel B
Case No. 2005-029 (Formerly part of Case No. 97-030)

Dear Mr. Sepe:

Enclosed please find the Order of Approval (Order) for the proposed remediation plan for the above referenced facility. Please review the stipulations of this Order thoroughly to ensure your compliance with the requirements. This Order places primary responsibility for the construction, operation, maintenance and monitoring of the approved Remedial Action Work Plan (RAWP) on the City of Providence (City). In order to enable the Department to monitor the City's compliance with the RAWP, the Order requires the City to notify the Department of any condition that is non-compliant with the Order or that constitutes an interruption of the RAWP. In order to maintain compliance with the Order and the RAWP, the City's responsibilities under the Order necessarily include the responsibility to respond to and correct non-compliant conditions in a timely, proactive and professional manner that minimizes non-compliance with the Order and RAWP, and protects human health and the environment.

Please notify this office 48 hours prior to the beginning of any work related to the remediation of the property. If you have any questions regarding this matter, please contact me at (401) 222-2797 x7109.

This Order shall be recorded in the land evidence records of the City of Providence as required by law, and a recorded copy must be returned to the Department within 7 days of recording.

Sincerely,

A handwritten signature in black ink, appearing to read "Joseph T. Martella II".

Joseph T. Martella II
Senior Engineer, Office of Waste Management

cc: Terrence D. Gray, P.E., Assistant Director, RIDEM/AW&C
Leo Hellested, P.E., Chief, RIDEM/OWM
Kelly J. Owens, RIDEM/OWM
Brian Wagner, Esq., RIDEM/OLS
Christopher Walusiak, RIDEM/OWM
Douglas McVay, RIDEM/OAR
Barbara Morin, RIDEM/OAR
Dr. Robert Vanderslice, PHD, RIDOH
Hon. David N. Cicilline, Mayor, City of Providence
Senator Juan M. Pichardo, District 2
Representative Thomas Slater
Providence City Councilman Ronald Allen
John J. Lombardi, City of Providence
Thomas Deller, City of Providence
Mary McClure, President - Providence School Bd.
Sara Rapport, Esq., City of Providence
James Ryan, Esq, PS&H
Peter M. Grivers, EA
Gregory L. Simpson, Textron
Gerald Petros, Esq., Hinkley Allen
Steven Fischbach, Esq., RILS
Knight Memorial Library - Project Repository

RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

**In the matter of Remedial Action Approval at:
Proposed Providence Public School Site – Parcel B
(Formerly a portion of the Gorham/Textron Dump site)
333 Adelaide Avenue, Providence, RI, Plat 51, Lot 323 (the Site)**

Case No. 2005-029

ORDER OF APPROVAL

In the above entitled matter wherein the following documents have been filed by or on behalf of the City of Providence (City), in its capacity as owner and Responsible Party for the remediation of property located at 333 Adelaide Avenue, Providence, or are otherwise on record with the Rhode Island Department of Environmental Management (the Department):

1. Remedial Action Work Plan, Former Gorham Manufacturing Facility, Parcel B, Adelaide Avenue, Providence, Rhode Island (RAWP), prepared by EA Engineering, Science, and Technology, Inc. (EA), dated April 2006, received April 26, 2006;
2. Electronic mail from EA to the Department, Re: Gorham ... Proposed Indoor Air Sampling, dated April 28, 2006;
3. Department Comment Letter, Re: Remedial Action Work Plan Comments - Proposed Providence Public School Site, (Former) Gorham Textron Dump Property, 333 Adelaide Avenue, Parcel B, Providence, City of Providence Tax Assessor's Office Plat 51, Lot 323, Parcel B, Case No. 2005-029 (Formerly part of Case No. 97-030), dated May 23, 2006;
4. Response to RAWP Comments, Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 2005-029, prepared by EA, dated May 25, 2006;
5. Letter from EA to the Department, Re: Draft ELUR for Parcel B Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 97-030 (Including Case No. 2005-029 and Case No. 2005-059), including a draft copy of the proposed Environmental Land Usage Restriction, delivered in PDF format via e-mail, dated June 7, 2006; and
6. Letter from Mark V. Dunham, Chief Financial Officer, Providence School Department, Re: Response to RAWP Comment No. 6, Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 2005-029, dated June 6, 2006, received via facsimile machine on June 8, 2006.

Subject to the conditions herein, these documents fulfill the requirements of Section 9.00 (Remedial Action Work Plan) of the Department's Rules and Regulations for the Investigation and Remediation of Hazardous Materials Releases (Remediation Regulations), as amended February 24,

ORDER OF APPROVAL
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI

CASE NO. 2005-029

2004, and describe a plan to remediate existing contamination pursuant to 23-19.14-1 et seq. and Department's Remediation Regulations, amended February 24, 2004 in accordance therewith.

This Order of Approval (Order) places primary responsibility for the construction, operation, maintenance and monitoring of the approved Remedial Action Work Plan (RAWP) on the City. In order to enable the Department to monitor the City's compliance with the RAWP, the Order requires the City to notify the Department of any condition that is non-compliant with the Order or that constitutes an interruption of the RAWP and to take immediate action to correct the non-compliant condition. In order to maintain compliance with the Order and the RAWP, the City's responsibilities under the Order necessarily include the responsibility to independently and proactively respond to and correct non-compliant conditions in a timely manner.

As the responsible party and performing party, the City is expected to implement the RAWP semi-autonomously; i.e. with Department oversight but without the need for constant Department direction or approval of the City's activities. The City is also responsible for promptly addressing non-compliant site conditions (e.g. equipment malfunctions or exceedances of established contaminant limits). Upon identifying any non-compliant condition, the City is expected to act accordingly to develop and implement an appropriate response to re-establish compliance. The City's response(s) to non-compliant conditions must be implemented in an expeditious and professional manner that minimizes non-compliance with the Order and RAWP, and protects human health and the environment.

It is the Department's intent that this Order implement clear and specific timelines for deliverables that must be met by the City with respect to the on-site monitoring, reporting and operation & maintenance requirements necessary to maintain the Remedy in a state of compliance. Upon consideration thereof, and in accordance with Rule 10.1 (Remedial Action Approvals) of the Remediation Regulations, the Department conditionally approves said RAWP through this Order, provided that:

- 1) All work, operations, activities and schedules shall be performed in accordance with the terms and conditions of this Order, the Department approved RAWP, and all other applicable federal, state and local laws and regulations.
- 2) The City shall prepare and distribute a community notice to the residents in the reservoir triangle neighborhood and to other interested parties (e.g. community groups and local elected officials). The notice shall be printed in English and Spanish and shall include an estimated schedule for remedial activities and construction, a brief description of the work to be performed and the precautions to be taken to protect the community, and relevant contact information for the City and its on-site contractors (name, phone, e-mail ... etc.) for questions and complaints.
- 3) Work shall be initiated at the Site within thirty (30) days of receipt of this Order.

- 4) No hazardous waste shall be accepted from any off-site sources for treatment or disposal at the Site.
- 5) Sampling and analysis of all media involved in the Remedial Action shall be conducted in accordance with the requirements of the RAWP and this Order.
- 6) The Site remedy as described in the RAWP shall incorporate the following:
 - a) All work, operations, and activities shall be performed to ensure the applicable remedial objectives for the site are achieved for all hazardous substances at the site, so as to manage actual or potential risks to human health and the environment.
 - b) Encapsulation of all regulated site soils through the installation of Department approved engineered controls (including the building foot print, side walks, asphalt parking areas, landscaped areas, or other engineered caps). A Department approved engineered control shall cover every portion of Parcel B up to the "barrier to prevent access to the Park Parcel" described in the March 29, 2006 Superior Court Consent Order (Parcels B & C). All engineered controls shall provide a level of protection equivalent to a minimum of two feet of clean soil. Any additional proposed engineered control design, not previously described in the RAWP and approved through this Order, must be submitted to the Department for approval prior to installation. Engineered control caps consisting of concrete pavement or walkways shall be completed with a minimum six (6) inch base of appropriate clean material covered with a minimum of four (4) inches of concrete. All engineered controls over areas known or suspected to be subject to the Solid Waste Regulations, and under the jurisdiction of the Solid Waste Program, shall consist of a minimum of two feet of clean soil. All regulated site soils and engineered controls shall be subject to an Environmental Land Usage Restriction (ELUR).
 - c) Construction, installation, maintenance and continuous operation of an active sub-slab ventilation (SSV) system designed to extract soil vapor from under the building, and to prevent the accumulation and/or buildup of methane gas or volatile organic compounds (VOCs), and to ensure levels of methane and or VOCs are maintained below applicable "Action Levels." The SSV system shall also be equipped with an alarm system, and system operation and maintenance will include periodic monitoring of methane and VOC levels below the building, within the building, and in the extracted soil vapor.
 - d) Following the installation of the sub-slab ventilation system, its proper operation shall be tested to demonstrate compliance with the Department approved performance criteria in the final RAWP, and to verify actual emission values, in order to determine if treatment, a permit, or registration for the SSV system is required under the Department's Office of Air Resources (OAR) Air Pollution Control (APC) Regulation No. 9.

ORDER OF APPROVAL
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI

CASE NO. 2005-029

- e) Implementation of a long term vapor and air-monitoring program sufficient to ensure site conditions are maintained in compliance with the applicable remedial objectives. Said monitoring program shall include at a minimum:
- i) Incorporation of remedial "Action Levels" as follows:
 - (1) Within buildings, the remedial Action Level shall be 1 percent of the methane lower explosive limit (LEL).
 - (2) Under buildings, the remedial Action Level shall be 10 percent of the methane LEL.
 - (3) The remedial Action Level for VOCs shall be the Connecticut Residential Proposed Target Indoor Air Concentrations (TACs). An appropriate analytical method shall be selected with a detection limit sufficiently sensitive to allow proper comparison of detected VOC concentrations to each applicable TAC (e.g. speciated VOCs using EPA method TO-15).
 - ii) The proposed location of each interior methane monitor/alarm (i.e. continuous within the buildings), as well each proposed interior and sub slab sample collection location shall be provided to the Department prior to installation.
 - iii) Performance of baseline ambient air monitoring within the subsurface slab area and the building interior shall be conducted, prior to system start up and any occupancy, to evaluate concentrations of methane and VOCs at the site.
 - iv) The schedule for periodic compliance monitoring shall be weekly from system start-up through the first quarter of system operation, followed by monthly provided that there are no exceedances of the applicable remedial Action Levels. After successfully demonstrating one year of continuously compliant system operation, the City may petition the Department to decrease the required monitoring frequency.
 - v) A minimum of three (3) representative sub slab monitoring locations shall be sampled and analyzed for both methane and VOCs. In the event that concentrations of VOCs in the sub slab air are detected at a level which exceeds an Action Level, VOC samples shall immediately be collected and analyzed from correspondingly representative interior monitoring locations.
 - vi) In the event that a remedial Action Level is exceeded in a location that is already being addressed by the active sub-slab ventilation system (i.e. indoor air or under a building), the City shall immediately notify the Department by telephone and respond to and correct non-compliant conditions in a timely manner. Written notification to the Department shall follow within seven (7) days with any plans to upgrade or adjust the system to remedy the problem, including steps taken to address the non-compliance. It shall be the City's responsibility to assess immediate threat or emergency situations and to address non-compliant conditions in an expeditious and professional manner that minimizes non-compliance with the Order and RAWP, and protects human health and the environment.
 - vii) Each of the interior methane monitors shall be operated continuously and be connected to the remote alarm system in such a manner as to trigger the alarm should the concentration of methane in any building exceed the remedial Action Level of 1 percent of the methane LEL. Each interior methane monitor shall be powered in a manner such that operation will not be interrupted during a power failure. In the event that the

concentration of methane in any building exceeds the remedial Action Level of 1 percent of the methane LEL, the City shall act accordingly to develop and implement an appropriate response to re-establish compliance, and protect human health and the environment. Response protocols may include, but not necessarily be limited too, building evacuation, notification of the Providence Fire Department via "911", notification of the Department, and other steps, as appropriate, designed to identify and correct any alarm system or SSV system-related problems that may have contributed to site conditions, which caused the methane sensor alarm.

- viii) All equipment shutdowns (intentional and unintentional) or operational problems shall be reported to the Department immediately. Intentional equipment shutdowns for regular maintenance shall not require immediate notification to the Department provided that the shutdown is for less than twenty-four (24) hours and the maintenance activity is discussed in the next quarterly report.
 - ix) Monitoring of methane and VOCs shall continue at the specified rate as long as a source of contamination exists.
- f) Preparation and submission of quarterly air monitoring reports in accordance with this Order, and including the recording of the following parameters:
- i) The concentrations of methane and VOCs detected in each sample collected and analyzed during monitoring activities for the current reporting period.
 - ii) A summary table of the concentrations of methane and VOCs detected in each sample collected and analyzed during prior reporting periods.
 - iii) The occurrences of any alarm activations during the quarter and the resulting activities performed in response to the alarm activation.
 - iv) The occurrences of any remedial Action Level exceedances during the quarter and resulting activities performed in response to the exceedance.
 - v) The system operational status during the quarter, particularly noting the length of any system shutdown due to power failure, system malfunction, repairs, scheduled maintenance, etc.
 - vi) The anticipated delivery date of the next scheduled monitoring report submittal.
- g) Management of all Site soil in accordance with the requirements of the RAWP and this Order.
- h) Implementation of appropriate procedures to manage, control and monitor regulated soil, asbestos containing material (ACM) and dust in a manner consistent with the asbestos and fugitive dust management precautions employed during the Department-approved Limited Remedial Action Work Plan (LRAWP) for Parcel B, except as amended by the RAWP, including but not limited too:
- i) Real-time dust monitoring shall be conducted at the perimeter of the site to ensure that site activities do not create unacceptable impacts to off-site air quality and risks to nearby populations. Dust monitoring results must be submitted to the Department

- on a weekly basis, at a minimum, and be made part of the Operating Log for the RAWP. The Department must be immediately notified of any exceedances of any approved action levels (see above referenced LRAWP), any corrective action that was performed, and the results and effectiveness of corrective action measures.
- ii) Regular application of water to the work area or any area of soil disturbance to control dust through the use of either a water truck equipped with multiple spray nozzles and a manual hose attachment, or multiple oscillating water sprinklers.
- i) Preparation and submission of a Remedial Action Closure Report documenting the work performed and including at a minimum the following items:
 - i) A post remediation survey of the entire site with as-built plans demarcating the exact location (e.g. vertical and horizontal extent and type) of the installed engineered controls, including: geotextile fabric, clean fill, utilities, structures, basins, swales, the storm water detention pond, the SSV system, and all monitoring locations.
 - ii) Analytical results and summary of all post remediation/post construction methane, VOC and air monitoring performed to date, demonstrating compliance with the requirements of this Order.
 - iii) All original laboratory analytical data results from the remedial activities, compliance and confirmation sampling, and clean fill sampling as applicable.
 - iv) A statement from the facility or environmental consultant attesting to the origin of the clean fill and/or loam, and suitability consistent with the RAWP and this Order. Any organic topsoil utilized shall conform to the general vegetated top cover criteria outlined in Rule 2.2.12 of the Solid Waste Regulations.
 - j) The final Department approved ELUR, referenced as document 5 above, shall be recorded in the City of Providence land evidence records of the subject property.
 - k) Long-term maintenance of the engineered controls and portions of the property subject to the ELUR, including annual inspection and certification by an environmental professional.
- 7) The SSV system (including the alarm system) shall be operated and maintained to prevent methane and/or VOC concentrations from reaching or exceeding the remedial Action Levels within any and all occupied structures at the site.
 - 8) Any temporarily stockpiled regulated soils shall be placed upon and covered with polyethylene of thickness at least 6mm or greater to prevent tearing, and segregated from clean fill material to prevent cross contamination.
 - 9) All excess fill material generated on site, shall have all solid waste and debris removed prior to reuse as closure cap subgrade beneath the filter fabric layer.

ORDER OF APPROVAL
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI

CASE NO. 2005-029

- 10) Any material discovered during excavation activities that qualifies as "Solid Waste," as defined by the Department's Solid Waste Regulations, must be disposed of at a licensed Solid Waste Facility. This includes, but is not limited to, any solid waste material removed under the proposed building footprint.
- 11) All RAWP activities shall be performed in compliance with all appropriate Office of Air Resources (OAR) Rules and Regulations, including but not limited to the monitoring and control of any air emissions and the timely acquisition of any required Air Pollution Control Permits (Air Permits).
- 12) Any portion of the RAWP or development project conducted on the Site which falls under the jurisdiction of the Department's Freshwater Wetlands Program must be done in accordance with the Rules and Regulations Governing the Administration and Enforcement of the Freshwater Wetlands Act (the Wetlands Regulations), including but not limited to the timely acquisition of a Wetlands Permit.
- 13) Any portion of the RAWP or development project conducted on the Site which falls under the jurisdiction of the Department's Office of Water Resources (OWR), Rhode Island Pollution Discharge Elimination System (RIPDES) Program, must be performed in compliance with all appropriate OWR/RIPDES Rules and Regulations, including but not limited to the timely acquisition of a RIPDES Permit or a General Permit for Storm Water Discharge Associated with Construction Activity as appropriate and/or applicable.
- 14) All waste derived from implementation of the RAWP, the repair and maintenance of the Remedy, or the engineered systems shall be managed in accordance with the Department's Remediation Regulations, Rules and Regulations for Hazardous Waste Management, and Solid Waste Regulations, as appropriate. In accordance with Rule 11.07 (Initiator) of the Remediation Regulations, the City must comply with the requirements of the Solid Waste Regulations, as amended, for all solid waste shipments that they initiate, and documentation of disposal shall be provided to the Office of Waste Management (OWM).
- 15) All fill material brought onto the Site and all soil utilized for the engineered control cap must be compliant with the Department's Method 1 Residential Direct Exposure Criteria pursuant to the Remediation Regulations. All clean fill, including sub-grade material and loam, imported to the site must be sampled in accordance with the RAWP and this Order, prior to delivery and placement. Laboratory analytical results must be submitted to the OWM via fax (401) 222-3812. Written approval (via e-mail, fax or letter) to use the fill must be received from the Department prior to use.
- 16) Within sixty (60) days of completion of the Remedial Action described in the RAWP, a Remedial Action Closure Report, detailing the Remedial Action and current site status, shall be submitted to the OWM for review and approval. The Remedial Action Closure Report shall include a draft Site specific post remediation Soil Management Plan (SMP) and a post

ORDER OF APPROVAL
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI

CASE NO. 2005-029

remediation survey and as-built plan, to be recorded with the Department approved ELUR referenced as document 5 above.

- 17) Within thirty (30) days of receiving Department approval of the Remedial Action Closure Report, the City will have the Department approved ELUR recorded in the Providence land evidence records, and submit a recorded (stamped) copy to the OWM within fifteen (15) days of the date that it is recorded.
- 18) Within ten (10) days of submittal of the recorded (stamped) copy of the Department approved ELUR to the OWM, the City shall notify all abutting property owners, tenants, and interested parties that the ELUR has been recorded.
- 19) The City, its representatives, employees, agents and contractors shall adhere to the following timelines in its management, operation and maintenance of the Site.
 - a) The City shall immediately notify the OWM of any Site or operating condition that results in non-compliance with this Order, or that indicates that the Remedy is not meeting its intended goal of preventing human exposure to hazardous materials contained in the former manufacturing facility site.
 - b) The OWM shall be notified in writing immediately if the City suspects or has reason to believe that any of the remedial objectives will not be met.
 - c) The OWM will be notified a minimum of five (5) working days in advance of any changes in contractors and/or consultants for the remedial activities in this RAWP, and will be promptly supplied with complete contact information for each new contractor or consultant (including but not limited to company name and address, contact name and address, contact telephone number and e-mail address).
 - d) Any RAWP interruptions shall be reported to the OWM by telephone within one (1) working day and in writing within seven (7) days.
 - e) All exceedances of the "Action Levels" established in the Order that are detected during any site monitoring activity (including but not limited to monitoring of sub-slab ventilation systems, or interior methane monitors/alarms) shall be reported to the OWM immediately and responded to immediately by the City.
 - f) All equipment shutdowns (intentional and unintentional) or operational problems shall be reported to the OWM immediately. Intentional equipment shutdowns for regular maintenance shall not require immediate notification to the OWM provided that the shutdown is for less than twenty-four (24) hours and the maintenance activity is discussed in the next quarterly report.

- g) All repairs or replacements of equipment or other actions taken in response to any non-compliance with the RAWP shall be completed within fourteen (14) days of discovery of the non-compliant condition. Additional time may be requested from the OWM in writing, provided that the request is supported with a justifiable explanation as to why the work cannot be completed within 14 days and includes a binding timetable for the completion of all work. All requests for additional time shall be submitted to the OWM as soon as the City becomes aware that additional time is necessary, but not later than 14 days from the discovery of the non-compliant condition. Documentation describing the repairs and certifying that the malfunction was corrected and that the equipment is operational must be received by the OWM within 5 (five) days of completion of the repairs.
 - h) All deficiencies in the approved engineered cap (including but not limited to sinking, cracking or excavation of soil, asphalt, cement or foundations) shall be reported to the OWM immediately upon discovery and shall be repaired within fourteen (14) days. Until repairs are made, the City shall prevent access to the deficient areas by staff, students, visitors or the general public. Documentation describing the deficiency, the repairs and certifying that the repairs meet the requirements of the Remedy must be received by the OWM within 5 days of completion of the repairs.
 - i) Any report or notice required to be submitted to the OWM "immediately," shall require verbal notification to the OWM within twenty-four (24) hours and written notification to the OWM within seventy-two (72) hours. The report or notice shall include a description of: the point of non-compliance (e.g. Action Level exceedance, equipment problems); the known or suspected cause for the non-compliance; any response actions taken as of the time of the report or notice; preliminary concepts for response actions to address, correct and/or prevent recurrence of the non-compliance; and a preliminary timetable for the completion of any further response actions. Final plans and timetables for response actions shall be reported to the OWM as soon as they are developed.
- 20) All notifications or reports required to be made or submitted to the Department under this Order, any other information pertinent to the RAWP, and/or any other notification regarding the subject site shall be reported to:

Joseph T. Martella II, Senior Engineer
RIDEM – Office of Waste Management
235 Promenade St., 3rd Floor
Providence, RI 02908-5767

Tel: (401) 222-2797 x7109

Fax: (401) 222-3812

E-mail: joseph.martella@dem.ri.gov

ORDER OF APPROVAL
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI


CASE NO. 2005-029

- 21) This Order does not remove the obligation of the City to obtain any other permits, licenses or approvals from any state, local, or federal agencies (including the Department) that may be necessary to comply with this Order.
- 22) It is the City's sole obligation to obtain all necessary approvals and permits required to implement the RAWP in a timely manner consistent with the RAWP schedule and deadlines in this Order.
- 23) The City shall have this Order recorded in the City of Providence, land evidence records of the subject property within thirty (30) days of execution of this Order.
- 24) There shall be no occupation or use of any building, facility or grounds on the Site until all the requirements described in the RAWP and this Order have been met to ensure that the applicable remedial objectives for the site are achieved for all hazardous substances, so as to manage actual or potential risks to human health and the environment for workers, clients, visitors and trespassers at the Site.

Subject to future revisions or amendments by the Department, this Order shall remain in full force and effect for as long as said RAWP shall be operated and maintained in a condition satisfactory to the Department. Failure to comply with all points outlined in the Department approved RAWP and stipulated in this Order shall result in the issuance of a Notice of Violation and Order against the City.

This Order shall be subject to modification or revocation in accordance with law.

Entered as an approval by the Department this 9TH day of June, 2006.

By: 

Leo Hellested, P.E.
Chief, Office of Waste Management
Department of Environmental Management

RECEIVED:

Providence
Received for Record
Aug 15, 2007 at 12:01:01P
Document Num: 00191904
Barbara Trancy
Recorder of Deeds

RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

**In the matter of Remedial Action Approval at:
Proposed Providence Public School Site – Parcel B
(Formerly a portion of the Gorham/Textron Dump site)
333 Adelaide Avenue, Providence, RI, Plat 51, Lot 323 (the Site)**

Case No. 2005-029

ORDER OF APPROVAL ADDENDUM

In the above entitled matter wherein the following documents have been filed by or on behalf of the **City of Providence (City), in its capacity as owner and Responsible Party for the remediation of property located at 333 Adelaide Avenue, Providence,** or are otherwise on record with the Rhode Island Department of Environmental Management (the Department):

1. Remedial Action Work Plan, Former Gorham Manufacturing Facility, Parcel B, Adelaide Avenue, Providence, Rhode Island, prepared by EA Engineering, Science, and Technology, Inc. (EA), dated April 2006, received April 26, 2006;
2. Electronic mail from EA to the Department, Re: Gorham ... Proposed Indoor Air Sampling, dated April 28, 2006;
3. Department Comment Letter, Re: Remedial Action Work Plan Comments - Proposed Providence Public School Site, (Former) Gorham Textron Dump Property, 333 Adelaide Avenue, Parcel B, Providence, City of Providence Tax Assessor's Office Plat 51, Lot 323, Parcel B, Case No. 2005-029 (Formerly part of Case No. 97-030), dated May 23, 2006;
4. Response to RAWP Comments, Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 2005-029, prepared by EA, dated May 25, 2006;
5. Letter from EA to the Department, Re: Draft ELUR for Parcel B Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 97-030 (Including Case No. 2005-029 and Case No. 2005-059), including a draft copy of the proposed Environmental Land Usage Restriction, delivered in PDF format via e-mail, dated June 7, 2006; and
6. Letter from Mark V. Dunham, Chief Financial Officer, Providence School Department, Re: Response to RAWP Comment No. 6, Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 2005-029, dated June 6, 2006, received via facsimile machine on June 8, 2006.

Subsequent to the Department issuing the original Order of Approval dated June 9, 2006, the following documents were also filed by or on behalf of the City:

ORDER OF APPROVAL ADDENDUM
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI

CASE NO. 2005-029

7. RAWP Implementation Status Letter No. 1, Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 2005-029, (RAWP Status Letter 1), prepared by EA, dated September 28, 2006; and
8. RAWP Implementation Status Letter No. 2, Former Gorham Manufacturing Facility, Parcel B, 333 Adelaide Avenue, Providence, Rhode Island, Case No. 2005-029, (RAWP Status Letter 2), prepared by EA, dated December 13, 2006.

In addition, the Agency for Toxic Substances and Disease Registry (ATSDR), has submitted the following document regarding the site:

9. Health Consultation – Providence High School Parcel B, (a/k/a Former Gorham Site), Providence, Rhode Island, EPA Facility ID: RID001195015, prepared by ATSDR, dated December 4, 2006.

Subject to the conditions herein, these documents fulfill the requirements of Section 9.00 (Remedial Action Work Plan) of the Department's Rules and Regulations for the Investigation and Remediation of Hazardous Materials Releases (Remediation Regulations), as amended February 24, 2004, and describe a plan to remediate existing contamination pursuant to 23-19.14-1 et seq. and the Department's Remediation Regulations, amended February 24, 2004 in accordance therewith.

It is the Department's intent that all conditions set forth in the Order of Approval (Order) dated June 9, 2006, shall remain in full force and effect unless specifically altered by this Order of Approval Addendum (OA Addendum). This OA Addendum continues to place primary responsibility for the construction, operation, maintenance and monitoring of the approved Remedial Action Work Plan (RAWP) on the City. As the responsible party and performing party, the City is expected to implement the RAWP in an expeditious and professional manner that prevents non-compliance with the Order, OA Addendum and RAWP, and protects human health and the environment. For the convenience of the City and its contractors and consultants the changes made to the Order by this OA Addendum have been highlighted below using boldfaced type and include a reference to the original paragraph of the Order as applicable.

Upon consideration thereof, and in accordance with Rule 10.1 (Remedial Action Approvals) of the Remediation Regulations, the Department approves said RAWP through this OA Addendum, subject to the following amended conditions:

- 1) **All conditions set forth in the Order of Approval dated June 9, 2006, shall remain in full force and effect unless specifically altered by this OA Addendum.**
- 2) Sampling and laboratory analysis of all media involved in the Remedial Action shall be conducted in accordance with the requirements of the RAWP, **the Order and this OA Addendum** [Ref. Order ¶ 5].

- 3) The Site remedy as described in the RAWP and Order shall also incorporate the following [Ref. Order ¶ 6]:
- a) All work, operations, activities, **monitoring and sampling** shall be performed to ensure that the applicable remedial objectives for the site are achieved for all hazardous substances at the site, so as to manage actual or potential risks to human health and the environment [Ref. Order ¶ 6.a].
 - b) Construction, installation, maintenance and continuous operation of an active sub-slab ventilation (SSV) system designed to extract soil vapor from under the building, and to prevent the accumulation and/or buildup of methane gas or volatile organic compounds (VOCs), and to ensure levels of methane and or VOCs are maintained below applicable "Action Levels." The SSV system shall also be equipped with an alarm system, and system operation and maintenance will include periodic monitoring **and compliance sampling** of methane and VOC levels below the building, within the building, and in the extracted soil vapor **measured at each of the stack pipes venting through the building roof** [Ref. Order ¶ 6.c].
 - c) Following the installation of the sub-slab ventilation system, its proper operation shall be **evaluated by periodic compliance sampling with analytical laboratory testing** to demonstrate compliance with the Department approved performance criteria in the final RAWP, **the Order, and this OA Addendum**, and **also** to verify actual emission values in order to determine if treatment, a permit, or registration of the SSV system is required under the Department's Office of Air Resources (OAR) Air Pollution Control (APC) Regulation No. 9 [Ref. Order ¶ 6.d].
 - d) Implementation of a long-term vapor and air monitoring **and compliance sampling** program sufficient to ensure site conditions are maintained in compliance with the applicable remedial objectives. Said monitoring **and compliance sampling** program shall include at a minimum [Ref. Order ¶ 6.e]:
 - i) Incorporation of remedial "Action Levels" as follows:
 - (1) Within buildings, the remedial Action Level shall be 1 percent of the methane lower explosive limit (LEL).
 - (2) Under buildings, the remedial Action Level shall be 10 percent of the methane LEL.
 - (3) The remedial Action Level for VOCs shall be the Connecticut Residential Proposed Target Indoor Air Concentrations (TACs). An appropriate analytical method shall be selected with a **detection limit (DL) or reporting limit (RL)** sufficiently sensitive to allow proper comparison of detected VOC concentrations to each applicable TAC (e.g. speciated VOCs using EPA method TO-15 **with the Selective Ion Monitoring [SIM] procedure RLs, or equivalent**). **Since no analytical laboratory to date has been identified which can reliably achieve the TAC RLs for five (5) of the VOCs (1,2-Dichloroethane, Ethylene dibromide, 1,1,1,2-Tetrachloroethane, 1,1,2,2-Tetrachloroethane, and Bromodichloromethane),**

- their provisional remedial Action Levels shall be their respective SIM procedure RLs, until such time as laboratory technology allows detection of the TACs, or an alternative laboratory capable of lower detection levels is identified. Prior to each analytical sampling round, the City's environmental contractor shall contact the laboratory to determine their ability to achieve detection limits consistent with the TACs. The results of each inquiry shall be documented in the quarterly monitoring and compliance sampling reports. Once reporting limits consistent with the TACs are achievable for the five listed VOCs, they shall become the required reporting limit, remedial objective and remedial Action Level for those VOCs in air [Ref. Order ¶ 6.e.i.(3)].
- ii) The location of the eight (8) interior continuous methane monitors/alarms (i.e. continuous within the buildings), as well the eight (8) sub slab sample collection locations (MP-1 through MP-8) shall be as described in RAWP Status Letter 2, Appendix B (Figure Illustrating Monitoring System Component Locations) and Appendix C (Figure Illustrating Proposed Sub-Slab Sampling Locations) [Ref. Order ¶ 6.e.ii].
 - iii) The location of the eight (8) interior VOC sampling locations, shall be proximate to the eight (8) interior methane monitoring locations described in RAWP Status Letter 2. The Summa canister samples shall be collected in a manner such that the canister intake is at an elevation approximately two (2) feet above floor level, and the samples shall be analyzed for VOCs by EPA TO-15 SIM. The locations are identified in RAWP Status Letter 2, Appendix B (Figure Illustrating Monitoring System Component Locations).
 - iv) The location of the four (4) sub-slab VOC sampling locations shall be MP-1, MP-2, MP 5 and MP-7 as identified in RAWP Status Letter 2, Appendix C (Figure Illustrating Proposed Sub-Slab Sampling Locations). Samples shall be analyzed for VOCs by EPA TO-15 SIM.
 - v) Performance of baseline ambient air monitoring and compliance sampling within the subsurface slab area and the building interior shall be conducted, prior to system start up and any occupancy, to evaluate concentrations of methane and VOCs at the site [Ref. Order ¶ 6.e.iii].
 - vi) A "complete round" of compliance monitoring for methane and compliance sampling and analysis for VOCs shall indicate performance of methane monitoring and VOC sampling and analysis at all previously specified monitoring and sampling locations in the sub-slab and interior air.
 - vii) The schedule for periodic compliance monitoring and compliance sampling shall be as follows [Ref. Order ¶ 6.e.iv]:
 - (1) Prior to sub-slab venting system start-up, performance of a complete round of compliance monitoring for methane and compliance sampling and analysis for VOCs in the sub-slab and interior air;
 - (2) One (1) week after sub-slab venting system start-up, performance of a complete round of compliance monitoring for methane and compliance sampling and analysis for VOCs in the sub-slab, interior air and at each of the stack pipes venting through the building roof;

- (3) Following the first sampling round collected after sub-slab venting system start-up, the required monitoring/sampling frequency shall be revised to every thirty (30) days and each periodic event shall include performance of a complete round of compliance monitoring for methane and compliance sampling and analysis for VOCs in the sub-slab and interior air;
 - (4) Four (4) weeks prior to the proposed opening of the school to students, the required monitoring/sampling frequency shall be revised to weekly and each periodic event shall include performance of a complete round of compliance monitoring for methane and compliance sampling and analysis for VOCs in the sub-slab and interior air;
 - (5) Four (4) weeks following occupation of the school by students, the required monitoring/sampling frequency may be adjusted to every thirty (30) days, provided that there are no exceedances of the applicable remedial Action Levels for VOCs or methane. Each periodic monitoring/sampling event shall continue to include performance of a complete round of compliance monitoring for methane and compliance sampling and analysis for VOCs in the sub-slab and interior air;
 - (6) After successfully demonstrating one year of continuously compliant system operation (i.e. there are no exceedances of the applicable remedial Action Levels for VOCs or methane), the City may petition the Department to decrease the required compliance monitoring and compliance sampling frequency.
 - (7) Following the first sampling round collected after sub-slab venting system start-up, the required monitoring/sampling frequency at each of the stack pipes venting through the building roof shall be revised to quarterly for the first year of system operation, and each periodic event shall include performance of compliance monitoring for methane and compliance sampling and analysis for VOCs. Following each monitoring/sampling round, the actual measured emission values shall be used to calculate the cumulative emissions from all three venting pipes in order to determine if treatment, a permit, or registration for the SSV system is required by the OAR. Depending upon the results of actual measured emissions and OAR requirements, the City may petition the Department to decrease the required compliance monitoring and compliance sampling frequency at each of the stack pipes venting through the building roof, if appropriately supported by the data.
- viii) Periodic monitoring of methane and compliance sampling and analysis of VOCs shall continue at the specified rate as long as a source of contamination exists [Ref. Order ¶ 6.e.ix].
- e) Preparation and submission of quarterly air monitoring and compliance sampling reports in accordance with the Order and this OA Addendum, and including the recording of the following parameters [Ref. Order ¶ 6.f]:

- i) The concentrations of methane and VOCs detected in each sample collected and analyzed during **periodic** monitoring and sampling activities for the current reporting period [Ref. Order ¶ 6.f.i].
 - ii) A summary table of the concentrations of methane and VOCs detected in each sample collected and analyzed during prior reporting periods.
 - iii) The occurrences of any alarm activations during the quarter and the resulting activities performed in response to the alarm activation.
 - iv) The occurrences of any remedial Action Level exceedances during the quarter and resulting activities performed in response to the exceedance.
 - v) The system operational status during the quarter, particularly noting the length of any system shutdown due to power failure, system malfunction, repairs, scheduled maintenance, etc.
 - vi) **A schedule that includes** the anticipated delivery date of the next monitoring **and compliance sampling** report submittal [Ref. Order ¶ 6.f.vi].
 - vii) **An evaluation of the status of VOC soil gas rebound in sub-slab soil vapor.**
 - viii) **An evaluation of the cumulative emissions from all three venting pipes in order to determine if treatment, a permit, or registration for the SSV system is required by the OAR.**
- f) Preparation and submission of a Remedial Action Closure Report documenting the work performed and including at a minimum the following items [Ref. Order ¶ 6.i]:
- i) A post remediation survey of the entire site with as-built plans demarcating the exact location (e.g. vertical and horizontal extent and type) of the installed engineered controls, including: geotextile fabric, clean fill, utilities, structures, basins, swales, the storm water detention pond, the SSV system, and all monitoring **and sampling** locations [Ref. Order ¶ 6.i.i].
 - ii) Analytical results and summary of all post remediation/post construction methane, VOC and air monitoring **and sampling** performed to date, demonstrating compliance with the requirements of **the Order and this OA Addendum** [Ref. Order ¶ 6.ii].
 - iii) All original laboratory analytical data results from the remedial activities, compliance and confirmation sampling, and clean fill sampling as applicable.
 - iv) A statement from the facility or environmental consultant attesting to the origin of the clean fill and/or loam, and suitability consistent with the RAWP, **the Order and this OA Addendum**. Any organic topsoil utilized shall conform to the general vegetated top cover criteria outlined in Rule 2.2.12 of the Solid Waste Regulations [Ref. Order ¶ 6.iv].
- 4) All RAWP activities shall be performed in compliance with all appropriate OAR Rules and Regulations, including but not limited to the monitoring, **sampling, evaluation** and control of any air emissions and the timely acquisition of any required Air Pollution Control Permits (Air Permits) [Ref. Order ¶ 11].

ORDER OF APPROVAL ADDENDUM
Proposed Public School Site, 333 Adelaide Avenue, Providence, RI


CASE NO. 2005-029

- 5) The City, its representatives, employees, agents and contractors shall adhere to the **timelines established in the Order as well as the following revised** timeline in its management, operation and maintenance of the Site [Ref. Order ¶ 19].
 - a) All exceedances of the "Action Levels" established in the Order **and this OA Addendum** that are detected during any site monitoring **or sampling** activity (including but not limited to monitoring **or sampling** of sub-slab ventilation systems, **interior air**, or interior methane monitors/alarms) shall be reported to the OWM immediately and responded to immediately by the City [Ref. Order ¶ 19.e].
- 6) **The City shall have this OA Addendum recorded in the City of Providence, land evidence records of the subject property within thirty (30) days of execution of this OA Addendum** [Ref. Order ¶ 23].
- 7) There shall be no occupation or use of any building, facility or grounds on the Site until all the requirements described in the RAWP, **the Order and this OA Addendum** have been met to ensure that the applicable remedial objectives for the site are achieved for all hazardous substances, so as to manage actual or potential risks to human health and the environment for students, workers, clients, visitors and trespassers at the Site [Ref. Order ¶ 24].

Subject to future revisions or amendments by the Department, the Order **and this OA Addendum** shall remain in full force and effect for as long as said RAWP shall be operated and maintained in a condition satisfactory to the Department. Failure to comply with all points outlined in the Department approved RAWP and stipulated in the Order **and this OA Addendum** shall result in the issuance of a Notice of Violation and Order against the City.

The Order **and this OA Addendum** shall be subject to modification or revocation in accordance with law.

Entered as an approval by the Department this 27th day of February, 2007.

By: 
Leo Hellested, P.E.
Chief, Office of Waste Management
Department of Environmental Management

RECEIVED:

Providence
Received for Record
Aug 23, 2007 at 09:36:48A
Document Num: 00192742
Barbara Troncy
Recorder of Deeds



RHODE ISLAND
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
235 Promenade Street, Providence, RI 02908-5767 TDD 401-222-4462

CERTIFIED MAIL

July 26, 2007

Alan Sepe, Acting Director
Department of Public Properties
City of Providence
25 Dorrance Street
Providence, RI 02903

RE: Order of Approval Addendum 2, Proposed Providence Public School Site – Parcel B
Formerly a portion of the Gorham/Textron Dump site, 333 Adelaide Avenue, Providence
City of Providence Tax Assessor's Office Plat 51, Lot 323, Parcel B
Case No. 2005-029 (Formerly part of Case No. 97-030)

Dear Mr. Sepe:

Enclosed please find the Order of Approval Addendum 2 (OA Addendum 2) for the remediation plan for the above referenced facility. Please review the stipulations of the attached OA Addendum 2 thoroughly to ensure your compliance with the requirements. The original Order of Approval (Order) dated June 9, 2006, the Order of Approval Addendum 1 (OA Addendum 1) dated February 27, 2007, and this OA Addendum 2 (collectively the Amended Orders) place primary responsibility for the construction, operation, maintenance and monitoring of the approved Remedial Action Work Plan (RAWP) and its associated remedy on the City of Providence (the City). In order to enable the Department to monitor the City's compliance with the RAWP, the Amended Orders require the City to notify the Department of any condition that is non-compliant with the Amended Orders, or that constitutes an interruption of the RAWP. In order to maintain compliance with the Amended Orders and the RAWP, the City's responsibilities under the Amended Orders necessarily include the responsibility to respond to and correct non-compliant conditions in a timely, proactive and professional manner that minimizes non-compliance with the Amended Orders and RAWP, and protects human health and the environment.

This OA Addendum 2 shall be recorded in the land evidence records of the City of Providence within 30 days of execution as required by law, and a recorded copy must be returned to the Department within 7 days of recording. If you have any questions regarding this matter, please contact me at (401) 222-2797 x7109.

Sincerely,

A handwritten signature in black ink, appearing to read "Joseph T. Martella II".

Joseph T. Martella II
Senior Engineer, Office of Waste Management

Proposed Providence Public School, Former Gorham Textron Dump Site
333 Adelaide Avenue, Providence, RI
Order of Approval Addendum 2

Page 1 of 5
July 26, 2007
Case No. 2005-029 (Formerly Part of Case No. 97-030)

cc: Terrence D. Gray, P.E., Assistant Director, RIDEM/AW&C
Leo Hellested, P.E., Chief, RIDEM/OWM
Kelly J. Owens, RIDEM/OWM
John Langlois, Esq., RIDEM/OLS
Richard Enander, PhD, RIDEM/OTCA/Risk Assessment
Christopher Walusiak, RIDEM/OWM
Douglas McVay, RIDEM/OAR
Barbara Morin, RIDEM/OAR
Robert Vanderslice, PhD, RIDOH
Frank Battaglia, EPA – Region 1
Tammie A. McRae, ATSDR
Richard A. Sullivan, ATSDR
Hon. David N. Cicilline, Mayor, City of Providence
Senator Juan M. Pichardo, District 2
Representative Thomas Slater
Councilman John J. Lombardi
Councilman Leon F. Tejada
Thomas Deller, City of Providence
Dr. Donald Evans, Superintendent, Providence Schools
Mary McClure, President – Providence School Bd.
Sara Rapport, Esq., City of Providence
John Boehmert, Esq. PS&H
Peter M. Grivers, EA
Gregory L. Simpson, Textron
Gerald Petros, Esq., Hinkley Allen
Steven Fischbach, Esq., RILS
Knight Memorial Library – Project Repository

RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

In the matter of the application for a Remedial Action Approval at:
Proposed Providence Public School Site – Parcel B
(Formerly a portion of the Gorham/Textron Dump site)
333 Adelaide Avenue, Providence, RI, Plat 51, Lot 323 (the Site)

Case No. 2005-029

ORDER OF APPROVAL ADDENDUM 2

In the above entitled matter the Rhode Island Department of Environmental Management (the Department), issued to the City of Providence (the City), in its capacity as owner and Responsible Party for the remediation of property located at 333 Adelaide Avenue, Providence, an Order of Approval (Order) dated June 9, 2006, and an Order of Approval Addendum (OA Addendum 1) dated February 27, 2007.

On June 26, 2007, and June 29, 2007 respectively, the Department received written requests from EA Engineering, Science, and Technology, Inc. (EA) and Partridge Snow & Hahn, LLC (PS&H), to amend the City's indoor air and sub slab vapor sampling frequency as required by OA Addendum 1. In response to the formal requests, the Department met on July 18, 2007 with representatives of EA to discuss the ongoing operation of the system and the air and soil vapor data results collected to date. Based on that review, the Department concluded that additional modification to the prior Order is warranted. Following the meeting, the following additional document was filed on behalf of the City:

- Electronic mail from EA to the Department, Re: Proposed Interior Vapor Probe Locations, dated July 19, 2007, including a Letter Attachment Figure showing three new proposed sub slab vapor probe locations, located centrally within the building footprint.

Subject to the conditions herein, the listed document, as well as the documents listed in the Order dated June 9, 2006, and the OA Addendum 1 dated February 27, 2007, fulfill the requirements of Section 9.00 (Remedial Action Work Plan) of the Department's Rules and Regulations for the Investigation and Remediation of Hazardous Materials Releases (Remediation Regulations), as amended February 24, 2004, and describe a plan to remediate existing contamination pursuant to 23-19.14-1 et seq. and the Department's Remediation Regulations, as amended February 24, 2004, in accordance therewith.

It is the Department's intent that all conditions set forth in the Order dated June 9, 2006, and OA Addendum 1 dated February 27, 2007, shall remain in full force and effect unless specifically altered by this second Order of Approval Addendum (OA Addendum 2). This OA Addendum 2 continues to place primary responsibility for the construction, operation, maintenance and monitoring of the approved Remedial Action Work Plan (RAWP) and its associated remedy on the City. As the responsible party and performing party, the City is expected to implement the RAWP in an expeditious and professional manner that prevents non-compliance with the original Order, OA Addendum 1, OA Addendum 2 and RAWP, and protects human health and the environment. For the convenience of the City and its contractors and consultants, the changes

made to the original Order by this OA Addendum 2 have been highlighted below using boldfaced type and include a reference to the original paragraph of the Order as applicable.

Upon consideration thereof, and in accordance with Rule 10.1 (Remedial Action Approvals) of the Remediation Regulations, the Department approves said RAWP to remediate contamination through this OA Addendum 2, subject to the following amended conditions:


- 1) **All conditions set forth in the Order of Approval dated June 9, 2006, and OA Addendum 1 dated February 27, 2007, shall remain in full force and effect unless specifically altered by this OA Addendum 2.**
- 2) Sampling and laboratory analysis of all media involved in the Remedial Action shall be conducted in accordance with the requirements of the RAWP, **the original Order, OA Addendum 1 and this OA Addendum 2** [Ref. original Order ¶ 5].
- 3) The Site remedy as described in the RAWP, **original Order, and OA Addendum 1**, shall also incorporate the following [Ref. original Order ¶ 6]:
 - a) **Three (3) new sampling locations, centrally located within the sub-slab as identified in the previously referenced e-mail from EA to the Department, Re: Proposed Interior Vapor Probe Locations, dated July 19, 2007, specifically in the Letter Attachment Figure.**
 - b) A “complete round” of compliance sampling shall include 12 sample locations per sampling event, selected from the network as follows:
 - i) **All eight (8) interior sampling locations;**
 - ii) **Two (2) of the eight (8) perimeter sub slab sample collection locations (MP-1 through MP-8), selected on a rotational basis such that each location is sampled at an equal frequency;**
 - iii) **Two (2) of the three (3) new centrally located sub slab sample locations (IMP-1 through IMP-3), selected on a rotational basis such that each location is sampled at an equal frequency;**
 - iv) **All samples shall be analyzed for volatile organic compounds (VOCs) by EPA TO-15 SIM.**
 - c) The schedule for periodic compliance sampling and compliance monitoring shall be as follows [Ref. Order ¶ 6.e.iv]:
 - i) **Starting August 2007, and monthly thereafter, a “complete round” of VOC compliance sampling and analysis shall be performed at the locations identified in item b) above.**
 - ii) **Starting August 2007, and monthly thereafter, methane monitoring shall be performed at all interior and sub slab locations.**
 - iii) **Annually compliance monitoring/sampling shall occur at each of the three (3) stack pipes venting through the building roof. Each periodic event shall include performance of compliance monitoring for methane and compliance sampling and analysis for VOCs by EPA TO-15. Following each annual venting stack**

- monitoring/sampling round, the actual measured emission values shall be used to calculate the cumulative emissions from all three venting pipes in order to determine if treatment, a permit, or registration for the Sub Slab Venting (SSV) system is required by the Department's Office of Air Resources.
- iv) Following completion of the February 2008 monthly sampling round and submission of the complete sampling results, the City may petition the Department to modify the required compliance monitoring and compliance sampling plan.
- d) Periodic monitoring of methane and compliance sampling and analysis of VOCs shall continue at the specified rate as long as a source of contamination exists, unless otherwise authorized by the Department in written correspondence to the City [Ref. Order ¶ 6.e.ix].
- 4) The City shall have this OA Addendum 2 recorded in the City of Providence, land evidence records of the subject property within thirty (30) days of execution of this OA Addendum 2 [Ref. Order ¶ 23].

Subject to future revisions or amendments by the Department, the original Order, OA Addendum 1 and this OA Addendum 2 shall remain in full force and effect for as long as said RAWP shall be operated and maintained in a condition satisfactory to the Department. Failure to comply with all points outlined in the Department approved RAWP and stipulated in the original Order, OA Addendum 1 and this OA Addendum 2 shall result in the issuance of a Notice of Violation and Order against the City.

The original Order, OA Addendum 1 and this OA Addendum 2 shall be subject to modification or revocation in accordance with law.

Entered as an approval by the Department this 26TH day of July, 2007.

By: 
Leo Hellested, P.E.
Chief, Office of Waste Management
Department of Environmental Management

RECEIVED:

Providence
Received for Record
Aug 15, 2007 at 12:01:43P
Document Num: 00191905
Barbara Trancy
Recorder of Deeds


Appendix B

As-Built Site Plan and Drawings

LEGEND


SYMBOL	ABBREY	DESCRIPTION	ABBREY	DESCRIPTION
⊙	SMH	SANITARY MANHOLE	R	RIM ELEVATION
⊙	DMH	DRAIN MANHOLE	I	INVERT ELEVATION
⊙	WMH	WATER MANHOLE	S	SANITARY
⊙	EMH	ELECTRIC MANHOLE	D	DRAINAGE
⊙	TMH	TELEPHONE MANHOLE		
⊙	CB	CATCH BASIN/FRAME & GRATE		
⊙	EHH	ELECTRIC HANDHOLE		
⊙	WG	WATER GATE		
⊙	CG	GAS GATE		
⊙		LIGHT POLE/LIGHT		
⊙		UTILITY POLE WITH LIGHT		
⊙		UTILITY POLE		
⊙		GUY WIRE		
⊙		HYDRANT		
⊙		SIGN		
⊙		FENCE (AS NOTED)		
⊙		SURVEY CONTROL POINT		
⊙		1' CONTOUR INTERVAL		
⊙		5' CONTOUR INTERVAL		
⊙		TREE LINE		
⊙		DECIDUOUS TREE		
⊙		EVERGREEN TREE		
⊙		SHRUB		
⊙		MONITORING POINT		
⊙		FLAG POLE		
⊙		FTP-(#) EA CAP THICKNESS VERIFICATION TEST PIT		
⊙		CAPPED AREA WITH GEOTEXTILE FABRIC AND MINIMUM OF 1 FT CLEAN FILL		
⊙		CAPPED AREA WITH MINIMUM OF 2 FT CLEAN FILL		

NOTE: ALL CONCRETE/ASPHALT PAVED AREAS CAPPED WITH MINIMUM OF 4-6 INCHES OF BASE FILL MATERIAL AND 4-6 INCHES OF CONCRETE OR ASPHALT. ASPHALT PAVED AREA SOUTH OF BUILDING AND WITHIN HISTORICAL FILL AREA INCLUDED A MINIMUM OF 2 FT OF CLEAN FILL (INCLUDING BASE MATERIAL).



SEAL		REVISIONS			
NO.	DATE	BY	DESCRIPTION		

<p>EA ENGINEERING-SCIENCE AND TECHNOLOGY</p> <p>2350 Post Road Woburn, MA 02158 (401) 738-3440</p>		<p>ADLAIDE AVE HIGH SCHOOL REMEDIAL CLOSURE REPORT - AS BUILT SITE PLAN PROVIDENCE, RI</p>	
DATE	08-27-07	DESIGNED BY	PMG
DRAWN BY	DMA	CHECKED BY	PMG
PROJECT NUMBER	61985.01	PROJECT NUMBER	61985.01
SCALE	1 INCH = 25 FEET	DRAWING NUMBER	N/A
SHEET NUMBER	1 OF 3		



LEGEND :


MP-1 SUB-SLAB MONITORING POINT

IMP-1 INTERIOR SUB-SLAB MONITORING POINT

—#— SLOTTED 1 INCH PVC PIPING

SP-4
[] SSD SYSTEM SUCTION PIT

----- SOLID 4 INCH PVC PIPING











DESIGNED BY PMG	DRAWN BY DMA	DATE AUG 27 2007	PROJECT NO. 6:1965.01	FILE NAME AS-BUILT08-07
CHECKED BY PMG	PROJECT MGR. PMG	SCALE NTS	DRAWING NO. 2 OF 3	FIGURE N/A

AS-BUILT
SUB SLAB MONITORING AND SAMPLING LOCATIONS
ADELAIDE AVE HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

REMEDIAL CLOSURE REPORT
AS-BUILT SUB-SLAB
MONITORING AND SAMPLING PLAN






REVISIONS			
NO.	DATE	BY	DESCRIPTION

ADELAIDE AVENUE HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

AS BUILT DEPICTING SUB SLAB VENTING SYSTEM DETAILS AND ENGINEERED CAP CROSS SECTIONS



DATE	AUGUST 2007
DESIGNED BY	PMG
DRAWN BY	DMA
CHECKED BY	PMG
PROJECT MANAGER	PMG
PROJECT NUMBER	61965.01
SCALE	AS SHOWN
FILE NAME	6196501_SLAB SLAB REWALD.DWG
DRAWING NUMBER	N/A
SHEET NUMBER	3 OF 3

Appendix C

Site Photos



Photo 1: Water truck applying water for dust control at construction site.



Photo 2: View of dust sampling and field monitoring apparatus used during intrusive activities.



Photo 3: Typical suction pit progress photo illustrating early stage of construction.



Photo 4: Typical suction pit progress photo illustrating middle stage of construction.



Photo 5: Typical suction pit progress photo illustrating final stage of construction just prior to pouring of concrete floor. Rebar has been installed over top of suction pit, and 6-mil polyethylene barrier shown beneath steel mesh used to strengthen concrete..



Photo 6: Typical sub-slab monitoring point progress photo. White filter fabric material to be installed over screened portion of monitoring point is visible to the left of the PVC piping.



Photo 7: View of indoor methane monitoring system controller. Auto dialer is located in the grey control box. Integrated rooftop fan alarm panel is seen in the upper right corner of photo.



Photo 8: View of 4 methane sensors located in east wing maintenance office.



Photo 9: View of 4 methane sensors located in west wing electrical room.



Photo 10: Typical view of interior sampling port located within acoustical ceiling tile and connected to one of the continuous methane sensors.



Photo 11: Typical view of interior sampling port located in gymnasium and cafeteria and connected to one of the continuous methane sensors.



Photo 12: Typical view of sealed crack in concrete slab.



Photo 13: Close-up view of roof top suction fan associated with sub-slab depressurization system.



Photo 14: View of roof-top fan #2 above lower roof. Vertical exhaust pipe with discharge above elevated roof line.



Photo 15: ProPex geotextile fabric being prepared for installation in future landscaped area.



Photo 16: Cap construction progress photo along east side of building illustrating clean fill over ProPex geotextile fabric in future landscaped area.



Photo 17: Cap construction progress photo in vicinity of southeast corner of building illustrating clean fill over ProPex geotextile fabric in future landscaped area.



Photo 18: Cap construction progress photo of west side of building illustrating graded clean fill material prior to loam placement.



Photo 19: Cap construction progress photo of north side of building illustrating graded clean fill material prior to loam placement. Protective road box associated with MP-2 is visible near the base of the building.



Photo 20: Cap construction progress photo of east side of building illustrating graded clean fill material prior to loam placement. Protective road box associated with MP-8 is visible near the base of the building.



Photo 21: Photo of measured cap thickness prior to loam placement in the vicinity of the northern property fence line illustrating compliance with minimum fill thickness requirements.



Photo 22: Photo of measured cap thickness prior to loam placement in the vicinity of the northern property line at the base of the sloped cap illustrating compliance with minimum fill thickness requirement.



Photo 23: Cap construction progress photo in the vicinity of the northern property line illustrating loam placement on top of dense graded base fill material, and paved surfaces.



Photo 24: Cap construction progress photo in the vicinity of the southern property line illustrating loam placement on top of dense graded base fill material.



Photo 25: Cap completion photo illustrating loamed and landscaped parking island area and paved surfaces south of building.



Photo 26: Cap completion photo illustrating loamed, landscaped, and paved areas south of building.



Photo 27: View of loamed and seeded cap along northern property line. Fence posts for restrictive fencing visible in upper left corner of the photo.



Photo 28: View of 8-ft. restrictive fencing installed on capped property parallel to the northern property line.



Photo 29: Cap completion photo illustrating loamed, landscaped, and paved areas north of building.



Photo 30: Close-up cap completion photo illustrating MP-1.



Photo 31: Progress photo of interior monitoring probe installation.



Photo 32: View of typical stainless steel sub-slab sampling probe.



Photo 33: Progress photo of interior monitoring probe installation prior to installation of surface seal.



Photo 34: Typical interior monitoring probe completion photo illustrating concrete surface seal and small diameter protective road box with rubber gasketed cover.

Appendix D

Clean Gravel Fill Documentation



CERTIFICATE OF COMPLIANCE

Date June 28, 2006

WE HEREBY CERTIFY THAT 3/4" graded base and 1 1/2" dense graded
(Description, or kind of material)

FURNISHED TO A. Korey Construction
(Name of contractor) (Prime or Sub)

FOR USE ON Providence Gorham School Site
(Project Name)

IDENTIFIED BY Scale tickets
(Label Marking, Seal No., Consignment, or Waybill No.)

SHIPPED BETWEEN June 1, 2006 AND December 1, 2006
(Contract Start Date) (Contract Completion Date)

SHIPPED VIA PJ Keating and A. Korey trailers
(Method of shipment, Car No. Truck No.)

This document certifies that the above mentioned material meets the required specification for this project. The material is from a virgin source that is mined at 875 Phenix Ave. Cranston RI and has not been impacted by any release.

Michael A. Trant

BY: Michael A. Trant

TITLE: Aggregate Sales Rep.

Grivers, Peter

From: Joseph Martella [joseph.martella@DEM.RI.GOV]
Sent: Thursday, June 29, 2006 9:11 AM
To: Grivers, Peter
Subject: RE: Document from quarry regarding fill material - Gorham:

Peter,
 The soils associated with your e-mail sent 6/28/06 at 9:30 am regarding the analytical results from ESS Laboratory (ESS Laboratory Work Order No. 0606357) for fill material from P. J. Keating, mined at 875 Phoenix Avenue, Cranston, RI, is appropriate for use at the Providence Gorham School Site. Thanks,
 Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Thursday, June 29, 2006 8:33 AM
To: Joseph Martella
Subject: RE: Document from quarry regarding fill material - Gorham:

Joe:
 I just faxed the signed certificate thanks for your quick turnaround. If I don't talk to you before then, enjoy the weekend and the 4th!

From: Joseph Martella [mailto:joseph.martella@DEM.RI.GOV]
Sent: Wednesday, June 28, 2006 3:40 PM
To: Grivers, Peter
Subject: RE: Document from quarry regarding fill material - Gorham:
Importance: High

Peter,
 Please have someone actually sign the certificate of compliance and resend it. The representative from P.J. Keating will be fine. When I get the signed version I will send out the DEM written approval. I'll be in early tomorrow.
 Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Wednesday, June 28, 2006 3:13 PM
To: Joseph Martella
Cc: Regan, Tim; Patrick Collins
Subject: Document from quarry regarding fill material - Gorham:
Importance: High

Joe:

As previously discussed, I just faxed the certification from the source facility (P.J. Keating) to your office. Everything looks fine with the data and the letter, and we are hopeful to receive written approval by end of today or early tomorrow to help try to keeps things moving forward with the construction. Your timely attention is greatly appreciated!

Sincerely,

Peter M. Grivers, P.E., LSP

Project Manager
EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC.
2350 Post Road
Warwick, RI 02886

401-736-3440 (office)
401-736-3423 (fax)
401-935-5080 (cell)
pgrivers@eaest.com (email)

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

Patrick Collins
H.V. Collins
99 Gano Street
Providence, RI 02906

RECEIVED

JUL 11 2006

H.V. COLLINS COMPANY

RE: Gorham
ESS Laboratory Work Order Number: 0606357

This signed Certificate of Analysis is our approved release of your analytical results. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: July 3, 2006

Sample Receipt

5 Soil samples and 1 Trip Blank were received on June 22, 2006 for the analyses specified on the enclosed Chain of Custody Record. Client did not deliver samples in cooler.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Metals Analysis

ESS Laboratory utilized the established linear dynamic range to determine acceptable analytical results. The batch Matrix Spike was outside of the recommended range for Antimony. This analyte was below the lower control limit.

No other observations noted.

End of Project Narrative.

mdp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-1
Date Sampled: 06/22/06 13:20
Percent Solids: 98

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.5	7060A	5	SVD	06/25/06	1.75	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-2
Date Sampled: 06/22/06 13:22
Percent Solids: 97

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-02
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.5	7060A	5	SVD	06/25/06	1.75	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-3
Date Sampled: 06/22/06 13:24
Percent Solids: 97

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-03
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.5	7060A	5	SVD	06/25/06	1.77	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-4
Date Sampled: 06/22/06 13:26
Percent Solids: 96

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-04
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.4	7060A	5	SVD	06/25/06	1.88	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-5
Date Sampled: 06/22/06 13:30
Percent Solids: 96

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-05
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Antimony	ND	mg/kg dry	5.7	6010B	1	SVD	06/27/06	1.83	100
Arsenic	ND	mg/kg dry	1.4	7060A	5	SVD	06/25/06	1.83	100
Beryllium	0.41	mg/kg dry	0.06	6010B	1	SVD	06/27/06	1.83	100
Cadmium	ND	mg/kg dry	0.57	6010B	1	SVD	06/27/06	1.83	100
Chromium	13.7	mg/kg dry	1.1	6010B	1	SVD	06/27/06	1.83	100
Copper	12.6	mg/kg dry	1.1	6010B	1	SVD	06/27/06	1.83	100
Lead	ND	mg/kg dry	5.7	6010B	1	SVD	06/27/06	1.83	100
Mercury	ND	mg/kg dry	0.032	7471A	1	JP	06/24/06	0.65	40
Nickel	8.2	mg/kg dry	2.8	6010B	1	SVD	06/27/06	1.83	100
Selenium	ND	mg/kg dry	5.7	6010B	1	SVD	06/27/06	1.83	100
Silver	ND	mg/kg dry	0.57	6010B	1	SVD	06/27/06	1.83	100
Thallium	ND	mg/kg dry	1.4	7841	5	SVD	06/25/06	1.83	100
Zinc	39.8	mg/kg dry	2.8	6010B	1	SVD	06/27/06	1.83	100

REVISED

JUN 27 2006

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-5
Date Sampled: 06/22/06 13:30
Percent Solids: 96
Initial Volume: 21
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-05
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg dry	78.6	1	06/23/06
1,1,1-Trichloroethane	ND	ug/Kg dry	39.3	1	06/23/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg dry	39.3	1	06/23/06
1,1,2-Trichloroethane	ND	ug/Kg dry	39.3	1	06/23/06
1,1-Dichloroethane	ND	ug/Kg dry	39.3	1	06/23/06
1,1-Dichloroethene	ND	ug/Kg dry	39.3	1	06/23/06
1,1-Dichloropropene	ND	ug/Kg dry	39.3	1	06/23/06
1,2,3-Trichlorobenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,2,3-Trichloropropane	ND	ug/Kg dry	39.3	1	06/23/06
1,2,4-Trichlorobenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,2,4-Trimethylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg dry	196	1	06/23/06
1,2-Dibromoethane	ND	ug/Kg dry	39.3	1	06/23/06
1,2-Dichlorobenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,2-Dichloroethane	ND	ug/Kg dry	39.3	1	06/23/06
1,2-Dichloropropane	ND	ug/Kg dry	39.3	1	06/23/06
1,3,5-Trimethylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,3-Dichlorobenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,3-Dichloropropane	ND	ug/Kg dry	39.3	1	06/23/06
1,4-Dichlorobenzene	ND	ug/Kg dry	39.3	1	06/23/06
1,4-Dioxane - Screen	ND	ug/Kg dry	3930	1	06/23/06
1-Chlorohexane	ND	ug/Kg dry	39.3	1	06/23/06
2,2-Dichloropropane	ND	ug/Kg dry	78.6	1	06/23/06
2-Butanone	ND	ug/Kg dry	982	1	06/23/06
2-Chlorotoluene	ND	ug/Kg dry	39.3	1	06/23/06
2-Hexanone	ND	ug/Kg dry	393	1	06/23/06
4-Chlorotoluene	ND	ug/Kg dry	39.3	1	06/23/06
4-Isopropyltoluene	ND	ug/Kg dry	39.3	1	06/23/06
4-Methyl-2-Pentanone	ND	ug/Kg dry	393	1	06/23/06
Acetone	ND	ug/Kg dry	982	1	06/23/06
Benzene	ND	ug/Kg dry	39.3	1	06/23/06
Bromobenzene	ND	ug/Kg dry	39.3	1	06/23/06
Bromochloromethane	ND	ug/Kg dry	39.3	1	06/23/06
Bromodichloromethane	ND	ug/Kg dry	39.3	1	06/23/06
Bromoform	ND	ug/Kg dry	39.3	1	06/23/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-5
Date Sampled: 06/22/06 13:30
Percent Solids: 96
Initial Volume: 21
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-05
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg dry	78.6	1	06/23/06
Carbon Disulfide	ND	ug/Kg dry	39.3	1	06/23/06
Carbon Tetrachloride	ND	ug/Kg dry	39.3	1	06/23/06
Chlorobenzene	ND	ug/Kg dry	39.3	1	06/23/06
Chloroethane	ND	ug/Kg dry	78.6	1	06/23/06
Chloroform	ND	ug/Kg dry	39.3	1	06/23/06
Chloromethane	ND	ug/Kg dry	78.6	1	06/23/06
cis-1,2-Dichloroethene	ND	ug/Kg dry	39.3	1	06/23/06
cis-1,3-Dichloropropene	ND	ug/Kg dry	39.3	1	06/23/06
Dibromochloromethane	ND	ug/Kg dry	39.3	1	06/23/06
Dibromomethane	ND	ug/Kg dry	39.3	1	06/23/06
Dichlorodifluoromethane	ND	ug/Kg dry	39.3	1	06/23/06
Diethyl Ether	ND	ug/Kg dry	39.3	1	06/23/06
Di-isopropyl ether	ND	ug/Kg dry	39.3	1	06/23/06
Ethyl tertiary-butyl ether	ND	ug/Kg dry	39.3	1	06/23/06
Ethylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
Hexachlorobutadiene	ND	ug/Kg dry	39.3	1	06/23/06
Isopropylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
Methyl tert-Butyl Ether	ND	ug/Kg dry	39.3	1	06/23/06
Methylene Chloride	ND	ug/Kg dry	196	1	06/23/06
Naphthalene	ND	ug/Kg dry	39.3	1	06/23/06
n-Butylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
n-Propylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
sec-Butylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
Styrene	ND	ug/Kg dry	39.3	1	06/23/06
tert-Butylbenzene	ND	ug/Kg dry	39.3	1	06/23/06
Tertiary-amyl methyl ether	ND	ug/Kg dry	39.3	1	06/23/06
Tetrachloroethene	ND	ug/Kg dry	39.3	1	06/23/06
Tetrahydrofuran	ND	ug/Kg dry	196	1	06/23/06
Toluene	ND	ug/Kg dry	39.3	1	06/23/06
trans-1,2-Dichloroethene	ND	ug/Kg dry	39.3	1	06/23/06
trans-1,3-Dichloropropene	ND	ug/Kg dry	39.3	1	06/23/06
Trichloroethene	ND	ug/Kg dry	39.3	1	06/23/06
Trichlorofluoromethane	ND	ug/Kg dry	39.3	1	06/23/06
Vinyl Acetate	ND	ug/Kg dry	196	1	06/23/06
Vinyl Chloride	ND	ug/Kg dry	39.3	1	06/23/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-5
Date Sampled: 06/22/06 13:30
Percent Solids: 96
Initial Volume: 21
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-05
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg dry	39.3	1	06/23/06
Xylene P,M	ND	ug/Kg dry	78.6	1	06/23/06
Xylenes (Total)	ND	ug/Kg	118		06/23/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	101 %		70-130
Surrogate: 4-Bromofluorobenzene	91 %		70-130
Surrogate: Dibromofluoromethane	107 %		70-130
Surrogate: Toluene-d8	96 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-5
Date Sampled: 06/22/06 13:30
Percent Solids: 96
Initial Volume: 29.5
Final Volume: 1
Extraction Method: 3550B

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-05
Sample Matrix: Soil
Analyst: JLS
Prepared: 06/23/06

8100M Total Petroleum Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
Total Petroleum Hydrocarbons	ND	mg/kg dry	26.5	1	06/24/06

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: O-Terphenyl</i>	63 %		40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 6/22/06-5
Date Sampled: 06/22/06 13:30
Percent Solids: 96
Initial Volume: 20.2
Final Volume: 1
Extraction Method: 3541

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-05
Sample Matrix: Soil
Analyst: VSC
Prepared: 06/22/06

8270C Polynuclear Aromatic Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
2-Methylnaphthalene	ND	ug/Kg dry	515	1	06/23/06
Acenaphthene	ND	ug/Kg dry	515	1	06/23/06
Acenaphthylene	ND	ug/Kg dry	515	1	06/23/06
Anthracene	ND	ug/Kg dry	515	1	06/23/06
Benzo(a)anthracene	ND	ug/Kg dry	515	1	06/23/06
Benzo(a)pyrene	ND	ug/Kg dry	258	1	06/23/06
Benzo(b)fluoranthene	ND	ug/Kg dry	515	1	06/23/06
Benzo(g,h,i)perylene	ND	ug/Kg dry	515	1	06/23/06
Benzo(k)fluoranthene	ND	ug/Kg dry	515	1	06/23/06
Chrysene	ND	ug/Kg dry	258	1	06/23/06
Dibenzo(a,h)Anthracene	ND	ug/Kg dry	258	1	06/23/06
Fluoranthene	ND	ug/Kg dry	515	1	06/23/06
Fluorene	ND	ug/Kg dry	515	1	06/23/06
Indeno(1,2,3-cd)Pyrene	ND	ug/Kg dry	515	1	06/23/06
Naphthalene	ND	ug/Kg dry	515	1	06/23/06
Phenanthrene	ND	ug/Kg dry	515	1	06/23/06
Pyrene	ND	ug/Kg dry	515	1	06/23/06

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: 1,2-Dichlorobenzene-d4	71 %		30-130
Surrogate: 2-Fluorobiphenyl	75 %		30-130
Surrogate: Nitrobenzene-d5	73 %		30-130
Surrogate: p-Terphenyl-d14	67 %		30-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 06/22/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-06
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg	100	1	06/23/06
1,1,1-Trichloroethane	ND	ug/Kg	50.0	1	06/23/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg	50.0	1	06/23/06
1,1,2-Trichloroethane	ND	ug/Kg	50.0	1	06/23/06
1,1-Dichloroethane	ND	ug/Kg	50.0	1	06/23/06
1,1-Dichloroethene	ND	ug/Kg	50.0	1	06/23/06
1,1-Dichloropropene	ND	ug/Kg	50.0	1	06/23/06
1,2,3-Trichlorobenzene	ND	ug/Kg	50.0	1	06/23/06
1,2,3-Trichloropropane	ND	ug/Kg	50.0	1	06/23/06
1,2,4-Trichlorobenzene	ND	ug/Kg	50.0	1	06/23/06
1,2,4-Trimethylbenzene	ND	ug/Kg	50.0	1	06/23/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	250	1	06/23/06
1,2-Dibromoethane	ND	ug/Kg	50.0	1	06/23/06
1,2-Dichlorobenzene	ND	ug/Kg	50.0	1	06/23/06
1,2-Dichloroethane	ND	ug/Kg	50.0	1	06/23/06
1,2-Dichloropropane	ND	ug/Kg	50.0	1	06/23/06
1,3,5-Trimethylbenzene	ND	ug/Kg	50.0	1	06/23/06
1,3-Dichlorobenzene	ND	ug/Kg	50.0	1	06/23/06
1,3-Dichloropropane	ND	ug/Kg	50.0	1	06/23/06
1,4-Dichlorobenzene	ND	ug/Kg	50.0	1	06/23/06
1,4-Dioxane - Screen	ND	ug/Kg	5000	1	06/23/06
1-Chlorohexane	ND	ug/Kg	50.0	1	06/23/06
2,2-Dichloropropane	ND	ug/Kg	100	1	06/23/06
2-Butanone	ND	ug/Kg	1250	1	06/23/06
2-Chlorotoluene	ND	ug/Kg	50.0	1	06/23/06
2-Hexanone	ND	ug/Kg	500	1	06/23/06
4-Chlorotoluene	ND	ug/Kg	50.0	1	06/23/06
4-Isopropyltoluene	ND	ug/Kg	50.0	1	06/23/06
4-Methyl-2-Pentanone	ND	ug/Kg	500	1	06/23/06
Acetone	ND	ug/Kg	1250	1	06/23/06
Benzene	ND	ug/Kg	50.0	1	06/23/06
Bromobenzene	ND	ug/Kg	50.0	1	06/23/06
Bromochloromethane	ND	ug/Kg	50.0	1	06/23/06
Bromodichloromethane	ND	ug/Kg	50.0	1	06/23/06
Bromoform	ND	ug/Kg	50.0	1	06/23/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 06/22/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-06
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg	100	1	06/23/06
Carbon Disulfide	ND	ug/Kg	50.0	1	06/23/06
Carbon Tetrachloride	ND	ug/Kg	50.0	1	06/23/06
Chlorobenzene	ND	ug/Kg	50.0	1	06/23/06
Chloroethane	ND	ug/Kg	100	1	06/23/06
Chloroform	ND	ug/Kg	50.0	1	06/23/06
Chloromethane	ND	ug/Kg	100	1	06/23/06
cis-1,2-Dichloroethene	ND	ug/Kg	50.0	1	06/23/06
cis-1,3-Dichloropropene	ND	ug/Kg	50.0	1	06/23/06
Dibromochloromethane	ND	ug/Kg	50.0	1	06/23/06
Dibromomethane	ND	ug/Kg	50.0	1	06/23/06
Dichlorodifluoromethane	ND	ug/Kg	50.0	1	06/23/06
Diethyl Ether	ND	ug/Kg	50.0	1	06/23/06
Di-isopropyl ether	ND	ug/Kg	50.0	1	06/23/06
Ethyl tertiary-butyl ether	ND	ug/Kg	50.0	1	06/23/06
Ethylbenzene	ND	ug/Kg	50.0	1	06/23/06
Hexachlorobutadiene	ND	ug/Kg	50.0	1	06/23/06
Isopropylbenzene	ND	ug/Kg	50.0	1	06/23/06
Methyl tert-Butyl Ether	ND	ug/Kg	50.0	1	06/23/06
Methylene Chloride	ND	ug/Kg	250	1	06/23/06
Naphthalene	ND	ug/Kg	50.0	1	06/23/06
n-Butylbenzene	ND	ug/Kg	50.0	1	06/23/06
n-Propylbenzene	ND	ug/Kg	50.0	1	06/23/06
sec-Butylbenzene	ND	ug/Kg	50.0	1	06/23/06
Styrene	ND	ug/Kg	50.0	1	06/23/06
tert-Butylbenzene	ND	ug/Kg	50.0	1	06/23/06
Tertiary-amyl methyl ether	ND	ug/Kg	50.0	1	06/23/06
Tetrachloroethene	ND	ug/Kg	50.0	1	06/23/06
Tetrahydrofuran	ND	ug/Kg	250	1	06/23/06
Toluene	ND	ug/Kg	50.0	1	06/23/06
trans-1,2-Dichloroethene	ND	ug/Kg	50.0	1	06/23/06
trans-1,3-Dichloropropene	ND	ug/Kg	50.0	1	06/23/06
Trichloroethene	ND	ug/Kg	50.0	1	06/23/06
Trichlorofluoromethane	ND	ug/Kg	50.0	1	06/23/06
Vinyl Acetate	ND	ug/Kg	250	1	06/23/06
Vinyl Chloride	ND	ug/Kg	50.0	1	06/23/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 06/22/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0606357
ESS Laboratory Sample ID: 0606357-06
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg	50.0	1	06/23/06
Xylene P,M	ND	ug/Kg	100	1	06/23/06
Xylenes (Total)	ND	ug/Kg	300		06/23/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	114 %		70-130
Surrogate: 4-Bromofluorobenzene	100 %		70-130
Surrogate: Dibromofluoromethane	120 %		70-130
Surrogate: Toluene-d8	108 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										

Batch BF62230 - 3050B

Blank

Antimony	ND	6.7	mg/kg wet							
Arsenic	ND	0.3	mg/kg wet							
Beryllium	ND	0.07	mg/kg wet							
Cadmium	ND	0.67	mg/kg wet							
Chromium	ND	1.3	mg/kg wet							
Copper	ND	1.3	mg/kg wet							
Lead	ND	6.7	mg/kg wet							
Nickel	ND	3.3	mg/kg wet							
Selenium	ND	6.7	mg/kg wet							
Silver	ND	0.67	mg/kg wet							
Thallium	ND	0.3	mg/kg wet							
Zinc	ND	3.3	mg/kg wet							

LCS

Antimony	28.9	6.7	mg/kg wet	33.3		87	80-120			
Arsenic	31.3	6.7	mg/kg wet	33.3		94	80-120			
Beryllium	3.00	0.07	mg/kg wet	3.33		90	80-120			
Cadmium	14.9	0.67	mg/kg wet	16.7		89	80-120			
Chromium	31.0	1.3	mg/kg wet	33.3		93	80-120			
Copper	31.0	1.3	mg/kg wet	33.3		93	80-120			
Lead	30.3	6.7	mg/kg wet	33.3		91	80-120			
Nickel	30.6	3.3	mg/kg wet	33.3		92	80-120			
Selenium	55.6	6.7	mg/kg wet	66.7		83	80-120			
Silver	14.9	0.67	mg/kg wet	16.7		89	80-120			
Thallium	31.8	6.7	mg/kg wet	33.3		95	80-120			
Zinc	29.1	3.3	mg/kg wet	33.3		87	80-120			

LCS Dup

Antimony	30.0	6.7	mg/kg wet	33.3		90	80-120	3	20	
Arsenic	32.5	6.7	mg/kg wet	33.3		98	80-120	4	20	
Beryllium	3.11	0.07	mg/kg wet	3.33		93	80-120	3	20	
Cadmium	15.5	0.67	mg/kg wet	16.7		93	80-120	4	20	
Chromium	32.3	1.3	mg/kg wet	33.3		97	80-120	4	20	
Copper	32.1	1.3	mg/kg wet	33.3		96	80-120	3	20	
Lead	31.4	6.7	mg/kg wet	33.3		94	80-120	4	20	
Nickel	32.0	3.3	mg/kg wet	33.3		96	80-120	4	20	
Selenium	58.1	6.7	mg/kg wet	66.7		87	80-120	5	20	
Silver	15.6	0.67	mg/kg wet	16.7		93	80-120	5	20	
Thallium	35.2	20.0	mg/kg wet	33.3		106	80-120	11	20	
Zinc	30.3	3.3	mg/kg wet	33.3		91	80-120	4	20	

Duplicate

Source: 0606357-05

Antimony	0.908	5.8	mg/kg dry		0.8			13	35	
Arsenic	0.5	1.5	mg/kg dry		0.7			33	35	
Beryllium	0.393	0.58	mg/kg dry		0.44			11	35	
Cadmium	0.044	0.58	mg/kg dry		0.04			10	35	
Chromium	11.9	1.2	mg/kg dry		12.6			6	35	
Copper	13.0	1.2	mg/kg dry		13.6			5	35	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BF62230 - 3050B

Lead	2.69	5.8	mg/kg dry		2.7			0.4	35	
Nickel	7.18	2.9	mg/kg dry		7.7			7	35	
Selenium	1.70	5.8	mg/kg dry		1.5			12	35	
Silver	0.169	0.58	mg/kg dry		0.17			0.6	35	
Thallium	ND	1.5	mg/kg dry		ND				35	
Zinc	37.4	2.9	mg/kg dry		37.5			0.3	35	

Matrix Spike Source: 0606357-05

Antimony	12.7	5.9	mg/kg dry	29.3	0.8	41	75-125			+
Arsenic	27.5	5.8	mg/kg dry	29.3	0.7	91	75-125			
Beryllium	3.08	0.59	mg/kg dry	2.93	0.44	90	75-125			
Cadmium	11.7	0.59	mg/kg dry	14.6	0.04	80	75-125			
Chromium	39.3	1.2	mg/kg dry	29.3	12.6	91	75-125			
Copper	49.5	1.2	mg/kg dry	29.3	13.6	123	75-125			
Lead	25.6	5.9	mg/kg dry	29.3	2.7	78	75-125			
Nickel	31.8	2.9	mg/kg dry	29.3	7.7	82	75-125			
Selenium	46.4	5.9	mg/kg dry	58.5	1.5	77	75-125			
Silver	12.4	0.59	mg/kg dry	14.6	0.17	84	75-125			
Thallium	22.9	5.8	mg/kg dry	29.3	ND	78	75-125			
Zinc	66.5	2.9	mg/kg dry	29.3	37.5	99	75-125			

Reference

Antimony	62.9	10.0	mg/kg wet	86.2		73	0-222.74			
Arsenic	173	25.0	mg/kg wet	146		118	79.45-120.55			
Beryllium	64.7	0.10	mg/kg wet	62.2		104	81.99-118.01			
Cadmium	90.8	1.00	mg/kg wet	91.9		99	81.5-118.61			
Chromium	180	2.0	mg/kg wet	176		102	78.41-121.59			
Copper	72.1	2.0	mg/kg wet	70.0		103	82.14-118			
Lead	67.6	10.0	mg/kg wet	68.1		99	80.62-119.38			
Nickel	85.2	5.0	mg/kg wet	84.0		101	81.55-118.45			
Selenium	71.5	10.0	mg/kg wet	73.0		98	75.48-124.38			
Silver	97.0	1.00	mg/kg wet	93.0		104	61.29-138.71			
Thallium	90.7	25.0	mg/kg wet	77.8		117	75.58-124.42			
Zinc	390	5.0	mg/kg wet	402		97	79.35-120.65			

Batch BF62231 - 7471A

Blank

Mercury	ND	0.033	mg/kg wet							
---------	----	-------	-----------	--	--	--	--	--	--	--

LCS

Mercury	0.192	0.033	mg/kg wet	0.200		96	80-120			
---------	-------	-------	-----------	-------	--	----	--------	--	--	--

LCS Dup

Mercury	0.192	0.033	mg/kg wet	0.200		96	80-120	0	20	
---------	-------	-------	-----------	-------	--	----	--------	---	----	--

Duplicate Source: 0606357-05

Mercury	ND	0.033	mg/kg dry		ND					35
---------	----	-------	-----------	--	----	--	--	--	--	----

Matrix Spike Source: 0606357-05

Mercury	0.203	0.035	mg/kg dry	0.208	ND	98	75-125			
---------	-------	-------	-----------	-------	----	----	--------	--	--	--

Matrix Spike Dup Source: 0606357-05

Mercury	0.205	0.035	mg/kg dry	0.208	ND	99	75-125	1	35	
---------	-------	-------	-----------	-------	----	----	--------	---	----	--

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										

Batch BF62231 - 7471A

Reference

Mercury	1.62	0.333	mg/kg wet	1.77	92	68.36-132.2
---------	------	-------	-----------	------	----	-------------

5035/8260B Volatile Organic Compounds / Methanol

Batch BF62305 - 5035

Blank

1,1,1,2-Tetrachloroethane	ND	100	ug/Kg wet
1,1,1-Trichloroethane	ND	50.0	ug/Kg wet
1,1,2,2-Tetrachloroethane	ND	50.0	ug/Kg wet
1,1,2-Trichloroethane	ND	50.0	ug/Kg wet
1,1-Dichloroethane	ND	50.0	ug/Kg wet
1,1-Dichloroethene	ND	50.0	ug/Kg wet
1,1-Dichloropropene	ND	50.0	ug/Kg wet
1,2,3-Trichlorobenzene	ND	50.0	ug/Kg wet
1,2,3-Trichloropropane	ND	50.0	ug/Kg wet
1,2,4-Trichlorobenzene	ND	50.0	ug/Kg wet
1,2,4-Trimethylbenzene	ND	50.0	ug/Kg wet
1,2-Dibromo-3-Chloropropane	ND	250	ug/Kg wet
1,2-Dibromoethane	ND	50.0	ug/Kg wet
1,2-Dichlorobenzene	ND	50.0	ug/Kg wet
1,2-Dichloroethane	ND	50.0	ug/Kg wet
1,2-Dichloropropane	ND	50.0	ug/Kg wet
1,3,5-Trimethylbenzene	ND	50.0	ug/Kg wet
1,3-Dichlorobenzene	ND	50.0	ug/Kg wet
1,3-Dichloropropane	ND	50.0	ug/Kg wet
1,4-Dichlorobenzene	ND	50.0	ug/Kg wet
1,4-Dioxane - Screen	ND	5000	ug/Kg wet
1-Chlorohexane	ND	50.0	ug/Kg wet
2,2-Dichloropropane	ND	100	ug/Kg wet
2-Butanone	ND	1250	ug/Kg wet
2-Chlorotoluene	ND	50.0	ug/Kg wet
2-Hexanone	ND	500	ug/Kg wet
4-Chlorotoluene	ND	50.0	ug/Kg wet
4-Isopropyltoluene	ND	50.0	ug/Kg wet
4-Methyl-2-Pentanone	ND	500	ug/Kg wet
Acetone	ND	1250	ug/Kg wet
Benzene	ND	50.0	ug/Kg wet
Bromobenzene	ND	50.0	ug/Kg wet
Bromochloromethane	ND	50.0	ug/Kg wet
Bromodichloromethane	ND	50.0	ug/Kg wet
Bromoform	ND	50.0	ug/Kg wet
Bromomethane	ND	100	ug/Kg wet
Carbon Disulfide	ND	50.0	ug/Kg wet
Carbon Tetrachloride	ND	50.0	ug/Kg wet
Chlorobenzene	ND	50.0	ug/Kg wet
Chloroethane	ND	100	ug/Kg wet
Chloroform	ND	50.0	ug/Kg wet

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BF62305 - 5035

Chloromethane	ND	100	ug/Kg wet							
cis-1,2-Dichloroethene	ND	50.0	ug/Kg wet							
cis-1,3-Dichloropropene	ND	50.0	ug/Kg wet							
Dibromochloromethane	ND	50.0	ug/Kg wet							
Dibromomethane	ND	50.0	ug/Kg wet							
Dichlorodifluoromethane	ND	50.0	ug/Kg wet							
Diethyl Ether	ND	50.0	ug/Kg wet							
Di-isopropyl ether	ND	50.0	ug/Kg wet							
Ethyl tertiary-butyl ether	ND	50.0	ug/Kg wet							
Ethylbenzene	ND	50.0	ug/Kg wet							
Hexachlorobutadiene	ND	50.0	ug/Kg wet							
Isopropylbenzene	ND	50.0	ug/Kg wet							
Methyl tert-Butyl Ether	ND	50.0	ug/Kg wet							
Methylene Chloride	ND	250	ug/Kg wet							
Naphthalene	ND	50.0	ug/Kg wet							
n-Butylbenzene	ND	50.0	ug/Kg wet							
n-Propylbenzene	ND	50.0	ug/Kg wet							
sec-Butylbenzene	ND	50.0	ug/Kg wet							
Styrene	ND	50.0	ug/Kg wet							
tert-Butylbenzene	ND	50.0	ug/Kg wet							
Tertiary-amyl methyl ether	ND	50.0	ug/Kg wet							
Tetrachloroethene	ND	50.0	ug/Kg wet							
Tetrahydrofuran	ND	250	ug/Kg wet							
Toluene	ND	50.0	ug/Kg wet							
trans-1,2-Dichloroethene	ND	50.0	ug/Kg wet							
trans-1,3-Dichloropropene	ND	50.0	ug/Kg wet							
Trichloroethene	ND	50.0	ug/Kg wet							
Trichlorofluoromethane	ND	50.0	ug/Kg wet							
Vinyl Acetate	ND	250	ug/Kg wet							
Vinyl Chloride	ND	50.0	ug/Kg wet							
Xylene O	ND	50.0	ug/Kg wet							
Xylene P,M	ND	100	ug/Kg wet							
Surrogate: 1,2-Dichloroethane-d4	2520		ug/Kg wet	2500		101	70-130			
Surrogate: 4-Bromofluorobenzene	2250		ug/Kg wet	2500		90	70-130			
Surrogate: Dibromofluoromethane	2660		ug/Kg wet	2500		106	70-130			
Surrogate: Toluene-d8	2390		ug/Kg wet	2500		96	70-130			

LCS

1,1,1,2-Tetrachloroethane	26.1		ug/L	25.0		104	70-130			
1,1,1-Trichloroethane	28.4		ug/L	25.0		114	70-130			
1,1,2,2-Tetrachloroethane	24.4		ug/L	25.0		98	70-130			
1,1,2-Trichloroethane	28.3		ug/L	25.0		113	70-130			
1,1-Dichloroethane	27.9		ug/L	25.0		112	70-130			
1,1-Dichloroethene	30.2		ug/L	25.0		121	70-130			
1,1-Dichloropropene	28.1		ug/L	25.0		112	70-130			
1,2,3-Trichlorobenzene	24.8		ug/L	25.0		99	70-130			
1,2,3-Trichloropropane	23.7		ug/L	25.0		95	70-130			
1,2,4-Trichlorobenzene	23.8		ug/L	25.0		95	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BF62305 - 5035

1,2,4-Trimethylbenzene	25.3		ug/L	25.0		101	70-130			
1,2-Dibromo-3-Chloropropane	25.2		ug/L	25.0		101	70-130			
1,2-Dibromoethane	26.0		ug/L	25.0		104	70-130			
1,2-Dichlorobenzene	24.6		ug/L	25.0		98	70-130			
1,2-Dichloroethane	27.1		ug/L	25.0		108	70-130			
1,2-Dichloropropane	27.4		ug/L	25.0		110	70-130			
1,3,5-Trimethylbenzene	24.8		ug/L	25.0		99	70-130			
1,3-Dichlorobenzene	23.8		ug/L	25.0		95	70-130			
1,3-Dichloropropane	26.0		ug/L	25.0		104	70-130			
1,4-Dichlorobenzene	23.8		ug/L	25.0		95	70-130			
1,4-Dioxane - Screen	509		ug/L	500		102	70-130			
1-Chlorohexane	25.5		ug/L	25.0		102	70-130			
2,2-Dichloropropane	26.3		ug/L	25.0		105	70-130			
2-Butanone	143		ug/L	125		114	70-130			
2-Chlorotoluene	24.4		ug/L	25.0		98	70-130			
2-Hexanone	133		ug/L	125		106	70-130			
4-Chlorotoluene	24.0		ug/L	25.0		96	70-130			
4-Isopropyltoluene	24.5		ug/L	25.0		98	70-130			
4-Methyl-2-Pentanone	143		ug/L	125		114	70-130			
Acetone	137		ug/L	125		110	70-130			
Benzene	27.8		ug/L	25.0		111	70-130			
Bromobenzene	25.8		ug/L	25.0		103	70-130			
Bromochloromethane	28.7		ug/L	25.0		115	70-130			
Bromodichloromethane	29.8		ug/L	25.0		119	70-130			
Bromoform	24.0		ug/L	25.0		96	70-130			
Bromomethane	24.1		ug/L	25.0		96	70-130			
Carbon Disulfide	28.6		ug/L	25.0		114	70-130			
Carbon Tetrachloride	29.6		ug/L	25.0		118	70-130			
Chlorobenzene	25.2		ug/L	25.0		101	70-130			
Chloroethane	29.5		ug/L	25.0		118	70-130			
Chloroform	29.1		ug/L	25.0		116	70-130			
Chloromethane	23.2		ug/L	25.0		93	70-130			
cis-1,2-Dichloroethene	29.8		ug/L	25.0		119	70-130			
cis-1,3-Dichloropropene	27.8		ug/L	25.0		111	70-130			
Dibromochloromethane	24.3		ug/L	25.0		97	70-130			
Dibromomethane	28.9		ug/L	25.0		116	70-130			
Dichlorodifluoromethane	23.0		ug/L	25.0		92	70-130			
Diethyl Ether	28.9		ug/L	25.0		116	70-130			
Di-isopropyl ether	27.8		ug/L	25.0		111	70-130			
Ethyl tertiary-butyl ether	27.1		ug/L	25.0		108	70-130			
Ethylbenzene	26.4		ug/L	25.0		106	70-130			
Hexachlorobutadiene	25.7		ug/L	25.0		103	70-130			
Isopropylbenzene	23.2		ug/L	25.0		93	70-130			
Methyl tert-Butyl Ether	27.7		ug/L	25.0		111	70-130			
Methylene Chloride	26.7		ug/L	25.0		107	70-130			
Naphthalene	24.6		ug/L	25.0		98	70-130			
n-Butylbenzene	24.6		ug/L	25.0		98	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BF62305 - 5035

n-Propylbenzene	24.7		ug/L	25.0		99	70-130			
sec-Butylbenzene	25.0		ug/L	25.0		100	70-130			
Styrene	26.4		ug/L	25.0		106	70-130			
tert-Butylbenzene	25.0		ug/L	25.0		100	70-130			
Tertiary-amyl methyl ether	28.1		ug/L	25.0		112	70-130			
Tetrachloroethene	25.6		ug/L	25.0		102	70-130			
Tetrahydrofuran	25.8		ug/L	25.0		103	70-130			
Toluene	28.2		ug/L	25.0		113	70-130			
trans-1,2-Dichloroethene	28.8		ug/L	25.0		115	70-130			
trans-1,3-Dichloropropene	25.6		ug/L	25.0		102	70-130			
Trichloroethene	27.6		ug/L	25.0		110	70-130			
Trichlorofluoromethane	27.5		ug/L	25.0		110	70-130			
Vinyl Acetate	27.2		ug/L	25.0		109	70-130			
Vinyl Chloride	27.2		ug/L	25.0		109	70-130			
Xylene O	26.4		ug/L	25.0		106	70-130			
Xylene P,M	52.3		ug/L	50.0		105	70-130			
Surrogate: 1,2-Dichloroethane-d4	2720		ug/Kg wet	2500		109	70-130			
Surrogate: 4-Bromofluorobenzene	2320		ug/Kg wet	2500		93	70-130			
Surrogate: Dibromofluoromethane	2660		ug/Kg wet	2500		106	70-130			
Surrogate: Toluene-d8	2480		ug/Kg wet	2500		99	70-130			

LCS Dup

1,1,1,2-Tetrachloroethane	26.2		ug/L	25.0		105	70-130	1	20	
1,1,1-Trichloroethane	27.2		ug/L	25.0		109	70-130	4	20	
1,1,2,2-Tetrachloroethane	24.9		ug/L	25.0		100	70-130	2	20	
1,1,2-Trichloroethane	27.9		ug/L	25.0		112	70-130	0.9	20	
1,1-Dichloroethane	27.2		ug/L	25.0		109	70-130	3	20	
1,1-Dichloroethene	29.6		ug/L	25.0		118	70-130	3	20	
1,1-Dichloropropene	27.3		ug/L	25.0		109	70-130	3	20	
1,2,3-Trichlorobenzene	25.3		ug/L	25.0		101	70-130	2	20	
1,2,3-Trichloropropane	24.3		ug/L	25.0		97	70-130	2	20	
1,2,4-Trichlorobenzene	23.4		ug/L	25.0		94	70-130	1	20	
1,2,4-Trimethylbenzene	25.1		ug/L	25.0		100	70-130	1	20	
1,2-Dibromo-3-Chloropropane	25.4		ug/L	25.0		102	70-130	1	20	
1,2-Dibromoethane	26.2		ug/L	25.0		105	70-130	1	20	
1,2-Dichlorobenzene	25.1		ug/L	25.0		100	70-130	2	20	
1,2-Dichloroethane	26.7		ug/L	25.0		107	70-130	0.9	20	
1,2-Dichloropropane	27.2		ug/L	25.0		109	70-130	0.9	20	
1,3,5-Trimethylbenzene	24.8		ug/L	25.0		99	70-130	0	20	
1,3-Dichlorobenzene	24.2		ug/L	25.0		97	70-130	2	20	
1,3-Dichloropropane	26.1		ug/L	25.0		104	70-130	0	20	
1,4-Dichlorobenzene	23.8		ug/L	25.0		95	70-130	0	20	
1,4-Dioxane - Screen	589		ug/L	500		118	70-130	15	20	
1-Chlorohexane	24.6		ug/L	25.0		98	70-130	4	20	
2,2-Dichloropropane	23.9		ug/L	25.0		96	70-130	9	20	
2-Butanone	144		ug/L	125		115	70-130	0.9	20	
2-Chlorotoluene	24.6		ug/L	25.0		98	70-130	0	20	
2-Hexanone	133		ug/L	125		106	70-130	0	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BF62305 - 5035

4-Chlorotoluene	23.7		ug/L	25.0		95	70-130	1	20	
4-Isopropyltoluene	24.1		ug/L	25.0		96	70-130	2	20	
4-Methyl-2-Pentanone	144		ug/L	125		115	70-130	0.9	20	
Acetone	135		ug/L	125		108	70-130	2	20	
Benzene	27.2		ug/L	25.0		109	70-130	2	20	
Bromobenzene	26.3		ug/L	25.0		105	70-130	2	20	
Bromochloromethane	28.4		ug/L	25.0		114	70-130	0.9	20	
Bromodichloromethane	29.2		ug/L	25.0		117	70-130	2	20	
Bromoform	24.5		ug/L	25.0		98	70-130	2	20	
Bromomethane	23.7		ug/L	25.0		95	70-130	1	20	
Carbon Disulfide	27.9		ug/L	25.0		112	70-130	2	20	
Carbon Tetrachloride	28.5		ug/L	25.0		114	70-130	3	20	
Chlorobenzene	25.1		ug/L	25.0		100	70-130	1	20	
Chloroethane	28.6		ug/L	25.0		114	70-130	3	20	
Chloroform	28.7		ug/L	25.0		115	70-130	0.9	20	
Chloromethane	22.4		ug/L	25.0		90	70-130	3	20	
cis-1,2-Dichloroethene	29.0		ug/L	25.0		116	70-130	3	20	
cis-1,3-Dichloropropene	27.1		ug/L	25.0		108	70-130	3	20	
Dibromochloromethane	24.8		ug/L	25.0		99	70-130	2	20	
Dibromomethane	29.1		ug/L	25.0		116	70-130	0	20	
Dichlorodifluoromethane	22.6		ug/L	25.0		90	70-130	2	20	
Diethyl Ether	28.0		ug/L	25.0		112	70-130	4	20	
Di-isopropyl ether	27.5		ug/L	25.0		110	70-130	0.9	20	
Ethyl tertiary-butyl ether	26.7		ug/L	25.0		107	70-130	0.9	20	
Ethylbenzene	26.2		ug/L	25.0		105	70-130	0.9	20	
Hexachlorobutadiene	24.6		ug/L	25.0		98	70-130	5	20	
Isopropylbenzene	23.1		ug/L	25.0		92	70-130	1	20	
Methyl tert-Butyl Ether	27.3		ug/L	25.0		109	70-130	2	20	
Methylene Chloride	26.3		ug/L	25.0		105	70-130	2	20	
Naphthalene	25.4		ug/L	25.0		102	70-130	4	20	
n-Butylbenzene	23.8		ug/L	25.0		95	70-130	3	20	
n-Propylbenzene	25.0		ug/L	25.0		100	70-130	1	20	
sec-Butylbenzene	24.9		ug/L	25.0		100	70-130	0	20	
Styrene	26.5		ug/L	25.0		106	70-130	0	20	
tert-Butylbenzene	24.1		ug/L	25.0		96	70-130	4	20	
Tertiary-amyl methyl ether	26.7		ug/L	25.0		107	70-130	5	20	
Tetrachloroethene	28.9		ug/L	25.0		116	70-130	13	20	
Tetrahydrofuran	23.8		ug/L	25.0		95	70-130	8	20	
Toluene	27.8		ug/L	25.0		111	70-130	2	20	
trans-1,2-Dichloroethene	27.8		ug/L	25.0		111	70-130	4	20	
trans-1,3-Dichloropropene	25.2		ug/L	25.0		101	70-130	1	20	
Trichloroethene	26.9		ug/L	25.0		108	70-130	2	20	
Trichlorofluoromethane	26.3		ug/L	25.0		105	70-130	5	20	
Vinyl Acetate	26.4		ug/L	25.0		106	70-130	3	20	
Vinyl Chloride	25.8		ug/L	25.0		103	70-130	6	20	
Xylene O	26.0		ug/L	25.0		104	70-130	2	20	
Xylene P,M	51.8		ug/L	50.0		104	70-130	1	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BF62305 - 5035

Surrogate: 1,2-Dichloroethane-d4	2660		ug/Kg wet	2500		106	70-130			
Surrogate: 4-Bromofluorobenzene	2330		ug/Kg wet	2500		93	70-130			
Surrogate: Dibromofluoromethane	2550		ug/Kg wet	2500		102	70-130			
Surrogate: Toluene-d8	2450		ug/Kg wet	2500		98	70-130			

8100M Total Petroleum Hydrocarbons

Batch BF62309 - 3550B

Blank

Total Petroleum Hydrocarbons ND 25.0 mg/kg wet

Surrogate: O-Terphenyl 2.45 mg/kg wet 3.33 74 40-140

LCS

Total Petroleum Hydrocarbons 433 25.0 mg/kg wet 667 65 40-140

Surrogate: O-Terphenyl 3.08 mg/kg wet 3.33 92 40-140

LCS Dup

Total Petroleum Hydrocarbons 515 25.0 mg/kg wet 667 77 40-140 17 50

Surrogate: O-Terphenyl 3.89 mg/kg wet 3.33 117 40-140

8270C Polynuclear Aromatic Hydrocarbons

Batch BF62205 - 3541

Blank

2-Methylnaphthalene ND 500 ug/Kg wet

Acenaphthene ND 500 ug/Kg wet

Acenaphthylene ND 500 ug/Kg wet

Anthracene ND 500 ug/Kg wet

Benzo(a)anthracene ND 500 ug/Kg wet

Benzo(a)pyrene ND 250 ug/Kg wet

Benzo(b)fluoranthene ND 500 ug/Kg wet

Benzo(g,h,i)perylene ND 500 ug/Kg wet

Benzo(k)fluoranthene ND 500 ug/Kg wet

Chrysene ND 250 ug/Kg wet

Dibenzo(a,h)Anthracene ND 250 ug/Kg wet

Fluoranthene ND 500 ug/Kg wet

Fluorene ND 500 ug/Kg wet

Indeno(1,2,3-cd)Pyrene ND 500 ug/Kg wet

Naphthalene ND 500 ug/Kg wet

Phenanthrene ND 500 ug/Kg wet

Pyrene ND 500 ug/Kg wet

Surrogate: 1,2-Dichlorobenzene-d4 3910 ug/Kg wet 5000 78 30-130

Surrogate: 2-Fluorobiphenyl 3880 ug/Kg wet 5000 78 30-130

Surrogate: Nitrobenzene-d5 3630 ug/Kg wet 5000 73 30-130

Surrogate: p-Terphenyl-d14 3480 ug/Kg wet 5000 70 30-130

LCS

2-Methylnaphthalene 4370 500 ug/Kg wet 5000 87 40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8270C Polynuclear Aromatic Hydrocarbons

Batch BF62205 - 3541

Acenaphthene	4140	500	ug/Kg wet	5000		83	40-140			
Acenaphthylene	4060	500	ug/Kg wet	5000		81	40-140			
Anthracene	4540	500	ug/Kg wet	5000		91	40-140			
Benzo(a)anthracene	4020	500	ug/Kg wet	5000		80	40-140			
Benzo(a)pyrene	4240	250	ug/Kg wet	5000		85	40-140			
Benzo(b)fluoranthene	4620	500	ug/Kg wet	5000		92	40-140			
Benzo(g,h,i)perylene	5290	500	ug/Kg wet	5000		106	40-140			
Benzo(k)fluoranthene	5500	500	ug/Kg wet	5000		110	40-140			
Chrysene	4290	250	ug/Kg wet	5000		86	40-140			
Dibenzo(a,h)Anthracene	5820	250	ug/Kg wet	5000		116	40-140			
Fluoranthene	4520	500	ug/Kg wet	5000		90	40-140			
Fluorene	4020	500	ug/Kg wet	5000		80	40-140			
Indeno(1,2,3-cd)Pyrene	5900	500	ug/Kg wet	5000		118	40-140			
Naphthalene	4290	500	ug/Kg wet	5000		86	40-140			
Phenanthrene	4430	500	ug/Kg wet	5000		89	40-140			
Pyrene	3980	500	ug/Kg wet	5000		80	40-140			
Surrogate: 1,2-Dichlorobenzene-d4	4310		ug/Kg wet	5000		86	30-130			
Surrogate: 2-Fluorobiphenyl	4500		ug/Kg wet	5000		90	30-130			
Surrogate: Nitrobenzene-d5	4220		ug/Kg wet	5000		84	30-130			
Surrogate: p-Terphenyl-d14	4160		ug/Kg wet	5000		83	30-130			

LCS Dup

2-Methylnaphthalene	4220	500	ug/Kg wet	5000		84	40-140	4	30	
Acenaphthene	4040	500	ug/Kg wet	5000		81	40-140	2	30	
Acenaphthylene	4010	500	ug/Kg wet	5000		80	40-140	1	30	
Anthracene	4410	500	ug/Kg wet	5000		88	40-140	3	30	
Benzo(a)anthracene	3860	500	ug/Kg wet	5000		77	40-140	4	30	
Benzo(a)pyrene	4240	250	ug/Kg wet	5000		85	40-140	0	30	
Benzo(b)fluoranthene	4590	500	ug/Kg wet	5000		92	40-140	0	30	
Benzo(g,h,i)perylene	5180	500	ug/Kg wet	5000		104	40-140	2	30	
Benzo(k)fluoranthene	5610	500	ug/Kg wet	5000		112	40-140	2	30	
Chrysene	4190	250	ug/Kg wet	5000		84	40-140	2	30	
Dibenzo(a,h)Anthracene	5860	250	ug/Kg wet	5000		117	40-140	0.9	30	
Fluoranthene	4420	500	ug/Kg wet	5000		88	40-140	2	30	
Fluorene	3950	500	ug/Kg wet	5000		79	40-140	1	30	
Indeno(1,2,3-cd)Pyrene	5880	500	ug/Kg wet	5000		118	40-140	0	30	
Naphthalene	4160	500	ug/Kg wet	5000		83	40-140	4	30	
Phenanthrene	4330	500	ug/Kg wet	5000		87	40-140	2	30	
Pyrene	3820	500	ug/Kg wet	5000		76	40-140	5	30	
Surrogate: 1,2-Dichlorobenzene-d4	4140		ug/Kg wet	5000		83	30-130			
Surrogate: 2-Fluorobiphenyl	4330		ug/Kg wet	5000		87	30-130			
Surrogate: Nitrobenzene-d5	4080		ug/Kg wet	5000		82	30-130			
Surrogate: p-Terphenyl-d14	4030		ug/Kg wet	5000		81	30-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

Notes and Definitions

- J Reported between 2xMDL and MRL; Estimated value.
+ Outside QC Limits.
ND Analyte NOT DETECTED above the detection limit
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
MDL Method Detection Limit
MRL Method Reporting Limit
mg/kg Results reported as wet weight
TCLP Toxicity Characteristic Leachate Procedure
I/V Initial Volume
F/V Final Volume
§ Subcontracted analysis; see attached report
TIC A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2 Range result excludes concentrations of target analytes eluting in that range.
3 Range result excludes the concentration of the C9-C10 aromatic range.
Avg Results reported as a mathematical average.
NR No Recovery
¶ The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0606357

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP): 242405
Potable Water
Non Potable Water

New York (NELAP): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

Pennsylvania: 68-934, 68-1752

CHAIN OF CUSTODY

Turn Time _____ Standard _____ Other 48 HR
 If faster than 5 days, prior approval by laboratory is required # _____
 State where samples were collected from:
 MA (M) CT NH NJ NY ME Other _____
 Is this project for any of the following: _____
 MA-MCP Navy USACE Other _____

Reporting Limits Res: default ESS LAB PROJECT ID RTIDEM
 Electronic Deliverable Express Delivery: 0606357
 Yes _____ No _____
 Format: Excel _____ Access _____ PDF _____ Other _____

Co. Name	Project #	Project Name (20 Char. or less)	Type of Containers	Number of Containers	Type of Containers	Write Required Analysis
H.V. Collins		Gorham				
Contact Person		Gorham				
Patrick Collins		99 Grand St				
City		Providence RI				
Telephone #		901-421-4080				
Fax #		401-421-9297				
ESS LAB Sample#		and pcollins@hvcollins.com				
Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (20 Char. or less)	Pres Code
6/22/06	13:20	X	X		Gorham 6/22/06-1	1
	13:22				Gorham 6/22/06-2	1
	13:24				Gorham 6/22/06-3	1
	13:26				Gorham 6/22/06-4	1
	13:30				Gorham 6/22/06-5	1/6
					Trip Blank	1

Container Type: P-Poly G-Glass S-Sterile V-VOA Matrix: S-Soil SD-Solid D-Sludge WW-Waste Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes F-Filters
 Cooler Present Yes No Internal Use Only
 Seals Intact Yes No NA: Pickup
 Cooler Temp: 111.4 DA No NA: Technicians _____
 Relinquished by: (Signature) [Signature] Date/Time 6/22 13:50 Received by: (Signature) [Signature] Date/Time 6/22 13:50
 Relinquished by: (Signature) [Signature] Date/Time 6/22 13:50 Received by: (Signature) [Signature] Date/Time 6/22 13:50

Sampled by: D. Anderson [EA] on Behalf of H. V. Collins
 Comments: Please email PDF results ASAP (48 HR Turn)

Preservation Code: 1- NP, 2- HCl, 3- H₂SO₄, 4- HNO₃, 5- NaOH, 6- MeOH, 7- Asorbic Acid, 8- ZnAct, 9- _____
 Received by: (Signature) _____ Date/Time _____
 Relinquished by: (Signature) _____ Date/Time _____

Grivers, Peter

From: Joseph Martella [joseph.martella@DEM.RI.GOV]
Sent: Tuesday, September 05, 2006 3:12 PM
To: Grivers, Peter
Subject: RE: Gorham Parcel B - Clean Fill Analytical for your review ...

Peter,

The soils associated with your e-mail sent 8/21/06 at 12:14 pm regarding the analytical results from ESS Laboratory (ESS Laboratory Work Order No. 0608077) for fill material from P. J. Keating, mined at 875 Phoenix Avenue, Cranston, RI, is appropriate for use at the Providence Gorham School Site. The actual signed certificate indicating that the fill material was mined from their Cranston facility and not impacted by any release should be included in the RAWP Closure Report. Thanks,
Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Tuesday, September 05, 2006 1:59 PM
To: Joseph Martella
Subject: FW: Gorham Parcel B - Clean Fill Analytical for your review ...

Joe: Is this all set with approval?

From: Grivers, Peter
Sent: Monday, August 28, 2006 1:45 PM
To: 'Joseph Martella'
Subject: FW: Gorham Parcel B - Clean Fill Analytical for your review ...

Joe:

I received your voice mail earlier today. The clean fill proposed to be brought to the site is from P.J. Keating, located at 875 Phenix Ave., Cranston, RI. If you need one, I can request a certificate from them indicating that the material is mined from their Cranston facility and not impacted by any release. Let me know if you need it at this time. Thanks.

-Peter

From: Grivers, Peter
Sent: Monday, August 21, 2006 12:14 PM
To: 'Joseph Martella'
Cc: 'Patrick Collins'; 'kmurphy@hvcollins.com'; Anderson, Darnell; Regan, Tim
Subject: Gorham Parcel B - Clean Fill Analytical for your review ...

Hi Joe:

Attached is a lab report for clean fill analytical samples collected for the Gorham Site to facilitate the delivery and use of additional clean fill material. My review shows it to be compliant with the Residential Direct Exposure Criteria. Please review and reply at your earliest convenience. Thank you for your timely attention.

Sincerely,

6/15/2007

Peter M. Grivers, P.E., LSP

Project Manager

EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC.

2350 Post Road

Warwick, RI 02886

401-736-3440 (office)

401-736-3423 (fax)

401-935-5080 (cell)

pgrivers@eaest.com (email)

ESS Laboratory

Division of Thielsch Engineering, Inc.

GORHAM

EA ENG. FILE

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

RECEIVED

AUG 25 2006

H.V. COLLINS COMPANY

Patrick Collins
H.V. Collins
99 Gano Street
Providence, RI 02906

RE: Gorham
ESS Laboratory Work Order Number: 0608077

This signed Certificate of Analysis is our approved release of your analytical results. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: August 22, 2006

Sample Receipt

5 Soil samples and 1 Trip Blank were received on August 04, 2006 for the analyses specified on the enclosed Chain of Custody Record.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Metals Analysis

ESS Laboratory utilized the established linear dynamic range to determine acceptable analytical results.

The batch Matrix Spike was outside of the recommended range for Antimony and Zinc. These analytes were below the lower control limit.

Volatile Organics Analysis

Blank Spike was outside of the recommended range for 1,4-Dioxane - Screen. This analyte was below the lower control limit.

No other observations noted.

End of Project Narrative.

mlp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-1
Date Sampled: 08/04/06 09:45
Percent Solids: 94

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.4	7060A	5	JP	08/08/06	1.92	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-2
Date Sampled: 08/04/06 09:47
Percent Solids: 95

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-02
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.3	7060A	5	JP	08/08/06	1.99	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-3
Date Sampled: 08/04/06 09:49
Percent Solids: 95

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-03
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.3	7060A	5	JP	08/08/06	1.96	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-4
Date Sampled: 08/04/06 09:51
Percent Solids: 94

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-04
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	1.3	7060A	5	JP	08/08/06	1.98	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-5
Date Sampled: 08/04/06 10:00
Percent Solids: 95

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-05
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Antimony	ND	mg/kg dry	6.0	6010B	1	SVD	08/04/06	1.77	100
Arsenic	ND	mg/kg dry	1.5	7060A	5	JP	08/08/06	1.77	100
Beryllium	0.25	mg/kg dry	0.06	6010B	1	SVD	08/04/06	1.77	100
Cadmium	ND	mg/kg dry	0.60	6010B	1	SVD	08/04/06	1.77	100
Chromium	9.9	mg/kg dry	1.2	6010B	1	SVD	08/04/06	1.77	100
Copper	12.3	mg/kg dry	1.2	6010B	1	SVD	08/04/06	1.77	100
Lead	ND	mg/kg dry	6.0	6010B	1	SVD	08/04/06	1.77	100
Mercury	ND	mg/kg dry	0.035	7471A	1	EEM	08/07/06	0.6	40
Nickel	4.3	mg/kg dry	3.0	6010B	1	SVD	08/04/06	1.77	100
Selenium	ND	mg/kg dry	6.0	6010B	1	SVD	08/04/06	1.77	100
Silver	ND	mg/kg dry	0.60	6010B	1	SVD	08/04/06	1.77	100
Thallium	ND	mg/kg dry	1.5	7841	5	JP	08/08/06	1.77	100
Zinc	41.3	mg/kg dry	3.0	6010B	1	SVD	08/04/06	1.77	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-5
Date Sampled: 08/04/06 10:00
Percent Solids: 95
Initial Volume: 18.9
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-05
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg dry	88.8	1	08/04/06
1,1,1-Trichloroethane	ND	ug/Kg dry	44.4	1	08/04/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg dry	44.4	1	08/04/06
1,1,2-Trichloroethane	ND	ug/Kg dry	44.4	1	08/04/06
1,1-Dichloroethane	ND	ug/Kg dry	44.4	1	08/04/06
1,1-Dichloroethene	ND	ug/Kg dry	44.4	1	08/04/06
1,1-Dichloropropene	ND	ug/Kg dry	44.4	1	08/04/06
1,2,3-Trichlorobenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,2,3-Trichloropropane	ND	ug/Kg dry	44.4	1	08/04/06
1,2,4-Trichlorobenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,2,4-Trimethylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg dry	222	1	08/04/06
1,2-Dibromoethane	ND	ug/Kg dry	44.4	1	08/04/06
1,2-Dichlorobenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,2-Dichloroethane	ND	ug/Kg dry	44.4	1	08/04/06
1,2-Dichloropropane	ND	ug/Kg dry	44.4	1	08/04/06
1,3,5-Trimethylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,3-Dichlorobenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,3-Dichloropropane	ND	ug/Kg dry	44.4	1	08/04/06
1,4-Dichlorobenzene	ND	ug/Kg dry	44.4	1	08/04/06
1,4-Dioxane - Screen	ND	ug/Kg dry	4440	1	08/04/06
1-Chlorohexane	ND	ug/Kg dry	44.4	1	08/04/06
2,2-Dichloropropane	ND	ug/Kg dry	88.8	1	08/04/06
2-Butanone	ND	ug/Kg dry	1110	1	08/04/06
2-Chlorotoluene	ND	ug/Kg dry	44.4	1	08/04/06
2-Hexanone	ND	ug/Kg dry	444	1	08/04/06
4-Chlorotoluene	ND	ug/Kg dry	44.4	1	08/04/06
4-Isopropyltoluene	ND	ug/Kg dry	44.4	1	08/04/06
4-Methyl-2-Pentanone	ND	ug/Kg dry	444	1	08/04/06
Acetone	ND	ug/Kg dry	1110	1	08/04/06
Benzene	ND	ug/Kg dry	44.4	1	08/04/06
Bromobenzene	ND	ug/Kg dry	44.4	1	08/04/06
Bromochloromethane	ND	ug/Kg dry	44.4	1	08/04/06
Bromodichloromethane	ND	ug/Kg dry	44.4	1	08/04/06
Bromoform	ND	ug/Kg dry	44.4	1	08/04/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-5
Date Sampled: 08/04/06 10:00
Percent Solids: 95
Initial Volume: 18.9
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-05
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg dry	88.8	1	08/04/06
Carbon Disulfide	ND	ug/Kg dry	44.4	1	08/04/06
Carbon Tetrachloride	ND	ug/Kg dry	44.4	1	08/04/06
Chlorobenzene	ND	ug/Kg dry	44.4	1	08/04/06
Chloroethane	ND	ug/Kg dry	88.8	1	08/04/06
Chloroform	ND	ug/Kg dry	44.4	1	08/04/06
Chloromethane	ND	ug/Kg dry	88.8	1	08/04/06
cis-1,2-Dichloroethene	ND	ug/Kg dry	44.4	1	08/04/06
cis-1,3-Dichloropropene	ND	ug/Kg dry	44.4	1	08/04/06
Dibromochloromethane	ND	ug/Kg dry	44.4	1	08/04/06
Dibromomethane	ND	ug/Kg dry	44.4	1	08/04/06
Dichlorodifluoromethane	ND	ug/Kg dry	44.4	1	08/04/06
Diethyl Ether	ND	ug/Kg dry	44.4	1	08/04/06
Di-isopropyl ether	ND	ug/Kg dry	44.4	1	08/04/06
Ethyl tertiary-butyl ether	ND	ug/Kg dry	44.4	1	08/04/06
Ethylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
Hexachlorobutadiene	ND	ug/Kg dry	44.4	1	08/04/06
Isopropylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
Methyl tert-Butyl Ether	ND	ug/Kg dry	44.4	1	08/04/06
Methylene Chloride	ND	ug/Kg dry	222	1	08/04/06
Naphthalene	ND	ug/Kg dry	44.4	1	08/04/06
n-Butylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
n-Propylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
sec-Butylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
Styrene	ND	ug/Kg dry	44.4	1	08/04/06
tert-Butylbenzene	ND	ug/Kg dry	44.4	1	08/04/06
Tertiary-amyl methyl ether	ND	ug/Kg dry	44.4	1	08/04/06
Tetrachloroethene	ND	ug/Kg dry	44.4	1	08/04/06
Tetrahydrofuran	ND	ug/Kg dry	222	1	08/04/06
Toluene	ND	ug/Kg dry	44.4	1	08/04/06
trans-1,2-Dichloroethene	ND	ug/Kg dry	44.4	1	08/04/06
trans-1,3-Dichloropropene	ND	ug/Kg dry	44.4	1	08/04/06
Trichloroethene	ND	ug/Kg dry	44.4	1	08/04/06
Trichlorofluoromethane	ND	ug/Kg dry	44.4	1	08/04/06
Vinyl Acetate	ND	ug/Kg dry	222	1	08/04/06
Vinyl Chloride	ND	ug/Kg dry	44.4	1	08/04/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-5
Date Sampled: 08/04/06 10:00
Percent Solids: 95
Initial Volume: 18.9
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-05
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg dry	44.4	1	08/04/06
Xylene P,M	ND	ug/Kg dry	88.8	1	08/04/06
Xylenes (Total)	ND	ug/Kg dry	133		08/04/06

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	100 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	89 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	101 %		70-130
<i>Surrogate: Toluene-d8</i>	93 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-5
Date Sampled: 08/04/06 10:00
Percent Solids: 95
Initial Volume: 20.6
Final Volume: 1
Extraction Method: 3541

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-05
Sample Matrix: Soil
Analyst: JLS
Prepared: 08/04/06

8100M Total Petroleum Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
Total Petroleum Hydrocarbons	ND	mg/kg dry	38.3	1	08/08/06

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: O-Terphenyl</i>	65 %		40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Gorham 8/04/06-5
Date Sampled: 08/04/06 10:00
Percent Solids: 95
Initial Volume: 29.7
Final Volume: 1
Extraction Method: 3550B

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-05
Sample Matrix: Soil
Analyst: VSC
Prepared: 08/04/06

8270C Polynuclear Aromatic Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
2-Methylnaphthalene	ND	ug/Kg dry	354	1	08/05/06
Acenaphthene	ND	ug/Kg dry	354	1	08/05/06
Acenaphthylene	ND	ug/Kg dry	354	1	08/05/06
Anthracene	ND	ug/Kg dry	354	1	08/05/06
Benzo(a)anthracene	ND	ug/Kg dry	354	1	08/05/06
Benzo(a)pyrene	ND	ug/Kg dry	178	1	08/05/06
Benzo(b)fluoranthene	ND	ug/Kg dry	354	1	08/05/06
Benzo(g,h,i)perylene	ND	ug/Kg dry	354	1	08/05/06
Benzo(k)fluoranthene	ND	ug/Kg dry	354	1	08/05/06
Chrysene	ND	ug/Kg dry	178	1	08/05/06
Dibenzo(a,h)Anthracene	ND	ug/Kg dry	178	1	08/05/06
Fluoranthene	ND	ug/Kg dry	354	1	08/05/06
Fluorene	ND	ug/Kg dry	354	1	08/05/06
Indeno(1,2,3-cd)Pyrene	ND	ug/Kg dry	354	1	08/05/06
Naphthalene	ND	ug/Kg dry	354	1	08/05/06
Phenanthrene	ND	ug/Kg dry	354	1	08/05/06
Pyrene	ND	ug/Kg dry	354	1	08/05/06

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: 1,2-Dichlorobenzene-d4	79 %		30-130
Surrogate: 2-Fluorobiphenyl	82 %		30-130
Surrogate: Nitrobenzene-d5	82 %		30-130
Surrogate: p-Terphenyl-d14	99 %		30-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 08/04/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-06
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg	100	1	08/04/06
1,1,1-Trichloroethane	ND	ug/Kg	50.0	1	08/04/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg	50.0	1	08/04/06
1,1,2-Trichloroethane	ND	ug/Kg	50.0	1	08/04/06
1,1-Dichloroethane	ND	ug/Kg	50.0	1	08/04/06
1,1-Dichloroethene	ND	ug/Kg	50.0	1	08/04/06
1,1-Dichloropropene	ND	ug/Kg	50.0	1	08/04/06
1,2,3-Trichlorobenzene	ND	ug/Kg	50.0	1	08/04/06
1,2,3-Trichloropropane	ND	ug/Kg	50.0	1	08/04/06
1,2,4-Trichlorobenzene	ND	ug/Kg	50.0	1	08/04/06
1,2,4-Trimethylbenzene	ND	ug/Kg	50.0	1	08/04/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	250	1	08/04/06
1,2-Dibromoethane	ND	ug/Kg	50.0	1	08/04/06
1,2-Dichlorobenzene	ND	ug/Kg	50.0	1	08/04/06
1,2-Dichloroethane	ND	ug/Kg	50.0	1	08/04/06
1,2-Dichloropropane	ND	ug/Kg	50.0	1	08/04/06
1,3,5-Trimethylbenzene	ND	ug/Kg	50.0	1	08/04/06
1,3-Dichlorobenzene	ND	ug/Kg	50.0	1	08/04/06
1,3-Dichloropropane	ND	ug/Kg	50.0	1	08/04/06
1,4-Dichlorobenzene	ND	ug/Kg	50.0	1	08/04/06
1,4-Dioxane - Screen	ND	ug/Kg	5000	1	08/04/06
1-Chlorohexane	ND	ug/Kg	50.0	1	08/04/06
2,2-Dichloropropane	ND	ug/Kg	100	1	08/04/06
2-Butanone	ND	ug/Kg	1250	1	08/04/06
2-Chlorotoluene	ND	ug/Kg	50.0	1	08/04/06
2-Hexanone	ND	ug/Kg	500	1	08/04/06
4-Chlorotoluene	ND	ug/Kg	50.0	1	08/04/06
4-Isopropyltoluene	ND	ug/Kg	50.0	1	08/04/06
4-Methyl-2-Pentanone	ND	ug/Kg	500	1	08/04/06
Acetone	ND	ug/Kg	1250	1	08/04/06
Benzene	ND	ug/Kg	50.0	1	08/04/06
Bromobenzene	ND	ug/Kg	50.0	1	08/04/06
Bromochloromethane	ND	ug/Kg	50.0	1	08/04/06
Bromodichloromethane	ND	ug/Kg	50.0	1	08/04/06
Bromoform	ND	ug/Kg	50.0	1	08/04/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 08/04/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-06
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg	100	1	08/04/06
Carbon Disulfide	ND	ug/Kg	50.0	1	08/04/06
Carbon Tetrachloride	ND	ug/Kg	50.0	1	08/04/06
Chlorobenzene	ND	ug/Kg	50.0	1	08/04/06
Chloroethane	ND	ug/Kg	100	1	08/04/06
Chloroform	ND	ug/Kg	50.0	1	08/04/06
Chloromethane	ND	ug/Kg	100	1	08/04/06
cis-1,2-Dichloroethene	ND	ug/Kg	50.0	1	08/04/06
cis-1,3-Dichloropropene	ND	ug/Kg	50.0	1	08/04/06
Dibromochloromethane	ND	ug/Kg	50.0	1	08/04/06
Dibromomethane	ND	ug/Kg	50.0	1	08/04/06
Dichlorodifluoromethane	ND	ug/Kg	50.0	1	08/04/06
Diethyl Ether	ND	ug/Kg	50.0	1	08/04/06
Di-isopropyl ether	ND	ug/Kg	50.0	1	08/04/06
Ethyl tertiary-butyl ether	ND	ug/Kg	50.0	1	08/04/06
Ethylbenzene	ND	ug/Kg	50.0	1	08/04/06
Hexachlorobutadiene	ND	ug/Kg	50.0	1	08/04/06
Isopropylbenzene	ND	ug/Kg	50.0	1	08/04/06
Methyl tert-Butyl Ether	ND	ug/Kg	50.0	1	08/04/06
Methylene Chloride	ND	ug/Kg	250	1	08/04/06
Naphthalene	ND	ug/Kg	50.0	1	08/04/06
n-Butylbenzene	ND	ug/Kg	50.0	1	08/04/06
n-Propylbenzene	ND	ug/Kg	50.0	1	08/04/06
sec-Butylbenzene	ND	ug/Kg	50.0	1	08/04/06
Styrene	ND	ug/Kg	50.0	1	08/04/06
tert-Butylbenzene	ND	ug/Kg	50.0	1	08/04/06
Tertiary-amyl methyl ether	ND	ug/Kg	50.0	1	08/04/06
Tetrachloroethene	ND	ug/Kg	50.0	1	08/04/06
Tetrahydrofuran	ND	ug/Kg	250	1	08/04/06
Toluene	ND	ug/Kg	50.0	1	08/04/06
trans-1,2-Dichloroethene	ND	ug/Kg	50.0	1	08/04/06
trans-1,3-Dichloropropene	ND	ug/Kg	50.0	1	08/04/06
Trichloroethene	ND	ug/Kg	50.0	1	08/04/06
Trichlorofluoromethane	ND	ug/Kg	50.0	1	08/04/06
Vinyl Acetate	ND	ug/Kg	250	1	08/04/06
Vinyl Chloride	ND	ug/Kg	50.0	1	08/04/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 08/04/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0608077
ESS Laboratory Sample ID: 0608077-06
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg	50.0	1	08/04/06
Xylene P,M	ND	ug/Kg	100	1	08/04/06
Xylenes (Total)	ND	ug/Kg	300		08/04/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	100 %		70-130
Surrogate: 4-Bromofluorobenzene	88 %		70-130
Surrogate: Dibromofluoromethane	100 %		70-130
Surrogate: Toluene-d8	91 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BH60413 - 3050B

Blank

Antimony	ND	6.7	mg/kg wet							
Arsenic	ND	0.3	mg/kg wet							
Beryllium	ND	0.07	mg/kg wet							
Cadmium	ND	0.67	mg/kg wet							
Chromium	ND	1.3	mg/kg wet							
Copper	ND	1.3	mg/kg wet							
Lead	ND	6.7	mg/kg wet							
Nickel	ND	3.3	mg/kg wet							
Selenium	ND	6.7	mg/kg wet							
Silver	ND	0.67	mg/kg wet							
Thallium	ND	0.3	mg/kg wet							
Zinc	ND	3.3	mg/kg wet							

LCS

Antimony	29.3	6.7	mg/kg wet	33.3		88	80-120			
Arsenic	30.9	6.7	mg/kg wet	33.3		93	80-120			
Beryllium	3.25	0.07	mg/kg wet	3.33		98	80-120			
Cadmium	15.9	0.67	mg/kg wet	16.7		95	80-120			
Chromium	33.2	1.3	mg/kg wet	33.3		100	80-120			
Copper	33.2	1.3	mg/kg wet	33.3		100	80-120			
Lead	32.1	6.7	mg/kg wet	33.3		96	80-120			
Nickel	32.8	3.3	mg/kg wet	33.3		98	80-120			
Selenium	62.1	6.7	mg/kg wet	66.7		93	80-120			
Silver	16.2	0.67	mg/kg wet	16.7		97	80-120			
Thallium	35.1	6.7	mg/kg wet	33.3		105	80-120			
Zinc	31.5	3.3	mg/kg wet	33.3		95	80-120			

LCS Dup

Antimony	30.7	6.7	mg/kg wet	33.3		92	80-120	5	20	
Arsenic	30.4	6.7	mg/kg wet	33.3		91	80-120	2	20	
Beryllium	3.36	0.07	mg/kg wet	3.33		101	80-120	3	20	
Cadmium	16.5	0.67	mg/kg wet	16.7		99	80-120	4	20	
Chromium	34.4	1.3	mg/kg wet	33.3		103	80-120	4	20	
Copper	34.3	1.3	mg/kg wet	33.3		103	80-120	3	20	
Lead	33.4	6.7	mg/kg wet	33.3		100	80-120	4	20	
Nickel	34.0	3.3	mg/kg wet	33.3		102	80-120	4	20	
Selenium	64.2	6.7	mg/kg wet	66.7		96	80-120	3	20	
Silver	16.7	0.67	mg/kg wet	16.7		100	80-120	3	20	
Thallium	33.5	6.7	mg/kg wet	33.3		101	80-120	4	20	
Zinc	32.9	3.3	mg/kg wet	33.3		99	80-120	4	20	

Duplicate Source: 0608077-05

Antimony	ND	6.0	mg/kg dry		ND				35	
Arsenic	0.6	1.5	mg/kg dry		0.3			67	35	
Beryllium	0.296	0.06	mg/kg dry		0.25			17	35	
Cadmium	ND	0.60	mg/kg dry		ND				35	
Chromium	11.4	1.2	mg/kg dry		9.9			14	35	
Copper	14.5	1.2	mg/kg dry		12.3			16	35	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										
Batch BH60413 - 3050B										
Lead	1.95	6.0	mg/kg dry		1.0			64	35	
Nickel	5.51	3.0	mg/kg dry		4.3			25	35	
Selenium	ND	6.0	mg/kg dry		ND				35	
Silver	ND	0.60	mg/kg dry		ND				35	
Thallium	ND	1.5	mg/kg dry		ND				35	
Zinc	49.9	3.0	mg/kg dry		41.3			19	35	
Matrix Spike Source: 0608077-05										
Antimony	14.6	5.8	mg/kg dry	28.9	ND	51	75-125			+
Arsenic	26.3	5.8	mg/kg dry	28.9	0.3	90	75-125			
Beryllium	2.67	0.06	mg/kg dry	2.89	0.25	84	75-125			
Cadmium	11.6	0.58	mg/kg dry	14.5	ND	80	75-125			
Chromium	32.4	1.2	mg/kg dry	28.9	9.9	78	75-125			
Copper	34.4	1.2	mg/kg dry	28.9	12.3	76	75-125			
Lead	24.9	5.8	mg/kg dry	28.9	1.0	83	75-125			
Nickel	27.3	2.9	mg/kg dry	28.9	4.3	80	75-125			
Selenium	45.8	5.8	mg/kg dry	57.8	ND	79	75-125			
Silver	12.7	0.58	mg/kg dry	14.5	ND	88	75-125			
Thallium	22.8	5.8	mg/kg dry	28.9	ND	79	75-125			
Zinc	59.9	2.9	mg/kg dry	28.9	41.3	64	75-125			+
Reference										
Antimony	64.5	10.0	mg/kg wet	77.5		83	0-223.23			
Arsenic	80.2	25.0	mg/kg wet	80.9		99	79.73-120.27			
Beryllium	134	0.10	mg/kg wet	143		94	81.82-118.18			
Cadmium	200	1.00	mg/kg wet	233		86	80.69-118.88			
Chromium	55.3	2.0	mg/kg wet	60.8		91	78.45-121.38			
Copper	124	2.0	mg/kg wet	131		95	82.44-117.56			
Lead	71.9	10.0	mg/kg wet	76.8		94	80.6-119.53			
Nickel	46.3	5.0	mg/kg wet	49.6		93	81.45-118.55			
Selenium	76.9	10.0	mg/kg wet	82.9		93	75.51-124.25			
Silver	77.6	1.00	mg/kg wet	80.0		97	61.25-138.75			
Thallium	170	25.0	mg/kg wet	158		108	75.32-124.68			
Zinc	103	5.0	mg/kg wet	116		89	78.02-121.55			
Batch BH60414 - 7471A										
Blank										
Mercury	ND	0.033	mg/kg wet							
LCS										
Mercury	0.186	0.033	mg/kg wet	0.200		93	80-120			
LCS Dup										
Mercury	0.187	0.033	mg/kg wet	0.200		94	80-120	0.5	20	
Duplicate Source: 0608077-05										
Mercury	ND	0.035	mg/kg dry		ND				35	
Matrix Spike Source: 0608077-05										
Mercury	0.177	0.033	mg/kg dry	0.197	ND	90	75-125			
Matrix Spike Dup Source: 0608077-05										
Mercury	0.179	0.035	mg/kg dry	0.211	ND	85	75-125	1	35	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										

Batch BH60414 - 7471A

Reference

Mercury	3.31	0.317	mg/kg wet	3.60	92	68.06-131.94
---------	------	-------	-----------	------	----	--------------

5035/8260B Volatile Organic Compounds / Methanol

Batch BH60420 - 5035

Blank

1,1,1,2-Tetrachloroethane	ND	100	ug/Kg wet
1,1,1-Trichloroethane	ND	50.0	ug/Kg wet
1,1,2,2-Tetrachloroethane	ND	50.0	ug/Kg wet
1,1,2-Trichloroethane	ND	50.0	ug/Kg wet
1,1-Dichloroethane	ND	50.0	ug/Kg wet
1,1-Dichloroethene	ND	50.0	ug/Kg wet
1,1-Dichloropropene	ND	50.0	ug/Kg wet
1,2,3-Trichlorobenzene	ND	50.0	ug/Kg wet
1,2,3-Trichloropropane	ND	50.0	ug/Kg wet
1,2,4-Trichlorobenzene	ND	50.0	ug/Kg wet
1,2,4-Trimethylbenzene	ND	50.0	ug/Kg wet
1,2-Dibromo-3-Chloropropane	ND	250	ug/Kg wet
1,2-Dibromoethane	ND	50.0	ug/Kg wet
1,2-Dichlorobenzene	ND	50.0	ug/Kg wet
1,2-Dichloroethane	ND	50.0	ug/Kg wet
1,2-Dichloropropane	ND	50.0	ug/Kg wet
1,3,5-Trimethylbenzene	ND	50.0	ug/Kg wet
1,3-Dichlorobenzene	ND	50.0	ug/Kg wet
1,3-Dichloropropane	ND	50.0	ug/Kg wet
1,4-Dichlorobenzene	ND	50.0	ug/Kg wet
1,4-Dioxane - Screen	ND	5000	ug/Kg wet
1-Chlorohexane	ND	50.0	ug/Kg wet
2,2-Dichloropropane	ND	100	ug/Kg wet
2-Butanone	ND	1250	ug/Kg wet
2-Chlorotoluene	ND	50.0	ug/Kg wet
2-Hexanone	ND	500	ug/Kg wet
4-Chlorotoluene	ND	50.0	ug/Kg wet
4-Isopropyltoluene	ND	50.0	ug/Kg wet
4-Methyl-2-Pentanone	ND	500	ug/Kg wet
Acetone	ND	1250	ug/Kg wet
Benzene	ND	50.0	ug/Kg wet
Bromobenzene	ND	50.0	ug/Kg wet
Bromochloromethane	ND	50.0	ug/Kg wet
Bromodichloromethane	ND	50.0	ug/Kg wet
Bromoform	ND	50.0	ug/Kg wet
Bromomethane	ND	100	ug/Kg wet
Carbon Disulfide	ND	50.0	ug/Kg wet
Carbon Tetrachloride	ND	50.0	ug/Kg wet
Chlorobenzene	ND	50.0	ug/Kg wet
Chloroethane	ND	100	ug/Kg wet
Chloroform	ND	50.0	ug/Kg wet

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										

Batch BH60420 - 5035

Chloromethane	ND	100	ug/Kg wet							
cis-1,2-Dichloroethene	ND	50.0	ug/Kg wet							
cis-1,3-Dichloropropene	ND	50.0	ug/Kg wet							
Dibromochloromethane	ND	50.0	ug/Kg wet							
Dibromomethane	ND	50.0	ug/Kg wet							
Dichlorodifluoromethane	ND	50.0	ug/Kg wet							
Diethyl Ether	ND	50.0	ug/Kg wet							
Di-isopropyl ether	ND	50.0	ug/Kg wet							
Ethyl tertiary-butyl ether	ND	50.0	ug/Kg wet							
Ethylbenzene	ND	50.0	ug/Kg wet							
Hexachlorobutadiene	ND	50.0	ug/Kg wet							
Isopropylbenzene	ND	50.0	ug/Kg wet							
Methyl tert-Butyl Ether	ND	50.0	ug/Kg wet							
Methylene Chloride	ND	250	ug/Kg wet							
Naphthalene	ND	50.0	ug/Kg wet							
n-Butylbenzene	ND	50.0	ug/Kg wet							
n-Propylbenzene	ND	50.0	ug/Kg wet							
sec-Butylbenzene	ND	50.0	ug/Kg wet							
Styrene	ND	50.0	ug/Kg wet							
tert-Butylbenzene	ND	50.0	ug/Kg wet							
Tertiary-amyl methyl ether	ND	50.0	ug/Kg wet							
Tetrachloroethene	ND	50.0	ug/Kg wet							
Tetrahydrofuran	ND	250	ug/Kg wet							
Toluene	ND	50.0	ug/Kg wet							
trans-1,2-Dichloroethene	ND	50.0	ug/Kg wet							
trans-1,3-Dichloropropene	ND	50.0	ug/Kg wet							
Trichloroethene	ND	50.0	ug/Kg wet							
Trichlorofluoromethane	ND	50.0	ug/Kg wet							
Vinyl Acetate	ND	250	ug/Kg wet							
Vinyl Chloride	ND	50.0	ug/Kg wet							
Xylene O	ND	50.0	ug/Kg wet							
Xylene P,M	ND	100	ug/Kg wet							
Surrogate: 1,2-Dichloroethane-d4	2580		ug/Kg wet	2500		103	70-130			
Surrogate: 4-Bromofluorobenzene	2350		ug/Kg wet	2500		94	70-130			
Surrogate: Dibromofluoromethane	2680		ug/Kg wet	2500		107	70-130			
Surrogate: Toluene-d8	2440		ug/Kg wet	2500		98	70-130			

LCS

1,1,1,2-Tetrachloroethane	24.4		ug/L	25.0		98	70-130			
1,1,1-Trichloroethane	25.6		ug/L	25.0		102	70-130			
1,1,2,2-Tetrachloroethane	23.7		ug/L	25.0		95	70-130			
1,1,2-Trichloroethane	26.8		ug/L	25.0		107	70-130			
1,1-Dichloroethane	27.1		ug/L	25.0		108	70-130			
1,1-Dichloroethene	27.8		ug/L	25.0		111	70-130			
1,1-Dichloropropene	26.7		ug/L	25.0		107	70-130			
1,2,3-Trichlorobenzene	24.9		ug/L	25.0		100	70-130			
1,2,3-Trichloropropane	23.5		ug/L	25.0		94	70-130			
1,2,4-Trichlorobenzene	22.1		ug/L	25.0		88	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BH60420 - 5035

1,2,4-Trimethylbenzene	24.3		ug/L	25.0		97	70-130			
1,2-Dibromo-3-Chloropropane	22.9		ug/L	25.0		92	70-130			
1,2-Dibromoethane	25.1		ug/L	25.0		100	70-130			
1,2-Dichlorobenzene	23.4		ug/L	25.0		94	70-130			
1,2-Dichloroethane	25.9		ug/L	25.0		104	70-130			
1,2-Dichloropropane	27.0		ug/L	25.0		108	70-130			
1,3,5-Trimethylbenzene	24.2		ug/L	25.0		97	70-130			
1,3-Dichlorobenzene	22.8		ug/L	25.0		91	70-130			
1,3-Dichloropropane	25.0		ug/L	25.0		100	70-130			
1,4-Dichlorobenzene	22.3		ug/L	25.0		89	70-130			
1,4-Dioxane - Screen	228		ug/L	500		46	70-130			+
1-Chlorohexane	23.3		ug/L	25.0		93	70-130			
2,2-Dichloropropane	26.2		ug/L	25.0		105	70-130			
2-Butanone	138		ug/L	125		110	70-130			
2-Chlorotoluene	24.8		ug/L	25.0		99	70-130			
2-Hexanone	133		ug/L	125		106	70-130			
4-Chlorotoluene	23.8		ug/L	25.0		95	70-130			
4-Isopropyltoluene	23.7		ug/L	25.0		95	70-130			
4-Methyl-2-Pentanone	143		ug/L	125		114	70-130			
Acetone	140		ug/L	125		112	70-130			
Benzene	26.7		ug/L	25.0		107	70-130			
Bromobenzene	25.0		ug/L	25.0		100	70-130			
Bromochloromethane	28.0		ug/L	25.0		112	70-130			
Bromodichloromethane	28.3		ug/L	25.0		113	70-130			
Bromoform	23.2		ug/L	25.0		93	70-130			
Bromomethane	27.6		ug/L	25.0		110	70-130			
Carbon Disulfide	27.3		ug/L	25.0		109	70-130			
Carbon Tetrachloride	27.0		ug/L	25.0		108	70-130			
Chlorobenzene	24.7		ug/L	25.0		99	70-130			
Chloroethane	28.2		ug/L	25.0		113	70-130			
Chloroform	26.7		ug/L	25.0		107	70-130			
Chloromethane	25.7		ug/L	25.0		103	70-130			
cis-1,2-Dichloroethene	28.2		ug/L	25.0		113	70-130			
cis-1,3-Dichloropropene	26.7		ug/L	25.0		107	70-130			
Dibromochloromethane	25.4		ug/L	25.0		102	70-130			
Dibromomethane	28.2		ug/L	25.0		113	70-130			
Dichlorodifluoromethane	24.0		ug/L	25.0		96	70-130			
Diethyl Ether	29.0		ug/L	25.0		116	70-130			
Di-isopropyl ether	28.8		ug/L	25.0		115	70-130			
Ethyl tertiary-butyl ether	27.6		ug/L	25.0		110	70-130			
Ethylbenzene	25.1		ug/L	25.0		100	70-130			
Hexachlorobutadiene	23.6		ug/L	25.0		94	70-130			
Isopropylbenzene	22.6		ug/L	25.0		90	70-130			
Methyl tert-Butyl Ether	27.7		ug/L	25.0		111	70-130			
Methylene Chloride	27.8		ug/L	25.0		111	70-130			
Naphthalene	25.2		ug/L	25.0		101	70-130			
n-Butylbenzene	23.2		ug/L	25.0		93	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BH60420 - 5035										
n-Propylbenzene	23.7		ug/L	25.0		95	70-130			
sec-Butylbenzene	23.5		ug/L	25.0		94	70-130			
Styrene	25.2		ug/L	25.0		101	70-130			
tert-Butylbenzene	24.2		ug/L	25.0		97	70-130			
Tertiary-amyl methyl ether	27.2		ug/L	25.0		109	70-130			
Tetrachloroethene	24.0		ug/L	25.0		96	70-130			
Tetrahydrofuran	28.3		ug/L	25.0		113	70-130			
Toluene	26.8		ug/L	25.0		107	70-130			
trans-1,2-Dichloroethene	27.3		ug/L	25.0		109	70-130			
trans-1,3-Dichloropropene	24.2		ug/L	25.0		97	70-130			
Trichloroethene	26.2		ug/L	25.0		105	70-130			
Trichlorofluoromethane	25.3		ug/L	25.0		101	70-130			
Vinyl Acetate	26.2		ug/L	25.0		105	70-130			
Vinyl Chloride	27.4		ug/L	25.0		110	70-130			
Xylene O	25.2		ug/L	25.0		101	70-130			
Xylene P,M	49.5		ug/L	50.0		99	70-130			
Surrogate: 1,2-Dichloroethane-d4	2490		ug/Kg wet	2500		100	70-130			
Surrogate: 4-Bromofluorobenzene	2360		ug/Kg wet	2500		94	70-130			
Surrogate: Dibromofluoromethane	2600		ug/Kg wet	2500		104	70-130			
Surrogate: Toluene-d8	2430		ug/Kg wet	2500		97	70-130			
LCS Dup										
1,1,1,2-Tetrachloroethane	24.5		ug/L	25.0		98	70-130	0	20	
1,1,1-Trichloroethane	25.8		ug/L	25.0		103	70-130	1	20	
1,1,2,2-Tetrachloroethane	24.3		ug/L	25.0		97	70-130	2	20	
1,1,2-Trichloroethane	26.8		ug/L	25.0		107	70-130	0	20	
1,1-Dichloroethane	27.3		ug/L	25.0		109	70-130	0.9	20	
1,1-Dichloroethene	28.2		ug/L	25.0		113	70-130	2	20	
1,1-Dichloropropene	26.9		ug/L	25.0		108	70-130	0.9	20	
1,2,3-Trichlorobenzene	25.5		ug/L	25.0		102	70-130	2	20	
1,2,3-Trichloropropane	23.6		ug/L	25.0		94	70-130	0	20	
1,2,4-Trichlorobenzene	22.4		ug/L	25.0		90	70-130	2	20	
1,2,4-Trimethylbenzene	24.7		ug/L	25.0		99	70-130	2	20	
1,2-Dibromo-3-Chloropropane	23.5		ug/L	25.0		94	70-130	2	20	
1,2-Dibromoethane	25.0		ug/L	25.0		100	70-130	0	20	
1,2-Dichlorobenzene	23.7		ug/L	25.0		95	70-130	1	20	
1,2-Dichloroethane	26.7		ug/L	25.0		107	70-130	3	20	
1,2-Dichloropropane	27.3		ug/L	25.0		109	70-130	0.9	20	
1,3,5-Trimethylbenzene	24.6		ug/L	25.0		98	70-130	1	20	
1,3-Dichlorobenzene	23.2		ug/L	25.0		93	70-130	2	20	
1,3-Dichloropropane	25.3		ug/L	25.0		101	70-130	1	20	
1,4-Dichlorobenzene	23.2		ug/L	25.0		93	70-130	4	20	
1,4-Dioxane - Screen	241		ug/L	500		48	70-130	4	20	+
1-Chlorohexane	23.8		ug/L	25.0		95	70-130	2	20	
2,2-Dichloropropane	25.9		ug/L	25.0		104	70-130	1	20	
2-Butanone	138		ug/L	125		110	70-130	0	20	
2-Chlorotoluene	25.8		ug/L	25.0		103	70-130	4	20	
2-Hexanone	134		ug/L	125		107	70-130	0.9	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BH60420 - 5035										
4-Chlorotoluene	24.4		ug/L	25.0		98	70-130	3	20	
4-Isopropyltoluene	23.8		ug/L	25.0		95	70-130	0	20	
4-Methyl-2-Pentanone	143		ug/L	125		114	70-130	0	20	
Acetone	136		ug/L	125		109	70-130	3	20	
Benzene	28.0		ug/L	25.0		112	70-130	5	20	
Bromobenzene	25.8		ug/L	25.0		103	70-130	3	20	
Bromochloromethane	28.0		ug/L	25.0		112	70-130	0	20	
Bromodichloromethane	28.3		ug/L	25.0		113	70-130	0	20	
Bromoform	23.6		ug/L	25.0		94	70-130	1	20	
Bromomethane	27.9		ug/L	25.0		112	70-130	2	20	
Carbon Disulfide	27.5		ug/L	25.0		110	70-130	0.9	20	
Carbon Tetrachloride	27.4		ug/L	25.0		110	70-130	2	20	
Chlorobenzene	25.2		ug/L	25.0		101	70-130	2	20	
Chloroethane	28.3		ug/L	25.0		113	70-130	0	20	
Chloroform	26.9		ug/L	25.0		108	70-130	0.9	20	
Chloromethane	25.4		ug/L	25.0		102	70-130	1	20	
cis-1,2-Dichloroethene	28.1		ug/L	25.0		112	70-130	0.9	20	
cis-1,3-Dichloropropene	26.8		ug/L	25.0		107	70-130	0	20	
Dibromochloromethane	25.7		ug/L	25.0		103	70-130	1	20	
Dibromomethane	28.2		ug/L	25.0		113	70-130	0	20	
Dichlorodifluoromethane	24.7		ug/L	25.0		99	70-130	3	20	
Diethyl Ether	29.1		ug/L	25.0		116	70-130	0	20	
Di-isopropyl ether	28.7		ug/L	25.0		115	70-130	0	20	
Ethyl tertiary-butyl ether	27.7		ug/L	25.0		111	70-130	0.9	20	
Ethylbenzene	25.5		ug/L	25.0		102	70-130	2	20	
Hexachlorobutadiene	24.1		ug/L	25.0		96	70-130	2	20	
Isopropylbenzene	22.9		ug/L	25.0		92	70-130	2	20	
Methyl tert-Butyl Ether	27.9		ug/L	25.0		112	70-130	0.9	20	
Methylene Chloride	28.1		ug/L	25.0		112	70-130	0.9	20	
Naphthalene	24.9		ug/L	25.0		100	70-130	1	20	
n-Butylbenzene	23.7		ug/L	25.0		95	70-130	2	20	
n-Propylbenzene	24.6		ug/L	25.0		98	70-130	3	20	
sec-Butylbenzene	23.9		ug/L	25.0		96	70-130	2	20	
Styrene	25.2		ug/L	25.0		101	70-130	0	20	
tert-Butylbenzene	24.5		ug/L	25.0		98	70-130	1	20	
Tertiary-amyl methyl ether	27.4		ug/L	25.0		110	70-130	0.9	20	
Tetrachloroethene	24.4		ug/L	25.0		98	70-130	2	20	
Tetrahydrofuran	28.1		ug/L	25.0		112	70-130	0.9	20	
Toluene	26.9		ug/L	25.0		108	70-130	0.9	20	
trans-1,2-Dichloroethene	27.5		ug/L	25.0		110	70-130	0.9	20	
trans-1,3-Dichloropropene	24.4		ug/L	25.0		98	70-130	1	20	
Trichloroethene	26.6		ug/L	25.0		106	70-130	0.9	20	
Trichlorofluoromethane	24.6		ug/L	25.0		98	70-130	3	20	
Vinyl Acetate	26.1		ug/L	25.0		104	70-130	1	20	
Vinyl Chloride	27.9		ug/L	25.0		112	70-130	2	20	
Xylene O	25.2		ug/L	25.0		101	70-130	0	20	
Xylene P,M	49.5		ug/L	50.0		99	70-130	0	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BH60420 - 5035

Surrogate: 1,2-Dichloroethane-d4	2580		ug/Kg wet	2500		103	70-130			
Surrogate: 4-Bromofluorobenzene	2410		ug/Kg wet	2500		96	70-130			
Surrogate: Dibromofluoromethane	2650		ug/Kg wet	2500		106	70-130			
Surrogate: Toluene-d8	2450		ug/Kg wet	2500		98	70-130			

8100M Total Petroleum Hydrocarbons

Batch BH60409 - 3541

Blank

Total Petroleum Hydrocarbons ND 25.0 mg/kg wet

Surrogate: O-Terphenyl 2.84 mg/kg wet 3.33 85 40-140

LCS

Total Petroleum Hydrocarbons 456 25.0 mg/kg wet 667 68 40-140

Surrogate: O-Terphenyl 2.88 mg/kg wet 3.33 86 40-140

LCS Dup

Total Petroleum Hydrocarbons 530 25.0 mg/kg wet 667 79 40-140 15 50

Surrogate: O-Terphenyl 3.35 mg/kg wet 3.33 101 40-140

8270C Polynuclear Aromatic Hydrocarbons

Batch BH60431 - 3550B

Blank

2-Methylnaphthalene ND 333 ug/Kg wet

Acenaphthene ND 333 ug/Kg wet

Acenaphthylene ND 333 ug/Kg wet

Anthracene ND 333 ug/Kg wet

Benzo(a)anthracene ND 333 ug/Kg wet

Benzo(a)pyrene ND 167 ug/Kg wet

Benzo(b)fluoranthene ND 333 ug/Kg wet

Benzo(g,h,i)perylene ND 333 ug/Kg wet

Benzo(k)fluoranthene ND 333 ug/Kg wet

Chrysene ND 167 ug/Kg wet

Dibenzo(a,h)Anthracene ND 167 ug/Kg wet

Fluoranthene ND 333 ug/Kg wet

Fluorene ND 333 ug/Kg wet

Indeno(1,2,3-cd)Pyrene ND 333 ug/Kg wet

Naphthalene ND 333 ug/Kg wet

Phenanthrene ND 333 ug/Kg wet

Pyrene ND 333 ug/Kg wet

Surrogate: 1,2-Dichlorobenzene-d4 2930 ug/Kg wet 3330 88 30-130

Surrogate: 2-Fluorobiphenyl 2930 ug/Kg wet 3330 88 30-130

Surrogate: Nitrobenzene-d5 3040 ug/Kg wet 3330 91 30-130

Surrogate: p-Terphenyl-d14 3120 ug/Kg wet 3330 94 30-130

LCS

2-Methylnaphthalene 2600 333 ug/Kg wet 3330 78 40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8270C Polynuclear Aromatic Hydrocarbons										
Batch BH60431 - 3550B										
Acenaphthene	2650	333	ug/Kg wet	3330		80	40-140			
Acenaphthylene	2560	333	ug/Kg wet	3330		77	40-140			
Anthracene	2830	333	ug/Kg wet	3330		85	40-140			
Benzo(a)anthracene	2830	333	ug/Kg wet	3330		85	40-140			
Benzo(a)pyrene	2830	167	ug/Kg wet	3330		85	40-140			
Benzo(b)fluoranthene	2580	333	ug/Kg wet	3330		77	40-140			
Benzo(g,h,i)perylene	3030	333	ug/Kg wet	3330		91	40-140			
Benzo(k)fluoranthene	2940	333	ug/Kg wet	3330		88	40-140			
Chrysene	2810	167	ug/Kg wet	3330		84	40-140			
Dibenzo(a,h)Anthracene	3100	167	ug/Kg wet	3330		93	40-140			
Fluoranthene	2760	333	ug/Kg wet	3330		83	40-140			
Fluorene	2670	333	ug/Kg wet	3330		80	40-140			
Indeno(1,2,3-cd)Pyrene	3050	333	ug/Kg wet	3330		92	40-140			
Naphthalene	2570	333	ug/Kg wet	3330		77	40-140			
Phenanthrene	2740	333	ug/Kg wet	3330		82	40-140			
Pyrene	3010	333	ug/Kg wet	3330		90	40-140			
Surrogate: 1,2-Dichlorobenzene-d4	2510		ug/Kg wet	3330		75	30-130			
Surrogate: 2-Fluorobiphenyl	2680		ug/Kg wet	3330		80	30-130			
Surrogate: Nitrobenzene-d5	2580		ug/Kg wet	3330		77	30-130			
Surrogate: p-Terphenyl-d14	3030		ug/Kg wet	3330		91	30-130			
LCS Dup										
2-Methylnaphthalene	2740	333	ug/Kg wet	3330		82	40-140	5	30	
Acenaphthene	2800	333	ug/Kg wet	3330		84	40-140	5	30	
Acenaphthylene	2690	333	ug/Kg wet	3330		81	40-140	5	30	
Anthracene	3010	333	ug/Kg wet	3330		90	40-140	6	30	
Benzo(a)anthracene	2920	333	ug/Kg wet	3330		88	40-140	3	30	
Benzo(a)pyrene	2980	167	ug/Kg wet	3330		89	40-140	5	30	
Benzo(b)fluoranthene	2710	333	ug/Kg wet	3330		81	40-140	5	30	
Benzo(g,h,i)perylene	3300	333	ug/Kg wet	3330		99	40-140	8	30	
Benzo(k)fluoranthene	2970	333	ug/Kg wet	3330		89	40-140	1	30	
Chrysene	2920	167	ug/Kg wet	3330		88	40-140	5	30	
Dibenzo(a,h)Anthracene	3310	167	ug/Kg wet	3330		99	40-140	6	30	
Fluoranthene	2990	333	ug/Kg wet	3330		90	40-140	8	30	
Fluorene	2780	333	ug/Kg wet	3330		83	40-140	4	30	
Indeno(1,2,3-cd)Pyrene	3240	333	ug/Kg wet	3330		97	40-140	5	30	
Naphthalene	2730	333	ug/Kg wet	3330		82	40-140	6	30	
Phenanthrene	2920	333	ug/Kg wet	3330		88	40-140	7	30	
Pyrene	3010	333	ug/Kg wet	3330		90	40-140	0	30	
Surrogate: 1,2-Dichlorobenzene-d4	2620		ug/Kg wet	3330		79	30-130			
Surrogate: 2-Fluorobiphenyl	2860		ug/Kg wet	3330		86	30-130			
Surrogate: Nitrobenzene-d5	2790		ug/Kg wet	3330		84	30-130			
Surrogate: p-Terphenyl-d14	3170		ug/Kg wet	3330		95	30-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

Notes and Definitions

- + Outside QC Limits.
- ND Analyte NOT DETECTED above the detection limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- mg/kg Results reported as wet weight
- TCLP Toxicity Characteristic Leachate Procedure
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- TIC A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- ¶ The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0608077

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP): 242405
Potable Water
Non Potable Water

New York (NELAP): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

ESS Laboratory

Division of Thielsch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

CHAIN OF CUSTODY

Page 1 of 1

Turn Time Standard Other _____
 If faster than 5 days, prior approval by laboratory is required # _____
 State where samples were collected from:
 MA RI CT NH NJ NY ME Other _____
 Is this project for any of the following: USACE Other _____
 MA-MCP Navy _____

Reporting Limits Residential ESS LAB PROJECT ID
PP13 Metals
 Electronic Deliverable Yes ___ No ___
 Format: Excel ___ Access ___ PDF ___ Other ___

Co. Name	Project #	Project Name (20 Char. or less)	Type of Containers	Number of Containers	Type of Containers	Pres Code	Sample Identification (20 Char. or less)	COMP	GRAB	MATRIX	Date	Collection Time	Fax #	Address	PO#	Zip	City	State	Telephone #
H.V. Collins		Gorham		1	1 G		Gorham 8/04/06-1	X	S		8/4/06	9:45	401-421-9297	99 Grand St	02906	RI	Providence	401-421-4080	
Patrick Collins				1	1 G		Gorham 8/04/06-2	1	1 G		8/4/06	9:47	401-421-9297	99 Grand St	02906	RI	Providence	401-421-4080	
				1	1 G		Gorham 8/04/06-3	1	1 G		8/4/06	9:49	401-421-9297	99 Grand St	02906	RI	Providence	401-421-4080	
				1	1 G		Gorham 8/04/06-4	1	1 G		8/4/06	9:51	401-421-9297	99 Grand St	02906	RI	Providence	401-421-4080	
				1	2 G		Gorham 8/04/06-5	1	2 G		8/4/06	10:00	401-421-9297	99 Grand St	02906	RI	Providence	401-421-4080	
				1	1 V		Trip Blank	1	1 V		8/4/06		401-421-9297	99 Grand St	02906	RI	Providence	401-421-4080	

Container Type: P-Poly G-Glass Sterile V-AVOA Matrix: S-Soil SD-Solid D-Sludge W-W-Waste Water W-W-Water Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes F-Filters
 Cooler Present Yes No Internal Use Only
 Seals Intact Yes No NA: [] Pickup [] Technicians _____
 Cooler Temp: 114 DA
 Relinquished by: (Signature) [Signature] Date/Time 8/4/06 10:25
 Relinquished by: (Signature) [Signature] Date/Time 8/4/06 10:25
 Preservation Code: 1- NP, 2- HCl, 3- H₂SO₄, 4- HNO₃, 5- NaOH, 6- MeOH, 7- Asorbic Acid, 8- ZnAct, 9- _____
 Sampled by: D. Anderson LEATON Behalf of H.V. Collins
 Comments: Please email PDF results
 Relinquished by: (Signature) _____ Date/Time _____
 Relinquished by: (Signature) _____ Date/Time _____
 Received by: (Signature) _____ Date/Time _____
 Received by: (Signature) _____ Date/Time _____

*By circling MA-MCP, client acknowledges samples were collected in accordance with MADEP CAM VII A
 Please fax all changes to Chain of Custody in writing.
 1 (White) Lab Copy 2 (Yellow) Client Receipt
 10/26/04 A

Grivers, Peter

From: Joseph Martella [joseph.martella@DEM.RI.GOV]
Sent: Monday, December 04, 2006 1:46 PM
To: Grivers, Peter
Subject: RE: Clean Fill Lab Report for your review

Peter,

The soils associated with your e-mail sent 11/28/06 at 5:32pm regarding the analytical results from ESS Laboratory (ESS Laboratory Work Order Nos. 0611360 and 0611313) for fill material from P. J. Keating, mined at 875 Phoenix Avenue, Cranston, RI, is appropriate for use at the Providence Gorham School Site. The actual signed certificate indicating that the fill material was mined from their Cranston facility and not impacted by any release should be included in the RAWP Closure Report. Thanks,
Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Tuesday, November 28, 2006 5:32 PM
To: Joseph Martella
Subject: Clean Fill Lab Report for your review
Importance: High

Hello Joe:

Attached are 2 lab reports documenting clean fill analytical data in accordance with the RAWP. There is a separate lab report for the beryllium analysis. It is compliant with the residential direct exposure criteria. This clean fill material is from the same source as all the other clean fill already approved for use at the site (P.J. Keating, Cranston, RI). I will have the source facility provide a signed letter indicating that the fill originated from the facility and not from any other outside source. I'll include the letter in the Closure Report.

Please approve as early as possible. Thanks for your prompt attention, and please call if any questions.

PS: I am hoping to also have some lab results for "loam" ready for your review by Thursday or Friday of this week ... they really want to get the loam placed asap, so again, your fast review would be appreciated. Thanks in advance!

Sincerely,

Peter M. Grivers, P.E., LSP
Project Manager
EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC.
2350 Post Road
Warwick, RI 02886

401-736-3440 (office)
401-736-3423 (fax)
401-935-5080 (cell)
pgrivers@eaest.com (email)

ESS Laboratory

Division of Thielsch Engineering, Inc.

GORHAM
↳ EA EWS

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

RECEIVED

NOV 30 2006

H.V. COLLINS COMPANY

Patrick Collins
H.V. Collins
99 Gano Street
Providence, RI 02906

RE: Gorham
ESS Laboratory Work Order Number: 0611313

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: November 22, 2006

Sample Receipt

1 Soil sample was received on November 17, 2006 for the analyses specified on the enclosed Chain of Custody Record.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Metals Analysis

ESS Laboratory utilized the established linear dynamic range to determine acceptable analytical results.

No other observations noted.

End of Project Narrative.

mdp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-04
Date Sampled: 11/17/06 08:45
Percent Solids: 92

ESS Laboratory Work Order: 0611313
ESS Laboratory Sample ID: 0611313-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Beryllium	0.27	mg/kg dry	0.07	6010B	1	SVD	11/17/06	1.5	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611313

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BK61715 - 3050B

Blank

Beryllium	ND	0.07	mg/kg wet							
-----------	----	------	-----------	--	--	--	--	--	--	--

LCS

Beryllium	3.22	0.07	mg/kg wet	3.33		97	80-120			
-----------	------	------	-----------	------	--	----	--------	--	--	--

LCS Dup

Beryllium	3.22	0.07	mg/kg wet	3.33		97	80-120	0	20	
-----------	------	------	-----------	------	--	----	--------	---	----	--

Reference

Beryllium	128	0.10	mg/kg wet	143		90	81.82-118.18			
-----------	-----	------	-----------	-----	--	----	--------------	--	--	--

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611313

Notes and Definitions

U	Analyte included in the analysis, but not detected
ND	Analyte NOT DETECTED above the detection limit
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
MDL	Method Detection Limit
MRL	Method Reporting Limit
mg/kg	Results reported as wet weight
TCLP	Toxicity Characteristic Leachate Procedure
I/V	Initial Volume
F/V	Final Volume
§	Subcontracted analysis; see attached report
TIC	A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
1	Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2	Range result excludes concentrations of target analytes eluting in that range.
3	Range result excludes the concentration of the C9-C10 aromatic range.
Avg	Results reported as a mathematical average.
NR	No Recovery
†	The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611313

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP accredited): 242405
Potable Water
Non Potable Water

New York (NELAP accredited): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP accredited): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

ESS Laboratory

Division of Thielisch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

CHAIN OF CUSTODY

Page 1 of 1

Turn Time: Standard Other: 1 Day Verbal Reporting Limits: 0.4 or less ESS LAB PROJECT ID: 0611313
 If faster than 5 days, prior approval by laboratory is required # Verbal
 State where samples were collected from: MA RI CT NH NJ NY ME Other: Other
 Is this project for any of the following: USACE Other: Other Electronic Deliverable: X Yes ___ No
 MA-MCP Navy Format: Excel ___ Access ___ PDF ___ Other ___

Co. Name H.V. Collins	Project # 6070m	Project Name (20 Char. or less) 6070m	Write Required Analysis																				
Contact Person Patrick Collins / Peter Grivens	Address 99 SAND ST																						
City East Prov.	State RI	Zip 02906	PO # 6070m																				
Telephone # 421-4080/935-5080	Fax # 421-9297	Email Address pggrivens@east.ri.ma																					
ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (20 Char. or less)	Pres Code	Number of Containers	Type of Containers														
	11-17-06	0845				X S G.F. - 11017.06-04	119																
Container Type: P-Poly G-Glass S-Sterile V-VOA		Matrix: S-Soil		SD-Solid		D-Sludge		WW-Waste Water		GW-Ground Water		SW-Surface Water		DW-Drinking Water		O-Oil		W-Wipes		F-Filters			
Cooler Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Internal Use Only																					
Seals Intact	<input type="checkbox"/> Yes <input type="checkbox"/> No	NA Pickup																					
Cooler Temp	<u>NA</u>	<u>OK</u>																					
Relinquished by: (Signature) <u>[Signature]</u>		Date/Time <u>11-17-06 0945</u>		Received by: (Signature) <u>[Signature]</u>		Date/Time <u>11-17-06 0945</u>		Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time	
Relinquished by: (Signature) <u>[Signature]</u>		Date/Time <u>11-17-06 0945</u>		Received by: (Signature) <u>[Signature]</u>		Date/Time <u>11-17-06 0945</u>		Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time	

Container Type: P-Poly G-Glass S-Sterile V-VOA Matrix: S-Soil SD-Solid D-Sludge WW-Waste Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes F-Filters
 Preservation Code: 1- NP, 2- HCl, 3- H2SO4, 4- HNO3, 5- NaOH, 6- MeOH, 7- Asorbic Acid, 8- ZnAct, 9-
 Sampled by: Peter Grivens
 Comments: Please email to pggrivens@east.ri.ma

*By circling MA-MCP, client acknowledges samples were collected in accordance with MADDP CAM VII A Please fax all changes to Chain of Custody in writing. 1 (White) Lab Copy 2 (Yellow) Client Receipt

ESS Laboratory

Division of Thielsch Engineering, Inc.

5044444 11/22/06
→ EA ENG. FILE
RECEIVED

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

DEC 07 2006

H.V. COLLINS COMPANY

Patrick Collins
H.V. Collins
99 Gano Street
Providence, RI 02906

RE: Gorham
ESS Laboratory Work Order Number: 0611360

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: December 01, 2006

Sample Receipt

4 Soil samples and 1 Trip Blank were received on November 21, 2006 for the analyses specified on the enclosed Chain of Custody Record. Client did not deliver samples in cooler.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Metals Analysis

ESS Laboratory utilized the established linear dynamic range to determine acceptable analytical results.

Volatile Organics Analysis

Blank Spike was outside of the recommended range for 1,4-Dioxane - Screen and Dichlorodifluoromethane. These analytes were below the lower control limit.

The Relative Percent Difference for the Blank Spike/Blank Duplicate was outside of the recommended range for 1,4-Dioxane - Screen, Bromomethane and Vinyl Chloride.

No other observations noted.

End of Project Narrative.

mdp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-1
Date Sampled: 11/21/06 11:10
Percent Solids: 95

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	5.6	6010B	1	SVD	11/21/06	1.88	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-2
Date Sampled: 11/21/06 11:15
Percent Solids: 95

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-02
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	6.2	6010B	1	SVD	11/21/06	1.7	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-3
Date Sampled: 11/21/06 11:20
Percent Solids: 93

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-03
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	5.6	6010B	1	SVD	11/21/06	1.92	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-4
Date Sampled: 11/21/06 11:25
Percent Solids: 95

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-04
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Antimony	ND	mg/kg dry	5.2	6010B	1	SVD	11/21/06	2.02	100
Arsenic	ND	mg/kg dry	5.2	6010B	1	SVD	11/21/06	2.02	100
Cadmium	ND	mg/kg dry	0.52	6010B	1	SVD	11/21/06	2.02	100
Chromium	8.0	mg/kg dry	1.0	6010B	1	SVD	11/21/06	2.02	100
Copper	13.0	mg/kg dry	1.0	6010B	1	SVD	11/21/06	2.02	100
Lead	ND	mg/kg dry	5.2	6010B	1	SVD	11/21/06	2.02	100
Mercury	ND	mg/kg dry	0.030	7471A	1	EEM	11/22/06	0.69	40
Nickel	5.0	mg/kg dry	2.6	6010B	1	SVD	11/21/06	2.02	100
Selenium	ND	mg/kg dry	5.2	6010B	1	SVD	11/21/06	2.02	100
Silver	ND	mg/kg dry	0.52	6010B	1	SVD	11/21/06	2.02	100
Thallium	ND	mg/kg dry	1.3	7841	5	SVD	11/28/06	2.02	100
Zinc	31.6	mg/kg dry	2.6	6010B	1	SVD	11/21/06	2.02	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-4
Date Sampled: 11/21/06 11:25
Percent Solids: 95
Initial Volume: 27.3
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-04
Sample Matrix: Soil
Analyst: MD

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg dry	63.1	1	11/21/06
1,1,1-Trichloroethane	ND	ug/Kg dry	31.6	1	11/21/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg dry	31.6	1	11/21/06
1,1,2-Trichloroethane	ND	ug/Kg dry	31.6	1	11/21/06
1,1-Dichloroethane	ND	ug/Kg dry	31.6	1	11/21/06
1,1-Dichloroethene	ND	ug/Kg dry	31.6	1	11/21/06
1,1-Dichloropropene	ND	ug/Kg dry	31.6	1	11/21/06
1,2,3-Trichlorobenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,2,3-Trichloropropane	ND	ug/Kg dry	31.6	1	11/21/06
1,2,4-Trichlorobenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,2,4-Trimethylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg dry	158	1	11/21/06
1,2-Dibromoethane	ND	ug/Kg dry	31.6	1	11/21/06
1,2-Dichlorobenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,2-Dichloroethane	ND	ug/Kg dry	31.6	1	11/21/06
1,2-Dichloropropane	ND	ug/Kg dry	31.6	1	11/21/06
1,3,5-Trimethylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,3-Dichlorobenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,3-Dichloropropane	ND	ug/Kg dry	31.6	1	11/21/06
1,4-Dichlorobenzene	ND	ug/Kg dry	31.6	1	11/21/06
1,4-Dioxane - Screen	ND	ug/Kg dry	3160	1	11/21/06
1-Chlorohexane	ND	ug/Kg dry	31.6	1	11/21/06
2,2-Dichloropropane	ND	ug/Kg dry	63.1	1	11/21/06
2-Butanone	ND	ug/Kg dry	789	1	11/21/06
2-Chlorotoluene	ND	ug/Kg dry	31.6	1	11/21/06
2-Hexanone	ND	ug/Kg dry	316	1	11/21/06
4-Chlorotoluene	ND	ug/Kg dry	31.6	1	11/21/06
4-Isopropyltoluene	ND	ug/Kg dry	31.6	1	11/21/06
4-Methyl-2-Pentanone	ND	ug/Kg dry	316	1	11/21/06
Acetone	ND	ug/Kg dry	789	1	11/21/06
Benzene	ND	ug/Kg dry	31.6	1	11/21/06
Bromobenzene	ND	ug/Kg dry	31.6	1	11/21/06
Bromochloromethane	ND	ug/Kg dry	31.6	1	11/21/06
Bromodichloromethane	ND	ug/Kg dry	31.6	1	11/21/06
Bromoform	ND	ug/Kg dry	31.6	1	11/21/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-4
Date Sampled: 11/21/06 11:25
Percent Solids: 95
Initial Volume: 27.3
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-04
Sample Matrix: Soil
Analyst: MD

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg dry	63.1	1	11/21/06
Carbon Disulfide	ND	ug/Kg dry	31.6	1	11/21/06
Carbon Tetrachloride	ND	ug/Kg dry	31.6	1	11/21/06
Chlorobenzene	ND	ug/Kg dry	31.6	1	11/21/06
Chloroethane	ND	ug/Kg dry	63.1	1	11/21/06
Chloroform	ND	ug/Kg dry	31.6	1	11/21/06
Chloromethane	ND	ug/Kg dry	63.1	1	11/21/06
cis-1,2-Dichloroethene	ND	ug/Kg dry	31.6	1	11/21/06
cis-1,3-Dichloropropene	ND	ug/Kg dry	31.6	1	11/21/06
Dibromochloromethane	ND	ug/Kg dry	31.6	1	11/21/06
Dibromomethane	ND	ug/Kg dry	31.6	1	11/21/06
Dichlorodifluoromethane	ND	ug/Kg dry	31.6	1	11/21/06
Diethyl Ether	ND	ug/Kg dry	31.6	1	11/21/06
Di-isopropyl ether	ND	ug/Kg dry	31.6	1	11/21/06
Ethyl tertiary-butyl ether	ND	ug/Kg dry	31.6	1	11/21/06
Ethylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
Hexachlorobutadiene	ND	ug/Kg dry	31.6	1	11/21/06
Isopropylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
Methyl tert-Butyl Ether	ND	ug/Kg dry	31.6	1	11/21/06
Methylene Chloride	ND	ug/Kg dry	158	1	11/21/06
Naphthalene	ND	ug/Kg dry	31.6	1	11/21/06
n-Butylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
n-Propylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
sec-Butylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
Styrene	ND	ug/Kg dry	31.6	1	11/21/06
tert-Butylbenzene	ND	ug/Kg dry	31.6	1	11/21/06
Tertiary-amyl methyl ether	ND	ug/Kg dry	31.6	1	11/21/06
Tetrachloroethene	ND	ug/Kg dry	31.6	1	11/21/06
Tetrahydrofuran	ND	ug/Kg dry	158	1	11/21/06
Toluene	ND	ug/Kg dry	31.6	1	11/21/06
trans-1,2-Dichloroethene	ND	ug/Kg dry	31.6	1	11/21/06
trans-1,3-Dichloropropene	ND	ug/Kg dry	31.6	1	11/21/06
Trichloroethene	ND	ug/Kg dry	31.6	1	11/21/06
Trichlorofluoromethane	ND	ug/Kg dry	31.6	1	11/21/06
Vinyl Acetate	ND	ug/Kg dry	158	1	11/21/06
Vinyl Chloride	ND	ug/Kg dry	31.6	1	11/21/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-4
Date Sampled: 11/21/06 11:25
Percent Solids: 95
Initial Volume: 27.3
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-04
Sample Matrix: Soil
Analyst: MD

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg dry	31.6	1	11/21/06
Xylene P,M	ND	ug/Kg dry	63.1	1	11/21/06
Xylenes (Total)	ND	ug/Kg dry	94.7		11/21/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	93 %		70-130
Surrogate: 4-Bromofluorobenzene	95 %		70-130
Surrogate: Dibromofluoromethane	103 %		70-130
Surrogate: Toluene-d8	101 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-4
Date Sampled: 11/21/06 11:25
Percent Solids: 95
Initial Volume: 19.9
Final Volume: 1
Extraction Method: 3541

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-04
Sample Matrix: Soil
Analyst: JLS
Prepared: 11/21/06

8100M Total Petroleum Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
Total Petroleum Hydrocarbons	ND	mg/kg dry	39.7	1	11/21/06

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: O-Terphenyl</i>	99 %		40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: GF-11.17.06-4
Date Sampled: 11/21/06 11:25
Percent Solids: 95
Initial Volume: 15.2
Final Volume: 0.5
Extraction Method: 3541

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-04
Sample Matrix: Soil
Analyst: VSC
Prepared: 11/21/06

8270C Polynuclear Aromatic Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
2-Methylnaphthalene	ND	ug/Kg dry	346	1	11/21/06
Acenaphthene	ND	ug/Kg dry	346	1	11/21/06
Acenaphthylene	ND	ug/Kg dry	346	1	11/21/06
Anthracene	ND	ug/Kg dry	346	1	11/21/06
Benzo(a)anthracene	ND	ug/Kg dry	346	1	11/21/06
Benzo(a)pyrene	ND	ug/Kg dry	173	1	11/21/06
Benzo(b)fluoranthene	ND	ug/Kg dry	346	1	11/21/06
Benzo(g,h,i)perylene	ND	ug/Kg dry	346	1	11/21/06
Benzo(k)fluoranthene	ND	ug/Kg dry	346	1	11/21/06
Chrysene	ND	ug/Kg dry	173	1	11/21/06
Dibenzo(a,h)Anthracene	ND	ug/Kg dry	173	1	11/21/06
Fluoranthene	ND	ug/Kg dry	346	1	11/21/06
Fluorene	ND	ug/Kg dry	346	1	11/21/06
Indeno(1,2,3-cd)Pyrene	ND	ug/Kg dry	346	1	11/21/06
Naphthalene	ND	ug/Kg dry	346	1	11/21/06
Phenanthrene	ND	ug/Kg dry	346	1	11/21/06
Pyrene	ND	ug/Kg dry	346	1	11/21/06

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: 1,2-Dichlorobenzene-d4	71 %		30-130
Surrogate: 2-Fluorobiphenyl	74 %		30-130
Surrogate: Nitrobenzene-d5	69 %		30-130
Surrogate: p-Terphenyl-d14	103 %		30-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 11/21/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-05
Sample Matrix: Solid
Analyst: MD

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg	100	1	11/21/06
1,1,1-Trichloroethane	ND	ug/Kg	50.0	1	11/21/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg	50.0	1	11/21/06
1,1,2-Trichloroethane	ND	ug/Kg	50.0	1	11/21/06
1,1-Dichloroethane	ND	ug/Kg	50.0	1	11/21/06
1,1-Dichloroethene	ND	ug/Kg	50.0	1	11/21/06
1,1-Dichloropropene	ND	ug/Kg	50.0	1	11/21/06
1,2,3-Trichlorobenzene	ND	ug/Kg	50.0	1	11/21/06
1,2,3-Trichloropropane	ND	ug/Kg	50.0	1	11/21/06
1,2,4-Trichlorobenzene	ND	ug/Kg	50.0	1	11/21/06
1,2,4-Trimethylbenzene	ND	ug/Kg	50.0	1	11/21/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	250	1	11/21/06
1,2-Dibromoethane	ND	ug/Kg	50.0	1	11/21/06
1,2-Dichlorobenzene	ND	ug/Kg	50.0	1	11/21/06
1,2-Dichloroethane	ND	ug/Kg	50.0	1	11/21/06
1,2-Dichloropropane	ND	ug/Kg	50.0	1	11/21/06
1,3,5-Trimethylbenzene	ND	ug/Kg	50.0	1	11/21/06
1,3-Dichlorobenzene	ND	ug/Kg	50.0	1	11/21/06
1,3-Dichloropropane	ND	ug/Kg	50.0	1	11/21/06
1,4-Dichlorobenzene	ND	ug/Kg	50.0	1	11/21/06
1,4-Dioxane - Screen	ND	ug/Kg	5000	1	11/21/06
1-Chlorohexane	ND	ug/Kg	50.0	1	11/21/06
2,2-Dichloropropane	ND	ug/Kg	100	1	11/21/06
2-Butanone	ND	ug/Kg	1250	1	11/21/06
2-Chlorotoluene	ND	ug/Kg	50.0	1	11/21/06
2-Hexanone	ND	ug/Kg	500	1	11/21/06
4-Chlorotoluene	ND	ug/Kg	50.0	1	11/21/06
4-Isopropyltoluene	ND	ug/Kg	50.0	1	11/21/06
4-Methyl-2-Pentanone	ND	ug/Kg	500	1	11/21/06
Acetone	ND	ug/Kg	1250	1	11/21/06
Benzene	ND	ug/Kg	50.0	1	11/21/06
Bromobenzene	ND	ug/Kg	50.0	1	11/21/06
Bromochloromethane	ND	ug/Kg	50.0	1	11/21/06
Bromodichloromethane	ND	ug/Kg	50.0	1	11/21/06
Bromoform	ND	ug/Kg	50.0	1	11/21/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 11/21/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-05
Sample Matrix: Solid
Analyst: MD

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg	100	1	11/21/06
Carbon Disulfide	ND	ug/Kg	50.0	1	11/21/06
Carbon Tetrachloride	ND	ug/Kg	50.0	1	11/21/06
Chlorobenzene	ND	ug/Kg	50.0	1	11/21/06
Chloroethane	ND	ug/Kg	100	1	11/21/06
Chloroform	ND	ug/Kg	50.0	1	11/21/06
Chloromethane	ND	ug/Kg	100	1	11/21/06
cis-1,2-Dichloroethene	ND	ug/Kg	50.0	1	11/21/06
cis-1,3-Dichloropropene	ND	ug/Kg	50.0	1	11/21/06
Dibromochloromethane	ND	ug/Kg	50.0	1	11/21/06
Dibromomethane	ND	ug/Kg	50.0	1	11/21/06
Dichlorodifluoromethane	ND	ug/Kg	50.0	1	11/21/06
Diethyl Ether	ND	ug/Kg	50.0	1	11/21/06
Di-isopropyl ether	ND	ug/Kg	50.0	1	11/21/06
Ethyl tertiary-butyl ether	ND	ug/Kg	50.0	1	11/21/06
Ethylbenzene	ND	ug/Kg	50.0	1	11/21/06
Hexachlorobutadiene	ND	ug/Kg	50.0	1	11/21/06
Isopropylbenzene	ND	ug/Kg	50.0	1	11/21/06
Methyl tert-Butyl Ether	ND	ug/Kg	50.0	1	11/21/06
Methylene Chloride	ND	ug/Kg	250	1	11/21/06
Naphthalene	ND	ug/Kg	50.0	1	11/21/06
n-Butylbenzene	ND	ug/Kg	50.0	1	11/21/06
n-Propylbenzene	ND	ug/Kg	50.0	1	11/21/06
sec-Butylbenzene	ND	ug/Kg	50.0	1	11/21/06
Styrene	ND	ug/Kg	50.0	1	11/21/06
tert-Butylbenzene	ND	ug/Kg	50.0	1	11/21/06
Tertiary-amyl methyl ether	ND	ug/Kg	50.0	1	11/21/06
Tetrachloroethene	ND	ug/Kg	50.0	1	11/21/06
Tetrahydrofuran	ND	ug/Kg	250	1	11/21/06
Toluene	ND	ug/Kg	50.0	1	11/21/06
trans-1,2-Dichloroethene	ND	ug/Kg	50.0	1	11/21/06
trans-1,3-Dichloropropene	ND	ug/Kg	50.0	1	11/21/06
Trichloroethene	ND	ug/Kg	50.0	1	11/21/06
Trichlorofluoromethane	ND	ug/Kg	50.0	1	11/21/06
Vinyl Acetate	ND	ug/Kg	250	1	11/21/06
Vinyl Chloride	ND	ug/Kg	50.0	1	11/21/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 11/21/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0611360
ESS Laboratory Sample ID: 0611360-05
Sample Matrix: Solid
Analyst: MD

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg	50.0	1	11/21/06
Xylene P,M	ND	ug/Kg	100	1	11/21/06
Xylenes (Total)	ND	ug/Kg	300		11/21/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	87 %		70-130
Surrogate: 4-Bromofluorobenzene	89 %		70-130
Surrogate: Dibromofluoromethane	92 %		70-130
Surrogate: Toluene-d8	96 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BK62122 - 3050B

Blank

Antimony	ND	6.7	mg/kg wet							
Arsenic	ND	6.7	mg/kg wet							
Cadmium	ND	0.67	mg/kg wet							
Chromium	ND	1.3	mg/kg wet							
Copper	ND	1.3	mg/kg wet							
Lead	ND	6.7	mg/kg wet							
Nickel	ND	3.3	mg/kg wet							
Selenium	ND	6.7	mg/kg wet							
Silver	ND	0.67	mg/kg wet							
Thallium	ND	0.3	mg/kg wet							
Zinc	ND	3.3	mg/kg wet							

LCS

Antimony	29.3	6.7	mg/kg wet	33.3		88	80-120			
Arsenic	29.6	6.7	mg/kg wet	33.3		89	80-120			
Cadmium	15.3	0.67	mg/kg wet	16.7		92	80-120			
Chromium	32.1	1.3	mg/kg wet	33.3		96	80-120			
Copper	31.9	1.3	mg/kg wet	33.3		96	80-120			
Lead	31.9	6.7	mg/kg wet	33.3		96	80-120			
Nickel	31.5	3.3	mg/kg wet	33.3		95	80-120			
Selenium	60.9	6.7	mg/kg wet	66.7		91	80-120			
Silver	15.5	0.67	mg/kg wet	16.7		93	80-120			
Thallium	34.9	6.7	mg/kg wet	33.3		105	80-120			
Zinc	30.8	3.3	mg/kg wet	33.3		92	80-120			

LCS Dup

Antimony	29.6	6.7	mg/kg wet	33.3		89	80-120	1	20	
Arsenic	30.4	6.7	mg/kg wet	33.3		91	80-120	3	20	
Cadmium	15.5	0.67	mg/kg wet	16.7		93	80-120	1	20	
Chromium	32.5	1.3	mg/kg wet	33.3		98	80-120	1	20	
Copper	32.1	1.3	mg/kg wet	33.3		96	80-120	0.6	20	
Lead	32.2	6.7	mg/kg wet	33.3		97	80-120	0.9	20	
Nickel	31.8	3.3	mg/kg wet	33.3		95	80-120	0.9	20	
Selenium	61.2	6.7	mg/kg wet	66.7		92	80-120	0.5	20	
Silver	15.7	0.67	mg/kg wet	16.7		94	80-120	1	20	
Thallium	34.4	6.7	mg/kg wet	33.3		103	80-120	2	20	
Zinc	31.1	3.3	mg/kg wet	33.3		93	80-120	1	20	

Duplicate Source: 0611360-01

Arsenic	ND	5.5	mg/kg dry		ND					35
---------	----	-----	-----------	--	----	--	--	--	--	----

Matrix Spike Source: 0611360-01

Arsenic	22.1	5.8	mg/kg dry	29.1	ND	76	75-125			
---------	------	-----	-----------	------	----	----	--------	--	--	--

Reference

Antimony	72.7	10.0	mg/kg wet	77.5		94	0-223.23			
Arsenic	69.8	10.0	mg/kg wet	80.9		86	79.73-120.27			
Cadmium	191	1.00	mg/kg wet	233		82	80.69-118.88			
Chromium	52.5	2.0	mg/kg wet	60.8		86	78.45-121.38			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										
Batch BK62122 - 3050B										
Copper	118	2.0	mg/kg wet	131		90	52.44-117.56			
Lead	70.7	10.0	mg/kg wet	76.8		92	80.6-119.53			
Nickel	43.7	5.0	mg/kg wet	49.6		88	81.45-118.55			
Selenium	77.4	10.0	mg/kg wet	82.9		93	75.51-124.25			
Silver	73.8	1.00	mg/kg wet	80.0		92	61.25-138.75			
Thallium	173	25.0	mg/kg wet	158		109	75.32-124.68			
Zinc	98.1	5.0	mg/kg wet	116		85	78.02-121.55			
Batch BK62123 - 7471A										
Blank										
Mercury	ND	0.033	mg/kg wet							
LCS										
Mercury	0.210	0.033	mg/kg wet	0.200		105	80-120			
LCS Dup										
Mercury	0.209	0.033	mg/kg wet	0.200		104	80-120	0.5	20	
Duplicate Source: 0611360-04										
Mercury	ND	0.031	mg/kg dry		ND				35	
Matrix Spike Source: 0611360-04										
Mercury	0.204	0.033	mg/kg dry	0.201	ND	101	75-125			
Matrix Spike Dup Source: 0611360-04										
Mercury	0.194	0.030	mg/kg dry	0.180	ND	108	75-125	5	35	
Reference										
Mercury	3.54	0.298	mg/kg wet	3.60		98	68.06-131.94			

5035/8260B Volatile Organic Compounds / Methanol

Batch BK62130 - 5035										
Blank										
1,1,1,2-Tetrachloroethane	ND	100	ug/Kg wet							
1,1,1-Trichloroethane	ND	50.0	ug/Kg wet							
1,1,2,2-Tetrachloroethane	ND	50.0	ug/Kg wet							
1,1,2-Trichloroethane	ND	50.0	ug/Kg wet							
1,1-Dichloroethane	ND	50.0	ug/Kg wet							
1,1-Dichloroethene	ND	50.0	ug/Kg wet							
1,1-Dichloropropene	ND	50.0	ug/Kg wet							
1,2,3-Trichlorobenzene	ND	50.0	ug/Kg wet							
1,2,3-Trichloropropane	ND	50.0	ug/Kg wet							
1,2,4-Trichlorobenzene	ND	50.0	ug/Kg wet							
1,2,4-Trimethylbenzene	ND	50.0	ug/Kg wet							
1,2-Dibromo-3-Chloropropane	ND	250	ug/Kg wet							
1,2-Dibromoethane	ND	50.0	ug/Kg wet							
1,2-Dichlorobenzene	ND	50.0	ug/Kg wet							
1,2-Dichloroethane	ND	50.0	ug/Kg wet							
1,2-Dichloropropane	ND	50.0	ug/Kg wet							
1,3,5-Trimethylbenzene	ND	50.0	ug/Kg wet							
1,3-Dichlorobenzene	ND	50.0	ug/Kg wet							
1,3-Dichloropropane	ND	50.0	ug/Kg wet							

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BK62130 - 5035

1,4-Dichlorobenzene	ND	50.0	ug/Kg wet							
1,4-Dioxane - Screen	ND	5000	ug/Kg wet							
1-Chlorohexane	ND	50.0	ug/Kg wet							
2,2-Dichloropropane	ND	100	ug/Kg wet							
2-Butanone	ND	1250	ug/Kg wet							
2-Chlorotoluene	ND	50.0	ug/Kg wet							
2-Hexanone	ND	500	ug/Kg wet							
4-Chlorotoluene	ND	50.0	ug/Kg wet							
4-Isopropyltoluene	ND	50.0	ug/Kg wet							
4-Methyl-2-Pentanone	ND	500	ug/Kg wet							
Acetone	ND	1250	ug/Kg wet							
Benzene	ND	50.0	ug/Kg wet							
Bromobenzene	ND	50.0	ug/Kg wet							
Bromochloromethane	ND	50.0	ug/Kg wet							
Bromodichloromethane	ND	50.0	ug/Kg wet							
Bromoform	ND	50.0	ug/Kg wet							
Bromomethane	ND	100	ug/Kg wet							
Carbon Disulfide	ND	50.0	ug/Kg wet							
Carbon Tetrachloride	ND	50.0	ug/Kg wet							
Chlorobenzene	ND	50.0	ug/Kg wet							
Chloroethane	ND	100	ug/Kg wet							
Chloroform	ND	50.0	ug/Kg wet							
Chloromethane	ND	100	ug/Kg wet							
cis-1,2-Dichloroethene	ND	50.0	ug/Kg wet							
cis-1,3-Dichloropropene	ND	50.0	ug/Kg wet							
Dibromochloromethane	ND	50.0	ug/Kg wet							
Dibromomethane	ND	50.0	ug/Kg wet							
Dichlorodifluoromethane	ND	50.0	ug/Kg wet							
Diethyl Ether	ND	50.0	ug/Kg wet							
Di-isopropyl ether	ND	50.0	ug/Kg wet							
Ethyl tertiary-butyl ether	ND	50.0	ug/Kg wet							
Ethylbenzene	ND	50.0	ug/Kg wet							
Hexachlorobutadiene	ND	50.0	ug/Kg wet							
Isopropylbenzene	ND	50.0	ug/Kg wet							
Methyl tert-Butyl Ether	ND	50.0	ug/Kg wet							
Methylene Chloride	ND	250	ug/Kg wet							
Naphthalene	ND	50.0	ug/Kg wet							
n-Butylbenzene	ND	50.0	ug/Kg wet							
n-Propylbenzene	ND	50.0	ug/Kg wet							
sec-Butylbenzene	ND	50.0	ug/Kg wet							
Styrene	ND	50.0	ug/Kg wet							
tert-Butylbenzene	ND	50.0	ug/Kg wet							
Tertiary-amyl methyl ether	ND	50.0	ug/Kg wet							
Tetrachloroethene	ND	50.0	ug/Kg wet							
Tetrahydrofuran	ND	250	ug/Kg wet							
Toluene	ND	50.0	ug/Kg wet							
trans-1,2-Dichloroethene	ND	50.0	ug/Kg wet							

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BK62130 - 5035										
trans-1,3-Dichloropropene	ND	50.0	ug/Kg wet							
Trichloroethene	ND	50.0	ug/Kg wet							
Trichlorofluoromethane	ND	50.0	ug/Kg wet							
Vinyl Acetate	ND	250	ug/Kg wet							
Vinyl Chloride	ND	50.0	ug/Kg wet							
Xylene O	ND	50.0	ug/Kg wet							
Xylene P,M	ND	100	ug/Kg wet							
Surrogate: 1,2-Dichloroethane-d4	2370		ug/Kg wet	2500		95	70-130			
Surrogate: 4-Bromofluorobenzene	2350		ug/Kg wet	2500		94	70-130			
Surrogate: Dibromofluoromethane	2600		ug/Kg wet	2500		104	70-130			
Surrogate: Toluene-d8	2460		ug/Kg wet	2500		98	70-130			
LCS										
1,1,1,2-Tetrachloroethane	24.7		ug/L	25.0		99	70-130			
1,1,1-Trichloroethane	23.2		ug/L	25.0		93	70-130			
1,1,2,2-Tetrachloroethane	24.0		ug/L	25.0		96	70-130			
1,1,2-Trichloroethane	24.9		ug/L	25.0		100	70-130			
1,1-Dichloroethane	24.0		ug/L	25.0		96	70-130			
1,1-Dichloroethene	25.3		ug/L	25.0		101	70-130			
1,1-Dichloropropene	23.1		ug/L	25.0		92	70-130			
1,2,3-Trichlorobenzene	26.2		ug/L	25.0		105	70-130			
1,2,3-Trichloropropane	25.4		ug/L	25.0		102	70-130			
1,2,4-Trichlorobenzene	25.2		ug/L	25.0		101	70-130			
1,2,4-Trimethylbenzene	25.6		ug/L	25.0		102	70-130			
1,2-Dibromo-3-Chloropropane	24.2		ug/L	25.0		97	70-130			
1,2-Dibromoethane	24.3		ug/L	25.0		97	70-130			
1,2-Dichlorobenzene	24.6		ug/L	25.0		98	70-130			
1,2-Dichloroethane	24.6		ug/L	25.0		98	70-130			
1,2-Dichloropropane	24.5		ug/L	25.0		98	70-130			
1,3,5-Trimethylbenzene	25.5		ug/L	25.0		102	70-130			
1,3-Dichlorobenzene	24.1		ug/L	25.0		96	70-130			
1,3-Dichloropropane	25.4		ug/L	25.0		102	70-130			
1,4-Dichlorobenzene	24.4		ug/L	25.0		98	70-130			
1,4-Dioxane - Screen	272		ug/L	500		54	70-130			+
1-Chlorohexane	24.0		ug/L	25.0		96	70-130			
2,2-Dichloropropane	22.9		ug/L	25.0		92	70-130			
2-Butanone	115		ug/L	125		92	70-130			
2-Chlorotoluene	25.9		ug/L	25.0		104	70-130			
2-Hexanone	112		ug/L	125		90	70-130			
4-Chlorotoluene	25.0		ug/L	25.0		100	70-130			
4-Isopropyltoluene	24.3		ug/L	25.0		97	70-130			
4-Methyl-2-Pentanone	123		ug/L	125		98	70-130			
Acetone	99.0		ug/L	125		79	70-130			
Benzene	27.4		ug/L	25.0		110	70-130			
Bromobenzene	26.2		ug/L	25.0		105	70-130			
Bromochloromethane	24.2		ug/L	25.0		97	70-130			
Bromodichloromethane	25.4		ug/L	25.0		102	70-130			
Bromoform	22.6		ug/L	25.0		90	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BK62130 - 5035										
Bromomethane	21.5		ug/L	25.0		86	70-130			
Carbon Disulfide	23.7		ug/L	25.0		95	70-130			
Carbon Tetrachloride	23.5		ug/L	25.0		94	70-130			
Chlorobenzene	25.0		ug/L	25.0		100	70-130			
Chloroethane	22.4		ug/L	25.0		90	70-130			
Chloroform	24.3		ug/L	25.0		97	70-130			
Chloromethane	19.7		ug/L	25.0		79	70-130			
cis-1,2-Dichloroethene	26.2		ug/L	25.0		105	70-130			
cis-1,3-Dichloropropene	24.2		ug/L	25.0		97	70-130			
Dibromochloromethane	24.4		ug/L	25.0		98	70-130			
Dibromomethane	25.2		ug/L	25.0		101	70-130			
Dichlorodifluoromethane	16.0		ug/L	25.0		64	70-130			+
Diethyl Ether	24.3		ug/L	25.0		97	70-130			
Di-isopropyl ether	24.1		ug/L	25.0		96	70-130			
Ethyl tertiary-butyl ether	23.3		ug/L	25.0		93	70-130			
Ethylbenzene	26.2		ug/L	25.0		105	70-130			
Hexachlorobutadiene	25.6		ug/L	25.0		102	70-130			
Isopropylbenzene	23.6		ug/L	25.0		94	70-130			
Methyl tert-Butyl Ether	22.4		ug/L	25.0		90	70-130			
Methylene Chloride	23.4		ug/L	25.0		94	70-130			
Naphthalene	25.4		ug/L	25.0		102	70-130			
n-Butylbenzene	25.6		ug/L	25.0		102	70-130			
n-Propylbenzene	25.4		ug/L	25.0		102	70-130			
sec-Butylbenzene	25.7		ug/L	25.0		103	70-130			
Styrene	26.0		ug/L	25.0		104	70-130			
tert-Butylbenzene	24.8		ug/L	25.0		99	70-130			
Tertiary-amyl methyl ether	27.2		ug/L	25.0		109	70-130			
Tetrachloroethene	24.1		ug/L	25.0		96	70-130			
Tetrahydrofuran	21.8		ug/L	25.0		87	70-130			
Toluene	25.4		ug/L	25.0		102	70-130			
trans-1,2-Dichloroethene	24.9		ug/L	25.0		100	70-130			
trans-1,3-Dichloropropene	22.0		ug/L	25.0		88	70-130			
Trichloroethene	24.0		ug/L	25.0		96	70-130			
Trichlorofluoromethane	21.2		ug/L	25.0		85	70-130			
Vinyl Acetate	24.2		ug/L	25.0		97	70-130			
Vinyl Chloride	20.9		ug/L	25.0		84	70-130			
Xylene O	26.4		ug/L	25.0		106	70-130			
Xylene P,M	51.7		ug/L	50.0		103	70-130			
Surrogate: 1,2-Dichloroethane-d4	2460		ug/Kg wet	2500		98	70-130			
Surrogate: 4-Bromofluorobenzene	2460		ug/Kg wet	2500		98	70-130			
Surrogate: Dibromofluoromethane	2440		ug/Kg wet	2500		98	70-130			
Surrogate: Toluene-d8	2540		ug/Kg wet	2500		102	70-130			

LCS Dup

1,1,1,2-Tetrachloroethane	27.9		ug/L	25.0		112	70-130	12	20	
1,1,1-Trichloroethane	26.4		ug/L	25.0		106	70-130	13	20	
1,1,1,2,2-Tetrachloroethane	28.4		ug/L	25.0		114	70-130	17	20	
1,1,2-Trichloroethane	27.8		ug/L	25.0		111	70-130	10	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BK62130 - 5035										
1,1-Dichloroethane	28.2		ug/L	25.0		113	70-130	16	20	
1,1-Dichloroethene	29.9		ug/L	25.0		120	70-130	17	20	
1,1-Dichloropropene	27.1		ug/L	25.0		108	70-130	16	20	
1,2,3-Trichlorobenzene	31.3		ug/L	25.0		125	70-130	17	20	
1,2,3-Trichloropropane	28.9		ug/L	25.0		116	70-130	13	20	
1,2,4-Trichlorobenzene	30.0		ug/L	25.0		120	70-130	17	20	
1,2,4-Trimethylbenzene	29.7		ug/L	25.0		119	70-130	15	20	
1,2-Dibromo-3-Chloropropane	28.3		ug/L	25.0		113	70-130	15	20	
1,2-Dibromoethane	28.1		ug/L	25.0		112	70-130	14	20	
1,2-Dichlorobenzene	28.3		ug/L	25.0		113	70-130	14	20	
1,2-Dichloroethane	28.1		ug/L	25.0		112	70-130	13	20	
1,2-Dichloropropane	28.2		ug/L	25.0		113	70-130	14	20	
1,3,5-Trimethylbenzene	29.9		ug/L	25.0		120	70-130	16	20	
1,3-Dichlorobenzene	27.8		ug/L	25.0		111	70-130	14	20	
1,3-Dichloropropane	29.5		ug/L	25.0		118	70-130	15	20	
1,4-Dichlorobenzene	27.9		ug/L	25.0		112	70-130	13	20	
1,4-Dioxane - Screen	538		ug/L	500		108	70-130	67	20	+
1-Chlorohexane	27.7		ug/L	25.0		111	70-130	14	20	
2,2-Dichloropropane	25.9		ug/L	25.0		104	70-130	12	20	
2-Butanone	138		ug/L	125		110	70-130	18	20	
2-Chlorotoluene	30.5		ug/L	25.0		122	70-130	16	20	
2-Hexanone	128		ug/L	125		102	70-130	12	20	
4-Chlorotoluene	29.3		ug/L	25.0		117	70-130	16	20	
4-Isopropyltoluene	28.4		ug/L	25.0		114	70-130	16	20	
4-Methyl-2-Pentanone	142		ug/L	125		114	70-130	15	20	
Acetone	117		ug/L	125		94	70-130	17	20	
Benzene	30.3		ug/L	25.0		121	70-130	10	20	
Bromobenzene	30.5		ug/L	25.0		122	70-130	15	20	
Bromochloromethane	27.9		ug/L	25.0		112	70-130	14	20	
Bromodichloromethane	29.1		ug/L	25.0		116	70-130	13	20	
Bromoform	25.3		ug/L	25.0		101	70-130	12	20	
Bromomethane	26.5		ug/L	25.0		106	70-130	21	20	+
Carbon Disulfide	28.3		ug/L	25.0		113	70-130	17	20	
Carbon Tetrachloride	26.4		ug/L	25.0		106	70-130	12	20	
Chlorobenzene	28.8		ug/L	25.0		115	70-130	14	20	
Chloroethane	26.8		ug/L	25.0		107	70-130	17	20	
Chloroform	27.9		ug/L	25.0		112	70-130	14	20	
Chloromethane	24.0		ug/L	25.0		96	70-130	19	20	
cis-1,2-Dichloroethene	30.6		ug/L	25.0		122	70-130	15	20	
cis-1,3-Dichloropropene	27.6		ug/L	25.0		110	70-130	13	20	
Dibromochloromethane	27.7		ug/L	25.0		111	70-130	12	20	
Dibromomethane	28.7		ug/L	25.0		115	70-130	13	20	
Dichlorodifluoromethane	18.7		ug/L	25.0		75	70-130	16	20	
Diethyl Ether	28.6		ug/L	25.0		114	70-130	16	20	
Di-Isopropyl ether	27.8		ug/L	25.0		111	70-130	14	20	
Ethyl tertiary-butyl ether	27.0		ug/L	25.0		108	70-130	15	20	
Ethylbenzene	29.7		ug/L	25.0		119	70-130	12	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BK62130 - 5035

Hexachlorobutadiene	29.2		ug/L	25.0		117	70-130	14	20	
Isopropylbenzene	27.4		ug/L	25.0		110	70-130	16	20	
Methyl tert-Butyl Ether	26.4		ug/L	25.0		106	70-130	16	20	
Methylene Chloride	28.1		ug/L	25.0		112	70-130	17	20	
Naphthalene	29.7		ug/L	25.0		119	70-130	15	20	
n-Butylbenzene	29.6		ug/L	25.0		118	70-130	15	20	
n-Propylbenzene	29.7		ug/L	25.0		119	70-130	15	20	
sec-Butylbenzene	29.6		ug/L	25.0		118	70-130	14	20	
Styrene	30.1		ug/L	25.0		120	70-130	14	20	
tert-Butylbenzene	28.8		ug/L	25.0		115	70-130	15	20	
Tertiary-amyl methyl ether	29.4		ug/L	25.0		118	70-130	8	20	
Tetrachloroethene	27.4		ug/L	25.0		110	70-130	14	20	
Tetrahydrofuran	22.0		ug/L	25.0		88	70-130	1	20	
Toluene	29.4		ug/L	25.0		118	70-130	15	20	
trans-1,2-Dichloroethene	29.7		ug/L	25.0		119	70-130	17	20	
trans-1,3-Dichloropropene	25.3		ug/L	25.0		101	70-130	14	20	
Trichloroethene	27.6		ug/L	25.0		110	70-130	14	20	
Trichlorofluoromethane	24.3		ug/L	25.0		97	70-130	13	20	
Vinyl Acetate	28.3		ug/L	25.0		113	70-130	15	20	
Vinyl Chloride	26.2		ug/L	25.0		105	70-130	22	20	+
Xylene O	29.8		ug/L	25.0		119	70-130	12	20	
Xylene P,M	59.0		ug/L	50.0		118	70-130	14	20	
Surrogate: 1,2-Dichloroethane-d4	2730		ug/Kg wet	2500		109	70-130			
Surrogate: 4-Bromofluorobenzene	2790		ug/Kg wet	2500		112	70-130			
Surrogate: Dibromofluoromethane	2800		ug/Kg wet	2500		112	70-130			
Surrogate: Toluene-d8	2900		ug/Kg wet	2500		116	70-130			

8100M Total Petroleum Hydrocarbons

Batch BK62103 - 3541

Blank										
Total Petroleum Hydrocarbons	ND	37.5	mg/kg wet							
Surrogate: O-Terphenyl	4.46		mg/kg wet	5.00		89	40-140			
LCS										
Total Petroleum Hydrocarbons	678	37.5	mg/kg wet	1000		68	40-140			
Surrogate: O-Terphenyl	4.21		mg/kg wet	5.00		84	40-140			
LCS Dup										
Total Petroleum Hydrocarbons	718	37.5	mg/kg wet	1000		72	40-140	6	50	
Surrogate: O-Terphenyl	4.43		mg/kg wet	5.00		89	40-140			

8270C Polynuclear Aromatic Hydrocarbons

Batch BK62117 - 3541

Blank										
2-Methylnaphthalene	ND	250	ug/Kg wet							
Acenaphthene	ND	250	ug/Kg wet							

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8270C Polynuclear Aromatic Hydrocarbons

Batch BK62117 - 3541

Acenaphthylene	ND	250	ug/Kg wet							
Anthracene	ND	250	ug/Kg wet							
Benzo(a)anthracene	ND	250	ug/Kg wet							
Benzo(a)pyrene	ND	125	ug/Kg wet							
Benzo(b)fluoranthene	ND	250	ug/Kg wet							
Benzo(g,h,i)perylene	ND	250	ug/Kg wet							
Benzo(k)fluoranthene	ND	250	ug/Kg wet							
Chrysene	ND	125	ug/Kg wet							
Dibenzo(a,h)Anthracene	ND	125	ug/Kg wet							
Fluoranthene	ND	250	ug/Kg wet							
Fluorene	ND	250	ug/Kg wet							
Indeno(1,2,3-cd)Pyrene	ND	250	ug/Kg wet							
Naphthalene	ND	250	ug/Kg wet							
Phenanthrene	ND	250	ug/Kg wet							
Pyrene	ND	250	ug/Kg wet							
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>	<i>1510</i>		ug/Kg wet	<i>2500</i>		<i>60</i>	<i>30-130</i>			
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1650</i>		ug/Kg wet	<i>2500</i>		<i>66</i>	<i>30-130</i>			
<i>Surrogate: Nitrobenzene-d5</i>	<i>1590</i>		ug/Kg wet	<i>2500</i>		<i>64</i>	<i>30-130</i>			
<i>Surrogate: p-Terphenyl-d14</i>	<i>2110</i>		ug/Kg wet	<i>2500</i>		<i>84</i>	<i>30-130</i>			

LCS

2-Methylnaphthalene	1910	250	ug/Kg wet	2500		76	40-140			
Acenaphthene	1940	250	ug/Kg wet	2500		78	40-140			
Acenaphthylene	1970	250	ug/Kg wet	2500		79	40-140			
Anthracene	2010	250	ug/Kg wet	2500		80	40-140			
Benzo(a)anthracene	2350	250	ug/Kg wet	2500		94	40-140			
Benzo(a)pyrene	1840	125	ug/Kg wet	2500		74	40-140			
Benzo(b)fluoranthene	1690	250	ug/Kg wet	2500		68	40-140			
Benzo(g,h,i)perylene	2260	250	ug/Kg wet	2500		90	40-140			
Benzo(k)fluoranthene	1600	250	ug/Kg wet	2500		64	40-140			
Chrysene	2420	125	ug/Kg wet	2500		97	40-140			
Dibenzo(a,h)Anthracene	2050	125	ug/Kg wet	2500		82	40-140			
Fluoranthene	2130	250	ug/Kg wet	2500		85	40-140			
Fluorene	1970	250	ug/Kg wet	2500		79	40-140			
Indeno(1,2,3-cd)Pyrene	2100	250	ug/Kg wet	2500		84	40-140			
Naphthalene	1780	250	ug/Kg wet	2500		71	40-140			
Phenanthrene	1940	250	ug/Kg wet	2500		78	40-140			
Pyrene	2380	250	ug/Kg wet	2500		95	40-140			
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>	<i>1830</i>		ug/Kg wet	<i>2500</i>		<i>73</i>	<i>30-130</i>			
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1920</i>		ug/Kg wet	<i>2500</i>		<i>77</i>	<i>30-130</i>			
<i>Surrogate: Nitrobenzene-d5</i>	<i>1820</i>		ug/Kg wet	<i>2500</i>		<i>73</i>	<i>30-130</i>			
<i>Surrogate: p-Terphenyl-d14</i>	<i>2260</i>		ug/Kg wet	<i>2500</i>		<i>90</i>	<i>30-130</i>			

LCS Dup

2-Methylnaphthalene	1990	250	ug/Kg wet	2500		80	40-140	5	30	
Acenaphthene	2000	250	ug/Kg wet	2500		80	40-140	3	30	
Acenaphthylene	2080	250	ug/Kg wet	2500		83	40-140	5	30	
Anthracene	2090	250	ug/Kg wet	2500		84	40-140	5	30	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8270C Polynuclear Aromatic Hydrocarbons										
Batch BK62117 - 3541										
Benzo(a)anthracene	2320	250	ug/Kg wet	2500		93	40-140	1	30	
Benzo(a)pyrene	1780	125	ug/Kg wet	2500		71	40-140	4	30	
Benzo(b)fluoranthene	1690	250	ug/Kg wet	2500		68	40-140	0	30	
Benzo(g,h,i)perylene	2160	250	ug/Kg wet	2500		86	40-140	5	30	
Benzo(k)fluoranthene	1590	250	ug/Kg wet	2500		64	40-140	0	30	
Chrysene	2440	125	ug/Kg wet	2500		98	40-140	1	30	
Dibenzo(a,h)Anthracene	1940	125	ug/Kg wet	2500		78	40-140	5	30	
Fluoranthene	2110	250	ug/Kg wet	2500		84	40-140	1	30	
Fluorene	1970	250	ug/Kg wet	2500		79	40-140	0	30	
Indeno(1,2,3-cd)Pyrene	2070	250	ug/Kg wet	2500		83	40-140	1	30	
Naphthalene	1850	250	ug/Kg wet	2500		74	40-140	4	30	
Phenanthrene	2010	250	ug/Kg wet	2500		80	40-140	3	30	
Pyrene	2380	250	ug/Kg wet	2500		95	40-140	0	30	
Surrogate: 1,2-Dichlorobenzene-d4	2090		ug/Kg wet	2500		84	30-130			
Surrogate: 2-Fluorobiphenyl	1980		ug/Kg wet	2500		79	30-130			
Surrogate: Nitrobenzene-d5	1990		ug/Kg wet	2500		80	30-130			
Surrogate: p-Terphenyl-d14	2370		ug/Kg wet	2500		95	30-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

Notes and Definitions

- U Analyte included in the analysis, but not detected
D Diluted.
+ Outside QC Limits.
ND Analyte NOT DETECTED above the detection limit
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
MDL Method Detection Limit
MRL Method Reporting Limit
mg/kg Results reported as wet weight
TCLP Toxicity Characteristic Leachate Procedure
I/V Initial Volume
F/V Final Volume
§ Subcontracted analysis; see attached report
TIC A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2 Range result excludes concentrations of target analytes eluting in that range.
3 Range result excludes the concentration of the C9-C10 aromatic range.
Avg Results reported as a mathematical average.
NR No Recovery
¶ The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Gorham

ESS Laboratory Work Order: 0611360

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP accredited): 242405
Potable Water
Non Potable Water

New York (NELAP accredited): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP accredited): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

ESS Laboratory

Division of Thielisch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

CHAIN OF CUSTODY

Page 1 of 1

Turn Time: Standard 3 day Over Other
 If faster than 5 days, prior approval by laboratory is required # 3 day
 State where samples were collected from:
 MA RI CT NH NJ NY ME Other MA
 Is this project for any of the following: USACE Other Navy
 MA-MCP NAVY

Reporting Limits: RESIDENTIAL
 Electronic Deliverable: X Yes No
 Format: Excel Access PDF Other
 Project ID: 0611360

Co. Name <u>H.V. Collins</u>		Project #		Project Name (20 Char. or less) <u>Gardam-Parcell B</u>						
Contact Person <u>David Collins / Dale Carries</u>		Address <u>99 Cano St</u>		PO # <u>To be provided by H.V. Collins</u>						
City <u>Providence</u>		State <u>RI</u>		Zip <u>02909</u>						
Telephone # <u>401-736-3440 (cell)</u>		Fax # <u>401-736-3423 (cell)</u>		Email Address <u>d.collins@esslab.com</u>						
ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (20 Char. or less)	Pres Code	Number of Containers	Type of Containers	Write Required Analysis
<u>1</u>	<u>11/21/06</u>	<u>11:10</u>	<u>X</u>	<u>S</u>	<u>GE-11-17-06-1</u>	<u>1</u>	<u>1</u>	<u>9</u>	<u>X</u>	<u>Arsenic</u>
<u>2</u>	<u>11/21/06</u>	<u>11:15</u>	<u> </u>	<u> </u>	<u>GE-11-17-06-2</u>	<u>1</u>	<u>1</u>	<u>9</u>	<u>X</u>	<u>VOG 8210</u>
<u>3</u>	<u>11/21/06</u>	<u>11:20</u>	<u> </u>	<u> </u>	<u>GE-11-17-06-3</u>	<u>1</u>	<u>1</u>	<u>9</u>	<u>X</u>	<u>TPH 8100M</u>
<u>4</u>	<u>11/21/06</u>	<u>11:25</u>	<u> </u>	<u> </u>	<u>GE-11-17-06-4</u>	<u>1</u>	<u>1</u>	<u>9</u>	<u>X</u>	<u>SVOCs 8270</u>
<u>5</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>Trip Blank</u>	<u>1</u>	<u>1</u>	<u>9</u>	<u>X</u>	<u> </u>

Container Type: P-Poly G-Glass S-Sterile V-VOA Matrix: S-Soil SD-Solid D-Sludge WW-Waste Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes F-Filters

Cooler Present: Yes No Internal Use Only

Seals Intact: Yes No NA: [] Pickup

Cooler Temp: 11A-DT [] Technicians

Preservation Code: 1- NP, 2- HCl, 3- H2SO4, 4- HNO3, 5- NaOH, 6- MeOH, 7- Asorbic Acid, 8- ZnAct, 9-

Sampled by: D. Anderson on Behalf of H.V. Collins

Comments: *For PPI3 do not include Bezwilium (Be)

Relinquished by: (Signature) <u>[Signature]</u>	Date/Time <u>11/21/06 11:36</u>	Received by: (Signature) <u>[Signature]</u>	Date/Time <u>11-21-06 11:36</u>	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time

*By circling MA-MCP client acknowledges samples were collected in accordance with MADFP CAM VII A Please fax all changes to Chain of Custody in writing. 1 (White) Lab Copy 2 (Yellow) Client Receipt



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997844

Plant ID: 00633
 06/28/2006
 06:31

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1997844

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 0-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z10491 106	21.72	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from property or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 39.01 Ton 78,020 lb 37,390 kg (Scale 1)
 F.T. TARE: 17.29 Ton 34,580 lb 15,685 kg (Scale 1)
 NET: 21.72 Ton 43,440 lb 19,704 kg

 Date

Load #: 1
 Total Amt: 21.72 TON

W. MADON FARLOW

Tom Jones

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997857

Plant ID: 00633
 06/28/2006
 07:19

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

C-633 CRANSTON

1997857
 330
 330

#601

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER HT 8-25-03
 PROVIDENCE RI

Paul Lomare
 6-28-06

JOB ID
 0100050E

504
 GORHAM SCHOOL

KOREY, ..
 504

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218329	32.43	3/4" GRADED BASE
	<i>Equipment</i>	<i>103 527</i>	<i>Roll off</i>	<i>500</i>

Walmart → Gorham

Gorham 601 via Piping & Scrap 600

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 53.01ton 106,020 lb 45,091 kg (Scale 1)
 P.T. TARE: 20.58ton 41,160 lb 18,670 kg (Scale 1)
 NET: 32.43ton 64,860 lb 29,420 kg

Load #: 2
 Total Amt: 54.15TON

W/M: DON PARBLOW

[Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997867

Plant ID: 00633
 06/28/2008
 07:47

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1997867

C-633 CRANSTON

SOLD TO:

K. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 W. K PER MT 0-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z10491 106	80.93	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances of state, such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 38.22 ton 76,440 lb 34,573 kg (Scale 1)
 P.L. TARE: 17.29 ton 34,580 lb 15,685 kg (Scale 1)
 NET: 20.93 ton 41,860 lb 18,988 kg

The undersigned certifies that the above quantities were delivered to the customer and that the same were received by the customer in good order and condition and that the same were used for the purpose intended and that the same were delivered to the customer in accordance with the terms and conditions of the contract and that the same were delivered to the customer in accordance with the terms and conditions of the contract and that the same were delivered to the customer in accordance with the terms and conditions of the contract.

 Date

Load #: 3
 Total Amt: 75.08TON

W/M: DON PARLOW

RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997895

Plant ID: 00633

P. J. KEATING INC.

1997895

06/28/2006

875 PHENIX AVE.

00136

CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 HARRABANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	210491 106	21.40	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery. If required by laws and ordinances, or if such protection as may be provided for by laws and ordinances.
3. Permits, which required by the Customer from proper city or state department for the delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 38.69 Ton 77,380 lb 35,100 Kg (Scale 1)
 P.T. TARE: 17.27 Ton 34,580 lb 15,685 Kg (Scale 1)
 NET: 21.40 Ton 42,800 lb 19,415 Kg

Load #: 4
 Total Amt: 96.48 TON

W/M: DON FARLOW

Tom Jones

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997915



Plant ID: 00633
 06/28/2006
 09:29

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1997915

C-633 CRANSTON

SOLD TO:

L. KOREY CONSTRUCTION C.
 14 NARRAGANSETT AVE.
 W. PER MT 0-25-03
 PROVIDENCE RI

JOB ID
 Q109950E
 KOREY JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324 106	218491	21.99	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. If required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
 3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblane. If the job requires placement of the materials beyond the curblane of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 39.18 Ton 78,360 lb 35,544 kg (Scale 1)
 P.T. TARE: 17.27 Ton 34,540 lb 15,685 kg (Scale 1)
 NET: 21.91 Ton 43,820 lb 19,859 kg

Load # 5
 Total Amt: 110.37TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY - AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997923

Plant ID: 00633
 06/28/2006
 09:59

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1997923

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 6-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 A. KOREY
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	222489	24.94	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances of state such protection may be provided for by laws and ordinances.
3. Permits wherever required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	59.44 Ton	78,880 lb	35,780 kg	(Scale 1)
P.T. TARE:	14.50 Ton	29,000 lb	13,154 kg	Manual Wt.
NET:	24.94 Ton	49,880 lb	22,626 kg	

Load #1: 6
 Total Amt: 143.31 TON

W/M: DON PARBLOW

601

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997931

601

Plant ID: 00633
 06/28/2006
 10:20

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1997931

SOLD TO:

A. KOREY CONSTRUCTION C
 54 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050E
 KOREY, .
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324 103	Z18329	36.25	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for on street delivery if required by laws and ordinances, or storage location provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 56.83 Ton 113,660 lb 51,556 kg (Scale 1)
 P.L. TARE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 36.25 Ton 72,500 lb 32,886 kg

Date

Load No: 7
 Total Amt: 179.56 TON

M/11: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997949

Plant ID: 00633
 06/28/2006
 10:51

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1997949

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY TEN, ENT
 504

504
 BORNHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324 106	210491	23.01	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances. If such protection as may be provided for by laws and ordinances.
3. Permits where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	40.30 Ton	88,600 lb	36,560 kg	(Scale 1)
P.T. TARE:	17.29 Ton	34,580 lb	15,685 kg	(Scale 1)
NET:	23.01 Ton	46,020 lb	20,875 kg	

Signed _____ Date _____

Load #: 8
 Total Amt: 202.57 TON

W/M: DON PARLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE IRRITATION. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997954

Plant ID: 00633
 06/28/2006
 11:00

P. J. KEATING INC.
 875 PHEIX AVE.
 CRANSTON, R.I. 02921

1997954

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY, .
 504
 504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18240 103	34.32	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery. If required by laws and ordinances, or if such protection as may be provided for by laws and ordinances.
3. Permits when required must be obtained by the Customer from the City or State Department before delivery.

601
503

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.87Ton 105,740 lb 47,964 kg (Scale 1)
 P. T. TARE: 18.55Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 34.32Ton 68,640 lb 31,135 kg

Load #: 9
 Total Amt: 236.89TON

W/M: DON PARLOW

[Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997968

4601

Plant ID: 00633
 06/28/2006
 11:20

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

C-633 CRANSTON

1997968

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-83
 PROVIDENCE RI

JOB ID
 Q109050E
 KOREY, .
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218329 103	31.72	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.30 Ton 104,600 lb 47,447 kg (Scale 1)
 P.T. TAKE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 31.72 Ton 63,440 lb 28,776 kg

Load #: 10
 Total Amt: 268.61 TON

WINDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997987

Plant ID: 00633
 06/28/2006
 11:55

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1997987

C-633 CRANSTON

SOLD TO:

M. KOREY CONSTRUCTION C
 54 MARRAGANSETT AVE.
 BK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 504
 0109050E GORHAM SCHOOL
 KOREY JEN. ENT
 504

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	7324	Z10491 106	19.48	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. It required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from appropriate city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS: 36.77ton 73,540 lb 33,358 kg (Scale 1)
 P.L.T. TARE: 17.29ton 34,560 lb 15,685 kg (Scale 1)
 NET: 19.48ton 38,980 lb 17,673 kg

Signed _____ Date _____

Load #: 11
 Total Amt: 288.09TON

W/H: DON PARLOW



RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1997998

#601
 601
 1997998

Plant ID: 00633
 06/28/2006
 12:15

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO:		JOB ID	504
A. KOREY CONSTRUCTION C		0109050E	GORHAM SCHOOL
54 NARRAGANSETT AVE.		KOREY, ..	
OK PER MT 8-25-83		504	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050E	7324	218329	31.78	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off-street delivery. If required by laws and ordinances for off-street such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.36Ton 104,720 lb 47,501 kg (Scale 1)
 P.T. TARE: 20.58Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 31.78Ton 63,560 lb 28,831 kg

Signed _____ Date _____

Load # 12
 Total Ambs 319.87TON

M/M: DON PARSLON



RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY-MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998013

Plant ID: 00633
 06/28/2006
 12:52

P.J. KEATING INC.
 875 PINEAPPLE AVE.
 CRANSTON, R.I. 02921

1998013

C-633 CRANSTON

SOLD TO:		JOB ID	504
A. KOREY CONSTRUCTION C		0189850E	GORHAM SCHOOL
54 MARRAGANSETT AVE.		KOREY JEN. ENT	
OK PER MT 8-25-03		504	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
189850	7324	Z10491 106	21.23	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off-street delivery if required by laws and ordinances, or such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblane. If the job requires placement of the materials beyond the curblane of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	38.52 Ton	77,040 lb	34,945 kg	(Scale 1)
P.T. TARE:	17.29 Ton	34,580 lb	15,685 kg	(Scale 1)
NET:	21.23 Ton	42,460 lb	19,260 kg	

 Date

Load # 13
 Total Amt: 341.10 TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998022

#6011

Plant ID: 00633
 06/28/2006
 13:08

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1998022

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY..
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18329	31.70	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

- A. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
- B. Customer must provide for off street delivery if required by laws and ordinances of state such protection as may be provided for by laws and ordinances.
- C. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.28 Ton 104,560 lb 47,428 kg (Scale 1)
 P.T. TARE: 20.56 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 31.70 Ton 63,400 lb 28,758 kg

Load #: 14
 Total Amt: 372.80TON

W/M: DON BARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998034

Plant ID: 00633
 06/28/2006
 13:33

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998034

C-633 CRANSTON

SOLD TO:				
A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID 0107050E KOREY JEN. ENT 504	504 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18491 106	19.50	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.79 Ton	73,580 lb	33,376 kg	(Scale 1)
P.T. TARE:	17.29 Ton	34,580 lb	15,685 kg	(Scale 1)
NET:	19.50 Ton	39,000 lb	17,690 kg	

Load No 15
 Total Amtr 392.30 TON

M/M: DON PARSONS

Tom Lewis

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998050

#601

Plant ID: 00633
 06/28/2006
 14:04

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

C-633 CRANSTON

1998050

SOLD TO:

1. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. JK PER MT 8-25-03 PROVIDENCE RI	JOB ID: Q109050E KOREY, .. 504	604 GORHAM SCHOOL
---	---	----------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324 103	Z18329	30.00	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. It required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.58 ton	101,160 lb	45,886 kg	(Scale 1)
P.T. TARE:	20.58 ton	41,160 lb	18,670 kg	(Scale 1)
NET:	30.00 ton	60,000 lb	27,216 kg	

 Signed _____ Date _____

Load #: 16
 Total Amt: 422.30 TON

M/THOM PARLOW



RECEIVED BY: _____

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998059



Plant ID: 00633
 06/20/2006
 14:24

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998059

C-633 CRANSTON

SOLD TO:

V. KOREY CONSTRUCTION C
 54 HARRAGANSETT AVE.
 W. K. PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY, JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	7324	Z10491 106	19.68	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or allow such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or town authorities before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 36.97 Ton 73,940 lb 33,539 kg (Scale 1)
 P.T. TARE: 17.29 Ton 34,580 lb 15,685 kg (Scale 1)
 NET: 19.68 Ton 39,360 lb 17,854 kg

Load #: 17
 Total Amt: 441.90 TON

W/MI: DON PARSONS

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998158



Plant ID: 00633
 06/29/2006
 09:45

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998158

C-633 CRANSTON

SOLD TO:

J. KOREY CONSTRUCTION CO.
 74 HARRISANSETT AVE.
 BK PER RT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050E
 KOREY JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18491 106	19.37	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. It required by laws and ordinances or allow such protection as may be provided for by laws and ordinances.
3. Permits when required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 36.56 Ton 73,320 lb , 33,250 kg (Scale 1)
 P.T. TARE: 17.29 Ton 34,580 lb , 15,685 kg (Scale 1)
 NET: 19.37 Ton 38,740 lb , 17,572 kg

Load #: 1
 Total Amt: 19.37TON

W/M: DON PARSLOW

DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY - AVOID CONTACT WHERE POSSIBLE - KEEP OUT OF REACH OF CHILDREN

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998182

#601

Plant ID: 00633
 06/29/2006
 10:51

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1998182

SOLD TO:

B. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.,
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050E
 KOREY..
 004

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z10329 103	31.07	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. It required by laws and ordinances, for street such protection as may be provided for by laws and ordinances.
3. Permits, when required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 51.65Ton 103,300 lb 46,857 kg (Scale 1)
 P.T. TARE: 20.58Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 31.07Ton 62,140 lb 28,187 kg

Load #: 2
 Total Amt: 59.44TON

W/M: DON HARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998234

#601

Plant ID: 00633
 06/29/2006
 13:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998234

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050E
 KOREY.
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324 103	Z18329	31.37	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.95Ton	103,900 lb	47,129 kg	(Scale 1)
P.T. TARE:	20.58Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	31.37Ton	62,740 lb	28,459 kg	

Load #: 3
 Total Amt: 81.81TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS ARE FREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

ANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

19388

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02924

1976651

CONSTRUCTION C
 PHENIX AVE.
 MT 8-25-83

C 033 CRANSTON

DENCE RI

JOB ID
 0109050EE

601 GOREM

A. KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100000	7324	220138 106	23.90	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit unless any circumstances
2. Customer must provide for off street delivery. If required by laws and ordinances, strict protection must be provided for by laws and ordinances.
3. Returns where required must be obtained by the Customer from proper city or state
4. Returns where required must be obtained by the Customer from proper city or state.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

NETA 23.90TON
 TARE 15.18TON
 GROSS 39.08TON
 78,160 lb
 30,360 lb
 47,800 lb

Net Amt: 23.90TON

W/TON PARLOW

DELIVERED BY: _____
 CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. CUSTOMERS SHALL INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, EMPLOYEES, AND AGENTS FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.
 FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WITH EYES AND SKIN.
 DRIVER NAME: Bob M.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998653

Plant ID: 00633
 07/05/2006
 08:37

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

1998653

C-633 CRANSTON

SOLD TO:		JOB ID		601 BODEN
Y. KOREY CONSTRUCTION C		010985000		
34 NARRAGANSETT AVE.		A. KOREY		
30 PER MT 4-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	7324	Z21936	22.84	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, for such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 39.62 Ton 79,240 lb 35,943 kg (Scale 1)
 P. T. TARE: 16.74 Ton 33,580 lb 15,213 kg (Scale 1)
 NET: 22.88 Ton 45,660 lb 20,730 kg

 Signed _____ Date _____

Load #1: 2
 Total Amt: 46.74 TON

W/MEDON PARLOW

[Signature]
 DRIVER NAME

RECEIVED BY: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998663

Plant ID: 00633
 07/05/2006
 09:08

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998663

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 5-25-03
 PROVIDENCE RI

JOB ID 584
 0109050E GORHAM SCHOOL
 A. KOREY
 584

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100000	7324	Z28489	22.00	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, such provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.30 Ton 74,600 lb (Scale 1)
 P.T. TARE: 4.50 Ton 9,000 lb
 NET: 22.80 Ton 45,600 lb

_____ Signed _____ Date _____

Load No: 1
 Total Amt: 22.80 TON

M/PTEDON PARBLOW

RECEIVED BY: 

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998677

Plant ID: 00633
 07/05/2006
 09:42

P.J. KEATING INC.
 475 PHENIX AVE.
 CRANSTON, R.I. 02921

1998677

C-633 CRANSTON

SOLD TO:		JOB ID	601 G0DEN	
A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		Q109050EE A. KOREY 601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220138 106	22.31	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off-street delivery. If required by laws and ordinances, such protection as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.49 Ton	74,980 lb	34,011 kg	(Scale 1)
P.T. TARE:	15.18 Ton	30,360 lb	13,770 kg	(Scale 1)
NET:	22.31 Ton	44,620 lb	20,240 kg	

 Signed _____ Date _____

Load #: 3
 Total Amt: 69.05 TON

W/M: DON PARSELOW



RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998678

Plant ID: 00633
 07/05/2006
 09:44

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998678

C-633 CRANSTON

SOLD TO: V. KOREY CONSTRUCTION C 54 HARRAGANSETT AVE. W. PER MT 8-25-03 PROVIDENCE RI		JOB ID 01090500E A. KOREY 601	601 G00EN
--	--	--	------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	281936	23.04	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off-street delivery, if required by laws and ordinances or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	39.82Ton	79,640 lb	36,125 kg	(Scale 1)
P.T. TARE:	16.78Ton	33,560 lb	15,223 kg	(Scale 1)
NET:	23.04Ton	46,080 lb	20,902 kg	

 Signed _____ Date _____

Load #: 4
 Total Amt: 92.09TON

W/M: DON PARLOW


 DRIVER NAME

RECEIVED BY: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

AUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.
 "AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1993680

Plant ID: 00633
 02/05/2006
 09:48

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998650

C-633 CRANSTON

SOLD TO:		JOB ID	601 000EN
L. KOREY CONSTRUCTION C		0100050EE	
14 HARRADANSETT AVE.		KOREY, ..	
RI PER MT 8-25-03		601	
PROVIDENCE RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	Z10240	29.75	3/4" GRADE # 10E
		183		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery, if required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	48.50 Ton	97,000 lb	43,999 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	29.95 Ton	59,900 lb	27,170 kg	

 Date Signed

Load #: 5
 Total Amt: 122.04 TON

W/W: DON PARSLON



RECEIVED BY: _____ DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998688

Plant ID: 00633
 07/05/2005
 10:03

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998688

D-633 CRANSTON

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	7324	Z22489	22.52	3/4" GRADED BASE

SOLD TO:
 I. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 W PER MT 8-25-83
 PROVIDENCE RI

JOB ID
 0109050E
 A. KOREY
 504
 GORHAM SCHOOL

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, and such provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.02 Ton 74,040 lb 33,585 kg (Scale 1)
 P.T. TARE: 14.50 Ton 29,000 lb 13,154 kg Manual Wt.
 NET: 22.52 Ton 45,040 lb 20,431 kg

Load #: 2
 Total Amt: 45.32TON

W/M: DON PARSLAW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1993698

Plant ID: 00633
 07/05/2006
 10:21

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1993698

C-633 CRANSTON

SOLD TO:		JOB ID	601 606N
A. KOREY CONSTRUCTION CO		0109050EE	
54 NARRAGANSETT AVE.		A. KOREY	
RI		601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	7324	280130	21.09	3/4" GRADED BASE
		186		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances in such jurisdiction as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.27 Ton	72,540 lb	32,904 lb	(Scale 1)
P.T. TARE:	15.18 Ton	30,360 lb	13,771 lb	(Scale 1)
NET:	21.09 Ton	42,180 lb	19,133 lb	

Load #: 6
 Total Amtr: 143.13TON

W/MIDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998705

Plant ID: 00633
 07/05/2006
 10:37

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998705

C-633 CRANSTON

SOLD TO:		JOB ID	601 BORHAM SCHOOL
A. KOREY CONSTRUCTION CO		Q109050EE	
54 NARRAGANSETT AVE.		A. KOREY	
PROVIDENCE RI		601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	7324	221936	19.15	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

- Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
- Customer must provide for off street delivery, if required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
- Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.93 Ton	71,866 lb	32,596 kg	Manual Wt.
P.T. TARE:	16.74 Ton	33,555 lb	15,223 kg	(Scale 1)
NET:	19.15 Ton	38,311 lb	17,373 kg	

 Signed _____ Date _____

Load #: 7
 Total Amt: 162.28 TON

W/IN: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998709



Plant ID: 00633
 07/05/2006
 10:45

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998709

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
L. KOREY CONSTRUCTION CO		Q1090508EE	
54 MARRAGANSETT AVE.		KOREY, ..	
PROVIDENCE RI		601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218240	31.82	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, such protection as may be provided for by laws and ordinances.
3. Permits where required, must be obtained by the Customer from the city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 50.37ton 100,740 lb 45,636 kg (Scale 1)
 P.T. TARE: 18.55ton 37,100 lb 16,829 kg (Scale 1)
 NET: 31.82ton 63,640 lb 28,807 kg

Load No: 0
 Total Amt: 194.10TON

WILLIAM PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998716

Plant ID: 00633
 07/05/2006
 11:00

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998716

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
J. KOREY CONSTRUCTION C		01090500EE	
34 HARRISANSETT AVE.		A. KOREY	
JK PER MT 8-25-03		601	
PROVIDENCE RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	7324	ZEE489	22.21	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances. Each jurisdiction may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.71 Ton	73,420 lb	33,303 kg	(Scale 1)
P.T. TARE:	14.50 Ton	29,000 lb	13,154 kg	Plantal wt.
NET:	22.21 Ton	44,420 lb	20,149 kg	

_____ Date

Load #: 9
 Total Amt: 216.31TON

WILSON PARSONS

RECEIVED BY: 

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998721

Plant ID: 00633
 07/05/2006
 11:14

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998721

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI		01090500EE		
OK PER MT 4-25-03		A. KOREY		
		601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	7324	Z20138 106	22.25	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances or other such provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.43 Ton 74,860 lb 33,956 kg (Scale 1)
 P. T. TARE: 15.18 Ton 30,360 lb 13,771 kg (Scale 1)
 NET: 22.25 Ton 44,500 lb 20,185 kg

Load # 10
 Total Amt: 22.25 TON

W/NDOM PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998724

Plant ID: 00633
 07/05/2006
 11:22

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998724

C-633 CRANSTON

SOLD TO: J. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 A. KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	221936	20.07	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. If required by laws and ordinances of state and/or jurisdiction, as may be provided for by laws and ordinances.
 3. Permits, waste required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 35.85 Ton 73,700 lb 33,430 kg (Scale 1)
 P.T. TARE: 16.78 Ton 33,560 lb 15,223 kg (Scale 1)
 NET: 19.07 Ton 39,140 lb 18,208 kg

Load #: 11
 Total Amt: 250.63TON

W/FR DON PARBLOW


 DRIVER NAME

RECEIVED BY: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998731

Plant ID: 00633
 07/05/2006
 11:35

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998731

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. W. PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	218240 103	31.47	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 50.02 Ton 100,040 lb 45,378 kg (Scale 1)
 P.T. TARE: 18.55 Ton 37,100 lb 16,823 kg (Scale 1)
 NET: 31.47 Ton 62,940 lb 28,555 kg

Load #: 12
 Total Amt: 290.10 TON

W/MI: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998739

Plant ID: 00633
 07/05/2006
 11:57

P.J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

1998739

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI		JOB ID 0109050EE A. KOREY 601	601 GORHAM SCHOOL
--	--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z20130 106	29.40	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curline. If the job requires placement of the materials beyond the curline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 35.58 Ton 71,160 lb 32,275 kg (Scale 1)
 P.T. TARE: 15.18 Ton 30,360 lb 13,771 kg (Scale 1)
 NET: 20.40 Ton 40,800 lb 18,504 kg

 Date

Load # 13
 Total Amt: 310.58TON

W/M: DON PARLOW

RECEIVED BY: _____

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998741

Plant ID: 00633
 07/05/2006
 12:01

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998741

C-633 CRANSTON

SOLD TO:		JOB ID	601 DORHAM SCHOOL	
A. KOREY CONSTRUCTION C		0103050EE		
34 NARRAGANSETT AVE.		A. KOREY		
PROVIDENCE RI		601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
107050	7324	Z21936	19.89	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or afford such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 36.67Ton 73,340 lb 33,267 kg (Scale 1)
 P.T. TARE: 16.78Ton 33,560 lb 15,222 kg (Scale 1)
 NET: 19.89Ton 39,780 lb 18,044 kg

The undersigned hereby certifies that the above quantities were delivered to the purchaser as shown on this invoice and that the same were delivered in conformity with the contract and in accordance with the terms and conditions of the contract and in accordance with the terms and conditions of the contract and in accordance with the terms and conditions of the contract.

 Date

Load No: 14
 Total Amtr: 330.39TON

W/MIDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998744

Plant ID: 00633
 07/05/2006
 12:07

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998744

C-533 CRANSTON

SOLD TO:		JOB ID	PRODUCT DESCRIPTION
A. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. PROVIDENCE RI		010005000 A. KOREY 601	601 GORHAM SCHOOL 3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances or if such provision may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.83 Ton 74,060 lb 33,594 kg (Scale 1)
 P.T. TARE: 15.78 Ton 31,560 lb 14,283 kg (Scale 1)
 NET: 22.05 Ton 44,500 lb 20,311 kg

signed _____ Date _____

Load #: 15
 Total Amt: 350.64TON

WATSON FARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998757

Plant ID: 00053
 07/05/2006
 12:44

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998757

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO. JOB ID: 601 GORHAM SCHOOL
 54 NARRAGANSETT AVE. R109050EE
 PK PER MT 8-25-03 A. KOREY
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	222409	22.74	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery if required by laws and ordinances of such jurisdiction as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRDS:	37.24Ton	74,480 lb	33,784 kg	(Scale 1)
P.T. TARE:	14.50Ton	29,000 lb	13,154 kg	Manual wt.
NET:	22.74Ton	45,480 lb	20,630 kg	

 Date

Load #: 16
 Total Amt: 373.38TON

W/MIDON PARSLAW

RECEIVED BY:

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998759

Plant ID: 00633
 07/05/2006
 12:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998759

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
L. KOREY CONSTRUCTION C		Q109050EE	
14 NARRAGANSETT AVE.		KOREY..	
PROVIDENCE	RI	601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09950	7324	218240	34.21	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.76 Ton 105,520 lb 47,864 kg (Scale 1)
 P.T. TAKE: 18.55 Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 34.21 Ton 68,420 lb 31,035 kg

Load # 17
 Total Amt: 487.59 TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998760

Plant ID: 00633
 07/05/2006
 12:50

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998760

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
A. KOREY CONSTRUCTION C.		0109050000	
34 NARRAGANSETT AVE.		A. KOREY	
PROVIDENCE RI		601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220138	22.38	3/4" GRADED BASE
		126		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If returned by laws and ordinances, or other such provision as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.56 ton 75,120 lb 34,074 kg (Scale 1)
 P.T. TARE: 15.18 ton 30,360 lb 13,771 kg (Scale 1)
 NET: 22.38 ton 44,760 lb 20,303 kg

Load # 18
 Total Amt 429.97TON

W/M: DON PARSELOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998762

Plant ID: 00633
 07/05/2006
 12:53

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998762

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
A. KOREY CONSTRUCTION C		Q109050EE	
54 NARRAGANSETT AVE.		A. KOREY	
OK PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	20.95	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, or if such protection may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.73Ton	75,460 lb	34,229 kg	(Scale 1)
P. T. TARE:	16.78Ton	33,560 lb	15,223 kg	(Scale 1)
NET:	20.95Ton	41,900 lb	19,006 kg	

 Date

Lead #: 19
 Total Amt: 450.92TON

M/M: DON PARSLOW

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998780

Plant ID: 00633
 07/05/2006
 13:41

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998780

C-5.73 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION CO		Q109050EE		
54 HARRADANBETT AVE.		KOREY..		
JK PER MT 8-25-03		601		
PROVIDENCE	RI			
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218240	32.62	3/4" GRADED BASE
		143		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances, or afford such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS: 51.17Ton 102,340 lb 46,421 kg (Scale 1)
 P.T. TAKE: 15.55Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 35.62Ton 75,240 lb 34,592 kg

Load No. 20
 Total Amt: 403.54TON

W/H: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998784

Plant ID: 00633
 07/05/2006
 13:58

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998784

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
L. KOREY CONSTRUCTION CO		0109050EE	
74 NARRAGANSETT AVE.		A. KOREY	
W. PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220136	22.83	3/4" GRADED BASE
		106		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, and such protection as may be provided for by laws and ordinances.
3. Permits where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	38.01 Ton	76,020 lb	34,483 kg	(Scale 1)
P.T. TARE:	15.18 Ton	30,360 lb	13,771 kg	(Scale 1)
NET:	22.83 Ton	45,660 lb	20,712 kg	

_____ Date

Load #: 21
 Total Amt: 506.37TON

M/M: DON PARSLOW

RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998785



Plant ID: 00633
 07/05/2006
 13:52

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998785

C-633 CRANSTON

SOLD TO: K. KOREY CONSTRUCTION C 34 NARRAGANSETT AVE. W. PER MT 8-25-03 PROVIDENCE RI	JOB ID Q109050EE A. KOREY 601	601 GORHAM SCHOOL
---	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009000	7324	Z21936	21.05	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. It required by laws and ordinances, or afford such protection as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.83 Ton 75,660 lb 34,319 kg (Scale 1)
 P.T. TAREY 16.78 Ton 33,560 lb 15,223 kg (Scale 1)
 NET: 21.05 Ton 42,100 lb 19,097 kg

Load #: 22
 Total Amt: 527.42TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.
 AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998795

Plant ID: 000633
 07/05/2006
 14:15

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998795

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 W. K. PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 0109050EE
 A. KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	ZEP409	23.27	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery. If required by laws and ordinances, or where such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer for proper city or state department before delivery.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.77ton 75,540 lb 34,265 kg (Scale 1)
 P.T. TARE: 14.50ton 29,000 lb 13,154 kg Manual Wt.
 NET: 23.27ton 46,540 lb 21,111 kg

Load #: 23
 Total Amt: 550.69TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998802

Plant ID: 00633
 07/05/2006
 14:31

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1998802

SOLD TO:		JOB ID	601 BORHAM SCHOOL	
K. KOREY CONSTRUCTION C		0109050EE		
54 NARRAGANSETT AVE.		KOREY...		
JK PER MT 8-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	210240	30.90	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. If required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.


GROSS: 49.45 Ton 98,900 lb 44,561 kg (Scale 1)
 P.T. TARE: 18.55 Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 30.90 Ton 61,800 lb 27,732 kg

Load #: 24
 Total Amt: 581.59 TON

W/T: DON PARSLOW

RECEIVED BY:

DRIVER NAME



NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998804

Plant ID: 00533
 07/05/2006
 14:35

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998804

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 HARRISANSETT AVE. OK PER NT 8-25-03 PROVIDENCE RI	JOB ID Q100050EE A. KOREY 601	601 GORHAM SCHOOL
---	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220130 106	21.51	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. It required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
3. Permits which required by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 36.69 Ton 73,380 lb 33,285 kg (Scale 1)
 P. T. TARE: 15.18 Ton 30,360 lb 13,771 kg (Scale 1)
 NET: 21.51 Ton 43,020 lb 19,514 kg

The undersigned hereby certifies that the above quantities were delivered to the customer in accordance with the bill of lading and also to indemnify and hold harmless P.J. Keating Co., its subsidiaries and divisions, representatives, officers, directors, agents and employees from any and all liability resulting from violations.

Date _____ Signed _____

Load #: 25
 Total Amt: 603.10 TON

W/WHICH PARSELOW

RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998816

Plant ID: 00633
 07/05/2006
 14:59

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998816

C-638 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION C		01090500EE		
14 NARRAGANSETT AVE.		A. KOREY		
PO BOX 1000		601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1073000	7324	ZE2489	19.91	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. If required by laws and ordinances of state or city, such provision as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.41 Ton	68,820 lb	31,217 kg	(Scale 1)
P.T. TARE:	14.50 Ton	29,000 lb	13,154 kg	Manual Wt.
NET:	19.91 Ton	39,820 lb	18,062 kg	

Load Wt: 26
 Total Amt: 523.01 TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1938845

Plant ID: 00633
 07/06/2006
 07:37

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1938845

C-633 CRANSTON

SOLD TO:
 J. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 W. PROV. RI 02903

JOB ID
 0109050E
 KOREY/JEN. ENT
 504

504
 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
105050	7324	Z18491	22.89	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or afford such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 40.18Ton 80,360 lb 36,451 kg (Scale 1)
 P.T. TARE: 17.29Ton 34,580 lb 15,685 kg (Scale 1)
 NET: 22.89Ton 45,780 lb 20,766 kg

The undersigned hereby certifies that the above quantities were delivered to the customer and that the weight and volume were checked and found correct by the undersigned.

Signed _____ Date _____

Load #: 1
 Total Amt: 22.89TON

W/M: DON PARSLOW

RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998853

Plant ID: 00633
 07/06/2006
 07:54

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

1998853

C-633 CRANSTON

SOLD TO: R. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. JK PER MT 8-25-03 PROVIDENCE RI	JOB ID 0109050EE KOREY 601	601 GORHAM SCHOOL
--	-------------------------------------	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	216240 103	31.12	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery. If required by laws and ordinances of a local jurisdiction, such protection as may be provided for by laws and ordinances.
3. Permits which are required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 49.67 Ton 99,340 lb 45,061 kg (Scale 1)
 P.T. TARE: 18.45 Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 31.12 Ton 62,240 lb 28,232 kg

Load #: 1
 Total Amt: 31.12TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998871

Plant ID: 00533
 07/06/2006
 08:25

P. J. KEATING INC.
 575 PHENIX AVE.
 CRANSTON, R.I. 02921

1998871

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION C
 14 HARRADANSETT AVE.
 PROVIDENCE RI 02903
 JOB ID: 010905000
 KOREY
 601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	Z18329 103	33.46	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 54.04 Ton 100,000 lb 45,025 kg (Scale 1)
 P.T. TARE: 20.58 Ton 41,160 lb 18,570 kg (Scale 1)
 NET: 33.46 Ton 66,920 lb 30,355 kg

Load #: 2
 Total Amt: 64.58TON

W/M: DON PARSLOW

DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998879

Plant ID: 00633
 07/06/2006
 08:43

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998879

C-633 CRANSTON

SOLD TO:		JOB ID	601 BORHAM SCHOOL	
1. KOREY CONSTRUCTION C		Q109050EE		
54 NARRAGANSETT AVE.		KOREY..		
PROVIDENCE RI		601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218240	33.38	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, of all such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state authorities.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 51.93 ton 103,860 lb, 47,111 kg (Scale 1)
 P. T. TARE: 18.55 ton 37,100 lb, 16,829 kg (Scale 1)
 NET: 33.38 ton 66,760 lb, 30,282 kg

Load #: 3
 Total Amt: 97.96 TON

W/RE: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998880

Plant ID: 00633
 07/06/2006
 08:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998880

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
A. KOREY CONSTRUCTION C		0109050EE	
54 MARRAGANSETT AVE.		A. KOREY	
OK PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324 1	221936	21.00	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances or other such provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.78Ton 75,560 lb 34,274 kg (Scale 1)
 P.T. TARE: 16.78Ton 33,560 lb 15,223 kg (Scale 1)
 NET: 21.00Ton 42,000 lb 19,051 kg

 Date

Load #: 4
 Total Amt: 118.96TON

W/WH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998889

Plant ID: 00633
 07/06/2006
 09:12

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998889

C-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 W. K. PER MT 8-25-03
 PROVIDENCE RI

JOB ID: Q109050EE
 KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	7324	210329 103	32.11	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.

2. Customer must provide for off street delivery, if required by laws and ordinances, for such protection as may be provided for by laws and ordinances.

3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.69 Ton 105,380 lb, 47,800 kg (Scale 1)
 P.T. TAKE: 20.58 Ton 41,160 lb, 18,670 kg (Scale 1)
 NET: 32.11 Ton 64,220 lb, 29,130 kg

Load #: 5
 Total Amt: 151.07TON

W/MI DON FARLOW

DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998904

Plant ID: 00633
 07/06/2006
 09:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998904

C-633 CRANSTON

SOLD TO:
 L. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 W. W. PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 010905000
 KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18240 103	33.73	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, such protection as may be provided for laws and ordinances.
3. Permits where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.28 Ton 104,560 lb 47,428 kg (Scale 1)
 P.T. TARE: 18.55 Ton 37,100 lb 16,825 kg (Scale 1)
 NET: 33.73 Ton 67,460 lb 30,603 kg

Load #: 6
 Total Amt: 184.80 TON

W. W. PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998914

Plant ID: 00633
 07/06/2006
 10:05

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998914

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
L. KOREY CONSTRUCTION CO		0109050EE	
14 NARRAGANSETT AVE.		KOREY..	
PROVIDENCE RI		601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	7324	Z18329	34.39	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances of state such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 54.97 Ton 109,940 lb 49,869 kg (Scale 1)
 P.T. TARE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 34.39 Ton 68,780 lb 31,199 kg

_____ Signed _____

Load #: 7
 Total Amt: 219.19 TON

M/MIDON PARSLAW

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CUSTOMER FREELY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998925



Plant 1998925
 07/06/2006
 10:34

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998925

C-633 CRANSTON

SOLD TO:
 R. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY...
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7224	103	32.57	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances of state, such protection as may be provided for by laws and ordinances.
3. Permits where required by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS: 51.14 ton 102,280 lb 46,394 kg (Scale 1)
 P.T. TAKE: 10.55 ton 21,100 lb 9,569 kg (Scale 1)
 NET: 32.59 ton 65,180 lb 29,556 kg

Load # 8
 Total Amt: 351.78 TON

WILLIAM PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998938

Plant ID: 00633
 07/06/2006
 11:06

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998938

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION C 54 HARRAGANSETT AVE. W. PER MT 8-25-03 PROVIDENCE RI		JOB ID 0189050EE KOREY.. 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	7324	Z19329 123	34.43	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances for street protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 55.01 Ton 110,020 lb 49,905 kg (Scale 1)
 P.T. TARE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 34.43 Ton 68,860 lb 31,235 kg

Load # 9
 Total Amt# 206.21 TON

W/M: DON PARSONS



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998941



Plant ID: 00633
 07/06/2006
 11:27

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1998941

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION CO		Q109050EE		
54 NARRAGANSETT AVE.		KOREY, .		
JK PER MT 8-25-03		601		
PROVIDENCE	RI			
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218240	33.42	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or effort such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 51.97ton 103,940 lb 47,147 kg (Scale 1)
 P. T. TARE: 16.55ton 33,100 lb 16,829 kg (Scale 1)
 NET: 33.42ton 66,840 lb 30,318 kg

Load #t 10
 Total Amt: 319.63TON

W/M: DON PARSLON

 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DEACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998960

Plant ID: 00633
 07/06/2006
 12:08

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998960

C-633 CRANSTON

SOLD TO:		JOB ID		601 BORHAM SCHOOL	
A. KOREY CONSTRUCTION CO		Q10905BEE			
54 HARRAGANSETT AVE.		KOREY, A			
JK PER MT 8-25-03		601			
PROVIDENCE RI					
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION	
109050	7324	218329	34.39	3/4" GRADED BASE	
		103			

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS: 54.97Ton 109,940 lb 49,069 kg (Scale 1)
 P.T. TAKE: 20.58Ton 41,160 lb 18,678 kg (Scale 1)
 NET: 34.39Ton 68,780 lb 31,199 kg

Load #: 11
 Total Amt: 354.02TUM

W/MIDON PARLOW

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

AUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 CRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998969

Plant ID: 00533
 07/06/2006
 12:21

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998969

C-633 CRANSTON

SOLD TO: J. KOREY CONSTRUCTION CO 34 HARRADANSETT AVE. JK PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 7324 103	TRUCK Z18240	TONS 33.00
PRODUCT DESCRIPTION 3/4" GRADED BASE			

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off-street delivery, if required by laws and ordinances, or provide such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	52,351 lb	104,700 lb	47,492 kg	(Scale 1)
P.T. TARE:	18,551 lb	37,100 lb	16,829 kg	(Scale 1)
NET:	33,800 lb	67,600 lb	30,663 kg	

Load #: 12
 Total Amt: 387.62TON

WINDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998986

Plant ID: 00633
 07/06/2006
 13:01

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998986

C-633 CRANSTON

SOLD TO: J. KOREY CONSTRUCTION C 14 HARRAGANSETT AVE. W PER HT 8-25-03 PROVIDENCE RI	JOB ID Q109030EE KOREY.. 601	601 BORNHAM SCHOOL
--	---------------------------------------	--------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	7324	Z18329 103	33.66	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery; if required by laws and ordinances of state each provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	54.24 Ton	108,480 lb	49,207 kg	(Scale 1)
P.T. TARE:	20.58 Ton	41,160 lb	18,679 kg	(Scale 1)
NET:	33.66 Ton	67,320 lb	30,528 kg	

Signed _____

Load # 13
 Total Amt: 421.48 TON

W/ADDN PARSLON


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1998995

Plant ID: 00633
 07706/2006
 13:22

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1998995

C-633 CRANSTON

SOLD TO:
 L. KOREY CONSTRUCTION CO
 14 NARRAGANSETT AVE.
 WARRICK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY...
 501

501 GORMAN SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	218240	33.81	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. It required by laws and ordinances, or such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.36 ton 104,720 lb 47,501 kg (Scale 1)

P.T. TARE: 18.55 ton 37,100 lb 16,829 kg (Scale 1)

NET: 33.81 ton 67,620 lb 30,672 kg

Demands and suits for or on account of or in any manner caused by or arising from delivery.

Load No. 14
 Total Amts. 455.29TON

M/DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999009



Plant ID: 00633
 07/06/2006
 13:53

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999009

D-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI		JOB ID 0109050EE KOREY 601		601 GORHAM SCHOOL
ACCOUNT 109950	MIX 7324	TRUCK 218329 103	TONS 33.50	PRODUCT DESCRIPTION 3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances for off road such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 54.08 Ton 108,160 lb 49,061 kg (Scale 1)
 P.T. TAKE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 33.50 Ton 67,000 lb 30,391 kg

Load Wt: 15
 Total Amt: 488.79 TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999020

PLANT ID: 00633
 07/06/2006
 14:21

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1999020

C-633 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL	
K. KOREY CONSTRUCTION CO		0109050EE			
34 HARRAGANSETT AVE.		KOREY..			
PROVIDENCE RI		601			
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION	
105050	7324	210240	33.01	3/4" GRADED BASE	
		143			

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances, for off street delivery, such provision as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.06 TON	103,120 LB	46,775 KG	(Scale 1)
P.T. TARE:	10.55 TON	37,100 LB	16,829 KG	(Scale 1)
NET:	33.01 TON	66,020 LB	29,947 KG	

 Date

Load #: 16
 Total Amt: 521.80 TON

MURDUN PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999029



Plant ID: 00633
 07/06/2006
 14:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999029

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION C		0109050EE		
54 NARRAGANSETT AVE.		KOREY..		
3K FER MT 8-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7384	Z18329	27.75	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state Department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 48.33Ton 96,660 lb 43,845 kg (Scale 1)
 P.T. TAKE: 20.58Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 27.75Ton 55,500 lb 25,175 kg

Load #: 17
 Total Amt: 549.55TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999087



Plant ID: 00033
 07/07/2006
 08:44

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999087

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. PO BOX 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY.. 601	601 GORHAM SCHOOL	
ACCOUNT 109050	MIX 7324 103	TRUCK Z10240	TONS 32.40	PRODUCT DESCRIPTION 3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances or other such condition as may be provided for by laws and ordinances.
3. Points where required must be obtained by the Customer from proper city or state department before delivery.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 50.95 Ton 101,900 lb 46,222 kg (Scale 1)
 P. T. TARE: 18.55 Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 32.40 Ton 64,800 lb 29,393 kg

Load Nr: 1
 Total Amt: 32.40 TON

W/M: DON PARSLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999105



Plant ID: 00633
 07/07/2006
 09:37

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999105

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
K. KOREY CONSTRUCTION C		Q109050EE		
34 NARRAGANSETT AVE.		KOREY,		
PROVIDENCE RI		601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218240	33.63	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances. An ordinance as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	52.18 Ton	104,360 lb	47,336 kg	(Scale 1)
P.T. TARE:	14.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.63 Ton	67,260 lb	30,507 kg	

 Date

Load #: 2
 Total Amt: 66.03 TON

W/M: DON PARLOW

Er M B

RECEIVED BY: _____

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

AUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999125

Plant ID: 00633
 07/07/2006
 10:25

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999125

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
Y. KOREY CONSTRUCTION CO		0109050EE	
34 NARRAGANSETT AVE.		KOREY, .	
JK PER MT 8-25-03		601	
PROVIDENCE RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18240	32.58	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, or afford such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.13Ton	102,260 lb	46,385 kg	(Scale 1)
P. T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.58Ton	65,160 lb	29,557 kg	

The undersigned hereby certifies that the above quantities were delivered to the customer and also to indemnify and hold harmless P.J. Keating Co., its subsidiaries and divisions, representatives, officers, directors, agents and employees from any and all liability resulting from violations.

Date: _____

Load #: 3
 Total Amt: 98.61TON

W/TH: DON PARSLOW

DRIVER NAME: 

RECEIVED BY: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999142

Plant ID: 00633
 07/07/2006
 11:00

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999142

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
A. KOREY CONSTRUCTION C		Q109050EE	
54 NARRAGANSETT AVE.		KOREY, ..	
OK PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	210240	36.17	3/4" GRADED BASE
		100		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances for such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 54.72 Ton 109,440 lb 49,642 kg (Scale 1)
 P.T. TARE: 18.55 Ton 37,100 lb 16,823 kg (Scale 1)
 NET: 36.17 Ton 72,340 lb 32,819 kg

Load #: 4
 Total Amt: 134.70TON

WILLIAM DON PARSONS

DRIVER NAME

RECEIVED BY: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999158

Plant ID: 00633
 07/07/2006
 11:59

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999158

C-633 CRANSTON

SOLD TO:		TRUCK	TONS	PRODUCT DESCRIPTION
P. KOREY CONSTRUCTION CO 34 NARRAGANSETT AVE. PROVIDENCE RI		218240	33.74	3/4" GRADED BASE
JK PER MT 8-25-03		183		
JOB ID Q109050EE KOREY 601				601 GORHAM SCHOOL

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery, if required by laws and ordinances, to afford such protection as may be provided for by laws and ordinances.
3. Permits where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways; then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 52.29 ton 104,580 lb 47,437 kg (Scale 1)

P. T. TARE: 18.55 ton 37,100 lb 16,825 kg (Scale 1)

NET: 33.74 ton 67,480 lb 30,612 kg

Load #: 5
 Total Amt: 168.52TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

AUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999183

Plant ID: 00633
 07/07/2006
 13:05

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999183

C-633 CRANSTON

SOLD TO:		JOB ID	601 DORNAM SCHOOL
L. KOREY CONSTRUCTION CO		0109050EE	
14 NARRAGANSETT AVE.		KOREY..	
RI PER MT 8-25-03		601	
PROVIDENCE RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	218240	37.23	3/4" GRADED BASE
		103		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery. If required by laws and ordinances or other such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 55.78 Ton 111,560 lb , 50,604 kg (Scale 1)
 P. T. TARE: 14.55 Ton 37,100 lb , 16,822 kg (Scale 1)
 NET: 37.23 Ton 74,460 lb , 33,782 kg

 Signed _____ Date _____

Load Nr: 6
 Total Amtr: 205.75TON

W/M: DON PARSLOW

[Signature]

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999463

#601



Plant ID: 00633
 07/11/2006
 07:45

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1999463

C-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. W PER MT 8-25-03 PROVIDENCE RI		JOB ID 01090500E KOREY... 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6325 103	TRUCK 218329	TONS 34.18
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

THIS DELIVERY IS MADE SUBJECT TO THE TERMS AND CONDITIONS OF THE ORDER AND AGREEMENT AND APPLICABLE SPECIFICATIONS AND STANDARDS. CUSTOMER MUST PROVIDE A SAFE AND ACCESSIBLE DELIVERY POINT AND SUCH PROTECTION AS MAY BE REQUIRED FOR TRUCKS AND EQUIPMENT. CUSTOMER MUST BE ADVISED OF ANY SPECIAL DELIVERY REQUIREMENTS PRIOR TO DELIVERY.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 54.76 Ton 109,520 lb 49,670 kg (Scale 1)
 P.L. TARE: 20.56 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 34.18 Ton 68,360 lb 31,000 kg

Load # 1
 Total Amt: 34.18TON

W/M: DON PARSLOW

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999491

#601

Plant ID: 00633
 07/11/2006

P.J. KEATING INC.
 875 PHENIX AVE.

1999491

SOLD TO: CRANSTON, R.I. 02921 C-535 CRANSTON

A. KOREY CONSTRUCTION C
 54 HARRADANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY..
 601

601 GORHAM SCHOOL

#601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329 143	Z18329	33.92	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 54.30 Ton (Scale 1)
 P.T. TARE: 20.38 Ton (Scale 1)
 NET: 33.92 Ton

5-31-97
 2215
 RS

Load #: 2
 Total Amtr 68.10TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999634

Plant ID: 00633
 07/12/2006
 06:39

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1999634

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 PROVIDENCE RI
 OK PER MT 8-25-03

JOB ID:
 0109050EED
 NICK McGOVERN
 601

601 GORHAM SCHOOL
PROVIDENCE, R. I.
N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 136 323692	28.44	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Bituminous Concrete shall be delivered to the job site in accordance with the specifications of the project. The purchaser shall be responsible for the placement and compaction of the material. The contractor shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 41.77ton 83,540 lb (Scale 1)
 P. T. TARE: 13.33ton 26,660 lb (Scale 1)
 NET: 28.44ton 56,880 lb (Scale 1)

RS

Load No: 1
 Total Amt: 28.44TON

W/MEDON PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

#601

1999635

Plant ID: 00633
 07/12/2006
 06:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1999635

SOLD TO:
 J. KOREY CONSTRUCTION C
 34 NARRAGANSETT AVE.
 W PER MT 0-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q1090500EE
 KOREY..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1000000	6329	218329 143	31.73	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 62.31 ton 104,620 lb 47,456 kg (Scale 1)
 P.T. TARE: 28.54 ton 41,160 lb 18,670 kg (Scale 1)
 NET: 31.73 ton 63,460 lb 28,785 kg

Load Nr: 1
 Total Amt: 31.73TON

W/WEDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999651

Plant ID: 00633
 07/12/2006
 07:27

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

1999651

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 6-25-03 PROVIDENCE RI		JOB ID Q109800ED NICK McGOVERN 601	601 GORHAM SCHOOL PROVIDENCE, R.I. N/P 265
--	--	---	--

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 106 30302	27.74	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Customer must provide for off-street delivery. If required by laws and ordinances of the jurisdiction, the contractor shall be responsible for obtaining all necessary permits and approvals.
 2. Payment when required must be obtained by the customer prior to delivery.
 3. Payment when required must be obtained by the customer prior to delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASSI	41.07 ton	82,140 lb	37,259 kg	(Scale 1)
P. T. TARE	13.33 ton	26,660 lb	12,093 kg	(Scale 1)
NET	27.74 ton	55,480 lb	25,166 kg	

Load # 2
 Total Amt: 56.18 TON

W/MIDON PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999673

Plant ID: 00633
 07/12/2006
 08:23

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999673

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 MARIKAGANSETT AVE. PROVIDENCE RI		JOB ID: Q1090500ED NICK McGOVERN 601		601 GORHAM SCHOOL PROVIDENCE, R.I. N/P 265	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION	
109050	6329	9307 106 303892	26.70	1 1/2" DENSE GRADED BASE	

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Bituminous Concrete and Aggregate Products cannot be stored for extended periods of time. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblane. If the job requires placement of the materials beyond the curblane of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblane. If the job requires placement of the materials beyond the curblane of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross: 30.03 Ton 66,950 lb 30,315 kg (Scale 1)
 P.T. TARE: 13.33 Ton 29,150 lb 13,253 kg (Scale 1)
 NET: 16.70 Ton 37,800 lb 17,062 kg

Load #: 3
 Total Amt: 82.88 TON

M/M: DON PARSLAW

RECEIVED BY:

DRIVER NAME: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.
 AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999691

Plant ID: 00633
 07/12/2006
 09:12

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

1999691

C-633 CRANSTON

SOLD TO: KUREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI		JOB ID 01090506ED NICK McGOVERN 601	601 BORHAM SCHOOL PROVIDENCE, R.I. N/P 865	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 106 303092	27.87	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 41.20 ton 82,400 lb 37,377 kg (Scale 1)
 P.T. TAKE: 13.33 ton 26,660 lb 12,093 kg (Scale 1)
 NET: 27.87 ton 55,740 lb 25,284 kg

Load #: 4
 Total Amt: 110.75TON

M/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999710

Plant ID: 08E33
 07/12/2006
 09:54

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1999710

C-633 CRANSTON

SOLD TO: KUREY CONSTRUCTION CO 54 NARRAGANSETT AVE. W PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050000 NICK McGOVERN 601	601 GORHAM SCHOOL PROVIDENCE, R. I. N/P 265	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
083000	6329	106 333092	26.75	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for all street closures and delivery of materials may be delayed by law and circumstances.
 3. Claims must be received by the customer within 30 days of delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 30,000 lb (Scale 1)
 NET: 26,750 lb (Scale 1)
 P.T. TARE: 13,331 lb (Scale 1)
 NET: 26,750 lb (Scale 1)

Load # 5
 Total Amt: 137.50 TON

M/WH: DON PARSONS

RECEIVED BY: _____ DRIVER NAME: _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999726

Plant ID: 00633
 07/12/2006
 10:38

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999726

C-633 CRANSTON

SOLD TO:
 A. KUREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER INT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GURHAM SCHOOL
 010905000
 NICK MCGOVERN PROVIDENCE, R.I.
 601
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 186 303092	26.60	1 1/2" DENSE GRADED BASE

THIS DE. M. BY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS: 39.93ton 79,860 lb 36,224 kg (Scale 1)
 P.T. TARE: 13.33ton 26,660 lb 12,093 kg (Scale 1)
 NET: 26.60ton 53,200 lb 24,132 kg

Load # 6
 Total Amt: 164.10TON

W/M: DON PARLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 AGUSHNETT, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999771

P.J. KEATING

Plant ID: 00633
 07/12/2006
 12:14

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999771

C-633 CRANSTON

SOLD TO:
 K. KUREY CONSTRUCTION CO.
 54 MARRAGANSETT AVE.
 PROVIDENCE RI 02903
 JK PER HT 8-25-03

JOB ID
 0109050000
 NICK McGOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109030	6325	9307 126 30382	27.28	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.
 2. Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross: 44.61 Ton 98,226 lb 44,341 kg (Scale 1)
 P.T. TARE: 13.33 Ton 29,336 lb 13,303 kg (Scale 1)
 NET: 31.28 Ton 68,890 lb 31,038 kg

Load No: 6
 Total Amt: 210.32 TON

W/M: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999788

Plant ID: 00637
 07/12/2006
 13:05

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999788

C-633 CRANSTON

SOLD TO:
 A. KUREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 681 GORHAM SCHOOL
 01090506ED
 NICK McGOVERN PROVIDENCE, R.I.
 681
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 106 383892	25.66	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS SUBJECT TO THE FOLLOWING CONDITIONS

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 39.99Ton 79,980 lb 35,279 kg (Scale 1)
 P.T. TARE: 13.33Ton 26,660 lb 12,093 kg (Scale 1)
 NET: 26.66Ton 53,320 lb 24,186 kg

Load #: 9
 Total Amt: 244.98TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999810

1999810

Plant ID: 00033
 07/12/2006
 13:46

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

E-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION CO
 4 NARRAGANSETT AVE.
 K PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 01090300ED
 NICK McGOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09030	6329	9307 106 383892	27.21	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Bituminous Concrete and Aggregate Products shall be stored in clean, dry, well-ventilated areas. The purchaser shall be responsible for the protection of the materials from weather and theft. The purchaser shall be responsible for the protection of the materials from damage during transport and delivery. The purchaser shall be responsible for the protection of the materials from damage during storage and use. The purchaser shall be responsible for the protection of the materials from damage during transport and delivery. The purchaser shall be responsible for the protection of the materials from damage during storage and use.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblane. If the job requires placement of the materials beyond the curblane of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross: 40,341 lb (Scale 1)
 P.T. TARE: 13.33 Ton (26,660 lb)
 NET: 27.21 Ton (54,420 lb)

Load #: 10
 Total Amt: 272.19 TON

W/M: DON PARSLON

DRIVER NAME

RECEIVED BY: _____
 NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999822

Plant ID: 00633
 07/12/2006
 14135

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999822

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION C. 54 NARRAGANSETT AVE. PROVIDENCE RI	JOB ID 01090500ED NICK McGOVERN 601	601 GORHAM SCHOOL PROVIDENCE, R. I. N/P 265
---	--	---

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1099030	6327	9307 106 313092	28.77	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE AS SHOWN BY THE FOLLOWING CONDITIONS:

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross Weight: 29,600 lb (Scale 1)
 Tare: 11,330 lb (Scale 1)
 NET Weight: 18,270 lb (Scale 1)
 Gross Weight: 74,600 lb (Scale 1)
 Tare: 26,560 lb (Scale 1)
 NET Weight: 48,040 lb (Scale 1)

Load #: 11
 Total Amt: 298.66 TON

W/ M: DON PARSLON

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

#601

1999835

Plant ID: 00633
 07/12/2006
 15:06

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999835

C-633 CRANSTON

SOLD TO:
 J. KOREY CONSTRUCTION C
 34 HARRAGANSETT AVE.
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
Q109050EE
KOREY..
601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z1B329 103	32.27	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 64.85 TON 145,700 lb 66,146 kg (Scale 1)
 P.T. TARE: 20.58 TON 45,500 lb 20,670 kg (Scale 1)
 NET: 44.27 TON 98,200 lb 44,476 kg

Load #: 2
 Total Amt: 64.80 TON

W/MI: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999750

Plant 10100633
 07/12/2006
 11:29

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

C-633 CRANSTON

1999750

SOLD TO: KUREY CONSTRUCTION C
 14 HARRADONSETT AVE.
 PROVIDENCE RI
 PER MT. A-25-03

JOB ID: 0109050000
 NICK McGOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R. I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
29000	6329	3307	26.94	1 1/2" DENSE GRADED BASE
		106		
		30392		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 191.04 TON (Scale 1)
 NET: 191.04 TON (Scale 1)
 P.T. TARE: 13.33 TON (Scale 1)
 NET: 177.71 TON (Scale 1)

Load # 7
 Total Amt: 191.04 TON

M/M: DON PARLOW

RECEIVED BY: 
 DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999850



Plant ID: 00633
 07/13/2006
 07:05

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999850

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 HARRAGANSETT AVE.
 PROVIDENCE RI
 OK PER MT 8-25-03
 JOB ID
 Q109050EE
 KOREY..
 601
 601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z10240 103	34.92	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	53.47 Ton	106,940 lb	48,508 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	34.92 Ton	69,840 lb	31,679 kg	

Load #: 1
 Total Amt: 34.92TON

W/M: DON PARLOW

Signed _____ Date _____
 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999852

Plant ID: 099273
 07/13/2006
 07:14

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C.
 54 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 01090500ED
 MICK McGOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109950	6329	9307 106 303892	27.23	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	48.56ton	81,120 lb	36,796 kg	(Scale 1)
P.T. TARE:	13.33ton	26,660 lb	12,093 kg	(Scale 1)
NET:	27.23ton	54,460 lb	24,703 kg	

Load #: 2
 Total Amt: 53.94TUM

W/M: DON PARLOW

Mr. DeFioribus
 RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999853

Plant ID: 00633
 07/13/2006
 07:16

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1999853

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 PROVIDENCE RI
 OK PER MT 8-25-03

JOB ID 601 BORHAM SCHOOL
 0109050EE
 A. KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329 106	Z20138	24.15	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.
 2. Permits where required must be obtained by the purchaser from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	39.33Ton	78,660 lb	35,000 kg	(Scale 1)
P.T. TARE:	15.16Ton	30,360 lb	13,771 kg	(Scale 1)
NET:	24.15Ton	48,300 lb	21,929 kg	

Load #: 2
 Total Amt: 59.07TON

W/MIDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999871

Plant ID: 00653
 07/13/2006
 08:02

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1999871

SOLD TO:

KOREY CONSTRUCTION C
 34 NARRAGANSETT AVE.
 JK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GERMAN SCHOOL
 0109050EED
 NICK McGOVERN PROVIDENCE, R.I.
 601 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	3307 108 333092	27.19	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. It required by laws and ordinances of the city and town of delivery. Such conditions as may be provided for by laws and ordinances.
 3. Payment when required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	40.52Ton	81,040 lb	36,750 kg	(Scale 1)
P.T. TARE:	13.33Ton	28,550 lb	12,993 kg	(Scale 1)
NET:	27.19Ton	54,500 lb	24,657 kg	

Load #: 3
 Total Amt: 81.13TON

W/M: DON PARSLOW

Mike DeBorja

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO: THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999878

1999878

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

ION C
 AVE.
 0-03
 RI

JOB ID
 G109050EE

601 GORHAM SCHOOL

A. KOREY
 601

601

QTY	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
	6329	ZB013A 106	23.53	1 1/2" DENSE DRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products shall be delivered to the job site in accordance with the specifications and standards of the American Society of Civil Engineers (ASCE) and the American Association of State Highway and Transportation Officials (AASHTO).
 2. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.
 3. Payment when required must be obtained by the Customer from property of the purchaser.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 30.71 Ton 77,420 lb 35,110 kg (Scale 1)
 P.T. TARE: 15.14 Ton 30,360 lb 13,771 kg (Scale 1)
 NET: 23.53 Ton 47,060 lb 21,340 kg

Lead # 4
 Total Amt: 115.31 TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999892

Plant ID: 00633
 07/13/2006
 08:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

1999892

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EED
 NICK McGOVERN PROVIDENCE, R. I.
 601
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6529	9307 106 303492	25.40	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.73Ton	77,460 lb	35,136 kg	(Scale 1)
P. T. TARE:	13.33Ton	29,540 lb	12,093 kg	(Scale 1)
NET:	25.40Ton	50,000 lb	23,043 kg	

Load #: 4
 Total Amt: 106.53TON

M/11:00N PARLOW

Mick DeBorja

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999900

Plant ID: 00633
 07/13/2005
 09:15

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999900

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109850EE
 KOREY..
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109850	6329	Z10329 103	33.09	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Bituminous concrete and aggregate products should be stored and used in accordance with the manufacturer's instructions. Customer must provide for all travel to and from the job site and all other expenses. A permit may be required for the material to be delivered to the job site. A permit, which is required, must be obtained by the customer from the appropriate authority.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 53.67 Ton 107,340 lb 48,659 kg (Scale 1)
 P.T. TARE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 33.09 Ton 66,180 lb 29,989 kg

Signed _____ Date _____

Load #: 6
 Total Amt: 181.43TON

W/M: DON PARLOW

RECEIVED BY: _____ DRIVER NAME: _____


NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999908



Plant ID: 00633
 07/13/2006
 09:37

P.J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

1999908

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 PROVIDENCE RI 02909
 JOB ID: Q109050EED
 NICK McGOVERN
 601
 601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109090	6329	9307 196 303892	27.33	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products shall be delivered to the site in accordance with the conditions of this contract.
 2. Customer must provide for all access to the site and all necessary permits. Such protection as may be provided for by law and ordinance.
 3. Permits where required must be obtained by the Customer prior to delivery of material.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	40.66Ton	81,320 lb	36,887 kg	(Scale 1)
P.V. TARE:	13.33Ton	26,660 lb	12,093 kg	(Scale 1)
NETT:	27.33Ton	54,660 lb	24,794 kg	

Load # 5
 Total Amt: 133.06TON

W/MIDON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999918

Plant ID: 00633
 07/13/2006
 10:08

P.J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

1999918

C-633 CRANSTON

SOLD TO:
 KOREY CONSTRUCTION C JOB ID 601 GORHAM SCHOOL
 54 NARRAGANSETT AVE. Q109050EE
 3K PER MT 8-25-03 KOREY, ..
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	21A329	32.74	1 1/2" DENSE GRADED BASE
		143		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	53.32ton	106,640 lb	48,372 kg	(Scale 1)
P.T. TARE:	20.58ton	41,160 lb	18,670 kg	(Scale 1)
NET:	32.74ton	65,480 lb	29,702 kg	

Load #: 0
 Total Amt: 249.33TON

W/TH: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999923

Plant ID: 00633
 07/13/2006
 10:26

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

D-633 CRANSTON

1999923

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 5-25-03
 PROVIDENCE RI

JOB ID
 Q109050EED
 NICK McDOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 106 323092	26.49	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off-site delivery if required. Delivery is not to be made to any site where the contractor is not provided with a valid permit and a signed order from the contractor.
 3. Payment when required must be obtained by the Contractor from the order city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 39.82 Ton 79,640 lb 36,125 kg
 P.T. TARE: 13.23 Ton 26,660 lb 12,093 kg
 NET: 26.49 Ton 52,980 lb 24,032 kg

(Scale 1)
 (Scale 1)
 (Scale 1)

Load # 6
 Total Amt: 160.35 TON

W/MEDON PARSHLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999938

Plant ID: 00633
 07/13/2006
 11:12

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999938

C-633 CRANSTON

SOLD TO:
 N. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 KOREY..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329 103	Z10329	33.22	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate products cannot be returned to credit under any circumstances.
 2. Customer must provide for all extra delivery charges and for any extra charges for extra quantities.
 3. Permits where required must be obtained by the Customer.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 53.80 Ton 107,600 lb 48,807 kg (Scale 1)
 P.T. TARE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 33.22 Ton 66,440 lb 30,137 kg

Load #: 10
 Total Amt: 316.35 TON

W/HELDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999939



Plant ID: 00633
 07/13/2006
 11:14

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 PROVIDENCE RI
 JOB ID: 601 GORHAM SCHOOL
 (0109050000)
 NICK McGOVERN PROVIDENCE, R. I.
 601
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	6329	9307	26.11	1 1/2" DENSE GRADED BASE
	186	383892		

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 Customer must provide 1/2" of steel delivery, if required by laws and ordinances in all states. Such coverage may be provided for by the manufacturer.
 Trucks, which are required to be equipped with the correct front and rear axle ratings, must be used for delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	39.44ton	78,880 lb	39,780 lb	(Scale 1)
P.T. TAREY	13.35ton	26,700 lb	12,890 lb	(Scale 1)
NET:	26.11ton	52,220 lb	23,557 lb	

Load # 7
 Total Amtg 106,76TON

M/MIDON PARSLON

RECEIVED BY: *Joe Sator*

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999956

Plant ID: 00633
 07/13/2006
 12:03

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999956

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C.
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0109050EED
NICK McGOVERN PROVIDENCE, R.I.
 601 Y
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 196 303892	26.90	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	48.23Ton	80,460 lb	36,497 kg	(Scale 1)
P.L. TAREY	13.35Ton	26,600 lb	12,093 kg	(Scale 1)
NET:	34.88Ton	63,860 lb	28,404 kg	

Load #: 8
 Total Amt: 213.36TON

WILSON FARSLOW

JGC [Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 GRANSTON, RI • (401) 942-7300

1999957

Plant ID: 00633
 07/13/2006
 12:05

P.J. KEATING INC.
 875 PHENIX AVE.
 GRANSTON, R.I. 02921

1999957

C-633 GRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C JOB ID 601 GORHAM SCHOOL
 84 NARRAGANSETT AVE. 0109050EE
 OK PER NT 8-25-03 KOREY..
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329 133	Z10329	32.84	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Permits where required must be obtained by the Customer from proper city or state department before delivery.
 2. Customer must provide for all street delivery if required by laws and ordinances. All such information shall be provided for by law and ordinance.
 3. Bituminous Concrete and Aggregate Products shall be returned for credit where circumstances warrant.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 53.42 Ton 106,840 lb 48,463 kg (Scale 1)
 P.T. TARE: 20.58 Ton 41,160 lb 18,670 kg (Scale 1)
 NETS: 32.84 Ton 65,680 lb 29,792 kg

 Date

Load #: 11
 Total Amt: 349.19 TON

W/M: DON PARSON

RECEIVED BY: _____ DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999971

Plant ID: 00633
 07/13/2006
 12:50

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999971

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 01090500ED
 NICK McGOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 196 303092	28.10	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Producers cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery, including but not limited to, the cost of labor and materials for the delivery of the material as may be provided for by local laws and ordinances.
3. Parties who intend to use the material for other than the intended use must obtain the approval of the manufacturer.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	41.43Ton	92,860 lb	37,585 kg	(Scale 1)
P. T. TARE:	13.33Ton	29,560 lb	13,409 kg	(Scale 1)
NET:	28.10Ton	63,300 lb	28,492 kg	

Load #: 9
 Total Amt: 281.46TON

W/M: DON PARBLOW

50.6 *Robert V*

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999911



Plant ID: 00633
 07/13/2006
 09:43

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999911

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-29-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY, ..
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329 103	210240	35.16	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products shall not be returned for credit or refund.
 2. Customer must provide for all street deliveries, including but not limited to, the cost of labor and materials, and any other expenses that may be incurred by the contractor.
 3. Payment when required must be obtained by the customer from the city of destination before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	53.71 Ton	107,420 lb	48,726 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	35.16 Ton	70,320 lb	31,897 kg	

Load #: 7
 Total Amt: 216.59 TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999976

Plant ID: 00633
 07/13/2006
 13:09

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999976

C-633 CRANSTON

SOLD TO: L. KOREY CONSTRUCTION CO 34 HARRADANSETT AVE. W. PROVIDENCE RI		JOB ID 0109050EE KOREY 601	601 GORHAM SCHOOL
--	--	-------------------------------------	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
189030	6329 103	Z18329	33.16	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Customer must provide all of the following information in writing to P.J. Keating Inc. prior to delivery: a. Job location, b. Access to job location, c. Roadway conditions, d. Traffic conditions, e. Weather conditions, f. Any other information that may be required for delivery.

2. Customer must provide all of the following information in writing to P.J. Keating Inc. prior to delivery: a. Job location, b. Access to job location, c. Roadway conditions, d. Traffic conditions, e. Weather conditions, f. Any other information that may be required for delivery.

3. Customer must provide all of the following information in writing to P.J. Keating Inc. prior to delivery: a. Job location, b. Access to job location, c. Roadway conditions, d. Traffic conditions, e. Weather conditions, f. Any other information that may be required for delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross 41,100 lb (Scale 1)
 P.T. TARE 20,540 lb
 NET 20,560 lb

Load # 12
 Total Amt 382.35TON

W/MIJON PARLOW

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999986

Plant ID: 00633
 07/13/2006
 13:42

P.J. KEATING INC.
 475 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

1999986

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI 0-25-03		JOB ID 01090500ED NICK McGOVERN 601	601 GORHAM SCHOOL PROVIDENCE, R.I. N/P 265	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109850	6323	9307 106 303892	27.99	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Customer must provide for all other delivery conditions and charges in accordance with the contract and any applicable laws and regulations.
 2. Customer must provide for all other delivery conditions and charges in accordance with the contract and any applicable laws and regulations.
 3. Customer must provide for all other delivery conditions and charges in accordance with the contract and any applicable laws and regulations.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross: 41.32 ton 82,640 lb 37,496 kg (Scale 1)
 P.T. TARE: 13.33 ton 26,660 lb 12,093 kg (Scale 1)
 NET: 27.99 ton 55,980 lb 25,393 kg

Load #r 10
 Total Amt 269.4570H

M/MELDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999931

Plant ID: 00633
 07/13/2006
 10:45

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999931

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION C		Q103050EE		
54 NARRAGANSETT AVE.		KOREY..		
OK PER NY 8-25-03		601		
PROVIDENCE	RI			
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210240	33.00	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Product cannot be stored for trade under any circumstances.
 2. Customer must provide for the storage of the material. If required by laws and ordinances, such protection as may be provided for the same and ordinance.
 3. Permits where required, must be obtained by the Customer from proper state or local department before delivery.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	52.35Ton	104,700 lb	47,492 kg	(Scale 1)
P.T. TARE:	19.55Ton	37,100 lb	18,822 kg	(Scale 1)
NET:	33.00Ton	67,600 lb	30,653 kg	

Load #: 9
 Total Amt: 283.13TON

W/M: DON PARSELOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999893



Plant ID: 00633
 07/13/2006
 09:00

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999893

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY..
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210240 103	33.03	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate products cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery. A request for street delivery is required by law and ordinance. Each ordinance as may be provided for by the jurisdiction.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 51.58 Ton 123,160 lb 46,793 kg (Scale 1)
 P.T. TARE: 18.55 Ton 41,410 lb 18,829 kg (Scale 1)
 NET: 33.03 Ton 73,750 lb 29,964 kg

Load #: 5
 Total Amt: 148.34TON

W/M: DON PARLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999990

Plant ID: 08633
 07/13/2006
 13:59

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999990

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C JOB ID 601 GORHAM SCHOOL
 54 NARRAGANSETT AVE. 0109050EE
 OK PER MT 8-25-03 KOREY..
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
189050	6.329	210240 133	34.33	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

gross 416.68 ton 105,760 lb 47,973 kg (Scale 1)
 P.T. TARE 18.05 ton 37,100 lb 16,829 kg (Scale 1)
 NET 34.33 ton 86,660 lb 39,144 kg (Scale 1)

Load #: 13
 Total Amt: 416.68TON

W/PHILIP PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999995

Plant ID: 00633
 07/13/2006
 14:15

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999995

C-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 34 NARRAGANSETT AVE. PROVIDENCE RI	JOB ID 601 GORHAM SCHOOL
	0109050EE KOREY.. 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
189058	6329	218329	31.80	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit.
 2. Customer must provide all off street delivery, required by laws and ordinances, or the such protection as may be provided for by laws and ordinances.
 3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

BRUSH: 52.28 Ton 104,760 lb 47,519 kg (Scale 1)
 P.T. TARE: 20.54 Ton 41,160 lb 18,670 kg (Scale 1)
 NET: 31.80 Ton 63,600 lb 28,849 kg

Load # 14
 Total Amt: 448.48TON

W/H: DON PARSON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000008

Plant ID: 00633
 07/13/2006
 14:43

P.J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

2000008

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 PROVIDENCE RI
 JK PER MT 8-25-03

JOB ID:
 Q109050EED
 NICK McGOVERN
 601

601 GORHAM SCHOOL
PROVIDENCE, R.I.
N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	9307 106 333892	26.97	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for all delivery charges and unloading charges.
 3. Payment when loaded must be obtained by the Customer from their own funds.
 4. Customer shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 40,301 ton
 P.T. TARE: 13,331 ton
 NET: 26,970 ton

Scale 11
 Scale 12

Load #: 11
 Total Amt: 296.42TON

W/MICHAEL PARSLAW

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999839



Plant ID: 00033
 07/13/2006
 06:24

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I., 02921

1999839

C-533 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 HARRADANSETT AVE.
 PROVIDENCE RI

JOB ID
 01090500E
 A. KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	221936	21.86	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.

2. Customer must provide for all delivery equipment. If required by laws and ordinances, each product may be provided for by laws and ordinances.

3. Permits where required must be obtained by the Customer from the proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 30.64 Ton 77,280 lb 55,854 kg (Scale 1)

P.T. TARE: 16.78 Ton 37,560 lb 19,230 kg

NET: 13.86 Ton 30,720 lb 19,831 kg

Load #: 1
 Total Amt: 21.86TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999840

Plant ID: 00633
 07/13/2006
 06:27

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999840

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 010905000
 KOREY JENLENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	210491 106	21.99	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide for off street delivery. If required by laws and ordinances, such protection as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	39.28Ton	78,560 lb	35,635 kg	(Scale 1)
P.T. TARE:	17.29Ton	34,580 lb	15,685 kg	(Scale 1)
NETT:	21.99Ton	43,980 lb	19,949 kg	

Load #:
 Total Amt: 43.85TON

W/PAIDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999844



Plant ID: 00633
 07/13/2006
 06:49

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999844

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 PROVIDENCE RI 02903

JOB ID
 Q109050EE

601 GORHAM SCHOOL

A. KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z82489	23.59	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for any reason.
2. Customer must provide for off street delivery if required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
3. Permits, where required, must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	38.09 Ton	76,180 lb	34,555 kg	(Scale 1)
P.T. TARE:	14.50 Ton	29,000 lb	13,154 kg	Manual Wt.
NET:	23.59 Ton	47,180 lb	21,401 kg	

Load Wt 3
 Total Amts 67.44TON

W/M: DON PARSLON

RECEIVED BY

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPES, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

601

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999859



Plant ID: 00633
 07/13/2006
 07:32

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

D-533 CRANSTON

1999859

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI		0109050EE		
A. KOREY		601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	7324	722A09	24.41	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate products shall be returned for credit under any circumstances.
2. Customer must provide for safe delivery. If needed, it is the responsibility of the customer to provide for safe delivery and protection as may be required by law and ordinances in effect at the time of delivery.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	38.91 Ton	77,820 lb	35,299 kg	(Scale 1)
P.T. TARE:	14.50 Ton	29,000 lb	13,154 kg	Manual Wt.
NET:	24.41 Ton	48,820 lb	22,145 kg	

Load #: 4
 Total Amt: 91.85TON

W/M: DON PARLOW

601

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

AUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999841



Plant ID: 00633
 07/13/2006
 06130

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I., 02921

1999841

C-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 BOX DER MT A-25-03
 PROVIDENCE RI

JOB ID: 01090500ED
 NICK McGOVERN
 601

601 GORHAM SCHOOL
 PROVIDENCE, R.I.
 N/P 265

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1090500	0329	9307 106 303092	26.71	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	40.041 ton	88,080 lb	36,324 kg	(Scale 1)
P.T. TAKE:	13.33 ton	26,660 lb	12,093 kg	(Scale 1)
NET:	26.71 ton	53,420 lb	24,231 kg	

Load #: 1
 Total Amt: 26.71 TON

W/MEDON PARBLOW

RECEIVED BY: *[Signature]*

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. BUYERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

1999873

Plant ID: 00633
 07/13/2006
 08:05

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

1999873

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 JK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q1090500E
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z18240 103	32.71	1 1/2" DENSE GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products shall be returned for credit under any circumstances.
2. Customer must provide for all street delivery. If required by laws and ordinances, a valid permit is required for all street delivery.
3. Permits which are required by the customer from other city or state departments before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.26 Ton	102,520 lb	46,503 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.71 Ton	65,420 lb	29,675 kg	

Load #: 3
 Total Amt: 91.78TON

W/M: DON PARSLON

RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000456

Plant ID: 00633
 07/17/2006
 13:40

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000456

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY JEN. ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18491 186	22.26	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Bituminous Concrete and Aggregate Plants cannot be held responsible for any circumstances...
 A delivery receipt will be provided for each delivery...
 Payment for material shall be made within 10 days of delivery...

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	39.55 Ton	79,100 lb	35,900 kg	(Scale 1)
P.T. TARE:	17.29 Ton	34,580 lb	15,685 kg	(Scale 1)
NETT:	22.26 Ton	44,520 lb	20,194 kg	

Load #: 1
 Total Amts: 22.26 TON

W/M: DON PARSLOW

Don Parslow

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000460

Plant ID: 00633
 07/17/2006
 13:46

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000460

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500EE
 A. KOREY 060703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	22.49	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Customer must provide for on-site delivery if required by the contract and order. Such protection as may be provided for the low and ordinary conditions of the road must be obtained by the customer. Payment for delivery is required before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 36.53 Ton 73,060 lb 33,140 kg (Scale 1)
 P.T. TARE: 14.04 Ton 28,080 lb 12,737 kg Manual Wt.
 NET: 22.49 Ton 44,980 lb 20,403 kg

Load Nr: 2
 Total Amt: 44.75 TON

W/M: DON PARBLOW

601

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000481

Plant ID: 00633
 07/17/2006
 14:40

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000481

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 010905000
 KOREY JEN. ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18491 106	22.46	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	39.75 Ton	79,500 lb	36,061 kg	(Scale 1)
P.T. TARE:	17.29 Ton	34,580 lb	15,685 kg	(Scale 1)
NET:	22.46 Ton	44,920 lb	20,376 kg	

Load # 3
 Total Amt: 67.21TON

W/TH: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000485

Plant ID: 00633
 07/17/2005
 14146

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2000485

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 010905000
 A. KOREY 860703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	82.66	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 Bituminous Concrete and Aggregate shall be delivered to the job site in accordance with the contract documents.
 Customer shall provide for off-site delivery including the cost of hauling, unloading, and spreading.
 The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines.
 The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 36.70 Ton 73,400 lb 33,294 kg (Scale 1)
 P.T. TAREY: 14.04 Ton 28,080 lb 12,737 kg Manual Wt.
 NET: 22.66 Ton 45,320 lb 20,557 kg

Load #: 4
 Total Amt: 89.87 TON

M/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000599

Plant ID: 00633
 07/18/2006
 10:39

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000599

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY..
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18240 103	33.32	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.87Ton	103,740 lb	47,056 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.32Ton	66,640 lb	30,226 kg	

Load #: 1
 Total Amt: 33.32TON

M/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000621

Plant ID: 00633
 07/18/2006
 11:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000621

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500EE
 KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z10240 103	31.69	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 50.24 Ton 109,480 lb 45,578 kg (Scale 1)
 P.T. TARE: 18.55 Ton 37,100 lb 16,822 kg (Scale 1)
 NET: 31.69 Ton 63,380 lb 28,749 kg

Load #: 2
 Total Amt: 65.01 TON

W/M: DON PARBLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000622

Plant ID: 00633
 07/18/2006
 11:50

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000622

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 0109050EE
 KOREY JENLENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	7324	Z18491 106	20.49	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.78 Ton 75,560 lb 34,274 kg (Scale 1)
 P.T. TARE: 17.29 Ton 34,580 lb 15,585 kg (Scale 1)
 NET: 20.49 Ton 40,980 lb 18,589 kg

Load Nr: 3
 Total Amt: 85.50TON

W/ADON PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000628

Plant ID: 00633
 07/18/2006
 12:09

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000628

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500EE
 A. KOREY 860703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	21.55	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

Bituminous Concrete and Aggregate Products cannot be returned for credit or refund. Customer must provide the driver with a copy of the purchase order and a copy of the invoice. A copy of the invoice must be provided for the driver. Payment for delivery is required at the time of delivery. Payment for delivery is required at the time of delivery. Payment for delivery is required at the time of delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.53Ton	71,100 lb	32,257 kg	(Scale 1)
P.T. TARE:	14.04Ton	28,080 lb	12,737 kg	Manual Wt.
NET:	21.55Ton	43,100 lb	19,550 kg	

Load #: 4
 Total Amt: 107.05TON

W/M: DON PARSLON

601

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000646

Plant ID: 00633
 07/18/2006
 12:47

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000646

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY 880703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	23.63	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 Customer must provide for off street delivery. If required, it is the responsibility of the customer to provide for any and all necessary permits, which may be provided for by laws and ordinances.
 Permits, where required, must be obtained by the customer from proper city or town department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

	GROSS:	37.67ton	75,340 lb	34,174 kg	(Scale 1)
P. T.	TARE:	14.04ton	28,080 lb	12,737 kg	Manual Wt.
	NET:	23.63ton	47,260 lb	21,437 kg	

Load #: 5
 Total Amt: 138.68TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME:

601
601

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000656

Plant ID: 00633
 07/18/2006
 13:23

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000656

C-533 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 01090500E

601 GORHAM SCHOOL

KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7384 103	Z10240	32.00	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Bituminous Concrete from Any State Products cannot be used for credit from this plant.

Customer must provide for a suitable delivery point for the material. If a suitable delivery point is not provided, the material will be delivered to the nearest suitable location.

Permits, where required, for the material to be delivered to the project site or other location must be obtained by the purchaser from the appropriate authority.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.35Ton	102,700 lb	46,585 kg	(Scale 1)
P.T. TARE:	19.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.80Ton	65,600 lb	29,756 kg	

Load #: 6
 Total Amt: 163.48TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000657

Plant ID: 00633
 07/18/2006
 13:26

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000657

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 MARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109030EE
 KOREY JEN. ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324 106	Z10491	20.48	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.77 Ton	75,540 lb	34,255 kg	(Scale 1)
P.T. TARE:	17.29 Ton	34,580 lb	15,685 kg	(Scale 1)
NET:	20.48 Ton	40,960 lb	18,579 kg	

Load No: 7
 Total Amt: 183.96 TON

W/M: DON FARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000677

Plant ID: 00633
 07/18/2006
 14:16

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

2000677

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 019950EE
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
189850	7324	Z10240 103	31.43	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for off street delivery if required by laws and ordinances or such protection as may be provided for by laws and ordinances.
3. Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.34Ton	100,760 lb	45,705 kg	(Scale 1)
P.T. TAREY	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NETW	31.83Ton	63,660 lb	28,876 kg	

Load #1 8
 Total Amt: 215.79TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000678

Plant ID: 00633
 07/18/2006
 14:19

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000678

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 34 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 010905000
 KOREY, JEN, ENT
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18491 106	28.39	3/4" GRADED BASE

THE DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Bituminous Concrete and Aggregate products cannot be returned for credit or refund. Customer must provide for off-truck delivery if required by laws and other regulations. Payment when received must be observed by the customer from whom it is received.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 37.68 Ton 75,360 lb 34,183 kg (Scale 1)
 P.T. TARE: 17.29 Ton 34,580 lb 15,645 kg (Scale 1)
 NET: 20.39 Ton 40,780 lb 18,498 kg

Load #: 9
 Total Amt: 236.18 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000699

Plant ID: 00633
 07/19/2006
 06:23

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000699

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 01090500E
 A. KOREY 860703
 601

681 BURNHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	21.58	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide to all street delivery a required by laws a ordinance or other such protection as may be provided for by laws and ordinances.
 3. Forms where required must be obtained by the Customer and project and delivery department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.62 Ton	71,240 lb	32,314 kg	(Scale 1)
P.T. TARE:	14.84 Ton	29,680 lb	13,437 kg	Manual wt.
NET:	21.58 Ton	43,160 lb	19,577 kg	

Load #: 1
 Total Amt: 21.58TON

W/M: DON PARSLON

[Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000701

Plan# ID: 00633
 07/19/2006
 06:26

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000701

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z18240 103	33.14	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must advise for off street delivery if required by laws and ordinances or other such protection as may be provided for by laws and ordinances.
 3. Permits where required must be obtained by the Customer from appropriate city or town department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.69Ton	103,300 lb	46,893 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.14Ton	66,200 lb	30,065 kg	

Load #: 2
 Total Amt: 54.72TON

W/M: DON PARSLOW

RECEIVED BY: _____ DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000723

Plant ID: 00633
 07/19/2006
 07:26

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000723
 C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C. JOB ID 601 GORHAM SCHOOL
 54 NARRAGANSETT AVE. 0189050EE
 OK PER MT 8-25-03 A. KOREY 860703
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	Z21936	20.20	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate products cannot be returned for any reason under any circumstances.
 2. Customer must provide for all area delivery, including but not limited to, the cost of protection as may be provided for by laws and ordinances.
 3. Points where required must be obtained by the customer and provided to the driver at the time of delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 34.24 Ton 68,480 lb 31,063 kg (Scale 1)
 P.T. TARE: 17.04 Ton 28,080 lb 12,737 kg Manual Mt.
 NET: 20.20 Ton 40,400 lb 18,325 kg

Load #: 3
 Total Amt: 74.92TON

W/M: DON PARSLOW

[Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000748

Plant ID: 00633
 07/19/2006
 08:31

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000748

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER NY 8-25-03
 PROVIDENCE RI

JOB ID 601 BORNHAM SCHOOL
 Q109050EE
 A. KOREY 860703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	7324	Z21936	20.01	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.

Customer must provide for all fuel delivery. If required by laws and ordinances, all such provisions as may be provided for by laws and ordinances.

Permits where required must be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 31.00 Ton 69,700 lb 31,516 kg (scale 1)
 P.T. TARE: 11.04 Ton 24,300 lb 11,000 kg Manual Wt.
 NET: 20.01 Ton 44,520 lb 20,216 kg

Load No: 4
 Total Amt: 95.73 TON

W/ANDON PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000765

Plant ID: 00633
 07/19/2006
 09:26

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000765

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C JOB ID 601 GORHAM SCHOOL
 54 NARRAGANSETT AVE. 0109050EE
 OK PER MT 8-25-03 A. KOREY 860703
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	7324	221936	17.05	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for material delivery if required by laws and ordinances of the jurisdiction. Such protection may be provided for by laws and ordinances.
3. Permits which should be obtained by the Customer from proper city or state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P.T. TARE: 14.04 Ton 29,090 lb 12,737 kg (Scale 1)
 NET: 17.05 Ton 38,130 lb 17,298 kg Manual Wt.

Lead Wt 5
 Total Amt: 114.78TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000779

Plant ID: 00633
 07/19/2006
 10:08

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2000779

C-633 CRANSTON

SOLD TO: H. KOREY CONSTRUCTION C
 54 HARRADANSETT AVE.
 OK PER NT 8-25-03
 PROVIDENCE RI

JOB ID: 0109050EE
 KOREY..
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1090039	7324	ZIMMER 103	31.87	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
2. Customer must provide for all street delivery if required by laws and ordinances and such provision as may be provided for by laws and ordinances.
3. Permits when required must be obtained by the Customer from the city or state government before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 109,840 lb (Scale 1)
 TARE: 77,971 lb (Scale 1)
 NET: 31,869 lb (Scale 1)

Load #: 6
 Total Amt: 146.65TON

W/M: DON FARLOW

DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000788

Plant ID: 00633
 07/19/2006
 10:31

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000788

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE A. KOREY 860703 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	7324	221936	19.22	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 2. Customer must provide a 10' off street delivery if required by laws and ordinances. Such protection as may be provided for by laws and ordinances.
 3. Forms, where required, must be obtained by the Customer from appropriate department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross: 30,520 lb Net: 19,220 lb (Scale 1)
 P.T. TARE: 14,040 lb NET: 19,220 lb

Load #: 7
 Total Amt: 165.87TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

EQUAL OPPORTUNITY EMPLOYER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000795

Plant ID: 00633
 07/19/2006
 10:56

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000795

C-633 CRANSTON

SOLD TO: H. KOREY CONSTRUCTION C 54 HARRAGANSETT AVE. OK PER HT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY, .. 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	210240 103	32.23	3/4" GRADED BASE

THIS RECEIPT IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:
 1. Bituminous Concrete and Asphalt Products cannot be returned for credit under any circumstances.
 2. The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.
 3. Payment must be received by the Customer prior to the date of delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 50.78 Ton 101,560 lb 46,065 kg (Scale 1)
 P.T. TARE: 18.55 Ton 37,100 lb 16,829 kg (Scale 1)
 NET: 32.23 Ton 64,460 lb 29,236 kg

Load #: 0
 Total Amt: 198.10 TON

W/TH: DON PARBLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000806

Plant ID: 00633
 07/19/2006
 11:27

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000806

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 MARRAGANSETT AVE. OK PER MT 6-25-03 PROVIDENCE RI		JOB ID 0100058EE A. KOREY 860703 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	7324	Z21936	19.96	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS:

1. Bituminous Concrete and Aggregate products cannot be returned for credit under any circumstances.
 2. Customer must provide for all protection of their delivery. If required by law, the contractor shall provide such protection as may be required for forward movement.
 3. Permits where required must be obtained by the Customer (they) prior to delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P.T. TARE 13.04 Ton 25,000 lb (Scale 1)
 NET 19.96 Ton 39,920 lb (Scale 1)

Load # 9
 Total Amtr 218.06TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2000820

Plans ID: 00633
 07/19/2006
 11:58

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2000820

C-633 CRANSTON

SOLD TO:
 KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 681 BORHAM SCHOOL
 01090500E
 KOREY ..
 681

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	210210 103	30.37	3/4" GRADED BASE

THIS DELIVERY IS MADE SUBJECT TO THE FOLLOWING CONDITIONS

Bituminous Concrete and Aggregate Products cannot be returned for credit under any circumstances.
 Customer must provide for off street delivery if required by law and ordinances. Such protection as may be provided for by laws and ordinances.
 Permits where required must be obtained by the Customer from order of state department before delivery.

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 44,920 lb (Scale 1)
 P.T. TARE: 14,550 lb (Scale 1)
 NET: 30,370 lb (Scale 1)

Load #: 10
 Total Amt: 248.43TON

W/FR: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003242

Plant ID: 00633
 03/2006
 05:44

J. J. KEATING INC. • • • •
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2003242

C. 634 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO. JOB ID: 601 GORHAM SCHOOL
 174 NARRAGANSETT AVE. Q10905000
 OK PER MT 8-25-03 A. KOREY 560703
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00950	7324	221936	20.53	3/4" GRADED BASE
		186		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS: 35.05 Ton 70,100 lb " 31,797 kg (Scale 1)
 P. L. TARE: 14.52 Ton 29,040 lb " 13,173 kg (Scale 1)
 NET: 20.53 Ton 41,060 lb " 18,625 kg

Load #: 1
 Total Amt: 20.53 TON

W/M: DON FARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 464-7878
 CRANSTON, RI • (401) 942-7300

2003254

Plant ID: 00633
 08/03/2006
 07:35

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2003254

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 CR PER NT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q105050EE
 A. KOREY 860703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	7324	721936 196	19.57	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.09 Ton	68,180 lb	30,926 kg	(Scale 1)
P.L. TARE:	14.52 Ton	29,040 lb	13,173 kg	(Scale 1)
NET:	19.57 Ton	39,140 lb	17,754 kg	

Load #r 2
 Total Amt: 40.10 TON

W.M: DON FORSLÖM



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003275

Plant ID: 00633
 08/03/2006
 09:06

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R. I. 02921

2003275

C 633 CRANSTON

SOLD TO:

L. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DE PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 01090500E
 KOREY 860-856
 601

691 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	7324	720138 106	20.30	3.75" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.48Ton	70,960 lb	32,187 kg	(Scale 1)
P. J. TARE:	15.18Ton	30,360 lb	13,771 kg	(Scale 1)
NET:	20.30Ton	40,600 lb	18,416 kg	

Load #: 3
 Total Amt: 60.40TON

WATSON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY, AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003279

Plant ID: 00633
 02/03/2006
 09:16

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R. I. 02921

2003279

CRANSTON

SOLD TO:

AL KOREY CONSTRUCTION CO
 14 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01070500E
 AL KOREY 060703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00650	7324	221936 106	20.49	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.011ton	78,020 lb	31,761 kg	(Scale 1)
P.L. TARE:	14.52Ton	29,040 lb	13,173 kg	(Scale 1)
NET:	20.49Ton	40,980 lb	18,589 kg	

Load #: 4
 Total Amt: 80.59TON

W/PH: DON PARSON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003294

Plant ID: 000633
 01/03/2006
 09:57

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R. I. 02921

2003294

0 633 CRANSTON

SOLD TO:		JOB ID	601 GURHAM SCHOOL
D. KOREY CONSTRUCTION C		0109050LE	
54 HARRAGANSETT AVE.		KOREY 860456	
06 FEB RT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000650	7324	220138	19.94	3/4" GRADED BASE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRDSS:	35.12Ton	70,240 lb	, 31,861 kg	(Scale 1)
P.L. TARE:	15.10Ton	30,360 lb	, 13,771 kg	(Scale 1)
NET:	19.94Ton	39,880 lb	, 18,090 kg	

Load Nr: 5
 Total Amt: 1901.93TON

W. M. DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003303

Plant ID: 00633
 08/03/2006
 10:19

P. J. KEATING INC.
 875 PHEENIX AVE.
 CRANSTON, R.I. 02921

2003303

0-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 75 NARRAGANSETT AVE.
 DE PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 010905000
 G. KOREY 0602703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	221936 106	20.92	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.44Ton	76,880 lb	, 32,151 kg	(Scale 1)
P.J. FARE:	14.52Ton	29,040 lb	, 13,173 kg	(Scale 1)
NET:	20.92Ton	41,840 lb	, 18,979 kg	

Load #: 6
 Total Amt: 121.75TON

W/FR: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003315

Plant ID: 00633
 03/03/2006
 10:49

P. J. KEATING INC.
 875 PINEHIX AVE.
 CRANSTON, R.I. 02921

2003315

C-633 CRANSTON

SOLD TO:

H. KOREY CONSTRUCTION CO
 14 HARRADONSETT AVE.
 06 PER MIT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 860456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220138 106	23.05	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	38.23 Ton	76,460 lb	34,682 kg	(Scale 1)
TARE:	15.18 Ton	30,360 lb	13,771 kg	(Scale 1)
NET:	23.05 Ton	46,100 lb	20,911 kg	

Load #: 7
 Total Qty: 144.8010M

W/M: DON PARSLON

[Handwritten Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003319

Plant ID: 00633
 03/03/2006
 11:07

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2003319

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 14 HARRAGANSETT AVE.
 DE PER MT 0-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY 860703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	7324	ZE1936 106	21.24	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.76Ton	71,520 lb	32,441 kg	(Scale 1)
P.T. TARE:	14.52Ton	29,040 lb	13,173 kg	(Scale 1)
NET:	21.24Ton	42,480 lb	19,269 kg	

Load #: 8
 Total Amt: 166.04TON

M/PE: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2003334

Plant ID: 00633
 00/03/2006
 11:47

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2003334

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 70 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q100050EE
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	7324	220138 106	21.71	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.89Ton	73,780 lb	, 33,467 kg	(Scale 1)
P.T. TARE:	15.18Ton	30,360 lb	, 13,771 kg	(Scale 1)
NET:	21.71Ton	43,420 lb	, 19,695 kg	

Lead #: 9
 Total Amt: 187.75104

M/A: DON PARSLOW

[Handwritten signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRAGUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003335

PLANT ID: 00633
 00/03/2006
 11:53

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0003335

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 24 HARRAGANSETT AVE.
 DE PER MT A-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY 060703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
010050	7324	221936 106	20.60	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.12Ton	70,240 lb	, 31,861 kg	(Scale 1)
TARE:	14.52Ton	29,040 lb	, 13,173 kg	(Scale 1)
NET:	20.60Ton	41,200 lb	, 18,688 kg	

Load No: 10
 Total Amt: 200.35TON

W MEDON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003344

Plant ID: 00633
 03/03/2006
 12:34

P. J. KEATING INC.
 875 PHELIK AVE.
 CRANSTON, R.I. 02921

2003344

C-643 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 DE. PER MIT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY 060456
 601

601 BORNHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220138 106	22.20	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	37.38Ton	74,760 lb	"	33,911 kg	(Scale 1)
P.T. TARE:	15.10Ton	30,360 lb	"	13,771 kg	(Scale 1)
NET:	22.20Ton	44,400 lb	"	20,140 kg	

Load #: 11
 Total Amt: 230.55TON

W/P: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2003345

Plant ID: 00633
 03/03/2006
 12:37

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2003345

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 1/4 NARRAGANSETT AVE.
 06 PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY 8687003
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	221936 106	21.10	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.62 Ton	71,240 lb	, 32,314 kg	(Scale 1)
P.L. TARE:	14.52 Ton	29,040 lb	, 13,173 kg	(Scale 1)
NET:	21.10 Ton	42,200 lb	, 19,142 kg	

Load #: 12
 Total Amt: 251.65 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003355

Plant ID: 00633
 03/03/2006
 13:20

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2003355

0633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 14 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY 060456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220130 136	20.06	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.24 Ton	70,480 lb	, 31,970 kg	(Scale 1)
P.L. TARE:	-15.18 Ton	30,360 lb	, 13,771 kg	(Scale 1)
NET:	20.06 Ton	40,120 lb	, 18,198 kg	

Load #s 13
 Total Amt: 271.7110H

W/M: DOH PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003366

Plant ID: 00633
 03/03/2006
 13:49

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2003366

C-633 CRANSTON

SOLD TO:

A. KUREY CONSTRUCTION C
 59 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KUREY 860703
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	221936 106	19.41	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.931ton	67,860 lb	30,781 kg	(Scale 1)
P.T. TARE:	14.521ton	29,040 lb	13,173 kg	(Scale 1)
NET:	19.41ton	38,820 lb	17,608 kg	

Load # 14
 Total Amt: 291.12TON

W/PH:DDH PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003377

Plant ID: 00633
 03/03/2006
 1430

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2003377

C-633 CRANSTON

SOLD TO:

M. KOREY CONSTRUCTION CO
 14 NARRAGANSETT AVE.
 04 PER MT 8-25 03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500E
 KOREY 060456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220138 136	21.26	3/4" GRADED BASE

Handwritten:
 Gorham
 #601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.44Ton	72,880 lb	=	33,058 kg	(Scale 1)
T. L. TAKE:	15.18Ton	30,360 lb	=	13,771 kg	(Scale 1)
NET:	21.26Ton	42,520 lb	=	19,287 kg	

Load #: 15
 Total Amt: 312.38TON

W. PHOEN PARSELOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 APOSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2003379

Plant ID: 00633
 00/03/2006
 14:34

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2003379

C-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 DE PER MT B-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500E
 G. KOREY 56.0700
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00650	7324	221936 106	20.25	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.77 Ton	69,540 lb	, 31,543 kg	(Scale 1)
P. J. TARE:	14.52 Ton	29,040 lb	, 13,173 kg	(Scale 1)
NET:	20.25 Ton	40,500 lb	, 18,371 kg	

Load #: 16
 Total Amt: 332.6310H

M/14: DON FARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DORCHESTER, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2005609

Plant ID: 00633
 08/18/2006
 10:08

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2005609

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0109050EE
 KOREY 060456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220130 136	13.21	3/4" GRADED BASE

601

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.52 Ton	73,040 lb	33,131 kg	(Scale 1)
P.T. TARE:	23.31 Ton	46,620 lb	21,147 kg	(Scale 1)
NET:	13.21 Ton	26,420 lb	11,984 kg	

FB

Load #: 1
 Total Amt: 13.21TON

W/P: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2012459

Plant ID: 00633
 10/12/2006
 09:07

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2012459

C-6.13 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 PROVIDENCE RI
 JOB ID
 Q109050EE
 KOREY JEN-ENT
 601
 001 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218491 106	21.55	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.55Ton	73,100 lb	33,158 kg	(Scale 1)
P.T. TARE:	15.00Ton	30,000 lb	13,608 kg	Manual Wt.
NET:	21.55Ton	43,100 lb	19,550 kg	

601
 1802

Load #: 1
 Total Amt: 21.55TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2012469

Plant ID: 00633
 10/12/2006
 09:48

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2012469

C-633 CRANSTON

SOLD TO:				JOB ID	601 GORHAM SCHOOL
A. KOREY CONSTRUCTION CO				Q109050EE	
54 NARRAGANSETT AVE.				A. KOREY #1004	
OK PER MT 8-25-03				601	
PROVIDENCE	RI				

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	222064	20.76	3/4" GRADED BASE
		106		

520

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.


GROSS:	31.85Ton	63,700 lb	, 28,894 kg	(Scale 1)
P.T. TARE:	11.09Ton	22,100 lb	, 10,061 kg	(Scale 1)
NET:	20.76Ton	41,520 lb	, 18,833 kg	

2215

RS

Load #: 2
 Total Amt: 42.31TON

W/ADON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014415

Plant ID: 00633
 10/26/2006
 06:39

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

#601
 C-633 CRANSTON

2014415

SOLD TO: FOREY CONSTRUCTION CO. JOB ID: 601 DOMIN SCHOOL
 74 NARRAGANSETT AVE. 010950616
 00 PER MT 8-25-03 FOREY...
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109038	6329	21629	29.96	1 1/2" DENSE GRADED BASE
		103		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.54TON	101,000 lb	, 45,850 kg	(Scale 1)
TARE:	20.58Ton	41,100 lb	, 18,670 kg	(Scale 1)
NET:	29.96Ton	59,920 lb	, 27,180 kg	

2215

Load #: 1
 Total Amt: 29.96TON

W/H: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014432

Plant ID: 00633
 10/26/2006
 07:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

#601
 C 633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 01 PER MT 8-25-03 PROVIDENCE RI		JOB TO Q109050EE KOREY... 601	601 GORHAM SCHOOL
ACCOUNT 100000	MIX 6329	TRUCK 216529	PRODUCT DESCRIPTION 1 1/2" DENSE GRAPED INSE
		133	
		TONS 29.38	

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

	GROSS: 49,96 Ton	59,920 lb	49,924 kg	(Scale 1)
P.L. TIRE:	20,58 Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	29,38 Ton	58,760 lb	26,654 kg	

Load #: 2
 Total Amt: 59.34TON

W/P: DON FARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014439

Plant ID: 00633
 10/25/2006
 08:07

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014439

C 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
KOREY CONSTRUCTION CO		0187000000	
75 NARRAGANSETT AVE.		KOREY, .	
06 PER MIT A-25-03		601	
PROVIDENCE RI			
ACCOUNT	MIX	TRUCK	TONS
109050	6329	210240	32.78
		103	
			PRODUCT DESCRIPTION
			1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.33 Ton	112,660 lb	50,667 kg	(Scale 1)
TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.78 Ton	65,560 lb	29,738 kg	

Load #: 3
 Total Amt: 92.12TON

W: HADON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014446

#601

Plan# ID: 80633
 10/26/2006
 08:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014446

0-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 34 NARRAGANSETT AVE. 06 PER MT 8-25-03 PROVIDENCE RI		JOB ID 01090506E KOREY 601	601 GORHAM SCHOOL
ACCOUNT 01090506	MIX 6.329	TRUCK 218529 123	TONS 307.86
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRU-551	31.44 ton	107,800 lb	48,666 kg	(Scale 1)
P.L. FARE:	20.58 ton	41,160 lb	18,670 kg	(Scale 1)
NET:	30.86 ton	61,720 lb	27,996 kg	

Load #: 4
 Total Amt: 122.90TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014448

Plant ID: 00633
 10/23/2006
 08:58

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014448

C 633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PO PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY.. 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK Z10240 123	TONS 31.50
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

601

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

BRDSST	30.13 Ton	100,250 lb	45,478 kg	(Scale 1)
P.T. TARE:	18.58 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	31.50 Ton	63,150 lb	28,649 kg	

Load #: 5
 Total Amtr: 154.56 TON

W/PH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014461

#601

Plant ID: 00633
 10/26/2006
 09:43

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014461

U-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
G. KOREY CONSTRUCTION C		01090500EE	
54 NARRAGANSETT AVE.		KOREY...	
01 PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100000	6329	218529	29.79	1 1/2" DENSE GRADED BASE
		103		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	30,371on	100,740 lb	45,696 kg	(Scale 1)
P.T. TARE#	20,581on	41,160 lb	18,670 kg	(Scale 1)
NET#	29.79on	59,580 lb	27,025 kg	

Load #: 6
 Total Amt: 184.35TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014462

Plan# ID:00633
 10/20/2006
 09:44

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014462

C 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
KOREY CONSTRUCTION C		Q1090500E	
24 NARRAGANSETT AVE.		KOREY...	
OK PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	6329	215240	31.78	1 1/2" DENSE GRADED BASE
		103		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	30.33Ton	100,660 lb	" 45,659 kg	(Scale 1)
TARE:	18.55Ton	37,100 lb	" 16,829 kg	(Scale 1)
NET:	31.78Ton	63,560 lb	" 28,831 kg	

Load #: 7
 Total Amt: 216.13TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME



NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014481

#601

Plant ID: 00633
 10/26/2006
 10:47

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

2014481

C 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C.
 54 NARRAGANSETT AVE.
 OFF PER MIT 8-25-03
 PROVIDENCE RI

JOB ID
 01090500EE
 KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218329 193	30.27	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.05 Ton	101,700 lb	=	46,131 kg	(Scale 1)
Net TARE:	20.58 Ton	41,160 lb	=	18,670 kg	(Scale 1)
NET:	30.27 Ton	60,540 lb	=	27,461 kg	

Load #: 8
 Total Amt: 246.40TON

W/MEDON PARBLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014482

Plant ID: 00633
 10/20/2006
 10:49

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2014482

0-033 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 06 PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EF
 KOREY, J
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	5329	218240 103	33.18	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.73Ton	103,360 lb	46,929 kg	(Scale 1)
TARE:	18.58Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.18Ton	66,360 lb	30,101 kg	

Load #: 2
 Total Amt: 279.58TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2014498

601

Plant ID: 00633
 10/26/2006
 11:57

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2014498

C 633 CRANSTON

SOLD TO:

a. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q10905001
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218329 1.83	31.38	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.96 Ton	103,920 lb	, 47,130 kg	(Scale 1)
P.L. TARE:	20.58 Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	31.38 Ton	62,760 lb	, 28,460 kg	

Load # 10
 Total Amt: 310.96 TON

W/11 DON PARCSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014499

Plant ID: 00633
 10/06/2006
 11:59

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2014499

0-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GOTHAM SCHOOL
 0100650EE
 KOREY, L
 001

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240 133	33.02	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbside. If the job requires placement of the materials beyond the curbside of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.57Ton	103,140 lb	, 46,784 kg	(Scale 1)
P. J. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	33.02Ton	66,040 lb	, 29,956 kg	

Load # 11
 Total Amt: 343.98TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014518

#601

Plant ID: 00633
 10/26/2006
 12:46

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014518

SOLD TO:

A. KOREY CONSTRUCTION CO
 14 HARRAGANSETT AVE.
 DR PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218329 133	28.96	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.54 Ton	99,000 lb	, 44,993 kg	(Scale 1)
TARE:	20.58 Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	28.96 Ton	57,920 lb	, 26,273 kg	

Load #: 12
 Total Amt: 372.94TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014537

#601

Plant ID: 00633
 10/26/2006
 13:43

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014537

C 603 CRANSTON

SOLD TO:

H. KOREY CONSTRUCTION C
 14 NARRAGANSETT AVE.
 DE PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6.329	Z18329 133	29.52	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.10 Ton	100,200 lb	45,451 kg	(Scale 1)
TARE:	20.58 Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	29.52 Ton	59,040 lb	26,781 kg	

Load #: 14
 Total Amt: 433.5510N

W/PH: DON FARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014519

Plant ID: 00633
 10/26/2006
 12:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014519

C 033 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 CR PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 01090500EE
 KOREY,
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	5329	218240 133	31.09	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.64Ton	99,290 lb	, 45,033 kg	(Scale 1)
P.L. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.09Ton	62,180 lb	, 28,205 kg	

Load #: 13
 Total Amt: 404.03TON

W/TH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014538

Plant ID: 00633
 10/26/2006
 13:44

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014530

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 BURNHAM SCHOOL
 Q109050EE
 KOREY..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240 103	31.04	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.39ton	100,700 lb	, 45,714 kg	(Scale 1)
P.L. TIRE:	18.55ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.84ton	63,600 lb	, 28,885 kg	

Load #: 15
 Total Amt: 465.39TON

W/M: DUN PARBLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014552

Plant ID: 00633
 10/26/2006
 14:30

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014552

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DE PER MT B-25-03
 PROVIDENCE RI

JOB ID 601 BORDMAN SCHOOL
 Q109050EE
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z18240 103	31.54	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.09 Ton	100,100 lb	, 45,442 kg	(Scale 1)
P. F. TARE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.54 Ton	63,000 lb	, 28,613 kg	

Load #: 16
 Total Amt: 496.93 TON

W/TH: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2014555

#601

Plant ID: 00633
 08/26/2006
 14:40

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 HARRAGANSETT AVE.
 OK PER MT 0-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY...
 601

603 GORHAM SCHOOL
 315

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210329 193	28.71	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	49.29Ton	98,580 lb	, 44,716 kg	(Scale 1)
TARE#	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET#	28.71Ton	57,420 lb	, 26,046 kg	

Load #: 17
 Total Amt: 525.64TON

W/11: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2014636

Plate ID: 00633
 10/27/2006
 10:17

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2014636

C-633 CRANSTON

SOLD TO: KOREY CONSTRUCTION CO	JOB NO	601 GORHAM SCHOOL
13 HARRINGTONSETT AVE.	Q109050EE	
OK PER MT 8-25-03	KOREY	
PROVIDENCE RI	601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
	632	123		1 1/2" DENSE DRIPED

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P.T.	TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
	NET:	31.50Ton	63,000 lb	28,577 kg	(Scale 1)

Load #: 1
 Total Amt: 31.50TON

W/BRIDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014662

Plant ID: 00633
 10/27/2006
 11:34

P.J. KEATING INC.
 875 PINEHILL AVE.
 CRANSTON, R.I. 02921

2014662

C-633 CRANSTON

SOLD TO: G. KOREY CONSTRUCTION CO. 54 NARRAGANSETT AVE. PO BOX 8-25-03 PROVIDENCE RI		JOB ID 01090500E KOREY, 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK 210240	PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE
		103	
		32.93	

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.50 Ton	101,160 lb	, 45,886 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.03 Ton	64,060 lb	, 29,058 kg	

Load #: 2
 Total Amt: 63.53TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014677

Plant ID: 00633
 10/27/2006
 12:32

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C 63A CRANSTON

2014677

330

SOLD TO:
 G. KOREY CONSTRUCTION CO
 54 HARRINGSETT AVE.
 PROVIDENCE RI 02909
 JOB ID: 0109050EE
 KOREY...
 601 GORHAM SCHOOL 10
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240	33.08	1 1/2" DENSE GRADED BASE
		103		
	517			

601

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.63Ton	103,260 lb	" 46,839 kg	(Scale 1)
TARE:	18.55Ton	37,100 lb	" 16,829 kg	(Scale 1)
NET:	33.08Ton	66,160 lb	" 30,010 kg	

Load #: 3
 Total Amt: 96.61TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014696

Plant ID: 00633
 10/27/2006
 13:26

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014696

0 633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 06 PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY... 601	601 GORHAM SCHOOL
ACCOUNT 009050	MIX 6329	TRUCK 218640 193	TONS 29.75
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	48.30Ton	96,600 lb	, 43,818 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	29.75Ton	59,500 lb	, 26,989 kg	

Load #: 4
 Total Amt: 126.36TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014704

Plant ID: 00633
 10/27/2006
 Page 10

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014704

C 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
H. KUREY CONSTRUCTION C		0109050EE	
34 NARRAGANSETT AVE.		KUREY...	
06 PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1090030	6-329	218240	31.19	1 1/2" DENSE GRADED BASE
		103		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRDSS:	49.74Ton	99,480 lb	, 45,124 kg	(Scale 1)
P. T. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.19Ton	62,380 lb	, 28,296 kg	

Load Ht 5
 Total Amt: 157.55TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014712

Plant ID: 00633
 10/27/2006
 15:15

P. J. KEATING INC.
 875 QUEENY AVE.
 CRANSTON, R.I. 02921

2014712

D 633 CRANSTON

SOLD TO: D. KUREY CONSTRUCTION C 54 NARRAGANSETT AVE. 06 PER MY 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KUREY... 601	601 GORHAM SCHOOL
ACCOUNT 1099000	MIX 5429	TRUCK 218329	TONS 29.92
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

#601

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.00Ton	100,000 lb	, 45,360 kg	(Scale 1)
TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	29.42Ton	58,840 lb	, 26,690 kg	

Load #: 6
 Total Amt: 186.97TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 SPACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014714

PLANT ID: 10700033
 10/30/2006
 00:34

P.J. KEATING INC.
 275 PINEHILL RD.
 CRANSTON, R.I. 02921

00000000

CRANSTON

SOLD TO: CONSTRUCTION CO
 64 HARRAGANSETT AVE.
 PROVIDENCE RI 02909
 JOB ID: 010900001
 PURCHASER: GARY BARRON
 PROJECT: GBL GORHAM SCHOOL

ACCOUNT	MIX	TRUCKS	TONS	PRODUCT DESCRIPTION
	6.52	100		1 1/2" DENSE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS TARE:	13.75 Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	22.12 Ton	44,240 lb	20,067 kg	(Scale 1)

RS

Load #s: 1
 Total Amt: 22.12 TON

W/M: DON PARSLOW

Job 601

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014715

PLANT ID: 200633
 11/30/2006
 06:37

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2014715

CRANSTON

SOLD TO: CONSTRUCTION C
 51 HARRADANSETT AVE.
 01101 PER MT 0-25-03
 CRANFORD, NJ

JOB ID: 010905001
 CRANFORD, NJ 07003

601 GORDON SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
		106		1 1/2" DEISE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

TARE:	11.09Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	19.84Ton	39,688 lb	17,999 kg	(Scale 1)

Load #: 2
 Total Amt: 41.96TON

W/PH: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 992-3542
SPACUTT, MA • (978) 454-7878
CRANSTON, RI • (401) 942-7300

2014716

PLANT: 10/10/05
10/30/2006
06:38

P. J. KEATING CO.
875 PUEBLO BLVD.
CRANSTON, R.I. 02921

2014716

0.033 CRANSTON

SOLD TO: CONSTRUCTION C		TRUCK ID	CALL NUMBER SCHOOL
10 HARRAGANBETT AVE.		010905001	
PROVIDENCE RI		LUKEY AGENT	
TRUCK ACCOUNT	6.32 MIX	2 TRUCKS	1.1 1/2" DENSE G PRODUCT DESCRIPTION
	1.06		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

TARE:	14.831 ton	29,660 lb	13,454 kg	(Scale 1)
NET:	22.371 ton	44,740 lb	20,294 kg	(Scale 1)

Load #: 3
Total Amt: 64.3310H

W/14: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014730

Plant ID: 00633
 10/30/2006
 07/29

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014730

0.633 CRANSTON

SOLD TO:

CLIFOREY CONSTRUCTION CO
 14 NARRAGANSETT AVE.
 SUITE 201 0-25-03
 PROVIDENCE RI

JOB ID 601 GURHAM SCHOOL
 010960000
 CLIFOREY 11/09/04
 041

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
110050	6.319	222064	09.47	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.56Ton	63,120 lb	• 28,631 kg	(Scale 1)
TARE:	11.09Ton	22,180 lb	• 10,061 kg	(Scale 1)
NET:	20.47Ton	40,940 lb	• 18,570 kg	

Load #s 4
 Total Amt: 04.00TON

WILLIAM PARSLAW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014742

Plant ID: 00633
 10/30/2006
 09:02

P. J. KEATING INC.
 875 MENTOR AVE.
 CRANSTON, R.I. 02921

2014742

C 633 CRANSTON

SOLD TO:

AL KOREY CONSTRUCTION CO
 55 NARRAGANSETT AVE
 06 PERMIT A-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500EE
 KOREY 060456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100650	6329	220130 106	23.01	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.84Ton	75,680 lb	34,320 kg	(Scale 1)
P.L. TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	23.01Ton	46,020 lb	20,875 kg	

Load #: 5
 Total Amt: 107.81TON

M/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014746

Plant ID: 00633
 10/30/2006
 05:20

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014746

633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 34 NARRAGANSETT AVE.
 DEPTER RT 8-25 03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q1090500E
 KOREY JEN CHY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000000	6329	218491	18.00	1 1/2" DENSE GRADED BASE
		126		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

Requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.85Ton	73,700 lb	• 33,430 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	• 17,101 kg	(Scale 1)
NET:	18.00Ton	36,000 lb	• 16,330 kg	

Load #: 6
 Total Amt: 125.81TON

W/KEITH PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014750

Plant ID:00633
 10/30/2006
 08:29

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014750

C 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 00 PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500E
 G. KOREY #1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100056	6389	222864 106	18.83	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.92Ton	59,840 lb	27,143 kg	(Scale 1)
P.L. TAKE:	11.09Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	18.83Ton	37,660 lb	17,083 kg	

Load #: 7
 Total Amt: 144.64TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014767

Plant ID: 00633
 Dt: 10/2006
 09:11

P.J. KEATING INC.
 875 HUNTING AVE.
 CRANSTON, R.I. 02921

2014767

C 633 CRANSTON

SOLD TO:
 KURELY CONSTRUCTION CO
 54 HARRISANSETT AVE.
 PROVIDENCE RI 02903
 JOB ID: 01090500E
 MOBILE: 4604516
 601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000000	6329	2401.00 136	21.78	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.61ton	73,220 lb	, 33,213 kg	(Scale 1)
TARE:	14.83ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.78ton	43,560 lb	, 19,759 kg	

Load #: 9
 total Amt: 185.64TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2014774

Plant ID: 00633
 10/30/2006
 09:29

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014774

0 633 CRANSTON

SOLD TO:

ALDOREY CONSTRUCTION C
 50 NARRAGANSETT AVE.
 00 PER RT 8-25-03
 PROVIDENCE RI

JOB ID
 Q100000000
 ALDOREY W1A04
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	6329	222864 1.06	20.01	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.10Ton	62,200 lb	28,214 kg	(Scale 1)
P. J. TARE:	11.09Ton	22,188 lb	10,061 kg	(Scale 1)
NET:	20.01Ton	40,020 lb	18,153 kg	

Load #: 10
 Total Amt: 205.65TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014779

Plant ID: 80633
 10/30/2006
 09:51

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02911

2014779

U 633 CRANSTON

SOLD TO:		JOB ID	601 GURHAM SCHOOL
KOREY CONSTRUCTION CO		010905002	
74 NARRAGANSETT AVE.		KOREY DEF-ENT	
00 PER MT 0-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6029	218491	17.23	1 1/2" DENSE GRADED BASE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.08Ton	72,160 lb	32,732 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	17.23Ton	34,460 lb	15,631 kg	

Load #: 11
 Total Amt: 222.88TON

W/M: DON FARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014780

Plant ID: 00633
 10/30/2006
 09:52

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014780

C 643 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 06 PER MP 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	220130 136	20.60	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.51Ton	71,020 lb	, 32,215 kg	(Scale 1)
P. J. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	20.68Ton	41,360 lb	, 18,761 kg	

Load #: 12
 Total Amt: 243.56TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014789

Plant ID: 00633
 10/30/2006
 10:23

P. J. KEATING INC.
 875 FRIENDS AVE.
 CRANSTON, R.I. 02921

2014789

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 SUITE 201 PERMIT 8-25-03
 PROVIDENCE RI

JOB ID
 Q10905001
 A. KOREY #1004
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00-050	6329	222064 196	19.68	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.77ton	61,540 lb	, 27,915 kg	(Scale 1)
P.T. TARE:	11.09ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	19.68ton	39,360 lb	, 17,854 kg	

Load #: 13
 Total Amt: 263.24TON

W/ANDREW PARSLAW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014790

Plant ID: 00633
 10/30/2006
 10:25

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014790

C 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 34 NARRAGANSETT AVE.
 DE PER NF 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EF
 COREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100950	6329	218240 143	31.91	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.46Ton	100,920 lb	, 45,777 kg	(Scale 1)
P.L. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.91Ton	63,820 lb	, 28,949 kg	

Load #: 14
 Total Amt: 295.15TON

W/M: DON PARSLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014795

Plant ID: 00633
 10/30/2006
 10:37

P. J. KEATING INC.
 875 PINEHURST AVE.
 CRANSTON, R.I. 02921

2014795

C 633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 02 PER HT. 8-25-03
 PROVIDENCE RI

JOB ID
 010905061
 KOREY 060455
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	6329	220130 136	20.53	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbside. If the job requires placement of the materials beyond the curbside of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	35.36Ton	70,720 lb	, 32,079 kg	(Scale 1)
P.T. TARE#	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET#	20.53Ton	41,060 lb	, 18,625 kg	

Load #: 15
 Total Amt: 315.60TON

W/M: DON PARSLON

Don Parslon
 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014806

Plant ID: 00633
 10/30/2006
 11:15

P.J. KEATING INC.
 875 PRENEX AVE.
 CRANSTON, R.I. 02921

2014806

C-633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO
 14 HARRAGANSETT AVE.
 DE PER HT 8-25-03
 PROVIDENCE RI

JOB ID 601 GOSHAM SCHOOL
 Q109050EE
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240 123	31.95	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.50 Ton	101,000 lb	, 45,814 kg	(Scale 1)
TARE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.95 Ton	63,900 lb	, 28,985 kg	

Load #: 16
 Total Amt: 347.63TON

W/PI: DON PARBLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014807

Plant ID: 00633
 10/30/2006
 11:17

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014807

C. 6.3 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 DE PER PIT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q10905000
 A. KOREY #10014
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	222064 106	20.87	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.96Ton	63,920 lb	• 28,994 kg	(Scale 1)
P.L. TARE:	11.09Ton	22,100 lb	• 10,061 kg	(Scale 1)
NET:	20.87Ton	41,740 lb	• 18,933 kg	

Load #: 17
 Total Amt: 360.50TON

W/PH: DON FARLOW

RECEIVED BY: _____

DRIVER NAME 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014818

Plant ID: 00633
 10/30/2006
 12:03

P. J. KEATING INC.
 875 PRENIX AVE.
 CRANSTON, R.I. 02921

2014818

C 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
G. KOREY CONSTRUCTION C		0109050EE	
77 NARRAGANSETT AVE.		G. KOREY 81004	
01 PER RT 8-25-03		601	
PROVIDENCE	RT		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	722864	21.42	1 1/2" DENSE GRADED BASE
		196		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	32.51Ton	65,020 lb.	• 29,493 kg	(Scale 1)
P.T. TARE:	11.09Ton	22,180 lb.	• 10,061 kg	(Scale 1)
NET:	21.42Ton	42,840 lb.	• 19,432 kg	

Load Hs: 18
 Total Amt: 389.92TON

W/M: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014819

Plant ID: 00633
 10/30/2006
 12:05

P. J. KEATING INC.
 875 PHEIX AVE.
 CRANSTON, R. I. 02921

2014819

C 633 CRANSTON

SOLD TO: G. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. DE PER HT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY... 601	601 GORHAM SCHOOL	
ACCOUNT 10/050	MIX 6329	TRUCK Z1A240 103	TONS 32.06	PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.61Ton	101,220 lb	, 45,913 kg	(Scale 1)
P.T. FARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.06Ton	64,120 lb	, 29,085 kg	

Load #: 19
 Total Amt: 421.98TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014830

Plant ID: 00633
 10/30/2006
 12:50

P. J. KEATINGE, INC.
 875 PINEHURST AVE.
 CRANSTON, R.I. 02921

2014830

0-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
D. KOREY CONSTRUCTION CO		Q109050EE	
54 NARRAGANSETT AVE.		KUREY,	
06 PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	6329	218240	39.40	1 1/2" DENSE GRADED BASE
		103		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	48.95Ton	97,900 lb	, 44,407 kg	(Scale 1)
TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	30.40Ton	60,800 lb	, 27,579 kg	

Load #: 20
 Total Amt: 452.3ATON

W/TI: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATINGE CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014831

Plant ID: 00633
 10/30/2006
 12:54

P. J. KEATING, INC.
 875 PINECK AVE.
 CRANSTON, R.I. 02921

2014831

C 633 CRANSTON

SOLD TO:				
G. KOREY CONSTRUCTION CO		JOB ID	601 GORHAM SCHOOL	
10 NARRAGANSETT AVE.		Q109050EE		
OFF MER MT 8-25-03		G. KOREY #12004		
PROVIDENCE	RI	601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1070050	6329	Z22864	18.88	1 1/2" DENSE GRADED BASE
		1.06		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.97Ton	59,940 lb	• 27,189 kg	(Scale 1)
TARE:	11.09Ton	22,180 lb	• 10,061 kg	(Scale 1)
NET:	18.88Ton	37,760 lb	• 17,128 kg	

Load #: 21
 Total Amt: 471.26TON

W/M: DON FARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014845

Plant ID: 00635
 10/30/2006
 13:52

P. J. KEATING INC.
 675 PHEENIX AVE.
 CRANSTON, R.I. 02921

2014845

6 633 CRANSTON

SOLD TO: O. KOREY CONSTRUCTION C 172 NARRAGANSETT AVE. 00 PER MT 8-25-03 PROVIDENCE RI		JOB ID 010900000 KOREY... 601	601 GORHAM SCHOOL
ACCOUNT 104050	MIX 6329	TRUCK 210240 173	TONS 31.38
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.93ton	59,860 lb	" 45,296 kg	(Scale 1)
P.F. TARE:	18.55ton	37,100 lb	" 16,829 kg	(Scale 1)
NET:	31.38ton	62,760 lb	" 28,468 kg	

Load #1: 22
 Total Amt: 502.64TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014849

Plant ID: 00633
 10/30/2006
 14116

P. J. KEATING INC.
 875 PINEHURST AVE.
 CRANSTON, R.I. 02921

2014849

U 633 CRANSTON

SOLD TO: KORREY CONSTRUCTION CO 100 NARRAGANSETT AVE. PO BOX 101 0-25-03 PROVIDENCE RI	JOB ID 010905000 D. KOREY 311000 601	601 GORHAM SCHOOL
---	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1090500	6329	222064 136	20.72	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.81 Ton	63,629 lb	, 28,850 kg	(Scale 1)
TARE:	11.09 Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.72 Ton	41,449 lb	, 18,797 kg	

Load #: 23
 Total Amt: 523.36 TON

W/H: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014854

Plant ID: 00633
 10/30/2006
 13:31

P. J. KEATING INC.
 675 PENNIX AVE.
 CRANSTON, R.I. 02921

2014854

D-033 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 1/2 NARRAGANSETT AVE. OK PER MT 8 25-03 PROVIDENCE RI		JOB ID Q109050EE KUREY TEN-ENT 601	601 GORHAM SCHOOL
ACCOUNT 009050	MIX 6329	TRUCK 218491 136	PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.65Ton	73,300 lb	33,249 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	17.80Ton	35,600 lb	16,148 kg	

Load #: 24
 Total Amt: 541.16TON

W/M: DON FARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014860

Plant ID: 00633
 10/30/2006
 1445

P.J. KEATING INC.
 875 PINEAUX AVE.
 CRANSTON, R.I. 02921

2014860

0 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 14 MARRAGANSETT AVE.
 00 PERMIT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 060456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
107050	6329	2P0130 1.06	22.30	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	37.13Ton	74,260 lb	33,684 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	22.30Ton	44,600 lb	20,231 kg	

Load #: 25
 Total Amt: 563.46TON

W/11: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 AGUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014765

Plant ID: 00633
 10/30/2006
 09:08

P.J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014765

C-633 CRANSTON

SOLD TO:
 H. KOREY CONSTRUCTION CO
 55 HARRAGANSETT AVE.
 W. PER MT 8 25-03
 PROVIDENCE RI

JOB ID: Q109050EE
 601 GORHAM SCHOOL
 KOREY JEN-ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	218491 136	19.22	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	38.07Ton	76,140 lb	, 34,537 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	19.22Ton	38,440 lb	, 17,436 kg	

Load #: 8
 Total Amt: 163.86TON

W/HA: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRAGUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014865

#601

2014865

Plant ID: 006633
 10/30/2006
 15:10

P. J. KEATING INC.
 875 BHELIX AVENUE
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO: CONSTRUCTION C
 74 NARRAGANSETT AVE.
 PROVIDENCE RI
 JOB ID: 0102050001
 601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
		103	30.56	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.14Ton	102,200 lb	46,394 kg	(Scale 1)
TARE:	20.58Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	30.56Ton	61,120 lb	27,724 kg	

Load #: 26
 Total Amt: 594.02TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014871

Plant ID: 00633
 10/31/2006
 06:26

P.J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014871

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 14 MARRAGANSETT AVE.
 RI PER MIT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORIAN SCHOOL
 010905000
 PURCH 060956
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
010050	6329	220130 126	21.13	1 1/2" DENSE GRADED BASE

601
 #809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.96 Ton	71,920 lb	32,623 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.13 Ton	42,260 lb	19,169 kg	

Load No 1
 Total Amt: 21.13 TON

W/H: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014890

Plant ID: 00632
 10/31/2006
 W/41

P.J. KEATING, INC.
 875 PINEHIX AVE.
 CRANSTON, R.I. 02921

2014890

0 6 13 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 01 PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	220130 126	21.58	1 1/2" DENSE GRADED BASE

601
 #1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.41Ton	72,820 lb	33,031 kg	(Scale 1)
P.L. TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.58Ton	43,160 lb	19,577 kg	

Load #: 3
 Total Amt: 73.75TON

WINDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014892

Plant ID: 00633
 10/31/2006
 07:44

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C 633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 14 HARRAGANSETT AVE. 06 PER NT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY JEN-ENT 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z10491 106	16.32	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.17Ton	70,340 lb	, 31,906 kg	(Scale 1)
P.L. TARE:	18.85Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	16.32Ton	32,640 lb	, 14,806 kg	

Load #: 4
 Total Amt: 00.07TON

W/HEADON FARSILOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014913

Plant ID: 00633
 10/31/2006
 00:39

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014913

D 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 WY PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 8600456
 601

601 BORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	6329	220138 106	21.95	1 1/2" DENSE GRADED BASE

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	36.78Ton	73,560 lb	, 33,367 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.95Ton	43,900 lb	, 19,913 kg	

Load #: 6
 Total Amt: 142.02TON

WILSON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACHT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014914

Plant ID: 00633
 10/31/2006
 06:41

P.J. KEATING INC.
 875 PINEHICK AVE.
 CRANSTON, R.I. 02921

2014914

C-633 CRANSTON

SOLD TO: D. KOREY CONSTRUCTION C 52 NARRAGANSETT AVE. OF PER MT 8-25-03 PROVIDENCE RI	JOB ID Q109850EE FOREY JEN-ENI 601	601 GURHAM SCHOOL
--	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109850	6329	210091 1.96	18.34	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	37.19Ton	74,380 lb	33,739 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	18.34Ton	36,680 lb	16,638 kg	

Load #: 7
 Total Amt: 160.36TON

W/NDON PARSLAW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014926

Plant ID: 00633
 10/31/2006
 09:22

P. J. KEATING INC.
 875 WENIX AVE.
 CRANSTON, R.I. 02921

2014926

00633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. RI PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EL KOREY 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK 218240 143	TONS 32.04
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	50.59Ton	101,180 lb	, 45,895 kg	(Scale 1)
P. F. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.04Ton	64,080 lb	, 29,067 kg	

Load #: 8
 Total Amt: 192.40TON

W/19: DON FARSLow

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014928

Plant ID: 00633
 08/31/2006
 09:25

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014928

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 CR PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0109050EE
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	220138 136	22.00	1 1/2" DENSE GRADED BASE

Handwritten: # 601
1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.83Ton	73,660 lb	, 33,412 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.00Ton	44,000 lb	, 19,958 kg	

Load # 9
 Total Amt: 214.40TON

W/ID: DON PARSLOW

Handwritten signature: [Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRAGUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014951

Plate ID: 000633
 10/31/2006
 10:29

P.J. KEATING TRUCK
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2014951

C-633 CRANSTON

SOLD TO:
 KUREY CONSTRUCTION C
 13 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0109050EE
 KUREY, JEN-LEHT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109055	632	2 126	3	1 1/2" DENSE GRAVEL BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.93Ton	71,868 lb	32,596 kg	(Scale 1)
P.T. TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	17.08Ton	34,168 lb	15,495 kg	

Load #: 10
 Total Amt: 231.48TON

W/H: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014964

Plant ID: 0633
 10/31/2006
 11:00

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2014964

E-633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO.
 54 HARRABANSETT AVE.
 06 PER MY 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500E
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	6329	218240 133	32.06	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.61 Ton	101,220 lb	=	45,913 kg	(Scale 1)
TARE:	18.55 Ton	37,100 lb	=	16,829 kg	(Scale 1)
NET:	32.06 Ton	64,120 lb	=	29,085 kg	

Load #: 11
 Total Amt: 263.54TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014974

Plant ID: 000533
 10/31/2006
 11:28

P. J. KEATING INC.
 875 PHENIX QUE.
 CRANSTON, R.I. 02921

2014974

0 633 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL
GENERAL CONSTRUCTION C		W1090506E		
54 NARRAGANSETT AVE.		KOREY JENNENT		
08 PER MT 8-25-03		601		
PROVIDENCE	RI			

ISSUE ACCOUNT	632 MIX	TRUCK	TONS	PRODUCT DESCRIPTION
		136		1 1/2" DENSE GRADE BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.15 Ton	70,368 lb	31,915 kg	(Scale 1)
P.T. TARE:	16.05 Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	16.33 Ton	32,660 lb	14,815 kg	

Load #: 12
 Total Amt: 279.87 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014983

Plant ID: 00633
 10/31/2006
 11:49

P. J. KEATING INC.
 875 PHEATX AVE.
 CRANSTON, R.I. 02921

2014983

0-633 CRANSTON

SOLD TO:
 KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 W PER RT 8-25-03
 PROVIDENCE RI

JOB ID
 0103050EE
 KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00600	6325	193	3528	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS	31.61Ton	183,228 lb	86,821 kg	(Scale 1)
P. T. FARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.06Ton	66,120 lb	29,992 kg	

Load #: 13
 Total Amt: 312.93TON

W/NDON PARSLow



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2014991

Plant ID: 00633
 10/31/2006
 17:27

P. J. KEATING INC.
 875 PHELIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO:		JOB ID	601 GURHAM SCHOOL
CONSTRUCTION CO		Q10005000	
100 NARRAGANSETT AVE.		ROSEY JENNENT	
R1		601	
ACCOUNT	MIX	TRUCKS	TONS
		106	
PRODUCT DESCRIPTION			
1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	36.00 Ton	72,000 lb	32,659 kg	(Scale 1)
P.L. TARE:	10.85 Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	17.15 Ton	34,300 lb	15,558 kg	

Load #: 14
 Total Amt: 330.00 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015006

Plant ID: 00633
 10/31/2006
 12:56

P. J. KEATING, INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015006

0 633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
 96 NARRAGANSETT AVE.
 96 PER MT 6-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EEF
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	63219	278240 123	32.79	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.34 Ton	102,680 lb	, 46,576 kg	(Scale 1)
P. J. TARE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.79 Ton	65,580 lb	, 29,747 kg	

Load #: 15
 Total Amt: 362.87TON

W/M: DON FARSLAW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015014

Plant ID: 00633
 10/31/2006
 13:22

P. J. KEATING, INC.
 875 PHOENIX AVE.
 CRANSTON, R. I. 02921

2015014

C-603 CRANSTON

SOLD TO:

H. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 DR PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q100050EE
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	220138 136	21.91	1 1/2" DENSE GRADED BASE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.74Ton	73,480 lb	, 33,331 kg	(Scale 1)
P.T. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.91Ton	43,820 lb	, 19,877 kg	

Load #: 16
 Total Amt: 384.78TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACOT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015016

Plant ID: 00633
 10/31/2006
 13:24

P. J. KEATING INC.
 875 PINEIX AVE.
 CRANSTON, R.I. 02921

2015016

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0F PER PIT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY TEN-ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099050	6329	Z18491 136	18.54	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.39 Ton	74,780 lb	, 33,920 kg	(Scale 1)
P.T. TAKE:	18.85 Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	18.54 Ton	37,080 lb	, 16,819 kg	

Load #: 17
 Total Amt: 403.3210H

W/TH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 CRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015033

Plant ID: 00633
 10/31/2006
 13:54

P. J. KEATING, INC.
 875 PHEENIX AVE.
 CRANSTON, R.I. 02921

2015033

0-633 CRANSTON

SOLD TO:

W. FOREY CONSTRUCTION CO.
 24 HARRAGANSETT AVE.
 OFF PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 010903000
 FOREY
 691

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	6329	21A240 103	33.74	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	52.29Ton	104,500 lb	47,937 kg	(Scale 1)
P. J. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.74Ton	67,400 lb	30,609 kg	

Load #: 18
 Total Amt: 437.06TON

W/M: DON FARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015049

Plant ID: 00633
 10/31/2006
 14:30

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015049

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 DE PERMIT 8-21-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 660456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6389	220138 186	21.81	1 1/2" DENSE GRADED BASE

#601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.64ton	73,280 lb	, 33,240 kg	(Scale 1)
P. J. TARE:	14.83ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.81ton	43,620 lb	, 19,786 kg	

Load #: 19
 Total Amt: 458.87TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015054

Plant ID: 00633
 10/31/2006
 14:39

P.J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 PROVIDENCE RI 02903
 OK PER MT 8-25-03

JOB ID
 Q100050EE
 KOREY...
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	Z18240 103	32.44	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.99Ton	181,980 lb	, 46,258 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.44Ton	64,880 lb	, 29,430 kg	

Load We 20
 Total Amt: 491.31TON

WINDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRAOUI, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015069

Plant ID: 00633
 11/01/2006
 06:40

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015069

C 633 CRANSTON

SOLD TO:		JOB ID	PRODUCT DESCRIPTION
J. KOREY CONSTRUCTION C		0100050EE	601 GORHAM SCHOOL
24 NARRAGANSETT AVE.		601	
00 PER PTF 8-25-03			
PROVIDENCE RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	6329	22064	21.51	1 1/2" DENSE GRADED BASE
		146		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.60Ton	65,200 lb	• 29,575 kg	(Scale 1)
TARE:	11.09Ton	22,180 lb	• 10,061 kg	(Scale 1)
NET:	21.51Ton	43,020 lb	• 19,514 kg	

Load #: 1
 Total Amt: 21.51TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRAOIT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015070

Plant ID: 00633
 11/01/2006
 66143

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015070

C 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 74 HARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE, RI

JOB ID
 0109050EE
 KOREY JEN-ENT
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
103050	6.529	218491 106	19.05	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.90Ton	75,800 lb	34,383 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	19.05Ton	38,100 lb	17,282 kg	

Load #: 2
 Total Amt: 40.56TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015085

Plant ID: 000633
 11/01/2006
 07:14

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015085

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 74 HARRAGANSETT AVE.
 01 PER INT. 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 010905000
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6323	210240 143	33.12	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	51.67ton	103,340 lb	46,875 kg	(Scale 1)
P. T. TARE:	18.55ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.12ton	66,240 lb	30,046 kg	

Load #: 3
 Total Amt: 73.68TON

W/PH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015110

Plant ID: 00633
 11/01/2006
 09:18

P. J. KEATING, INC.
 875 PINEHIX AVE.
 CRANSTON, R.I. 02921

2015110

C 633 CRANSTON

SOLD TO:

KUREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0100050EE
 KUREY, L.
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6.329	218240 133	32.37	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.92Ton	101,040 lb	, 46,195 kg	(Scale 1)
P.T. TAKE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.37Ton	64,740 lb	, 29,366 kg	

Load #: 4
 Total Amt: 106.05TON

W/H: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

71601

2015117

Plant ID: 00633
 11/01/2006
 00:54

P. J. KEATING, INC.
 675 RHENIX AVE.
 CRANSTON, R.I. 02921

2015117

C-633 CRANSTON

SOLD TO: AL KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PROVIDENCE RI		JOB ID 0109050EE KOREY 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK 210329 103	TONS 31.25
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	51.83Ton	103,660 lb	, 47,020 kg	(Scale 1)
P.L. TARE#	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET#	31.25Ton	62,500 lb	, 28,350 kg	

Load #: 5
 Total Amt: 137.30TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 GRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015133

Blank ID: 00633
 11/01/2006
 09:27

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015133

C-633 CRANSTON

SOLD TO:				
G. KOREY CONSTRUCTION CO		JOB ID	601 GORHAM SCHOOL	
34 NARRAGANSETT AVE.		(109850EE		
07 PER PIT 8 25-03		KOREY..		
PROVIDENCE	RI	601		
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00850	6329	218240	32.02	1 1/2" DENSE GRADED BASE
		193		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.57Ton	101,140 lb	45,877 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.02Ton	64,040 lb	29,049 kg	

Load #: 6
 Total Amt: 169.32TON

W/H: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

601

2015149

Plant ID: 000633
 11/01/2006
 09:55

P. J. KEATING, INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015149

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 CR PER NY 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218329 103	31.18	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.76 Ton	103,520 lb	46,957 kg	(Scale 1)
P.L. TARE:	20.58 Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	31.18 Ton	62,360 lb	28,286 kg	

Load # 7
 Total Amt: 200.50TON

W/M: DON PARSILOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015177

Plant ID: 00633
 11/01/2006
 06:59

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015177

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 14 NARRAGANSETT AVE.
 DE PER HT 0-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050FF
 KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210240 123	30.83	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.38Ton	98,760 lb	, 44,798 kg	(Scale 1)
P.L. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	30.83Ton	61,660 lb	, 27,969 kg	

Load #: 8
 Total Amt: 231.33TON

W/PH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015180

Plant ID: 00633
 11/01/2006
 11:03

P.J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015180

D-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 74 NARRAGANSETT AVE.
 DEPT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 010905000
 KOREY JEN-HEI
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	Z18491 126	17.40	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	36.25Ton	72,500 lb	32,886 kg	(Scale 1)
TARE#	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET#	17.40Ton	34,800 lb	15,785 kg	

Load #: 9
 Total Amt: 248.73TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015197

Plant ID: 00633
 11/01/2006
 11:51

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015197

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
KOREY CONSTRUCTION CO		Q189050EE	
54 NARRAGANSETT AVE.		KOREY, ..	
06 PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
180050	6329	218240	32.62	1 1/2" DENSE GRADED BASE
		133		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.17 Ton	102,340 lb	, 46,421 kg	(Scale 1)
P. J. TARE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.62 Ton	65,240 lb	, 29,593 kg	

Load #: 10
 Total Amt: 281.35TON

W/M: DON PARLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015200

Plant ID: 00633
 11/01/2006
 11:55

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015200

C. 633 CRANSTON

SOLD TO:

D. KOREY CONSTRUCTION C
 34 MARRAGANSETT AVE.
 00 PER MIT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 01090500E
 FOREY JEN-ENN
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218491 136	17.87	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.72Ton	73,440 lb	, 33,312 kg	(Scale 1)
P.L. TARE:	18.85Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	17.87Ton	35,740 lb	, 16,212 kg	

Load #: 11
 Total Amt: 299.22TON

W/M: DON PARBLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015220

Plant ID: 00633
 11/01/2006
 LP#51

P. J. KEATING, INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015220

C-633 CRANSTON

SOLD TO:

ROREY CONSTRUCTION CO.
 71 HARRAGANSETT AVE.
 PO BOX 1010-03
 PROVIDENCE RI

JOB ID: 01090500E
 ROREY TEN-ENT
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00950	6329	218491 106	17.64	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.49Ton	72,900 lb	, 33,104 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	17.64Ton	35,200 lb	, 16,003 kg	

Load #: 12
 Total Amt: 316.66TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015223

Plant ID: 00633
 11/01/2006
 12:57

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015223

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 01 PER INT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 EURO: 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
169050	6329	210240 133	33.16	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.71 Ton	103,420 lb	46,911 kg	(Scale 1)
TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.16 Ton	66,320 lb	30,083 kg	

Load #: 13
 Total Amt: 350.02 TON

W/H: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015255

Plant ID: 00633
 11/01/2006
 14:12

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015255

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
E. MOREY CONSTRUCTION CO		0109050EE	
24 NARRAGANSETT AVE.		ROBERT...	
00 PER MT 8-25-03		601	
PROVIDENCE RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240	32.10	1 1/2" DENSE GRADED BASE
		133		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.73Ton	101,460 lb	46,022 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.18Ton	64,360 lb	29,194 kg	

Load # 14
 Total (mts) 382.20TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015257

Plant ID: 00633
 11/01/2006
 14:15

P.J. KEATING, INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015257

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER: HT 8-25-03
 PROVIDENCE RI

JOB TO 601 GORHAM SCHOOL
 0189050EE
 KOREY TEN-ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100850	6329	Z18491 176	10.65	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.50 Ton	75,000 lb	34,020 kg	(Scale 1)
P.L. TARE:	18.85 Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	18.65 Ton	37,300 lb	16,919 kg	

Load No: 15
 Total Amt: 400.05 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



P. J. Keating Company

P.O. Box 367
Fitchburg, MA 01420
(978) 582-5200

INVOICE

TERMS:
Payment in full is due Net 30 days following invoice date. In the event payment is not made when due, reasonable collection fees, lien fees, and attorney fees with or without suit, together with 1 % per month FINANCE CHARGE which is an ANNUAL PERCENTAGE RATE of 12%, will be assessed until paid.

A. Korey Construction Corp.
54 Narragasset Ave
Providence, RI 02907

Equal Opportunity Employer
Please Remit Payment to:
P.O. Box 33031
Hartford, CT 06150-3031

601 GORHAM SCHOOL

CUSTOMER NO.	INVOICE DATE	INVOICE NO.	PURCHASE ORDER NO.			JOB NO		
109050	11/7/2006	220769				601		
DESCRIPTION		MATL UNITS	U/M	MATL PRICE	MATL TOTAL	HAUL RATE	HAUL TOTAL	TOTAL

00633 - Stone - Cranston, RI

6329 - 1 1/2" Constr. Base Material	1901.540	TON	9.00	17,113.86	0.00	0.00	17,113.86
11/2/2006	2015283 2015284 2015285 2015286 2015307 2015310 2015315 2015316 2015329 2015331						
	2015332 2015345 2015348 2015353 2015358 2015360 2015377 2015378 2015381 2015383						
	2015390 2015391 2015396 2015398 2015412 2015415 2015431 2015433 2015435 2015436						
	2015444 2015446 2015449 2015459 2015461 2015463 2015477 2015479 2015480 2015494						
	2015499 2015500 2015502 2015504 2015505						
11/3/2006	2015524 2015534 2015535 2015536 2015551 2015552 2015555 2015561 2015590 2015591						
	2015592 2015593 2015605 2015606 2015607 2015610 2015621 2015622 2015623 2015624						
	2015626 2015637 2015638 2015639 2015640 2015652 2015653 2015659 2015660 2015666						
	2015667 2015672 2015681 2015682 2015685						

INV. # 220769
VEN. # 1344
JOB # 601
DATE 11/7/06
PRICE 17113.86
G/L # 5000
EQU.# _____
C-CODE 2215
TYPE # 1
OKBY R

ENTERED

Subtotal: 17,113.86
Sales Tax: 0.00
Total Due: 17,113.86

PAID
12/8/06
Pd 5,000 USAN# 8
Bal -> 12,113.86

PLEASE PAY FROM THIS INVOICE. DETACH AND RETURN WITH PAYMENT

Customer Name	A. Korey Construction Corp.
Customer No.	109050
Invoice No.	220769
Invoice Date	11/7/2006
Due Date	12/7/2006
Invoice Amount	\$17,113.86

Amount Remitted \$ _____

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015283

Plant ID: 00633
 11/02/2008
 06:25

P. J. KEATING INC.
 875 PHELIX AVE.
 CRANSTON, R.I. 02921

2015283

0 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
EUREY CONSTRUCTION CO		0109050EE	
55 NARRAGANSETT AVE.		EUREY 860456	
40 PER HT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	220138 126	23.09	1 1/2" DENSE GRADED BASE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.92 Ton	75,840 lb	, 34,401 kg	(Scale 1)
T. T. TARE:	14.83 Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	23.09 Ton	46,180 lb	, 20,947 kg	

Load #: 1
 Total Amt: 23.09 TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015284

Plant ID: 00633
 11/02/2006
 PG: 32

P. J. KEATING CO., INC.
 875 PHOENIX AVE.
 CRANSTON, R. I. 02921

2015284

0-633 CRANSTON

SOLD TO:

ALFREY CONSTRUCTION CO
 14 HARRAGANSETT AVE.
 DE PER HT 0 25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01000500E
 ALFREY CONCRETE
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00000	6329	218491	17.65	1 1/2" DENSE GRADED BASE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.50Ton	73,000 lb	33,113 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	17.65Ton	35,300 lb	16,012 kg	

10/8/07
 Pd 5,000 (15) #8
 Bal → 12,113.86

Load #: 2
 Total Amt: 40.74TON

W/EDON PARSLON

Tom Jones

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015285

#601

Plant ID: 00633
 11/02/2006
 06:36

P. J. KEATING CO., INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0 633 CRANSTON

SOLD TO:

6 KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DE PER NT 8-25-03
 PROVIDENCE RI

FOR ID
 0109950EE
 FORE...
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109950	6329	218329 133	30.94	1 1.2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.52Ton	103,040 lb	, 46,739 kg	(Scale 1)
TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	30.94Ton	61,880 lb	, 28,069 kg	

12/07
 Tol 5,000
 Bal → 12,113.86

Load # 3
 Total Amt: 71.68TON

W/N: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015286

PLANT ID: 00633
 11/02/2006
 06:38

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015206

C 633 CRANSTON

SOLD TO:

FOREY CONSTRUCTION C
 14 NARRAGANSETT AVE.
 PROVIDENCE RI 02903

JOB ID 601 GURHAM SCHOOL
 010005000
 FOREY, J.
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
010050	6329	210240 133	33.26	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties, expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	51.81 Ton	103,620 lb	=	47,002 kg	(Scale D)
P. T. TARE:	18.55 Ton	37,100 lb	=	16,829 kg	(Scale D)
NET:	33.26 Ton	66,520 lb	=	30,173 kg	

Handwritten notes:
 1051
 1051
 1051 → 12113.86

Load #: 4
 Total Amt: 104.94TON

W/PHILIP FARSLOW

Signature
 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015307

Plant ID: 00633
 11/02/2006
 07:19

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015307

C-633 CRANSTON

SOLD TO:

D. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 NEW PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 860456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
149050	6329	220130 106	21.55	1 1/2" DENSE GRADED BASE

601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.38 Ton	72,760 lb	33,004 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.55 Ton	43,100 lb	19,550 kg	

Load #: 5
 Total Amt: 126.49 TON

W/1: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015310

Plant ID: 00633
 11/02/2006
 07:23

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015310

0 633 CRANSTON

SOLD TO:

KUREY CONSTRUCTION C
 11 NARRAGANSETT AVE.
 00 PER RT 8 25-03
 PROVIDENCE RI

JOB ID
 010905000
 KUREY JEN-ENT
 601

601 DORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
010950	6324	21A491 106	18.43	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.28Ton	74,560 lb	33,820 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	18.43Ton	36,860 lb	16,720 kg	

Load #: 6
 Total Amt: 144.92TON

W/TH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015315

Plant ID: 00633
 11/02/2006
 07:31

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015315

C-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 74 NARRAGANSETT AVE.
 01 PER RT 6-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY C...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	718240 103	32.94	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.49Ton	102,980 lb	=	46,712 kg	(Scale 1)
TARE:	18.55Ton	37,100 lb	=	16,829 kg	(Scale 1)
NET:	32.94Ton	65,880 lb	=	29,883 kg	

Load #: 7
 Total Amt: 177.86TON

W/PI: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015316

#601

Plant ID: 00633
 11/02/2006
 07:32

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0-633 CRANSTON

2015316

SOLD TO:

KOREY CONSTRUCTION CO
 24 NARRAGANSETT AVE.
 06 PER RT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EF
 KOREY
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	6329	210329 100	31.34	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.92Ton	103,840 lb	, 47,102 kg	(Scale 1)
T.T. TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	31.34Ton	62,680 lb	, 28,432 kg	

Load #: 8
 Total Amt: 209.20TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015329

Plant ID: 00633
 11/02/2006
 08:31

P. J. KEATING THE
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015329

E 633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 01 PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY 860456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	720138 136	21.04	1 1/2" DENSE GRADED BASE

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.87Ton	71,740 lb	32,541 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.04Ton	42,080 lb	19,087 kg	

Load #: 9
 Total Amt: 230.24TON

W/M: DON PARSLOW

[Handwritten signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015331

Plant ID: 00633
 11/02/2006
 08:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015331

C 633 CRANSTON

SOLD TO:

B. KOREY CONSTRUCTION C
 74 NARRAGANSETT AVE.
 DE PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	210240 133	32.60	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.15Ton	102,300 lb	, 46,403 kg	(Scale 1)
P.T. TARE:	10.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.60Ton	65,200 lb	, 29,575 kg	

Load #: 10
 Total Amt: 262.04TON

W/19: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015332

#601

Plant ID: 00633
 11/02/2006
 00:43

P. J. KEATING INC.
 675 PHOENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION I.
 54 NARRAGANSETT AVE.
 DE PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 0109059EE
 KOREY,
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	210329 193	29.57	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.15Ton	100,300 lb	45,496 kg	(Scale 1)
P.L. TARE:	20.58Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	29.57Ton	59,140 lb	26,826 kg	

Load #: 11
 Total Amt: 292.41TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 992-3542
DRACUT, MA • (978) 454-7878
CRANSTON, RI • (401) 942-7300

2015345

Plant ID: 00633
11/02/2006
09:15

P. J. KEATING INC.
875 PHENIX AVE.
CRANSTON, R.I. 02921

2015345

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
14 NARRAGANSETT AVE.
06 PER MIT 8-25-03
PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
0109050EE
KOREY 860500
601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	722489 196	22.38	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.13Ton	72,200 lb	32,777 kg	(Scale 1)
TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	22.38Ton	44,760 lb	20,303 kg	

Load No: 12
Total Amt: 314.79TON

W/THOM PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 992-3542
DRACUT, MA • (978) 454-7878
CRANSTON, RI • (401) 942-7300

2015348

Plant ID: 00633
11/02/2006
09:22

P.J. KEATING INC.
875 PHOENIX AVE.
CRANSTON, R.I. 02921

2015348

C 033 CRANSTON

SOLD TO:

M. KOREY CONSTRUCTION C
54 NARRAGANSETT AVE.
APT PER MIT 0-25-03
PROVIDENCE RI

JOB ID 601 GORDON SCHOOL
0109050EE
KOREY JEN-ENI
601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009850	6329	210491 136	17.15	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.00Ton	72,000 lb	, 32,659 kg	(Scale 1)
P.L. TARE:	18.85Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	17.15Ton	34,300 lb	, 15,558 kg	

Load #s 13
Total Amt: 331.94TON

W/PAID PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015353

Plant ID: 00633
 11/02/2006
 09:28

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015353

C-633 CRANSTON

SOLD TO:

M. KOREY CONSTRUCTION CO
 71 NARRAGANSETT AVE.
 SUITE 200
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 860456
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	220136 136	22.58	1 1/2" DENSE GRADED BASE

621
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.41Ton	74,820 lb	, 33,938 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.58Ton	45,160 lb	, 20,485 kg	

Load #: 14
 Total Amt: 354.52TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015358

Plant ID:00633
 11/02/2006
 09:36

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015358

0-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DR PER RT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q1000SDEF
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00000	6329	218240 1.03	32.50	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.05Ton	102,100 lb	, 46,313 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.50Ton	65,000 lb	, 29,484 kg	

Load #: 15
 Total Amt: 307.02TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015360

#601

Plant ID: 00633
 11/02/2006
 09:38

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 74 NARRAGANSETT AVE.
 SUITE 200
 PROVIDENCE RI 02903

JOB ID 601 GORHAM SCHOOL
 Q100050EE
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	218329	29.25	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.83Ton	99,660 lb	, 45,206 kg	(Scale 1)
P.L. TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	29.25Ton	58,500 lb	, 26,536 kg	

Load Hs 16
 Total Amt: 416.27TON

W/HEATH PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015377

Plant ID: 00633
 11/02/2006
 10:13

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015377

C 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
J. KOREY CONSTRUCTION CO		0109050EE		
13 NARRAGANSETT AVE.		KOREY 060560		
01 PER. INT. 8-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	6329	222489	21.55	1 1/2" DENSE GRADED BASE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.30 Ton	70,600 lb	32,024 kg	(Scale 1)
P.T. TARE:	13.75 Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	21.55 Ton	43,100 lb	19,550 kg	

601

Load #: 17
 Total Amt: 437.82 TON

W/HELEN PARSLOW

RECEIVED BY:

[Signature] 601/601

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015378

Plant ID: 00633
 11/02/2006
 10:16

P. J. KEATING INC.
 875 PHEENIX AVE.
 CRANSTON, R. I. 02921

2015378

C. 633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO.
 14 NARRAGANSETT AVE.
 DE PERMIT 0-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0109050EE
 KOREY JEN-ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z18491 126	17.68	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.53Ton	73,060 lb	, 33,140 kg	(Scale 1)
TARE:	18.85Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	17.68Ton	35,360 lb	, 16,039 kg	

Load #: 10
 total Amt: 455.50TON

W/PAUL PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015381

Plant ID: 00633
 11/02/2006
 10:21

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015381

C. 633 CRANSTON

SOLD TO:

L. KOREY CONSTRUCTION C
 51 NARRAGANSETT AVE.
 01 PER RT 8-25-03
 PROVIDENCE RI

JOB ID
 0102050EE
 KOREY 860456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100850	6329	720130 136	21.28	1 1/2" DENSE GRADED BASE

#601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.11 Ton	72,220 lb	, 32,759 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.28 Ton	42,560 lb	, 19,305 kg	

Load #: 19
 Total Amt: 476.78 TON

W/M: DON PARSLOW

[Handwritten signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015383

Plant ID: 00633
 11/02/2006
 10:28

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015383

C-633 CRANSTON

SOLD TO:

AL KOREY CONSTRUCTION C
 54 HARRABANSETT AVE.
 DE PER HT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 R109050EE
 KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210240 103	31.77	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.35Ton	100,640 lb	45,650 kg	(Scale 1)
P.L. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	31.77Ton	63,540 lb	28,822 kg	

Load #: 20
 Total Amt: 500.55TON

W/MEDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015391

Plant ID: 000633
 11/02/2006
 10:53

P. J. KEATING CO., INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015391

U-633 CRANSTON

SOLD TO:

W. KUREY CONSTRUCTION CO.
 14 NARRAGANSETT AVE.
 SUITE 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 KUREY 060568
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
149050	6329	722489 136	22.07	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.82Ton	71,648 lb	, 32,496 kg	(Scale 1)
P.L. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.07Ton	44,148 lb	, 20,022 kg	

Load #: 22
 Total Amt: 560.73TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015396

Plant ID: 00633
 11/02/2006
 11:04

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015396

C 633 CRANSTON

SOLD TO:

D. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 00 PER MIT 8-25-03
 PROVIDENCE RI

JOB ID 601 BORNHAM SCHOOL
 Q109050EE
 KOREY DEF-ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	5.029	210491 196	15.92	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.77Ton	69,540 lb	, 31,543 kg	(Scale 1)
TARE:	18.65Ton	37,700 lb	, 17,101 kg	(Scale 1)
NET:	15.92Ton	31,840 lb	, 14,443 kg	

Load #s 23
 Total Amts 576.65TON

W/TH DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015398

Plant ID: 00633
 11/02/2006
 11:07

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2015398

C 633 CRANSTON

SOLD TO:

M. KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 OK PER MF 8-25-03
 PROVIDENCE RI

JOB ID 601 GOPHAM SCHOOL
 Q109050LE
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	220138 196	22.50	1 1/2" DENSE GRADED BASE

*#621
 10/21/09
 #1809*

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.33Ton	74,660 lb	33,866 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	22.50Ton	45,000 lb	20,412 kg	

Load No 24
 Total Amt: 599.15TON

WINDON PARSLAW

[Handwritten Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015412

Plant ID: 00633
 11/02/2006
 11:36

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015412

C-633 CRANSTON

SOLD TO:

AL KOREY CONSTRUCTION CO
 57 HARRAGANSETT AVE.
 DE PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0109050EE
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009850	6329	718240 133	30.90	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.45Ton	90,900 lb	44,061 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	30.90Ton	61,800 lb	28,032 kg	

Load #: 25
 Total Amt: 630.05TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015415

Plant ID: 00633
 11/02/2006
 LL41

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015415

D-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO.
 54 NARRAGANSETT AVE.
 SUITE 201
 PROVIDENCE RI

JOB ID: 01090501E1
 601 GORHAM SCHOOL
 A. RUDY H. HARRIS
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	722864 196	20.06	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.15Ton	62,300 lb	, 28,279 kg	(Scale 1)
P.L. TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.06Ton	40,120 lb	, 18,198 kg	

Load #s: 26
 Total Amt: 650.11TON

W/RI: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 992-3542
DRACUT, MA • (978) 454-7878
CRANSTON, RI • (401) 942-7300

2015431

Plant ID: 00633
11/02/2006
12:08

P.J. KEATING INC.
875 PHENIX AVE.
CRANSTON, R.I. 02921

2015431

D-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO.
77 NARRAGANSETT AVE.
DE PER HT 0-25-03
PROVIDENCE RI

JOB ID
01090500E
KOREY 060650
601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	220130 196	22.40	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	37.23Ton	74,460 lb	, 33,775 kg	(Scale 1)
P.L. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.40Ton	44,800 lb	, 20,321 kg	

Load #: 27
Total Amt: 672.51TON

W/REDON PARBLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015433

Plant ID: 000633
 11/02/2006
 12:11

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015433

D-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO.
 54 NARRAGANSETT AVE.
 DE PER PIT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 KOREY 860568
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	222489 106	20.16	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.91Ton	67,820 lb	, 30,763 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	20.16Ton	40,320 lb	, 18,289 kg	

Load #: 20
 Total Amt: 692.67TON

W/PA: DON PARSLON

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015435

#601

Plant ID: 00633
 11/02/2006
 12:13

P.J. KEATING INC.
 875 PHENIX AVENUE
 CRANSTON, R.I. 02921

2015435

C-6.3 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DE PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050FE
 KOREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00000	6389	218329 193	30.84	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.42Ton	102,840 lb	, 46,648 kg	(Scale 1)
P. J. TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	30.84Ton	61,680 lb	, 27,978 kg	

Load #: 29
 Total Amt: 723.51TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015436

Plant ID: 00633
 11/02/2006
 12116

P.J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015436

C-633 CRANSTON

SOLD TO:

OLKOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 07 PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY JEN-ENT
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009950	6329	210491 1.06	18.59	1 1/2" DENSF GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.44 Ton	24,880 lb	33,966 kg	(Scale 1)
P.L. TARE:	18.85 Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	18.59 Ton	37,180 lb	16,865 kg	

Load #: 30
 Total Amt: 742.10TON

WILLOD PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015444

Plant ID: 00633
 11/02/2006
 12:34

P. J. KEATING INC.
 875 PHEIX AVE.
 CRANSTON, R.I. 02921

2015444

0-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 54 HARRADANSETT AVE.
 DE PER HT 6-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY...
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z18246 193	30.57	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	49.12Ton	98,240 lb	, 44,562 kg	(Scale 1)
TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	30.57Ton	61,140 lb	, 27,733 kg	

Load #: 31
 Total Amt: 772.67TON

W/IN: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015446

Plant ID: 00633
 11/02/2006
 12:39

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2015446

0-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 DE PER HT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q1090500E
 G. KOREY #1004
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	222864	19.54	1 1/2" DENSE GRADED BASE
		106		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.63Ton	61,260 lb	, 27,788 kg	(Scale 1)
T.T. TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	19.54Ton	39,080 lb	, 17,727 kg	

Load #: 32
 Total Amt: 792.21TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015449

Plant ID: 00633
 11/02/2006
 12:47

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015449

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 14 NARRAGANSETT AVE.
 06 PER PER 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q1000500E
 KOREY 860456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6.329	720130 106	21.92	1 1/2" DENSE GRADED BASE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblins. If the job requires placement of the materials beyond the curblins of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.75Ton	73,500 lb	, 33,340 kg	(Scale 1)
P.F. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.92Ton	43,840 lb	, 19,886 kg	

Load #: 33
 Total Amt: 414.13TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7500

2015459

#601

Phone 10100533
 11/02/2006
 13:09

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, RT. 02910

2015459

0-633 CRANSTON

SOLD TO: CONSTRUCTION CO 54 NARRAGANSETT AVE. PER MIT 8-25-03 PROVIDENCE RT		JOB ID 01098500E KUREY, 601	601 GURHAM SCHOOL
ACCOUNT	652 MIX	TRUCK	TONS
		103	
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32,311.00	100,140	47,020	(Scale 1)
TARE:	20.58Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	31.99Ton	63,980 lb	29,021 kg	

Load #: 34
 Total Amt: 846.12TON

W/P: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015461

Plant ID: 00633
 11/02/2006
 13:12

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015461

0-633-CRANSTON

SOLD TO: G. KOREY CONSTRUCTION CO. 54 NARRAGANSETT AVE. PO BOX 1010 PROVIDENCE RI		JOB ID 010905000	601 BURHAM SCHOOL
		KUREY CONCRETE 601	1802
ACCOUNT 099050	MIX 6529	TRUCK 718491	PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE
	106	16.30	

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.15Ton	70,300 lb	31,860 kg	(Scale 1)
TARE:	10.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	16.30Ton	32,600 lb	14,767 kg	

Load No: 35
 Total Amt: 862.42TON

WYNEDON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015463

Plant ID: 00633
 11/02/2006
 13:15

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015463

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0F PER MI A 25-03
 PROVIDENCE RI

JOB ID
 01090500E
 KOREY 880568
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
190070	6329	222489 106	20.75	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.50Ton	69,000 lb	• 31,298 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	• 12,474 kg	(Scale 1)
NET:	20.75Ton	41,500 lb	• 18,824 kg	

Load #: 36
 Total Amt: 883.17TON

W/ME: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015477

Plant ID: 00633
 11/02/2006
 13:40

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

U-633 CRANSTON

SOLD TO:
 KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 06 PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY...
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z10240	31.77	1 1/2" DENSE GRADED BASE
		103		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.32Ton	100,640 lb	45,650 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	31.77Ton	63,540 lb	28,822 kg	

Load # 37
 Total Amt: 914.94TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015479

Plant ID: 00633
 11/02/2006
 13:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2015479

0-633 CRANSTON

SOLD TO:		JOB ID	601 GURHAM SCHOOL
G. KOREY CONSTRUCTION C		0109050EE	
74 NARRAGANSETT AVE.		G. KOREY #12014	
OF PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6x29	222064	19.18	1 1/2" DENSE GRADED BASE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	30.27ton	60,540 lb	, 27,461 kg	(Scale 1)
P. T. TARE:	11.09ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	19.18ton	38,360 lb	, 17,400 kg	

Load #s 30
 Total Amt: 934.12TON

WATSON PARSLOW

[Handwritten Signature]
 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015480

Plant ID: 00633
 11/02/2006
 13:44

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015480

C 633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 0F PER RT. B-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 0100050EE
 KOREY 060456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	720130 106	21.41	1 1/2" DENSE GRADED BASE

#609
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.24Ton	72,480 lb	, 32,877 kg	(Scale 1)
P. F. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.41Ton	42,820 lb	, 19,423 kg	

Load #: 39
 Total Amt: 955.53TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015494

Plant ID: 00033
 11/02/2006
 13:20

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2015494

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 DE PER RY 8-25-03
 PROVIDENCE RI

TRUCK ID
 Q109050EE
 KOREY TEN TEN
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
149850	6329	210491	17.83	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.68Ton	73,360 lb	33,276 kg	(Scale 1)
P. J. TARE:	18.85Ton	37,700 lb	17,101 kg	(Scale 1)
NET:	17.83Ton	35,660 lb	16,175 kg	

Load #: 40
 Total Amt: 973.36TON

W/ANDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015499

Plant ID: 00033
 11/02/2006
 11:33

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2015499

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 01 PER RT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY #1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	22864 106	18.56	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.65Ton	59,300 lb	, 26,898 kg	(Scale 1)
P.T. TAKE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	18.56Ton	37,120 lb	, 16,838 kg	

Load Wt 41
 Total Amt: 991.98TON

W/H: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015500

Plant ID: 00633
 11/02/2006
 14134

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015500

C-633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION C
 24 NARRAGANSETT AVE.
 06 PER NT B-25-03
 PROVIDENCE RI

JOB ID 681 BORHAM SCHOOL
 Q1090500E
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240 133	29.43	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	47.98Ton	95,960 lb	, 43,527 kg	(Scale 1A)
P.T. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	29.43Ton	58,860 lb	, 26,699 kg	

Load #: 42
 Total Amt: 1,021.35TON

W/NEEDN PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015502

#601

Plant ID: 00633
 11/02/2006
 14:36

P.J. KEATING INC.
 675 PHENIX LAKE
 CRANSTON, R.I. 02921

2015502

U 633 CRANSTON

SOLD TO:
 G. KOREY CONSTRUCTION C
 24 NARRAGANSETT AVE.
 DEPT PER HT B 25-03
 PROVIDENCE RI

JOB ID
 0100050EE
 KOREY
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
199958	6329	218329 193	30.87	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.45Ton	102,900 lb	46,675 kg	(Scale 1)
TARE:	20.58Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	30.87Ton	61,740 lb	28,005 kg	

Load #: 43
 Total Amt: 1,052.22TON

W/DAVID BARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015504

Plant ID: 00633
 11/02/2006
 14:39

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015504

0-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 DE PER MT 8-25 03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 86056A
 601

601 DORIAN SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	222089 136	19.67	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.42 Ton	66,840 lb	30,319 kg	(Scale 1)
TARE:	13.75 Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	19.67 Ton	39,340 lb	17,845 kg	

Load #: 44
 Total Amt: 1,071.89 TON

W/M: DON PARSON

RECEIVED BY: 

DRIVER NAME: 127568

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015505

Plant ID: 00633
 11/02/2006
 14:40

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015505

C 633 CRANSTON

SOLD TO: G. KUREY CONSTRUCTION C 79 NARRAGANSETT AVE. 0K PER. HT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KUREY 868456 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK 220130 106	TONS 20.11
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

*E 601
#1809*


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.94Ton	69,880 lb	31,690 kg	(Scale 1)
P.L. FARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	20.11Ton	40,220 lb	18,244 kg	

Load #s 45
 Total Amt: 1,092.00TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015524

Plant ID: 00633
 11/03/2006
 06:17

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015524

U 633 CRANSTON

SOLD TO:
 KOREY CONSTRUCTION CO
 20 HARRAGANSETT AVE.
 PROVIDENCE RI 02909
 JOB ID: 0109050EE
 KOREY 060456
 601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000000	63024	220138 196	23.00	1 1/2" DENSE GRADED ROSE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.91ton	75,820 lb	34,392 kg	(Scale 1)
TARE:	14.83ton	29,660 lb	13,454 kg	(Scale 1)
NET:	23.08ton	46,160 lb	20,938 kg	

Load #: 1
 Total Amt: 23.08TON

WIMDON PARBLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015534

Plant ID: 00633
 11/03/2006
 07:04

P.J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015534

C. 633 CRANSTON

SOLD TO: R. KUREY CONSTRUCTION CO. 24 NARRAGANSETT AVE. OFFICE SUITE 25-03 PROVIDENCE RI		JOB ID 0109050EE KUREY 060563 601	601 GURHAM SCHOOL
ACCOUNT 140958	MIX 6329	TRUCK 222409	TONS 22.70
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.45Ton	72,900 lb	, 33,067 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.70Ton	45,400 lb	, 20,593 kg	

Load #: 2
 Total Amt: 45.78TON

W/PA: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015535

Plant ID: 00633
 11/03/2006
 07:06

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015535

0-633 CRANSTON

SOLD TO:
 J. KOREY CONSTRUCTION CO. FOR ID 601 GORHAM SCHOOL
 14 NARRAGANSETT AVE. Q109050EE
 RI PERMIT B-25-03 KUREY 060450
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	220130	27.84	1 1/2" DEISE GRADED BASE

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.87Ton	73,740 lb	• 33,448 kg	(Scale 1)
P. J. TARE:	14.83Ton	29,660 lb	• 13,454 kg	(Scale 1)
HET:	22.04Ton	44,080 lb	• 19,995 kg	

Load #: 3
 Total Amt: 67.82TON

W/HE DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015551

Plant ID: 00633
 11/03/2006
 07:45

P. L. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015551

E. 633 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 10 NARRAGANSETT AVE. 00 PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EF KOREY 8609500 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 63P9	TRUCK 222489 196	TONS 22.23
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.98ton	71,960 lb	9	32,641 kg	(Scale 1)
P. L. FARE:	13.75ton	27,500 lb	4	12,474 kg	(Scale 1)
NET:	22.23ton	44,460 lb	9	20,167 kg	

Load #: 5
 Total Amt: 109.83TON

M/TN: DON FARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.L. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015552

Plant ID: 00633
 11/03/2006
 07:47

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015552

C 633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO 54 HARRAGANSETT AVE. 06 PER MT 8 25-03 PROVIDENCE RI		JOB ID 0100050E1 KUREY 060456 041	601 CORNHAN SCHOOL
---	--	--	--------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	220138 106	27.67	1 1/2" DENSE GRADED BASE

#601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.50Ton	75,000 lb	" 34,020 kg	(Scale 1)
P. J. TARE:	19.83Ton	29,660 lb	" 13,454 kg	(Scale 1)
NET:	22.67Ton	45,340 lb	" 20,566 kg	

Load #: 6
 Total Amt: 132.50TOM

W/M: DON PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015561

Plant ID: 00633
 11/03/2006
 08:03

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015561

01633 CRANSTON

SOLD TO:
 GENERAL CONSTRUCTION CO. JOB ID 601 GARDEN SCHOOL
 50 NARRAGANSETT AVE. 016050001
 ONE PER MI 6-25-03 FORE P.L.
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
10-0000	6.329	210799	31.18	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.73Ton	99,460 lb	, 45,115 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.18Ton	62,360 lb	, 28,286 kg	

Load #: 0
 Total Amt: 184.84TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015592

Plant ID: 00633
 11/03/2006
 09:37

P. J. KEATING INC.
 875 PHELIK AVE.
 CRANSTON, R.I. 02921

2015592

C 033 CRANSTON

SOLD TO: H. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 0K PER MT 8-25-03 PROVIDENCE, RI	JOB ID: 0109058EE KOREY 860568 601	601 GORHAM SCHOOL
---	--	--------------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1070000	6300	222409 146	222.04	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	33.79Ton	71,500 lb	, 32,469 kg	(Scale 1)
P. L. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.04Ton	44,000 lb	, 19,995 kg	

Load #: 11
 Total Amt: 249.19TON

W/HELDON PARSLLOW

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015593

Plant ID: 00633
 11/03/2006
 09:38

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015593

0-633 CRANSTON

SOLD TO: G. KUREY CONSTRUCTION CO 14 NARRAGANSETT AVE. OFF PER MT 8 25-03 PROVIDENCE RI	JOB ID Q109050EE KUREY... 601	601 GORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210240 193	32.32	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.87Ton	101,740 lb	95,199 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.32Ton	64,640 lb	29,321 kg	

Load #: 12
 total Amt: 201.51TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015605

Plant ID: 00633
 11/03/2006
 10:15

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015605

0 633 CRANSTON

SOLD TO: H. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. DE PER MF 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY 060456 601		601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION	
189050	6329	220138	21.77	1 1/2" DENSE GRADED BASE	
		126			

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.60 Ton	73,200 lb	, 33,204 kg	(Scale 1)
P. F. TARE:	14.83 Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.77 Ton	43,540 lb	, 19,750 kg	

Load #: 13
 Total Amt: 303.28 TON

W/M: DON FARSLOW

[Handwritten signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015607

Plant ID: 00633
 11/03/2006
 10:19

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015607

C 633 CRANSTON

SOLD TO: G. KUREY CONSTRUCTION C 54 NARRAGANSETT AVE. 00 PER MT 8-25-03 PROVIDENCE RI	JOB ID 0109050EE KUREY 0605068 601	601 GORHAM SCHOOL
--	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1010000	6329	222489 106	20.49	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.24Ton	68,480 lb	, 31,063 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	20.49Ton	40,980 lb	, 18,589 kg	

Load #: 15
 Total Amt: 344.24TON

W/ANDON PARSLOW

[Signature] 601

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015610

Plant ID: 00633
 11/03/2006
 10:29

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015610

U-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
KORREY CONSTRUCTION CO		Q109850EC	
51 NARRAGANSETT AVE.		KORREY, .	
RI PER NT 8-25-03		641	
PROVIDENCE RI			
ACCOUNT	MIX	TRUCK	TONS
1109098	6329	218240 193	32.17
PRODUCT DESCRIPTION			
1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	59.72ton	101,440 lb	, 46,013 kg	(Scale 1)
P.T. TARE:	18.55ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	32.17ton	64,340 lb	, 29,185 kg	

Load #: 16
 Total Amt: 376.41TON

W/H: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015621

Plant ID: 00633
 11/03/2006
 10:59

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2015621

C-633 CRANSTON

SOLD TO:
 G. KUREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KUREY JEN-ENT
 601

601 GORHAM SCHOOL

1802

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	6.329	210491	21.19	1 1/2" DENSE GRADED BASE
		136		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.61ton	73,220 lb	•	33,213 kg	(Scale 1)
TARE:	15.42ton	30,840 lb	•	13,989 kg	(Scale 1)
NET:	21.19ton	42,380 lb	•	19,224 kg	

Load #: 17
 Total Amt: 397.60TON

W. H. DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015622

Plant ID#00633
 11/03/2006
 LI#01

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015622

D-633 CRANSTON

SOLD TO: KUREY CONSTRUCTION CO 73 NARRAGANSETT AVE. PO BOX 171 0-25-03 PROVIDENCE RI		JOB ID 0109050EEF KUREY 060956 601	601 GORHAM SCHOOL
ACCOUNT 199090	MIX 6325	TRUCK Z00138 126	TONS 20.73
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.56Ton	71,129 lb	, 32,260 kg	(Scale 1)
P.T. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	20.73Ton	41,469 lb	, 18,806 kg	

Load # 10
 Total Amt: 418.33TON

W/MADON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015623

Plant ID: 00633
 11/03/2006
 11:03

P. J. KEATING INC.
 825 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015623

0 633 CRANSTON

SOLD TO: G. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 0K PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY 060560 601	601 GORHAM SCHOOL
ACCOUNT 1090500	MIX 6325	TRUCK ZEE400 106	TONS 21.34
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.09Ton	70,180 lb	31,834 kg	(Scale 1)
P. J. TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	21.34Ton	42,680 lb	19,360 kg	

Load #: 19
 Total Amt: 439.67TON

M/PI: DON PARSLAW

601

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

201555

Plant ID: 00633
 11/03/2006
 07:54

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

201555

C 633 CRANSTON

SOLD TO:
 G. KOREY CONSTRUCTION CO. JOB ID 601 GORHAM SCHOOL
 54 HARRADANSETT AVE. RI09050EE
 OK PER #1 8-25-06 G. KOREY #1804
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
010950	6.29	22864	21.16	1 1/2" DENSE GRADED BASE
		196		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.25Ton	64,500 lb	29,257 kg	(Scale 1)
P.L. TARE:	11.09Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	21.16Ton	42,320 lb	19,196 kg	

Load # 7
 Total Amt 153.66TON

W/H: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 882-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015591

Plant ID: 00633
 11/03/2006
 09:36

P. J. KEATING INC.
 875 PHEENY AVE.
 CRANSTON, R.I. 02921

2015591

0-600 CRANSTON

SOLD TO: P. KOREY CONSTRUCTION C 54 HARRAGANSETT AVE. DE PER HT 0-25-03 PROVIDENCE RI		JOB ID 010905000 P. KOREY #1000 001	601 GORHAM SCHOOL
ACCOUNT 100000	MIX 0.25	TRUCK ZEEBKA 106	TONS 20.90
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.57Ton	63,140 lb	, 28,640 kg	(Scale 1)
P.T. FARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.48Ton	40,960 lb	, 18,579 kg	

Load #: 10
 Total Amt: 227.15TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNEBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015606

Plant ID: 00633
 11/03/2006
 10:17

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015606

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 DE PER HT 8-29-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 A. KOREY #1004
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1090004	6329	202004 106	20.47	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	31.56ton	63,120 lb	, 28,631 kg	(Scale 1)
TARE:	11.09ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.47ton	40,940 lb	, 18,570 kg	

Load #: 14
 Total Amt: 323.75TON

W/M: DON PARSLAW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015624

Plant ID: 00633
 11/03/2006
 11:07

P. J. KEATING INC.
 875 PINEHIX AVE.
 CRANSTON, R.I. 02921

2015624

0-633 CRANSTON

SOLD TO: D. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 07 PERMIT B-25-03 PROVIDENCE RI	JOB ID 010905001 D. KOREY #1804 601	601 GORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	202004 1.05	20.20	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.29 Ton	62,580 lb	28,386 kg	(Scale 1)
P. J. TARE:	11.09 Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	20.20 Ton	40,400 lb	18,325 kg	

Load #: 20
 Total Amt: 459.87 TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015626

Plant ID: 00633
 11/03/2006
 11:11

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

015626

0 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
P. KOREY CONSTRUCTION CO		01090500E	
54 HARRABANSETT AVE.		KOREY, J.	
PROVIDENCE RI		601	
ACCOUNT	MIX	TRUCK	TONS
109050	0209	21024	31.39
		103	
PRODUCT DESCRIPTION			
1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	49.94ton	99,880 lb	45,306 kg	(Scale 1)
P. T. TAKE:	16.55ton	37,100 lb	16,829 kg	(Scale 1)
NET:	31.39ton	62,780 lb	28,477 kg	

Load #: 21
 Total Amt: 491.26TON

W/M: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015637

Plant ID: 00633
 11/03/2006
 11:53

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015637

0.601 CRANSTON

SOLD TO: D. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 06 PER MT 8-25-03 PROVIDENCE RI	JOB ID 01090500E KOREY 860456 601	601 CORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
199850	6329	270130 126	21.15	1 1/2" DENSE GRADED BASE

601
 # 1807

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.98Ton	71,960 lb	, 32,641 kg	(Scale 1)
P.T. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.15Ton	42,300 lb	, 19,187 kg	

Load #: 22
 Total Amt: 512.41TON

W/M: DON PARSLOW

Handwritten signature

RECEIVED BY:

DRIVER NAME:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

30th PM
 12:2 2015638

Plant ID: 006633
 11/03/2006
 11:55

P.J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015638

C 633 CRANSTON

SOLD TO:

G. KUREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KUREY...
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
006633	6.325	218240 103	30.30	1 1/2" DENSE GRADED BASE

712


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	48.85 Ton	97,700 lb	44,317 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	30.30 Ton	60,600 lb	27,488 kg	

Load #: 23
 Total Amt: 542.71 TON

W/M: DON FARSLAW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015639

Plant ID: 00633
 11/03/2006
 11:57

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015639

0-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 DE PER MI 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EF
 A. KOREY #1804
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	722864 136	20.07	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	31.16Ton	62,320 lb	, 28,268 kg	(Scale 1)
P. F. YARE#	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET#	20.07Ton	40,140 lb	, 18,208 kg	

Load #: 24
 Total Amt: 562.78TON

W/M: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.
 "AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015640

Plant ID: 00633
 11/03/2006
 11:58

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015640

0-633 CRANSTON

SOLD TO: KORFY CONSTRUCTION CO 24 NARRAGANSETT AVE. PO BOX 117 8-25-03 PROVIDENCE RI	JOB ID Q109050EE KORFY 860568 601	601 CURHAM SCHOOL
---	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109030	6329	222409 106	21.60	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblane. If the job requires placement of the materials beyond the curblane of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	53.35 Ton	70,700 lb	, 32,070 kg	(Scale 1)
P.L. TARE:	13.75 Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	21.60 Ton	43,200 lb	, 19,596 kg	

Load #: 25
 Total Amt: 584.38TON

W/MEDON PARSLOW

RECEIVED BY: _____

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015652

Plant ID: 00633
 11/03/2006
 12:41

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

0-6.33 CRANSTON

2015652

SOLD TO:		TOR ID	601 GORHAM SCHOOL
KUREY CONSTRUCTION CO		018905000	
54 NARRAGANSETT AVE.		KUREY 860456	
06 PER MY 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
099000	6329	220138 136	21.47	1 1/2" DENSE GRADED BASE

601
1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	35.30Ton	78,600 lb	32,931 kg	(Scale 1)
P. T. TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.47Ton	42,940 lb	19,478 kg	

Load #: 26
 Total Amt: 605.85TON

W/HELDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015653

Plant ID: 00633
 11/03/2006
 12:43

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015653

C 633 CRANSTON

SOLD TO: H. KOPEY CONSTRUCTION CO 94 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI	JOB ID 0109050EE H. KOPEY #1004 601	601 GORHAM SCHOOL
---	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
140950	6329	722864 12E	18.97	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	30.06 Ton	60,120 lb	, 27,270 kg	(Scale 1)
P.T. TARE:	11.09 Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	18.97 Ton	37,940 lb	, 17,210 kg	

Load #: 27
 Total Amt: 624.82 TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015659

Plant ID: 00633
 11/03/2006
 13:00

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015659

0-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25 03
 PROVIDENCE RI

JOB ID: 643 GURHAM SCHOOL
 Q109050FF
 KOREY 060560
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	22240	20.22	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	33.97Ton	67,940 lb	• 30,818 kg	(Scale 1)
P.T. TARE#	13.75Ton	27,500 lb	• 12,474 kg	(Scale 1)
NET#	20.22Ton	40,440 lb	• 18,344 kg	

Load #: 20
 Total Amt: 645.04TON

W/HEDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015660

Plant ID: 00633
 11/03/2006
 13:11

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015660

C 633 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL
H. KOREY CONSTRUCTION C		0109050EE		
54 NARRAGANSETT AVE.		KOREY, J.		
06 PER MT 8-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218240	30.38	1 1/2" DENSE GRADED BASE
		103		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUOSS:	48,93 Ton	27,852 lb	47,389 kg	(Scale 1)
P. T. TARE:	18,55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	30,38 Ton	60,760 lb	27,561 kg	

Load #: 29
 Total Amt: 675.42104

W/11: DON FARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"



PLANT LOCATIONS: LUNEBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015666

Plant ID: 00633
 03/2006
 13441

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02901

2015666

C 633 CRANSTON

SOLD TO: H. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. 06 PER MIT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY 860456 601	601 BORTHAM SCHOOL
--	--	--	--------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6325	250138 106	20.83	1 1/2" DENSE GRADED BASE

#601
#1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.66 Ton	71,320 lb	, 32,351 kg	(Scale 1)
P.T. TARE:	14.83 Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	20.83 Ton	41,660 lb	, 18,897 kg	

Load #: 30
 Total Amt: 696.25TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015667

Plant ID#00633
 11/03/2006
 13:42

P.J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015667

C 033 CRANSTON

SOLD TO:
 A. KUREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DE PER RT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 A. KUREY H1804
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1109050	6329	222084	21.39	1 1/2" DENSE GRADED BASE
		196		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.43Ton	64,060 lb	"	29,420 kg	(Scale 1)
P. F. TARE:	11.09Ton	22,180 lb	"	10,061 kg	(Scale 1)
NET:	21.34Ton	42,600 lb	"	19,360 kg	

Load No 31
 Total Amt: 717.59TON

W/MSDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015682

Plant ID: 00633
 11/03/2006
 15:38

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015682

C 633 CRANSTON

SOLD TO: G. ROBEY CONSTRUCTION CO 54 HARRAGANSETT AVE. PO BOX 1000 PROVIDENCE RI		JOB ID 0109050EE G. ROBEY #1004 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	6327	72004 106	19.03	1 1/2" DENSE GRIDDED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	38.12 Ton	84,240 lb	, 27,325 kg	(Scale 1)
P.T. TARE:	11.09 Ton	24,180 lb	, 10,961 kg	(Scale 1)
NET:	19.03 Ton	42,060 lb	, 17,264 kg	

Load #: 34
 Total Amt: 787.65TON

W/MEDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015672

Plant ID: 00633
 11/03/2006
 14:01

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015672

0-633 CRANSTON

SOLD TO:				
KUREY CONSTRUCTION C		JOB ID	601 GORHAM SCHOOL	
54 NARRAGANSETT AVE.		Q109050EE		
06 PER MT 8-25-03		KUREY 868568		
PROVIDENCE	RI	601		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	6329	722489	20.06	1 1/2" DENSE GRADED BASE
		196		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	34.81ton	67,620 lb	30,672 kg	(Scale 1)
P.T. TARE:	13.75ton	27,500 lb	12,474 kg	(Scale 1)
NET:	20.06ton	40,120 lb	18,198 kg	

Load #: 32
 Total Amt: 737.65TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LENENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015685

Plant ID: 00633
 11/03/2006
 14:43

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO: H. KUREY CONSTRUCTION CO 54 NARRAGANSETT AVE. DE PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109059EE KUREY 060456 601	601 GORHAM SCHOOL
ACCOUNT 109056	MIX 6.325	TRUCK 720130 106	TONS 21.89
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	36.72Ton	73,440 lb	33,312 kg	(Scale 1)
TARE#	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET#	21.89Ton	43,780 lb	19,859 kg	

Load #: 35
 Total Amt: 809.54TON

W/REBON PARSLOW

Tom [Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015681

Plant ID: 00633
 11/03/2006
 1436

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02910

2015681

C 6.33 CRANSTON

SOLD TO: A. KUREY CONSTRUCTION C 94 HARRAGANSETT AVE. 01 PER MIT 8-25-03 PROVIDENCE RI	JOB ID 01090500EL KUREY 601	601 GORHAM SCHOOL
---	--------------------------------------	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
10/050	6329	Z10240 103	30.97	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	49.52 Ton	99,040 lb	44,925 kg	(Scale 1)
P. L. TARE:	18.55 Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	30.97 Ton	61,940 lb	28,096 kg	

Load #: 33
 Total Amt: 768.62TON

W/14: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015536

Plant ID: 00633
 11/03/2006
 07:08

P. J. KEATINGE, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015536

C 643 CRANSTON

SOLD TO:

D. KUREY CONSTRUCTION CO.
 54 NARRAGANSETT AVE.
 DE PER HT 0 25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500E
 D. KUREY #18004
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1090030	6329	222064 146	19.78	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.87Ton	61,740 lb	, 28,005 kg	(Scale 1)
T.T. TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	19.78Ton	39,560 lb	, 17,944 kg	

Load #: 4
 Total Amt: 87.60TON

W/PH: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATINGE CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015697

Plant ID: 00633
 11/06/2006
 00:49

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015697

0 633 CRANSTON

SOLD TO: COREY CONSTRUCTION CO. 11 HARRAGANSETT AVE. 0 PERMIT 8 25 03 CRANFORD, RI		JOB ID 01098500E	601 GORHAM SCHOOL
ACCOUNT NUMBER 00050		ALLOTMENT NUMBER 601	
ACCOUNT	MIX	TRUCK	TONS
00050	6329	2727854	20.44
		145	
PRODUCT DESCRIPTION			
1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.53Ton	63,060 lb	, 28,604 kg	(Scale 1)
TARE:	11.09Ton	22,190 lb	, 10,061 kg	(Scale 1)
NET:	20.44Ton	40,880 lb	, 18,543 kg	

Load #: 1
 Total Amt: 20.44TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ADUSHNET, MA • (508) 992-3542
 MAACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015698

Plant ID: 00633
 11/06/2006
 HG# 42

P. J. KEATING INC.
 277 PHOENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO:
 G. FUREY CONSTRUCTION CO
 70 HARRAGANSETT AVE.
 W. PER MT. A-25-03
 PROVIDENCE RI

JOB TO
 DIBODSDEF
 TURKEY WOODS
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00633	6329	106	22.36	1 1/2" DENSE GRADED BASE

#601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS: 37.19 Ton 74,380 lb 33,739 kg (Scale 1)
 TARE: 14.83 Ton 29,660 lb 13,454 kg (Scale 1)
 NET: 22.36 Ton 44,720 lb 20,285 kg

5000
 22.36
 23

Load #: 2
 Total Amt: 42.80TON

W/M: DON PARSON

[Handwritten Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 WACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015699

Plant ID: 006633
 11/06/2006
 No. 93

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015699

0 633 CRANSTON

SOLD TO: HURLEY CONSTRUCTION CO 100 HARRAGANSETT AVE. PROVIDENCE RI 02903		JOB ID 0109050002 HURLEY W060500A 601	601 GURHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00000000	6325	200000	19.06	1 1/2" DEESE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.61 Ton	67,220 lb	=	30,591 kg	(Scale 1)
P. L. TARE:	13.75 Ton	27,500 lb	=	12,474 kg	(Scale 1)
NET:	19.86 Ton	39,720 lb	=	18,017 kg	

Load #: 3
 Total Amt: 62.66 TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 CRANFORD, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015711

Plant ID: 00633
 11/06/2006
 07:31

P. J. KEATING INC.
 475 PHELIAS AVE.
 CRANSTON, R. I. 02921

0 633 CRANSTON

2015711

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
P. KOREY CONSTRUCTION CO		010995000		
13 HARRISANSETT AVE.		P. KOREY #1004		
PO BOX 8-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	Z82064	20.82	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRASS:	31.91ton	63,920 lb	, 28,949 kg	(Scale 1)
P. J. TARE:	11.09ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.82ton	41,640 lb	, 18,888 kg	

Load #: 4
 Total Amt: 83.44TON

W/BRIDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 CHACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015712

19 cont ID:00633
 11/06/2006
 07:32

P. J. KEATING INC.
 675 PHELIK AVE.
 CRANSTON, R.I. 02903

07633 CRANSTON

SOLD TO:
 KUREY CONSTRUCTION CO. JOB ID 601 GORHAM SCHOOL
 14 NARRAGANSETT AVE. 010995001
 PO BOX 118-25 03 KUREY 4604506
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109950	6.529	220130 106	22.21	1 1/2" DENSE GRADED BASE

*I 601
 #1809*


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.04 Ton	74,000 lb	, 33,603 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.21 Ton	44,420 lb	, 20,149 kg	

Load #: 5
 Total Amt: 105.69 TON

W/FR: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DEACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015713

Plant ID: 00633
 11/06/2006
 07433

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015713

0-633 CRANSTON

SOLD TO:
 HEDREY CONSTRUCTION CO
 52 NARRAGANSETT AVE.
 QUINCY RI 02853
 QUINCY RI

JOB ID: 601 DORHAM SCHOOL
 010905000
 PURCH # 860566
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6.329	222489 1.06	22.76	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	36.51ton	73,020 lb	=	33,122 kg	(Scale 1)
TARE#	13.75ton	27,500 lb	=	12,474 kg	(Scale 1)
NET#	22.76ton	45,520 lb	=	20,648 kg	

Load #: 6
 Total Amt: 128.45TON

M/HEIDI PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 CUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015728

Plant ID: 00633
 11/06/2006
 08:16

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

633 CRANSTON

SOLD TO:
 J. KOREY CONSTRUCTION C
 53 NARRAGANSETT AVE.
 PROVIDENCE RI 02903
 PER # 9-23-03

JOB ID
 0109050EE
 KOREY 060456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	6329	22013A 106	22.37	1 1/2" DENSE GRADED BASE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.80 Ton	74,400 lb	, 33,748 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.37 Ton	44,740 lb	, 20,294 kg	

Load #: 7
 Total Amt: 150.82 TON

W. DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WILMINGTON, MA • (508) 892-3542
 BRANFORD, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015730

Plant ID: 00633
 11/06/2006
 08:18

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02924

2015730

U-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
 11 HARRAGANSETT AVE.
 100 RIVER ST A-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 0109050001
 KOREY 0601060
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00000	6-325	220000 106	23.02	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	36.77Ton	73,540 lb	33,358 kg	(Scale 1)
P.L. TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	23.02Ton	46,040 lb	20,884 kg	

Load #: 8
 Total Amt: 173.84TON

W/M: DON PARSLOW

RECEIVED BY

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 CUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015732

Plant ID: 00633
 11/06/2006
 08:21

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0-643 CRANSTON

SOLD TO:
 J. FOREY CONSTRUCTION C
 10 HARRAGANSETT AVE.
 06 PER MI B-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 J. FOREY #1804
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6.529	272064	21.50	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.67Ton	65,340 lb	29,638 kg	(Scale 1)
TARE:	11.09Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	21.58Ton	43,160 lb	19,577 kg	

Load #: 9
 Total Amt: 195.42TON

W/HEDON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 CUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015744

Plant ID: 00633
 11/06/2008
 09:00

P.J. KEATING INC.
 875 PINEHURST AVE.
 CRANSTON, R.I. 02921

1-633 CRANSTON

2015744

SOLD TO:			
KOREY CONSTRUCTION CO	JOB ID	601 GORHAM SCHOOL	
70 HARRISBANSSETT AVE.	010905001		
OFFICE PER MT 6-25-03	KOREY 860456		
PROVIDENCE RI	601		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6529	220130	22.25	1 1/2" DENSE GRADED BASE
		106		

601
 #1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.00Ton	74,160 lb	, 33,639 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.25Ton	44,500 lb	, 20,185 kg	

Load #: 11
 Total Amt: 239.44TON

W/M: DUN PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 CRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015749

Plant ID: 00633
 11/06/2006
 09:14

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02923

2015749

0 633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO. 13 NARRAGANSETT AVE. 01 PER MT 8-25-03 PROVIDENCE RI		JOB ID 010205001 A. KOREY #15004 601	601 GORHAM SCHOOL
ACCOUNT 07050	MIX 6329	TRUCK 222064 136	TONS 23.63
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.72Ton	69,440 lb	31,498 kg	(Scale 1)
TARE:	11.09Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	23.63Ton	47,260 lb	21,437 kg	

Load #: 12
 Total Amt: 263.07TON

W/M: DUN PARSLON



DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 CUSHNET, MA • (508) 892-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015750

Plant ID: 00633
 11/06/2006
 09:15

P. J. KEATING INC.
 875 PHILLY AVE.
 CRANSTON, R.I. 02921

2015750

0-63 CRANSTON

SOLD TO:

A. FOREY CONSTRUCTION CO.
 54 NARRAGANSETT AVE.
 0-1 PER MT 0-25 #3
 PROVIDENCE RI

JOB ID
 0109050EE
 FOREY 0609060
 001

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	6329	72240 106	22.54	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.29Ton	72,580 lb	, 32,922 kg	(Scale 1)
TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.54Ton	45,080 lb	, 20,448 kg	

Load #: 13
 Total Amt: 205.61TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015775

Plant ID: 00633
 01/06/2006
 10:39

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015775

0 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 59 HARRAGANSETT AVE.
 00 PER MT 8-23-03
 PROVIDENCE RI

JOB ID 010903000
 A. KOREY R1A04
 601

601 BORNHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00650	6329	222664	22.25	1 1/2" DEISE GRADED BASE
		126		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.341ton	66,680 lb	≈ 30,246 kg	(Scale 1)
TARE:	11.091ton	22,180 lb	≈ 10,061 kg	(Scale 1)
NET:	22.25ton	44,500 lb	≈ 20,185 kg	

Load #: 14
 Total Amt: 307.86TON

W/M: DON FARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 992-3542
 PRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015776

Plant ID: 00633
 11/06/2006
 10:41

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0 633 CRANSTON

2015776

SOLD TO:

AL KOREY CONSTRUCTION CO
 13 HARRABANSETT AVE.
 PROVIDENCE RI 02903

JOB ID
 010905000
 KOREY 066456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00950	6329	220138	22.22	1 1.75" DENSE GRADED BASE
		106		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.05Ton	76,100 lb	, 33,612 kg	(Scale 1)
P. L. TARE:	14.03Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.22Ton	44,440 lb	, 20,158 kg	

Load #: 15
 Total Amt: 330.08TON

M/PR: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 CUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015777

Plant ID: 00633
 11/06/2006
 10:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015777

0 633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO.
 54 NARRAGANSETT AVE.
 DE PER HT 0-25-03
 PROVIDENCE RI

JOB ID
 014905000
 KOREY 060500
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	222489 106	20.81	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.56Ton	89,120 lb	31,353 kg	(Scale 1)
P.L. TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	20.81Ton	41,620 lb	18,879 kg	

Load #: 16
 Total Amt: 350.09TON

W/P: DON PARSLON

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015779

Plant ID: 00633
 11/06/2006
 10:46

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015779

0 633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO.
 13 NARRAGANSETT AVE.
 DE PERMIT A-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY JEFF-ETT
 680

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6.329	210491	18.54	1 1/2" DENSE GRADED BASE
		1 DE		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.96 Ton	67,920 lb	, 30,809 kg	(Scale 1)
TARE:	15.42 Ton	30,840 lb	, 13,989 kg	(Scale 1)
NET:	18.54 Ton	37,080 lb	, 16,819 kg	

Load #: 17
 Total Amt: 359.43TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WILMINGTON, MA • (508) 992-3542
 WORCESTER, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015795

Plant ID: 00633
 FL 06/2006
 11:21

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO: G. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. PO. PER MIT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE G. KOREY 31004 601	601 GORHAM SCHOOL
ACCOUNT 000050	MIX 5329	TRUCK 222064	TONS 21.10
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.19 Ton	64,380 lb	= 29,203 kg	(Scale 1)
T.T.L. TARE:	11.09 Ton	22,180 lb	= 10,061 kg	(Scale 1)
NET:	21.10 Ton	42,200 lb	= 19,142 kg	

Load #: 1A
 Total Amt: 390.53TON

W/M: DON PARSLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015797

Plant ID: 00633
 11/06/2006
 11:25

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0-633 CRANSTON

2015797

SOLD TO:		TOP ID	601 GORHAM SCHOOL
D. KOREY CONSTRUCTION CO.		010905000	
13 HARRAGANSETT AVE.		KOREY JENNIFER	
RI PER MT 8-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	6329	210491	21.01	1 1/2" DENSE GRADED BASE
		136		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.43 Ton	77,860 lb	33,049 kg	(Scale 1)
TARE:	15.42 Ton	30,840 lb	13,989 kg	(Scale 1)
NET:	21.01 Ton	42,020 lb	19,060 kg	

Load #: 120
 Total Amt: 432.29TON

W/M: DON PARSLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WINDHAM, MA • (508) 992-3542
 PRINCETON, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015798

Plant ID:00633
 11/06/2006
 11:28

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015798

0-633 CRANSTON

SOLD TO:			
KOBEY CONSTRUCTION CO	108 1D	601 GORMAN SCHOOL	
13 HARRADANSETT AVE.	010905000		
01 PER RT 0-25-03	KOBEY 060560		
PROVIDENCE RI	601		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	722489	21.50	1 1/2" DENSE GRADED BASE
		136		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.25Ton	70,500 lb	=	31,979 kg	(Scale 1)
P.L. TARE:	13.75Ton	27,500 lb	=	12,474 kg	(Scale 1)
NET:	21.50Ton	43,000 lb	=	19,505 kg	

Load #: 21
 Total Amt: 453.79TON

W/M: DON PARLOW

RECEIVED BY

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 992-3542
 CRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015796

Plant ID: 00633
 11/06/2006
 11:24

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015796

U-633 CRANSTON

SOLD TO: AL KOREY CONSTRUCTION CO 13 NARRAGANSETT AVE. 01 PER PIT B-25-03 PROVIDENCE RI		JOB ID Q100050EE KOREY 860456 601	601 GORHAM SCHOOL
ACCOUNT 010050	MIX 6329	TRUCK 220138	TONS 20.75
	136		PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE

#601
#1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.58Ton	71,168 lb	32,278 kg	(Scale 1)
P. J. TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	20.75Ton	41,508 lb	18,824 kg	

Load #: 19
 Total Amt: 411.2810N

N/N: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015817

Plant ID: 00633
 11/06/2006
 12:36

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015817

C 633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 DE PER, RI 0-25-03
 PROVIDENCE RI

JOB ID
 019905002
 KOREY 0660456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6.329	280138 126	22.46	1 1/2" DENSE GRADED BASE

*A 601
 H 1809*

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.29Ton	74,580 lb	≈ 33,829 kg	(Scale 1)
P. F. TARE:	14.83Ton	29,660 lb	≈ 13,454 kg	(Scale 1)
NET:	22.46Ton	44,920 lb	≈ 20,376 kg	

Load #: 22
 Total Amt: 476.25TON

W/PI: DON PARSLOW

[Handwritten signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WILMINGTON, MA • (508) 992-3542
 WINDHAM, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015819

Plant ID: 00633
 11/06/2006
 12:39

P. J. KEATING INC.
 675 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015819

C-633 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL
D. KUREY CONSTRUCTION CO		0189050FE		
14 NARRAGANSETT AVE.		KUREY ADDRESS		
CR PER RT 8 25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0189050	6.429	722489	22.16	1 1/2" DENSE GRADED BASE
		136		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.91 Ton	71,820 lb	, 32,578 kg	(Scale 1)
TARE:	13.75 Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.16 Ton	44,320 lb	, 20,104 kg	

Load #: 23
 Total Amt: 498.4110H

W/P: DON PARSELOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015820

Plant ID#00633
 11/06/2006
 12:41

P. J. KEATING INC.
 875 PHENIX HILL
 CRANSTON, R.I. 02921

2015820

C 543 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050000
 A. KOREY #11004
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
110050	6329	722864	29.73	1 1/2" DENSE GRADED BASE
		106		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.82 Ton	63,640 lb	, 28,867 kg	(Scale 1)
P. L. TARE:	11.09 Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.73 Ton	41,460 lb	, 18,806 kg	

Load #: 24
 Total Amt: 519.14 TON

W/11: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 CUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015822

11/06/2006
 12:43

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015822

C 633 CRANSTON

SOLD TO: CONSTRUCTION C		JOB ID	601 GORHAM SCHOOL
13 NARRAGANSETT AVE.		Q109050EE	
01 PER RT 8-25-03		KOREY JEN-ENN	
PROVIDENCE RI		601	

ACCOUNT	MIX	TRUCK	YONS	PRODUCT DESCRIPTION
		106		1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

DRIVER	37,307 lb	77,600 lb	33,839 kg	(Scale 1)
TARE:	15.42 Ton	30,840 lb	13,989 kg	(Scale 1)
NET:	21.88 Ton	43,760 lb	19,850 kg	

Load #: 25
 Total Amt: 541.02TON

W/MADON PARSILOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 DORCHESTER, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015835

Plant ID: 00633
 11/06/2006
 13:19

P. J. KEATING INC.
 875 PENEIX AVE.
 CRANSTON, R.I. 02921

2015835

D-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 74 NARRAGANSETT AVE.
 WICKFORD, RI 02893
 PROVIDENCE

JOB ID
 010905066
 KOREY 060456
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	750138 106	22.99	1 1/2" DENSE GRADED BASE

#1661
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.82Ton	75,640 lb	34,310 kg	(Scale 1)
P.L. TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	22.99Ton	45,980 lb	20,857 kg	

Load #: 26
 Total Amt: 564.01TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 992-3542
 BRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015836

Plant ID: 00633
 11/06/2008
 13:20

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02923

2015836

0 633 CRANSTON

SOLD TO:

J. KOREY CONSTRUCTION CO
 59 NARRAGANSETT AVE.
 OK PER NY 8-25-08
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY 860506
 601

641 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	222469 196	21.89	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	35.64Ton	71,200 lb	, 32,333 kg	(Scale 1)
P. L. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	21.89Ton	43,700 lb	, 19,859 kg	

Load #: 27
 Total Amt: 585.90TON

W/M: DON PARLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015837

Plant ID: 00633
 11/06/2006
 13:21

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015837

C-633 CRANSTON

SOLD TO:

W. KOREY CONSTRUCTION CO
 33 NARRAGANSETT AVE.
 DE PER MT B-25-03
 PROVIDENCE RI

JOB ID
 010905000
 KOREY JEN-ENT
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00650	6329	210491 106	21.71	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	37.13Ton	74,260 lb	, 33,684 kg	(Scale 1)
TARE:	15.42Ton	30,840 lb	, 13,989 kg	(Scale 1)
NET:	21.71Ton	43,420 lb	, 19,695 kg	

Load #: 28
 Total Amt: 607.61TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015840

Plant ID: 00633
 11/06/2006
 13:26

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015840

C 633 CRANSTON

SOLD TO:

AL KOREY CONSTRUCTION CO
 10 NARRAGANSETT AVE.
 CRANFORD, RI 02903

JOB ID
 010905061
 AL KOREY #1804
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000000	6.329	22P864 106	21.53	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.64Ton	65,200 lb	• 29,611 kg	(Scale 1)
TARE:	11.09Ton	22,100 lb	• 10,061 kg	(Scale 1)
NET:	21.55Ton	43,100 lb	• 19,550 kg	

Load #: 29
 Total Amt: 629.16TON

W/H: DON FARNSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015851

Plant ID: 00633
 11/06/2006
 14:08

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015851

C-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 0K PER MY B-25-03
 PROVIDENCE RI

JOB ID
 0100950EE
 KOREY 0601456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
19950	6329	220130 126	22.63	1 1/2" DENSE GRADED BASE

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.46ton	74,920 lb	, 33,984 kg	(Scale 1)
TARE:	14.83ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	22.63ton	45,260 lb	, 20,530 kg	

Load #: 30
 Total Amt: 651.79TON

W/M: DON PARSLON

Don Parslon

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015852

Plant ID: 00633
 11/06/2006
 08:09

P. J. KEATINGE TRUCK
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015052

SOLD TO:

KOREY CONSTRUCTION CO
 15 NARRAGANSETT AVE.
 00 PER MT 8 25-03
 PROVIDENCE RI

JOB ID
 010705000
 KOREY TELEPHONE
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0000500	0329	210991 106	20.92	1 1/2" DENSE GRADED BASE

6'00 800

800 330

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.34Ton	72,680 lb	=	32,968 kg	(Scale 1)
TARE:	15.42Ton	30,840 lb	=	13,989 kg	(Scale 1)
NET:	20.92Ton	41,840 lb	=	18,979 kg	

Load #: 31
 Total Amt: 672.71TON

M/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATINGE CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015853

Plant ID: 00633
 11/06/2006
 14:10

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015853

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 10 NARRAGANSETT AVE.
 60 PERMIT B 25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 01090500E
 A. KOREY #1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	222064 126	20.61	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.70Ton	63,400 lb	• 28,750 kg	(Scale 1)
P.L. TARE:	11.09Ton	22,180 lb	• 10,061 kg	(Scale 1)
NET:	20.61Ton	41,220 lb	• 18,697 kg	

Load #: 32
 Total Amt: 693.32TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WILMINGTON, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015855

Plant ID: 00633
 11/06/2006
 14:18

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015855

0-633 CRANSTON

SOLD TO:

McKOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OFF PER MT 8 25-03
 PROVIDENCE RI

JOB ID
 01030500E
 KOREY 860568
 601

603 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	222489 106	21.70	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.45Ton	78,900 lb	, 32,160 kg	(Scale 1)
TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	21.70Ton	43,400 lb	, 19,686 kg	

Load #: 33
 Total Amt: 715.02TON

W/MEDON PARSLAW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015877

Plant ID: 00633
 11/07/2006
 07:26

P. J. KEATING INC.
 875 FREELY AVE.
 CRANSTON, R.I. 02921

2015877

C 601 CRANSTON

SOLD TO:
 G. KOREY CONSTRUCTION C
 1/4 HARRISANSETT AVE.
 PROVIDENCE RI 02908
 JOB ID: 0189058EE
 PROJECT: 0660456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00058	6.329	226130	10.86	1 1/2" DENSE GRADED BASE

601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	25.69Ton	51,380 lb	• 23,306 kg	(Scale 1)
P.T. TARE:	14.83Ton	29,668 lb	• 13,454 kg	(Scale 1)
NET:	10.86Ton	21,712 lb	• 9,852 kg	

Load #: 4
 Total Amt: 78.39TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015899

Plant ID: 00633
 11-07-2006
 08:40

P. J. KEATING INC.
 5875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015899

C-633 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL
D. KOREY CONSTRUCTION CO		01090506E		
54 NARRAGANSETT AVE.		KOREY 060356		
01 PERMIT 8 25-03		601		
PROVIDENCE RI				

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
004050	6329	220139	21.41	1 1/2" DENSE GRADED BASE
		126		

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.24Ton	72,480 lb	=	32,877 kg	(Scale 1)
P.L. TARE:	14.83Ton	29,660 lb	=	13,454 kg	(Scale 1)
NET:	21.41Ton	42,820 lb	=	19,423 kg	

Load #: 8
 Total Amt: 163.34TON

W/H: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 ORACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015901

Plant ID: 00633
 11/07/2006
 08:45

P. J. KEATING INC.
 875 PHEIX AVE.
 CRANSTON, R.I. 02921

2015901

C 633 CRANSTON

SOLD TO:
 J. KOREY CONSTRUCTION C
 175 NARRAGANSETT AVE.
 PROVIDENCE RI 02903
 JOB ID: 01090001
 601 GORDON SCHOOL
 KOREY 868568
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6329	222889	21.63	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.38Ton	78,760 lb	32,097 kg	(Scale 1)
TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	21.63Ton	43,260 lb	19,623 kg	

Load #: 9
 Total Amt: 184.97TON

W/LEEDON FARSLOW

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015868

Plants ID: 000033
 11/07/2006
 06:26

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015868

C 603 CRANSTON

SOLD TO:

JOHNSON CONSTRUCTION CO
 58 NARRAGANSETT AVE.
 DE PER MT 0-25-03
 PROVIDENCE RI

FOR ID
 0109050EL
 KUMLEY 860568
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6.329	222489 106	22.84	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.59Ton	73,180 lb	, 33,194 kg	(Scale 1)
P. L. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.84Ton	45,680 lb	, 20,720 kg	

Load #: 1
 Total Amt: 22.84TON

W. M. DON PARSILOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015871

Plant ID#00633
 11/07/2006
 07:09

P. J. KEATING INC.
 875 PRENTIX AVE.
 CRANSTON, R.I. 02921

2015871

C. 633 CRANSTON

SOLD TO: FABRY CONSTRUCTION C 13 NARRAGANSETT AVE. 04 PER NT 8-25-03 PROVIDENCE RI	JOB ID 01090500E E. KIRKEY W1803 601	601 GORHAM SCHOOL
---	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
	632	136		1 1/2" DENSE GRADE BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRGSSST	37.09Ton	68,100 lb	, 30,890 kg	(Scale 1)
P. T. TAREs	11.09Ton	22,190 lb	, 10,061 kg	(Scale 1)
NET:	22.96Ton	45,920 lb	, 20,829 kg	

Load #: 2
 Total Amt: 45.80TON

WABEDON PARSELOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 AGUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015872

Plans 114800003
 01/07/2006
 07/12

P. J. KEATING INC.
 875 PUEBlix AVE.
 CRANSTON, R.I. 02921

2015872

C-603 CRANSTON

SOLD TO: KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. R PER MT 8-25-03 PROVIDENCE RI	JOB ID 010905001 KOREY 060508 601	601 GORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCKS	TONS	PRODUCT DESCRIPTION
	632	126		1 1/2" DENSE GRADE BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.38 Ton	70,360 lb	32,187 kg	(Scale 1)
TARE:	13.75 Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	21.73 Ton	43,460 lb	19,713 kg	

Load #: 3
 Total Amt: 67.5310N

W/M: DUN PARLOW

RECEIVED BY:



DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY FIRM"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 892-3542
 DUNACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015883

Plant ID: 00633
 11/07/2006
 07:48

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015883

C. 633-CRANSTON

SOLD TO:
 AL KOREY CONSTRUCTION CO
 54 HARRAGANSETT AVE.
 W. PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q100050EE
 KOREY DEN-EEI
 604

601 GORHAM SCHOOL
 1802

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
090050	6.325	710491 106	20.00	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	35.42 Ton	70,840 lb	=	32,133 kg	(Scale 1)
P.T. TARE:	15.42 Ton	30,840 lb	=	13,989 kg	(Scale 1)
NET:	20.00 Ton	40,000 lb	=	18,144 kg	

Load #: 5
 Total Amt: 98.39TON

W/4: DUN PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ROCUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015885

Plant ID: 00633
 11/07/2006
 07:55

P. J. KEATING INC.
 575 PUEBlix AVE.
 CRANSTON, R.I. 02921

2015885

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
WEDREY CONSTRUCTION CO		Q109050EE	
174 NARRAGANSETT AVE.		WEDREY WEDREY	
PROVIDENCE RI		601	
OF PERMIT 8-25-03			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	6-369	222064	21.76	1 1/2" DENSE GRADED BASE
		106		


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.85 ton	65,700 lb	, 29,802 kg	(Scale 1)
T.T. TARE:	11.09 ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	21.76 ton	43,520 lb	, 19,741 kg	

Load #: 6
 Total Amt: 120.15 TON

W/MEDON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 PACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2015886

FORM ID#00633
 11/07/2006
 67:57

P. J. KEATINGE TRUCK
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015886

0-633 CRANSTON

SOLD TO: J. FOREY CONSTRUCTION CO 10 HARRAGANSETT AVE. PO BOX 1018-03 PROVIDENCE RI	JOB ID 010305000 FOREY 5680563 601	601 GORHAM SCHOOL
--	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
010305000	6329	222999	21.78	1 1/2" DENSE GRADED BASE
		1.06		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.53ton	71,060 lb	, 32,233 kg	(Scale 1)
P. L. TIRE:	13.75ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	21.78ton	43,560 lb	, 19,759 kg	

Load #: 7
 Total Amt: 141.93TON

W/M: DON PARBLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATINGE CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015903

Plant ID: 00633
 11/07/2006
 08:49

P.J. KEATING INC.
 875 PHEIX AVE.
 CRANSTON, R.I. 02921

2015903

0-633 CRANSTON

SOLD TO: G. KOREY CONSTRUCTION CO 14 NARRAGANSETT AVE. 06 PER MT 8-25-03 PROVIDENCE RI		JOB ID 01600500E G. KOREY #1803 601	GRD GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	22864 106	19.24	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.33Ton	60,660 lb	, 27,515 kg	(Scale 1)
TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	19.24Ton	38,480 lb	, 17,455 kg	

Load #: 10
 Total Amt: 204.2110H

W/14: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'



PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 WACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015924

Plant ID: 00633
 11/07/2006
 09:46

P.J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015924

U 633 CRANSTON

SOLD TO: G. KUREY CONSTRUCTION CO 14 NARRAGANSETT AVE. PO BOX 1000 PROVIDENCE RI	JOB ID 016995000 G. KUREY #1000 691	601 GORDIAN SCHOOL
---	--	--------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	72864 1.06	19.79	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.88Ton	61,760 lb	" 28,014 kg	(Scale 1)
F.L. TARE:	11.09Ton	22,180 lb	" 10,061 kg	(Scale 1)
NET:	19.79Ton	39,580 lb	" 17,953 kg	

Load #: 12
 Total Amt: 244.97TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARRPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015925

Plant ID: B0633
 11/17/2009
 09:47

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015925

C-633 CRANSTON

SOLD TO: G. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. 01 PER MT 0 25-03 PROVIDENCE RI	JOB ID 010050EE KOREY 860560 601	601 DURHAM SCHOOL
--	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6329	222489 106	21.10	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.05Ton	69,700 lb	≈ 31,616 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	≈ 12,474 kg	(Scale 1)
NET:	21.10Ton	42,200 lb	≈ 19,142 kg	

Load #: 13
 Total Amt: 266.07108

W/H: DON PARSON

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 PACUSHNET, MA • (508) 992-3542
 CRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015941

Plant ID: 00633
 11/07/2006
 10:44

P.J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015941

11 633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL	
J. KOREY CONSTRUCTION CO		0189050ET		
14 NARRAGANSETT AVE.		KOREY 860500B		
01 PER MY 8-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	6.329	222689	21.30	1 1/2" DENSE GRADED BASE
		126		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.23Ton	70,400 lb	31,961 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	21.48Ton	42,900 lb	19,487 kg	

Load #: 14
 Total Amt: 237.55TON

W/M: DON PARLOW

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015958

Plant ID: 00633
 01/07/2006
 11:45

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2015958

D-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
 55 NARRAGANSETT AVE.
 Rt. PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109030EE
 KOREY 860568
 601

601 BURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
140050	6.29	222489 106	23.89	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.64Ton	75,280 lb	, 34,147 kg	(Scale 1)
TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	23.89Ton	47,780 lb	, 21,673 kg	

Load #: 15
 Total Amt: 311.44TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 DRACUT, MA • (978) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015981

Plant ID: 00633
 11/07/2006
 12:47

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

0-633 CRANSTON

SOLD TO:		JOB ID	001 GORHAM SCHOOL	
H. KOREY CONSTRUCTION CO		010905000		
54 NARRAGANSETT AVE.		KOREY 0060300		
07 PER MY D-25-03		001		
PROVIDENCE RT				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	0329	722489	22.97	1 1/2" DENSE GRADED BASE
		136		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.82Ton	71,640 lb	32,496 kg	(Scale 1)
P.L. TARE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	22.07Ton	44,140 lb	20,022 kg	

Load #: 16
 Total Amt: 333.51TON

W/11: DON PARSELOW

RECEIVED BY: 

DRIVER NAME: 

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2015995

Plant ID: 00653
 11/07/2006
 13033

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2015995

C-633 CRANSTON

SOLD TO:		JOB ID	661 GORHAM SCHOOL
KOREY CONSTRUCTION CO		Q1070500E	
18 NARRAGANSETT AVE.		KOREY 860456	
CR. PER MT. 0-25-03		601	
PROVIDENCE	RI		

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
199050	6.329	720138 136	21.76	1 1/2" DENSE GRADED BASE

#601
 #1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.61Ton	73,220 lb	33,213 kg	(Scale 1)
TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.78Ton	43,560 lb	19,759 kg	

Load #: 17
 Total Amt: 355.29TON

M/N: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016010

D:00633
 2006

P. J. KEATING INC.
 875 FLEET HWY.
 CRANSTON, R.I. 02921

2016010

U. 633 CRANSTON

CONSTRUCTION CO
 ABRAGANSETT AVE.
 W. PROVIDENCE RI
 JOB ID: 01090500EE
 601 GORHAM SCHOOL
 PHONE: 866-476-6901

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	6329	720138 106	21.26	1 1/2" DENSE GRADED BASE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.09Ton	72,180 lb	, 32,741 kg	(Scale 1)
P.T. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.26Ton	42,520 lb	, 19,287 kg	

Load #: 18
 Total Amt: 376.55TON

W/M: DON PARSELOW



RECEIVED BY: _____ DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 PACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016021

PLATE ID: 006633
 11/02/2006
 06:39

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016021

C-633 CRANSTON

SOLD TO:		JOB ID	515	
P. J. KEATING CONSTRUCTION CO		010905000	CRANSTON PRISON	
14 NARRAGANSETT AVE.		LOREY 8660568	POWER RD.	
PROVIDENCE RI		515	CRANSTON, R.I.	
			QUOTE# 5511	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	6310	722489	52.13	3/4" CRUSHED STONE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.881ton	71,760 lb	, 32,550 kg	(Scale 1)
P.T. TARE:	13.751ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.130ton	44,260 lb	, 20,076 kg	

Load #: 1
 Total Amt: 22.13TON

W/M: DON PARSLON

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

AN EQUAL OPPORTUNITY EMPLOYER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DEDDINGTON, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016032

Plant ID: 00633
 11/08/2006
 09:00

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016032

D-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
KOREY CONSTRUCTION CO		Q180050EF	
14 HARRADANSETT AVE.		ORDER # 004436	
CRANFORD, RI 02910		601	

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
107050	6.529	2201.30	21.38	1 1/2" DENSE GRADED BASE
		196		

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.21 Ton	72,420 lb	" 32,850 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	" 13,454 kg	(Scale 1)
NET:	21.38 Ton	42,760 lb	" 19,396 kg	

Load #: 1
 Total Amt: 21.38 TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 CRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016049

Plant ID: 00633
 11.08/0006
 07:50

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

2016049

C-633 CRANSTON

SOLD TO: J. FOREY CONSTRUCTION CO. 74 NARRAGANSETT AVE. 01 PER MT 8-25-03 PROVIDENCE RI		JOB ID 01090500EF J. FOREY 010904 001		601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION	
00050	6.325	722064 106	26.13	1 1/2" DENSE GRADED BASE	


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblines. If the job requires placement of the materials beyond the curblines of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	31.22ton	62,440 lb	, 28,323 kg	(Scale 1)
P.L. TAKE#	11.09ton	22,180 lb	, 10,061 kg	(Scale 1)
NET#	20.13ton	40,260 lb	, 18,262 kg	

Load #: 2
 Total Amt: 41.51TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016156

P. J. KEATING INC.
 179 BENTLEY AVE.
 CRANSTON, R.I. 02921

2016156

C 633 CRANSTON

SOLD TO: CONSTRUCTION C JOB ID 601 GORHAM SCHOOL
 55 NARRAGANSETT AVE. 0169058EE
 06 PER MT 8-25-03 FOREY DEFEND
 PROVIDENCE RI 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
		106		1 1/2" DENSE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications. (Scale 1)

G.T. TARE: 15.42Ton 30,840 lb , 13,989 kg (Scale 1)
 NET: 22.29Ton 44,500 lb , 20,221 kg

Load # 3
 Total Amt: 63.89TON

W/H: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS
 LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 PLACU, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016157

11/08/2006
 14:34

P. J. KEATING INC.
 875 PHOENIX AVE.
 CRANSTON, R.I. 02921

0-03 CRANSTON

SOLD TO: CONSTRUCTION C 55 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE, RI		JOB ID 010905002 EL KOPPEY BEAVER 601	601 GORHAM SCHOOL	
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
	196			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

Gross TARE:	11.09 Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	20.92 Ton	41,840 lb	18,979 kg	(Scale 1)

Load #: 4
 Total Amt: 84.72 TON

W/MADON PARSELM



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

Plant ID: 00633
 11/09/2006
 06:40

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

0-003 CRANSTON

SOLD TO:
 KOREY CONSTRUCTION C
 14 NARRAGANSETT AVE.
 01 PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 AL KOREY 11/09/06
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	6 325	213-004 106	23.04	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.13Ton	58,260 lb	26,263 kg	(Scale 1)
TARE:	11.09Ton	22,100 lb	10,051 kg	(Scale 1)
NET:	23.04Ton	46,080 lb	20,902 kg	

Load #: 1
 Total Amt: 23.04TON

M/M/DUN PARSLOW

[Handwritten Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016177

Plant ID: 00653
 11/09/2006
 06:51

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2016177

C 633 CRANSTON

SOLD TO: CONSTRUCTION C		JOB ID	601 GORHAM SCHOOL
54 NARRAGANSETT AVE.		Q169850EE	
OK PER MT 8-25-03		LUKEY	
PROVIDENCE RI		601	
10988	ACCOUNT	TRUCK	TONS
	CONCRETE MIX	10.5	1 1/2" DENSE CUR PRODUCT DESCRIPTION

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRANDS	34,100 lb	10,545 lb	(Scale 1)
P.T. TARE:	18,550 lb	37,100 lb	(Scale 1)
NET:	32,540 lb	65,000 lb	

Load # 2
 Total Amt: 55.58 TON

WYNDON PARSON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016186

Plate ID: 000000
 11/09/2006
 07:31

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016186

0 633 CRANSTON

PROJECT CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 0-25-03 PROVIDENCE RI	JOB ID 601 GORHAM SCHOOL Q109050EE A. KOREY #1004 601
--	--

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
		106		1 1/2" DENSE GR


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P.T. TARE:	11.094 ton	22,180 lb	10,061 kg	(Scale 1)
NET:	19.891 ton	39,780 lb	18,044 kg	(Scale 1)

Load #: 3
 Total Amtr: 75.47TON

W/MEDON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016192

Plant ID: 00000
 11/09/2006
 07:48

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016192

C-633 CRANSTON

AGENCY: CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID: Q109050EE KOREY 868456 601	601 GORHAM SCHOOL
ACCOUNT	632 MIX	TRUCKS 186	TONS
PRODUCT DESCRIPTION 1 1/2" DENSE GRAVEL BASE			

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P.T. TARE:	14.83Ton	29,660 lb	13,654 kg	(Scale 1)
NET:	21.83Ton	43,660 lb	19,804 kg	(Scale 1)

Load #: 4
 Total Amt: 97.38TON

WM: DON FARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016193

PLANT ID: 100633
 11/09/2006
 07:54

P. J. KEATING INC.
 675 PHENIX AVE.
 CRANSTON, R.I. 02921

2016193

C-633 CRANSTON

SOLD TO: H. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY 601	601 GORHAM SCHOOL			
109050	ACCOUNT	6329	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
			103			1 1/2" DENSE GRAVEL BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRSST	31.83ton	102,060 lb	46,294 kg	(Scale 1)
P.T. TAKE:	18.55ton	37,100 lb	16,829 kg	(Scale 1)
NET:	32.48ton	64,960 lb	29,466 kg	

Load #: 5
 Total Amt: 129.78TON

W/M: DON PARSONS

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016208

Plant ID: 00633
 11/09/2006
 08:43

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016208

C 633 CRANSTON

SOLD TO: A. KUREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 0-25-03 PROVIDENCE RI	JOB ID Q109050EE KUREY A60456 601	601 GORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	220130 106	23.13	1 1/2" DENSE GRADED BASE

#601
 #1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS#	37.96Ton	75,920 lb	, 34,437 kg	(Scale 1)
P. T. TARE#	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET#	23.13Ton	46,260 lb	, 20,984 kg	

Load #: 6
 Total Amt: 152.91TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

Handwritten signature/initials

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016209

Plant ID: 00633
 11/09/2006
 08:45

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

#601
 L-633 CRANSTON

2016209

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY.. 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK Z10329	TONS 30.40
		1.03	PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	50.98 Ton	101,960 lb	= 46,249 kg	(Scale 1)
P.T. TARE:	20.58 Ton	41,160 lb	= 18,670 kg	(Scale 1)
NET:	30.40 Ton	60,800 lb	= 27,579 kg	

Load #: 7
 Total Amt: 185.31 TON

W/M: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016210

Plant ID: 00633
 11/09/2006
 08:46

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016210

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRABANSETT AVE.
 OK PER MT B-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY...
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	210240 103	32.60	1 1/2" DENSE GRANDED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	31.15 ton	192,300 lb	, 46,403 kg	(Scale 1)
P.L. TARE#	18.55 ton	37,100 lb	, 16,829 kg	(Scale 1)
NET#	32.60 ton	65,200 lb	, 29,575 kg	

Load #: 8
 Total Amt: 215.91 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2016211

Plant ID:00633
 11/09/2006
 08:52

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016211

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 HARRAGANSETT AVE. OK PER MT A-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY 860456 601	601 BORNHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK 220138 106	TONS 15.28
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.11 ton	66,220 lb	• 27,316 kg	(Scale 1)
P. I. TAKE:	14.83 ton	29,660 lb	• 13,454 kg	(Scale 1)
NET:	15.28 ton	30,560 lb	• 13,862 kg	

Load #: 9
 Total Amt: 231.19 TON

M/FR/DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016228

Plant ID: 00633
 11/09/2006
 09:48

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016228

C-633 CRANSTON

SOLO TO:		JOB ID	601 DORHAM SCHOOL
A. KOREY CONSTRUCTION C		Q109050EE	
54 NARRAGANSETT AVE.		KOREY, ERIC	
OK PER MT 8-25-03		601	
PROVIDENCE	RI		
ACCOUNT	MIX	TRUCK	TONS
109050	6329	270040	33.00
		103	
PRODUCT DESCRIPTION			
1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.55Ton	103,100 lb	46,766 kg	(Scale 1)
P.T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.00Ton	66,000 lb	29,938 kg	

Load #: 10
 Total Amt: 264.19TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRAÇUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016229

Plant ID: 00633
 11/09/2006
 09:47

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016229

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE A. KOREY #1804 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK Z22864 136	TONS 20.15
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.24 Ton	62,480 lb	, 28,341 kg	(Scale 1)
P. L. TARE:	11.09 Ton	22,160 lb	, 10,061 kg	(Scale 1)
NET:	20.15 Ton	40,300 lb	, 18,260 kg	

Load #: 11
 Total Amt: 20.15 TON

W/M: DON FARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016231

Plant ID: 00633
 11/09/2006
 09:50

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

601

2016231

C-633 CRANSTON

SOLD TO:		JOB ID	601 GORHAM SCHOOL
A. KOREY CONSTRUCTION C		Q109050EE	
54 NARRAGANSETT AVE.		KOREY..	
OK PER MT 8-25-03		601	
PROVIDENCE	RI		
ACCOUNT	MIX	TRUCK	TONS
109850	6329	210329	31.70
		103	
PRODUCT DESCRIPTION			
1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	52.16 Ton	104,320 lb	, 47,320 kg	(Scale 1)
P.L. TARE:	20.50 Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	31.50 Ton	63,160 lb	, 28,649 kg	

Load #: 12
 Total Amt: 315.92TON

M. DON PARSELOW

DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016249

Plant ID: 00633
 11/09/2006
 10:58

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO:
 H. KUREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KUREY, ERIC
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109058	6329	210240 143	30.69	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.24 ton	98,488 lb	, 44,671 kg	(Scale 1)
P.T. TARE:	18.55 ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	30.69 ton	61,388 lb	, 27,842 kg	

Load #: 13
 Total Amt: 346.61 TON

W/M: DON PARSLOW

RECEIVED BY:


 DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016258

#601

Plant ID: 00633
 11/09/2006
 11:17

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2016258

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO. 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY... 601	601 GORHAM SCHOOL
---	--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
1099000	6329	218329 103	31.33	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	51.91ton	103,820 lb	47,093 kg	(Scale 1)
P.T. TARE:	20.50ton	41,160 lb	18,670 kg	(Scale 1)
NET:	31.33ton	62,660 lb	28,423 kg	

Load #: 14
 Total Amt: 377.94TON

W/MEDON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016269

Plant ID: 00633
 11/09/2006
 12:01

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

EQ16269

C 633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY 060456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
100050	6329	270130 106	21.46	1 1/2" DENSE GRADED BASE

#601
 #1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.29Ton	72,580 lb	" 32,922 kg	(Scale 1)
P. J. TARE:	14.83Ton	29,660 lb	" 13,454 kg	(Scale 1)
NET:	21.46Ton	42,920 lb	" 19,469 kg	

Load #: 15
 Total Amt: 399.40TON

W/REDON PARSELOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016270

Plant ID: 00633
 11/09/2006
 12:04

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016270

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. OK PER MT 0-25-03 PROVIDENCE RI		JOB ID Q109050EE KOREY, ERIC 601	601 GORHAM SCHOOL		
109050	ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
		6329	ZIDEAG 103	30.07	1 1/2" DENSE GRADE BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	49.22 Ton	98,440 lb	, 44,652 kg	(Scale 1)
P.T. TAKE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	30.67 Ton	61,340 lb	, 27,824 kg	

Load #: 16
 Total Amt: 430.07TON

W/M: DON PARSLAW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016271

Plant ID: 00633
 11/09/2006
 12:05

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016271

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE A. KOREY #1804 601	601 GORHAM SCHOOL	
ACCOUNT 109050	MIX 6329	TRUCK 222864 106	TONS 20.91	PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.00 Ton	64,000 lb	= 29,030 kg	(Scale 1)
P.T. TARE:	11.09 Ton	22,180 lb	= 10,061 kg	(Scale 1)
NET:	20.91 Ton	41,820 lb	= 18,970 kg	

Load #: 17
 Total Amt: 450.98 TON

W/PH: DON FARSLOW

RECEIVED BY: _____

DRIVER NAME _____

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016282

#601

Plant ID: 00633
 11/09/2006
 12:36

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016282

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI	JOB ID 0109050EE KOREY... 601	601 GORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109000	6329	210329 103	30.02	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.60Ton	101,200 lb	45,904 kg	(Scale 1)
P.F. TARE:	20.58Ton	41,160 lb	18,670 kg	(Scale 1)
NET:	30.02Ton	60,040 lb	27,234 kg	

Load #: 18
 Total Amt: 481.00TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2016290

Plant ID: 00633
 11/09/2006
 12:59

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016290

D-633 CRANSTON

SOLD TO: A. KUREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI	JOB ID Q109050EE KUREY, ERIC 601	601 GORHAM SCHOOL
--	---	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6325	Z10240 103	31.51	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GRUSS:	50.06 Ton	100,120 lb	, 45,414 kg	(Scale 1)
P.T. TARE:	18.55 Ton	37,100 lb	, 16,829 kg	(Scale 1)
NET:	31.51 Ton	63,020 lb	, 28,586 kg	

Load # 19
 Total Amt: 512.51 TON

W/H: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016291

Plate ID: 00633
 11/09/2006
 13:00

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016291

U 633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID Q109050EE A. KOREY #1804 601	601 GORHAM SCHOOL
ACCOUNT 189030	MIX 6325	TRUCK ZF8804 136	TONS 20.69
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.78Ton	63,560 lb	, 28,831 kg	(Scale 1)
P.T. TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.69Ton	41,380 lb	, 18,770 kg	

Load #: 20
 Total Amt: 533.20TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016300

601

Plant ID: 00633
 11/09/2006
 13:36

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016300

C 633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION CO 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI	JOB ID 0109050EE KOREY... 601	601 GORHAM SCHOOL
---	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218329 103	31.10	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.58 Ton	103,350 lb	, 46,884 kg	(Scale 1)
P.T. TARE:	20.58 Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	31.10 Ton	62,200 lb	, 28,214 kg	

Load #: 21
 Total Amt: 564.30 TON

W/M: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 842-7300

2016303

Plant ID: 00633
 11/09/2006
 13:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016303

C-633 CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 860456
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	220138 106	26.71	1 1/2" DENSE GRADED BASE

~~# 601~~
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.54ton	71,080 lb	, 32,242 kg	(Scale 1)
P. T. TARE:	14.83ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	20.71ton	41,420 lb	, 18,788 kg	

Load #: 22
 Total Amt: 505.0110N

W/M: DON PARSONS

RECEIVED BY:


 DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNEBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016309

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

300
 2016309
 9

BOULDER CONSTRUCTION CO 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI	JOB ID Q109050EE KOREY, ERIC 601	601 GORHAM SCHOOL 900 9
---	---	----------------------------

ACCOUNT	MIX	TRUCKS	TONS	PRODUCT DESCRIPTION
1090	632	133		1 1/2" DENSE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P. T. TARE:	18.55Ton	37,100 lb	16,829 kg	(Scale 1)
NET:	33.42Ton	66,840 lb	30,319 kg	(Scale 1)

Load #: 23
 Total Amt: 618.43TON

W/M: DON PARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016314

11/09/2006
 14:07

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016314

C-633 CRANSTON

SOLID CONSTRUCTION C		JOB ID	601 DORHAN SCHOOL
54 NARRAGANSETT AVE.		Q109050EE	
OK PER MT 8-25-03		A. KOREY W1804	
PROVIDENCE	RI	601	
ACCOUNT	6.32 MIX	TRUCK	1 1/2" DENSE
		106	PRODUCT DESCRIPTION


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

P.T.	TARE:	11.09Ton	22,100 lb	, 10,061 kg	(Scale 1)
	NET:	20.76Ton	41,520 lb	, 18,833 kg	(Scale 1)

Load #: 24
 Total Amt: 639.19TON

W/FR: DON PARSLow



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016326

601

Plant ID: 00633
 11/09/2006
 14:44

P. J. KEATING, INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016326

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT 8-25-03 PROVIDENCE RI		JOB ID 0109050EE KOREY, 601	601 GORHAM SCHOOL
ACCOUNT 109050	MIX 6329	TRUCK Z18329 133	TONS 29.99
PRODUCT DESCRIPTION 1 1/2" DENSE GRADED BASE			

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	50.57Ton	101,140 lb	, 45,077 kg	(Scale 1)
P. T. TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	29.99Ton	59,980 lb	, 27,207 kg	

Load #: 25
 Total Amt: 669.10TON

W/NAME: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016331

Plant ID: 00633
 11/09/2006
 15:08

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2016331

C-633-CRANSTON

SOLD TO:
 A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 OK PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY JEN-EMI
 601

601 GORHAM SCHOOL

1802

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	218491 1.06	21.86	1 1/2" DENSE GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	37.281 ton	74,560 lb	• 33,820 kg	(Scale 1)
P. T. TARE:	15.421 ton	30,840 lb	• 13,989 kg	(Scale 1)
NET:	21.86 ton	43,720 lb	• 19,831 kg	

Load #: 26
 Total Amt: 691.04TON

W/MEDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2016376

300
2016376

Plant ID: 100633 /
11/10/2006
08:02

P. L. KEATING INC.
875 PHEENIX AVE.
CRANSTON, R.I. 02921

C-633 CRANSTON

SOLD TO: A. KOREY CONSTRUCTION C 54 NARRAGANSETT AVE. OK PER MT B-25-03 PROVIDENCE RI	JOB ID Q109050EE A. KOREY #1804 601	601 BORHAM SCHOOL
--	--	-------------------

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	6329	Z22864 106	21.70	1 1/2" DENSE GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	32.79 Ton	65,580 lb	, 29,747 kg	(Scale 1)
P. L. TARE:	11.09 Ton	22,160 lb	, 10,061 kg	(Scale 1)
NET:	21.70 Ton	43,400 lb	, 19,686 kg	

Load No: 1
Total Amt: 21.70 TON

W/M: DON PARSON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 992-3542
DRAÇUT, MA • (978) 454-7878
CRANSTON, RI • (401) 942-7300

2017136

Plant ID: 00633
11/16/2006
07/134

P. J. KEATING INC.
875 PHENIX AVE.
CRANSTON, R.I. 02921

2017136

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
24 NARRAGANSETT AVE.
OK PER MT 8-25-03
PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
Q100000000
A. KOREY 11/16/06
601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	2324	222064 106	20.40	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.49Ton	62,980 lb	, 28,560 kg	(Scale 1)
P.L. TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	20.40Ton	40,800 lb	, 18,507 kg	

Load #: 1
Total Amt: 20.40TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017143

Plant ID: 00633
 11/16/2006
 07:45

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017143

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 51 HARRAGANSETT AVE.
 W PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY...
 601

601 GORHAM SCHOOL

#601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00950	7324	Z1A329 193	31.34	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.


The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.92 Ton	103,040 lb	47,102 kg
TARE:	20.58 Ton	41,160 lb	18,670 kg
NET:	31.34 Ton	62,600 lb	28,432 kg

(Scale 1)
 37 (Scale 2)
 5-11 D
 1-2215
 1
 RS

Load #: 2
 Total Amt: 51.74 TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017161

Plant ID: 00633
 11/16/2006
 08:26

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017161

C-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 14 NARRAGANSETT AVE.
 01 PER MT A-25-03
 PROVIDENCE RI

JOB ID: 601 BORHAM SCHOOL
 Q109050EE
 G. KOREY #1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	7524	Z22864 106	19.47	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.56 Ton	61,120 lb	27,724 kg	(Scale 1)
P.L. TARE:	11.09 Ton	22,180 lb	10,061 kg	(Scale 1)
NET:	19.47 Ton	38,940 lb	17,663 kg	

Load #: 3
 Total Amt: 71.21TON

W/M: DON PARSLON



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017171

Plant ID:00633
 11/16/2006
 09:07

P. J. KEATING INC.
 375 PHENIX AVE.
 CRANSTON, R.I. 02921

2017171

C-633 CRANSTON

SOLD TO:

H. KOREY CONSTRUCTION C
 34 HARRAGANSETT AVE.
 00 PER MT B-25-03
 PROVIDENCE RI

JOB ID 601 GURHAM SCHOOL
 Q1090500E
 H. KOREY #1000
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
107050	7324	722064 106	20.60	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS#	31.69 ton	63,380 lb	23,749 kg	(Scale 1)
T.T. TARE#	11.09 ton	22,180 lb	10,061 kg	(Scale 1)
NET#	20.60 ton	41,200 lb	18,688 kg	

Load Hr: 4
 Total Amt: 91.81TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017191

Plant ID: 00633
 11/16/2006
 09:55

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017191

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 01 PER NT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY #1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000050	7324	Z22864 126	20.30	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	31.39ton	62,700 lb	≈ 28,477 kg	(Scale 1)
TARE:	11.09ton	22,100 lb	≈ 10,061 kg	(Scale 1)
NET:	20.30ton	40,600 lb	≈ 18,416 kg	

Load #: 5
 Total Amt: 112.11TON

W/PI: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017207

Plant ID: 00633
 11/16/2006
 10:42

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017207

0-633 CRANSTON

SOLD TO:

M. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 R. PER HT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 M. KOREY #1804
 601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
0109050	7324	Z2R864 106	10.57	1/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.66Ton	59,320 lb	, 26,900 kg	(Scale 1)
P.T. TAKE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	18.57Ton	37,140 lb	, 16,847 kg	

Load #: 6
 Total Amt: 130.68TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017211

Plant ID: 00633
 01/16/2006
 10:53

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

C-633 CRANSTON

2017211

#601

SOLD TO:

G. KOREY CONSTRUCTION CO
 24 NARRAGANSETT AVE.
 06 PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 KOREY
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09950	7324	218329 103	30.45	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51703Ton	102,060 lb	, 46,294 kg	(Scale 1)
P.L. TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	30.45Ton	60,900 lb	, 27,624 kg	

Load #: 7
 Total Amt: 161.13TUM

W/PH: DON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017216

Plant ID: 00633
 11/16/2006
 11:07

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017216

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 0K PER MT 8-25-03
 PROVIDENCE RI

JOB ID: 601 GORHAM SCHOOL
 Q109050EE
 KOREY 060560
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000058	7324	222489 106	21.45	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.20Ton	70,400 lb	,	31,933 kg	(Scale 1)
TARE:	13.75Ton	27,500 lb	,	12,474 kg	(Scale 1)
NET:	21.45Ton	42,900 lb	,	19,459 kg	

Load #: 0
 Total Awt: 182.58TON

W/M: DON PARSLOW

[Handwritten Signature] 601

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017225

Plant ID: 00633
 11/16/2006
 11:24

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017225

C-633 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL
G. KOREY CONSTRUCTION C		0109050EE		
74 NARRAGANSETT AVE.		KOREY 060456		
01 PER MT 0-25-03		601		
PROVIDENCE RI				
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
000000	7324	ZP0138 106	21.40	3/4" GRADED BASE

601
 # 1809


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.23 ton	72,460 lb	, 32,868 kg	(Scale 1)
TARE:	14.83 ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.40 ton	42,800 lb	, 19,414 kg	

Load #: 9
 Total Amt: 203.98 TON

W/M: DON FARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017227

Plant ID:00633
 11/16/2006
 11:26

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2017227

C-6.33 CRANSTON

SOLD TO:		JOB ID		601 GORHAM SCHOOL
A. KOREY CONSTRUCTION C		Q109050EE		
74 NARRAGANSETT AVE.		A. KOREY #1004		
OK PER MIT 8-25-03		601		
PROVIDENCE	RI			
ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	722864 106	19.12	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.21ton	60,420 lb	, 27,307 kg	(Scale 1)
P. F. TARE:	11.09ton	22,180 lb	, 10,051 kg	(Scale 1)
NET:	19.12ton	38,240 lb	, 17,346 kg	

Load #: 10
 Total Amt: 223.10TON

M/M: DON PARBLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017244

Plant ID: 00633
 11/16/2006
 10:10

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017244

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 01 PER RT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY W1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
019050	7324	ZP2861 136	18.42	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The purchaser agrees that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.51 Ton	59,020 lb	, 26,771 kg	(Scale 1)
P.T. FARE:	11.09 Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	18.42 Ton	36,840 lb	, 16,711 kg	

Load #: 11
 Total Amt: 241.52TON

W/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017246

Plant ID: 00633
 11/16/2006
 12:21

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017246

C-633 CRANSTON

SOLD TO:

H. KOREY CONSTRUCTION C
 54 MARRAGANSETT AVE.
 01 PER MT 8-25-03
 PROVIDENCE RI

JOB ID 603 GORHAM SCHOOL
 Q10905001
 KOREY 0605168
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	222489	22.01	3/4" GRADED BASE
		106		

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.76Ton	71,520 lb	32,441 kg	(Scale 1)
P.L. TAKE:	13.75Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	22.01Ton	44,020 lb	19,967 kg	

Load #: 12
 Total Amt: 263.33TOM

M/M: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017248

Plant ID: 00633
 11/16/2006
 12:24

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017210

U-633 CRANSTON

9/60/

SOLD TO:

G. KOREY CONSTRUCTION C
 33 NARRAGANSETT AVE.
 08 PER MIT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EF
 KOREY, ..
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	218329 103	31.37	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	51.95Ton	103,900 lb	, 47,129 kg	(Scale 1)
TARE:	20.58Ton	41,160 lb	, 18,670 kg	(Scale 1)
NET:	31.37Ton	62,740 lb	, 28,459 kg	

Load #: 13
 Total Amt: 294.90TON

W/M: DON FARLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017249

Plant ID: 00633
 11/16/2006
 12#25

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2017249

C-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 14 HARRADANSETT AVE.
 RI PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 ORDER # 060456
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	2324	220138 106	20.28	3.4" GRADED BASE

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.11 Ton	70,220 lb	31,852 kg	(Scale 1)
TARE:	14.83 Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	20.28 Ton	40,560 lb	18,398 kg	

Load #: 14
 Total Amt: 315.18 TON

M/14: DON PARSLOW

[Handwritten signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017269

Plant ID: 00633
 11/16/2006
 13:10

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017269

U-633 CRANSTON

SOLD TO:

KIDREY CONSTRUCTION CO
 24 NARRAGANSETT AVE.
 DEPT PER MT B-25-03
 PROVIDENCE RI

JOB ID
 Q1090500EE
 KOREY 86056A
 601

601 DORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
00050	7324	722489 106	21.91	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.66 ton	71,320 lb	, 32,351 kg	(Scale 1)
P.L. TARE:	13.75 ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	21.91 ton	43,820 lb	, 19,877 kg	

Load #: 15
 Total Amt: 337.09 TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME: 601

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017270

Plant ID: 00633
 11/16/2006
 13:11

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017270

C-633 CRANSTON

SOLD TO:

G. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 01 PER RT 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 G. KOREY #1804
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	22864 106	18.88	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.97Ton	59,940 lb	, 27,189 kg	(Scale 1)
P. J. TARE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	18.88Ton	37,760 lb	, 17,128 kg	

Load #: 16
 Total Amt: 355.97TON

W/M: DON PARSLOW


 DRIVER NAME

RECEIVED BY:

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017272

Plant ID: 00633
 11/16/2006
 13:15

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017272

C-633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION C
 34 NARRAGANSETT AVE.
 0F PER MT 8-25-03
 PROVIDENCE RI

JOB ID 601 BURNHAM SCHOOL
 Q109050EE
 KOREY 0604516
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	220138 106	21.30	3/4" GRADED BASE

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	36.13Ton	72,260 lb	, 32,777 kg	(Scale 1)
P.L. TARE:	14.83Ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	21.30Ton	42,600 lb	, 19,323 kg	

Load #: 17
 Total Amt: 377.27TON

W/M: DON PARSLOW

[Handwritten Signature]

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

'AN EQUAL OPPORTUNITY EMPLOYER'

CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 992-3542
DRACUT, MA • (978) 454-7878
CRANSTON, RI • (401) 942-7300

2017285

Plant ID: 00633
11/16/2006
13:57

P. J. KEATING INC.
875 PHENIX AVE.
CRANSTON, R.I. 02921

2017285

C 633 CRANSTON

SOLD TO:

KOREY CONSTRUCTION CO
33 HARRAGANSETT AVE.
PO BOX 8-25-03
PROVIDENCE RI

JOB ID
0109950EE
KOREY 860560
601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109850	7324	722489 106	16.76	3/4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	30.51Ton	61,020 lb	, 27,679 kg	(Scale 1)
M.I. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	16.76Ton	33,520 lb	, 15,205 kg	

Load #: 10
Total Amt: 394.03TON

W/M: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017286

Plant ID:00633
 11/16/2006
 13:59

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017286

C 633 CRANSTON

SOLD TO:		JOB ID		681 GORHAM SCHOOL
KUREY CONSTRUCTION C		0109050EE		
54 NARRAGANSETT AVE.		KUREY 860456		
PR PER INT 8-25-03		601		
PROVIDENCE	RI			

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
002050	7324	ZP0138	21.07	3/4" GRADED BASE
		106		

601
 # 1809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.90Ton	71,800 lb	32,568 kg	(Scale 1)
P.T. TARE:	14.83Ton	29,660 lb	13,454 kg	(Scale 1)
NET:	21.07Ton	42,140 lb	19,115 kg	

Load #: 19
 Total Amt: 415.10TON

W/N: DON PARSLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"
 CUSTOMER

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 982-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017288

Plant ID: 00633
 11/16/2006
 14100

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017288

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 54 NARRAGANSETT AVE.
 01 PER MIT 8-25-03
 PROVIDENCE RI

JOB ID
 0109050EE
 KOREY 860568
 601

601 GURHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
009050	7324	222489 136	22.19	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.94Ton	71,880 lb	, 32,605 kg	(Scale 1)
P.T. TARE:	13.75Ton	27,500 lb	, 12,474 kg	(Scale 1)
NET:	22.19Ton	44,380 lb	, 20,131 kg	

Load #: 20
 Total Amt: 437.29TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 892-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017299

Plant ID: 00633
 11/16/2006
 14:38

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R. I. 02921

2017299

1-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 CR PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 A. KOREY 060703
 601

601 BURNHAM SCHOOL

220

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
09050	7324	721936 106	18.78	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	33.36 Ton	66,600 lb	, 30,210 kg	(Scale 1)
P. F. FARE:	14.52 Ton	29,040 lb	, 13,173 kg	(Scale 1)
NET:	18.78 Ton	37,560 lb	, 17,037 kg	

Load #: 21
 Total Amt: 456.07TON

W. WEDON PARSLOW

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017303

Plant ID: 00633
 11/16/2006
 14:44

P.J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017303

C 633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
 54 NARRAGANSETT AVE.
 OK PER MY 8-25-03
 PROVIDENCE RI

JOB ID 601 GORHAM SCHOOL
 Q109050EE
 A. KOREY #1004
 601

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	222864 106	18.77	3.4" GRADED BASE


Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	29.86Ton	59,720 lb	, 27,089 kg	(Scale 1)
P.L. TAKE:	11.09Ton	22,180 lb	, 10,061 kg	(Scale 1)
NET:	18.77Ton	37,540 lb	, 17,028 kg	

Load Nr 22
 Total Amt: 474.84TON

W/M: DON PARLOW



RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
ACUSHNET, MA • (508) 892-3542
DRACUT, MA • (978) 454-7828
CRANSTON, RI • (401) 942-7300

2017304

Plant ID:00633
11/16/2006
14:45

P. J. KEATING INC.
875 PHENIX AVE.
CRANSTON, R. I. 02923

2017304

C-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION C
54 NARRAGANSETT AVE.
OK PER INT 0-25-03
PROVIDENCE RI

JOB ID
Q109050EE
KOREY 060456
601

601 GORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
102050	7324	720138 136	20.64	3/4" GRADED BASE

601
0809

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curbline. If the job requires placement of the materials beyond the curbline of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	35.47ton	70,940 lb	, 32,170 kg	(Scale 1)
P.L. TARE:	14.83ton	29,660 lb	, 13,454 kg	(Scale 1)
NET:	20.64ton	41,280 lb	, 18,725 kg	

Load #: 23
Total Amt: 495.48TON

W/P: DON PARSLON

RECEIVED BY:

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

PLANT LOCATIONS: LUNENBURG, MA • (978) 582-5200
 ACUSHNET, MA • (508) 992-3542
 DRACUT, MA • (978) 454-7878
 CRANSTON, RI • (401) 942-7300

2017307

Plant ID: 0633
 11/16/2006
 14:56

P. J. KEATING INC.
 875 PHENIX AVE.
 CRANSTON, R.I. 02921

2017307

0-633 CRANSTON

SOLD TO:

A. KOREY CONSTRUCTION CO
 34 NARRAGANSETT AVE.
 01 PER MT 8-25-03
 PROVIDENCE RI

JOB ID
 Q109050EE
 KOREY 060956A
 601

601 BORHAM SCHOOL

ACCOUNT	MIX	TRUCK	TONS	PRODUCT DESCRIPTION
109050	7324	ZF2489 196	21.21	3/4" GRADED BASE

Except as is expressly set forth herein, there are no warranties expressed or implied, which extend beyond the description on the face hereof. The parties agree that implied warranties of merchantability or of fitness for particular purpose are excluded from the transaction and shall not apply to the product sold hereunder.

The purchaser shall provide suitable roadways to points of delivery other than on paved roads and delivery shall be to the curblin. If the job requires placement of the materials beyond the curblin of city streets or roadways, then damage occurring thereafter including damage to the truck, shall be the responsibility of the purchaser. The effect of climatic conditions on the Bituminous Concrete shall be the sole responsibility of the purchaser. Any sampling and testing of the material must be in strict accordance with applicable specifications.

GROSS:	34.96 Ton	69,920 lb	31,716 kg	(Scale 1)
P.L. TARE:	13.75 Ton	27,500 lb	12,474 kg	(Scale 1)
NET:	21.21 Ton	42,420 lb	19,242 kg	

Load #: 24
 Total Amtr: 516.69TON

W/M: DON PARSLOW

RECEIVED BY: 

DRIVER NAME

NOTICE: CUSTOMERS ARE RESPONSIBLE FOR COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, RULES AND REGULATIONS, INCLUDING BUT NOT LIMITED TO THOSE RELATING TO INSPECTIONS, WEIGHT LIMITATIONS, TARPS, ALL APPLICABLE INSPECTION AUTHORITIES, AND THE VEHICLE CODE. DRIVERS AGREE TO INDEMNIFY AND HOLD HARMLESS P.J. KEATING CO., ITS SUBSIDIARIES AND DIVISIONS, REPRESENTATIVES, OFFICERS, DIRECTORS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY RESULTING FROM VIOLATIONS.

CAUTION: FRESHLY MIXED BITUMINOUS CONCRETE MAY CAUSE INJURY. AVOID CONTACT WHERE POSSIBLE. KEEP OUT OF REACH OF CHILDREN.

"AN EQUAL OPPORTUNITY EMPLOYER"

Appendix E

Clean Loam Fill Documentation

Richmond Sand & Gravel, Inc.

"We are an Equal Opportunity Employer"

Plant: Stilson Road, PO Box 389
Wyoming, RI 02898
Phone 401-539-7770
Fax 401-539-2376

Office: 24 Martin Street, Suite 30
Cumberland, RI 02864
Phone 401-333-5502
Fax 401-333-2551

August 23, 2007


EA Engineering, Science, and Technology, Inc.
ATTN: Pete Grivers
2350 Post Road
Warwick, RI 02886

CERTIFICATE OF COMPLIANCE

Richmond Sand & Gravel, Inc. certifies that screened loam furnished to A. Korey Construction for use at the Adelaide Avenue High School Project between May, 2007 and June, 2007 originated from our facility and was not impacted by any releases or contamination.

Sincerely,

RICHMOND SAND & GRAVEL, INC.


Peter Calcagni
President

Grivers, Peter

From: Joseph Martella [joseph.martella@DEM.RI.GOV]
Sent: Friday, May 04, 2007 3:05 PM
To: Grivers, Peter
Cc: Sarah Destefano; Kelly Owens
Subject: RE: Loam Sample - Please review asap
Importance: High
Follow Up Flag: Follow up
Flag Status: Red

Peter,

The soils associated with your email below sent 5/4/07, regarding the analytical results for ESS Work Order No. 0704473, are suitable for use as clean fill at the Gorham School Site. However, since this characterization sample was originally collected for the TPL / Lincoln Lace and Braid site, and it is my understanding that they will be using up to 200 yards of the loam, the attached sample set is only good for the remaining 300 yards of loam before an additional characterization sample will be required in accordance with the RAWP. If there are any other sites for which this characterization sample is being utilized please inform us immediately and adjust the total amount of remaining loam available down accordingly.

Are there any other sites utilizing this characterization sample?

In the future, when a single characterization sample is collected for material to be used at more than one location, please inform all of the project managers involved of your intentions as early as possible, but definitely no later than when you submit each approval request. Failure to do so clearly circumvents the intent of the clean fill sampling protocol as delineated in the RAWP and subsequently approved in the Order of Approval, and could therefore result in a violation of the Order.

As part of the required Closure documentation for the Site, please provide the Department with total quantity of soils brought on Site associated with the above referenced sampling, all original laboratory analytical data and a statement from the facility that provides the clean fill and / or loam attesting to the materials origin and suitability.

Thanks,
Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Friday, May 04, 2007 10:56 AM
To: Joseph Martella
Subject: Loam Sample - Please review asap
Importance: High

Hi Joe:

I am submitting another loam sample to you for review and approval. This sample is for loam from Richmond Sand & Gravel in Richmond, RI.

RIDEM approval for loam from this same source for another remedial project (TPL) was recently obtained from Sarah Destefano – I will forward her email approval to you separately for reference. We don't expect the immediate turnaround provided by Sarah D., but approval on Monday would be greatly appreciated.

This attached sample set is good for 500 yards of loam. If we expect to exceed 500 yards, I will forward the additional required sampling data (arsenic only) for an additional 500 yards as applicable per the

8/6/2007

RAWP and Order of Approval. We will provide a letter from the facility that indicates the material's suitability and origin in the Closure Report.

Sincerely,

Peter M. Grivers, P.E., LSP

Project Manager

EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC.

2350 Post Road

Warwick, RI 02886

401-736-3440 (office)

401-736-3423 (fax)

401-935-5080 (cell)

pgrivers@eaest.com (email)

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Antimony	ND	mg/kg dry	6.5	6010B	10	1	SVD	04/27/07	1.96	100
Arsenic	ND	mg/kg dry	3.3	6010B	7	1	SVD	04/27/07	1.96	100
Beryllium	0.37	mg/kg dry	0.07	6010B	0.4	1	SVD	04/27/07	1.96	100
Cadmium	ND	mg/kg dry	0.65	6010B	39	1	SVD	04/27/07	1.96	100
Chromium	5.8	mg/kg dry	1.3	6010B	1400	1	SVD	04/27/07	1.96	100
Copper	12.0	mg/kg dry	1.3	6010B	3100	1	SVD	04/27/07	1.96	100
Lead	18.8	mg/kg dry	6.5	6010B	150	1	SVD	04/27/07	1.96	100
Mercury	0.042	mg/kg dry	0.036	7471A	23	1	EEM	04/27/07	0.71	40
Nickel	3.6	mg/kg dry	3.3	6010B	1000	1	SVD	04/27/07	1.96	100
Selenium	ND	mg/kg dry	6.5	6010B	390	1	SVD	04/27/07	1.96	100
Silver	ND	mg/kg dry	0.65	6010B	200	1	SVD	04/27/07	1.96	100
Thallium	ND	mg/kg dry	1.6	7841	5.5	5	JP	04/27/07	1.96	100
Zinc	43.0	mg/kg dry	3.3	6010B	6000	1	SVD	04/27/07	1.96	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 15.3
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

RI - RES DEC

Analyte	Results	Units	MRL	MDL	Limit	DF	Analyzed
1,1,1,2-Tetrachloroethane	ND	mg/kg dry	0.154	0.0492	2.2	1	05/01/07
1,1,1-Trichloroethane	ND	mg/kg dry	0.0769	0.0185	540	1	05/01/07
1,1,2,2-Tetrachloroethane	ND	mg/kg dry	0.0769	0.0215	1.3	1	05/01/07
1,1,2-Trichloroethane	ND	mg/kg dry	0.0769	0.0323	3.6	1	05/01/07
1,1-Dichloroethane	ND	mg/kg dry	0.0769	0.0215	920	1	05/01/07
1,1-Dichloroethene	ND	mg/kg dry	0.0769	0.0169	0.2	1	05/01/07
1,1-Dichloropropene	ND	mg/kg dry	0.0769	0.0139		1	05/01/07
1,2,3-Trichlorobenzene	ND	mg/kg dry	0.0769	0.0169		1	05/01/07
1,2,3-Trichloropropane	ND	mg/kg dry	0.0769	0.0385		1	05/01/07
1,2,4-Trichlorobenzene	ND	mg/kg dry	0.0769	0.0154	96	1	05/01/07
1,2,4-Trimethylbenzene	ND	mg/kg dry	0.0769	0.0169		1	05/01/07
1,2-Dibromo-3-Chloropropane	ND	mg/kg dry	0.385	0.154	0.5	1	05/01/07
1,2-Dibromoethane	ND	mg/kg dry	0.0769	0.0154	0.01	1	05/01/07
1,2-Dichlorobenzene	ND	mg/kg dry	0.0769	0.0154	510	1	05/01/07
1,2-Dichloroethane	ND	mg/kg dry	0.0769	0.0185	0.9	1	05/01/07
1,2-Dichloropropane	ND	mg/kg dry	0.0769	0.0215	1.9	1	05/01/07
1,3,5-Trimethylbenzene	ND	mg/kg dry	0.0769	0.0200		1	05/01/07
1,3-Dichlorobenzene	ND	mg/kg dry	0.0769	0.0169	430	1	05/01/07
1,3-Dichloropropane	ND	mg/kg dry	0.0769	0.0139		1	05/01/07
1,4-Dichlorobenzene	ND	mg/kg dry	0.0769	0.0200	27	1	05/01/07
1,4-Dioxane - Screen	ND	mg/kg dry	7.69	3.69		1	05/01/07
1-Chlorohexane	ND	mg/kg dry	0.0769	0.0185		1	05/01/07
2,2-Dichloropropane	ND	mg/kg dry	0.154	0.0354		1	05/01/07
2-Butanone	ND	mg/kg dry	1.92	0.314	10000	1	05/01/07
2-Chlorotoluene	ND	mg/kg dry	0.0769	0.0215		1	05/01/07
2-Hexanone	ND	mg/kg dry	0.769	0.0769		1	05/01/07
4-Chlorotoluene	ND	mg/kg dry	0.0769	0.0185		1	05/01/07
4-Isopropyltoluene	ND	mg/kg dry	0.0769	0.0185		1	05/01/07
4-Methyl-2-Pentanone	ND	mg/kg dry	0.769	0.0970	1200	1	05/01/07
Acetone	ND	mg/kg dry	1.92	0.654	7800	1	05/01/07
Benzene	ND	mg/kg dry	0.0769	0.0215	2.5	1	05/01/07
Bromobenzene	ND	mg/kg dry	0.0769	0.0154		1	05/01/07
Bromochloromethane	ND	mg/kg dry	0.0769	0.0231		1	05/01/07
Bromodichloromethane	ND	mg/kg dry	0.0769	0.0200	10	1	05/01/07
Bromoform	ND	mg/kg dry	0.0769	0.0169	81	1	05/01/07

185 Frances Avenue, Cranston, RI 02910-2211

Tel: 401-461-7181

Fax: 401-461-4486

<http://www.ESSLaboratory.com>

Dependability + Quality

+ Service

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 15.3
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	mg/kg dry	0.154	0.0154	0.8	1	05/01/07
Carbon Disulfide	ND	mg/kg dry	0.0769	0.0185		1	05/01/07
Carbon Tetrachloride	ND	mg/kg dry	0.0769	0.0200	1.5	1	05/01/07
Chlorobenzene	ND	mg/kg dry	0.0769	0.0169	210	1	05/01/07
Chloroethane	ND	mg/kg dry	0.154	0.0462		1	05/01/07
Chloroform	ND	mg/kg dry	0.0769	0.0169	1.2	1	05/01/07
Chloromethane	ND	mg/kg dry	0.154	0.0231		1	05/01/07
cis-1,2-Dichloroethene	ND	mg/kg dry	0.0769	0.0215	630	1	05/01/07
cis-1,3-Dichloropropene	ND	mg/kg dry	0.0769	0.0154		1	05/01/07
Dibromochloromethane	ND	mg/kg dry	0.0769	0.0123	7.6	1	05/01/07
Dibromomethane	ND	mg/kg dry	0.0769	0.0200		1	05/01/07
Dichlorodifluoromethane	ND	mg/kg dry	0.0769	0.0169		1	05/01/07
Diethyl Ether	ND	mg/kg dry	0.0769	0.0215		1	05/01/07
Di-isopropyl ether	ND	mg/kg dry	0.0769	0.0169		1	05/01/07
Ethyl tertiary-butyl ether	ND	mg/kg dry	0.0769	0.0154		1	05/01/07
Ethylbenzene	ND	mg/kg dry	0.0769	0.0169	71	1	05/01/07
Hexachlorobutadiene	ND	mg/kg dry	0.0769	0.0339	8.2	1	05/01/07
Isopropylbenzene	ND	mg/kg dry	0.0769	0.0169	27	1	05/01/07
Methyl tert-Butyl Ether	ND	mg/kg dry	0.0769	0.0169	390	1	05/01/07
Methylene Chloride	ND	mg/kg dry	0.385	0.0292	45	1	05/01/07
Naphthalene	ND	mg/kg dry	0.0769	0.0123	54	1	05/01/07
n-Butylbenzene	ND	mg/kg dry	0.0769	0.0169		1	05/01/07
n-Propylbenzene	ND	mg/kg dry	0.0769	0.0154		1	05/01/07
sec-Butylbenzene	ND	mg/kg dry	0.0769	0.0185		1	05/01/07
Styrene	ND	mg/kg dry	0.0769	0.0185	13	1	05/01/07
tert-Butylbenzene	ND	mg/kg dry	0.0769	0.0169		1	05/01/07
Tertiary-amyl methyl ether	ND	mg/kg dry	0.0769	0.0215		1	05/01/07
Tetrachloroethene	ND	mg/kg dry	0.0769	0.0185	12	1	05/01/07
Tetrahydrofuran	ND	mg/kg dry	0.385	0.154		1	05/01/07
Toluene	ND	mg/kg dry	0.0769	0.0200	190	1	05/01/07
trans-1,2-Dichloroethene	ND	mg/kg dry	0.0769	0.0246	1100	1	05/01/07
trans-1,3-Dichloropropene	ND	mg/kg dry	0.0769	0.0185		1	05/01/07
Trichloroethene	ND	mg/kg dry	0.0769	0.0169	13	1	05/01/07
Trichlorofluoromethane	ND	mg/kg dry	0.0769	0.0200		1	05/01/07
Vinyl Acetate	ND	mg/kg dry	0.385	0.0292		1	05/01/07
Vinyl Chloride	ND	mg/kg dry	0.0769	0.0185	0.02	1	05/01/07

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 15.3
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	mg/kg dry	0.0769	0.0139	110	1	05/01/07
Xylene P,M	ND	mg/kg dry	0.154	0.0369	110	1	05/01/07
Xylenes (Total)	ND	mg/kg dry	0.231			1	05/01/07

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	111 %		70-130
Surrogate: 4-Bromofluorobenzene	101 %		70-130
Surrogate: Dibromofluoromethane	111 %		70-130
Surrogate: Toluene-d8	101 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 20.3
Final Volume: 1
Extraction Method: 3541

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: JLS
Prepared: 04/27/07

8100M Total Petroleum Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>RI - RES DEC</u>		<u>Analyzed</u>
				<u>Limit</u>	<u>DF</u>	
Total Petroleum Hydrocarbons	84.4	mg/kg dry	47.4	500	1	04/28/07

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: O-Terphenyl	74 %		40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 15.6
Final Volume: 0.5
Extraction Method: 3541

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: VSC
Prepared: 04/28/07

8270C Semi-Volatile Organic Compounds

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>
1,1-Biphenyl	ND	mg/kg dry	0.411	0.8	1	04/29/07
1,2,4-Trichlorobenzene	ND	mg/kg dry	0.411	96	1	04/29/07
1,2-Dichlorobenzene	ND	mg/kg dry	0.411	510	1	04/29/07
1,3-Dichlorobenzene	ND	mg/kg dry	0.411	430	1	04/29/07
1,4-Dichlorobenzene	ND	mg/kg dry	0.411	27	1	04/29/07
2,3,4,6-Tetrachlorophenol	ND	mg/kg dry	2.06		1	04/29/07
2,4,5-Trichlorophenol	ND	mg/kg dry	0.411	330	1	04/29/07
2,4,6-Trichlorophenol	ND	mg/kg dry	0.411	58	1	04/29/07
2,4-Dichlorophenol	ND	mg/kg dry	0.411	30	1	04/29/07
2,4-Dimethylphenol	ND	mg/kg dry	0.411	1400	1	04/29/07
2,4-Dinitrophenol	ND	mg/kg dry	2.06	160	1	04/29/07
2,4-Dinitrotoluene	ND	mg/kg dry	0.411	0.9	1	04/29/07
2,6-Dinitrotoluene	ND	mg/kg dry	0.411		1	04/29/07
2-Chloronaphthalene	ND	mg/kg dry	0.411		1	04/29/07
2-Chlorophenol	ND	mg/kg dry	0.411	50	1	04/29/07
2-Methylnaphthalene	ND	mg/kg dry	0.411	123	1	04/29/07
2-Methylphenol	ND	mg/kg dry	0.411		1	04/29/07
2-Nitroaniline	ND	mg/kg dry	0.411		1	04/29/07
2-Nitrophenol	ND	mg/kg dry	0.411		1	04/29/07
3,3'-Dichlorobenzidine	ND	mg/kg dry	0.822	1.4	1	04/29/07
3+4-Methylphenol	ND	mg/kg dry	0.822		1	04/29/07
3-Nitroaniline	ND	mg/kg dry	0.411		1	04/29/07
4,6-Dinitro-2-Methylphenol	ND	mg/kg dry	2.06		1	04/29/07
4-Bromophenyl-phenylether	ND	mg/kg dry	0.411		1	04/29/07
4-Chloro-3-Methylphenol	ND	mg/kg dry	0.411		1	04/29/07
4-Chloroaniline	ND	mg/kg dry	0.822	310	1	04/29/07
4-Chloro-phenyl-phenyl ether	ND	mg/kg dry	0.411		1	04/29/07
4-Nitroaniline	ND	mg/kg dry	0.411		1	04/29/07
4-Nitrophenol	ND	mg/kg dry	2.06		1	04/29/07
Acenaphthene	ND	mg/kg dry	0.411	43	1	04/29/07
Acenaphthylene	ND	mg/kg dry	0.411	23	1	04/29/07
Acetophenone	ND	mg/kg dry	0.822		1	04/29/07
Aniline	ND	mg/kg dry	2.06		1	04/29/07
Anthracene	ND	mg/kg dry	0.411	35	1	04/29/07
Azobenzene	ND	mg/kg dry	0.411		1	04/29/07

185 Frances Avenue, Cranston, RI 02910-2211

Tel: 401-461-7181

Fax: 401-461-4486

<http://www.ESSLaboratory.com>

Dependability ♦ Quality

♦ Service

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 15.6
Final Volume: 0.5
Extraction Method: 3541

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: VSC
Prepared: 04/28/07

8270C Semi-Volatile Organic Compounds

Benzo(a)anthracene	ND	mg/kg dry	0.411	0.9	1	04/29/07
Benzo(a)pyrene	ND	mg/kg dry	0.206	0.4	1	04/29/07
Benzo(b)fluoranthene	ND	mg/kg dry	0.411	0.9	1	04/29/07
Benzo(g,h,i)perylene	ND	mg/kg dry	0.411	0.8	1	04/29/07
Benzo(k)fluoranthene	ND	mg/kg dry	0.411	0.9	1	04/29/07
Benzoic Acid	ND	mg/kg dry	2.06		1	04/29/07
Benzyl Alcohol	ND	mg/kg dry	0.411		1	04/29/07
bis(2-Chloroethoxy)methane	ND	mg/kg dry	0.411		1	04/29/07
bis(2-Chloroethyl)ether	ND	mg/kg dry	0.411	0.6	1	04/29/07
bis(2-chloroisopropyl)Ether	ND	mg/kg dry	0.411	9.1	1	04/29/07
bis(2-Ethylhexyl)phthalate	ND	mg/kg dry	0.411	46	1	04/29/07
Butylbenzylphthalate	ND	mg/kg dry	0.411		1	04/29/07
Carbazole	ND	mg/kg dry	0.411		1	04/29/07
Chrysene	ND	mg/kg dry	0.206	0.4	1	04/29/07
Dibenzo(a,h)Anthracene	ND	mg/kg dry	0.206	0.4	1	04/29/07
Dibenzofuran	ND	mg/kg dry	0.411		1	04/29/07
Diethylphthalate	ND	mg/kg dry	0.411	340	1	04/29/07
Dimethylphthalate	ND	mg/kg dry	0.411	1900	1	04/29/07
Di-n-butylphthalate	ND	mg/kg dry	0.411		1	04/29/07
Di-n-octylphthalate	ND	mg/kg dry	0.411		1	04/29/07
Fluoranthene	ND	mg/kg dry	0.411	20	1	04/29/07
Fluorene	ND	mg/kg dry	0.411	28	1	04/29/07
Hexachlorobenzene	ND	mg/kg dry	0.206	0.4	1	04/29/07
Hexachlorobutadiene	ND	mg/kg dry	0.411	8.2	1	04/29/07
Hexachlorocyclopentadiene	ND	mg/kg dry	2.06		1	04/29/07
Hexachloroethane	ND	mg/kg dry	0.411	46	1	04/29/07
Indeno(1,2,3-cd)Pyrene	ND	mg/kg dry	0.411	0.9	1	04/29/07
Isophorone	ND	mg/kg dry	0.411		1	04/29/07
Naphthalene	ND	mg/kg dry	0.411	54	1	04/29/07
Nitrobenzene	ND	mg/kg dry	0.411		1	04/29/07
N-Nitrosodimethylamine	ND	mg/kg dry	0.411		1	04/29/07
N-Nitroso-Di-n-Propylamine	ND	mg/kg dry	0.411		1	04/29/07
N-nitrosodiphenylamine	ND	mg/kg dry	0.411		1	04/29/07
Pentachlorophenol	ND	mg/kg dry	2.06	5.3	1	04/29/07
Phenanthrene	ND	mg/kg dry	0.411	40	1	04/29/07
Phenol	ND	mg/kg dry	0.411	6000	1	04/29/07

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation
Client Project ID: TPL
Client Sample ID: TPL
Date Sampled: 04/26/07 11:45
Percent Solids: 78
Initial Volume: 15.6
Final Volume: 0.5
Extraction Method: 3541

ESS Laboratory Work Order: 0704473
ESS Laboratory Sample ID: 0704473-01
Sample Matrix: Soil
Analyst: VSC
Prepared: 04/28/07

8270C Semi-Volatile Organic Compounds

Pyrene	ND	mg/kg dry	0.411	13	1	04/29/07
Pyridine	ND	mg/kg dry	2.06		1	04/29/07

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichlorobenzene-d4	64 %		30-130
Surrogate: 2,4,6-Tribromophenol	83 %		30-130
Surrogate: 2-Chlorophenol-d4	71 %		30-130
Surrogate: 2-Fluorobiphenyl	80 %		30-130
Surrogate: 2-Fluorophenol	69 %		30-130
Surrogate: Nitrobenzene-d5	65 %		30-130
Surrogate: Phenol-d6	75 %		30-130
Surrogate: p-Terphenyl-d14	90 %		30-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: Enviro-Safe Corporation

Client Project ID: TPL

ESS Laboratory Work Order: 0704473

Notes and Definitions

- U Analyte included in the analysis, but not detected
- D Diluted.
- + Outside QC Limits.
- ND Analyte NOT DETECTED above the detection limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- mg/kg Results reported as wet weight
- TCLP Toxicity Characteristic Leachate Procedure
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- TIC A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- ¶ The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

CHAIN OF CUSTODY

Page of

Turn Time: Standard Other
 If faster than 5 days, prior approval by laboratory is required #
 State where samples were collected from:
 MA RI CT NH NJ NY ME Other
 Is this project for any of the following: USACE Other
 MA-MCP Navy Other

Reporting Limits:
 Electronic Deliverable: Yes No
 Format: Excel Access PDF Other

Project # Project Name (20 Char. or less) TPC
 Address 14 B JAN SERAFIN DR. PO #
 City SANDWICH State MA Zip
 Telephone # 508-898-5478 Fax # 509-888-9093
 Email Address

ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (20 Char. or less)	Pres Code	Number of Containers	Type of Containers
1	4-26-07	11:45		✓	S	TRC	1/6	4	V/SX
2									
3									
4									

Container Type: P-Poly Glass Sterile Matrix: V-VOA S-Soil SD-Solid D-Sludge W-Waste Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes F-Filters

Cooler Present: Yes No No NA: [] Pickup [] Technicians

Seals Intact: Yes No No NA:

Cooler Temp: 5.7

Preservation Code: 1-NP, 3-HCl, 3-H₂SO₄, 4-HNO₃, 5-NaOH, 6-MeOH, 7-Asorbic Acid, 8-ZnAcet, 9-

Sampled by:

Comments:

ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (20 Char. or less)	Pres Code	Number of Containers	Type of Containers	Circle and/or Write Required Analysis
1	4-26-07	11:45		✓	S	TRC	1/6	4	V/SX	RPH 8015 DRO <u>8100</u> EPH <u>8100</u> W/PAHs <u>8100</u> PCH 8082 PCB Pesticides <u>8270</u> PAH 625 <u>8270</u> SVOA <u>8270</u> RCRA PPI3 TAL23 <u>8270</u> TCLP-RCRA8 NBC7 MCP-METALS (13) <u>As</u> METALS (13) <u>As</u>
2										
3										
4										

Relinquished by: (Signature) [Signature] Date/Time 4-26-07 12:15
 Received by: (Signature) [Signature] Date/Time 4-26-07 12:15
 Relinquished by: (Signature) [Signature] Date/Time
 Received by: (Signature) [Signature] Date/Time

Grivers, Peter

From: Joseph Martella [joseph.martella@DEM.RI.GOV]
Sent: Thursday, May 10, 2007 12:31 PM
To: Grivers, Peter
Cc: Kelly Owens; Sarah Destefano
Subject: RE: 2nd Richmond Sand & Gravel Loam Sample - Please review asap

Peter,

The soils associated with your email below sent 5/9/07, regarding the analytical results for ESS Work Order No. 0705106, for loam from Richmond Sand & Gravel in Richmond, RI, are suitable for use as clean fill at the Gorham School Site. As part of the required Closure documentation for the Site, please provide the Department with total quantity of soils brought on Site associated with the above referenced sampling, all original laboratory analytical data and a statement from the facility that provides the clean fill and / or loam attesting to the materials origin and suitability.

Thanks,
Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Wednesday, May 09, 2007 5:39 PM
To: Joseph Martella
Subject: RE: 2nd Richmond Sand & Gravel Loam Sample - Please review asap
Importance: High

Hi Joe:

Please review the attached loam sample lab report for the Adelaide Ave School Project. The sample was collected on Monday from the same source/facility (Richmond Sand & Gravel) in Richmond, RI where recent samples have been obtained, and the data indicates compliance with the applicable Residential Direct Exposure Criteria. We will provide a letter from the facility that indicates the material's suitability and origin in the Closure Report.

Based on the previous approval of 300 yards of loam from this source and assuming your approval of this data set, it is our understanding that we will have DEM approval for a total of 800 yards of loam. Please confirm at your earliest convenience – we appreciate your timely attention.

Sincerely,

Peter M. Grivers, P.E., LSP
Project Manager
EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC.
2350 Post Road
Warwick, RI 02886

401-736-3440 (office)
401-736-3423 (fax)
401-935-5080 (cell)
pgrivers@eaest.com (email)

6/15/2007

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS


PROJECT NARRATIVE

RECEIVED
RECEIVED
MAY 21 2007
MAY 21 2007
H.V. COLLINS COMPANY
H.V. COLLINS COMPANY

Patrick Collins
H.V. Collins
99 Gano Street
Providence, RI 02906

RE: Adelaide Ave School - Gorham
ESS Laboratory Work Order Number: 0705106

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: May 16, 2007

Sample Receipt

1 Soil sample and 1 Trip Blank were received on May 07, 2007 for the analyses specified on the enclosed Chain of Custody Record.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Metals Analysis

ESS Laboratory utilized the established linear dynamic range to determine acceptable analytical results.

Volatile Organics Analysis

Blank Spike was outside of the recommended range for Chloroethane. This analyte was below the lower control limit.

Blank Spike was outside of the recommended range for Dichlorodifluoromethane. This analyte exceeds the upper control limit.

Internal standard recovery was outside of the recommended ranges for sample 0705106-01 due to matrix interferences. Reanalysis of sample produced similar results.

No other observations noted.

End of Project Narrative.

mdp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: RS and G Loam 5.7.07
Date Sampled: 05/07/07 11:00
Percent Solids: 79

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Antimony	ND	mg/kg dry	6.6	6010B	10	1	SVD	05/07/07	1.92	100
Arsenic	ND	mg/kg dry	3.3	6010B	7	1	SVD	05/07/07	1.92	100
Beryllium	0.39	mg/kg dry	0.07	6010B	0.4	1	SVD	05/07/07	1.92	100
Cadmium	ND	mg/kg dry	0.66	6010B	39	1	SVD	05/07/07	1.92	100
Chromium	7.6	mg/kg dry	1.3	6010B	1400	1	SVD	05/07/07	1.92	100
Copper	15.6	mg/kg dry	1.3	6010B	3100	1	SVD	05/07/07	1.92	100
Lead	18.3	mg/kg dry	6.6	6010B	150	1	SVD	05/07/07	1.92	100
Mercury	0.043	mg/kg dry	0.041	7471A	23	1	JP	05/08/07	0.61	40
Nickel	4.7	mg/kg dry	3.3	6010B	1000	1	SVD	05/07/07	1.92	100
Selenium	ND	mg/kg dry	6.6	6010B	390	1	SVD	05/07/07	1.92	100
Silver	ND	mg/kg dry	0.66	6010B	200	1	SVD	05/07/07	1.92	100
Thallium	ND	mg/kg dry	1.6	7841	5.5	5	JP	05/08/07	1.92	100
Zinc	52.8	mg/kg dry	3.3	6010B	6000	1	SVD	05/07/07	1.92	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: RS and G Loam 5.7.07
Date Sampled: 05/07/07 11:00
Percent Solids: 79
Initial Volume: 6.7
Final Volume: 10
Extraction Method: 5035

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Low Level

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	mg/kg dry	0.0037	2.2	1	05/08/07
1,1,1-Trichloroethane	ND	mg/kg dry	0.0037	540	1	05/08/07
1,1,2,2-Tetrachloroethane	ND	mg/kg dry	0.0037	1.3	1	05/08/07
1,1,2-Trichloroethane	ND	mg/kg dry	0.0037	3.6	1	05/08/07
1,1-Dichloroethane	ND	mg/kg dry	0.0037	920	1	05/08/07
1,1-Dichloroethene	ND	mg/kg dry	0.0037	0.2	1	05/08/07
1,1-Dichloropropene	ND	mg/kg dry	0.0037		1	05/08/07
1,2,3-Trichlorobenzene	ND	mg/kg dry	0.0037		1	05/08/07
1,2,3-Trichloropropane	ND	mg/kg dry	0.0037		1	05/08/07
1,2,4-Trichlorobenzene	ND	mg/kg dry	0.0037	96	1	05/08/07
1,2,4-Trimethylbenzene	ND	mg/kg dry	0.0037		1	05/08/07
1,2-Dibromo-3-Chloropropane	ND	mg/kg dry	0.0037	0.5	1	05/08/07
1,2-Dibromoethane	ND	mg/kg dry	0.0037	0.01	1	05/08/07
1,2-Dichlorobenzene	ND	mg/kg dry	0.0037	510	1	05/08/07
1,2-Dichloroethane	ND	mg/kg dry	0.0037	0.9	1	05/08/07
1,2-Dichloropropane	ND	mg/kg dry	0.0037	1.9	1	05/08/07
1,3,5-Trimethylbenzene	ND	mg/kg dry	0.0037		1	05/08/07
1,3-Dichlorobenzene	ND	mg/kg dry	0.0037	430	1	05/08/07
1,3-Dichloropropane	ND	mg/kg dry	0.0037		1	05/08/07
1,4-Dichlorobenzene	ND	mg/kg dry	0.0037	27	1	05/08/07
1,4-Dioxane - Screen	ND	mg/kg dry	0.187		1	05/08/07
1-Chlorohexane	ND	mg/kg dry	0.0037		1	05/08/07
2,2-Dichloropropane	ND	mg/kg dry	0.0037		1	05/08/07
2-Butanone	ND	mg/kg dry	0.0373	10000	1	05/08/07
2-Chlorotoluene	ND	mg/kg dry	0.0037		1	05/08/07
2-Hexanone	ND	mg/kg dry	0.0373		1	05/08/07
4-Chlorotoluene	ND	mg/kg dry	0.0037		1	05/08/07
4-Isopropyltoluene	ND	mg/kg dry	0.0037		1	05/08/07
4-Methyl-2-Pentanone	ND	mg/kg dry	0.0373	1200	1	05/08/07
Acetone	ND	mg/kg dry	0.0373	7800	1	05/08/07
Benzene	ND	mg/kg dry	0.0037	2.5	1	05/08/07
Bromobenzene	ND	mg/kg dry	0.0037		1	05/08/07
Bromochloromethane	ND	mg/kg dry	0.0037		1	05/08/07
Bromodichloromethane	ND	mg/kg dry	0.0037	10	1	05/08/07
Bromoform	ND	mg/kg dry	0.0037	81	1	05/08/07

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: RS and G Loam 5.7.07
Date Sampled: 05/07/07 11:00
Percent Solids: 79
Initial Volume: 6.7
Final Volume: 10
Extraction Method: 5035

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Low Level

Bromomethane	ND	mg/kg dry	0.0075	0.8	1	05/08/07
Carbon Disulfide	ND	mg/kg dry	0.0037		1	05/08/07
Carbon Tetrachloride	ND	mg/kg dry	0.0037	1.5	1	05/08/07
Chlorobenzene	ND	mg/kg dry	0.0037	210	1	05/08/07
Chloroethane	ND	mg/kg dry	0.0075		1	05/08/07
Chloroform	ND	mg/kg dry	0.0037	1.2	1	05/08/07
Chloromethane	ND	mg/kg dry	0.0075		1	05/08/07
cis-1,2-Dichloroethene	ND	mg/kg dry	0.0037	630	1	05/08/07
cis-1,3-Dichloropropene	ND	mg/kg dry	0.0037		1	05/08/07
Dibromochloromethane	ND	mg/kg dry	0.0037	7.6	1	05/08/07
Dibromomethane	ND	mg/kg dry	0.0037		1	05/08/07
Dichlorodifluoromethane	ND	mg/kg dry	0.0075		1	05/08/07
Diethyl Ether	ND	mg/kg dry	0.0037		1	05/08/07
Di-isopropyl ether	ND	mg/kg dry	0.0037		1	05/08/07
Ethyl tertiary-butyl ether	ND	mg/kg dry	0.0037		1	05/08/07
Ethylbenzene	ND	mg/kg dry	0.0037	71	1	05/08/07
Hexachlorobutadiene	ND	mg/kg dry	0.0037	8.2	1	05/08/07
Isopropylbenzene	ND	mg/kg dry	0.0037	27	1	05/08/07
Methyl tert-Butyl Ether	ND	mg/kg dry	0.0037	390	1	05/08/07
Methylene Chloride	ND	mg/kg dry	0.0187	45	1	05/08/07
Naphthalene	ND	mg/kg dry	0.0037	54	1	05/08/07
n-Butylbenzene	ND	mg/kg dry	0.0037		1	05/08/07
n-Propylbenzene	ND	mg/kg dry	0.0037		1	05/08/07
sec-Butylbenzene	ND	mg/kg dry	0.0037		1	05/08/07
Styrene	ND	mg/kg dry	0.0037	13	1	05/08/07
tert-Butylbenzene	ND	mg/kg dry	0.0037		1	05/08/07
Tertiary-amyl methyl ether	ND	mg/kg dry	0.0037		1	05/08/07
Tetrachloroethene	ND	mg/kg dry	0.0037	12	1	05/08/07
Tetrahydrofuran	ND	mg/kg dry	0.0037		1	05/08/07
Toluene	ND	mg/kg dry	0.0037	190	1	05/08/07
trans-1,2-Dichloroethene	ND	mg/kg dry	0.0037	1100	1	05/08/07
trans-1,3-Dichloropropene	ND	mg/kg dry	0.0037		1	05/08/07
Trichloroethene	ND	mg/kg dry	0.0037	13	1	05/08/07
Trichlorofluoromethane	ND	mg/kg dry	0.0037		1	05/08/07
Vinyl Acetate	ND	mg/kg dry	0.0037		1	05/08/07
Vinyl Chloride	ND	mg/kg dry	0.0075	0.02	1	05/08/07

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: RS and G Loam 5.7.07
Date Sampled: 05/07/07 11:00
Percent Solids: 79
Initial Volume: 6.7
Final Volume: 10
Extraction Method: 5035

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Low Level

Xylene O	ND	mg/kg dry	0.0037	110	1	05/08/07
Xylene P,M	ND	mg/kg dry	0.0075	110	1	05/08/07
Xylenes (Total)	ND	mg/kg dry	0.0141		0	05/08/07

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	101 %		70-130
Surrogate: 4-Bromofluorobenzene	94 %		70-130
Surrogate: Dibromofluoromethane	108 %		70-130
Surrogate: Toluene-d8	88 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: RS and G Loam 5.7.07
Date Sampled: 05/07/07 11:00
Percent Solids: 79
Initial Volume: 19.4
Final Volume: 1
Extraction Method: 3541

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-01
Sample Matrix: Soil
Analyst: JLS
Prepared: 05/07/07

8100M Total Petroleum Hydrocarbons

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>
Total Petroleum Hydrocarbons	94.3	mg/kg dry	48.9	500	1	05/08/07

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: O-Terphenyl	88 %		40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: RS and G Loam 5.7.07
Date Sampled: 05/07/07 11:00
Percent Solids: 79
Initial Volume: 15
Final Volume: 0.5
Extraction Method: 3541

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-01
Sample Matrix: Soil
Analyst: VSC
Prepared: 05/07/07

8270C Polynuclear Aromatic Hydrocarbons

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>
2-Methylnaphthalene	ND	mg/kg dry	0.422	123	1	05/07/07
Acenaphthene	ND	mg/kg dry	0.422	43	1	05/07/07
Acenaphthylene	ND	mg/kg dry	0.422	23	1	05/07/07
Anthracene	ND	mg/kg dry	0.422	35	1	05/07/07
Benzo(a)anthracene	ND	mg/kg dry	0.422	0.9	1	05/07/07
Benzo(a)pyrene	ND	mg/kg dry	0.211	0.4	1	05/07/07
Benzo(b)fluoranthene	ND	mg/kg dry	0.422	0.9	1	05/07/07
Benzo(g,h,i)perylene	ND	mg/kg dry	0.422	0.8	1	05/07/07
Benzo(k)fluoranthene	ND	mg/kg dry	0.422	0.9	1	05/07/07
Chrysene	ND	mg/kg dry	0.211	0.4	1	05/07/07
Dibenzo(a,h)Anthracene	ND	mg/kg dry	0.211	0.4	1	05/07/07
Fluoranthene	ND	mg/kg dry	0.422	20	1	05/07/07
Fluorene	ND	mg/kg dry	0.422	28	1	05/07/07
Indeno(1,2,3-cd)Pyrene	ND	mg/kg dry	0.422	0.9	1	05/07/07
Naphthalene	ND	mg/kg dry	0.422	54	1	05/07/07
Phenanthrene	ND	mg/kg dry	0.422	40	1	05/07/07
Pyrene	ND	mg/kg dry	0.422	13	1	05/07/07

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: 1,2-Dichlorobenzene-d4	72 %		30-130
Surrogate: 2-Fluorobiphenyl	73 %		30-130
Surrogate: Nitrobenzene-d5	66 %		30-130
Surrogate: p-Terphenyl-d14	79 %		30-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: Trip Blank 5.7.07
Date Sampled: 05/07/07 00:00
Percent Solids: N/A
Initial Volume: 5
Final Volume: 10
Extraction Method: 5035

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-02
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Low Level

RI - RES DEC

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	mg/kg	0.0050	2.2	1	05/08/07
1,1,1-Trichloroethane	ND	mg/kg	0.0050	540	1	05/08/07
1,1,2,2-Tetrachloroethane	ND	mg/kg	0.0050	1.3	1	05/08/07
1,1,2-Trichloroethane	ND	mg/kg	0.0050	3.6	1	05/08/07
1,1-Dichloroethane	ND	mg/kg	0.0050	920	1	05/08/07
1,1-Dichloroethene	ND	mg/kg	0.0050	0.2	1	05/08/07
1,1-Dichloropropene	ND	mg/kg	0.0050		1	05/08/07
1,2,3-Trichlorobenzene	ND	mg/kg	0.0050		1	05/08/07
1,2,3-Trichloropropane	ND	mg/kg	0.0050		1	05/08/07
1,2,4-Trichlorobenzene	ND	mg/kg	0.0050		1	05/08/07
1,2,4-Trimethylbenzene	ND	mg/kg	0.0050		1	05/08/07
1,2-Dibromo-3-Chloropropane	ND	mg/kg	0.0050	0.5	1	05/08/07
1,2-Dibromoethane	ND	mg/kg	0.0050	0.01	1	05/08/07
1,2-Dichlorobenzene	ND	mg/kg	0.0050		1	05/08/07
1,2-Dichloroethane	ND	mg/kg	0.0050	0.9	1	05/08/07
1,2-Dichloropropane	ND	mg/kg	0.0050	1.9	1	05/08/07
1,3,5-Trimethylbenzene	ND	mg/kg	0.0050		1	05/08/07
1,3-Dichlorobenzene	ND	mg/kg	0.0050		1	05/08/07
1,3-Dichloropropane	ND	mg/kg	0.0050		1	05/08/07
1,4-Dichlorobenzene	ND	mg/kg	0.0050		1	05/08/07
1,4-Dioxane - Screen	ND	mg/kg	0.250		1	05/08/07
1-Chlorohexane	ND	mg/kg	5.00		1	05/08/07
2,2-Dichloropropane	ND	mg/kg	0.0050		1	05/08/07
2-Butanone	ND	mg/kg	0.0500	10000	1	05/08/07
2-Chlorotoluene	ND	mg/kg	0.0050		1	05/08/07
2-Hexanone	ND	mg/kg	0.0500		1	05/08/07
4-Chlorotoluene	ND	mg/kg	0.0050		1	05/08/07
4-Isopropyltoluene	ND	mg/kg	0.0050		1	05/08/07
4-Methyl-2-Pentanone	ND	mg/kg	0.0500	1200	1	05/08/07
Acetone	ND	mg/kg	0.0500	7800	1	05/08/07
Benzene	ND	mg/kg	0.0050	2.5	1	05/08/07
Bromobenzene	ND	mg/kg	0.0050		1	05/08/07
Bromochloromethane	ND	mg/kg	0.0050		1	05/08/07
Bromodichloromethane	ND	mg/kg	0.0050	10	1	05/08/07
Bromoform	ND	mg/kg	0.0050	81	1	05/08/07

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: Trip Blank 5.7.07
Date Sampled: 05/07/07 00:00
Percent Solids: N/A
Initial Volume: 5
Final Volume: 10
Extraction Method: 5035

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-02
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Low Level

Bromomethane	ND	mg/kg	0.0100	0.8	1	05/08/07
Carbon Disulfide	ND	mg/kg	0.0050		1	05/08/07
Carbon Tetrachloride	ND	mg/kg	0.0050	1.5	1	05/08/07
Chlorobenzene	ND	mg/kg	0.0050	210	1	05/08/07
Chloroethane	ND	mg/kg	0.0100		1	05/08/07
Chloroform	ND	mg/kg	0.0050	1.2	1	05/08/07
Chloromethane	ND	mg/kg	0.0100		1	05/08/07
cis-1,2-Dichloroethene	ND	mg/kg	0.0050	630	1	05/08/07
cis-1,3-Dichloropropene	ND	mg/kg	0.0050		1	05/08/07
Dibromochloromethane	ND	mg/kg	0.0050	7.6	1	05/08/07
Dibromomethane	ND	mg/kg	0.0050		1	05/08/07
Dichlorodifluoromethane	ND	mg/kg	0.0100		1	05/08/07
Diethyl Ether	ND	mg/kg	0.0050		1	05/08/07
Di-isopropyl ether	ND	mg/kg	0.0050		1	05/08/07
Ethyl tertiary-butyl ether	ND	mg/kg	0.0050		1	05/08/07
Ethylbenzene	ND	mg/kg	0.0050	71	1	05/08/07
Hexachlorobutadiene	ND	mg/kg	0.0050		1	05/08/07
Isopropylbenzene	ND	mg/kg	0.0050	27	1	05/08/07
Methyl tert-Butyl Ether	ND	mg/kg	0.0050	390	1	05/08/07
Methylene Chloride	ND	mg/kg	0.0250	45	1	05/08/07
Naphthalene	ND	mg/kg	0.0050		1	05/08/07
n-Butylbenzene	ND	mg/kg	0.0050		1	05/08/07
n-Propylbenzene	ND	mg/kg	0.0050		1	05/08/07
nec-Butylbenzene	ND	mg/kg	0.0050		1	05/08/07
Styrene	ND	mg/kg	0.0050	13	1	05/08/07
tert-Butylbenzene	ND	mg/kg	0.0050		1	05/08/07
Tertiary-amyl methyl ether	ND	mg/kg	0.0050		1	05/08/07
Tetrachloroethene	ND	mg/kg	0.0050	12	1	05/08/07
Tetrahydrofuran	ND	mg/kg	0.0050		1	05/08/07
Toluene	ND	mg/kg	0.0050	190	1	05/08/07
trans-1,2-Dichloroethene	ND	mg/kg	0.0050	1100	1	05/08/07
trans-1,3-Dichloropropene	ND	mg/kg	0.0050		1	05/08/07
Trichloroethene	ND	mg/kg	0.0050	13	1	05/08/07
Trichlorofluoromethane	ND	mg/kg	0.0050		1	05/08/07
Vinyl Acetate	ND	mg/kg	5.00		1	05/08/07
Vinyl Chloride	ND	mg/kg	0.0100	0.02	1	05/08/07

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave School - Gorham
Client Sample ID: Trip Blank 5.7.07
Date Sampled: 05/07/07 00:00
Percent Solids: N/A
Initial Volume: 5
Final Volume: 10
Extraction Method: 5035

ESS Laboratory Work Order: 0705106
ESS Laboratory Sample ID: 0705106-02
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Low Level

Xylene O	ND	mg/kg	0.0050	110	1	05/08/07
Xylene P,M	ND	mg/kg	0.0100	110	1	05/08/07

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	94 %		70-130
Surrogate: 4-Bromofluorobenzene	98 %		70-130
Surrogate: Dibromofluoromethane	104 %		70-130
Surrogate: Toluene-d8	86 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										
Batch BE70715 - 3050B										
Blank										
Antimony	ND	6.7	mg/kg wet							
Arsenic	ND	3.3	mg/kg wet							
Beryllium	ND	0.07	mg/kg wet							
Cadmium	ND	0.67	mg/kg wet							
Chromium	ND	1.3	mg/kg wet							
Copper	ND	1.3	mg/kg wet							
Lead	ND	6.7	mg/kg wet							
Nickel	ND	3.3	mg/kg wet							
Selenium	ND	6.7	mg/kg wet							
Silver	ND	0.67	mg/kg wet							
Thallium	ND	0.3	mg/kg wet							
Zinc	ND	3.3	mg/kg wet							
.CS										
Antimony	30.2	6.7	mg/kg wet	33.3		91	80-120			
Arsenic	30.7	3.3	mg/kg wet	33.3		92	80-120			
Beryllium	3.22	0.07	mg/kg wet	3.33		97	80-120			
Cadmium	15.7	0.67	mg/kg wet	16.7		94	80-120			
Chromium	32.3	1.3	mg/kg wet	33.3		97	80-120			
Copper	32.2	1.3	mg/kg wet	33.3		97	80-120			
Lead	32.5	6.7	mg/kg wet	33.3		98	80-120			
Nickel	31.9	3.3	mg/kg wet	33.3		96	80-120			
Selenium	59.2	6.7	mg/kg wet	66.7		89	80-120			
Silver	16.0	0.67	mg/kg wet	16.7		96	80-120			
Thallium	32.9	6.7	mg/kg wet	33.3		99	80-120			
Zinc	30.9	3.3	mg/kg wet	33.3		93	80-120			
.CS Dup										
Antimony	30.6	6.7	mg/kg wet	33.3		92	80-120	1	20	
Arsenic	31.2	3.3	mg/kg wet	33.3		94	80-120	2	20	
Beryllium	3.25	0.07	mg/kg wet	3.33		98	80-120	0.9	20	
Cadmium	16.0	0.67	mg/kg wet	16.7		96	80-120	2	20	
Chromium	32.9	1.3	mg/kg wet	33.3		99	80-120	2	20	
Copper	32.8	1.3	mg/kg wet	33.3		98	80-120	2	20	
Lead	32.9	6.7	mg/kg wet	33.3		99	80-120	1	20	
Nickel	32.4	3.3	mg/kg wet	33.3		97	80-120	2	20	
Selenium	60.0	6.7	mg/kg wet	66.7		90	80-120	1	20	
Silver	16.2	0.67	mg/kg wet	16.7		97	80-120	1	20	
Thallium	34.1	6.7	mg/kg wet	33.3		102	80-120	3	20	
Zinc	31.5	3.3	mg/kg wet	33.3		95	80-120	2	20	
Reference										
Antimony	56.2	10.0	mg/kg wet	107		53	0-211.21			
Arsenic	76.4	5.0	mg/kg wet	88.8		86	80.86-119.37			
Beryllium	55.3	0.10	mg/kg wet	61.3		90	83.03-116.97			
Cadmium	54.5	1.00	mg/kg wet	63.0		87	82.06-117.94			
Chromium	82.4	2.0	mg/kg wet	97.9		84	78.86-120.53			
Copper	77.9	2.0	mg/kg wet	87.0		90	82.41-117.24			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BE70715 - 3050B

Lead	80.6	10.0	mg/kg wet	88.9		91	81.78-118.11			
Nickel	102	5.0	mg/kg wet	116		88	82.59-117.24			
Selenium	137	10.0	mg/kg wet	155		88	77.42-122.58			
Silver	74.1	1.00	mg/kg wet	81.6		91	66.3-133.58			
Thallium	134	25.0	mg/kg wet	131		102	77.1-122.9			
Zinc	194	5.0	mg/kg wet	230		84	79.13-120.87			

Batch BE70717 - 7471A

Blank

Mercury	ND	0.033	mg/kg wet							
---------	----	-------	-----------	--	--	--	--	--	--	--

.CS

Mercury	0.187	0.033	mg/kg wet	0.200		94	80-120			
---------	-------	-------	-----------	-------	--	----	--------	--	--	--

.CS Dup

Mercury	0.187	0.033	mg/kg wet	0.200		94	80-120	0	20	
---------	-------	-------	-----------	-------	--	----	--------	---	----	--

Reference

Mercury	4.64	0.333	mg/kg wet	4.47		104	66-132.66			
---------	------	-------	-----------	------	--	-----	-----------	--	--	--

5035/8260B Volatile Organic Compounds / Low Level

Batch BE70820 - 5035

Blank

,,1,1,2-Tetrachloroethane	ND	0.0050	mg/kg wet							
,,1,1-Trichloroethane	ND	0.0050	mg/kg wet							
,,1,2,2-Tetrachloroethane	ND	0.0050	mg/kg wet							
,,1,2-Trichloroethane	ND	0.0050	mg/kg wet							
,,1-Dichloroethane	ND	0.0050	mg/kg wet							
,,1-Dichloroethene	ND	0.0050	mg/kg wet							
,,1-Dichloropropene	ND	0.0050	mg/kg wet							
,,2,3-Trichlorobenzene	ND	0.0050	mg/kg wet							
,,2,3-Trichloropropane	ND	0.0050	mg/kg wet							
,,2,4-Trichlorobenzene	ND	0.0050	mg/kg wet							
,,2,4-Trimethylbenzene	ND	0.0050	mg/kg wet							
,,2-Dibromo-3-Chloropropane	ND	0.0050	mg/kg wet							
,,2-Dibromoethane	ND	0.0050	mg/kg wet							
,,2-Dichlorobenzene	ND	0.0050	mg/kg wet							
,,2-Dichloroethane	ND	0.0050	mg/kg wet							
,,2-Dichloropropane	ND	0.0050	mg/kg wet							
,,3,5-Trimethylbenzene	ND	0.0050	mg/kg wet							
,,3-Dichlorobenzene	ND	0.0050	mg/kg wet							
,,3-Dichloropropane	ND	0.0050	mg/kg wet							
,,4-Dichlorobenzene	ND	0.0050	mg/kg wet							
,,4-Dioxane - Screen	ND	0.250	mg/kg wet							
-Chlorohexane	ND	0.0050	mg/kg wet							
,,2-Dichloropropane	ND	0.0050	mg/kg wet							
,,2-Butanone	ND	0.0500	mg/kg wet							
-Chlorotoluene	ND	0.0050	mg/kg wet							
-Hexanone	ND	0.0500	mg/kg wet							
-Chlorotoluene	ND	0.0050	mg/kg wet							

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Low Level

Batch BE70820 - 5035

4-Isopropyltoluene	ND	0.0050	mg/kg wet
4-Methyl-2-Pentanone	ND	0.0500	mg/kg wet
Acetone	ND	0.0500	mg/kg wet
Benzene	ND	0.0050	mg/kg wet
Bromobenzene	ND	0.0050	mg/kg wet
Bromochloromethane	ND	0.0050	mg/kg wet
Bromodichloromethane	ND	0.0050	mg/kg wet
Bromoform	ND	0.0050	mg/kg wet
Bromomethane	ND	0.0100	mg/kg wet
Carbon Disulfide	ND	0.0050	mg/kg wet
Carbon Tetrachloride	ND	0.0050	mg/kg wet
Chlorobenzene	ND	0.0050	mg/kg wet
Chloroethane	ND	0.0100	mg/kg wet
Chloroform	ND	0.0050	mg/kg wet
Chloromethane	ND	0.0100	mg/kg wet
cis-1,2-Dichloroethene	ND	0.0050	mg/kg wet
cis-1,3-Dichloropropene	ND	0.0050	mg/kg wet
Dibromochloromethane	ND	0.0050	mg/kg wet
Dibromomethane	ND	0.0050	mg/kg wet
Dichlorodifluoromethane	ND	0.0100	mg/kg wet
Diethyl Ether	ND	0.0050	mg/kg wet
Di-isopropyl ether	ND	0.0050	mg/kg wet
Ethyl tertiary-butyl ether	ND	0.0050	mg/kg wet
Ethylbenzene	ND	0.0050	mg/kg wet
Hexachlorobutadiene	ND	0.0050	mg/kg wet
Isopropylbenzene	ND	0.0050	mg/kg wet
Methyl tert-Butyl Ether	ND	0.0050	mg/kg wet
Methylene Chloride	ND	0.0250	mg/kg wet
Naphthalene	ND	0.0050	mg/kg wet
n-Butylbenzene	ND	0.0050	mg/kg wet
n-Propylbenzene	ND	0.0050	mg/kg wet
sec-Butylbenzene	ND	0.0050	mg/kg wet
Styrene	ND	0.0050	mg/kg wet
tert-Butylbenzene	ND	0.0050	mg/kg wet
Tertiary-amyl methyl ether	ND	0.0050	mg/kg wet
Tetrachloroethene	ND	0.0050	mg/kg wet
Tetrahydrofuran	ND	0.0050	mg/kg wet
Toluene	ND	0.0050	mg/kg wet
trans-1,2-Dichloroethene	ND	0.0050	mg/kg wet
trans-1,3-Dichloropropene	ND	0.0050	mg/kg wet
Trichloroethene	ND	0.0050	mg/kg wet
Vinyl Acetate	ND	0.0050	mg/kg wet
Vinyl Chloride	ND	0.0100	mg/kg wet
Xylene O	ND	0.0050	mg/kg wet
Xylene P,M	ND	0.0100	mg/kg wet

Surrogate: 1,2-Dichloroethane-d4

23.5

ug/L

25.0

94

70-130

Surrogate: 4-Bromofluorobenzene

24.4

ug/L

25.0

98

70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Low Level										
Batch BE70820 - 5035										
Surrogate: Dibromofluoromethane	25.8		ug/L	25.0		103	70-130			
Surrogate: Toluene-d8	21.6		ug/L	25.0		86	70-130			
.CS										
i,1,1,2-Tetrachloroethane	26.2		ug/L	25.0		105	70-130			
i,1,1,1-Trichloroethane	26.1		ug/L	25.0		104	70-130			
i,1,1,2,2-Tetrachloroethane	25.4		ug/L	25.0		102	70-130			
i,1,1,2-Trichloroethane	26.5		ug/L	25.0		106	70-130			
i,1-Dichloroethane	25.8		ug/L	25.0		103	70-130			
i,1-Dichloroethene	27.5		ug/L	25.0		110	70-130			
i,1-Dichloropropene	26.3		ug/L	25.0		105	70-130			
i,2,3-Trichlorobenzene	25.8		ug/L	25.0		103	70-130			
i,2,3-Trichloropropane	26.0		ug/L	25.0		104	70-130			
i,2,4-Trichlorobenzene	26.1		ug/L	25.0		104	70-130			
i,2,4-Trimethylbenzene	25.9		ug/L	25.0		104	70-130			
i,2-Dibromo-3-Chloropropane	27.4		ug/L	25.0		110	70-130			
i,2-Dibromoethane	26.2		ug/L	25.0		105	70-130			
i,2-Dichlorobenzene	25.0		ug/L	25.0		100	70-130			
i,2-Dichloroethane	25.4		ug/L	25.0		102	70-130			
i,2-Dichloropropane	26.1		ug/L	25.0		104	70-130			
i,3,5-Trimethylbenzene	25.7		ug/L	25.0		103	70-130			
i,3-Dichlorobenzene	24.7		ug/L	25.0		99	70-130			
i,3-Dichloropropane	26.5		ug/L	25.0		106	70-130			
i,4-Dichlorobenzene	24.9		ug/L	25.0		100	70-130			
i,4-Dioxane - Screen	566		ug/L	500		113	70-130			
i-Chlorohexane	26.9		ug/L	25.0		108	70-130			
i,2-Dichloropropane	26.6		ug/L	25.0		106	70-130			
i-Butanone	139		ug/L	125		111	70-130			
i-Chlorotoluene	27.8		ug/L	25.0		111	70-130			
i-Hexanone	135		ug/L	125		108	70-130			
i-Chlorotoluene	25.2		ug/L	25.0		101	70-130			
i-Isopropyltoluene	25.0		ug/L	25.0		100	70-130			
i-Methyl-2-Pentanone	130		ug/L	125		104	70-130			
acetone	140		ug/L	125		112	70-130			
benzene	26.2		ug/L	25.0		105	70-130			
bromobenzene	26.5		ug/L	25.0		106	70-130			
bromochloromethane	26.3		ug/L	25.0		105	70-130			
bromodichloromethane	26.0		ug/L	25.0		104	70-130			
bromoform	26.8		ug/L	25.0		107	70-130			
bromomethane	27.5		ug/L	25.0		110	70-130			
Carbon Disulfide	28.3		ug/L	25.0		113	70-130			
Carbon Tetrachloride	26.5		ug/L	25.0		106	70-130			
chlorobenzene	25.1		ug/L	25.0		100	70-130			
chloroethane	17.1		ug/L	25.0		68	70-130			+
chloroform	25.9		ug/L	25.0		104	70-130			
chloromethane	27.9		ug/L	25.0		112	70-130			
cis-1,2-Dichloroethene	26.8		ug/L	25.0		107	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Low Level

Batch BE70820 - 5035

cis-1,3-Dichloropropene	25.9		ug/L	25.0		104	70-130			
Dibromochloromethane	25.5		ug/L	25.0		102	70-130			
Dibromomethane	27.0		ug/L	25.0		108	70-130			
Dichlorodifluoromethane	32.8		ug/L	25.0		131	70-130			+
Diethyl Ether	26.6		ug/L	25.0		106	70-130			
Di-isopropyl ether	28.0		ug/L	25.0		112	70-130			
Ethyl tertiary-butyl ether	26.7		ug/L	25.0		107	70-130			
Ethylbenzene	26.3		ug/L	25.0		105	70-130			
Hexachlorobutadiene	26.5		ug/L	25.0		106	70-130			
Isopropylbenzene	23.4		ug/L	25.0		94	70-130			
Methyl tert-Butyl Ether	26.6		ug/L	25.0		106	70-130			
Methylene Chloride	26.2		ug/L	25.0		105	70-130			
Naphthalene	26.8		ug/L	25.0		107	70-130			
n-Butylbenzene	26.1		ug/L	25.0		104	70-130			
n-Propylbenzene	25.2		ug/L	25.0		101	70-130			
sec-Butylbenzene	25.6		ug/L	25.0		102	70-130			
Styrene	26.2		ug/L	25.0		105	70-130			
tert-Butylbenzene	25.7		ug/L	25.0		103	70-130			
Tertiary-amyl methyl ether	27.0		ug/L	25.0		108	70-130			
Tetrachloroethene	26.1		ug/L	25.0		104	70-130			
Tetrahydrofuran	25.3		ug/L	25.0		101	70-130			
Toluene	26.5		ug/L	25.0		106	70-130			
trans-1,2-Dichloroethene	27.1		ug/L	25.0		108	70-130			
trans-1,3-Dichloropropene	24.3		ug/L	25.0		97	70-130			
Trichloroethene	26.5		ug/L	25.0		106	70-130			
Vinyl Acetate	26.2		ug/L	25.0		105	70-130			
Vinyl Chloride	28.8		ug/L	25.0		115	70-130			
Xylene O	25.6		ug/L	25.0		102	70-130			
Xylene P,M	51.8		ug/L	50.0		104	70-130			
Surrogate: 1,2-Dichloroethane-d4	24.0		ug/L	25.0		96	70-130			
Surrogate: 4-Bromofluorobenzene	24.8		ug/L	25.0		99	70-130			
Surrogate: Dibromofluoromethane	24.1		ug/L	25.0		96	70-130			
Surrogate: Toluene-d8	24.3		ug/L	25.0		97	70-130			

LCS Dup

1,1,1,2-Tetrachloroethane	25.0		ug/L	25.0		100	70-130	5	20	
1,1,1-Trichloroethane	24.3		ug/L	25.0		97	70-130	7	20	
1,1,2,2-Tetrachloroethane	24.6		ug/L	25.0		98	70-130	3	20	
1,1,2-Trichloroethane	24.9		ug/L	25.0		100	70-130	6	20	
1,1-Dichloroethane	24.2		ug/L	25.0		97	70-130	6	20	
1,1-Dichloroethene	25.2		ug/L	25.0		101	70-130	9	20	
1,1-Dichloropropene	24.5		ug/L	25.0		98	70-130	7	20	
1,2,3-Trichlorobenzene	24.8		ug/L	25.0		99	70-130	4	20	
1,2,3-Trichloropropane	25.0		ug/L	25.0		100	70-130	4	20	
1,2,4-Trichlorobenzene	25.2		ug/L	25.0		101	70-130	4	20	
1,2,4-Trimethylbenzene	24.8		ug/L	25.0		99	70-130	4	20	
1,2-Dibromo-3-Chloropropane	25.8		ug/L	25.0		103	70-130	6	20	
1,2-Dibromoethane	25.2		ug/L	25.0		101	70-130	4	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Low Level

Batch BE70820 - 5035

1,2-Dichlorobenzene	24.1		ug/L	25.0		96	70-130	4	20	
1,2-Dichloroethane	24.3		ug/L	25.0		97	70-130	4	20	
1,2-Dichloropropane	24.5		ug/L	25.0		98	70-130	6	20	
1,3,5-Trimethylbenzene	24.6		ug/L	25.0		98	70-130	4	20	
1,3-Dichlorobenzene	23.8		ug/L	25.0		95	70-130	4	20	
1,3-Dichloropropane	25.5		ug/L	25.0		102	70-130	4	20	
1,4-Dichlorobenzene	23.9		ug/L	25.0		96	70-130	4	20	
1,4-Dioxane - Screen	519		ug/L	500		104	70-130	9	20	
1-Chlorohexane	24.8		ug/L	25.0		99	70-130	8	20	
2,2-Dichloropropane	24.9		ug/L	25.0		100	70-130	7	20	
2-Butanone	130		ug/L	125		104	70-130	7	20	
2-Chlorotoluene	25.7		ug/L	25.0		103	70-130	8	20	
2-Hexanone	131		ug/L	125		105	70-130	3	20	
4-Chlorotoluene	23.9		ug/L	25.0		96	70-130	5	20	
4-Isopropyltoluene	23.8		ug/L	25.0		95	70-130	5	20	
4-Methyl-2-Pentanone	121		ug/L	125		97	70-130	7	20	
Acetone	131		ug/L	125		105	70-130	7	20	
Benzene	24.5		ug/L	25.0		98	70-130	7	20	
Bromobenzene	25.4		ug/L	25.0		102	70-130	4	20	
Bromochloromethane	24.9		ug/L	25.0		100	70-130	5	20	
Bromodichloromethane	24.6		ug/L	25.0		98	70-130	6	20	
Bromoform	25.5		ug/L	25.0		102	70-130	5	20	
Bromomethane	26.1		ug/L	25.0		104	70-130	5	20	
Carbon Disulfide	25.9		ug/L	25.0		104	70-130	9	20	
Carbon Tetrachloride	24.5		ug/L	25.0		98	70-130	8	20	
Chlorobenzene	24.0		ug/L	25.0		96	70-130	4	20	
Chloroethane	16.0		ug/L	25.0		64	70-130	7	20	+
Chloroform	24.2		ug/L	25.0		97	70-130	7	20	
Chloromethane	26.3		ug/L	25.0		105	70-130	6	20	
cis-1,2-Dichloroethene	25.1		ug/L	25.0		100	70-130	7	20	
cis-1,3-Dichloropropene	24.6		ug/L	25.0		98	70-130	5	20	
Dibromochloromethane	24.5		ug/L	25.0		98	70-130	4	20	
Dibromomethane	25.6		ug/L	25.0		102	70-130	5	20	
Dichlorodifluoromethane	30.5		ug/L	25.0		122	70-130	7	20	
Diethyl Ether	25.7		ug/L	25.0		103	70-130	3	20	
Di-isopropyl ether	25.6		ug/L	25.0		102	70-130	9	20	
Ethyl tertiary-butyl ether	25.3		ug/L	25.0		101	70-130	5	20	
Ethylbenzene	25.1		ug/L	25.0		100	70-130	5	20	
Hexachlorobutadiene	25.1		ug/L	25.0		100	70-130	5	20	
Isopropylbenzene	22.4		ug/L	25.0		90	70-130	4	20	
Methyl tert-Butyl Ether	25.4		ug/L	25.0		102	70-130	5	20	
Methylene Chloride	25.0		ug/L	25.0		100	70-130	5	20	
Naphthalene	26.5		ug/L	25.0		106	70-130	1	20	
n-Butylbenzene	24.7		ug/L	25.0		99	70-130	6	20	
n-Propylbenzene	24.3		ug/L	25.0		97	70-130	4	20	
sec-Butylbenzene	24.2		ug/L	25.0		97	70-130	6	20	
Styrene	24.9		ug/L	25.0		100	70-130	5	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Low Level

Batch BE70820 - 5035

tert-Butylbenzene	24.5		ug/L	25.0		98	70-130	5	20	
Tertiary-amyl methyl ether	26.0		ug/L	25.0		104	70-130	4	20	
Tetrachloroethene	24.7		ug/L	25.0		99	70-130	6	20	
Tetrahydrofuran	23.0		ug/L	25.0		92	70-130	10	20	
Toluene	24.6		ug/L	25.0		98	70-130	7	20	
trans-1,2-Dichloroethene	25.2		ug/L	25.0		101	70-130	7	20	
trans-1,3-Dichloropropene	23.0		ug/L	25.0		92	70-130	5	20	
Trichloroethene	24.6		ug/L	25.0		98	70-130	7	20	
Vinyl Acetate	24.2		ug/L	25.0		97	70-130	8	20	
Vinyl Chloride	26.6		ug/L	25.0		106	70-130	8	20	
Xylene O	24.3		ug/L	25.0		97	70-130	5	20	
Xylene P,M	49.0		ug/L	50.0		98	70-130	6	20	
Surrogate: 1,2-Dichloroethane-d4	24.0		ug/L	25.0		96	70-130			
Surrogate: 4-Bromofluorobenzene	24.5		ug/L	25.0		98	70-130			
Surrogate: Dibromofluoromethane	24.0		ug/L	25.0		96	70-130			
Surrogate: Toluene-d8	24.7		ug/L	25.0		99	70-130			

8100M Total Petroleum Hydrocarbons

Batch BE70723 - 3541

Blank

Decane (C10)	ND	0.25	mg/kg wet							
Docosane (C22)	ND	0.25	mg/kg wet							
Dodecane (C12)	ND	0.25	mg/kg wet							
Eicosane (C20)	ND	0.25	mg/kg wet							
Hexacosane (C26)	ND	0.25	mg/kg wet							
Hexadecane (C16)	ND	0.25	mg/kg wet							
Nonadecane (C19)	ND	0.25	mg/kg wet							
Nonane (C9)	ND	0.25	mg/kg wet							
Octacosane (C28)	ND	0.25	mg/kg wet							
Octadecane (C18)	ND	0.25	mg/kg wet							
Tetracosane (C24)	ND	0.25	mg/kg wet							
Tetradecane (C14)	ND	0.25	mg/kg wet							
triacontane (C30)	ND	0.25	mg/kg wet							

Surrogate: O-Terphenyl

3.65

mg/kg wet

5.00

73

40-140

LCS

Decane (C10)	1.70	0.25	mg/kg wet	2.50		68	40-140			
Docosane (C22)	1.86	0.25	mg/kg wet	2.50		74	40-140			
Dodecane (C12)	1.85	0.25	mg/kg wet	2.50		74	40-140			
Eicosane (C20)	1.92	0.25	mg/kg wet	2.50		77	40-140			
Hexacosane (C26)	1.75	0.25	mg/kg wet	2.50		70	40-140			
Hexadecane (C16)	1.98	0.25	mg/kg wet	2.50		79	40-140			
Nonadecane (C19)	1.90	0.25	mg/kg wet	2.50		76	40-140			
Nonane (C9)	1.32	0.25	mg/kg wet	2.50		53	30-140			
Octacosane (C28)	1.69	0.25	mg/kg wet	2.50		68	40-140			
Octadecane (C18)	1.96	0.25	mg/kg wet	2.50		78	40-140			
Tetracosane (C24)	1.72	0.25	mg/kg wet	2.50		69	40-140			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8100M Total Petroleum Hydrocarbons

Batch BE70723 - 3541

Tetradecane (C14)	1.98	0.25	mg/kg wet	2.50		79	40-140			
Triacontane (C30)	1.58	0.25	mg/kg wet	2.50		63	40-140			
<i>Surrogate: O-Terphenyl</i>	<i>3.88</i>		mg/kg wet	<i>5.00</i>		<i>78</i>	<i>40-140</i>			

LCS Dup

Decane (C10)	2.06	0.25	mg/kg wet	2.50		82	40-140	19	50	
Docosane (C22)	2.28	0.25	mg/kg wet	2.50		91	40-140	20	50	
Dodecane (C12)	2.26	0.25	mg/kg wet	2.50		90	40-140	20	50	
Eicosane (C20)	2.32	0.25	mg/kg wet	2.50		93	40-140	19	50	
Hexacosane (C26)	2.20	0.25	mg/kg wet	2.50		88	40-140	23	50	
Hexadecane (C16)	2.40	0.25	mg/kg wet	2.50		96	40-140	19	50	
Nonadecane (C19)	2.36	0.25	mg/kg wet	2.50		94	40-140	22	50	
Nonane (C9)	1.56	0.25	mg/kg wet	2.50		62	30-140	17	50	
Octacosane (C28)	2.15	0.25	mg/kg wet	2.50		86	40-140	24	50	
Octadecane (C18)	2.36	0.25	mg/kg wet	2.50		94	40-140	19	50	
Tetracosane (C24)	2.16	0.25	mg/kg wet	2.50		86	40-140	23	50	
Tetradecane (C14)	2.42	0.25	mg/kg wet	2.50		97	40-140	20	50	
Triacontane (C30)	2.04	0.25	mg/kg wet	2.50		82	40-140	25	50	

Surrogate: O-Terphenyl

4.43 mg/kg wet 5.00 89 40-140

8270C Polynuclear Aromatic Hydrocarbons

Batch BE70705 - 3541

Blank

2-Methylnaphthalene	ND	0.250	mg/kg wet							
Acenaphthene	ND	0.250	mg/kg wet							
Acenaphthylene	ND	0.250	mg/kg wet							
Anthracene	ND	0.250	mg/kg wet							
Benzo(a)anthracene	ND	0.250	mg/kg wet							
Benzo(a)pyrene	ND	0.125	mg/kg wet							
Benzo(b)fluoranthene	ND	0.250	mg/kg wet							
Benzo(g,h,i)perylene	ND	0.250	mg/kg wet							
Benzo(k)fluoranthene	ND	0.250	mg/kg wet							
Chrysene	ND	0.125	mg/kg wet							
Dibenzo(a,h)Anthracene	ND	0.125	mg/kg wet							
Fluoranthene	ND	0.250	mg/kg wet							
Fluorene	ND	0.250	mg/kg wet							
Indeno(1,2,3-cd)Pyrene	ND	0.250	mg/kg wet							
Naphthalene	ND	0.250	mg/kg wet							
Phenanthrene	ND	0.250	mg/kg wet							
Pyrene	ND	0.250	mg/kg wet							

Surrogate: 1,2-Dichlorobenzene-d4

1.73 mg/kg wet 2.50 69 30-130

Surrogate: 2-Fluorobiphenyl

1.59 mg/kg wet 2.50 64 30-130

Surrogate: Nitrobenzene-d5

1.59 mg/kg wet 2.50 64 30-130

Surrogate: p-Terphenyl-d14

1.99 mg/kg wet 2.50 80 30-130

.CS

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8270C Polynuclear Aromatic Hydrocarbons										
Batch BE70705 - 3541										
2-Methylnaphthalene	1.59	0.250	mg/kg wet	2.50		64	40-140			
Acenaphthene	1.68	0.250	mg/kg wet	2.50		67	40-140			
Acenaphthylene	1.41	0.250	mg/kg wet	2.50		56	40-140			
Anthracene	1.83	0.250	mg/kg wet	2.50		73	40-140			
Benzo(a)anthracene	1.99	0.250	mg/kg wet	2.50		80	40-140			
Benzo(a)pyrene	1.98	0.125	mg/kg wet	2.50		79	40-140			
Benzo(b)fluoranthene	2.20	0.250	mg/kg wet	2.50		88	40-140			
Benzo(g,h,i)perylene	2.07	0.250	mg/kg wet	2.50		83	40-140			
Benzo(k)fluoranthene	1.71	0.250	mg/kg wet	2.50		68	40-140			
Chrysene	1.98	0.125	mg/kg wet	2.50		79	40-140			
Dibenzo(a,h)Anthracene	2.03	0.125	mg/kg wet	2.50		81	40-140			
Fluoranthene	1.89	0.250	mg/kg wet	2.50		76	40-140			
Fluorene	2.04	0.250	mg/kg wet	2.50		82	40-140			
Indeno(1,2,3-cd)Pyrene	2.04	0.250	mg/kg wet	2.50		82	40-140			
Naphthalene	1.68	0.250	mg/kg wet	2.50		67	40-140			
Phenanthrene	1.93	0.250	mg/kg wet	2.50		77	40-140			
Pyrene	2.02	0.250	mg/kg wet	2.50		81	40-140			
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>	<i>1.50</i>		mg/kg wet	<i>2.50</i>		<i>60</i>	<i>30-130</i>			
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1.53</i>		mg/kg wet	<i>2.50</i>		<i>61</i>	<i>30-130</i>			
<i>Surrogate: Nitrobenzene-d5</i>	<i>1.49</i>		mg/kg wet	<i>2.50</i>		<i>60</i>	<i>30-130</i>			
<i>Surrogate: p-Terphenyl-d14</i>	<i>2.05</i>		mg/kg wet	<i>2.50</i>		<i>82</i>	<i>30-130</i>			
LCS Dup										
2-Methylnaphthalene	1.71	0.250	mg/kg wet	2.50		68	40-140	7	30	
Acenaphthene	1.74	0.250	mg/kg wet	2.50		70	40-140	4	30	
Acenaphthylene	1.51	0.250	mg/kg wet	2.50		60	40-140	7	30	
Anthracene	1.79	0.250	mg/kg wet	2.50		72	40-140	2	30	
Benzo(a)anthracene	1.97	0.250	mg/kg wet	2.50		79	40-140	1	30	
Benzo(a)pyrene	1.88	0.125	mg/kg wet	2.50		75	40-140	5	30	
Benzo(b)fluoranthene	2.08	0.250	mg/kg wet	2.50		83	40-140	6	30	
Benzo(g,h,i)perylene	1.99	0.250	mg/kg wet	2.50		80	40-140	4	30	
Benzo(k)fluoranthene	1.72	0.250	mg/kg wet	2.50		69	40-140	0.6	30	
Chrysene	1.93	0.125	mg/kg wet	2.50		77	40-140	3	30	
Dibenzo(a,h)Anthracene	1.91	0.125	mg/kg wet	2.50		76	40-140	6	30	
Fluoranthene	1.90	0.250	mg/kg wet	2.50		76	40-140	0.5	30	
Fluorene	2.05	0.250	mg/kg wet	2.50		82	40-140	0.5	30	
Indeno(1,2,3-cd)Pyrene	1.95	0.250	mg/kg wet	2.50		78	40-140	5	30	
Naphthalene	1.86	0.250	mg/kg wet	2.50		74	40-140	10	30	
Phenanthrene	1.92	0.250	mg/kg wet	2.50		77	40-140	0.5	30	
Pyrene	1.94	0.250	mg/kg wet	2.50		78	40-140	4	30	
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>	<i>1.66</i>		mg/kg wet	<i>2.50</i>		<i>66</i>	<i>30-130</i>			
<i>Surrogate: 2-Fluorobiphenyl</i>	<i>1.63</i>		mg/kg wet	<i>2.50</i>		<i>65</i>	<i>30-130</i>			
<i>Surrogate: Nitrobenzene-d5</i>	<i>1.60</i>		mg/kg wet	<i>2.50</i>		<i>64</i>	<i>30-130</i>			
<i>Surrogate: p-Terphenyl-d14</i>	<i>2.03</i>		mg/kg wet	<i>2.50</i>		<i>81</i>	<i>30-130</i>			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

Notes and Definitions

U	Analyte included in the analysis, but not detected
D	Diluted.
+	Outside QC Limits.
ND	Analyte NOT DETECTED above the detection limit
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
MDL	Method Detection Limit
MRL	Method Reporting Limit
mg/kg	Results reported as wet weight
TCLP	Toxicity Characteristic Leachate Procedure
I/V	Initial Volume
F/V	Final Volume
§	Subcontracted analysis; see attached report
TIC	A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
1	Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2	Range result excludes concentrations of target analytes eluting in that range.
3	Range result excludes the concentration of the C9-C10 aromatic range.
Avg	Results reported as a mathematical average.
NR	No Recovery
¶	The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins

Client Project ID: Adelaide Ave School - Gorham

ESS Laboratory Work Order: 0705106

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP accredited): 242405
Potable Water
Non Potable Water

New York (NELAP accredited): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP accredited): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

ESS Laboratory

CHAIN OF CUSTODY

Division of Thielisch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

Turn Time: _____ Standard _____ Other 48-hr
 If faster than 5 days, prior approval by laboratory is required # Verbal Client
 State where samples were collected from: MA CT NH NJ NY ME Other _____
 Is this project for any of the following: USACE Other _____
 MA-MCP NAVY USACE Other _____
 Reporting Limit: RED'S Residual
 Electronic Deliverable: Direct Express Yes No
 Format: Excel Access PDF Other _____
 ESS LAB PROJECT ID: 0705106

Co. Name: HV Collins Project # _____
 Contact Person: Patrick Collins Address: Abelade Mrs Abelade HS
 City: East Providence State: RI Zip: 02906 PO#: Abelade HS
 Telephone #: 421-4088 Fax #: _____ Email Address: pyrus@earthlink.net

ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (see Chn or Iss)	Pres Code	Number of Containers	Type of Containers	Write Required Analysis
1	5/7/07	1100				RS 46- lanes - 5.7.07	1/6/1/6/6/6		TPH via 8100M PAH via 8200 PP13 Metals LL VOC'S VOC'S 5035/8200	X X X X X
2	---	---				TRIP Blank 5.7.07	6/9 1/1 1/6			X

Container Type: P-Poly S-Sterile VA/VA Matrix: S-Soil SD-Solid D-Sludge W-Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes I-Filter
 Cooler Present: Yes No Internal Use Only: _____
 Cooker Present: Yes No NA: _____ Pickup: _____
 Cooker Temp: 5.2 _____
 Refrigerated by: (Signature) _____ Date/Time: _____ Received by: (Signature) _____
 Relinquished by: (Signature) _____ Date/Time: _____ Relinquished by: (Signature) _____
 Sampled by: D Anderson
 Comments: XB05 = 1 bags in analysis.

*By circling MA-MCP client acknowledges samples were collected. Please fax all changes to Chain of Custody in writing. 1 (White) Lab Copy 2 (Yellow) Client Receipt

Grivers, Peter

From: Joseph Martella [joseph.martella@DEM.RI.GOV]
Sent: Wednesday, July 18, 2007 11:22 AM
To: Grivers, Peter
Subject: RE: Loam Sample - Arsenic - please review
Follow Up Flag: Follow up
Flag Status: Red

Peter,

The soils associated with your email below sent 7/13/07, regarding the analytical results for ESS Work Order No. 0707148, for loam from Richmond Sand & Gravel in Richmond, RI, are suitable for use as clean fill at the Gorham School Site. As part of the required Closure documentation for the Site, please provide the Department with total quantity of soils brought on Site associated with the above referenced sampling, all original laboratory analytical data and a statement from the facility that provides the clean fill and / or loam attesting to the materials origin and suitability.

Thanks,
Joe

-----Original Message-----

From: Grivers, Peter [mailto:pgrivers@eaest.com]
Sent: Friday, July 13, 2007 11:56 AM
To: Joseph Martella
Subject: Loam Sample - Arsenic - please review

Hi Joe:

Please review the attached lab report for an additional loam sample for the Adelaide School project. This sample, like the previous loam samples submitted for approval, was collected from Richmond Sand & Gravel. This additional sample (Arsenic only) is for an additional 500 yards of loam.

Thanks in advance for your timely attention.

Sincerely,

Peter M. Grivers, P.E., LSP
Project Manager
EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC.
2350 Post Road
Warwick, RI 02886

401-736-3440 (office)
401-736-3423 (fax)
401-935-5080 (cell)
pgrivers@eaest.com (email)

8/6/2007



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

RECEIVED

JUL 18 2007

H.V. COLLINS COMPANY

Patrick Collins
H.V. Collins
99 Gano Street
Providence, RI 02906

RE: Adelaide Ave
ESS Laboratory Work Order Number: 0707148

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.

Laurel Stoddard
Laboratory Director

Date: July 12, 2007

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results. All ICP Metals were analyzed using the established linear dynamic range to determine acceptable analytical results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Sample Receipt

The following sample(s) were received on July 11, 2007 for the analyses specified on the enclosed Chain of Custody Record.

Laboratory ID	Matrix	Client SampleID
0707148-01	Soil	RS and G-Loam 2



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave

ESS Laboratory Work Order: 0707148

Non Conformance Report

No unusual observations noted.

End of Project Narrative.



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave

ESS Laboratory Work Order: 0707148

3050B/6000/7000 Total Metals

Client Sample ID: RS and G-Loam 2
Date Sampled: 05/07/07 11:05
Percent Solids: 82

ESS Laboratory Sample ID: 0707148-01
Sample Matrix: Soil

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>RES</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Arsenic	ND	mg/kg dry	3.2	7	6010B	1	SVD	07/11/07	1.88	100



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave

ESS Laboratory Work Order: 0707148

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
3050B/6000/7000 Total Metals										
Batch BG71114 - 3050B										
Blank										
Arsenic	ND	3.3	mg/kg wet							
LCS										
Arsenic	31.7	3.3	mg/kg wet	33.3		95	80-120			
LCS Dup										
Arsenic	31.9	3.3	mg/kg wet	33.3		96	80-120	0.6	20	
Reference										
Arsenic	81.3	5.0	mg/kg wet	88.8		92	80.86-119.37			



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave

ESS Laboratory Work Order: 0707148

Notes and Definitions

- U Analyte included in the analysis, but not detected
- ND Analyte NOT DETECTED above the detection limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- mg/kg Results reported as wet weight
- TCLP Toxicity Characteristic Leachate Procedure
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- TIC A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- ¶ The state of RI does not grant certification for this method for non-potables.



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: H.V. Collins
Client Project ID: Adelaide Ave

ESS Laboratory Work Order: 0707148

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP accredited): 242405
Potable Water
Non Potable Water

New York (NELAP accredited): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP accredited): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

ESS Laboratory

Division of Thieltsch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

CHAIN OF CUSTODY

Turn Time: _____ Standard _____ Other 24-hour
 If faster than 5 days, prior approval by laboratory is required # Vertical
 Reporting Limits: RINEM RES. DEC 0707148
 State: _____ samples were collected from: _____
 MA RI CT NH NJ NY ME Other _____
 Electronic Deliverable: Yes No
 Format: Excel _____ Access PDEX Other _____
 Is this project for any of the following: USACE _____ Other _____
 MA-MCP _____ Navy _____

Project Name (to Client or Easy): Abbealde Ave

Co. Name: H.N. Collins
 Contact Person: Patrick Collins
 Address: 99 Gano St.
 State: RI PO #: _____

City: Providence
 Telephone #: 401-421-4080 Fax #: _____
 Email Address: pgnivers@earth.com

ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (to Client or Easy)	Pres Code	Number of Containers	Type of Containers	Write Required Analysis
1	5.7.07	1105	XS	RS	RS&G-LOAM2	11GX			Total As	

Container Type: P-Poly G-Glass S-Sterile VVOA Matrix: 5-Soil SD-Solid D-Sludge WW-Waste Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes F-Filters

Cooler Present: Yes No Internal Use Only: _____
 Seals Intact: Yes No NA: [] Pickup
 Cooler Temp: 5.8

Preservation Code: 1- NP, 2- HCl, 3- H₂SO₄, 4- HNO₃, 5- NaOH, 6- MeOH, 7- Asorbic Acid, 8- ZnAct, 9- _____
 Sampled by: ROBERT GRANNAP & DARNELL ANDERSON

Comments: _____

Relinquished by: (Signature)	Date/Time	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
<u>[Signature]</u>	<u>7/10/13</u>	<u>[Signature]</u>	<u>7/10/13</u>	<u>[Signature]</u>	<u>7/10/13</u>
<u>[Signature]</u>	<u>7/10/13</u>	<u>[Signature]</u>	<u>7/10/13</u>	<u>[Signature]</u>	<u>7/10/13</u>

*By circling MA-MCP, client acknowledges samples were collected in accordance with MADEP CAM VII A
 Please fax all changes to Chain of Custody in writing.
 1 (White) Lab Copy 2 (Yellow) Client Receipt
 m262na 4

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

Wol

DATE: 6/14/2007		TIME: 1:24 PM		PURCHASE ORDER NUMBER:		TICKET NO.: 043581	
CUSTOMER: A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI		TRUCK NO.: KORY1801		TYPE: TR	
LICENSE:		ZONE: PICKED UP		ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.			
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	27	YARDS				
ISS: 1	ACCUM. AMOUNT: 27		YARDS				
SHED AT:		Gross: lbs					
		Tire lbs					
		Net lbs					
OPERATOR NAME:							
CONDITIONS:							
PHONE #		DRIVER NAME: <i>[Signature]</i>					
EVED BY:							

0524

28

Richmond Sand & Gravel, Inc.
 35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898
 An Equal Opportunity Employer

401-539-7770
 401-539-2761
 x: *401-539-2376

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

DATE: 6/1/2007		TIME: 7:23 AM		PURCHASE ORDER NUMBER:		TICKET NO.: 0 42940	
CUSTOMER: 53950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI		TRUCK NO.: KORY1801 LICENSE:		TYPE: TR	
ZONE: PICKED UP				E ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY			
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	27	YARDS				
ORDERS: 1	ACCUM. AMOUNT: 27	YARDS					
WEIGHTED AT:				Gross: lbs			
EQUIPMENT NAME:				Tare lbs			
REMARKS:				Net lbs			
DRIVER NAME:				601			
PHONE #							
RECEIVED BY:							

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

TEL: 401-539-7770
FAX: 401-539-2761
401-539-2376

DATE: 6/1/2007	TIME: 10:42 AM	PURCHASE ORDER NUMBER:	TICKET NO.: 042970	
CUSTOMER: 53950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI	TRUCK NO.: KORY1501	TYPE: TR	
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		LICENSE:		
ZONE: PICKED UP				
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 2	ACCUM. AMOUNT: 54			
WEIGHED AT:		GROSS: lbs Tare lbs Net lbs		
WEIGHMASTER NAME:		601		
DIRECTIONS:				
PHONE #		DRIVER NAME: E. R.		
CAR PHONE #				
RECEIVED BY:				

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

DATE: 5/1/2007		TIME: 12:18 PM		PURCHASE ORDER NUMBER:		TICKET NO: 0 42586	
CUSTOMER: 52350 A KOREY CONSTRUCTION CO., INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI		TRUCK NO: KORY1801		TYPE: TR	
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWN, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.				ZONE: PICKED UP			
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	27	YARDS				
LOADS: 3	ACCUM. AMOUNT: 81		YARDS				
WEIGHED AT:		Gross:	lbs				
		Tare	lbs				
		Net	lbs				
WEIGHMASTER NAME:							
DIRECTIONS:							
PHONE #							
CAR PHONE #							
RECEIVED BY:		DRIVER NAME: <i>E. M...</i>					

601

401-539-7770
401-539-2761
401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898

An Equal Opportunity Employer

#601

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

E: 5/5/2007		TIME: 10:26 AM	PURCHASE ORDER NUMBER:		TICKET NO.: 043276
TOMER: 53950		JOB: KORY		TRUCK NO.: KORY219	TYPE:
A KOREY CONSTRUCTION CO, INC.		A KORY CONST		LICENSE:	
54 NARRAGANSETT AVE		JOB: GORAM SCHOOL			
PROVIDENCE RI 02907		ZONE:		PICKED UP	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.					
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION	
157	SCREENED LOAM YD 1/2"	27	YARDS		
DS: 1	ACCUM. AMOUNT: 27	YARDS			
GHED AT:		Gross: lbs			
GHMASTER NAME:		Tare lbs			
		Net lbs			
ECTIONS:					
DRIVER NAME: <i>[Signature]</i>					

JNE #

PHONE #


REIVED BY:

#601

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

Richmond Sand & Gravel, Inc.
35 Stillson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898
An Equal Opportunity Employer

401-539-7770
401-539-2761
x: 401-539-2376

DATE: 5/5/2007		TIME: 12:32 PM		PURCHASE ORDER NUMBER:		TICKET NO.: 0 43309											
CUSTOMER: 53350 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL		TRUCK NO.: KORY219 LICENSE:		TYPE:											
ZONE:		PICKED UP															
<p>WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.</p> <table border="1"> <thead> <tr> <th>PROD. CODE</th> <th>PRODUCT DESCRIPTION</th> <th>AMOUNT</th> <th>UNIT PRICE</th> <th>EXTENSION</th> </tr> </thead> <tbody> <tr> <td>157</td> <td>SCREENED LOAM YD 1/2"</td> <td>27</td> <td></td> <td></td> </tr> </tbody> </table>								PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION	157	SCREENED LOAM YD 1/2"	27		
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION													
157	SCREENED LOAM YD 1/2"	27															
ADS: 2	ACCUM. AMOUNT: 54	YARDS		Gross: lbs Tare: lbs Net: lbs													
SIGNED AT:																	
SIGNATURE NAME:																	
RECTIONS:																	
ONE #																	
R PHONE #																	
RECEIVED BY: 																	
DRIVER NAME:																	

tel: 401-539-7770
 401-539-2761
 fax: 401-539-2676

Richmond Sand & Gravel, Inc.

35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

DATE: 5/6/2007	TIME: 1:12 PM	PURCHASE ORDER NUMBER: OPEN	TICKET NO.: 043319
CUSTOMER: 52950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	JOB: KORY A KORY CONST JOB GORAM SCHOOL	TRUCK NO.: KORY221 LICENSE:	TYPE: TRI

WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	20		
LOADS: 3 ACCUM. AMOUNT: 74 YARDS				
WEIGHED AT:				
WEIGHMASTER NAME:				
DIRECTIONS:				

WEIGHMASTER NAME: _____

DIRECTIONS: _____

PHONE # _____

CAR PHONE # _____

RECEIVED BY: _____

DRIVER NAME: _____

601

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

PURCHASE ORDER NUMBER:		TICKET NO:	
5/6/2007		0 43329	
TIME: 2:11 PM	JOB: KORY		
CUSTOMER: A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		TRUCK NO: KORY219	TYPE:
JOB: A KORY CONST		LICENSE:	
JOB: JOB GORAM SCHOOL		PICKED UP	
ZONE:			
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.			
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS
DS: 4		ACCUM. AMOUNT: 101	YARDS
WEIGHT AT:		GROSS: lbs	
DRIVER NAME:		TARE lbs	
WEIGHTS:		NET lbs	
DRIVER NAME: <i>Raymond</i>			

101

PICTURE

LINE #

PHONE #

DRIVEN BY:

#601

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

Richmond Sand & Gravel, Inc.
35 Stilson Road (Jct. 138 & 96)
Wyoming, Rhode Island 02898
An Equal Opportunity Employer

Tel.: 401-539-7770
401-539-2761
Fax: 401-539-2376

DATE: 6/7/2007		TIME: 10:16 AM		PURCHASE ORDER NUMBER:		TICKET NO: 0 43397	
CUSTOMER: 53950 A. KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL		TRUCK NO: KORY219		LICENSE:	
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE:		PICKED UP			
PROD. CODE	157	PRODUCT DESCRIPTION	SCREENED LOAM YD 1/2"	AMOUNT	27	UNIT PRICE	EXTENSION
LOADS:	1	ACCUM. AMOUNT:	27	YARDS			
WEIGHED AT:				Gross: lbs			
WEIGHMASTER NAME:				Tare lbs			
				Net lbs			
DIRECTIONS:							
PHONE #				DRIVER NAME:		<i>[Signature]</i>	
CAR PHONE #							
RECEIVED BY:							

#601

SAND, GRAVEL, LOAM, STONE.
EQUIPMENT RENTAL

Richmond Sand & Gravel, Inc.
35 Stillson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898
An Equal Opportunity Employer

Tel.: 401-539-7770
401-539-2761
Fax: 401-539-2376

DATE: 8/7/2007	TIME: 1:14 PM	PURCHASE ORDER NUMBER:	TICKET NO.: 042409
CUSTOMER: A KOREY CONSTRUCTION CO., INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	JOB: KORY A KORY CONST JOB GORAM SCHOOL	TRUCK NO.: KORY219	TYPE: LICENSE

WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

ZONE: PICKED UP

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 2	ACCUM. AMOUNT: 54			
WEIGHED AT:				
WEIGHMASTER NAME: KORY				
		GROSS: 1bs		
		TARE: 1bs		
		NET: 1bs		

DIRECTIONS:

PHONE #

CAR PHONE #

RECEIVED BY: *[Signature]*

DRIVER NAME: *[Signature]*

Tel: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

661 SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

Equal Opportunity Employer

DATE: 6/7/2007	TIME: 1:15 PM	PURCHASE ORDER NUMBER:	TICKET NO.: 043430
CUSTOMER: A KOREY CONSTRUCTION CO, INC. 54 MARRAGANSETT AVE PROVIDENCE RI 02907	53950	JOB: KORY A. KORY CONST JOE GORAM SCHOOL PROVIDENCE, RI	TRUCK NO.: KORY220 LICENSE:

WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

ZONE: PICKED UP

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	20	YARDS	
LOADS: 2	ACCUM. AMOUNT: 74			
WEIGHED AT: 6				
WEIGHMASTER NAME: [Signature]				

DIRECTIONS:

PHONE #

CAR/PHONE #

RECEIVED BY: [Signature]

DRIVER NAME: [Signature]

Tel: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

DATE: 5/7/2007	TIME: 2:45 PM	PURCHASE ORDER NUMBER: OPEN	TICKET NO.: 0 43-457
CUSTOMER: 53950 A KOREX CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	JOB: KORY A KORY CONST JOB GORAM SCHOOL	TRUCK NO.: KORY221	TYPE: TR1
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.			
PROD. CODE 157	PRODUCT DESCRIPTION SCREENED LOAM YD 1/2"	AMOUNT 17 YARDS	EXTENSION
LOADS: 4	ACCUM. AMOUNT: 91 YARDS	Gross: Tare Net	
WEIGHMASTER NAME:			
DIRECTIONS:			
601			
PHONE #	DRIVER NAME:		
CAR PHONE #			
RECEIVED BY:			

#601

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

Richmond Sand & Gravel, Inc.
35 Stilson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898

Tel: 401-539-7770
401-539-2761
Fax: 401-539-2376

An Equal Opportunity Employer

DATE: 6/7/2007	TIME: 3:26 PM	PURCHASE ORDER NUMBER:		TICKET NO.: 043453
CUSTOMER: 53950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB: GORAM SCHOOL		TRUCK NO: KORY219 LICENSE:
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE: INBOUND		
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 5	ACCUM. AMOUNT: 118			
WEIGHED AT:		GROSS: lbs		
WEIGHMASTER NAME:		Tare lbs		
DIRECTIONS:		Net lbs		
PHONE #	DRIVER NAME: <i>[Signature]</i>			
CAR PHONE #				
RECEIVED BY:				

Tel: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE.
 EQUIPMENT RENTAL

Col

An Equal Opportunity Employer

DATE: 5/23/2007	TIME: 12:10 PM	PURCHASE ORDER NUMBER:	TICKET NO.: 0-42509
CUSTOMER: A KOREY CONSTRUCTION COMPANY 54 NARRAGANSETT AVE PROVIDENCE RI 02907	53950	JOB: KORY A KORY CONST JOB GORHAM SCHOOL PROVIDENCE, RI	TRUCK NO.: KORY1801 LICENSE
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		PICKED UP	

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 1	ACCUM. AMOUNT: 27			
WEIGHT AT:		Gross: lbs		
		Tare: lbs		
		Net: lbs		

DIRECTIONS:

PHONE #

CAR PHONE #

RECEIVED BY: *[Signature]*

DRIVER NAME: *[Signature]*

Tel: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

#601

An Equal Opportunity Employer

DATE: 5/23/2007		TIME: 12:17 PM		PURCHASE ORDER NUMBER:		TICKET NO.: 042510	
CUSTOMER: 52250 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CORP JOB GORAM SCHOOL		TRUCK NO.: KORY215		TYPE:	
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.				PICKED UP			
PROD. CODE	PRODUCT DESCRIPTION			AMOUNT	UNIT PRICE	EXTENSION	
157	SCREENED LOAM YD 1/2"			27	YARDS		
LOADS: 2	ACCUM. AMOUNT: 54						
WEIGHED AT:		YARDS		GROSS: lbs			
WEIGHMASTER NAME:				Tare lbs			
				Net lbs			
DIRECTIONS:							
PHONE #							
CAR PHONE #							
RECEIVED BY:							
DRIVER NAME:							

Tel: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898
 An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE.
 EQUIPMENT RENTAL

601

DATE: 5/22/2007	TIME: 1:45 PM	PURCHASE ORDER NUMBER:		TICKET NO.:
CUSTOMER: S3950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI		TRUCK NO.: KORY1301 LICENSE:
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE: PICKED UP		
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 3	ACCUM. AMOUNT: 91			
WEIGHED AT:		Gross: lbs		
WEIGHMASTER NAME: H.A.		Tare lbs		
DIRECTIONS:		Net lbs		
PHONE #	DRIVER NAME:			
CAR PHONE #				
RECEIVED BY:				

tel.: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

7-601

DATE: 5/29/2007	TIME: 1:53 PM	PURCHASE ORDER NUMBER:	TICKET NO.: 0-42526
CUSTOMER: 53950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	JOB: KORY A KORY CONST JOB GORHAM SCHOOL PROVIDENCE, RI	TRUCK NO.: KORY1801 LICENSE	TYPE: TR

WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

ZONE: PICKED UP

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 4	ACCUM. AMOUNT: 109			
WEIGHED AT:				
WEIGHMASTER NAME:				

DIRECTIONS:

PHONE #

CAR PHONE #

RECEIVED BY: *[Signature]*

DRIVER NAME: *[Signature]*

Tel.: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

4001 SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer


DATE: 5/24/2007	TIME: 2:17 PM	PURCHASE ORDER NUMBER:		TICKET NO: 042610
CUSTOMER: 53950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL	TRUCK NO: KORY219	TYPE:
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE:	LICENSE:	
WEIGHMASTER NAME:		PICKED UP		
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS	
LOADS: 1	ACCUM. AMOUNT: 27 YARDS	Gross: lbs		
WEIGHED AT:		Tare lbs		
WEIGHMASTER NAME:		Net lbs		
DIRECTIONS:				
PHONE #				<i>[Signature]</i>
CAR PHONE #				
RECEIVED BY:				DRIVER NAME:

Tel.: 401-539-7770
 401-539-2761
 Fax: 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

DATE: 5/24/2007		TIME: 2:20 PM		PURCHASE ORDER NUMBER:		TICKET NO: 042511	
CUSTOMER: 52950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI		TRUCK NO: KORY220		LICENSE: TYRRI	
WE ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.				ZONE: PICKED UP			
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	20	YARDS				
LOADS: 2	ACCUM. AMOUNT: 47	YARDS					
WEIGHED AT:		Gross: lbs					
		Tare lbs					
		Net lbs					
WEIGHMASTER NAME:							
DIRECTIONS: #601							
PHONE #							
CAR PHONE #							
RECEIVED BY: 		DRIVER NAME:					

401-539-7770
401-539-2761
401-539-2376

Richmond Sand & Gravel, Inc.
35 Stilson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898
An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

601

TIME: 5/17/2007 12:41 PM		PURCHASE ORDER NUMBER:		TICKET NO: 0 42125	
OMER: 53950		JOB: KORY		TRUCK NO: AKOREY219	
A KOREY CONSTRUCTION CO, INC		A KORY CONST		LICENSE:	
54 NARRAGANSETT AVE		JOE GOREM SCHOOLS			
PROVIDENCE RI 02907		ZONE:		PICKED UP	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR ER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.					
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION	
157	SCREENED LOAM YD 1/2"	27	YARDS		
DS: 1	ACCUM. AMOUNT: 27				
GHED AT:		Gross: lbs			
		Take lbs			
		Ret. lbs			
SHMASTER NAME: RAY					
ACTIONS:					
ONE #		DRIVER NAME: <i>[Signature]</i>			
PHONE #					
SERVED BY:					

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL


TIME: 5/18/2007 10:16 AM PURCHASE ORDER NUMBER:		TICKET NO.: 0 42221 TRUCK NO.: KORY18D1 TYPE: TR	
52950 A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL PROVIDENCE, RI	
ZONE: PICKED UP			
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.			
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS
GROSS: 1bs TARE: 1bs NET: 1bs			
QTY: 1 ACCUM. AMOUNT: 27 YARDS			
DRIVER NAME:			
DRIVER NAME: <i>[Signature]</i>			

NE #
 PHONE #
 ORDERED BY:

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898
 An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

5/15/2007		TIME: 10:55 AM	PURCHASE ORDER NUMBER:		TICKET NO.: 0 42229	
CARRIER: 33950		JOB: KORY		TRUCK NO.: KORY220	TYPE: TRI	
A KOREY CONSTRUCTION CO, INC.		A KORY CONST		LICENSE:		
54 NARRAGANSETT AVE		JOE GOREAM SCHOOL				
PROVIDENCE RI 02907		PROVIDENCE, RI				
ZONE:		PICKED UP				
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.						
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION		
157	SCREENED LOAM YD 1/2"	20				
IS: 3		ACCU. AMOUNT: 74	YARDS			
THED AT:		Gross: lbs				
THMASTER NAME: KAY		Tare lbs				
		Net lbs				
NOTES:						
NE #						
PHONE #						
REMOVED BY: 						


Tab # 69

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898
 An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

DATE: 5/21/2003	TIME: 7:10 AM	PURCHASE ORDER NUMBER: OPEN	TICKET NO.: 042288	
ORDER NO: 52950	JOB: KORY A KORY CONST		TRUCK NO: KORV221	
A KOREY CONSTRUCTION CO, INC.		LICENSE:		
54 NARRAGANSETT AVE	JOB: JOB GORAM SCHOOL			
PROVIDENCE RI 02907	ZONE: PICKED UP			
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.				
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
1.57	SCREENED LOAM YD 1/2"	20	YARDS	
DS: 1	ACCUM. AMOUNT: 20	GROSS: lbs TARE lbs NET lbs		
GHED AT:		YARDS		
GHARTER NAME:				
ECTIONS:				601
ONE #	DRIVER NAME:			
PHONE #				
CEIVED BY:				



401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

DATE: 5/21/2007		TIME: 10:41 AM		PURCHASE ORDER NUMBER:		TICKET NO.: 0 42318	
CARRIER: 53950		JOB: KORY		TRUCK NO.: KORY1801		TYPE: TFR	
A KOREY CONSTRUCTION CO., INC.		A KORY CONST		LICENSE:			
54 NARRAGANSETT AVE		JOB SORAM SCHOOL					
PROVIDENCE RI 02907		PROVIDENCE, RI					
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR		ZONE:		PICKED UP			
PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.							
ID. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	EXPOSED LOAM YD 1/2"	27	YARDS				
ACCUM. AMOUNT: 47		YARDS					
Gross: lbs							
Tare: lbs							
Net: lbs							
DRIVER NAME:							

603

[Handwritten signature]

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Silson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898
 An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

DATE: 5/21/2007	TIME: 11:47 AM	PURCHASE ORDER NUMBER:	TICKET NO.: 0 42328
OPER: 53950	TRUCK NO.: KORY20	JOB: KORY A KORY CONST	TYPE: TRI
A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	LICENSE:	JOB: JOB GORAM SCHOOL PROVIDENCE, RI	

ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR
 OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	20		
55	ACCUM. AMOUNT: 67 YARDS			
SPED AT:				
SPMASTER NAME:				601

CTIONS:

ONE #

PHONE #

REIVED BY:

DRIVER NAME:

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

DATE: 5/21/2007		TIME: 12:05 PM		PURCHASE ORDER NUMBER:		TICKET NO.: 0 42335	
CARRIER: 53950		JOB: KORY		TRUCK NO.: KORY1801		TYPE: TR	
A KOREY CONSTRUCTION CO, INC.		A KORY CONET		LICENSE:			
54 NARRAGANSETT AVE		JOB GORAM SCHOOL					
PROVIDENCE RI 02907		PROVIDENCE, RI					
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR		ZONE:		PICKED UP			
ER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.							
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	27	YARDS				
SS: 4	ACCUM. AMOUNT: 94						
SHED AT:							
SHMASTER NAME: RAY							
ACTIONS:							
PHONE #							
DRIVER NAME:							

603


EA

539-7770
 1-539-2761
 1-539-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898
 An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

Job # 588F
 6.01

DATE: 2/21/2007	TIME: 12:10 PM	PURCHASE ORDER NUMBER:		TICKET NO.: 0 42339
TRUCK NO.: KORY220	TYPE: TRI	LICENSE:		
53950	KORY	JOB: A KORY CONST.		
A KOREY CONSTRUCTION CO., INC.	54 NARRAGANSETT AVE	PROVIDENCE RI 02907	JOB GORAM SCHOOL PROVIDENCE, RI	
ZONE: PICKED UP				
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.				
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM 1/2"	20	YARDS	
5	ACCUM. AMOUNT: 114			
WEIGHED AT:		Gross: lbs		
GRMASTER NAME:		Tare lbs		
		Net lbs		
ACTIONS:				
DRIVER NAME: 				
PHONE #				
RECEIVED BY:				

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

PURCHASE ORDER NUMBER:		TICKET NO.:		
5/21/2007	1:07 PM	02907	0 42351	
OWNER:	53950	TRUCK NO.:	KORY221	
A. KOREY CONSTRUCTION CO., INC.		TYPE:	TRI	
54 NARRAGANSETT AVE		LICENSE:		
PROVIDENCE RI 02907		JOB:	KORY A KORY CONST JOB GORAM SCHOOL	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR ER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE:		
		PICKED UP		
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	20		
DS:	ACCUM. AMOUNT: 1.24			
SHED AT:				
SHIPMASTER NAME:		GROSS:		
		NET:		
		Net		
REMARKS:				
DRIVER NAME:				

601

ONE #
 PHONE #
 RECEIVED BY:

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

PURCHASE ORDER NUMBER:		TICKET NO.: 0 42368	
TIME: 5/21/2007 2:30 PM	JOB: KORY		
TRUCKER: 53950	TRUCK NO.: KORY1601		TYPE: TR
CUSTOMER: A KOREY CONSTRUCTION CO, INC. 54 MARRAGANSETT AVE PROVIDENCE RI 02907		LICENSE:	
JOB: A KORY CONST		JOB GORAM SCHOOL PROVIDENCE, RI	
ZONE:		PICKED UP	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.			
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS
QTY:	ACCUM. AMOUNT: 151	GROSS: lbs TARE: lbs NET: lbs	
WEIGHT:	YARDS:		
DRIVER NAME: <i>[Signature]</i>			

60A
Page 21

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.
 35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

DATE: 5/22/2007	TIME: 7:53 AM	CHASE ORDER NUMBER:	TICKET NO.: 0 42401
TRUCKER: 53950		JOB: KORY A KORY CONET	TRUCK NO.: KORY1301 LICENSE:
CUSTOMER: A KOREY CONSTRUCTION COMPANY 54 NARRAGANSETT BLVD PROVIDENCE 02907		JOB: JOE GOKAM SCHOOL PROVIDENCE, RI	TYPE: TE
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE ON PUBLIC PROPERTY.			
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE
157	SCREENED LOAM YD 1/2"	27	YARDS
TOTAL CUM. AMOUNT: 27		YARDS	
PICKED AT:		Gross: lbs Tare: lbs Net: lbs	
DRIVER NAME:		EXTENSION	
SIGNATURE:		DRIVER NAME: <i>[Signature]</i>	
PHONE #		EXTENSION	
DRIVER BY:		EXTENSION	

401-539-7770
401-539-2761
401-539-2376

Richmond Sand & Gravel, Inc.

35 Shilson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

#601

DATE: 5/22/2007		TIME: 7:59 AM		PURCHASE ORDER NUMBER:		TICKET NO.: 0 42402	
CUSTOMER: A KOREY CONSTRUCTION CO, INC. 34 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORAM SCHOOL		TRUCK NO.: KORYE19		LICENSE:	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE:		PICKED UP			
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	27	YARDS				
QTY:	ACCUM. AMOUNT: 54						
WEIGHT AT:							
DRIVER NAME:		Gross:		lbs			
		Tare		lbs			
		Net		lbs			
REMARKS:							
PHONE #							
DRIVER BY:							



401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stillson Road (Jct. 138 & 96)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

#601

TIME: 5/22/2007 10:08 AM PURCHASE ORDER NUMBER:		TICKET NO.: 0 42425	
CUSTOMER: 53950 A. KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		TRUCK NO.: KORY219 LICENSE:	
JOB: KORY A. KORY CONST JOB GORAM SCHOOL		TYPE:	
ZONE: PICKED UP			
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR HER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.			
PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	EXTENSION
157	SCREENED LOAM YD 1/2"	27	YARDS
4	ACCUM. AMOUNT: 108 YARDS		
WEIGHED AT:			
SIGNATURE NAME:			
ACTIONS:			
ONE #			
PHONE #			
SERVED BY:			
DRIVER NAME:			

401-539-7770
 401-539-2761
 401-598-2376

Richmond Sand & Gravel, Inc.
 35 Stillson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

DATE: 5/22/2007	TIME: 11:26 AM	PURCHASE ORDER NUMBER:	TICKET NO.: 0 42 433
CUSTOMER: A. KOREY CONSTRUCTION CO., INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		TRUCK NO.: KORY1501	TYPE: TR
JOB: KORY A KORY CONST		LICENSE:	
JOB: JOB GORAM SCHOOL PROVIDENCE, RI		ZONE:	

ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

PICKED UP

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27		
DS: 5	ACCUM. AMOUNT: 135			
SHED AT: YARDS				
MASTER NAME: [Signature]		Gross: lbs		
		Take lbs		
		Net lbs		

NOTES:

PHONE #

DRIVER NAME:

[Signature]

401-539-7770
 401-539-2761
 401-539-2376


Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

#601
 #1001

DATE: 5/22/2007		TIME: 11:39 AM		PURCHASE ORDER NUMBER:		TICKET NO.: 0 42 42 B	
CUSTOMER: A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONBT JOB GORAM SCHOOL		TRUCK NO.: KORY219		LICENSE:	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.		ZONE:		PICKED UP			
ROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION			
157	SCREENED LOAM YD 1/2"	27	YARDS				
SS: 6	ACCUM. AMOUNT: 1.52						
SHED AT:		Gross: lbs					
MASTER NAME: R.A.		Take lbs					
CTIONS:		Net lbs					
NE #							
PHONE #							
EMBED BY:							
		DRIVER NAME:					

401-539-7770
 401-539-2761
 401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
 Wyoming, Rhode Island 02898

SAND, GRAVEL, LOAM, STONE
 EQUIPMENT RENTAL

An Equal Opportunity Employer

DATE: 5/22/2007	TIME: 1:33 PM	PURCHASE ORDER NUMBER:	TICKET NO.: 042449
ORDER: 53950	JOB: KORY A KORY CONST <i>601</i>		
A KOREY CONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907	TRUCK NO: KORY1801 LICENSE:		
JOB: JOE GORAM SCHOOL PROVIDENCE, RI			

ISSUE NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR
 OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.

ZONE: PICKED UP

PROD. CODE	PRODUCT DESCRIPTION	AMOUNT	UNIT PRICE	EXTENSION
157	SCREENED LOAM YD 1/2"	27		
7	ACCUM. AMOUNT: 189 YARDS			
GROSS: lbs TAX: lbs NET: lbs				

DRIVER NAME: *E. M. [Signature]*

PHONE #
 DRIVEN BY:

401-539-7770
401-539-2761
401-539-2376

Richmond Sand & Gravel, Inc.

35 Stilson Road (Jct. 138 & 95)
Wyoming, Rhode Island 02898

An Equal Opportunity Employer

SAND, GRAVEL, LOAM, STONE
EQUIPMENT RENTAL

#6011
#601

DATE: 5/22/2007		TIME: 1:30 PM		PURCHASE ORDER NUMBER:		TICKET NO.: 042450	
CUSTOMER: A KOREY KONSTRUCTION CO, INC. 54 NARRAGANSETT AVE PROVIDENCE RI 02907		JOB: KORY A KORY CONST JOB GORHAM SCHOOL		TRUCK NO.: KORY219		TYPE: LICENSE	
ASSUME NO RESPONSIBILITY FOR DAMAGE TO WALKS, LAWNS, OR OTHER PROPERTY WHEN ASKED TO DRIVE OFF PUBLIC PROPERTY.							
ZONE: PICKED UP		PRODUCT DESCRIPTION		AMOUNT		UNIT PRICE	
157		SCREENED LOAM YD 1/2"		27		YARDS	
DS: 9		ACCUM. AMOUNT: 215		GROSS: lbs		EXTENSION	
SHED AT:		YARDS		TAKE lbs			
MASTER NAME:				NET lbs			
ACTIONS:							
PHONE #							
DRIVER NAME:							


Appendix F

Environmental Land Usage Restriction

Appendix G
O&M Manual

Appendix H

Nuisance Dust Sampling Data



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/14/2006
Date Reported: 6/16/2006
P.O. #: 060222B
Work Order #: 0606-10418

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE - EA ENGINEERING

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/14/2006
Work Order #: 0606-10418

Approved by: _____

Data Reporting

Sample # 001


SAMPLE DESCRIPTION: 1A - ALONG RESIDENTIAL FENCE LINE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME:

6/13/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	6/16/2006	EC



R.I. Analytical

Specialists in Environmental Services

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/15/2006
Date Reported: 6/16/2006
P.O. #: 060222B
Work Order #: 0606-10534

DESCRIPTION: PROJECT# 060222B GORHAM SITE - EA ENGINEERING

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody



R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/15/2006
Work Order #: 0606-10534

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: ALONG RESIDENTIAL FENCE LINE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 6/14/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.05	0.05	mg/m ³	0500 NIOSH	6/16/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/15/2006
Date Reported: 6/16/2006
P.O. #: 060222B
Work Order #: 0606-10568

DESCRIPTION: PROJECT# 060222B GORHAM SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/15/2006
Work Order #: 0606-10568


Approved by: _____
Data Reporting



Sample # 001
SAMPLE DESCRIPTION: 1 SOUTH FENCE LINE
SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/15/2006 @ 15:00

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	6/16/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/19/2006
Date Reported: 6/22/2006
P.O. #: 060222B
Work Order #: 0606-10736

DESCRIPTION: PROJECT# 060222B GORHAM MILLS SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NIH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS



Approved by: _____
Data Reporting

R.I. Analytical (EAM Division)
Date Received: 6/19/2006
Work Order #: 0606-10736

Sample # 001
SAMPLE DESCRIPTION: FENCE LINE SOUTH
SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/16/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.17	0.06	mg/m ³	0500 NIOSH	6/21/2006	BMM



R.I. Analytical

Specialists in Environmental Services

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/21/2006
Date Reported: 6/26/2006
P.O. #: 060222B
Work Order #: 0606-10927

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody



R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/21/2006
Work Order #: 0606-10927

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: #1 SOUTH FENCE LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/20/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.22	0.06	mg/m ³	0500 NIOSH	6/26/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/21/2006
Date Reported: 6/26/2006
P.O. #: 060222B
Work Order #: 0606-10970

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by

Data Reporting


enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/21/2006
Work Order #: 0606-10970

Approved by: _____

Data Reporting




Sample # 001

SAMPLE DESCRIPTION: FENCELINE RESIDENTIAL SIDE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 6/21/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	6/26/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/23/2006
Date Reported: 6/26/2006
P.O. #: 060222B
Work Order #: 0606-11135

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 6/23/2006
Work Order #: 0606-11135

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: #1 FENCE LINE SOUTH

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 6/22/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.13	0.06	mg/m ³	0500 NIOSH	6/26/2006	EC



CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 6/29/2006
Date Reported: 7/9/2006
P.O. #: 060222B
Work Order #: 0606-11520

DESCRIPTION: PROJECT# 060222B GORHAM SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 6/29/2006

Work Order #: 0606-11520

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: FENCELINE SOUTH

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 6/28/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.08	0.06	mg/m ³	0500 NIOSH	7/8/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/5/2006
Date Reported: 7/9/2006
P.O. #: 060222B
Work Order #: 0607-11824

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE - ADELAIDE AVENUE

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS



R.I. Analytical (EAM Division)

Date Received: 7/5/2006

Work Order #: 0607-11824

Approved by: _____

Data Reporting

Sample # 001


SAMPLE DESCRIPTION: FENCE LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 7/5/2006

@ 13:03

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.08	0.08	mg/m ³	0500 NIOSH	7/8/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/13/2006
Date Reported: 7/18/2006
P.O. #: 060222B
Work Order #: 0607-12391

DESCRIPTION: PROJECT# 060222B EA GORHAM MILL (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.


Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS



R.I. Analytical (EAM Division)
Date Received: 7/13/2006
Work Order #: 0607-12391

Approved by: _____
Data Reporting

Sample # 001

SAMPLE DESCRIPTION: TOTAL DUST

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 7/12/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.09	0.03	mg/m ³	0500 NIOSH	7/18/2006	BMM



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/19/2006
Date Reported: 7/21/2006
P.O. #: 06-0222B
Work Order #: 0607-12895

DESCRIPTION: PROJECT# 06-0222B GORHAM MILL - ALONG RES. FENCELINE

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 7/19/2006

Work Order #: 0607-12895

Approved by: Shawn Baker
Data Reporting

Sample # 001

SAMPLE DESCRIPTION: GORHAM MILL - RESIDENTIAL FENCE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 7/19/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
TOTAL METALS						
LEAD	<0.28	0.28	ug/m ³	NIOSH 7300	7/21/2006	CL



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/27/2006
Date Reported: 8/2/2006
P.O. #: 060222B
Work Order #: 0607-13401

DESCRIPTION: PROJECT# 060222B GORHAM MILL SITE (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody


R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 7/27/2006

Work Order #: 0607-13401

Approved by: 

Data Reporting

Sample # 001


SAMPLE DESCRIPTION: #1 FENCE LINE @ PROPERTY LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 7/26/2006

@ 15:30

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.18	0.06	mg/m ³	0500 NIOSH	8/2/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 7/28/2006
Date Reported: 8/2/2006
P.O. #: 060222B
Work Order #: 0607-13532

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:




Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 7/28/2006
Work Order #: 0607-13532

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: FENCE LINE PROPERTY LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 7/28/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.13	0.06	mg/m ³	0500 NIOSH	8/2/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/7/2006
Date Reported: 8/14/2006
P.O. #: 060222B
Work Order #: 0608-14060

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody


R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 8/7/2006

Work Order #: 0608-14060

Approved by: 

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: FENCELINE DOWN WIND

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/4/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/14/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/10/2006
Date Reported: 8/14/2006
P.O. #: 060222B
Work Order #: 0608-14389

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (ONE AIR SAMPLE)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody


R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 8/10/2006

Work Order #: 0608-14389

Approved by: 
Data Reporting


Sample # 001

SAMPLE DESCRIPTION: DW - FENCE LINE 8/9/06

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/9/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.04	0.04	mg/m ³	0500 NIOSH	8/14/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/16/2006
Date Reported: 8/18/2006
P.O. #: 060222B
Work Order #: 0608-14792

DESCRIPTION: PROJECT# 060222B EA GORHAM MILL (TWO AIR SAMPLES)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
 Date Received: 8/16/2006
 Work Order #: 0608-14792

Approved by: _____

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: SCHOOL SITE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/16/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.09	0.06	mg/m ³	0500 NIOSH	8/18/2006	EC

Sample # 002

SAMPLE DESCRIPTION: BACK OF STOP & SHOP

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 8/16/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.07	0.07	mg/m ³	0500 NIOSH	8/18/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 8/24/2006
Date Reported: 8/25/2006
P.O. #:
Work Order #: 0608-15336

DESCRIPTION: PROJECT# 060222B GORHAM MILLS (TWO AIR SAMPLES)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
 Date Received: 8/24/2006
 Work Order #: 0608-15336

Approved by: _____

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: MAIN SITE FENCE LINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/23/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/25/2006	EC


Sample # 002

SAMPLE DESCRIPTION: BACK AREA (BEHIND STOP & SHOP)

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 8/23/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg/m ³	0500 NIOSH	8/25/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 9/21/2006
Date Reported: 9/22/2006
P.O. #: 060222C
Work Order #: 0609-17099

DESCRIPTION: PROJECT# 060222C GORHAM MILLS (TWO AIR SAMPLES)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
 Date Received: 9/21/2006
 Work Order #: 0609-17099

Approved by: 
 Data Reporting

Sample # 001

SAMPLE DESCRIPTION: DEBRIS PILE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 9/20/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.08	0.08	mg/m ³	0500 NIOSH	9/22/2006	MV


Sample # 002

SAMPLE DESCRIPTION: CONSTRUCTION AREA

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 9/20/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.08	0.08	mg/m ³	0500 NIOSH	9/22/2006	MV



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Daniel Simas
41 Illinois Avenue
Warwick, RI 02888

Date Received: 9/27/2006
Date Reported: 9/29/2006
P.O. #: 060222C
Work Order #: 0609-17485

DESCRIPTION: PROJECT# 060222C GORHAM MILLS (TWO AIR SAMPLES)

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody

R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
 Date Received: 9/27/2006
 Work Order #: 0609-17485

Approved by: 
 Data Reporting

Sample # 001

SAMPLE DESCRIPTION: RETENTION POND

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 9/27/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.15	0.06	mg/m ³	0500 NIOSH	9/29/2006	EC


Sample # 002

SAMPLE DESCRIPTION: CONSTRUCTION

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 9/27/2006

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	0.11	0.06	mg/m ³	0500 NIOSH	9/29/2006	EC



R.I. Analytical

Specialists in Environmental Services

Page 1 of 2

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 10/26/2006
Date Reported: 10/30/2006
P.O. #: 060222C
Work Order #: 0610-19362

DESCRIPTION: PROJECT# 060222C GORHAM MILLS - FENCELINE - ADELAIDE AVENUE

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.


Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:



Data Reporting

enc: Chain of Custody

41 Illinois Avenue, Warwick, RI 02888
Tel: (401) 737-8500 Fax: (401) 738-1970



131 Coolidge Street, Bldg 2, Hudson, MA 01749
Tel: (978) 568-0041 Fax: (978) 568-0078


R.I. Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)

Date Received: 10/26/2006

Work Order #: 0610-19362

Approved by: 

Data Reporting

Sample # 001

SAMPLE DESCRIPTION: 1-FENCELINE

SAMPLE TYPE: COMPOSITE

SAMPLE DATE/TIME: 10/26/2006

@ 14:19


PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
NUISANCE DUST	<0.06	0.06	mg-m ³	0500 NIOSH	10/30/2006	EC

Project# 060222C

Gorham Mills

Fenceline Adelaide Ave.

Providence, RI



R.I. Analytical

Specialists in Environmental Services

CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Attn: Mr. Joseph Lepore
41 Illinois Avenue
Warwick, RI 02888

Date Received: 11/15/2006
Date Reported: 11/17/2006
P.O. #: 060222D
Work Order #: 0611-20641

DESCRIPTION: PROJECT# 060222D GORHAM MILLS FENCELINE ADELAIDE AVENUE

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

Reference: All parameters were analyzed by NIOSH approved methodologies. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.

Certification #: RI-033, MA-RI015, CT-PH-0508, ME-RI015
NH-253700 A & B, USDA S-41844, NY-11726

If you have any questions regarding this work, or if we may be of further assistance, please contact us.

Approved by:

Data Reporting

enc: Chain of Custody



R.I. Analytical Laboratories, Inc.
CERTIFICATE OF ANALYSIS

R.I. Analytical (EAM Division)
Date Received: 11/15/2006
Work Order #: 0611-20641

Approved by: 
Data Reporting

Sample # 001

SAMPLE DESCRIPTION: 1 - FENCELINE

SAMPLE TYPE: GRAB

SAMPLE DATE/TIME: 11/15/2006

@ 15:09

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
Nuisance Dust	<0.05	0.05	mg/m ³	0500 NIOSH	11/17/2006	EC

Appendix I

RI Resource Recovery Corporation Disposal Documentation



RECEIVED

NOV 15 2006

EA ENGINEERING, SCIENCE
AND TECHNOLOGY, INC.
BY _____

November 14, 2006

Mr. Peter Grivers, P.E., LSP
EA Engineering, Inc.
2350 Post Road
Warwick, RI 02886

Dear Mr. Grivers:

The Rhode Island Resource Recovery Corporation (RIRRC) has reviewed your request to deliver an additional 1,500 tons of non-hazardous contaminated soil generated from the former Gorham Manufacturing Facility, located at 333 Adelaide Avenue in Providence, Rhode Island, to the Central Landfill as a cover alternative.

65 Shun Pike

Johnston, RI 02919-4512

TEL: (401) 942-1430

FAX: (401) 946-5174

www.rirrc.org

Based on the information you have provided the material does appear to be suitable for use as alternative cover at the Central Landfill. This material will be accepted provided the following conditions are strictly adhered to.

1. This approval is for approximately 1,500 tons.
2. The material must not cause a dust nuisance.
3. The material must not emit any unreasonable odors.
4. The material must be free of solid waste.
5. The material will be accepted between 7:30 am and 3:30 pm Monday through Friday only.
6. You must notify the Scalehouse (942-1430 Ext. 102) a minimum of 24 hours prior to delivery.
7. The material must comply with all other conditions contained in sections 6.2.1, 6.2.1.1 and 6.2.1.6 of RIRRC's Alternative Cover Policy.
8. Any material deemed by RIRRC not to be suitable, as controlled fill shall be tipped at \$66.75 per ton.

A. Austin Ferland
Chairman

Michael Salvatore, Jr.
Treasurer

Kenneth Aurecchia

Wayne Salisbury

John St. Sauveur

Jerome Williams

This letter does not exclude the loads from inspection and/or denial of delivery to the Central Landfill, if landfill personnel suspect hazardous waste.

Please note that prior to delivery of this material you must first contact Joe Judge (942-1430 Ext. 250) for payment arrangements and to receive load verification documents. This material will be accepted as alternative cover and will be tipped at \$13.00 per ton.

If you have any questions regarding this matter, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Dana J. Zewinski', is written over a faint, larger version of the same signature.

Dana J. Zewinski
Environmental Engineer

Cc: Jim Allam
Joe Judge
Claude Cote
Dennis aRusso
Scalehouse

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

Peter Grivers
EA Engineering, Science, and Technology
2350 Post Road
Warwick, RI 02886

RE: Gorham
ESS Laboratory Work Order Number: 0610416

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: November 01, 2006

Sample Receipt

1 Soil sample and 1 Trip Blank were received on October 23, 2006 for the analyses specified on the enclosed Chain of Custody Record.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

Metals Analysis

ESS Laboratory utilized the established linear dynamic range to determine acceptable analytical results.

Volatile Organics Analysis

Blank Spike was outside of the recommended range for 1,2,3-Trichlorobenzene and Acetone. These analytes exceed the upper control limit, however, samples were non detect for these analytes.

Blank Spike was outside of the recommended range for 1,4-Dioxane - Screen. This analyte was below the lower control limit. The Relative Percent Difference for the Blank Spike/Blank Spike Duplicate was outside of the recommended range for 2-Butanone and Acetone.

No other observations noted.

End of Project Narrative.

mdp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Gorham Temp Stockpile-1
Date Sampled: 10/23/06 15:50
Percent Solids: 93

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-01
Sample Matrix: Soil

3050B/6000/7000 Total Metals

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>
Antimony	ND	mg/kg dry	5.8	6010B	1	JP	10/23/06	1.84	100
Arsenic	3.0	mg/kg dry	1.5	7060A	5	JP	10/25/06	1.84	100
Beryllium	0.15	mg/kg dry	0.06	6010B	1	JP	10/23/06	1.84	100
Cadmium	ND	mg/kg dry	0.58	6010B	1	JP	10/23/06	1.84	100
Chromium	9.2	mg/kg dry	1.2	6010B	1	JP	10/23/06	1.84	100
Copper	98.5	mg/kg dry	1.2	6010B	1	JP	10/23/06	1.84	100
Lead	67.2	mg/kg dry	5.8	6010B	1	JP	10/23/06	1.84	100
Mercury	0.162	mg/kg dry	0.036	7471A	1	EEM	10/24/06	0.6	40
Nickel	5.8	mg/kg dry	2.9	6010B	1	JP	10/23/06	1.84	100
Selenium	ND	mg/kg dry	5.8	6010B	1	JP	10/23/06	1.84	100
Silver	25.8	mg/kg dry	0.58	6010B	1	JP	10/23/06	1.84	100
Thallium	ND	mg/kg dry	1.5	7841	5	JP	10/25/06	1.84	100
Zinc	43.8	mg/kg dry	2.9	6010B	1	JP	10/23/06	1.84	100

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Gorham Temp Stockpile-1
Date Sampled: 10/23/06 15:50
Percent Solids: 93
Initial Volume: 19.4
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg dry	90.7	1	10/24/06
1,1,1-Trichloroethane	ND	ug/Kg dry	45.3	1	10/24/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg dry	45.3	1	10/24/06
1,1,2-Trichloroethane	ND	ug/Kg dry	45.3	1	10/24/06
1,1-Dichloroethane	ND	ug/Kg dry	45.3	1	10/24/06
1,1-Dichloroethene	ND	ug/Kg dry	45.3	1	10/24/06
1,1-Dichloropropene	ND	ug/Kg dry	45.3	1	10/24/06
1,2,3-Trichlorobenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,2,3-Trichloropropane	ND	ug/Kg dry	45.3	1	10/24/06
1,2,4-Trichlorobenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,2,4-Trimethylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg dry	227	1	10/24/06
1,2-Dibromoethane	ND	ug/Kg dry	45.3	1	10/24/06
1,2-Dichlorobenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,2-Dichloroethane	ND	ug/Kg dry	45.3	1	10/24/06
1,2-Dichloropropane	ND	ug/Kg dry	45.3	1	10/24/06
1,3,5-Trimethylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,3-Dichlorobenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,3-Dichloropropane	ND	ug/Kg dry	45.3	1	10/24/06
1,4-Dichlorobenzene	ND	ug/Kg dry	45.3	1	10/24/06
1,4-Dioxane - Screen	ND	ug/Kg dry	4530	1	10/24/06
1-Chlorohexane	ND	ug/Kg dry	45.3	1	10/24/06
2,2-Dichloropropane	ND	ug/Kg dry	90.7	1	10/24/06
2-Butanone	ND	ug/Kg dry	1130	1	10/24/06
2-Chlorotoluene	ND	ug/Kg dry	45.3	1	10/24/06
2-Hexanone	ND	ug/Kg dry	453	1	10/24/06
4-Chlorotoluene	ND	ug/Kg dry	45.3	1	10/24/06
4-Isopropyltoluene	ND	ug/Kg dry	45.3	1	10/24/06
4-Methyl-2-Pentanone	ND	ug/Kg dry	453	1	10/24/06
Acetone	ND	ug/Kg dry	1130	1	10/24/06
Benzene	ND	ug/Kg dry	45.3	1	10/24/06
Bromobenzene	ND	ug/Kg dry	45.3	1	10/24/06
Bromochloromethane	ND	ug/Kg dry	45.3	1	10/24/06
Bromodichloromethane	ND	ug/Kg dry	45.3	1	10/24/06
Bromoform	ND	ug/Kg dry	45.3	1	10/24/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Gorham Temp Stockpile-1
Date Sampled: 10/23/06 15:50
Percent Solids: 93
Initial Volume: 19.4
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg dry	90.7	1	10/24/06
Carbon Disulfide	ND	ug/Kg dry	45.3	1	10/24/06
Carbon Tetrachloride	ND	ug/Kg dry	45.3	1	10/24/06
Chlorobenzene	ND	ug/Kg dry	45.3	1	10/24/06
Chloroethane	ND	ug/Kg dry	90.7	1	10/24/06
Chloroform	ND	ug/Kg dry	45.3	1	10/24/06
Chloromethane	ND	ug/Kg dry	90.7	1	10/24/06
cis-1,2-Dichloroethene	ND	ug/Kg dry	45.3	1	10/24/06
cis-1,3-Dichloropropene	ND	ug/Kg dry	45.3	1	10/24/06
Dibromochloromethane	ND	ug/Kg dry	45.3	1	10/24/06
Dibromomethane	ND	ug/Kg dry	45.3	1	10/24/06
Dichlorodifluoromethane	ND	ug/Kg dry	45.3	1	10/24/06
Diethyl Ether	ND	ug/Kg dry	45.3	1	10/24/06
Di-isopropyl ether	ND	ug/Kg dry	45.3	1	10/24/06
Ethyl tertiary-butyl ether	ND	ug/Kg dry	45.3	1	10/24/06
Ethylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
Hexachlorobutadiene	ND	ug/Kg dry	45.3	1	10/24/06
Isopropylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
Methyl tert-Butyl Ether	ND	ug/Kg dry	45.3	1	10/24/06
Methylene Chloride	ND	ug/Kg dry	227	1	10/24/06
Naphthalene	ND	ug/Kg dry	45.3	1	10/24/06
n-Butylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
n-Propylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
sec-Butylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
Styrene	ND	ug/Kg dry	45.3	1	10/24/06
tert-Butylbenzene	ND	ug/Kg dry	45.3	1	10/24/06
Tertiary-amyl methyl ether	ND	ug/Kg dry	45.3	1	10/24/06
Tetrachloroethene	ND	ug/Kg dry	45.3	1	10/24/06
Tetrahydrofuran	ND	ug/Kg dry	227	1	10/24/06
Toluene	ND	ug/Kg dry	45.3	1	10/24/06
trans-1,2-Dichloroethene	ND	ug/Kg dry	45.3	1	10/24/06
trans-1,3-Dichloropropene	ND	ug/Kg dry	45.3	1	10/24/06
Trichloroethene	ND	ug/Kg dry	45.3	1	10/24/06
Trichlorofluoromethane	ND	ug/Kg dry	45.3	1	10/24/06
Vinyl Acetate	ND	ug/Kg dry	227	1	10/24/06
Vinyl Chloride	ND	ug/Kg dry	45.3	1	10/24/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Gorham Temp Stockpile-1
Date Sampled: 10/23/06 15:50
Percent Solids: 93
Initial Volume: 19.4
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-01
Sample Matrix: Soil
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg dry	45.3	1	10/24/06
Xylene P,M	ND	ug/Kg dry	90.7	1	10/24/06
Xylenes (Total)	ND	ug/Kg dry	136		10/24/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	114 %		70-130
Surrogate: 4-Bromofluorobenzene	100 %		70-130
Surrogate: Dibromofluoromethane	108 %		70-130
Surrogate: Toluene-d8	93 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Gorham Temp Stockpile-1
Date Sampled: 10/23/06 15:50
Percent Solids: 93
Initial Volume: 30.4
Final Volume: 1
Extraction Method: 3550B

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-01
Sample Matrix: Soil
Analyst: JLS
Prepared: 10/23/06

8100M Total Petroleum Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
Total Petroleum Hydrocarbons	77.1	mg/kg dry	26.5	1	10/24/06

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: O-Terphenyl	88 %		40-140

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Gorham Temp Stockpile-1
Date Sampled: 10/23/06 15:50
Percent Solids: 93
Initial Volume: 30.8
Final Volume: 1
Extraction Method: 3550B

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-01
Sample Matrix: Soil
Analyst: VSC
Prepared: 10/23/06

8270C Polynuclear Aromatic Hydrocarbons

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
2-Methylnaphthalene	ND	ug/Kg dry	349	1	10/24/06
Acenaphthene	ND	ug/Kg dry	349	1	10/24/06
Acenaphthylene	ND	ug/Kg dry	349	1	10/24/06
Anthracene	453	ug/Kg dry	349	1	10/24/06
Benzo(a)anthracene	1360	ug/Kg dry	349	1	10/24/06
Benzo(a)pyrene	1470	ug/Kg dry	175	1	10/24/06
Benzo(b)fluoranthene	1360	ug/Kg dry	349	1	10/24/06
Benzo(g,h,i)perylene	897	ug/Kg dry	349	1	10/24/06
Benzo(k)fluoranthene	1410	ug/Kg dry	349	1	10/24/06
Chrysene	1480	ug/Kg dry	175	1	10/24/06
Dibenzo(a,h)Anthracene	ND	ug/Kg dry	175	1	10/24/06
Fluoranthene	2680	ug/Kg dry	349	1	10/24/06
Fluorene	ND	ug/Kg dry	349	1	10/24/06
Indeno(1,2,3-cd)Pyrene	907	ug/Kg dry	349	1	10/24/06
Naphthalene	ND	ug/Kg dry	349	1	10/24/06
Phenanthrene	1960	ug/Kg dry	349	1	10/24/06
Pyrene	2420	ug/Kg dry	349	1	10/24/06

	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
Surrogate: 1,2-Dichlorobenzene-d4	60 %		30-130
Surrogate: 2-Fluorobiphenyl	69 %		30-130
Surrogate: Nitrobenzene-d5	67 %		30-130
Surrogate: p-Terphenyl-d14	77 %		30-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 10/23/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-02
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

<u>Analyte</u>	<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>DF</u>	<u>Analyzed</u>
1,1,1,2-Tetrachloroethane	ND	ug/Kg	100	1	10/24/06
1,1,1-Trichloroethane	ND	ug/Kg	50.0	1	10/24/06
1,1,2,2-Tetrachloroethane	ND	ug/Kg	50.0	1	10/24/06
1,1,2-Trichloroethane	ND	ug/Kg	50.0	1	10/24/06
1,1-Dichloroethane	ND	ug/Kg	50.0	1	10/24/06
1,1-Dichloroethene	ND	ug/Kg	50.0	1	10/24/06
1,1-Dichloropropene	ND	ug/Kg	50.0	1	10/24/06
1,2,3-Trichlorobenzene	ND	ug/Kg	50.0	1	10/24/06
1,2,3-Trichloropropane	ND	ug/Kg	50.0	1	10/24/06
1,2,4-Trichlorobenzene	ND	ug/Kg	50.0	1	10/24/06
1,2,4-Trimethylbenzene	ND	ug/Kg	50.0	1	10/24/06
1,2-Dibromo-3-Chloropropane	ND	ug/Kg	250	1	10/24/06
1,2-Dibromoethane	ND	ug/Kg	50.0	1	10/24/06
1,2-Dichlorobenzene	ND	ug/Kg	50.0	1	10/24/06
1,2-Dichloroethane	ND	ug/Kg	50.0	1	10/24/06
1,2-Dichloropropane	ND	ug/Kg	50.0	1	10/24/06
1,3,5-Trimethylbenzene	ND	ug/Kg	50.0	1	10/24/06
1,3-Dichlorobenzene	ND	ug/Kg	50.0	1	10/24/06
1,3-Dichloropropane	ND	ug/Kg	50.0	1	10/24/06
1,4-Dichlorobenzene	ND	ug/Kg	50.0	1	10/24/06
1,4-Dioxane - Screen	ND	ug/Kg	5000	1	10/24/06
1-Chlorohexane	ND	ug/Kg	50.0	1	10/24/06
2,2-Dichloropropane	ND	ug/Kg	100	1	10/24/06
2-Butanone	ND	ug/Kg	1250	1	10/24/06
2-Chlorotoluene	ND	ug/Kg	50.0	1	10/24/06
2-Hexanone	ND	ug/Kg	500	1	10/24/06
4-Chlorotoluene	ND	ug/Kg	50.0	1	10/24/06
4-Isopropyltoluene	ND	ug/Kg	50.0	1	10/24/06
4-Methyl-2-Pentanone	ND	ug/Kg	500	1	10/24/06
Acetone	ND	ug/Kg	1250	1	10/24/06
Benzene	ND	ug/Kg	50.0	1	10/24/06
Bromobenzene	ND	ug/Kg	50.0	1	10/24/06
Bromochloromethane	ND	ug/Kg	50.0	1	10/24/06
Bromodichloromethane	ND	ug/Kg	50.0	1	10/24/06
Bromoform	ND	ug/Kg	50.0	1	10/24/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 10/23/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-02
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Bromomethane	ND	ug/Kg	100	1	10/24/06
Carbon Disulfide	ND	ug/Kg	50.0	1	10/24/06
Carbon Tetrachloride	ND	ug/Kg	50.0	1	10/24/06
Chlorobenzene	ND	ug/Kg	50.0	1	10/24/06
Chloroethane	ND	ug/Kg	100	1	10/24/06
Chloroform	ND	ug/Kg	50.0	1	10/24/06
Chloromethane	ND	ug/Kg	100	1	10/24/06
cis-1,2-Dichloroethene	ND	ug/Kg	50.0	1	10/24/06
cis-1,3-Dichloropropene	ND	ug/Kg	50.0	1	10/24/06
Dibromochloromethane	ND	ug/Kg	50.0	1	10/24/06
Dibromomethane	ND	ug/Kg	50.0	1	10/24/06
Dichlorodifluoromethane	ND	ug/Kg	50.0	1	10/24/06
Diethyl Ether	ND	ug/Kg	50.0	1	10/24/06
Di-isopropyl ether	ND	ug/Kg	50.0	1	10/24/06
Ethyl tertiary-butyl ether	ND	ug/Kg	50.0	1	10/24/06
Ethylbenzene	ND	ug/Kg	50.0	1	10/24/06
Hexachlorobutadiene	ND	ug/Kg	50.0	1	10/24/06
Isopropylbenzene	ND	ug/Kg	50.0	1	10/24/06
Methyl tert-Butyl Ether	ND	ug/Kg	50.0	1	10/24/06
Methylene Chloride	ND	ug/Kg	250	1	10/24/06
Naphthalene	ND	ug/Kg	50.0	1	10/24/06
n-Butylbenzene	ND	ug/Kg	50.0	1	10/24/06
n-Propylbenzene	ND	ug/Kg	50.0	1	10/24/06
sec-Butylbenzene	ND	ug/Kg	50.0	1	10/24/06
Styrene	ND	ug/Kg	50.0	1	10/24/06
tert-Butylbenzene	ND	ug/Kg	50.0	1	10/24/06
Tertiary-amyl methyl ether	ND	ug/Kg	50.0	1	10/24/06
Tetrachloroethene	ND	ug/Kg	50.0	1	10/24/06
Tetrahydrofuran	ND	ug/Kg	250	1	10/24/06
Toluene	ND	ug/Kg	50.0	1	10/24/06
trans-1,2-Dichloroethene	ND	ug/Kg	50.0	1	10/24/06
trans-1,3-Dichloropropene	ND	ug/Kg	50.0	1	10/24/06
Trichloroethene	ND	ug/Kg	50.0	1	10/24/06
Trichlorofluoromethane	ND	ug/Kg	50.0	1	10/24/06
Vinyl Acetate	ND	ug/Kg	250	1	10/24/06
Vinyl Chloride	ND	ug/Kg	50.0	1	10/24/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Trip Blank
Date Sampled: 10/23/06 00:00
Percent Solids: N/A
Initial Volume: 15
Final Volume: 15
Extraction Method: 5035

ESS Laboratory Work Order: 0610416
ESS Laboratory Sample ID: 0610416-02
Sample Matrix: Solid
Analyst: RES

5035/8260B Volatile Organic Compounds / Methanol

Xylene O	ND	ug/Kg	50.0	1	10/24/06
Xylene P,M	ND	ug/Kg	100	1	10/24/06
Xylenes (Total)	ND	ug/Kg	300		10/24/06

	%Recovery	Qualifier	Limits
Surrogate: 1,2-Dichloroethane-d4	89 %		70-130
Surrogate: 4-Bromofluorobenzene	85 %		70-130
Surrogate: Dibromofluoromethane	94 %		70-130
Surrogate: Toluene-d8	81 %		70-130

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
 Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BJ62321 - 3050B

Blank

Antimony	ND	6.7	mg/kg wet							
Arsenic	ND	0.3	mg/kg wet							
Beryllium	ND	0.07	mg/kg wet							
Cadmium	ND	0.67	mg/kg wet							
Chromium	ND	1.3	mg/kg wet							
Copper	ND	1.3	mg/kg wet							
Lead	ND	6.7	mg/kg wet							
Nickel	ND	3.3	mg/kg wet							
Selenium	ND	6.7	mg/kg wet							
Silver	ND	0.67	mg/kg wet							
Thallium	ND	0.3	mg/kg wet							
Zinc	ND	3.3	mg/kg wet							

LCS

Antimony	30.8	6.7	mg/kg wet	33.3	92	80-120				
Arsenic	28.6	6.7	mg/kg wet	33.3	86	80-120				
Beryllium	3.19	0.07	mg/kg wet	3.33	96	80-120				
Cadmium	15.8	0.67	mg/kg wet	16.7	95	80-120				
Chromium	32.9	1.3	mg/kg wet	33.3	99	80-120				
Copper	33.3	1.3	mg/kg wet	33.3	100	80-120				
Lead	31.9	6.7	mg/kg wet	33.3	96	80-120				
Nickel	32.6	3.3	mg/kg wet	33.3	98	80-120				
Selenium	59.7	6.7	mg/kg wet	66.7	90	80-120				
Silver	16.0	0.67	mg/kg wet	16.7	96	80-120				
Thallium	33.4	6.7	mg/kg wet	33.3	100	80-120				
Zinc	30.9	3.3	mg/kg wet	33.3	93	80-120				

LCS Dup

Antimony	31.4	6.7	mg/kg wet	33.3	94	80-120	2	20		
Arsenic	30.2	6.7	mg/kg wet	33.3	91	80-120	5	20		
Beryllium	3.27	0.07	mg/kg wet	3.33	98	80-120	2	20		
Cadmium	16.1	0.67	mg/kg wet	16.7	96	80-120	2	20		
Chromium	33.7	1.3	mg/kg wet	33.3	101	80-120	2	20		
Copper	34.1	1.3	mg/kg wet	33.3	102	80-120	2	20		
Lead	32.4	6.7	mg/kg wet	33.3	97	80-120	2	20		
Nickel	33.5	3.3	mg/kg wet	33.3	101	80-120	3	20		
Selenium	60.6	6.7	mg/kg wet	66.7	91	80-120	1	20		
Silver	16.4	0.67	mg/kg wet	16.7	98	80-120	2	20		
Thallium	34.9	6.7	mg/kg wet	33.3	105	80-120	5	20		
Zinc	31.8	3.3	mg/kg wet	33.3	95	80-120	3	20		

Reference

Antimony	44.9	9.8	mg/kg wet	77.5	58	0-223.23				
Arsenic	68.4	24.5	mg/kg wet	80.9	85	79.73-120.27				
Beryllium	129	0.10	mg/kg wet	143	90	81.82-118.18				
Cadmium	196	0.98	mg/kg wet	233	84	80.69-118.88				
Chromium	51.8	2.0	mg/kg wet	60.8	85	78.45-121.38				
Copper	119	2.0	mg/kg wet	131	91	52.44-117.56				

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

3050B/6000/7000 Total Metals

Batch BJ62321 - 3050B

Lead	68.0	9.8	mg/kg wet	76.8		89	80.6-119.53			
Nickel	44.8	4.9	mg/kg wet	49.6		90	81.45-118.55			
Selenium	70.6	9.8	mg/kg wet	82.9		85	75.51-124.25			
Silver	74.5	0.98	mg/kg wet	80.0		93	61.25-138.75			
Thallium	175	24.5	mg/kg wet	158		111	75.32-124.68			
Zinc	94.2	4.9	mg/kg wet	116		81	78.02-121.55			

Batch BJ62322 - 7471A

Blank

Mercury	ND	0.033	mg/kg wet							
---------	----	-------	-----------	--	--	--	--	--	--	--

LCS

Mercury	0.200	0.033	mg/kg wet	0.200		100	80-120			
---------	-------	-------	-----------	-------	--	-----	--------	--	--	--

LCS Dup

Mercury	0.198	0.033	mg/kg wet	0.200		99	80-120	1	20	
---------	-------	-------	-----------	-------	--	----	--------	---	----	--

Reference

Mercury	3.63	0.333	mg/kg wet	3.60		101	68.06-131.94			
---------	------	-------	-----------	------	--	-----	--------------	--	--	--

5035/8260B Volatile Organic Compounds / Methanol

Batch BJ62402 - 5035

Blank

1,1,1,2-Tetrachloroethane	ND	100	ug/Kg wet							
1,1,1-Trichloroethane	ND	50.0	ug/Kg wet							
1,1,2,2-Tetrachloroethane	ND	50.0	ug/Kg wet							
1,1,2-Trichloroethane	ND	50.0	ug/Kg wet							
1,1-Dichloroethane	ND	50.0	ug/Kg wet							
1,1-Dichloroethene	ND	50.0	ug/Kg wet							
1,1-Dichloropropene	ND	50.0	ug/Kg wet							
1,2,3-Trichlorobenzene	ND	50.0	ug/Kg wet							
1,2,3-Trichloropropane	ND	50.0	ug/Kg wet							
1,2,4-Trichlorobenzene	ND	50.0	ug/Kg wet							
1,2,4-Trimethylbenzene	ND	50.0	ug/Kg wet							
1,2-Dibromo-3-Chloropropane	ND	250	ug/Kg wet							
1,2-Dibromoethane	ND	50.0	ug/Kg wet							
1,2-Dichlorobenzene	ND	50.0	ug/Kg wet							
1,2-Dichloroethane	ND	50.0	ug/Kg wet							
1,2-Dichloropropane	ND	50.0	ug/Kg wet							
1,3,5-Trimethylbenzene	ND	50.0	ug/Kg wet							
1,3-Dichlorobenzene	ND	50.0	ug/Kg wet							
1,3-Dichloropropane	ND	50.0	ug/Kg wet							
1,4-Dichlorobenzene	ND	50.0	ug/Kg wet							
1,4-Dioxane - Screen	ND	5000	ug/Kg wet							
1-Chlorohexane	ND	50.0	ug/Kg wet							
2,2-Dichloropropane	ND	100	ug/Kg wet							
2-Butanone	ND	1250	ug/Kg wet							
2-Chlorotoluene	ND	50.0	ug/Kg wet							
2-Hexanone	ND	500	ug/Kg wet							
4-Chlorotoluene	ND	50.0	ug/Kg wet							

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BJ62402 - 5035

4-Isopropyltoluene	ND	50.0	ug/Kg wet
4-Methyl-2-Pentanone	ND	500	ug/Kg wet
Acetone	ND	1250	ug/Kg wet
Benzene	ND	50.0	ug/Kg wet
Bromobenzene	ND	50.0	ug/Kg wet
Bromochloromethane	ND	50.0	ug/Kg wet
Bromodichloromethane	ND	50.0	ug/Kg wet
Bromoform	ND	50.0	ug/Kg wet
Bromomethane	ND	100	ug/Kg wet
Carbon Disulfide	ND	50.0	ug/Kg wet
Carbon Tetrachloride	ND	50.0	ug/Kg wet
Chlorobenzene	ND	50.0	ug/Kg wet
Chloroethane	ND	100	ug/Kg wet
Chloroform	ND	50.0	ug/Kg wet
Chloromethane	ND	100	ug/Kg wet
cis-1,2-Dichloroethene	ND	50.0	ug/Kg wet
cis-1,3-Dichloropropene	ND	50.0	ug/Kg wet
Dibromochloromethane	ND	50.0	ug/Kg wet
Dibromomethane	ND	50.0	ug/Kg wet
Dichlorodifluoromethane	ND	50.0	ug/Kg wet
Diethyl Ether	ND	50.0	ug/Kg wet
Di-isopropyl ether	ND	50.0	ug/Kg wet
Ethyl tertiary-butyl ether	ND	50.0	ug/Kg wet
Ethylbenzene	ND	50.0	ug/Kg wet
Hexachlorobutadiene	ND	50.0	ug/Kg wet
Isopropylbenzene	ND	50.0	ug/Kg wet
Methyl tert-Butyl Ether	ND	50.0	ug/Kg wet
Methylene Chloride	ND	250	ug/Kg wet
Naphthalene	ND	50.0	ug/Kg wet
n-Butylbenzene	ND	50.0	ug/Kg wet
n-Propylbenzene	ND	50.0	ug/Kg wet
sec-Butylbenzene	ND	50.0	ug/Kg wet
Styrene	ND	50.0	ug/Kg wet
tert-Butylbenzene	ND	50.0	ug/Kg wet
Tertiary-amyl methyl ether	ND	50.0	ug/Kg wet
Tetrachloroethene	ND	50.0	ug/Kg wet
Tetrahydrofuran	ND	250	ug/Kg wet
Toluene	ND	50.0	ug/Kg wet
trans-1,2-Dichloroethene	ND	50.0	ug/Kg wet
trans-1,3-Dichloropropene	ND	50.0	ug/Kg wet
Trichloroethene	ND	50.0	ug/Kg wet
Trichlorofluoromethane	ND	50.0	ug/Kg wet
Vinyl Acetate	ND	250	ug/Kg wet
Vinyl Chloride	ND	50.0	ug/Kg wet
Xylene O	ND	50.0	ug/Kg wet
Xylene P,M	ND	100	ug/Kg wet

Surrogate: 1,2-Dichloroethane-d4

2540

ug/Kg wet 2500

102

70-130

185 Frances Avenue, Cranston, RI 02910-2211

Tel: 401-461-7181

Fax: 401-461-4486

<http://www.ESSLaboratory.com>

Dependability ♦

Quality ♦

Service ♦

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BJ62402 - 5035										
Surrogate: 4-Bromofluorobenzene	2300		ug/Kg wet	2500		92	70-130			
Surrogate: Dibromofluoromethane	2630		ug/Kg wet	2500		105	70-130			
Surrogate: Toluene-d8	2310		ug/Kg wet	2500		92	70-130			
LCS										
1,1,1,2-Tetrachloroethane	26.3		ug/L	25.0		105	70-130			
1,1,1-Trichloroethane	28.7		ug/L	25.0		115	70-130			
1,1,2,2-Tetrachloroethane	22.2		ug/L	25.0		89	70-130			
1,1,2-Trichloroethane	26.0		ug/L	25.0		104	70-130			
1,1-Dichloroethane	25.4		ug/L	25.0		102	70-130			
1,1-Dichloroethene	30.6		ug/L	25.0		122	70-130			
1,1-Dichloropropene	25.9		ug/L	25.0		104	70-130			
1,2,3-Trichlorobenzene	33.6		ug/L	25.0		134	70-130			+
1,2,3-Trichloropropane	24.4		ug/L	25.0		98	70-130			
1,2,4-Trichlorobenzene	26.1		ug/L	25.0		104	70-130			
1,2,4-Trimethylbenzene	24.4		ug/L	25.0		98	70-130			
1,2-Dibromo-3-Chloropropane	23.7		ug/L	25.0		95	70-130			
1,2-Dibromoethane	25.2		ug/L	25.0		101	70-130			
1,2-Dichlorobenzene	23.9		ug/L	25.0		96	70-130			
1,2-Dichloroethane	27.5		ug/L	25.0		110	70-130			
1,2-Dichloropropane	23.5		ug/L	25.0		94	70-130			
1,3,5-Trimethylbenzene	24.6		ug/L	25.0		98	70-130			
1,3-Dichlorobenzene	24.5		ug/L	25.0		98	70-130			
1,3-Dichloropropane	24.3		ug/L	25.0		97	70-130			
1,4-Dichlorobenzene	22.7		ug/L	25.0		91	70-130			
1,4-Dioxane - Screen	321		ug/L	500		64	70-130			+
1-Chlorohexane	22.5		ug/L	25.0		90	70-130			
2,2-Dichloropropane	29.7		ug/L	25.0		119	70-130			
2-Butanone	148		ug/L	125		118	70-130			
2-Chlorotoluene	24.2		ug/L	25.0		97	70-130			
2-Hexanone	134		ug/L	125		107	70-130			
4-Chlorotoluene	24.8		ug/L	25.0		99	70-130			
4-Isopropyltoluene	24.4		ug/L	25.0		98	70-130			
4-Methyl-2-Pentanone	127		ug/L	125		102	70-130			
Acetone	170		ug/L	125		136	70-130			+
Benzene	23.1		ug/L	25.0		92	70-130			
Bromobenzene	25.0		ug/L	25.0		100	70-130			
Bromochloromethane	30.0		ug/L	25.0		120	70-130			
Bromodichloromethane	29.7		ug/L	25.0		119	70-130			
Bromoform	24.4		ug/L	25.0		98	70-130			
Bromomethane	27.2		ug/L	25.0		109	70-130			
Carbon Disulfide	27.2		ug/L	25.0		109	70-130			
Carbon Tetrachloride	30.8		ug/L	25.0		123	70-130			
Chlorobenzene	24.4		ug/L	25.0		98	70-130			
Chloroethane	25.4		ug/L	25.0		102	70-130			
Chloroform	27.7		ug/L	25.0		111	70-130			
Chloromethane	24.6		ug/L	25.0		98	70-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BJ62402 - 5035										
cis-1,2-Dichloroethene	28.3		ug/L	25.0		113	70-130			
cis-1,3-Dichloropropene	26.0		ug/L	25.0		104	70-130			
Dibromochloromethane	25.3		ug/L	25.0		101	70-130			
Dibromomethane	29.1		ug/L	25.0		116	70-130			
Dichlorodifluoromethane	27.0		ug/L	25.0		108	70-130			
Diethyl Ether	28.6		ug/L	25.0		114	70-130			
Di-isopropyl ether	24.7		ug/L	25.0		99	70-130			
Ethyl tertiary-butyl ether	27.4		ug/L	25.0		110	70-130			
Ethylbenzene	24.8		ug/L	25.0		99	70-130			
Hexachlorobutadiene	26.7		ug/L	25.0		107	70-130			
Isopropylbenzene	21.7		ug/L	25.0		87	70-130			
Methyl tert-Butyl Ether	27.8		ug/L	25.0		111	70-130			
Methylene Chloride	26.5		ug/L	25.0		106	70-130			
Naphthalene	26.0		ug/L	25.0		104	70-130			
n-Butylbenzene	24.3		ug/L	25.0		97	70-130			
n-Propylbenzene	23.5		ug/L	25.0		94	70-130			
sec-Butylbenzene	23.8		ug/L	25.0		95	70-130			
Styrene	25.9		ug/L	25.0		104	70-130			
tert-Butylbenzene	23.8		ug/L	25.0		95	70-130			
Tertiary-amyl methyl ether	24.2		ug/L	25.0		97	70-130			
Tetrachloroethene	25.3		ug/L	25.0		101	70-130			
Tetrahydrofuran	26.6		ug/L	25.0		106	70-130			
Toluene	25.7		ug/L	25.0		103	70-130			
trans-1,2-Dichloroethene	26.7		ug/L	25.0		107	70-130			
trans-1,3-Dichloropropene	25.4		ug/L	25.0		102	70-130			
Trichloroethene	25.6		ug/L	25.0		102	70-130			
Trichlorofluoromethane	28.5		ug/L	25.0		114	70-130			
Vinyl Acetate	26.5		ug/L	25.0		106	70-130			
Vinyl Chloride	26.8		ug/L	25.0		107	70-130			
Xylene O	25.2		ug/L	25.0		101	70-130			
Xylene P,M	49.8		ug/L	50.0		100	70-130			
Surrogate: 1,2-Dichloroethane-d4	2690		ug/Kg wet	2500		108	70-130			
Surrogate: 4-Bromofluorobenzene	2430		ug/Kg wet	2500		97	70-130			
Surrogate: Dibromofluoromethane	2600		ug/Kg wet	2500		104	70-130			
Surrogate: Toluene-d8	2230		ug/Kg wet	2500		89	70-130			
LCS Dup										
1,1,1,2-Tetrachloroethane	26.5		ug/L	25.0		106	70-130	0.9	20	
1,1,1-Trichloroethane	28.1		ug/L	25.0		112	70-130	3	20	
1,1,2,2-Tetrachloroethane	22.3		ug/L	25.0		89	70-130	0	20	
1,1,2-Trichloroethane	24.8		ug/L	25.0		99	70-130	5	20	
1,1-Dichloroethane	25.2		ug/L	25.0		101	70-130	1	20	
1,1-Dichloroethene	30.2		ug/L	25.0		121	70-130	0.8	20	
1,1-Dichloropropene	25.9		ug/L	25.0		104	70-130	0	20	
1,2,3-Trichlorobenzene	33.2		ug/L	25.0		133	70-130	0.7	20	+
1,2,3-Trichloropropane	24.6		ug/L	25.0		98	70-130	0	20	
1,2,4-Trichlorobenzene	26.1		ug/L	25.0		104	70-130	0	20	
1,2,4-Trimethylbenzene	25.3		ug/L	25.0		101	70-130	3	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
5035/8260B Volatile Organic Compounds / Methanol										
Batch BJ62402 - 5035										
1,2-Dibromo-3-Chloropropane	21.2		ug/L	25.0		85	70-130	11	20	
1,2-Dibromoethane	24.8		ug/L	25.0		99	70-130	2	20	
1,2-Dichlorobenzene	24.1		ug/L	25.0		96	70-130	0	20	
1,2-Dichloroethane	26.4		ug/L	25.0		106	70-130	4	20	
1,2-Dichloropropane	23.2		ug/L	25.0		93	70-130	1	20	
1,3,5-Trimethylbenzene	25.2		ug/L	25.0		101	70-130	3	20	
1,3-Dichlorobenzene	24.5		ug/L	25.0		98	70-130	0	20	
1,3-Dichloropropane	24.9		ug/L	25.0		100	70-130	3	20	
1,4-Dichlorobenzene	23.4		ug/L	25.0		94	70-130	3	20	
1,4-Dioxane - Screen	372		ug/L	500		74	70-130	14	20	
1-Chlorohexane	23.1		ug/L	25.0		92	70-130	2	20	
2,2-Dichloropropane	26.6		ug/L	25.0		106	70-130	12	20	
2-Butanone	118		ug/L	125		94	70-130	23	20	+
2-Chlorotoluene	24.7		ug/L	25.0		99	70-130	2	20	
2-Hexanone	111		ug/L	125		89	70-130	18	20	
4-Chlorotoluene	25.2		ug/L	25.0		101	70-130	2	20	
4-Isopropyltoluene	24.9		ug/L	25.0		100	70-130	2	20	
4-Methyl-2-Pentanone	118		ug/L	125		94	70-130	8	20	
Acetone	127		ug/L	125		102	70-130	29	20	+
Benzene	24.7		ug/L	25.0		99	70-130	7	20	
Bromobenzene	25.9		ug/L	25.0		104	70-130	4	20	
Bromochloromethane	28.1		ug/L	25.0		112	70-130	7	20	
Bromodichloromethane	28.7		ug/L	25.0		115	70-130	3	20	
Bromoform	24.5		ug/L	25.0		98	70-130	0	20	
Bromomethane	26.2		ug/L	25.0		105	70-130	4	20	
Carbon Disulfide	27.0		ug/L	25.0		108	70-130	0.9	20	
Carbon Tetrachloride	30.0		ug/L	25.0		120	70-130	2	20	
Chlorobenzene	24.6		ug/L	25.0		98	70-130	0	20	
Chloroethane	25.5		ug/L	25.0		102	70-130	0	20	
Chloroform	27.2		ug/L	25.0		109	70-130	2	20	
Chloromethane	23.9		ug/L	25.0		96	70-130	2	20	
cis-1,2-Dichloroethene	26.6		ug/L	25.0		106	70-130	6	20	
cis-1,3-Dichloropropene	25.8		ug/L	25.0		103	70-130	1	20	
Dibromochloromethane	25.0		ug/L	25.0		100	70-130	1	20	
Dibromomethane	27.1		ug/L	25.0		108	70-130	7	20	
Dichlorodifluoromethane	25.7		ug/L	25.0		103	70-130	5	20	
Diethyl Ether	26.9		ug/L	25.0		108	70-130	5	20	
Di-isopropyl ether	24.7		ug/L	25.0		99	70-130	0	20	
Ethyl tertiary-butyl ether	24.7		ug/L	25.0		99	70-130	11	20	
Ethylbenzene	25.6		ug/L	25.0		102	70-130	3	20	
Hexachlorobutadiene	28.4		ug/L	25.0		114	70-130	6	20	
Isopropylbenzene	22.4		ug/L	25.0		90	70-130	3	20	
Methyl tert-Butyl Ether	25.7		ug/L	25.0		103	70-130	7	20	
Methylene Chloride	25.7		ug/L	25.0		103	70-130	3	20	
Naphthalene	25.0		ug/L	25.0		100	70-130	4	20	
n-Butylbenzene	25.1		ug/L	25.0		100	70-130	3	20	
n-Propylbenzene	24.9		ug/L	25.0		100	70-130	6	20	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

5035/8260B Volatile Organic Compounds / Methanol

Batch BJ62402 - 5035

sec-Butylbenzene	24.5		ug/L	25.0		98	70-130	3	20	
Styrene	25.9		ug/L	25.0		104	70-130	0	20	
tert-Butylbenzene	24.5		ug/L	25.0		98	70-130	3	20	
Tertiary-amyl methyl ether	24.8		ug/L	25.0		99	70-130	2	20	
Tetrachloroethene	25.4		ug/L	25.0		102	70-130	1	20	
Tetrahydrofuran	22.2		ug/L	25.0		89	70-130	17	20	
Toluene	25.9		ug/L	25.0		104	70-130	1	20	
trans-1,2-Dichloroethene	26.4		ug/L	25.0		106	70-130	0.9	20	
trans-1,3-Dichloropropene	24.2		ug/L	25.0		97	70-130	5	20	
Trichloroethene	25.0		ug/L	25.0		100	70-130	2	20	
Trichlorofluoromethane	26.8		ug/L	25.0		107	70-130	6	20	
Vinyl Acetate	25.6		ug/L	25.0		102	70-130	4	20	
Vinyl Chloride	26.1		ug/L	25.0		104	70-130	3	20	
Xylene O	25.7		ug/L	25.0		103	70-130	2	20	
Xylene P,M	51.3		ug/L	50.0		103	70-130	3	20	
Surrogate: 1,2-Dichloroethane-d4	2630		ug/Kg wet	2500		105	70-130			
Surrogate: 4-Bromofluorobenzene	2530		ug/Kg wet	2500		101	70-130			
Surrogate: Dibromofluoromethane	2580		ug/Kg wet	2500		103	70-130			
Surrogate: Toluene-d8	2350		ug/Kg wet	2500		94	70-130			

8100M Total Petroleum Hydrocarbons

Batch BJ62303 - 3550B

Blank

Total Petroleum Hydrocarbons	ND	25.0	mg/kg wet							
------------------------------	----	------	-----------	--	--	--	--	--	--	--

Surrogate: O-Terphenyl	1.68		mg/kg wet	3.33		50	40-140			
------------------------	------	--	-----------	------	--	----	--------	--	--	--

LCS

Total Petroleum Hydrocarbons	440	25.0	mg/kg wet	667		66	40-140			
------------------------------	-----	------	-----------	-----	--	----	--------	--	--	--

Surrogate: O-Terphenyl	2.72		mg/kg wet	3.33		82	40-140			
------------------------	------	--	-----------	------	--	----	--------	--	--	--

LCS Dup

Total Petroleum Hydrocarbons	377	25.0	mg/kg wet	667		57	40-140	15	50	
------------------------------	-----	------	-----------	-----	--	----	--------	----	----	--

Surrogate: O-Terphenyl	2.27		mg/kg wet	3.33		68	40-140			
------------------------	------	--	-----------	------	--	----	--------	--	--	--

8270C Polynuclear Aromatic Hydrocarbons

Batch BJ62326 - 3550B

Blank

2-Methylnaphthalene	ND	333	ug/Kg wet							
Acenaphthene	ND	333	ug/Kg wet							
Acenaphthylene	ND	333	ug/Kg wet							
Anthracene	ND	333	ug/Kg wet							
Benzo(a)anthracene	ND	333	ug/Kg wet							
Benzo(a)pyrene	ND	167	ug/Kg wet							
Benzo(b)fluoranthene	ND	333	ug/Kg wet							
Benzo(g,h,i)perylene	ND	333	ug/Kg wet							
Benzo(k)fluoranthene	ND	333	ug/Kg wet							

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8270C Polynuclear Aromatic Hydrocarbons										
Batch BJ62326 - 3550B										
Chrysene	ND	167	ug/Kg wet							
Dibenzo(a,h)Anthracene	ND	167	ug/Kg wet							
Fluoranthene	ND	333	ug/Kg wet							
Fluorene	ND	333	ug/Kg wet							
Indeno(1,2,3-cd)Pyrene	ND	333	ug/Kg wet							
Naphthalene	ND	333	ug/Kg wet							
Phenanthrene	ND	333	ug/Kg wet							
Pyrene	ND	333	ug/Kg wet							
Surrogate: 1,2-Dichlorobenzene-d4	2410		ug/Kg wet	3330		72	30-130			
Surrogate: 2-Fluorobiphenyl	2520		ug/Kg wet	3330		76	30-130			
Surrogate: Nitrobenzene-d5	2450		ug/Kg wet	3330		74	30-130			
Surrogate: p-Terphenyl-d14	2700		ug/Kg wet	3330		81	30-130			
LCS										
2-Methylnaphthalene	2920	333	ug/Kg wet	3330		88	40-140			
Acenaphthene	2920	333	ug/Kg wet	3330		88	40-140			
Acenaphthylene	2590	333	ug/Kg wet	3330		78	40-140			
Anthracene	3070	333	ug/Kg wet	3330		92	40-140			
Benzo(a)anthracene	2970	333	ug/Kg wet	3330		89	40-140			
Benzo(a)pyrene	3070	167	ug/Kg wet	3330		92	40-140			
Benzo(b)fluoranthene	3170	333	ug/Kg wet	3330		95	40-140			
Benzo(g,h,i)perylene	3100	333	ug/Kg wet	3330		93	40-140			
Benzo(k)fluoranthene	2900	333	ug/Kg wet	3330		87	40-140			
Chrysene	3040	167	ug/Kg wet	3330		91	40-140			
Dibenzo(a,h)Anthracene	3300	167	ug/Kg wet	3330		99	40-140			
Fluoranthene	3240	333	ug/Kg wet	3330		97	40-140			
Fluorene	3150	333	ug/Kg wet	3330		95	40-140			
Indeno(1,2,3-cd)Pyrene	3210	333	ug/Kg wet	3330		96	40-140			
Naphthalene	2870	333	ug/Kg wet	3330		86	40-140			
Phenanthrene	3030	333	ug/Kg wet	3330		91	40-140			
Pyrene	2960	333	ug/Kg wet	3330		89	40-140			
Surrogate: 1,2-Dichlorobenzene-d4	2930		ug/Kg wet	3330		88	30-130			
Surrogate: 2-Fluorobiphenyl	3110		ug/Kg wet	3330		93	30-130			
Surrogate: Nitrobenzene-d5	2980		ug/Kg wet	3330		89	30-130			
Surrogate: p-Terphenyl-d14	3150		ug/Kg wet	3330		95	30-130			
LCS Dup										
2-Methylnaphthalene	2680	333	ug/Kg wet	3330		80	40-140	10	30	
Acenaphthene	2700	333	ug/Kg wet	3330		81	40-140	8	30	
Acenaphthylene	2400	333	ug/Kg wet	3330		72	40-140	8	30	
Anthracene	2820	333	ug/Kg wet	3330		85	40-140	8	30	
Benzo(a)anthracene	2740	333	ug/Kg wet	3330		82	40-140	8	30	
Benzo(a)pyrene	2830	167	ug/Kg wet	3330		85	40-140	8	30	
Benzo(b)fluoranthene	2610	333	ug/Kg wet	3330		78	40-140	20	30	
Benzo(g,h,i)perylene	2870	333	ug/Kg wet	3330		86	40-140	8	30	
Benzo(k)fluoranthene	3070	333	ug/Kg wet	3330		92	40-140	6	30	
Chrysene	2790	167	ug/Kg wet	3330		84	40-140	8	30	
Dibenzo(a,h)Anthracene	3060	167	ug/Kg wet	3330		92	40-140	7	30	

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8270C Polynuclear Aromatic Hydrocarbons										
Batch B362326 - 3550B										
Fluoranthene	3010	333	ug/Kg wet	3330		90	40-140	7	30	
Fluorene	2910	333	ug/Kg wet	3330		87	40-140	9	30	
Indeno(1,2,3-cd)Pyrene	2970	333	ug/Kg wet	3330		89	40-140	8	30	
Naphthalene	2590	333	ug/Kg wet	3330		78	40-140	10	30	
Phenanthrene	2790	333	ug/Kg wet	3330		84	40-140	8	30	
Pyrene	2730	333	ug/Kg wet	3330		82	40-140	8	30	
Surrogate: 1,2-Dichlorobenzene-d4	2590		ug/Kg wet	3330		78	30-130			
Surrogate: 2-Fluorobiphenyl	2780		ug/Kg wet	3330		83	30-130			
Surrogate: Nitrobenzene-d5	2640		ug/Kg wet	3330		79	30-130			
Surrogate: p-Terphenyl-d14	2850		ug/Kg wet	3330		86	30-130			

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

Notes and Definitions

- U Analyte included in the analysis, but not detected
- D Results obtained from a deionized water leach of the sample.
- + Outside QC Limits.
- ND Analyte NOT DETECTED above the detection limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- mg/kg Results reported as wet weight
- TCLP Toxicity Characteristic Leachate Procedure
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- TIC A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- ¶ The state of RI does not grant certification for this method for non-potables.

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0610416

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP accredited): 242405
Potable Water
Non Potable Water

New York (NELAP accredited): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP accredited): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water

ESS Laboratory

Division of Thielsch Engineering, Inc.
 185 Frances Avenue, Cranston, RI 02910-2211
 Tel. (401) 461-7181 Fax (401) 461-4486
 www.esslaboratory.com

CHAIN OF CUSTODY

Turn Time: Standard Other 3 Days (Three) Reporting Limits: ESS LAB PROJECT ID

If faster than 5 days, prior approval by laboratory is required # 3- JENNA

State where samples were collected from: RIDEM Res. Direct Exposure 06/10/16

MA RI CT NH NJ NY ME Other

Is this project for any of the following: USACE Other

MA-MCP Navy

Project # 6196501 Project Name (25 Char. or less) Gorham - Parcel B

Contact Person: Peter Grivets Address: 2350 Post Rd.

Warwick RI ZIP: 02886 PO #: 2666

Telephone #: 401-736-3440 FAX #: 401-736-3423 Email Address: pgrivets@erest.com

ESS LAB Sample #	Date	Collection Time	COMP	GRAB	MATRIX	Sample Identification (25 Char. or less)	Pres Code	Type of Containers	Number of Containers	Type of Containers	8260 TOX	8021 VPH	8015 GRO	8100 DRO	EPH	w/PAHs	4 Diesel	8081 PCB	8082 PCB	8270 SVOA	PAH 8320	RCRAS 625	PP13 TAL23	RCRAS PCRA8	TCLP-RCRA8	MCP METALS (13)	MCP METALS (13) w/HZ
1	10-23-06	1550	X			S Gorham Temp Stockpile - 1 3/6	2	9/V	2					X						X		X					
2						TRIP Blank	6	1	V																		

Container Type: P-Poly G-Glass S-Sterile V-VOA Matrix: S-Soil SD-Solid D-Sludge WW-Waste Water GW-Ground Water SW-Surface Water DW-Drinking Water O-Oil W-Wipes P-Pilters

Cooler Present: Yes No Internal Use Only

Seals Intact: Yes No NA: I Pickup

Cooler Temp: 34

Relinquished by: (Signature) Date/Time 10/23/06/1620 Received by: (Signature) Date/Time 10/23/07/1620

Relinquished by: (Signature) Date/Time Received by: (Signature) Date/Time

Preservation Code: 1- NP, 2- HCl, 3- H2SO4, 4- HNO3, 5- NaOH, 6- MeOH, 7- Asorbic Acid, 8- ZnAct, 9-

Sampled by: Peter Grivets

Comments: Do NOT Report 'J-Flag' concentrations on Report

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

PROJECT NARRATIVE

RECEIVED

NOV 17 2006

EA ENGINEERING, SCIENCE
AND TECHNOLOGY, INC.
BY _____

Peter Grivers
EA Engineering, Science, and Technology
2350 Post Road
Warwick, RI 02886

RE: Gorham
ESS Laboratory Work Order Number: 0611053

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this Project Narrative, the entire report has been paginated. The ESS Laboratory Certifications sheet is the final report page. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been mailed. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

Date: November 09, 2006

Sample Receipt

1 Soil sample was received on November 03, 2006 for the analyses specified on the enclosed Chain of Custody Record. Client did not deliver samples in cooler.

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration may be used instead of automated integration because it produces more accurate results.

ESS Laboratory certifies that the test results meet the requirements of NELAC, except where noted within this project narrative.

No unusual observations noted.

End of Project Narrative.

mdp

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham
Client Sample ID: Temp-Stockpile 2
Date Sampled: 11/03/06 09:10
Percent Solids: N/A

ESS Laboratory Work Order: 0611053
ESS Laboratory Sample ID: 0611053-01
Sample Matrix: Soil

Classical Chemistry

<u>Analyte</u>		<u>Results</u>	<u>Units</u>	<u>MRL</u>	<u>Method</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>
Corrosivity (pH)		7.69	S.U.	N/A	9045	1	NMT	11/03/06 13:13
Flashpoint	>	200	°F	N/A	1010	1	NMT	11/06/06
Reactive Cyanide		ND	mg/kg	2.0	7.3.3.2	1	NMT	11/06/06
Reactive Sulfide		ND	mg/kg	2.0	7.3.4.1	1	NMT	11/06/06

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0611053

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Classical Chemistry

Batch BK60603 - General Preparation

Duplicate Source: 0611053-01

Corrosivity (pH)	7.73		S.U.		7.69			0.5	200	
------------------	------	--	------	--	------	--	--	-----	-----	--

ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology

Client Project ID: Gorham

ESS Laboratory Work Order: 0611053

Notes and Definitions

U	Analyte included in the analysis, but not detected
>	Greater than.
ND	Analyte NOT DETECTED above the detection limit
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
MDL	Method Detection Limit
MRL	Method Reporting Limit
mg/kg	Results reported as wet weight
TCLP	Toxicity Characteristic Leachate Procedure
I/V	Initial Volume
F/V	Final Volume
§	Subcontracted analysis; see attached report
TIC	A forward library search of the NBS Mass Spectral Library was performed on this sample using the McLafferty Probability Base Matching (PBM) Algorithm. An estimated concentration of non-TCL compounds tentatively identified is quantified by the internal standard method. The nearest internal standard free of interferences was used to quantify. A response factor of one was assumed. This search was inclusive of the ten largest peaks greater than ten percent of the nearest internal standard.
1	Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2	Range result excludes concentrations of target analytes eluting in that range.
3	Range result excludes the concentration of the C9-C10 aromatic range.
Avg	Results reported as a mathematical average.
NR	No Recovery
¶	The state of RI does not grant certification for this method for non-potables.



ESS Laboratory

Division of Thielsch Engineering, Inc.

CERTIFICATE OF ANALYSIS

Client Name: EA Engineering, Science, and Technology
Client Project ID: Gorham

ESS Laboratory Work Order: 0611053

ESS LABORATORY CERTIFICATIONS

U.S. Army Corps of Engineers
Soil and Water

Navy Installation Restoration QA Program
Soil and Water

Rhode Island: A-179

Connecticut: PH-0750

Maine: RI002

Massachusetts: M-RI002

New Hampshire (NELAP accredited): 242405
Potable Water
Non Potable Water

New York (NELAP accredited): 11313
Potable Water
Non Potable Water
Solid and Hazardous Waste

United States Department of Agriculture
Soil Permit: S-54210

New Jersey (NELAP accredited): RI002
Potable Water
Non Potable Water
Soil and Hazardous Waste

Maryland: 301
Potable Water



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

1005502095

RECEIPT DOCUMENT NUMBER

B **11** **11** **10** **10**

A KOREY CONSTRUCTION CORP.
 51 HARRISONSETT AVENUE
 PROVIDENCE, RI 02907

W **11** **11** **10** **10**

A KOREY CONSTRUCTION CORP.
 51 HARRISONSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	NET WEIGHT
11-21-09	00:07:00	TTC	00:07:00	TTC	30,000 LBS	17,000 LBS
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE	WEIGHT	NET WEIGHT
000000		Tractor/Trailer	RI 3307	Inbound	15.18 Tons	23.69 Tons
QUANTITY	WC	DESCRIPTION/ORDIN	WEIGHT	NET WEIGHT		
23.69	350	ULT CUR - NON HAZD PRODESS	15.18 Tons	23.69 Tons		
Comments		Gross: 27750 Tons 30300 Net: 17300				

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

John Miller

SIGNATURE

1005502095



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919

JOHNSTON OFFICE 942-1430

CORPORATE FAX NO. 946-5174

SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

01000000

01000000

A KOPY CONSTRUCTION CORP.
54 HUNDELOUSEY AVENUE
PROVIDENCE, RI 02907

HAULER

01000000

A KOPY CONSTRUCTION CORP.
54 HUNDELOUSEY AVENUE
PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPEN	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-21-86	12:05:23	110	12:45:33	JTC	50500 LBS Scale	37000 LBS Produce	13500 LBS 13.18 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		HAULER	
024004		P1240040		RI1		Inbound	

QUANTITY	MC	DESCRIPTION	WEIGHT	UNIT	WEIGHT
13.18	75A	CLT CRK- HIGH USED PROCESS	Balance 11,000	Tons	11,000
		Produce 50500	Tons: 24000	Net: 26500	
			11,000	Tons	11,000
			13.18	Tons	13.18

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: W. A. Morse SIGNATURE: [Signature]

PRINT: W. A. Morse

DOCUMENT TOTAL: 1171.33



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

0100000000

0100000000

0 KOREY CONSTRUCTION CORP.
 65 HERRINGSONSETT AVENUE
 PROVIDENCE, RI 02907

0 KOREY CONSTRUCTION CORP.
 65 HERRINGSONSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	NET WEIGHT
11/21/06	13:00:15	TOP	13:03:23	TOP	6020 LBS Scale	3620 LBS
					30.11 Tons	18.11 Tons
VEHICLE NUMBER: 540004						
VEHICLE TYPE: PICKUP VAN						
PLATE NUMBER: HR7						
TAXID: 140004						
DESCRIPTION: Inbound						
QUANTITY	UNIT	DESCRIPTION	DATE	TIME	NET WEIGHT	NET WEIGHT
18.11	Tons	NON HAZ WASTE	11/21/06	13:03	18.11	18.11
Gross: 6020 Tons: 3620 Net: 3620						
Comments:						
DECLARATION REGARDING WASTE DELIVERY					100% TOTAL	
The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.						
DRIVER NAME: <u>Michael Maise</u>				SIGNATURE: <u>[Signature]</u>		100% TOTAL
PRINT:						



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

TO
 A. KOREY CONSTRUCTION CORP.
 54 HARRINGTON AVENUE
 PROVIDENCE, RI 02907

FROM
 A. KOREY CONSTRUCTION CORP.
 54 HARRINGTON AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-22-06	10:36:03	SF	10:37:06	SF	62440 LBS Scale	24000 LBS PreTare	38440 LBS 19.22 Tons
VEHICLE NUMBER: 940004 VEHICLE TYPE: Pickup Van PLATE NUMBER: HPT TRANSACTION TYPE: Inbound							
QUANTITY	WC	DESCRIPTION	UNITS	AMOUNT	UNITS	AMOUNT	
19.22	35A	NON HAZD PROCESS	Ton	17.00	17.00	17.00	
		Gross: 62440 Tare: 24000		38440			
DECLARATION REGARDING WASTE DELIVERY The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, /is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation and complies with all applicable laws and regulations.							
DRIVER NAME: Michael Mouse PRINT: <i>Michael Mouse</i> SIGNATURE: <i>Michael Mouse</i>						DOCUMENT TOTAL: 19.22 Tons	



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

0 44327619
 A KOREY CONSTRUCTION CORP.
 54 HERRINGBERRY AVENUE
 PROVIDENCE, RI 02907

0 10223619
 A KOREY CONSTRUCTION CORP.
 54 HERRINGBERRY AVENUE
 PROVIDENCE, RI 02907

MAULEY

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/22/07	06:53:00	CF	06:53:00	CF	50560 LBS Scale	24000 LBS ProTare	26560 LBS 17.28 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER	TRANSACTION TYPE		
340104		Pickup Van			PBT Embroid		
QUANTITY	WC	DESCRIPTION/OIGIN	UNIT	UNIT PRICE	AMOUNT		
17.28	350	OLT CUR - HIGH HAZD PROCESS	Ton	0.00	17.28		
		Gross 50560 Tares 24000	Net 26560				
Comments							
DECLARATION REGARDING WASTE DELIVERY							DOCUMENT TOTAL
The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.							
DRIVER NAME: <u>Michael Morse</u>							1003.00
PRINT SIGNATURE: <u>[Signature]</u>							



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

B
L
L
L
T
O

A BOSTON
A KOREY CORPORATION CORP.
51 HERRINGSETT AVENUE
PROVIDENCE, RI 02907

H
A
U
L
E
R

A BOSTON
A KOREY CORPORATION CORP.
51 HERRINGSETT AVENUE
PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-22-86	09:27:00	GP	09:57:07	GP	58500 LBS Scale	23000 LBS Pallets	35500 LBS 12.00 Tons

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE
040803	Pickup Van		NP

QUANTITY	WC	DESCRIPTION/ORIGIN	UNITS	AMOUNT
17.25	354	MLT COP- HON HLDZ PROCESS	Ton	172.500
		Process 5/5/86 Tons 24000 Hds		

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulatory, and complies with all applicable laws and regulations.

DRIVER NAME: Richard Morse SIGNATURE: [Signature]

PRINT: [Signature]



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

100597100

RECEIPT DOCUMENT NUMBER

H.V. 831439
H.V. COLLINS COMPANY
P.O. BOX 2398
99 GANO STREET
PROVIDENCE, RI 02906

H.A. 80677619
H.A. KOREY CONSTRUCTION CORP.
54 NORRAGONSETT AVENUE
PROVIDENCE, RI 02907

***** Reprinted Ticket *****

DATE	ENTRY TIME	OPER	EXT NAME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/06	10:16:00	EF	10:16:00	EF	56200 LBS Scale	24000 LBS PreTare	32200 LBS
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
940004		Pickup/Van		RI02906		1645	

QUANTITY	WEIGHT	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
16.45	350	ALT CUR- NON HAZD PROCESS Gross: 56200 Tare: 24000 Net: 32200	Ton	\$13.00	\$213.05

Comments#

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Richard Morse SIGNATURE: [Signature]

DOCUMENT TOTAL



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 842-0239

100597626

RECEIPT DOCUMENT NUMBER

BILL TO
 H.V. 831439
 H.V. COLLINS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906

H A U L E R
 H A K0277619
 A KOREY CONSTRUCTION CORP.
 54 HARRINGTON AVENUE
 PROVIDENCE, RI 02907

***** Reprinted Ticket *****

DATE	ENTRY TIME	OPEN	ENTER	TYPE	GROSS WEIGHT	NET WEIGHT
11/27/06	13:43:39	EF	13:43:41	EF	61440 LBS Scale	37440 LBS
VEHICLE NUMBER		PLATE NUMBER		TRANSACTION TYPE		UNIT PRICE
940004		Pickup/Un		MSF		413.00

QUANTITY	WC	DESCRIPTION	ORIGIN	UNITS	UNIT PRICE	AMOUNT
19.72	350	ALT CAR-- NON HAZD PROCESS	Evans	Ton	413.00	8143.56
		Gross: 61440	Tare: 24000	Net: 37440		
Comments						

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT *[Signature]*

SIGNATURE *[Signature]*

DOCUMENT TOTAL

100597626



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

100597406

RECEIPT DOCUMENT NUMBER

WILLIAMS

H.V. 831439
 H.V. COLLINS COMPANY
 P.O. BOX 2396
 92 GARD STREET
 PROVIDENCE, RI 02906

WILLIAMS

A 80277619
 A KOREY CONSTRUCTION CORP.
 54 NARRAGANSETT AVENUE
 PROVIDENCE, RI 02907

***** Reprinted Ticket *****

DATE	ENTRY TIME	OPER.	CHPL.	GROSS WEIGHT	NET WEIGHT
11/27/06	12:11:10	EF	EF	57600 LBS Scale	33000 LBS
VEHICLE NUMBER		PLATE NUMBER		TARE	
940004		Pickup/Van		16.00 TONS	
TRANSACTION TYPE		TARE		16.00 TONS	

QUANTITY	DESCRIPTION	ORIGIN	UNIT	UNIT PRICE	AMOUNT
16.00	ALT CUR- NON HAZD PROCESS	Dales	Ton	413.00	4213.70
Gross: 57600		Tare: 24000		Net: 33000	

Comments:	Signature
	<i>Michael Mours</i>

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

Michael Mours

DOCUMENT TOTAL

1214.70



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

100597257A

RECEIPT DOCUMENT NUMBER

BILL TO

H.V. 831437
 H.V. COLLINS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906

PAID TO

A K0277619
 A KOREY CONSTRUCTION CORP.
 54 HERRINGSETT AVENUE
 PROVIDENCE, RI 02907

***** Remitted Ticket *****

DATE	ENTRY TIME	OPEN	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/00	11:14:26	EF	59300 LBS Scale	24000 LBS PreTare	35300 LBS 17.65
VEHICLE NUMBER: 940004					
VEHICLE TYPE: Pickup/Van					
PLATE NUMBER: HRF					
QUANTITY: 17.65					
DESCRIPTION: ALT CUR- NON HAZD PROCESS					
Gross: 59300 Tare: 24000 Net: 35300					
UNIT PRICE: \$13.00					
AMOUNT: \$229.45					

QUANTITY	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
17.65	ALT CUR- NON HAZD PROCESS	Ton	\$13.00	\$229.45

Comments:

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Richard Morse SIGNATURE: [Signature]

PRINT: Richard Morse

DOCUMENT TOTAL



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

100500000

RECEIPT DOCUMENT NUMBER

H.U. 031430
 H.U. COLLINS COMPANY
 P.O. BOX 2790
 99 GARD STREET
 PROVIDENCE, RI 02906

HAULER

A REPORT
 A KOREY CONSTRUCTION CORP.
 51 HOPKINSON AVENUE
 PROVIDENCE, RI 02902

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-27-06	14:41:43	EF	14:11:45	EF	70940 LBS Scale	31060 LBS Propane	39880 LBS 19.94 Tons
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE			
060703		Pickup/Man	21336	RFI Inbound			
QUANTITY	WC	DESCRIPTION	UNIT	UNIT PRICE	AMOUNT		
19.94	350	RFI CUR- NON HAZD PROCESS	Ton	\$13.00	1759.82		
		Gross: 70940 Tons					
		Net: 39880					

609
JFM

Comments

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME Tom Leary SIGNATURE _____
 PRINT

document
TOTAL

1759.82



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.U. 821479
 H.V. COLLINS COMPANY
 P.O. BOX 239A
 99 GARD STREET
 PROVIDENCE, RI 02906

H.A. 4077619
 A KOREY CONSTRUCTION CORP.
 54 HARRINGTONS AVENUE
 PROVIDENCE, RI 02907

MAULER

DATE	ENTRY TIME	OPER	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/06	11:47:03	EF	EF	11:47:04	EF	71168 LBS Scale 35.58 Tons	71068 LBS ProTare 15.53 Tons	10100 LBS 28.05 Tons
VEHICLE NUMBER: 268703 Pickup/Jan 21936 MRF Inbound QUANTITY: 28.05 WC: 358 ALT CUR: NON HAZD PROCESS Tare: 31060 Net: 40100 Gross: 71168 Tare: 31060 Net: 40100 COMMENTS: 609 TFM								
							117.00	1700.65
							DOCUMENT TOTAL	1700.65

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Tim Lewis
 PRINT

SIGNATURE: Tim Lewis



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 948-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.U. 031430
H.U. COLLIER COMPANY
P.O. BOX 2390
99 OHIO STREET
PROVIDENCE, RI 02906

HAULER

A 10075619
A KOPPE CONSULTING CORP.
51 HEMPDEWSETT AVENUE
PROVIDENCE, RHODE ISLAND

John 609 9
John 609 9

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/06	12:41:20	ET	12:41:24	ET	30700 LBS Scale	30360 LBS ProTare	30340 LBS 15.18 Tons

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE
060456	Pickup/Drop	P813ART	MTF Inbound

QUANTITY	WC	DESCRIPTION	UNITS	AMOUNT
20.17	750	ALT CUR- HIGH HEAVY PROCESS	Ton	1277.2
		Gooder 70700 Tons: 30360 lbs: 40300		

Comments	Document Total
	1277.2

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
PRINT

SIGNATURE

10075619



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

100597779

B I L L T O

H.V. COLLINS COMPANY
P.O. BOX 2398
39 GARD STREET
PROVIDENCE, RHODE ISLAND

H A U L E R

6 FORESTDALE
6 FOREY CONSTRUCTION CORP.
54 HERRINGHURST OVERLINE
PROVIDENCE, RHODE ISLAND

*Sub 29
#60801
#61801*

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	NET WEIGHT
11-27-06	14:13:55	EF	14:13:55	PT	70960 LBS Scale 35.46 Tons	40360 LBS 15.16 Tons
VEHICLE NUMBER					TRANSACTION TYPE	
060456					Inbound	

QUANTITY	WEIGHT	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
20.30	758	ALT CUR- HIGH HAZD PROCESS	Ton	413.00	4263.50
		Gross: 70960 Tons: 30360 Net:			

Comments:

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____ SIGNATURE _____
PRINT _____

DOCUMENT TOTAL 1263.50



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1490
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

100570065

RECEIPT DOCUMENT NUMBER

H.O. 931479
 H.O. FOLI THE COMPANY
 P.O. BOX 2398
 99 GRAND STREET
 PROVIDENCE, RI 02906

H A U L E R

B 10272619
 A FOREY CONSTRUCTION CORP.
 53 HANNOVERST AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/06	09:59:55	EF	09:59:52	TF	69240 LBS Scale	31060 LBS Tare	38180 LBS 19.09 Tons

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION
066703	Prepup/Tran	01936	Inbound

QUANTITY	WC	DESCRIPTION	WEIGHT	NET WEIGHT
19.09	758	ALT CUR - NON HAZD PROCESS Gross: 69240 Tare: 31060 Net: 38180	0.00	19.09
<p>609 JPM</p>				

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Tom Lewis SIGNATURE: [Signature]
 PRINT: Tom Lewis

SCALE
 TOTAL

19.09



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.U. 031430
 H.O. COLLINS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02896

0 18077619
 A KOREY COLLECTION CORP.
 54 HERRINGSETT AVENUE
 PROVIDENCE, RI 02907

H A U L I E R

DATE	ENTRY TIME	OPER	EXT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/06	12:40:33	RT	12:40:32	RT	72920 LBS Scale	71000 LBS Drum Tare	11920 LBS 28.93 Tons
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE			
0680703		Pickup/Down	21936	INT			
VEHICLE WEIGHT		Tolbound					

QUANTITY	MC	DESCRIPTION	WEIGHT	NET WEIGHT
20.93	35A	GLT CUR - HIGH HAZD PROCESS	113.00	173.00
		Gross: 72920 Tons		
		Tare: 31060 Tons		
<p>609</p> <p>AFM</p>				
Comments				

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME Tom Lewis SIGNATURE Tom Lewis

PRINT Tom Lewis

TOTAL 173.00



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.U. 831429
 H.V. COLLINS COMPANY
 P.O. BOX 2395
 99 GRAND STREET
 PROVIDENCE, RI 02906

0 40277619
 A KOREY CONSTRUCTION CORP.
 54 HERRINGHSETT AVENUE
 PROVIDENCE, RI 02907




DATE	ENTRY TIME	OPEN	EXIT TIME	OPEN	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/86	14:15:00	EF	14:15:00	FF	48,300 LBS Scale	37,700 LBS Pretare	10,600 LBS 29.26 Tons

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION	WEIGHT	WEIGHT
860102	Transfer Trailer	10240	IRF Inbound	11,000	1300.30

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
 PRINT _____

SIGNATURE  _____

DOCUMENT TOTAL 1300.30



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

1009971906

RECEIPT DOCUMENT NUMBER

0
11
11
11
0

H.U. 071430
 H.U. COLLINS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906

HAULER
 0 100370619
 0 WOREY CONSTRUCTION CORP.
 54 HOPKINSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER.	EXIT TIME	OPER.	GROSS WEIGHT	NET WEIGHT
11/23/00	12:43:55	EF	12:13:50	EF	90040 LBS Scale 40.02 Tons	50200 LBS 29.13 Tons
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE		
800102		Transfer Trailer	10240	MSF Inbound		

QUANTITY	WG	DESCRIPTION	DATE	TIME	AMOUNT
29.13	350	NET CUR- NON HAZD PROCESS	0.00	11:00	4378.69
		Gross: 90040 Tons	37700	10:59:40	
Comments:					
DOCUMENT TOTAL					4378.69

DECLARATION REGARDING WASTE DELIVERY

I, undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the above receipt, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain any asbestos, and complies with all applicable laws and regulations.

VER NAME
 JT

SIGNATURE

4378.69



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

100576000

BILL TO

H. U. 9421430
H.U. COLLINS COMPANY
P.O. BOX 2398
99 GARD STREET
PROVIDENCE, RI 02906

HAULER

A. KOSYKO
O. KOSYK CONSTRUCTION CORP.
55 WINDHAMMERE AVENUE
PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/27/86	08:13:00	FF	08:13:05	FF	77700 LBS Scale	77700 LBS Propane	77700 LBS 28.37 Tons
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE			
860102		Trailer	1A249	MBF Inbound			
QUANTITY	WC	DESCRIPTION/ORIGIN		UNITS	UNIT PRICE	AMOUNT	
20.77	758	ALT COP- HM HLD PROCESS Gross: 95300 Tare: 77700 Net: 57540		Ton	113.00	1371.01	
Commented							
							Document TOTAL
							1371.01

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
PRINT

SIGNATURE



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

10000000000000000000

RECEIPT DOCUMENT NUMBER

H.U. 031439
 H.U. COLLIS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906

HAULER

010277619
 6 KOPPEY CONSTRUCTION SUPPLY
 54 HUNTINGTON AVENUE
 PROVIDENCE, RI 02907


DATE	ENTRY TIME	OPEN	EXIT TIME	OPEN	PLATE NUMBER	VEHICLE TYPE	VEHICLE TYPE	PLATE NUMBER	VEHICLE TYPE	VEHICLE TYPE	NET WEIGHT
11/27/06	09:40:07	EF	09:48:05	FT	19240	Transfer Trailer	MF	19240	Inbound		37700 LBS 10.09 Tons
VEHICLE NUMBER 28.97 VEHICLE TYPE Commercial PLATE NUMBER 19240 VEHICLE TYPE MF VEHICLE TYPE Inbound NET WEIGHT 37700 LBS NET WEIGHT 10.09 Tons											

QUANTITY	UNIT	DESCRIPTION	WEIGHT	NET WEIGHT
28.97	Ton	MT CR - NON HAZD PROCESS	37700 LBS	37700 LBS
		Gross: 37700 Tons	10.09 Tons	28.97 Tons

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: _____
 PRINT

SIGNATURE: 

11/27/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

HULL 031370
 H.V. COLLINS COMPANY
 P.O. BOX 2300
 99 GARD STREET
 PROVIDENCE, RI 02906

0 10077019
 O KORY CONSTRUCTION CORP
 51 HUNTINGDON AVENUE
 PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

H A U L L E R

DATE	ENTRY TIME	OVER	OPEN	CROSS WEIGHT	NET WEIGHT
11/27/06	11:42:56	EF	EF	71600 LBS Scale 47.30 Tons	56000 LBS Profare 18.00 Tons
VEHICLE NUMBER					
868182		Trailer for Trailer		RFI Inbound	
VEHICLE TYPE					
358		MULT CUR - NON HAZD PROCESS		Balot: 0.00 Tons: 37.00 Net: 56000	
PLATE NUMBER					
1A240		RFI		Inbound	
DISPATCH NUMBER					
28.41		Tons		113.00 Tons	
QUANTITY					
28.41 Tons					
COMMENT					
In excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.					
					DOCUMENT TOTAL
					43670.33

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

43670.33



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.L. COLLIER COMPANY
 P.O. BOX 2590
 99 BOND STREET
 PROVIDENCE, RI 02906

H. W. WELLS
 6 FOREY CONSTRUCTION CORP.
 53 HERRINGSETT AVENUE
 PROVIDENCE, RI 02907

MAJULIER

DATE	ENTRY TIME	OPER	OPER	ENT TIME	OPER	GROSS WEIGHT	NET WEIGHT	NET WEIGHT	
11/27/96	07:43:51	EF	EF	07:47:46	EF	34,500 LBS Scale	37,700 LBS Propane 18.09 Tons	56,700 LBS 28.35 Tons	
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE			
ACR102		Transfer Trailer		18240		Inbound			
QUANTITY	WC	DESCRIPTION	WEIGHT	WEIGHT	WEIGHT	TOTAL			
28.35	75A	WET COP HIGH HEAVY PROCESS	14,000	0.00	14,000	1300.55			
		PROCES	94400	14000	14000				
Comments:									Document TOTAL

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

11/27/96



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 85 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

H.U. 831434
 H.U. COLLINS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906

H A U L I E R

1000000000
 1000000000
 5) HANCOCK STREET
 PROVIDENCE, RI 02906

RECEIPT DOCUMENT NUMBER

1001

DATE	ENTRY TIME	OPEN	EXIT TIME	OPEN	WEIGHT	WEIGHT
11/27/06	00:40:33	EF	00:40:37	00	102460 LBS Scale	32.34 Tons
VEHICLE NUMBER: 856107 VEHICLE TYPE: Transfer Trailer PLATE NUMBER: 1B248 TRANSACTION TYPE: Haul TUBS: Inbound						
QUANTITY	WC	DESCRIPTION	ORIGIN	TUBS	UNIT PRICE	AMOUNT
32.34	35A	OLT CUR- HIGH HAZO PROCESS	Dona	Don	113.00	3659.82
		Gross: 102460 Tons	77790	Hot:	64000	
Comments:						
DECLARATION REGARDING WASTE DELIVERY The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.						SIGNATURE
DRIVER NAME PRINT						RECEIPT TOTAL 3659.82



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

1100597797

RECEIPT DOCUMENT NUMBER

6001

H. U. ARLETT
 H. U. COLLINS COMPANY
 P. O. BOX 2390
 99 GARD STREET
 PROVIDENCE, RI 02906

H. A. ULLER

1100597797
 11 KERRY CORNWELL ROAD
 50 HAMPDENSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-27-06	11:40:00	EF	11:40:00	CT	101793 LBS Scale	11760 LBS Tare	89933 LBS 30.01 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
460427		Tractor Trailer		45006 W		RRF Inbound	
QUANTITY	WC	DESCRIPTION/DRAIN		UNITS	UNIT PRICE	AMOUNT	
30.01	75A	OLT CPE- NON HAZD PROCESS		Ton	113.00	3390.13	
		Order# 101300 Tons 41360 Hets 60000					

Comments

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

TOTAL

3390.13



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

**B
 I
 L
 L
 I
 O**

H.L. 831 439
 H.L. COLLINS COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906

**H
 A
 U
 L
 E
 R**

A 10027519
 A KORBLY CONSTRUCTION CORP
 71 HERRINGBANK AVENUE
 PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

601

DATE	ENTRY TIME	OPEN	END TIME	OPEN	GROSS WEIGHT	NET WEIGHT
11/27/06	12:37:50	EF	12:37:00	EF	101600 LBS Scale 50.84 Tons	60320 LBS 30.16 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER	TRANSACTION TYPE	
9C0427		Transfer Trailer		45086-m	Inbound	
QUANTITY		WEIGHT		DESCRIPTION/COMMENTS		
30.16		350		NET CUR--NON HAZD PROCESS Gross: 101600 Tons: 11360 Net: 60320		113.00 Ton 1392.00
Comments						

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

11/27/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

#601

H.W. COLLINS COMPANY
 P.O. BOX 2390
 99 GARD STREET
 PROVIDENCE, RI 02906

O FOREY CONSTRUCTION CORP.
 53 HOBANCONSET AVENUE
 PROVIDENCE, RI 02907

SCALE

DATE	ENTRY TIME	OPEN	OPER	OPER	GROSS WEIGHT	NET WEIGHT
11/27/06	14:10:00	EF	EF		102500 LBS Scale	5120 Tons 30.60 Tons
VEHICLE INFORMATION						
VEHICLE NUMBER	468427		VEHICLE TYPE	Transfer Trailer	PLATE NUMBER	45886 m
INBOUND	Inbound					
TRANSACTION TYPE						
QUANTITY	30.60	WC	750	DESCRIPTION	Old Cur- Non HAZD PROCESS	HAZARDOUS WASTE
				Gross	102500 Tons	11360 Net
Comments:						
					UNIT PRICE	1397.00
					TOTAL	42797.00

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

11/27/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE FAX NO. 942-1490
 CORPORATE FAX NO. 948-5174
 SCALEHOUSE FAX NO. 942-0239

1205969774

RECEIPT DOCUMENT NUMBER

H.V. 831439
 H.V. COLLINS COMPANY
 P.O. BOX 2398
 99 SAND STREET
 PROVIDENCE, RI 02906

H
A
U
L
E
R

A K027619
 B K091 CONSTRUCTION CORP.
 54 HARRINGTON AVENUE
 PROVIDENCE, RI 02907

Recycled Ticket # 3533333333

DATE	ENTRY TIME	OPEN	ORDER	GROSS WEIGHT	NET WEIGHT	NET WEIGHT
11/27/06	09:14:27	EF	EF	55120 LBS Scale	24000 LBS Pretare	31120 LBS

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE	UNITS	UNIT PRICE	AMOUNT
940004	Pickup/Van		HRF			

QUANTITY	INC	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
15.56	350	ALT CVE- NON HAZD PROCESS	Ton	113.00	1728.20
		Gross: 55120 Tare: 24000 Net: 31120			

Comments:

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Michael Morse SIGNATURE:

DOCUMENT TOTAL



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

U.S. 031430
H.C. COLLIS COMPANY
P.O. BOX 2300
99 GARD STREET
PROVIDENCE, RI 02906

H. AULIER
H. AULIER
O. FOREY CONSTRUCTION CORP.
54 HERRINGBONE AVENUE
PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	OPER	EXIT TIME	OPER	GROSS WEIGHT	NET WEIGHT
11/22/80	07:40:31	JJC	JJC	07:43:11	JJC	7300 LBS Scale 27.15 Tons	3000 LBS 15.15 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
540004		Pickup Van		RIE		Embound	
QUANTITY		DESCRIPTION		UNIT		WEIGHT	
15.15		MIXED NON HAZ WASTE		Ton		15.15 Tons	
		Gross: 54300		Net: 30000			

DATE	ENTRY TIME	OPER	OPER	EXIT TIME	OPER	GROSS WEIGHT	NET WEIGHT
11/22/80	07:40:31	JJC	JJC	07:43:11	JJC	7300 LBS Scale 27.15 Tons	3000 LBS 15.15 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
540004		Pickup Van		RIE		Embound	
QUANTITY		DESCRIPTION		UNIT		WEIGHT	
15.15		MIXED NON HAZ WASTE		Ton		15.15 Tons	
		Gross: 54300		Net: 30000			

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: John J. Collins SIGNATURE: [Signature]
 PRINT: John J. Collins

DOCUMENT TOTAL
15.15 Tons



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

10/17/1979

RECEIPT DOCUMENT NUMBER

H.L.A. 11479
 H.L. COLLINS COMPANY
 P.O. BOX 2329
 99 GARD STREET
 PROVIDENCE, RI 02906

01077019
 6 KOREY CONSTRUCTION CORP.
 51 HARRINGTON AVENUE
 PROVIDENCE, RHODE ISLAND

MAADLER

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/20/06	09:27:34	TTC	09:37:56	TTC	23326 LBS	2000 LBS	21326 LBS
					Scale	Pulp	
					28.63 Tons	12.00 Tons	16.63 Tons
VEHICLE NUMBER		VEHICLE TYPE		TRANSACTION TYPE			
040004		Pickup Van		PIF			
				Inbound			
QUANTITY	UIC	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT		
16.63	35A	OUT CUR- NON HAZD PROCESS	Ton	117.00	1716.19		
Gross: 57200 Tons			21000	104	32000		

Comments:	
-----------	--

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Michael Morse SIGNATURE:

PRINT: Michael Morse

Document Total: 1716.19



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

B I L L I N G
 H.L. 031430
 H.C. POLLETS COMPANY
 P.O. BOX 2306
 99 GARD STREET
 PROVIDENCE, RI 02906

HAULER
 01077019
 0 KOREY CONSTRUCTION CORP.
 51 HERRINGSETT AVENUE
 PROVIDENCE, RI 02902

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/28/06	10:44:20	RIC	10:44:34	JTC	56000 LBS 56 Lbs	24000 LBS 17.00 Tons	32000 LBS 16.00 Tons
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE			
940004		Pickup Van		RFI	Embarked		
QUANTITY	WC	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT		
16.00	YSA	MT CUR-HH HRTD PROCESS	Ton	413.00	6688.00		
		Gross 56000 Tons 24000 Hst:			32000		

Comments:

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Muchta d horse SIGNATURE: [Signature]
 PRINT: [Signature]

TOTAL: 17200.00



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 W. SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

11/20/96 11:47:14 EF 11:47:15 EF
 H.U. COLLINS COMPANY
 P.O. BOX 2396
 99 GARD STREET
 PROVIDENCE, RI 02906

11/20/96
 H.A. O'LEARY
 O'LEARY CONSTRUCTION CORP.
 54 HERRINGHILL AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPEN	EXIT TIME	OPER	GROSS WEIGHT LBS	NET WEIGHT LBS
11/20/96	11:47:14	EF	11:47:15	EF	32,000 LBS Scale	32,000 LBS Net Tare
VEHICLE NUMBER					TRACTION TYPE	NET WEIGHT
948804					Inbound	16.12 Tons
QUANTITY	WG	DESCRIPTION	ORIGIN	UNIT	NET WT	AMOUNT
16.12	756	OUT PUT - MIN HCO PROCESS	Balance	Ton	412.00	4291.56
		Gross 56240 Tons	24000	16.12		
Comments						RECEIPT TOTAL
						4291.56

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

1007309675

RECEIPT DOCUMENT NUMBER

B 0111031319
 U.S. COIL TIPS COMPANY
 P.O. BOX 2390
 99 BOND STREET
 PROVIDENCE, RI 02906

H 0107309675
 HAULER
 A KOREY CONSTRUCTION CORP.
 51 BIRKENHEAD AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPEN	ENTRY TIME	OPEN	WEIGHT	WEIGHT
11/28/06	12:58:49	11C	12:59:09	JVC	54720 LBS Scale	24000 LBS Prefare
					27.36 Tons	12.00 Tons
VEHICLE NUMBER 248084 VEHICLE TYPE Pickup/Van PLATE NUMBER PKF INBOUND						
QUANTITY	WC	ALT CUP	NON HAZD PROCESS	Release	Rate	UNIT
15.36	350	54720	Tara 21000	413.00	413.00	Ton
DECLARATION REGARDING WASTE DELIVERY The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations. DRIVER NAME <i>Richard Morse</i> PRINT <i>Richard Morse</i> SIGNATURE <i>[Signature]</i>						

15.36 Tons

1139.60

1139.60




RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE
JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.L. COLLINS COMPANY
P.O. BOX 2399
99 OAKNO STREET
PROVIDENCE, RI 02906

H. AULET
A PROPERTY
A PROPERTY
51 HANCOCK STREET
PROVIDENCE, RI 02902

DATE	ENTRY TIME	OPER	PLATE NUMBER	VEHICLE TYPE	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-20-06	08:25:01	110	08-75-05	Transfer Trailer	110	95600 LBS Scale	37700 LBS Tare Tare	57900 LBS 29.41 Tons
VEHICLE NUMBER: 460187					TRANSACTION TYPE: Inbound			
QUANTITY	WC	DESCRIPTION	UNIT PRICE	AMOUNT				
29.41	35A	MT CUR - NON HZD PROCESS	6.00	176.46				
		Gross: 95600 Tare: 37700	Net: 57900					
Comments:								
DECLARATION REGARDING WASTE DELIVERY The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.					DRIVER NAME PRINT: _____ SIGNATURE:  TOTAL: 1362.33			



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

100700117

RECEIPT DOCUMENT NUMBER

H.U. 031430
 H.O. COLLINS COMPANY
 P.O. BOX 239A
 99 DAVID STREET
 PROVIDENCE, RI 02906

H.0303619
 O'FOREY CONSTRUCTION CORP.
 54 HIRSHANGER AVENUE
 PROVIDENCE, RHODE ISLAND

HAULER

DATE	ENTRY TIME	OPEN	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/28/86	10:52:28	JTC	JTC	5400 LBS Scale 47.45 Tons	3700 LBS ProTare 18.89 Tons	5120 LBS 28.56 Tons
VEHICLE NUMBER						
860147	Transfer Trailer		10240	Inbound		NET
QUANTITY						
28.56	350	ALT CUR- 40N 1820 PROCESS	8000	0.00	100	113.00
	6000	9400 Tons	3700	NET		1571.70
Comments						
DECLARATION REGARDING WASTE DELIVERY The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.						
DRIVER NAME						DECLARATION TOTAL
PRINT						1571.70

E. M. [Signature]

SIGNATURE



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

TO
 H.O. 031130
 H.O. COLLINS COMPANY
 P.O. BOX 2390
 99 GARD STREET
 PROVIDENCE, RI 02906


FROM
 A. MURTY CONSTRUCTION CORP.
 51 HARRINGTON AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/20/86	07:40:53	JTC	07:40:53	JTC	48,700 LBS Scale	37,700 LBS ProTare	50,620 LBS 10.92 Tons
VEHICLE NUMBER 0660182 VEHICLE TYPE Transfer Trailer PLATE NUMBER 15C748 NR Inbound							
QUANTITY	WC	DESCRIPTION	UNIT	NET WT	NET WT	NET WT	NET WT
29.01	358	ALT CUR - NON HZD PROCESS	Ton	413.00	413.00	413.00	1997.53
		Gross: 37700 Tons					
Comments:							

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
 PRINT

SIGNATURE  _____

Document TOTAL 1997.53



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

BILL TO

H. U. COLLECTIVE COMPANY
P.O. BOX 2308
99 GARD STREET
PROVIDENCE, RI 02906

HAULER

O. ROBERTSON
O. ROBERTSON
53 HUNTINGTON AVENUE
PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

100700559

DATE	ENTRY TIME	OPER	ENTRY TIME	OPER	WEIGHT	WEIGHT
11-20-76	11:51:35	EF	11:51:52	EF	97340 LBS 53.16 Tons	37700 LBS 18.09 Tons
VEHICLE NUMBER: 060102 Transfer Trailer						
VEHICLE TYPE: Transfer Trailer						
PLATE NUMBER: 1R240						
TRANSPORTATION TYPE: Inbound						
QUANTITY	WG	DESCRIPTION	WEIGHT	WEIGHT	WEIGHT	WEIGHT
30.78	354	NET CUR - NON HAZD PROCESS	0-100	0-100	413.00	413.00
		GROSS: 97340 Tons	37700	Net: 61560		
						30.78 Tons

Comment:	
DECLARATION REGARDING WASTE DELIVERY	

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: _____ SIGNATURE:  PRINT: _____

RECEIPT TOTAL: 100700559



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-6174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

U.S. MAIL
 U.S. COLLECTOR COMPANY
 P.O. BOX 2309
 99 GORHO STREET
 PROVIDENCE, RI 02906

HAULER

010070610
 0 FOREY CONSTRUCTION CORP
 54 HANCOCKSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	OPEN	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/28/06	12:52:00	JTC	12:52:24	JTC	13	9770 LBS Scale	3770 LBS Pit One	5700 LBS 27.49 TONS
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE	UNITS	UNITS	UNITS	UNITS
060122		Transfer Trailer	10246	RFI	10	11	11	11
QUANTITY		WC	DESCRIPTION	UNITS	UNITS	UNITS	UNITS	UNITS
27.49	350	01100	HIGH HOLD PROCESS	10.00	10	11	11	11
		GROSS	9770 LBS	3770 LBS	11	11	11	11

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____ SIGNATURE _____
 PRINT _____

[Handwritten Signature]

11/28/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

1009503003

H.A. COLLIS COMPANY
 P.O. BOX 2300
 99 GAND STREET
 PROVIDENCE, RI 02906

A PROTECTED
 A FORTY FOUR FOOT FLARE
 57 HURDHOUSE AVENUE
 PROVIDENCE, RI 02907

H A U L I E R

DATE	ENTRY TIME	OPEN	CLOSE	CROSS WEIGHT	WEIGHT	SCALE	TOTAL
11-09-06	07:40:00	TIC	07:48:13	TIC	66760 LBS	Scale	33.38 Tons
					27700 LBS	Produce	13.89 Tons
							19.49 Tons

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	WEIGHT	SCALE	TOTAL
060500	Bump Truck	27700	113.00		113.00
			19.49		19.49

QUANTITY	WC	DESCRIPTION/ORIGIN	TONS	WEIGHT
19.49	350	GT CUR- NON HAZED PROCESS	0.00	113.00
		Gross 66760 Tons 27700 Hds	38900	

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

John A. Ryan

DOCUMENT TOTAL

19.49 Tons



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1480
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

B I L L T O

H.L. 031179
H.L. COLLIS COMPANY
P.O. BOX 2398
99 GARD STREET
PROVIDENCE, RI 02906

H A U L E R

H.L. 031179
A DEEY CONSTRUCTION CORP.
53 WINDHAMSETT AVENUE
PROVIDENCE, RI 02904

RECEIPT DOCUMENT NUMBER

101739310

DATE	ENTRY TIME	OPER.	EXIT TIME	OPEN	CLOSED WEIGHT	SCALE	NET WEIGHT
11-29-06	09:26:27	TTC	09:56:26	1.00	60160 LBS	Scale 34.23 Tons	31060 LBS 15.53 Tons
VEHICLE NUMBER				PLATE NUMBER	TRANSACTION TYPE		
060703				Pickup/Drop	21736	INF	Inbound

QUANTITY	AWC	DESCRIPTION	WEIGHT
10.70	358	OLT CYR - NON HAZD PROCESS	6.00 Ton
		Gross: 60160 Tons	37400
Comments		609 WPD	
			1243.10

DECLARATION REGARDING WASTE DELIVERY
The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME TIM LEWIS SIGNATURE [Signature]
PRINT
DOCUMENT TOTAL 101739310



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

1000000000

RECEIPT DOCUMENT NUMBER

H.L.L. 031475
 H.V. COLLINS COMPANY
 P.O. BOX 2390
 99 OHIO STREET
 PROVIDENCE, RI 02905

HULLER

0 10027619
 O FORDY CONSTRUCTION CORP.
 54 HERRINGSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	SCALE WEIGHT	NET WEIGHT
11/28/06	07:37:33	JTC	07:37:35	JTC	6520 LBS Scale	31060 LBS ProPare	31060 LBS 17.73 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER	TRANSPORTATION		
864782		Pickup/Drop		21336	HPI		
					Inbound		
QUANTITY	WC	DESCRIPTION	ORIGIN	UNITS	UNIT PRICE	AMOUNT	
17.73	350	ALT CUR - HIGH HOLD PROCESS	Dales	Ton	43.00	750.00	
		Gross: 6520 Tons	Net: 31060				
<p>Comments: <i>609</i> <i>JFM</i></p>							
DOCUMENT TOTAL							1773.00

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME *Tom Lewis* SIGNATURE *[Signature]*



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

11-25-89
 H.V. COLLINS COMPANY
 P.O. BOX 2390
 93 BARD STREET
 PROVIDENCE, RI 02906

0 40822619
 O KOREY CONSTRUCTION CORP.
 53 BRIMCOMBETT AVENUE
 PROVIDENCE, RI 02907

HAULER

#169
 #1809

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11-25-89	09:39:57	TTC	09:30:56	TTC	72160 LBS	30360 LBS	41800 LBS
					Scale	Protare	
					36.00 Tons	15.10 Tons	20.90 Tons
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE	UNITS	UNIT PRICE	AMOUNT	
AG0456	Pickup Van	201-391	WRT	Ton	113.00	1271.70	
Total							

QUANTITY	WC	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
20.90	350	ALT CUR - HIGH HAZD PROCESS	Ton	113.00	1271.70
		Gross: 72160 Tons	Net: 41800		

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

RIVER NAME _____
 RINT _____

SIGNATURE _____

11/25/89

1271.70




RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

B.L.L. 831439
 B.L.L. COLLIERIE COMPANY
 P.O. BOX 2398
 99 GARD STREET
 PROVIDENCE, RI 02906



0 110277619
 0 TONNAGE COMPANY (0001) (0001)
 53 HARRINGTONSLEY AVENUE
 PROVIDENCE, RI 02907

#609
 #1809

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/28/06	07:39:29	TTC	07:59:37	CIT	69660 189 Scale 34.43 Tons	30360 189 Pallets 15.18 Tons	39300 189 19.65 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
060456		Pickup Van		R013AP1		PRF Tobacco	

QUANTITY	WC	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
19.65	358	GLT CUR- 1000 1020 PROCESS	Ton	113.00	2219.75
		Gross: 69660 Tons: 34360 Net: 35300			
Comments:					

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

DOCUMENT TOTAL

2219.75



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

609

H.O. COLLINS COMPANY
 P.O. BOX 7390
 99 GRAND STREET
 PROVIDENCE, RI 02906

H.A.U.L.E.R.

O. KOPYE CONSTRUCTION CORP.
 51 WASHINGTON STREET
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER.	EXIT TIME	OPER.	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/28/06	07:49:31	JTC	07:57:46	TW	39040 LBS	41700 LBS	57600 LBS
					Scale	20.60 Tons	28.84 Tons

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	WEIGHT	UNIT PRICE	AMOUNT
868427	Transfer Trailer	45006-W	0.00	113.00	113.00

QUANTITY	UIC	DESCRIPTION	ORIGIN	UNIT PRICE	AMOUNT
28.84	348	NET CWP NON HAZ WASTE PROCESS	Balance	0.00	0.00
		Gross: 39040 Tons	41360	Net: 57600	

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
 PRINT _____
 SIGNATURE _____
 11/28/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

H.U. 031179
 H.U. COLLINS COMPANY
 P.O. BOX 2300
 90 BOND STREET
 PROVIDENCE, RI 02906

B
 I
 L
 L
 T
 O

H.A. FULLER

A 1022000
 A PERRY CONSTRUCTION CORP.
 55 HOPKINSSETT AVENUE
 PROVIDENCE, RI 02906

RECEIPT DOCUMENT NUMBER

#609

DATE	ENTRY TIME	OPER	ENTER TIME	OPER	GROSS WEIGHT	NET WEIGHT
11/20/06	09:14:37	TIC	09:14:37	TIC	1022000 LBS Scale 51.49 Tons	61620 LBS Propane 20.68 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER	TRANSACTION TYPE	
660427		Transfer Trailer		45006-w	Inbound	
QUANTITY	WC	DISPOSITION	WEIGHT	WEIGHT	AMOUNT	
30.01	358	ULT TRP - HEN WOOD PROCESS	0.00 Ton	413.00	1,004.53	
GROSS: 1022000 Tons			41360 Net: 61620			
Comments						
DRIVER NAME				SIGNATURE		
PRINT				660427		

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by-DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

660427



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

H.U. 031139
 H.U. COLLINS COMPANY
 P.O. BOX 2390
 99 GARD STREET
 PROVIDENCE, RI 02906

H.A.U. 187

01027740
 A COPY CONSTRUCTION FIRM
 51 HOPKINS AVENUE
 PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

41609

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/28/06	10:49:00	JJC	10:49:00	JJC	106200 LBS Scale	71300 LBS Propane	64900 LBS 32.46 Tons
VEHICLE NUMBER: 860427							
VEHICLE TYPE: Transfer Trailer							
PLATE NUMBER: 45066-D							
WEIGHT: 45066-D							
VEHICLE TYPE: Imbound							
QUANTITY	WGT	DESCRIPTION	WGT	PRICE	NET PRICE		
32.46	350	OLT CUR- NON HAZ WASTE PROCESS	0.00	100	413.00	121,700	
GROSS: 106200 Tons			11350	NETS:	64900		
Comments:							
DECLARATION REGARDING WASTE DELIVERY							
The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.							
DRIVER NAME PRINT							DOCUMENT TOTAL
SIGNATURE							11/28/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 948-5174
 SCALEHOUSE FAX NO. 942-0239

H.L. COLLINS COMPANY
 P.O. BOX 233A
 99 OHIO STREET
 PROVIDENCE, RI 02906



0 FORTY-19
 0 FORTY CONSTRUCTION CORP.
 51 HOPKINSON AVENUE
 PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

#609

DATE	ENTRY TIME	OPER	EXIT TIME	TOWERS	GROSS WEIGHT	NET WEIGHT	NET TONS
11/28/80	13:41:40	NIC	13:41:44	NIC	101340 LBS Scale	31360 LBS Payload	29.99 Tons
VEHICLE NUMBER				PLATE NUMBER	TRANSPORTATION		
A56627				35026-0	RRF		
VEHICLE TYPE				Inbound			
Transfer Trailer							
QUANTITY	W/C	DESCRIPTION	UNIT	WEIGHT			
29.99	350	OLT CUR - HIGH ROAD PROCESS	Tons	0.00			
		Correct 101340 Tons: 41360 lbs:	lbs:	53986			
Comments							
				113.00			
				109.07			
				RECEIPT TOTAL			

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

[Handwritten Signature]

109.07



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

1000-0037-10

RECEIPT DOCUMENT NUMBER

U. U. 831430
 H. U. COLLINS COMPANY
 P. O. BOX 2300
 99 GARD STREET
 PROVIDENCE, RI 02906

0 PORT 1619
 O KOREY CONSTRUCTION CORP.
 54 NARRAGANSETT AVENUE
 PROVIDENCE, RI 02907

MAULIER

DATE	ENTRY TIME	OPEN	EXIT TIME	OFFER	CROSS WEIGHT	WEIGHT	SCALE
11/29/96	13:32:30	9F	13:33:12	SF	57000 LBS Scale	24000 LBS Pre-Tare	33000 LBS 16,90 Tons
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	MANUFACTURER	MPF			
940004	Pickup/Truck			Inbound			
QUANTITY	WG	DISPOSITION	WEIGHT	SCALE			
16,90	359	MT FOR NON HAZ PROCESS	413,000	1719,70			
		0 Gross: 57000 Tons: 24000 Tons: 33000					

DATE	ENTRY TIME	OPEN	EXIT TIME	OFFER	CROSS WEIGHT	WEIGHT	SCALE
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	MANUFACTURER	MPF			
QUANTITY	WG	DISPOSITION	WEIGHT	SCALE			

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER: *Michael Morse* SIGNATURE
 PRINT: Michael Morse

RECEIPT TOTAL: 1219,70



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

(00779907)

RECEIPT DOCUMENT NUMBER

H.L. 931430
 H.L. COLLIER COMPANY
 P.O. BOX 2199
 99 GARD STREET
 PROVIDENCE, RI 02906

HAULER

01070619
 40 FORTY FORTIFICATION CORP.
 51 HUNTINGSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER.	EXIT TIME	OPER.	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/00	11:31:00	SP	11:31:10	SP	56480 LBS Scale	24000 LBS Tare	32480 LBS 16.24 Tons
VEHICLE NUMBER					TRANSACTION TYPE		
940094					RFI		
VEHICLE TYPE					Inbound		
QUANTITY	WC	DESCRIPTION	UNITS	AMOUNT	AMOUNT		
16.24	350	MT CUP - NEM 102D PROCESS	Ton	413.00	413.00		
		Gross: 56480 Tons	Net: 32480				
Comments:							
<p>DECLARATION REGARDING WASTE DELIVERY</p> <p>The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.</p>							
DRIVER NAME					SIGNATURE		
MICHAEL WORSSEL					<i>[Signature]</i>		
PRINT					TOTAL		
					413.00		



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

11/29/96

RECEIPT DOCUMENT NUMBER

B
 I
 L
 L
 I
 O

H.U. 031430
 H.U. COLLINS COMPANY
 P.O. BOX 239A
 99 GARD STREET
 PROVIDENCE, RI 02906

H
 A
 U
 L
 E
 R

A 10077619
 A WASTE CONSTRUCTION CORP.
 51 HANCOCKSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTER TIME	OPER	ENTER TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/96	14:21:27	SF	14:21:13	SF	30040 LBS Scale	30300 LBS DuffTare	30000 LBS
VEHICLE NUMBER				VEHICLE TYPE	TRANSACTION TYPE		
060456				Pickup/240	35.02 Tons		19.04 Tons
QUANTITY				Inbound			
19.04				Inbound			

NET CUR	MIN	HTZD	PROCESS	DOLLAR	0.00	Tons	UNIT PRICE	AMOUNT
Gross: 30040	Tare: 30300	Net: 30600				117.00		1277.00

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

VER NAME _____ SIGNATURE *[Signature]*
 VT _____



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

6999
#

H.L. COLLINS COMPANY
 P.O. BOX 2399
 99 GARD STREET
 PROVIDENCE, RI 02906

H. ADLER

0 40377619
 0 KOREY CONSTRUCTION CORP.
 50 HAMPDEN STREET
 PROUDVILLE, RHODE ISLAND

RECEIPT DOCUMENT NUMBER

1006.00175

DATE	ENTRY TIME	OPER	EXIT TIME	TOPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/06	13:24:00	SF	13:24:11	SF	77540 LBS Scale	70360 LBS Pre-Tare	7180 LBS 21.59 Tons
VEHICLE NUMBER: 850456					TRANSACTION TYPE: Inbound		
VEHICLE TYPE: Pickup Van					PLATE NUMBER: 20130KI		
QUANTITY: 21.59					UNITS: Tons		
WEIGHT: 77540					GROSS: 70360		
DESCRIPTION: HLT COP - HLT HED PROCESS					NET WT: 7180		
GROSS: 77540					NET WT: 7180		
Comments:					AMOUNT: 1200.57		

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain an excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

RIVER NAME _____
 SIGNATURE _____
 7/INT _____

1700.57



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

RI 111110

H. U. COLLINS COMPANY
 P.O. BOX 239A
 99 BRAD STREET
 PROVIDENCE, RHODES

HAULER

A HOFFMANN
 A HOFFMANN CONSTRUCTION CORP.
 51 WINDSOR STREET
 PROVIDENCE, RHODES

DATE	ENTRY TIME	OPER	EXY TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/20/96	10:39:14	GF	10:39:23	GF	46,480 LBS Scale	33,700 LBS Propane	50,700 LBS 29.35 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
SCALE		Transfer Trailer		10740		Inbound	


QUANTITY	WG	DESCRIPTION	UNITS	UNIT PRICE	AMOUNT
29.35	35A	NET CURB-100% HAZD PROCESS	Ton	113.00	3311.75
		Gross: 46,480 LBS	Tons	50.700	

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

Comments: _____

DRIVER NAME _____
 PRINT _____

SIGNATURE  _____

DOCUMENT TOTAL 3311.75



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

100600166

RECEIPT DOCUMENT NUMBER

H.U. 031430
 H.C. COLLINS COMPANY
 P.O. BOX 2390
 99 DOND STREET
 PROVIDENCE, RI 02906

H A U L L E R

0 PORT 019
 A FOREY CONSTRUCTION CORP.
 53 HARRINGTON AVENUE
 PROVIDENCE, RI 02904

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	NET WEIGHT	NET WEIGHT
11/29/96	13:13:55	SF	13:13:55	SF	99420 LBS Scale	37200 LBS Produce	60640 LBS 30.32 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE	
960102		Trailer for Trailer		16P40		MRF Inbound	

QUANTITY	WC	DESCRIPTION	ENTER	EXIT	DATE	AMOUNT
30.32	750	OUT CUR - NON HAZ WASTE	6:00	7:00	11.16	1394.16
		Scale: 98420 Tons	37200	60640		

Comments:

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
 PRINT

SIGNATURE

4 201.16



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

RECEIPT

H.U. COLLIS COMPANY
P.O. BOX 2390
99 GARD STREET
PROVIDENCE, RI 02906

HAULER

A 10077617
A COREY CONSTRUCTION CORP.
51 HERRINGSETT AVENUE
PROVIDENCE, RI 02907

DATE	ENTRYING	OPEN	CAT	TIME	OVER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/00	14:12:30	9F		14:12:36	9F	90120 LBS Scale	37780 LBS Platform	52340 LBS 30.17 Tons
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE					
86818P	Transfer Trailer	16740	RRF Inbound					

QUANTITY	UNIT	DESCRIPTION	PLATE NUMBER	NET WEIGHT
30.17	TON	DIR CUR-- HDM HED PROCESS		52340
		Gross: 90120 Tons		37780 Net: 52340
				413.00
				1392.21

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not hazardous waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
PRINT _____

SIGNATURE _____

Document TOTAL 1392.21



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

RI 02919

HAULER

A PROPERTY
O RORY CONSTRUCTION CORP.
53 HOPKINSON AVENUE
PROVIDENCE, RI 02907

H.H. COLLINS COMPANY
P.O. BOX 2500
99 GOND STREET
PROVIDENCE, RI 02906

DATE	ENTRY TIME	OPER.	EXIT TIME	OPER.	GROSS WEIGHT	NET WEIGHT
11/29/96	09:50:30	SF	09:50:40	SF	101900 LBS Scale	37700 LBS Postage
VEHICLE NUMBER					50.95 Tons	32.06 Tons
VEHICLE TYPE					TRANSACTION TYPE	
8601AP Transfer Trailer					19249 HRF Inbound	
WC					DESCRIPTION	
32.06					101900 Tons 37700 Hbf 64196	
Quantity					Net Weight	
32.06					413.00	
Comment					1416.70	

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
PRINT

SIGNATURE

RECEIPT TOTAL

1416.70



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE
JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

B I L L T O

H.L. BLANCHARD
H.L. COLLIER COMPANY
P.O. BOX 2300
99 GARD STREET
PROVIDENCE, RHODES

H A U L L E R

01027610
A ROSEY CONSTRUCTION CORP.
53 HAMPDENSETT AVENUE
PROVIDENCE, RHODES

RECEIPT DOCUMENT NUMBER

#609

DATE	ENTRY TIME	OPER	EXIT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT	
11/29/06	07:37:41	SF	07:37:44	SF	103100 LBS Scale	41360 LBS Propane	61740 LBS 30.87 Tons	
VEHICLE NUMBER		VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE				
060427		Trailer	45006 m	RRF Inbound				
QUANTITY	WG	DESCRIPTION/ORIGIN		UNITS	UNIT PRICE	AMOUNT		
30.87	750	GILT CUR- NON HAZ WASTE PROCESS		Ton	413.00	12711.31		
Comments:		Gross 103100 Tons 41360 Hubs 61740						
							DOCUMENT TOTAL	12711.31

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
PRINT

SIGNATURE



RHODE ISLAND RESOURCE RECOVERY CORPORATION

#609

CENTRAL LANDFILL
65 SHUN PIKE
JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.L. 431 790
H.L. COLLINS COMPANY
P.O. BOX 239A
99 GRAND STREET
PROVIDENCE, RI 02906

HAULER

6 KOSSEY RD
6 KOSSEY CONSTRUCTION CORP.
51 IMPROVEMENT AVENUE
PROVIDENCE, RI 02907

DATE	ENTRY TIME	EXIT TIME	OPER	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/06	09:23:30	09:23:32	SP	SP	10220 LBS	11368 LBS	61369 LBS
					Scale	Pre-Tare	30.73 Tons
					51.41 Tons	29.68 Tons	
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE	UNIT	WEIGHT		
800427	Transfer Trailer	45906-m	INF				
QUANTITY	WG	DESCRIPTION	UNIT	WEIGHT			
30.73	75A	NET CUR-HOH HHZD PROCESS	TON	61369			
		Gross: 10220 Tons	41360	61400			
Comments							

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME
PRINT

SIGNATURE

[Signature]

11/29/06



RHODE ISLAND RESOURCE RECOVERY CORPORATION

#609

CENTRAL LANDFILL
65 SHUN PIKE
JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.U. 031479
H.U. COLLINS COMPANY
P.O. BOX 239A
99 GARD STREET
PROVIDENCE, RI 02906

HAULIER

0 0027619
O POREY CONSTRUCTION CORP.
51 HOPKINSSETT AVENUE
PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	OPER	ENT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/06	10:50:57	SP	SP	10:50:57	SP	101500 LBS Scale	11360 LBS Pretare	60000 LBS 30.15 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER		TRANSACTION TYPE		
860427		Transfer Trailer		45006-W		Inbound		
QUANTITY	MC	DESCRIPTION	UNIT	UNIT PRICE	AMOUNT			
30.15		NET CUR- NON HAZD PROCESS	Ton	\$17.00	\$512.55			
		Gross: 101500 Tons: 4360	Net: 60000					
Comments								
<p>DECLARATION REGARDING WASTE DELIVERY</p> <p>The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.</p>								
DRIVER NAME								PRINT
SIGNATURE								PRINT



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE
JOHNSTON, RI 02919
JOHNSTON OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

609

RECEIPT DOCUMENT NUMBER

H. U. B. A. T. I. 139
H. U. COLLIER COMPANY
P.O. BOX 7130
99 GARD STREET
PROVIDENCE, RI 02206

H. U. B. A. T. I. 139
A. FOREY CONSTRUCTION CORP.
54 MANDRUSSETT AVENUE
PROVIDENCE, RHODE ISLAND

DATE	ENTRY TIME	OPER.	EXIT TIME	WGT	WGT	WGT	WGT	WGT	WGT
11/29/00	12:16:20	GF	13:16:30	GF	101700 LBS	91760 LBS	101700 LBS	91760 LBS	103730 LBS
					Scale	Scale	ProTare	ProTare	
					50.85 Tons	50.85 Tons	20.68 Tons	20.68 Tons	30.17 Tons
VEHICLE NUMBER: 450427									
VEHICLE TYPE: Transfer Trailer									
PLATE NUMBER: 4509C-m									
TRANSACTION TYPE: Inbound									
QUANTITY: 30.17									
WGT: 358									
ALT CUR: NDH HAZD PROCESS									
Gross: 101700 Tare: 41760 Net: 60340									
Gross: 101700 Tare: 41760 Net: 60340									
Comments:									
DECLARATION REGARDING WASTE DELIVERY									
The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.									
DRIVER NAME: _____									
PRINT: _____									
SIGNATURE: <i>[Signature]</i>									
DOCUMENT TOTAL: 103730									



RHODE ISLAND RESOURCE RECOVERY CORPORATION

#609

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

RI
 ILL
 LL
 T
 O

H.L. COLLINS COMPANY
 P.O. BOX 2790
 99 GRAND STREET
 PROVIDENCE, RI 02906

H.A. JULER

A 10077649
 A KOSBY CONSTRUCTION CORP.
 53 HAMPDENSETT AVENUE
 PROVIDENCE, RI 02907

DATE	ENTRY TIME	OPER	EXT TIME	OPER	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
11/29/06	14:16:44	SF	14:16:54	BT	90200 LBS Scale	41360 LBS ProFare	48840 LBS 28.96 Tons
VEHICLE NUMBER		VEHICLE TYPE		PLATE NUMBER	TRANSACTION TYPE		
860427		Transfer Trailer		4500-00	Inbound		
QUANTITY	WG	ALT CUR	HOW HANDL PROCESS	GROSS	TARE	NET	UNIT PRICE
20.96	358	ALT CUR	HOW HANDL PROCESS	90200	41360	48840	\$13.00
Comments							

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
 PRINT _____
 SIGNATURE _____
 DOCUMENT TOTAL 8775.18



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

106600701

RECEIPT DOCUMENT NUMBER

H.L.L. 31439
 H.L.L. COLLIER COMPANY
 P.O. BOX 2390
 99 GARD STREET
 PROVIDENCE, RI 02906

H.A.U.L.E. 19
 H. H. FOREY CONSTRUCTION CORP.
 54 HARRINGTON AVENUE
 PROVIDENCE, RHODE ISLAND

DATE	ENTRY TIME	OPER.	EXIT TIME	WEIGHT	GROSS WEIGHT	NET WEIGHT
11/30/86	07:55:30	MTT	07:55:30	MTT	65000 LBS	31000 LBS
				Scale	Postage	
					32.50 TONS	15.53 TONS
						16.97 TONS
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE			
000703	Pickup Van	21930	Unbound			
QUANTITY	WEIGHT	DESCRIPTION	UNIT	WEIGHT		
16.97	350	ALT CUR HIGH HEAT PROCESS	Ton	113.00		
			gross: 65000 Lbs	31000 Lbs		

609
 TRM
 2720

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME Tom Lewis SIGNATURE [Signature]
 PRINT Tom Lewis 106600701



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

BILL TO
 H.L. COLLINS COMPANY
 P.O. BOX 2700
 99 GARD STREET
 PROVIDENCE, RI 02906

HAULER
 A KOREY CONSTRUCTION CORP.
 51 HORNBOUGH AVENUE
 PROVIDENCE, RI 02907

DATE	TIME	ENTRY	SCALE	SCALE	PRETARE	TONS
			48.00 Tons	48.00 Tons	10.80 Tons	29.73 tons
VEHICLE PURPOSE: Inbound						
GROSS: 97200 Tare: 37700 Net: 59460						
Comments:						

DECLARATION REGARDING WASTE DELIVERY

The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
 PRINT _____
 SIGNATURE *[Signature]*



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H. J. COLLINS COMPANY
 P.O. BOX 1336
 99 GARD STREET
 PROVIDENCE, RI 02906

H. J. COLLINS
 A KOREY CONSTRUCTION CORP.
 54 HIRSHONSETT AVENUE
 PROVIDENCE, RI 02907

H AULLER

DATE	ENTRY TIME	OPEN	EXIT TIME	SCALE	SCALE	POSTAGE	TOTAL
				43.67 Tons	10.00 Tons	30.78 Tons	
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	SCALE TRANSACTION TYPE				
			Inbound				
QUANTITY	WG	RECEIVING COMPANY	Gross Tons	Net:			
			37.00	6.55			
Comments:							

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME _____
 PRINT _____
 SIGNATURE _____

1300, 11



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1490
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H.U. 031139
 H.U. COLLINS COMPANY
 P.O. BOX 2308
 99 OAK STREET
 PROVIDENCE, RI 02906

010277619
 O FOREY CONSTRUCTION CORP.
 54 HERRINGSETT AVENUE
 PROVIDENCE, RI 02907

HAULER

DATE	ENTRY TIME	DRIVER	SCALE	SCALE TONS	PAY TARE	NET TONS
03/14/88	08:15	OPR	SCALE	30.52 Tons	12.00 Tons	18.52 Tons
VEHICLE NUMBER: 1244104						
VEHICLE TYPE: PLATEMOUNTED CONSTRUCTION TRUCK						
SUBSTRATE: Inbound						
QUANTITY: 18.52 Tons						
REMARKS: Great 61040 Type 21000 Habi 37040						
Comments:						

DECLARATION REGARDING WASTE DELIVERY
 The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.

DRIVER NAME: Richard Morse SIGNATURE: *[Signature]*
 PRINT

DOCUMENT TOTAL: 18.52 Tons



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

H. U. 831479
 H.V. COLLINS COMPANY
 P.O. BOX 2300
 99 GARD STREET
 PROVIDENCE, RI 02906

H. U. 831479
 O'KREY CONSTRUCTION CORP.
 51 HARRINGTON AVENUE
 PROVIDENCE, RHODE ISLAND

HAULER

DATE TO/DIG	ENTRY TIME	OPER	DEPT	GROSS WEIGHT (LBS)	NET WEIGHT (LBS)	REMARKS
				20.74 Tons	12.00 Tons	16.74 Tons
VEHICLE NUMBER: Inbound						
QUANTITY	WEIGHT	GROSS WEIGHT	NET WEIGHT	REMARKS		
	57500 Tons	20000 Tons	37500 Tons			
Comments:						
DECLARATION REGARDING WASTE DELIVERY						
The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all-applicable laws and regulations.						
DRIVER NAME: <i>Michael Moss</i>						DRIVER SIGNATURE: <i>[Signature]</i>
PRINT						1812.00




RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 CORPORATE OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

U.S. 031437
 H.C. COLLINS CORP
 P.O. BOX 2398
 29 GARD STREET
 PROVIDENCE, RI 02906

H A J U L I E R
 H. H. MOREY CONSTRUCTION CORP.
 51 NORFOLK STREET
 PROVIDENCE, RI 02907



DATE	TIME	SCALE	WEIGHT	SCALE TYPE	PLATE NUMBER	TRANSACTION TYPE	WEIGHT
		Scale	26.51 Tons			Unloaded	16.54 Tons
<p>VEHICLE NUMBER: 57020</p> <p>QUANTITY: 1</p> <p>Comments: Gross Weight 26.51 Tons Net: 16.54 Tons</p>							
<p>DECLARATION REGARDING WASTE DELIVERY</p> <p>The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.</p>							
<p>DRIVER NAME: <u>Michael Mols</u> SIGNATURE: <i>[Signature]</i></p>							<p>DOCUMENT TOTAL: 16.54 Tons</p>



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

H.U. 631430
 H.U. COLLIS COMPANY
 P.O. BOX 2398
 90 CANO STREET
 PROVIDENCE, RI 02906

MAULLER

A YORUBA LTD
 A HOREY CONSTRUCTION CORP.
 55 HERRINGSETT AVENUE
 PROVIDENCE, RI 02907

RECEIPT DOCUMENT NUMBER

1000011AR

DATE	ENTRY TIME	OPER	ENTRY TIME	OPER	WEIGHT	SCALE	WEIGHT	SCALE	WEIGHT	SCALE
10-01-81	11:00		11:00		38.01 Tons	Scale	12.00 Tons	Scale	18.01 Tons	Scale
VEHICLE NUMBER: 10-01-81 VEHICLE TYPE: Truck PLATE NUMBER: 10-01-81 TRANSACTION TYPE: Inbound GROSS: 50000 Tons 24000 Net: 36000 Description: HON HAW PROCS UNIT PRICE: 10000 QUANTITY: 360 WC: 500 ALT CUR: 10000 COMMENTS:										
DECLARATION REGARDING WASTE DELIVERY The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation and complies with all applicable laws and regulations.										
DRIVER NAME: <u>Chad D. Hesse</u> SIGNATURE: <i>[Signature]</i> PRINT:										DOCUMENT TOTAL:



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
65 SHUN PIKE

JOHNSTON, RI 02919
CORPORATE OFFICE 942-1430
CORPORATE FAX NO. 946-5174
SCALEHOUSE FAX NO. 942-0239

H.U. 831439
H.U. COLLINS COMPANY
P.O. BOX 2378
99 BOND STREET
PROVIDENCE, RI 02206

RECEIPT

010227619

6 KIRBY CONSTRUCTION CORP.
54 WINDSORSETT AVENUE
PROVIDENCE, RI 02202

RECEIPT DOCUMENT NUMBER

Handwritten signature

DATE	ENTRY TIME	OPER	EXIT TIME	SCALE	SCALE	WEIGHT	SCALE	WEIGHT	SCALE	WEIGHT
					48.61 Tons				28.08 Tons	27.93 Tons
<p>VEHICLE NUMBER: [Blank] VEHICLE TYPE: [Blank] PLATE NUMBER: [Blank] TRANSACTION TYPE: [Blank]</p> <p>INBOUND</p>										
QUANTITY	WC	DESCRIPTION	PLATE NUMBER	SCALE	WEIGHT	SCALE	WEIGHT	SCALE	WEIGHT	SCALE
		97228 Tapes 41360 Hots 55066								
<p>Comments: [Blank]</p>										
<p>DECLARATION REGARDING WASTE DELIVERY</p> <p>The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.</p>										
<p>DRIVER NAME _____ PRINT _____</p>										<p>SCALEHOUSE TOTAL</p> <p>\$ 303.00</p>

SIGNATURE



RHODE ISLAND RESOURCE RECOVERY CORPORATION

CENTRAL LANDFILL
 65 SHUN PIKE
 JOHNSTON, RI 02919
 JOHNSTON OFFICE 942-1430
 CORPORATE FAX NO. 946-5174
 SCALEHOUSE FAX NO. 942-0239

RECEIPT DOCUMENT NUMBER

609

H.U. COLTINS COMPANY
 P.O. BOX 2796
 99 GOND STREET
 PROVIDENCE, RI 02206

HAULER

H. FOREY CONSTRUCTION CORP.
 53 WINDSOR AVENUE
 PROVIDENCE, RHODE ISLAND

DATE	TIME	PLATE	SCALE	WEIGHT	TYPE	REMARKS
			48.36 Tons	27.68 Tons	Propane	
VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	MATERIAL TRANSACTION TYPE			
			Inbound			
QUANTITY	GROSS WEIGHT	TARE	NET			
	90770	11360	55360			
Comments						
<p>DECLARATION REGARDING WASTE DELIVERY</p> <p>The undersigned declares, under penalty of perjury that 100% of the solid waste delivered to the Central Landfill in the vehicle and on the date above, was generated and collected in Rhode Island, is not Hazardous Waste, does not contain in excess of 20% recyclable material by weight, as defined by DEM regulation, and complies with all applicable laws and regulations.</p>						
DRIVER NAME						POSTAL TOTAL
PRINT						1770.00
SIGNATURE						