

From: Donna Pallister [donna.pallister@lfr.com]
Sent: Tuesday, May 02, 2006 10:13 AM
To: Jeffrey Crawford
Cc: 'Tremblay, Stephen'; 'Alan Sepe'; Kelly Owens; Brian Wagner
Subject: RE: Springfield Street School monitoring
 Jeff,

We will do additional interior monitoring at the Middle School with a more sensitive instrument to evaluate the carbon dioxide concentrations in the building. We will also monitor exterior ambient air at the Site. I will provide the results when this is complete.

Donna

From: Jeffrey Crawford [mailto:jeff.crawford@DEM.RI.GOV]
Sent: Tuesday, May 02, 2006 6:42 AM
To: donna.pallister@lfr.com
Cc: Tremblay, Stephen; Alan Sepe; Kelly Owens; Brian Wagner
Subject: RE: Springfield Street School monitoring

Donna- What steps are you going to take to determine the nature of the interior exceedances at a minimum? Jeff

-----Original Message-----

From: Donna Pallister [mailto:donna.pallister@lfr.com]
Sent: Monday, May 01, 2006 1:03 PM
To: Jeffrey Crawford
Cc: 'Tremblay, Stephen'; 'Alan Sepe'
Subject: Springfield Street School monitoring

Jeff,

We completed the soil gas, groundwater, indoor air and system monitoring at the Springfield Street school complex on Friday, April 28, 2006. During the monitoring, we noted the following exceedances of Remedial Action Work Plan Action Levels:

- 20 exceedances of the carbon dioxide action levels for soil gas
- 1 exceedance of the carbon dioxide action level in indoor air (0.2 % carbon dioxide in a hallway in the middle school)
- 5 exceedances of the carbon dioxide action level during the soil gas extraction system monitoring.

The RAWP Action Level for carbon dioxide is 1,000 ppm, or 0.1% carbon dioxide. The levels of other parameters did not exceed the RAWP Action Levels. We will provide additional information in our report.

Donna H. Pallister, P.E., L.S.P.
 Senior Engineer
 LFR
 300 Metro Center Boulevard
 Suite 250
 Warwick, RI 02886-1751
 401-738-3887 Office
 401-255-9619 Mobile
 401-732-1686 Facsimile
donna.pallister@lfr.com
 Visit us at www.lfr.com

This message (including any attachments) is intended only for the use of the named addressee. It may contain information that is legally privileged, confidential or exempt from disclosure. If you are not a named addressee, you are hereby notified that any use, dissemination or distribution of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately by telephone or by return e-mail and delete this message, along with any attachments, from your computer. Thank you.

This message (including any attachments) is intended only for the use of the named addressee. It may contain information that is legally privileged, confidential or exempt from disclosure. If you are not a named addressee, you are hereby notified that any use, dissemination or distribution of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately by telephone or by return e-mail and delete this message, along with any attachments, from your computer. Thank you.