

Mr. Jeffrey Crawford
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

Arcadis U.S., Inc.
300 Metro Center Boulevard
Suite 250
Warwick
Rhode Island 02886
Tel 401 738 3887
Fax 401 732 1686
www.arcadis.com

Subject:

June 2016 Quarterly Monitoring Report for Springfield Street School Complex

ENVIRONMENTAL

Dear Mr. Crawford:

ARCADIS US, Inc. (ARCADIS) conducted quarterly monitoring of soil gas, indoor air, the cap, and the sub-slab ventilation system between June 2nd and 3rd, 2016. The monitoring was performed in accordance with the *Long-Term Operation and Maintenance Plan and Site Contingency Plan* (O&M Plan) contained in the *Remedial Action Work Plan* prepared by ATC dated April 2, 1999, revised May 3, 1999 and May 9, 1999. The *Remedial Action Work Plan* (RAWP) was approved by the Rhode Island Department of Environmental Management (RIDEM) in a letter dated June 4, 1999.

This work is subject to the Limitations contained in Attachment A. Results of monitoring are provided in the following sections and in the attachments.

COVER MONITORING

ARCADIS conducted a visual survey of the site on June 3rd, 2016 for evidence of significant soil cover erosion, or for any areas of settling and depression.

The orange indicator barrier was not observed during the inspection, and there was no evidence of significant settling or cover erosion in need of repair.

SUB-SLAB VENTILATION SYSTEM

Field Monitoring

The sub-slab ventilation system was inspected by ARCADIS during the quarterly monitoring on June 2nd, 2016. The two elementary school blowers and one of the two middle school blowers were operating normally upon arrival. The second middle school blower, middle school back, was not operating.

Date:

June 24, 2016

Contact:

Donna H. Pallister, PE

Phone:

401.285.2235

Email:

Donna.pallister@arcadis.com

Our ref:

WK012152.0010

Samples of influent and effluent (before and after the carbon canisters) air were collected at each functioning blower and screened for methane, carbon dioxide, oxygen, carbon monoxide, hydrogen sulfide, and organic vapors using a Landtec GEM5000 Plus and a MiniRae 2000. Results of screening are provided in Table 1. Methane, carbon monoxide, hydrogen sulfide and organic vapors were not detected in any of the samples. Carbon dioxide was detected at concentrations of 0.1% in air from the elementary school effluent and the middle school front influent ports, equal to the RAWP Action Level of 1000 ppm (0.1%). Carbon dioxide was not detected in air from the other influent and effluent ports.

Soil Gas Laboratory Results

Sub-slab soil gas samples were collected from the influent to each functioning sub-slab ventilation system. The samples were collected in Tedlar bags and submitted to Con-Test Analytical Laboratories for analysis of volatile organic compounds (VOCs) by EPA method TO-14. Results of the analysis are summarized in Table 2, and the laboratory report is provided in Attachment B.

The Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELs) and CT DEEP Proposed Residential Volatilization Criteria for Soil Vapor are provided in Table 2 for comparison purposes. The OSHA PELs are not directly applicable to soil gas, because it does not represent exposure point concentrations. The PELs are the average concentrations that OSHA allows to be present in a workplace without any respiratory protection or exposure controls. The concentrations detected in soil gas were well below the OSHA PELs and the CT DEEP Proposed Residential Volatilization Criteria.

INDOOR AIR MONITORING

Indoor air monitoring was conducted on June 3rd, 2016 using a Landtec GEM 5000 Plus meter (methane, hydrogen sulfide, oxygen), a Mini Rae photoionization detector (organic vapors), and a Fluke 975 Airmeter (carbon dioxide, carbon monoxide). School was in session during the monitoring event. Results of monitoring are provided in the Table 3. Carbon dioxide measurements were made with a Fluke 975 Airmeter indoor air quality meter. The Fluke 975 has a range of 0 to 5,000 ppm, with a resolution of 1 ppm.

The outside temperature on June 3rd, 2016 was approximately 64°F and ambient carbon dioxide was measured at 513 ppm.

The only reading exceeding RAWP Action Levels was taken in the Middle School cafeteria, with carbon dioxide at 1008 ppm. Methane, carbon monoxide, hydrogen sulfide, and organic vapors were not detected. Carbon dioxide was detected at concentrations between 590 and 1008 ppm. As noted below, these readings are within the expected range for indoor air levels of carbon dioxide in an occupied building. Carbon dioxide was likely higher in the cafeteria due to the number of people in the room at the time of the measurement.

Concentrations of carbon dioxide inside occupied buildings are expected to be higher than the concentrations in outdoor air because the building occupants expel carbon dioxide. Therefore, in indoor air, the concentration of carbon dioxide is typically used as an indicator of the effectiveness of the heating, ventilating, and air conditioning (HVAC) system in circulating outdoor air into the building. The

American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) have prepared ASHRAE Standard 62.1-2007 titled *Ventilation for Acceptable Indoor Air Quality*. The purpose of the Standard is to specify minimum ventilation rates and other measures to provide indoor air quality that is acceptable to human occupants and that minimize adverse health effects. A discussion regarding carbon dioxide concentrations in indoor air contained in Informative Attachment C of the Standard states: "... maintaining a steady-state CO₂ concentration in a space of no greater than about 700 ppm above outdoor air levels will indicate that a substantial majority of visitors entering a space will be satisfied with respect to human bioeffluents (body odor)." This is the basis for ASHRAE's recommendations for concentrations of carbon dioxide in indoor air.

The Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) for carbon dioxide in the workplace is 5,000 ppm. All readings were below this concentration.

The control panels for the methane monitors at both schools were inspected on May 25, 2016. The methane monitor control panels had stickers that indicated that the monitors were calibrated by Diamond Technical Services within the month prior to the inspection. Diamond Technical Services calibrates the sensors on a monthly basis.

Calibration Certificates from Diamond Calibration indicate that many of the sensors read above 0 when calibrated to the zero gas. This prevents the sensors from giving a fault alarm if the reading drops below zero due to a sudden temperature change, and still provides a conservative measure of protection because the alarm limit does not change.

GROUNDWATER MONITORING

The groundwater monitoring wells were sampled by ARCADIS on June 3rd, 2016. Prior to sampling, the depth to water was gauged, and a volume of water equivalent to approximately three well volumes was removed from the well. Groundwater samples were collected in laboratory prepared sample jars and delivered under chain-of-custody protocol to Contest Laboratory in East Longmeadow, Massachusetts for analysis for volatile organic compounds by EPA method 8260. During the sampling period, MW-6 and MW-8 were discovered dry and unable to be sampled. The laboratory report is provided as Attachment B. Results of analysis of groundwater samples are summarized in Table 4.

The only well in which target analytes were detected was ATC-4, which had 1.0 µg/L of 1,4-dichlorobenzene. There is no GB groundwater standard for 1,4 dichlorobenzene. 1,4 dichlorobenzene has been detected during many previous sampling events in these well at similar concentrations. No other target analytes were detected in any of the groundwater samples collected on June 2nd, 2016.

SOIL GAS MONITORING

Soil gas monitoring was conducted at 28 locations on June 6th 2016. The sampling was conducted by placing an air sampling gripper cap on each well and attaching a piece of tubing. A volume of air equivalent to approximately 3 well volumes was removed from each well using a Sensidyne BDXII air

sampling pump. Soil gas was then screened using a Landtec GEM 5000 Plus Landfill Gas Analyzer and a MiniRae Photoionization Detector (PID).

Soil Gas Field Monitoring Results

Soil gas samples were screened for methane, carbon monoxide, hydrogen sulfide, carbon dioxide, oxygen, and total VOCs. During the screening, well WB-2 could not be located and was not tested. Soil gas survey results are provided in Table 5. Methane, Carbon monoxide, and hydrogen sulfide were not detected in any samples. Total VOCs were only detected in one well, EPL-2, at 0.1 ppm, well below the RAWP action level of 5 ppm.

Carbon dioxide was detected in soil gas at concentrations ranging from 0% to 9.3% during the June 2016 monitoring event. The carbon dioxide RAWP action level of 0.1% was exceeded at all measured monitoring points besides WB-3, WB-5, WB-8, and WB-13, where carbon dioxide was not detected. The maximum concentration detected during the June 2016 monitoring round was 9.3%, which was equal to the maximum detected during the March 2016 round of 9.3%. Graphs depicting carbon dioxide, oxygen, and methane concentrations over time for selected representative wells are presented in Attachment C.

The presence of carbon dioxide in soil gas is an indicator of subsurface biological activity and does not represent a threat to users of the property. The highest concentration of carbon dioxide was found in well MPL-6, located on the northern end of the property near Hartford Avenue. The monitoring locations on the northern end of the property adjacent to large expanses of paved parking lot, sidewalk, and streets have typically had the highest carbon dioxide concentrations.

ANNUAL ELUR INSPECTIONS

After the Five Year Review of the Site was completed, RIDEM issued a letter dated August 17, 2012 which requires, among other things, that annual inspections be conducted for compliance with the Environmental Land Usage Restriction (ELUR). The Annual ELUR inspections was conducted during the June 2016 monitoring round.

The Site was inspected for compliance with the restrictions contained in Section A of the ELUR. The restrictions specified in the ELUR are listed below along with the current status with respect to the restriction:

- No residential use beyond current RIDEM approved use as a school – compliant, no change in use.
- No groundwater on the property to be used as potable water – compliant, no drinking water wells have been installed.
- No soil shall be disturbed in any manner without written permission of the Office of Waste Management except as permitted in the Long Term Operation and Maintenance Plan (LTOMP) – compliant, no evidence of disturbance of soils not in compliance with the LTOMP.
- Humans engaged in activities at the Property shall not be exposed to soils containing Hazardous Materials and/or petroleum in concentrations exceeding applicable Department approved Direct

Exposure Criteria set forth in the Remediation Regulations – compliant, no evidence of breaches of cap that would allow people at the site to come in contact with underlying impacted soil.

- No subsurface structures shall be constructed on the Property over groundwater containing Hazardous Materials and/or petroleum concentrations exceeding the applicable Department approved GB Objectives – compliant, no Hazardous Materials or petroleum have been detected in groundwater at concentrations exceeding GB Objectives.
- The engineered controls described in the LTOMP must not be disturbed and shall be properly maintained to prevent humans engaged in residential activities from being exposed to soils containing Hazardous Materials and/or petroleum in concentrations exceeding the applicable Department approved residential Direct Exposure Criteria – compliant, engineered controls are in place and properly maintained.

CONCLUSIONS

Methane, hydrogen sulfide, carbon monoxide and organic vapor concentrations did not exceed RAWP action levels in any soil gas or indoor air samples in this quarterly round of sampling. Carbon dioxide concentrations exceeded the action level at 1 indoor air location, 24 soil gas locations, and 5 sub slab system monitoring points. The detection of carbon dioxide in soil gas is typical of what has been detected during previous monitoring events and appears to be a result of naturally occurring biological activity in the subsurface.

If you have any questions or require any additional information, please contact the undersigned at 401-285-2235.

Sincerely,

Arcadis U.S., Inc.



Donna H. Pallister, PE, LSP

Senior Environmental Engineer

Copies:

A. Sepe, City of Providence
Providence Public Building Authority

Enclosures:

Tables

- 1 System Monitoring Notes
- 2 Soil Gas Lab Results

Mr. Jeffrey Crawford
June 24, 2016

- 3 Indoor Air Monitoring Results
- 4 Groundwater Monitoring Results
- 5 Soil Gas Survey results

Figures

- 1 Site Plan

Attachments

- A. Limitations and Service Constraints
- B. Complete Lab Results
- C. Soil Gas Trends

TABLES



Table 1
System Monitoring Notes
Springfield Street School Complex
Providence, RI
6/2/2016

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide % by volume	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
Elementary School inlet 1	0	0	20.6	0	0	0
Elementary School inlet 2	0	0	20.5	0	0	0
Elementary School Outlet	0	0.1	20.5	0	0	0
Middle School front shed inlet	0	0.1	20.7	0	0	0
Middle School front shed after 2nd carbon	0	0	21	0	0	0
Middle School back shed inlet #	NT	NT	NT	NT	NT	NT
Middle School back shed after 2nd carbon #	NT	NT	NT	NT	NT	NT
Remedial Action Work Plan Action Levels	0.5	1,000 ppm (0.1%)	NA	9 ppm	10 ppm	5 ppm

Measurements made with: Landtec GEM5000 Plus, MiniRae 2000
Sampling date: 6/2/2016
Measured by: Kristen Audette & Jon Lewis
#- Middle school back shed not tested because blower not functioning properly

Table 2
Soil Gas Collected from System Influent
Springfield Street School Complex
Providence, RI

Parameter	Sample Date	CT DEEP Proposed Residential Volatization Criteria For Soil Vapor (ug/m3)*	OSHA PELs (ug/m3)	Middle School Back (ug/m3)	Middle School Front (ug/m3)	Elementary School #1 (ug/m3)	Elementary School #2 (ug/m3)
Benzene	5/11/2015	3,247	3,000	NT	0.43	0.49	0.61
	6/16/2015			NT	ND	ND	ND
	10/27/2015			NT	ND	ND	0.35
	1/6/2016			NT	0.59	1	0.89
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	0.41	0.32	ND
Carbon Tetrachloride	5/11/2015	6,395	62,900	NT	ND	ND	ND
	6/16/2015			NT	ND	ND	ND
	10/27/2015			NT	ND	ND	ND
	1/6/2016			NT	0.64	0.57	0.6
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	0.64	ND	ND
Chloroform	5/11/2015	22,334	240,000	NT	ND	0.85	1.1
	6/16/2015			NT	ND	1.5	1.5
	10/27/2015			NT	ND	1.3	1.6
	1/6/2016			NT	0.25	1.3	1.3
	3/23/2016			NT	ND	1	1.1
	6/3/2016			NT	ND	0.75	0.89
Chloromethane	5/11/2015	NA	207,000	NT	0.28	ND	ND
	6/16/2015			NT	ND	ND	ND
	10/27/2015			NT	0.51	ND	ND
	1/6/2016			NT	0.35	2.3	2.1
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	0.71	ND	ND
1,4-Dichlorobenzene	5/11/2015	5,805,840	450,000	NT	ND	ND	ND
	6/16/2015			NT	ND	ND	ND
	10/27/2015			NT	0.71	1	0.89
	1/6/2016			NT	1.1	0.51	0.66
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	ND	ND	ND
Dichlorodifluoromethane (Freon 12)	5/11/2015	NA	4,950,000	NT	3	4.1	3
	6/16/2015			NT	4.1	6.6	3.6
	10/27/2015			NT	3.7	4.2	7
	1/6/2016			NT	4.1	4.1	4.3
	3/23/2016			NT	2.7	3.1	5.9
	6/3/2016			NT	1.5	1.2	2.5
1,2-Dichloroethane	5/11/2015	4,000	202,372	NT	ND	ND	ND
	6/16/2015			NT	ND	ND	ND
	10/27/2015			NT	ND	ND	ND
	1/6/2016			NT	ND	ND	ND
	3/23/2016			NT	ND	ND	0.56
	6/3/2016			NT	ND	ND	ND
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	5/11/2015	NA	7,000,000	NT	0.82	2.1	1.1
	6/16/2015			NT	2.5	8.2	1.2
	10/27/2015			NT	3.9	2.5	5.6
	1/6/2016			NT	2.8	1.6	2.6
	3/23/2016			NT	0.98	ND	2.6
	6/3/2016			NT	0.78	ND	1.4
Ethylbenzene	5/11/2015	7,281,812	435,000	NT	2.8	2.5	3.9
	6/16/2015			NT	0.5	0.53	0.56
	10/27/2015			NT	ND	0.72	0.59
	1/6/2016			NT	0.29	0.33	0.48
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	0.5	ND	ND

Table 2
Soil Gas Collected from System Influent
Springfield Street School Complex
Providence, RI

Parameter	Sample Date	CT DEEP Proposed Residential Volatization Criteria For Soil Vapor (ug/m3)*	OSHA PELs (ug/m3)	Middle School Back (ug/m3)	Middle School Front (ug/m3)	Elementary School #1 (ug/m3)	Elementary School # 2 (ug/m3)
Methylene Chloride	5/11/2015	4,237,289	86,750	NT	ND	ND	ND
	6/16/2015			NT	110	78	64
	10/27/2015			NT	21	30	8.4
	1/6/2016			NT	4.1	2.4	2
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	17	15	17
Styrene	5/11/2015	34,633	456,000	NT	30	28	34
	6/16/2015			NT	1.7	1.5	1.7
	10/27/2015			NT	30	46	27
	1/6/2016			NT	34	31	31
	3/23/2016			NT	25	26	25
	6/3/2016			NT	38	36	35
Tetrachloroethylene	5/11/2015	75,840	678,000	NT	15	11	3.7
	6/16/2015			NT	3.9	23	4.8
	10/27/2015			NT	1.6	2.6	32
	1/6/2016			NT	6	2.8	19
	3/23/2016			NT	1.2	1.6	9.8
	6/3/2016			NT	1	3.1	7.9
Toluene	5/11/2015	2,910,779	750,000	NT	46	41	53
	6/16/2015			NT	5.7	4.7	6.2
	10/27/2015			NT	27	36	25
	1/6/2016			NT	31	27	28
	3/23/2016			NT	18	18	16
	6/3/2016			NT	21	18	19
Trichloroethylene	5/11/2015	38,237	537,000	NT	ND	1.5	ND
	6/16/2015			NT	ND	2.1	ND
	10/27/2015			NT	ND	ND	4.2
	1/6/2016			NT	0.53	0.82	4.1
	3/23/2016			NT	ND	ND	1.1
	6/3/2016			NT	ND	ND	1.1
Trichlorofluoromethane (Freon 11)	5/11/2015	NA	5,600,000	NT	2.7	2.6	4.5
	6/16/2015			NT	2.3	2.9	2.6
	10/27/2015			NT	2.7	3.7	3.4
	1/6/2016			NT	2.9	2.8	4
	3/23/2016			NT	3.2	2.8	3
	6/3/2016			NT	3.8	2.9	3.9
1,1,2- Trichloro-1,2,2-trifluoroethane(Freon 113)	5/11/2015	NA	7,600,000	NT	ND	ND	ND
	6/16/2015			NT	ND	ND	ND
	10/27/2015			NT	ND	ND	ND
	1/6/2016			NT	0.64	0.77	0.64
	3/23/2016			NT	ND	0.84	0.8
	6/3/2016			NT	ND	ND	ND
1,2,4-Trimethylbenzene	5/11/2015	NA	125,000	NT	1.3	1.7	2.3
	6/16/2015			NT	1.6	1.5	1.5
	10/27/2015			NT	1.2	0.76	1.9
	1/6/2016			NT	0.68	0.44	0.54
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	0.66	ND	0.59
M/p-Xylene	5/11/2015	2,215,755#	435,000	NT	18	17	25
	6/16/2015			NT	2.4	2.4	2.6
	10/27/2015			NT	1.3	2.7	2.4
	1/6/2016			NT	1.6	1.2	1.7
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	1.7	0.91	1.1
o-Xylene	5/11/2015	2,215,755#	435,000	NT	3.6	3.5	5.4
	6/16/2015			NT	1.4	1.3	1.3
	10/27/2015			NT	0.57	1.1	0.89
	1/6/2016			NT	0.62	0.53	0.64
	3/23/2016			NT	ND	ND	ND
	6/3/2016			NT	0.67	ND	0.48

Table 2
Soil Gas Collected from System Influent
Springfield Street School Complex
Providence, RI

Parameter	Sample Date	CT DEEP Proposed Residential Volatization Criteria For Soil Vapor (ug/m3)*	OSHA PELs (ug/m3)	Middle School Back (ug/m3)	Middle School Front (ug/m3)	Elementary School #1 (ug/m3)	Elementary School # 2 (ug/m3)
-----------	-------------	--	-------------------	----------------------------	-----------------------------	------------------------------	-------------------------------

Notes:

Samples collected in Tedlar bags and analyzed via EPA method TO-14

Only detected compounds are listed, see laboratory certificate for complete list of analyses

OSHA PELs = Occupational Safety and Health Administration Permissible Exposure Limits

CT DEEP= Connecticut Department of Energy and Environmental Protection

ug/m3 = micrograms per cubic meter

* From Appendix F to Sections 22a-133k-1 through 22a-133k-3 of the Regulations of Connecticut State Agencies

#- Represents Total Xylenes

Results prior to May 2015 are not shown.

Table 3
Indoor Air Monitoring Results
Springfield Street School Complex
Providence, RI
6/3/2016

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide PPM	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
E.S. Front office	0	647	20.9	0	0	0
E.S. Elevator	0	590	20.8	0	0	0
E.S. Faculty Work Room	0	666	20.9	0	0	0
E.S. Gym	0	661	20.9	0	0	0
E.S. Stairway B	0	615	21	0	0	0
E.S. Stairway C	0	700	21	0	0	0
E.S. Library	0	685	20.8	0	0	0
E.S. Front Stairs	0	612	20.9	0	0	0
E.S. Cafeteria	0	720	20.9	0	0	0
E.S. Mechanical Room	0	613	20.9	0	0	0
M.S. Front Office	0	725	21.2	0	0	0
M.S. Elevator	0	689	21.3	0	0	0
M.S. Stairway near Elem. School GS-01	0	663	21.1	0	0	0
M.S. Near sensor #16 in hall outside cafeteria	0	980	20.9	0	0	0
M.S. Faculty Work Room	0	621	21.2	0	0	0
M.S. Sensor #15 Outside Gym	0	887	21	0	0	0
M.S. GS-03 Across from Boys Bathroom	0	641	20.9	0	0	0
M.S. Gym	0	756	21.1	0	0	0
M.S. Outside of Music Room	0	749	21	0	0	0
M.S. Cafeteria	0	1008	20.9	0	0	0
M.S. Front Hall near sensor #4	0	748	21	0	0	0
M.S. Hallway across from elevator near sensor #9	0	593	21.2	0	0	0
M.S. Near sensor GS 06 hallway right end	0	621	21.1	0	0	0
M.S. stairway near Hartford Ave. sensor GS-7	0	604	21.2	0	0	0
Remedial Action Work Plan Action Levels	0.5	1,000 ppm (0.1%)	NA	9 ppm	10 ppm	5 ppm

Notes: The indoor air quality monitoring panels in the M.S. and E.S. were calibrated on 5/25/2016.
E.S. indicates Elementary School, M.S. indicates Middle School
Measurements made with: MiniRae photoionization detector, Fluke 975 Airmeter, Landtec Gem 5000 Plus
PPM = Parts per million
Outdoor conditions: carbon dioxide = 513 ppm temperature = 64 degrees F

Table 4
Groundwater Monitoring Results
Springfield Street School Complex
Providence, RI

Sampling Dates and Results in µg/L		Sampling Dates and Results in µg/L						RIDEM GB Groundwater Objective
Well ID	Detected Compounds	4/2/2015	6/15/2015	10/29/2015	1/6/2016	3/23/2016	6/3/2016	
ATC-1	Chloromethane	ND	4.1	ND	ND	ND	ND	NA
ATC-2		Closed	Closed	Closed	Closed	Closed	Closed	
MW-6		ND	ND	NS	NS	NS	NS	
ATC-3		Closed	Closed	Closed	Closed	Closed	Closed	
MW-7		ND	ND	ND	ND	ND	ND	70 NA
ATC-4	Chlorobenzene	ND	ND	1.2	ND	ND	ND	
	1,4-dichlorobenzene	ND	ND	1.8	1.4	1	1	
ATC-5		Closed	Closed	Closed	Closed	Closed	Closed	
MW-8		ND	ND	NS	NS	NS	NS	
Sampled By:		ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	

ND = not detected above method detection limit
 NS = not sampled
 NA = No applicable standard published
 MTBE = Methyl tert-Butyl Ether
 µg/L = micrograms per liter
 Samples collected prior to 4/2/2015 and after 2009 are hidden.

Table 5
Soil Gas Survey
Springfield Street School Complex
Providence, RI
6/2/2016

Monitoring Location	Methane % by volume Landtec	Carbon Dioxide % by volume	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
WB-1	0	2.1	18	0	0	0
WB-2	NT	NT	NT	NT	NT	NT
WB-3	0	0	20.9	0	0	0
WB-4	0	0.4	20.6	0	0	0
WB-5	0	0	20.5	0	0	0
WB-6	0	0.5	19.8	0	0	0
WB-7	0	0.2	20.8	0	0	0
WB-8	0	0	20.7	0	0	0
WB-12	0	1.6	19.2	0	0	0
WB-13	0	0	20.3	0	0	0
WB-14	0	0.8	19.6	0	0	0
WB-15	0	6	12.1	0	0	0
EPL-1	0	0.7	19.5	0	0	0
EPL-2	0	1.7	18.1	0	0	0.1
EPL-3	0	2	16.3	0	0	0
EPL-4	0	2.2	18.3	0	0	0
EPL-5	0	2.8	17.2	0	0	0
ENE-1	0	1.6	18.8	0	0	0
MG1	0	0.1	20.9	0	0	0
MG2	0	2.3	18.3	0	0	0
MG3	0	0.8	19.8	0	0	0
MG4	0	1.3	18.9	0	0	0
MG5	0	3.8	16.2	0	0	0
MPL2	0	2.9	16.7	0	0	0
MPL3	0	5.5	13.3	0	0	0
MPL5	0	5.9	13.5	0	0	0
MPL6	0	9.3	7.9	0	0	0
MPL7	0	9	8.9	0	0	0
MPL8	0	3.4	16.4	0	0	0
Remedial Action Work Plan Action Levels	0.5	1,000 ppm (0.1%)	NA	9 ppm	10 ppm	5 ppm

Sampled by: Jonathan Lewis
Weather Conditions: 6/2/2016 - overcast, 58 F
Sampling Equipment: Landtec GEM 5000 Plus, MiniRae 2000 PID

FIGURES


















NOTES:


THE FOLLOWING MAP IS REFERENCED: ELEMENTARY & MIDDLE SCHOOLS, PROVIDENCE RHODE ISLAND, ISSUED FOR, CITY OF PROVIDENCE, GRADING AND SAMPLING LOCATION PLAN, PREPARED BY NORTHEAST ENGINEERS & CONSULTANTS, INC., DATED MAY 19, 1999, SCALE: 1"=50'.

THIS MAP HAS BEEN DIGITIZED FROM THE ABOVE REFERENCED MAP, AND SCALE IS APPROXIMATE. FOR USE WITH LFR REPORT ONLY.

LEGEND:

-  PROPERTY LINE
-  FENCELINE
-  STORM DRAIN LINE
-  SANITARY SEWER LINE
-  CONTOUR
-  EPL5 SOIL GAS MONITORING WELL
-  ATC-4 ATC GROUNDWATER MONITORING WELL
-  HVAC UNIT
-  TRANSFORMER
-  CATCH BASIN
-  SVE SHED (LOCATION APPROXIMATE)
-  MW-8 GROUNDWATER MONITORING WELL
-  ATC-2 UNUSABLE WELLS



SPRINGFIELD STREET SCHOOL COMPLEX SPRINGFIELD STREET PROVIDENCE, RHODE ISLAND	
SITE PLAN	
	FIGURE 1

CITY: MANCHESTER, CT DIV/GROUP: ENVCAD DB: B. SMALL PM: TM: G:\ENVCAD\MANCHESTER\ACT\WK012\520011000031\WK012\520011-B01.dwg LAYOUT: 1 SAVED: 2/17/2016 3:05 PM ACADVER: 19.1S (LMS TECH) PAGES/SETUP: PDF-LB PLOTSTYLETABLE: ... PLOTTED: 2/17/2016 3:05 PM BY: HALLIWELL, TRISH

ATTACHMENT A

Limitations and Service Constraints



LIMITATIONS AND SERVICE CONSTRAINTS

GENERAL REPORTS/DOCUMENT

The opinions and recommendations presented in this report are based upon the scope of services, information obtained through the performance of the services, and the schedule as agreed upon by ARCADIS and the party for whom this report was originally prepared. This report is an instrument of professional service and was prepared in accordance with the generally accepted standards and level of skill and care under similar conditions and circumstances established by the environmental consulting industry. No representation, warranty, or guarantee, express or implied, is intended or given. To the extent that ARCADIS relied upon any information prepared by other parties not under contract to ARCADIS, ARCADIS makes no representation as to the accuracy or completeness of such information. This report is expressly for the sole and exclusive use of the party for whom this report was originally prepared for a particular purpose. Only the party for whom this report was originally prepared and/or other specifically named parties have the right to make use of and rely upon this report. Reuse of this report or any portion thereof for other than its intended purpose, or if modified, or if used by third parties, shall be at the user's sole risk.

Results of any investigations or testing and any findings presented in this report apply solely to conditions existing at the time when ARCADIS' investigative work was performed. It must be recognized that any such investigative or testing activities are inherently limited and do not represent a conclusive or complete characterization. Conditions in other parts of the project site may vary from those at the locations where data were collected. ARCADIS's ability to interpret investigation results is related to the availability of the data and the extent of the investigation activities. As such, 100% confidence in environmental investigation conclusions cannot reasonably be achieved.

ARCADIS, therefore, does not provide any guarantees, certifications, or warranties regarding any conclusions regarding environmental contamination of any such property. Furthermore, nothing contained in this document shall relieve any other party of its responsibility to abide by contract documents and applicable laws, codes, regulations, or standards.

ATTACHMENT B

Complete Lab Results



June 7, 2016

Donna Pallister
Arcadis US, Inc. - Warwick, RI
300 Metro Center Blvd., Suite 250
Warwick, RI 02886

Project Location: Providence, RI
Client Job Number:
Project Number: WK01215.0010
Laboratory Work Order Number: 16F0177

Enclosed are results of analyses for samples received by the laboratory on June 3, 2016. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron L. Benoit", with a horizontal line extending to the right from the end of the signature.

Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
16F0177-01	5
16F0177-02	7
16F0177-03	9
16F0177-04	11
16F0177-05	13
Sample Preparation Information	15
QC Data	16
Volatile Organic Compounds by GC/MS	16
B150745	16
Flag/Qualifier Summary	21
Certifications	22
Chain of Custody/Sample Receipt	24

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Arcadis US, Inc. - Warwick, RI
 300 Metro Center Blvd., Suite 250
 Warwick, RI 02886
 ATTN: Donna Pallister

REPORT DATE: 6/7/2016

PURCHASE ORDER NUMBER:

PROJECT NUMBER: WK01215.0010

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 16F0177

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
ATC-1	16F0177-01	Ground Water		SW-846 8260C	
MW-7	16F0177-02	Ground Water		SW-846 8260C	
MW-6	16F0177-03	Ground Water		SW-846 8260C	
ATC-4	16F0177-04	Ground Water		SW-846 8260C	
Trip Blank	16F0177-05	Trip Blank Water		SW-846 8260C	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

SW-846 8260C**Qualifications:****L-04**

Laboratory fortified blank/laboratory control sample recovery and duplicate recovery are outside of control limits. Reported value for this compound is likely to be biased on the low side.

Analyte & Samples(s) Qualified:**Dichlorodifluoromethane (Freon 1:**

16F0177-01[ATC-1], 16F0177-02[MW-7], 16F0177-03[MW-6], 16F0177-04[ATC-4], 16F0177-05[Trip Blank], B150745-BLK1, B150745-BS1, B150745-BSD1

Methyl Acetate

16F0177-01[ATC-1], 16F0177-02[MW-7], 16F0177-03[MW-6], 16F0177-04[ATC-4], 16F0177-05[Trip Blank], B150745-BLK1, B150745-BS1, B150745-BSD1

V-06

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:**tert-Butyl Alcohol (TBA)**

B150745-BS1, B150745-BSD1

V-20

Continuing calibration did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

Analyte & Samples(s) Qualified:**1,4-Dioxane**

B150745-BS1, B150745-BSD1

Chloromethane

B150745-BS1, B150745-BSD1

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington
Project Manager

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: ATC-1

Sampled: 6/2/2016 09:15

Sample ID: 16F0177-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Chloromethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: ATC-1

Sampled: 6/2/2016 09:15

Sample ID: 16F0177-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,4-Dioxane	ND	100	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Methyl Acetate	ND	1.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Methyl Cyclohexane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Tetrahydrofuran	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 14:51	EEH
Surrogates		% Recovery	Recovery Limits		Flag/Qual				
1,2-Dichloroethane-d4		114	70-130					6/6/16 14:51	
Toluene-d8		99.5	70-130					6/6/16 14:51	
4-Bromofluorobenzene		100	70-130					6/6/16 14:51	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: MW-7

Sampled: 6/2/2016 10:20

Sample ID: 16F0177-02

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Chloromethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: MW-7

Sampled: 6/2/2016 10:20

Sample ID: 16F0177-02

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,4-Dioxane	ND	100	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Methyl Acetate	ND	1.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Methyl Cyclohexane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Tetrahydrofuran	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:18	EEH
Surrogates		% Recovery	Recovery Limits		Flag/Qual				
1,2-Dichloroethane-d4		113	70-130					6/6/16 15:18	
Toluene-d8		98.0	70-130					6/6/16 15:18	
4-Bromofluorobenzene		98.5	70-130					6/6/16 15:18	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: MW-6

Sampled: 6/2/2016 11:10

Sample ID: 16F0177-03

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Chloromethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: MW-6

Sampled: 6/2/2016 11:10

Sample ID: 16F0177-03

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,4-Dioxane	ND	100	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Methyl Acetate	ND	1.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Methyl Cyclohexane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Tetrahydrofuran	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 15:45	EEH
Surrogates		% Recovery	Recovery Limits		Flag/Qual				
1,2-Dichloroethane-d4		113	70-130					6/6/16 15:45	
Toluene-d8		97.8	70-130					6/6/16 15:45	
4-Bromofluorobenzene		98.4	70-130					6/6/16 15:45	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: ATC-4

Sampled: 6/2/2016 12:25

Sample ID: 16F0177-04

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Chloromethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,4-Dichlorobenzene	1.0	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: ATC-4

Sampled: 6/2/2016 12:25

Sample ID: 16F0177-04

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,4-Dioxane	ND	100	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Methyl Acetate	ND	1.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Methyl Cyclohexane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Tetrahydrofuran	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 16:12	EEH
Surrogates	% Recovery	Recovery Limits			Flag/Qual				
1,2-Dichloroethane-d4	112	70-130						6/6/16 16:12	
Toluene-d8	98.6	70-130						6/6/16 16:12	
4-Bromofluorobenzene	99.6	70-130						6/6/16 16:12	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: Trip Blank

Sampled: 6/2/2016 00:00

Sample ID: 16F0177-05

Sample Matrix: Trip Blank Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Chloromethane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Providence, RI

Sample Description:

Work Order: 16F0177

Date Received: 6/3/2016

Field Sample #: Trip Blank

Sampled: 6/2/2016 00:00

Sample ID: 16F0177-05

Sample Matrix: Trip Blank Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,4-Dioxane	ND	100	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Methyl Acetate	ND	1.0	µg/L	1	L-04	SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Methyl Cyclohexane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Tetrahydrofuran	ND	10	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	6/6/16	6/6/16 12:37	EEH
Surrogates		% Recovery	Recovery Limits		Flag/Qual				
1,2-Dichloroethane-d4		117	70-130					6/6/16 12:37	
Toluene-d8		98.6	70-130					6/6/16 12:37	
4-Bromofluorobenzene		99.6	70-130					6/6/16 12:37	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: SW-846 5030B-SW-846 8260C

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
16F0177-01 [ATC-1]	B150745	5	5.00	06/06/16
16F0177-02 [MW-7]	B150745	5	5.00	06/06/16
16F0177-03 [MW-6]	B150745	5	5.00	06/06/16
16F0177-04 [ATC-4]	B150745	5	5.00	06/06/16
16F0177-05 [Trip Blank]	B150745	5	5.00	06/06/16

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B150745 - SW-846 5030B

Blank (B150745-BLK1)

Prepared & Analyzed: 06/06/16

Acetone	ND	50	µg/L							
Acrylonitrile	ND	5.0	µg/L							
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L							
Benzene	ND	1.0	µg/L							
Bromobenzene	ND	1.0	µg/L							
Bromochloromethane	ND	1.0	µg/L							
Bromodichloromethane	ND	0.50	µg/L							
Bromoform	ND	1.0	µg/L							
Bromomethane	ND	2.0	µg/L							
2-Butanone (MEK)	ND	20	µg/L							
tert-Butyl Alcohol (TBA)	ND	20	µg/L							
n-Butylbenzene	ND	1.0	µg/L							
sec-Butylbenzene	ND	1.0	µg/L							
tert-Butylbenzene	ND	1.0	µg/L							
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L							
Carbon Disulfide	ND	4.0	µg/L							
Carbon Tetrachloride	ND	5.0	µg/L							
Chlorobenzene	ND	1.0	µg/L							
Chlorodibromomethane	ND	0.50	µg/L							
Chloroethane	ND	2.0	µg/L							
Chloroform	ND	2.0	µg/L							
Chloromethane	ND	2.0	µg/L							
2-Chlorotoluene	ND	1.0	µg/L							
4-Chlorotoluene	ND	1.0	µg/L							
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L							
1,2-Dibromoethane (EDB)	ND	0.50	µg/L							
Dibromomethane	ND	1.0	µg/L							
1,2-Dichlorobenzene	ND	1.0	µg/L							
1,3-Dichlorobenzene	ND	1.0	µg/L							
1,4-Dichlorobenzene	ND	1.0	µg/L							
trans-1,4-Dichloro-2-butene	ND	5.0	µg/L							
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L							L-04
1,1-Dichloroethane	ND	1.0	µg/L							
1,2-Dichloroethane	ND	1.0	µg/L							
1,1-Dichloroethylene	ND	1.0	µg/L							
cis-1,2-Dichloroethylene	ND	1.0	µg/L							
trans-1,2-Dichloroethylene	ND	1.0	µg/L							
1,2-Dichloropropane	ND	1.0	µg/L							
1,3-Dichloropropane	ND	0.50	µg/L							
2,2-Dichloropropane	ND	1.0	µg/L							
1,1-Dichloropropene	ND	2.0	µg/L							
cis-1,3-Dichloropropene	ND	0.50	µg/L							
trans-1,3-Dichloropropene	ND	0.50	µg/L							
Diethyl Ether	ND	2.0	µg/L							
Diisopropyl Ether (DIPE)	ND	0.50	µg/L							
1,4-Dioxane	ND	100	µg/L							
Ethylbenzene	ND	1.0	µg/L							
Hexachlorobutadiene	ND	0.50	µg/L							
2-Hexanone (MBK)	ND	10	µg/L							
Isopropylbenzene (Cumene)	ND	1.0	µg/L							
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L							
Methyl Acetate	ND	1.0	µg/L							

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B150745 - SW-846 5030B

Blank (B150745-BLK1)

Prepared & Analyzed: 06/06/16

Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L							
Methyl Cyclohexane	ND	1.0	µg/L							
Methylene Chloride	ND	5.0	µg/L							
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L							
Naphthalene	ND	2.0	µg/L							
n-Propylbenzene	ND	1.0	µg/L							
Styrene	ND	1.0	µg/L							
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L							
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L							
Tetrachloroethylene	ND	1.0	µg/L							
Tetrahydrofuran	ND	10	µg/L							
Toluene	ND	1.0	µg/L							
1,2,3-Trichlorobenzene	ND	5.0	µg/L							
1,2,4-Trichlorobenzene	ND	1.0	µg/L							
1,3,5-Trichlorobenzene	ND	1.0	µg/L							
1,1,1-Trichloroethane	ND	1.0	µg/L							
1,1,2-Trichloroethane	ND	1.0	µg/L							
Trichloroethylene	ND	1.0	µg/L							
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L							
1,2,3-Trichloropropane	ND	2.0	µg/L							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L							
1,2,4-Trimethylbenzene	ND	1.0	µg/L							
1,3,5-Trimethylbenzene	ND	1.0	µg/L							
Vinyl Chloride	ND	2.0	µg/L							
m+p Xylene	ND	2.0	µg/L							
o-Xylene	ND	1.0	µg/L							
Surrogate: 1,2-Dichloroethane-d4	28.7		µg/L	25.0		115	70-130			
Surrogate: Toluene-d8	24.6		µg/L	25.0		98.4	70-130			
Surrogate: 4-Bromofluorobenzene	23.8		µg/L	25.0		95.3	70-130			

LCS (B150745-BS1)

Prepared & Analyzed: 06/06/16

Acetone	130	50	µg/L	100		130	70-160			†
Acrylonitrile	9.88	5.0	µg/L	10.0		98.8	70-130			
tert-Amyl Methyl Ether (TAME)	9.48	0.50	µg/L	10.0		94.8	70-130			
Benzene	8.43	1.0	µg/L	10.0		84.3	70-130			
Bromobenzene	9.57	1.0	µg/L	10.0		95.7	70-130			
Bromochloromethane	9.83	1.0	µg/L	10.0		98.3	70-130			
Bromodichloromethane	9.54	0.50	µg/L	10.0		95.4	70-130			
Bromoform	10.8	1.0	µg/L	10.0		108	70-130			
Bromomethane	7.34	2.0	µg/L	10.0		73.4	40-160			†
2-Butanone (MEK)	103	20	µg/L	100		103	40-160			†
tert-Butyl Alcohol (TBA)	114	20	µg/L	100		114	40-160		V-06	†
n-Butylbenzene	10.4	1.0	µg/L	10.0		104	70-130			
sec-Butylbenzene	9.31	1.0	µg/L	10.0		93.1	70-130			
tert-Butylbenzene	9.39	1.0	µg/L	10.0		93.9	70-130			
tert-Butyl Ethyl Ether (TBEE)	10.1	0.50	µg/L	10.0		101	70-130			
Carbon Disulfide	9.38	4.0	µg/L	10.0		93.8	70-130			
Carbon Tetrachloride	10.7	5.0	µg/L	10.0		107	70-130			
Chlorobenzene	8.57	1.0	µg/L	10.0		85.7	70-130			
Chlorodibromomethane	9.75	0.50	µg/L	10.0		97.5	70-130			
Chloroethane	10.5	2.0	µg/L	10.0		105	70-130			
Chloroform	9.23	2.0	µg/L	10.0		92.3	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B150745 - SW-846 5030B										
LCS (B150745-BS1)										
Prepared & Analyzed: 06/06/16										
Chloromethane	10.1	2.0	µg/L	10.0		101	40-160			V-20 †
2-Chlorotoluene	9.01	1.0	µg/L	10.0		90.1	70-130			
4-Chlorotoluene	9.33	1.0	µg/L	10.0		93.3	70-130			
1,2-Dibromo-3-chloropropane (DBCP)	10.6	5.0	µg/L	10.0		106	70-130			
1,2-Dibromoethane (EDB)	9.04	0.50	µg/L	10.0		90.4	70-130			
Dibromomethane	9.19	1.0	µg/L	10.0		91.9	70-130			
1,2-Dichlorobenzene	9.04	1.0	µg/L	10.0		90.4	70-130			
1,3-Dichlorobenzene	9.36	1.0	µg/L	10.0		93.6	70-130			
1,4-Dichlorobenzene	8.82	1.0	µg/L	10.0		88.2	70-130			
trans-1,4-Dichloro-2-butene	11.5	5.0	µg/L	10.0		115	70-130			
Dichlorodifluoromethane (Freon 12)	3.94	2.0	µg/L	10.0		39.4 *	40-160			L-04 †
1,1-Dichloroethane	9.34	1.0	µg/L	10.0		93.4	70-130			
1,2-Dichloroethane	9.42	1.0	µg/L	10.0		94.2	70-130			
1,1-Dichloroethylene	9.52	1.0	µg/L	10.0		95.2	70-130			
cis-1,2-Dichloroethylene	8.59	1.0	µg/L	10.0		85.9	70-130			
trans-1,2-Dichloroethylene	8.90	1.0	µg/L	10.0		89.0	70-130			
1,2-Dichloropropane	8.48	1.0	µg/L	10.0		84.8	70-130			
1,3-Dichloropropane	8.86	0.50	µg/L	10.0		88.6	70-130			
2,2-Dichloropropane	11.2	1.0	µg/L	10.0		112	40-130			†
1,1-Dichloropropene	9.25	2.0	µg/L	10.0		92.5	70-130			
cis-1,3-Dichloropropene	8.69	0.50	µg/L	10.0		86.9	70-130			
trans-1,3-Dichloropropene	9.57	0.50	µg/L	10.0		95.7	70-130			
Diethyl Ether	8.92	2.0	µg/L	10.0		89.2	70-130			
Diisopropyl Ether (DIPE)	9.06	0.50	µg/L	10.0		90.6	70-130			
1,4-Dioxane	100	100	µg/L	100		100	40-130			V-20 †
Ethylbenzene	9.17	1.0	µg/L	10.0		91.7	70-130			
Hexachlorobutadiene	11.2	0.50	µg/L	10.0		112	70-130			†
2-Hexanone (MBK)	103	10	µg/L	100		103	70-160			†
Isopropylbenzene (Cumene)	9.41	1.0	µg/L	10.0		94.1	70-130			
p-Isopropyltoluene (p-Cymene)	9.94	1.0	µg/L	10.0		99.4	70-130			
Methyl Acetate	6.15	1.0	µg/L	10.0		61.5 *	70-130			L-04
Methyl tert-Butyl Ether (MTBE)	9.13	1.0	µg/L	10.0		91.3	70-130			
Methyl Cyclohexane	9.49	1.0	µg/L	10.0		94.9	70-130			
Methylene Chloride	9.87	5.0	µg/L	10.0		98.7	70-130			
4-Methyl-2-pentanone (MIBK)	104	10	µg/L	100		104	70-160			†
Naphthalene	8.43	2.0	µg/L	10.0		84.3	40-130			†
n-Propylbenzene	9.08	1.0	µg/L	10.0		90.8	70-130			
Styrene	9.13	1.0	µg/L	10.0		91.3	70-130			
1,1,1,2-Tetrachloroethane	9.91	1.0	µg/L	10.0		99.1	70-130			
1,1,2,2-Tetrachloroethane	9.31	0.50	µg/L	10.0		93.1	70-130			
Tetrachloroethylene	9.89	1.0	µg/L	10.0		98.9	70-130			
Tetrahydrofuran	10.3	10	µg/L	10.0		103	70-130			
Toluene	8.51	1.0	µg/L	10.0		85.1	70-130			
1,2,3-Trichlorobenzene	9.31	5.0	µg/L	10.0		93.1	70-130			
1,2,4-Trichlorobenzene	9.95	1.0	µg/L	10.0		99.5	70-130			
1,3,5-Trichlorobenzene	10.5	1.0	µg/L	10.0		105	70-130			
1,1,1-Trichloroethane	10.2	1.0	µg/L	10.0		102	70-130			
1,1,2-Trichloroethane	8.99	1.0	µg/L	10.0		89.9	70-130			
Trichloroethylene	9.49	1.0	µg/L	10.0		94.9	70-130			
Trichlorofluoromethane (Freon 11)	9.99	2.0	µg/L	10.0		99.9	70-130			
1,2,3-Trichloropropane	9.12	2.0	µg/L	10.0		91.2	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B150745 - SW-846 5030B

LCS (B150745-BS1)

Prepared & Analyzed: 06/06/16

1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.1	1.0	µg/L	10.0		101	70-130			
1,2,4-Trimethylbenzene	9.22	1.0	µg/L	10.0		92.2	70-130			
1,3,5-Trimethylbenzene	9.74	1.0	µg/L	10.0		97.4	70-130			
Vinyl Chloride	7.91	2.0	µg/L	10.0		79.1	40-160			†
m+p Xylene	18.5	2.0	µg/L	20.0		92.6	70-130			
o-Xylene	9.07	1.0	µg/L	10.0		90.7	70-130			
Surrogate: 1,2-Dichloroethane-d4	28.4		µg/L	25.0		114	70-130			
Surrogate: Toluene-d8	24.4		µg/L	25.0		97.5	70-130			
Surrogate: 4-Bromofluorobenzene	25.0		µg/L	25.0		99.9	70-130			

LCS Dup (B150745-BSD1)

Prepared & Analyzed: 06/06/16

Acetone	121	50	µg/L	100		121	70-160	7.21	25	†
Acrylonitrile	10.2	5.0	µg/L	10.0		102	70-130	3.58	25	
tert-Amyl Methyl Ether (TAME)	9.58	0.50	µg/L	10.0		95.8	70-130	1.05	25	
Benzene	8.04	1.0	µg/L	10.0		80.4	70-130	4.74	25	
Bromobenzene	9.38	1.0	µg/L	10.0		93.8	70-130	2.01	25	
Bromochloromethane	9.96	1.0	µg/L	10.0		99.6	70-130	1.31	25	
Bromodichloromethane	9.87	0.50	µg/L	10.0		98.7	70-130	3.40	25	
Bromoform	10.6	1.0	µg/L	10.0		106	70-130	2.33	25	
Bromomethane	7.61	2.0	µg/L	10.0		76.1	40-160	3.61	25	†
2-Butanone (MEK)	100	20	µg/L	100		100	40-160	2.33	25	†
tert-Butyl Alcohol (TBA)	116	20	µg/L	100		116	40-160	2.01	25	V-06 †
n-Butylbenzene	9.96	1.0	µg/L	10.0		99.6	70-130	4.71	25	
sec-Butylbenzene	9.10	1.0	µg/L	10.0		91.0	70-130	2.28	25	
tert-Butylbenzene	9.15	1.0	µg/L	10.0		91.5	70-130	2.59	25	
tert-Butyl Ethyl Ether (TBEE)	9.90	0.50	µg/L	10.0		99.0	70-130	2.00	25	
Carbon Disulfide	8.57	4.0	µg/L	10.0		85.7	70-130	9.03	25	
Carbon Tetrachloride	10.3	5.0	µg/L	10.0		103	70-130	3.33	25	
Chlorobenzene	8.46	1.0	µg/L	10.0		84.6	70-130	1.29	25	
Chlorodibromomethane	10.0	0.50	µg/L	10.0		100	70-130	2.73	25	
Chloroethane	9.64	2.0	µg/L	10.0		96.4	70-130	8.35	25	
Chloroform	9.06	2.0	µg/L	10.0		90.6	70-130	1.86	25	
Chloromethane	10.1	2.0	µg/L	10.0		101	40-160	0.297	25	V-20 †
2-Chlorotoluene	8.99	1.0	µg/L	10.0		89.9	70-130	0.222	25	
4-Chlorotoluene	8.82	1.0	µg/L	10.0		88.2	70-130	5.62	25	
1,2-Dibromo-3-chloropropane (DBCP)	10.6	5.0	µg/L	10.0		106	70-130	0.283	25	
1,2-Dibromoethane (EDB)	9.49	0.50	µg/L	10.0		94.9	70-130	4.86	25	
Dibromomethane	9.38	1.0	µg/L	10.0		93.8	70-130	2.05	25	
1,2-Dichlorobenzene	8.90	1.0	µg/L	10.0		89.0	70-130	1.56	25	
1,3-Dichlorobenzene	9.19	1.0	µg/L	10.0		91.9	70-130	1.83	25	
1,4-Dichlorobenzene	8.67	1.0	µg/L	10.0		86.7	70-130	1.72	25	
trans-1,4-Dichloro-2-butene	11.3	5.0	µg/L	10.0		113	70-130	1.31	25	
Dichlorodifluoromethane (Freon 12)	3.70	2.0	µg/L	10.0		37.0	* 40-160	6.28	25	L-04 †
1,1-Dichloroethane	9.04	1.0	µg/L	10.0		90.4	70-130	3.26	25	
1,2-Dichloroethane	9.56	1.0	µg/L	10.0		95.6	70-130	1.48	25	
1,1-Dichloroethylene	9.02	1.0	µg/L	10.0		90.2	70-130	5.39	25	
cis-1,2-Dichloroethylene	8.54	1.0	µg/L	10.0		85.4	70-130	0.584	25	
trans-1,2-Dichloroethylene	8.35	1.0	µg/L	10.0		83.5	70-130	6.38	25	
1,2-Dichloropropane	8.51	1.0	µg/L	10.0		85.1	70-130	0.353	25	
1,3-Dichloropropane	8.66	0.50	µg/L	10.0		86.6	70-130	2.28	25	
2,2-Dichloropropane	11.1	1.0	µg/L	10.0		111	40-130	1.17	25	†
1,1-Dichloropropene	9.07	2.0	µg/L	10.0		90.7	70-130	1.97	25	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B150745 - SW-846 5030B										
LCS Dup (B150745-BSD1)										
Prepared & Analyzed: 06/06/16										
cis-1,3-Dichloropropene	8.66	0.50	µg/L	10.0		86.6	70-130	0.346	25	
trans-1,3-Dichloropropene	9.56	0.50	µg/L	10.0		95.6	70-130	0.105	25	
Diethyl Ether	8.68	2.0	µg/L	10.0		86.8	70-130	2.73	25	
Diisopropyl Ether (DIPE)	8.83	0.50	µg/L	10.0		88.3	70-130	2.57	25	
1,4-Dioxane	118	100	µg/L	100		118	40-130	16.0	50	V-20 † ‡
Ethylbenzene	8.77	1.0	µg/L	10.0		87.7	70-130	4.46	25	
Hexachlorobutadiene	11.3	0.50	µg/L	10.0		113	70-130	1.07	25	
2-Hexanone (MBK)	106	10	µg/L	100		106	70-160	2.71	25	†
Isopropylbenzene (Cumene)	9.00	1.0	µg/L	10.0		90.0	70-130	4.45	25	
p-Isopropyltoluene (p-Cymene)	9.69	1.0	µg/L	10.0		96.9	70-130	2.55	25	
Methyl Acetate	6.31	1.0	µg/L	10.0		63.1 *	70-130	2.57	25	L-04
Methyl tert-Butyl Ether (MTBE)	8.88	1.0	µg/L	10.0		88.8	70-130	2.78	25	
Methyl Cyclohexane	9.44	1.0	µg/L	10.0		94.4	70-130	0.528	25	
Methylene Chloride	9.65	5.0	µg/L	10.0		96.5	70-130	2.25	25	
4-Methyl-2-pentanone (MIBK)	106	10	µg/L	100		106	70-160	1.50	25	†
Naphthalene	8.53	2.0	µg/L	10.0		85.3	40-130	1.18	25	†
n-Propylbenzene	8.83	1.0	µg/L	10.0		88.3	70-130	2.79	25	
Styrene	8.92	1.0	µg/L	10.0		89.2	70-130	2.33	25	
1,1,1,2-Tetrachloroethane	9.54	1.0	µg/L	10.0		95.4	70-130	3.80	25	
1,1,2,2-Tetrachloroethane	9.34	0.50	µg/L	10.0		93.4	70-130	0.322	25	
Tetrachloroethylene	9.62	1.0	µg/L	10.0		96.2	70-130	2.77	25	
Tetrahydrofuran	10.6	10	µg/L	10.0		106	70-130	2.20	25	
Toluene	8.54	1.0	µg/L	10.0		85.4	70-130	0.352	25	
1,2,3-Trichlorobenzene	9.10	5.0	µg/L	10.0		91.0	70-130	2.28	25	
1,2,4-Trichlorobenzene	10.1	1.0	µg/L	10.0		101	70-130	1.10	25	
1,3,5-Trichlorobenzene	10.2	1.0	µg/L	10.0		102	70-130	2.42	25	
1,1,1-Trichloroethane	9.88	1.0	µg/L	10.0		98.8	70-130	2.79	25	
1,1,2-Trichloroethane	9.17	1.0	µg/L	10.0		91.7	70-130	1.98	25	
Trichloroethylene	9.15	1.0	µg/L	10.0		91.5	70-130	3.65	25	
Trichlorofluoromethane (Freon 11)	9.56	2.0	µg/L	10.0		95.6	70-130	4.40	25	
1,2,3-Trichloropropane	8.99	2.0	µg/L	10.0		89.9	70-130	1.44	25	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.49	1.0	µg/L	10.0		94.9	70-130	6.03	25	
1,2,4-Trimethylbenzene	9.10	1.0	µg/L	10.0		91.0	70-130	1.31	25	
1,3,5-Trimethylbenzene	9.36	1.0	µg/L	10.0		93.6	70-130	3.98	25	
Vinyl Chloride	7.66	2.0	µg/L	10.0		76.6	40-160	3.21	25	†
m+p Xylene	17.8	2.0	µg/L	20.0		89.0	70-130	4.07	25	
o-Xylene	8.85	1.0	µg/L	10.0		88.5	70-130	2.46	25	
Surrogate: 1,2-Dichloroethane-d4	28.4		µg/L	25.0		114	70-130			
Surrogate: Toluene-d8	25.0		µg/L	25.0		99.8	70-130			
Surrogate: 4-Bromofluorobenzene	24.7		µg/L	25.0		98.8	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
L-04	Laboratory fortified blank/laboratory control sample recovery and duplicate recovery are outside of control limits. Reported value for this compound is likely to be biased on the low side.
V-06	Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.
V-20	Continuing calibration did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>SW-846 8260C in Water</i>	
Acetone	CT,NY,ME,NH,VA
Acrylonitrile	CT,NY,ME,NH,VA
tert-Amyl Methyl Ether (TAME)	NY,ME,NH,VA
Benzene	CT,NY,ME,NH,VA
Bromochloromethane	NY,ME,NH,VA
Bromodichloromethane	CT,NY,ME,NH,VA
Bromoform	CT,NY,ME,NH,VA
Bromomethane	CT,NY,ME,NH,VA
2-Butanone (MEK)	CT,NY,ME,NH,VA
tert-Butyl Alcohol (TBA)	NY,ME,NH,VA
n-Butylbenzene	NY,ME,VA
sec-Butylbenzene	NY,ME,VA
tert-Butylbenzene	NY,ME,VA
tert-Butyl Ethyl Ether (TBEE)	NY,ME,NH,VA
Carbon Disulfide	CT,NY,ME,NH,VA
Carbon Tetrachloride	CT,NY,ME,NH,VA
Chlorobenzene	CT,NY,ME,NH,VA
Chlorodibromomethane	CT,NY,ME,NH,VA
Chloroethane	CT,NY,ME,NH,VA
Chloroform	CT,NY,ME,NH,VA
Chloromethane	CT,NY,ME,NH,VA
2-Chlorotoluene	NY,ME,NH,VA
4-Chlorotoluene	NY,ME,NH,VA
Dibromomethane	NY,ME,NH,VA
1,2-Dichlorobenzene	CT,NY,ME,NH,VA
1,3-Dichlorobenzene	CT,NY,ME,NH,VA
1,4-Dichlorobenzene	CT,NY,ME,NH,VA
trans-1,4-Dichloro-2-butene	NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	NY,ME,NH,VA
1,1-Dichloroethane	CT,NY,ME,NH,VA
1,2-Dichloroethane	CT,NY,ME,NH,VA
1,1-Dichloroethylene	CT,NY,ME,NH,VA
cis-1,2-Dichloroethylene	NY,ME
trans-1,2-Dichloroethylene	CT,NY,ME,NH,VA
1,2-Dichloropropane	CT,NY,ME,NH,VA
1,3-Dichloropropane	NY,ME,VA
2,2-Dichloropropane	NY,ME,NH,VA
1,1-Dichloropropene	NY,ME,NH,VA
cis-1,3-Dichloropropene	CT,NY,ME,NH,VA
trans-1,3-Dichloropropene	CT,NY,ME,NH,VA
Diisopropyl Ether (DIPE)	NY,ME,NH,VA
Ethylbenzene	CT,NY,ME,NH,VA
Hexachlorobutadiene	CT,NY,ME,NH,VA
2-Hexanone (MBK)	CT,NY,ME,NH,VA
Isopropylbenzene (Cumene)	NY,ME,VA
p-Isopropyltoluene (p-Cymene)	CT,NY,ME,NH,VA
Methyl tert-Butyl Ether (MTBE)	CT,NY,ME,NH,VA


CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>SW-846 8260C in Water</i>	
Methylene Chloride	CT,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	CT,NY,ME,NH,VA
Naphthalene	NY,ME,NH,VA
n-Propylbenzene	CT,NY,ME,NH,VA
Styrene	CT,NY,ME,NH,VA
1,1,1,2-Tetrachloroethane	CT,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	CT,NY,ME,NH,VA
Tetrachloroethylene	CT,NY,ME,NH,VA
Toluene	CT,NY,ME,NH,VA
1,2,3-Trichlorobenzene	NY,ME,NH,VA
1,2,4-Trichlorobenzene	CT,NY,ME,NH,VA
1,3,5-Trichlorobenzene	ME
1,1,1-Trichloroethane	CT,NY,ME,NH,VA
1,1,2-Trichloroethane	CT,NY,ME,NH,VA
Trichloroethylene	CT,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	CT,NY,ME,NH,VA
1,2,3-Trichloropropane	NY,ME,NH,VA
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NY,VA
1,2,4-Trimethylbenzene	NY,ME,VA
1,3,5-Trimethylbenzene	NY,ME,VA
Vinyl Chloride	CT,NY,ME,NH,VA
m+p Xylene	CT,NY,ME,NH,VA
o-Xylene	CT,NY,ME,NH,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2018
MA	Massachusetts DEP	M-MA100	06/30/2016
CT	Connecticut Department of Public Health	PH-0567	09/30/2017
NY	New York State Department of Health	10899 NELAP	04/1/2017
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2017
RI	Rhode Island Department of Health	LAO00112	12/30/2016
NC	North Carolina Div. of Water Quality	652	12/31/2016
NJ	New Jersey DEP	MA007 NELAP	06/30/2016
FL	Florida Department of Health	E871027 NELAP	06/30/2016
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2016
ME	State of Maine	2011028	06/9/2017
VA	Commonwealth of Virginia	460217	12/14/2016
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2016



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 Spruce Street
 East Longmeadow, MA 01028

Page 1 of 1

Company Name: ARCADIS
 Telephone: 401-738-3887

Address: 300 METRO CENTER BLDG
SUITE 250, WARWICK, RI 02886

Attention: DONNA PALUSTER
 Project # WKO12152.0010

Project Location: PELODENCE, RI
 Client PO#

Sampled By: KRISTEN AUDETTE
 Email: DONNA.PALUSTER@ARCADIS.COM

Project Proposal Provided? (for billing purposes)
 YES NO proposal date

DATA DELIVERY (check all that apply)
 FAX EMAIL WEBSITE

Format: EXCEL OGIS

Other: OTHER

Collection: "Enhanced Data Package"

Con-Test Lab ID <small>(Laboratory use only)</small>	Client Sample ID / Description	Collection		Matrix Code	Conc Code
		Beginning Date/Time	Ending Date/Time		
01	ATC-1	6/2/16	9:15	X	GW
02	MW-7	6/2/16	10:20	X	GW
03	MW-6	6/2/16	11:10	X	FW
04	ATC-4	6/2/16	12:25	X	GW
05	TRIP BLANK			X	FW

Comments: 14 VOCs

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

# of Containers	
** Preservation	
*** Container Code	

ANALYSIS REQUESTED

Dissolved Metals
 Field Filtered
 Lab to Filter

***Cont. Code:
 A=amber glass
 G=glass
 P=plastic
 ST=sterile
 V=vial
 S=summa can
 T=tetlar bag
 O=Other

**Preservation
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 X = Na hydroxide
 T = Na thiosulfate
 O = Other

*Matrix Code:
 GW= groundwater
 WW= wastewater
 DW= drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

Is your project MCP or RCP?

MCP Form Required
 RCP Form Required
 MA State DW Form Required PWSID # _____

Accredited
 NELAC & AIHA-LAP, LLC
 WBE/DBE Certified

Detection Limit Requirements	
Massachusetts:	
Connecticut:	
Other:	

Relinquished by (signature)	Date/Time	Turnaround ^{††}	
		7-Day	10-Day
<i>[Signature]</i>	6/2/16 17:41	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Received by (signature)	Date/Time	RUSH [†]	
<i>[Signature]</i>	6/3/16 11:48	<input type="checkbox"/> 24-Hr	<input type="checkbox"/> 148-Hr
Relinquished by (signature)	Date/Time	Require lab approval	
<i>[Signature]</i>	6/3/16 11:48	<input type="checkbox"/> 14-Day	<input type="checkbox"/> 14-Day
Received by (signature)	Date/Time	Require lab approval	
<i>[Signature]</i>	6/3/16 11:48		

URNAROUND TIME STARTS AT 9:05 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT

39 Spruce St.
 East Longmeadow, MA. 01028
 P: 413-525-2332
 F: 413-525-6405
 www.contestlabs.com



Sample Receipt Checklist

CLIENT NAME: Arceuths RECEIVED BY: EB DATE: 6/3/16

- 1) Was the chain(s) of custody relinquished and signed? Yes No No COC Incl.
- 2) Does the chain agree with the samples? Yes No
 If not, explain:
- 3) Are all the samples in good condition? Yes No
 If not, explain:

4) How were the samples received:

On Ice Direct from Sampling Ambient In Cooler(s)

Were the samples received in Temperature Compliance of (2-6°C)? Yes No N/A

Temperature °C by Temp blank _____ Temperature °C by Temp gun 5.6

5) Are there Dissolved samples for the lab to filter? Yes No

Who was notified _____ Date _____ Time _____

6) Are there any RUSH or SHORT HOLDING TIME samples? Yes No

Who was notified _____ Date _____ Time _____

7) Location where samples are stored:

Log In

Permission to subcontract samples? Yes No
 (Walk-in clients only) if not already approved
 Client Signature: _____

8) Do all samples have the proper Acid pH: Yes No N/A

9) Do all samples have the proper Base pH: Yes No N/A

10) Was the PC notified of any discrepancies with the CoC vs the samples: Yes N/A

Containers received at Con-Test

		# of containers			# of containers
1 Liter Amber			16 oz amber		
500 mL Amber			8 oz amber/clear jar		
250 mL Amber (8oz amber)			4 oz amber/clear jar		
1 Liter Plastic			2 oz amber/clear jar		
500 mL Plastic			Plastic Bag / Ziploc		
250 mL plastic			SOC Kit		
40 mL Vial - type listed below		<u>14</u>	Perchlorate Kit		
Colisure / bacteria bottle			Flashpoint bottle		
Dissolved Oxygen bottle			Other glass jar		
Encore			Other		

40 mL vials: # HCl 14 # Methanol _____ Time and Date Frozen: _____
 # Bisulfate _____ # DI Water _____
 # Thiosulfate _____ Unpreserved _____

Page 2 of 2

Login Sample Receipt Checklist**(Rejection Criteria Listing - Using Sample Acceptance Policy)****Any False statement will be brought to the attention of Client**

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
	T	F/NA	
1) The cooler's custody seal, if present, is intact.		N/A	
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	T		
4) Cooler Temperature is acceptable.	T		
5) Cooler Temperature is recorded.	T		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) There are no discrepancies between the sample IDs on the container and the COC.	T		
10) Samples are received within Holding Time.	T		
11) Sample containers have legible labels.	T		
12) Containers are not broken or leaking.	T		
13) Air Cassettes are not broken/open.		N/A	
14) Sample collection date/times are provided.	T		
15) Appropriate sample containers are used.	T		
16) Proper collection media used.	T		
17) No headspace sample bottles are completely filled.	T		
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
19) Trip blanks provided if applicable.		N/A T	
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	T		
21) Samples do not require splitting or compositing.		N/A	

Doc #277 Rev. 4 August 2013

Who notified of False statements?

Log-In Technician Initials: EIS

Date/Time:

Date/Time: 6/3/16 4:15

June 10, 2016

Donna Pallister
Arcadis US, Inc. - Warwick, RI
300 Metro Center Blvd., Suite 250
Warwick, RI 02886

Project Location: Providence, RI
Client Job Number:
Project Number: WK01215.0010
Laboratory Work Order Number: 16F0175

Enclosed are results of analyses for samples received by the laboratory on June 3, 2016. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron L. Benoit", with a horizontal line extending to the right from the end of the signature.

Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	11
QC Data	12
Air Toxics by EPA Compendium Methods	12
B151214	12
Flag/Qualifier Summary	14
Certifications	15
Chain of Custody/Sample Receipt	17

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Arcadis US, Inc. - Warwick, RI
300 Metro Center Blvd., Suite 250
Warwick, RI 02886
ATTN: Donna Pallister

REPORT DATE: 6/10/2016

PURCHASE ORDER NUMBER:

PROJECT NUMBER: WK01215.0010

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 16F0175

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
ES #1	16F0175-01	Air		EPA TO-14A	
ES #2	16F0175-02	Air		EPA TO-14A	
MS Front	16F0175-03	Air		EPA TO-14A	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Lisa A. Worthington", is written over a light gray rectangular background.

Lisa A. Worthington
Project Manager

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 6/3/2016
 Field Sample #: ES #1
 Sample ID: 16F0175-01
 Sample Matrix: Air
 Sampled: 6/2/2016 13:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID:
 Canister Size:
 Flow Controller ID:
 Sample Type:

Work Order: 16F0175
 Initial Vacuum(in Hg):
 Final Vacuum(in Hg):
 Receipt Vacuum(in Hg):
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-14A

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Benzene	0.10	0.10		0.32	0.32	2	6/9/16 17:02	TPH
Bromomethane	ND	0.10		ND	0.39	2	6/9/16 17:02	TPH
Carbon Tetrachloride	ND	0.10		ND	0.63	2	6/9/16 17:02	TPH
Chlorobenzene	ND	0.10		ND	0.46	2	6/9/16 17:02	TPH
Chloroethane	ND	0.10		ND	0.26	2	6/9/16 17:02	TPH
Chloroform	0.15	0.10		0.75	0.49	2	6/9/16 17:02	TPH
Chloromethane	ND	0.20		ND	0.41	2	6/9/16 17:02	TPH
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	6/9/16 17:02	TPH
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 17:02	TPH
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 17:02	TPH
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 17:02	TPH
Dichlorodifluoromethane (Freon 12)	0.24	0.10		1.2	0.49	2	6/9/16 17:02	TPH
1,1-Dichloroethane	ND	0.10		ND	0.40	2	6/9/16 17:02	TPH
1,2-Dichloroethane	ND	0.10		ND	0.40	2	6/9/16 17:02	TPH
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	6/9/16 17:02	TPH
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	6/9/16 17:02	TPH
1,2-Dichloropropane	ND	0.10		ND	0.46	2	6/9/16 17:02	TPH
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	6/9/16 17:02	TPH
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	6/9/16 17:02	TPH
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	ND	0.10		ND	0.70	2	6/9/16 17:02	TPH
Ethylbenzene	ND	0.10		ND	0.43	2	6/9/16 17:02	TPH
Hexachlorobutadiene	ND	0.10		ND	1.1	2	6/9/16 17:02	TPH
Methylene Chloride	4.2	1.0		15	3.5	2	6/9/16 17:02	TPH
Styrene	8.4	0.10		36	0.43	2	6/9/16 17:02	TPH
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	6/9/16 17:02	TPH
Tetrachloroethylene	0.46	0.10		3.1	0.68	2	6/9/16 17:02	TPH
Toluene	4.9	0.10		18	0.38	2	6/9/16 17:02	TPH
1,2,4-Trichlorobenzene	ND	0.10		ND	0.74	2	6/9/16 17:02	TPH
1,1,1-Trichloroethane	ND	0.10		ND	0.55	2	6/9/16 17:02	TPH
1,1,2-Trichloroethane	ND	0.10		ND	0.55	2	6/9/16 17:02	TPH
Trichloroethylene	ND	0.10		ND	0.54	2	6/9/16 17:02	TPH
Trichlorofluoromethane (Freon 11)	0.52	0.10		2.9	0.56	2	6/9/16 17:02	TPH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.10		ND	0.77	2	6/9/16 17:02	TPH
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	6/9/16 17:02	TPH
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	6/9/16 17:02	TPH
Vinyl Chloride	ND	0.10		ND	0.26	2	6/9/16 17:02	TPH
m&p-Xylene	0.21	0.20		0.91	0.87	2	6/9/16 17:02	TPH

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 6/3/2016
Field Sample #: ES #1
Sample ID: 16F0175-01
 Sample Matrix: Air
 Sampled: 6/2/2016 13:40

Sample Description/Location:
 Sub Description/Location:
 Canister ID:
 Canister Size:
 Flow Controller ID:
 Sample Type:

Work Order: 16F0175
 Initial Vacuum(in Hg):
 Final Vacuum(in Hg):
 Receipt Vacuum(in Hg):
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-14A

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
o-Xylene	ND	0.10		ND	0.43	2	6/9/16	17:02	TPH
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)		93.5			70-130		6/9/16	17:02	

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 6/3/2016
Field Sample #: ES #2
Sample ID: 16F0175-02
 Sample Matrix: Air
 Sampled: 6/2/2016 13:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID:
 Canister Size:
 Flow Controller ID:
 Sample Type:

Work Order: 16F0175
 Initial Vacuum(in Hg):
 Final Vacuum(in Hg):
 Receipt Vacuum(in Hg):
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-14A

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Benzene	ND	0.10		ND	0.32	2	6/9/16 17:43	TPH	
Bromomethane	ND	0.10		ND	0.39	2	6/9/16 17:43	TPH	
Carbon Tetrachloride	ND	0.10		ND	0.63	2	6/9/16 17:43	TPH	
Chlorobenzene	ND	0.10		ND	0.46	2	6/9/16 17:43	TPH	
Chloroethane	ND	0.10		ND	0.26	2	6/9/16 17:43	TPH	
Chloroform	0.18	0.10		0.89	0.49	2	6/9/16 17:43	TPH	
Chloromethane	ND	0.20		ND	0.41	2	6/9/16 17:43	TPH	
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	6/9/16 17:43	TPH	
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 17:43	TPH	
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 17:43	TPH	
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 17:43	TPH	
Dichlorodifluoromethane (Freon 12)	0.51	0.10		2.5	0.49	2	6/9/16 17:43	TPH	
1,1-Dichloroethane	ND	0.10		ND	0.40	2	6/9/16 17:43	TPH	
1,2-Dichloroethane	ND	0.10		ND	0.40	2	6/9/16 17:43	TPH	
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	6/9/16 17:43	TPH	
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	6/9/16 17:43	TPH	
1,2-Dichloropropane	ND	0.10		ND	0.46	2	6/9/16 17:43	TPH	
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	6/9/16 17:43	TPH	
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	6/9/16 17:43	TPH	
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	0.19	0.10		1.4	0.70	2	6/9/16 17:43	TPH	
Ethylbenzene	ND	0.10		ND	0.43	2	6/9/16 17:43	TPH	
Hexachlorobutadiene	ND	0.10		ND	1.1	2	6/9/16 17:43	TPH	
Methylene Chloride	5.0	1.0		17	3.5	2	6/9/16 17:43	TPH	
Styrene	8.3	0.10		35	0.43	2	6/9/16 17:43	TPH	
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	6/9/16 17:43	TPH	
Tetrachloroethylene	1.2	0.10		7.9	0.68	2	6/9/16 17:43	TPH	
Toluene	5.0	0.10		19	0.38	2	6/9/16 17:43	TPH	
1,2,4-Trichlorobenzene	ND	0.10		ND	0.74	2	6/9/16 17:43	TPH	
1,1,1-Trichloroethane	ND	0.10		ND	0.55	2	6/9/16 17:43	TPH	
1,1,2-Trichloroethane	ND	0.10		ND	0.55	2	6/9/16 17:43	TPH	
Trichloroethylene	0.20	0.10		1.1	0.54	2	6/9/16 17:43	TPH	
Trichlorofluoromethane (Freon 11)	0.69	0.10		3.9	0.56	2	6/9/16 17:43	TPH	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.10		ND	0.77	2	6/9/16 17:43	TPH	
1,2,4-Trimethylbenzene	0.12	0.10		0.59	0.49	2	6/9/16 17:43	TPH	
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	6/9/16 17:43	TPH	
Vinyl Chloride	ND	0.10		ND	0.26	2	6/9/16 17:43	TPH	
m&p-Xylene	0.25	0.20		1.1	0.87	2	6/9/16 17:43	TPH	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 6/3/2016
Field Sample #: ES #2
Sample ID: 16F0175-02
 Sample Matrix: Air
 Sampled: 6/2/2016 13:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID:
 Canister Size:
 Flow Controller ID:
 Sample Type:

Work Order: 16F0175
 Initial Vacuum(in Hg):
 Final Vacuum(in Hg):
 Receipt Vacuum(in Hg):
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-14A

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
o-Xylene	0.11	0.10		0.48	0.43	2	6/9/16	17:43	TPH
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)	95.0			70-130			6/9/16	17:43	

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 6/3/2016
Field Sample #: MS Front
Sample ID: 16F0175-03
 Sample Matrix: Air
 Sampled: 6/2/2016 15:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID:
 Canister Size:
 Flow Controller ID:
 Sample Type:

Work Order: 16F0175
 Initial Vacuum(in Hg):
 Final Vacuum(in Hg):
 Receipt Vacuum(in Hg):
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-14A

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Benzene	0.13	0.10		0.41	0.32	2	6/9/16 18:24	TPH	
Bromomethane	ND	0.10		ND	0.39	2	6/9/16 18:24	TPH	
Carbon Tetrachloride	0.10	0.10		0.64	0.63	2	6/9/16 18:24	TPH	
Chlorobenzene	ND	0.10		ND	0.46	2	6/9/16 18:24	TPH	
Chloroethane	ND	0.10		ND	0.26	2	6/9/16 18:24	TPH	
Chloroform	ND	0.10		ND	0.49	2	6/9/16 18:24	TPH	
Chloromethane	0.34	0.20		0.71	0.41	2	6/9/16 18:24	TPH	
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	6/9/16 18:24	TPH	
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 18:24	TPH	
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 18:24	TPH	
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	6/9/16 18:24	TPH	
Dichlorodifluoromethane (Freon 12)	0.30	0.10		1.5	0.49	2	6/9/16 18:24	TPH	
1,1-Dichloroethane	ND	0.10		ND	0.40	2	6/9/16 18:24	TPH	
1,2-Dichloroethane	ND	0.10		ND	0.40	2	6/9/16 18:24	TPH	
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	6/9/16 18:24	TPH	
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	6/9/16 18:24	TPH	
1,2-Dichloropropane	ND	0.10		ND	0.46	2	6/9/16 18:24	TPH	
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	6/9/16 18:24	TPH	
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	6/9/16 18:24	TPH	
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	0.11	0.10		0.78	0.70	2	6/9/16 18:24	TPH	
Ethylbenzene	0.12	0.10		0.50	0.43	2	6/9/16 18:24	TPH	
Hexachlorobutadiene	ND	0.10		ND	1.1	2	6/9/16 18:24	TPH	
Methylene Chloride	4.9	1.0		17	3.5	2	6/9/16 18:24	TPH	
Styrene	8.9	0.10		38	0.43	2	6/9/16 18:24	TPH	
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	6/9/16 18:24	TPH	
Tetrachloroethylene	0.15	0.10		1.0	0.68	2	6/9/16 18:24	TPH	
Toluene	5.5	0.10		21	0.38	2	6/9/16 18:24	TPH	
1,2,4-Trichlorobenzene	ND	0.10		ND	0.74	2	6/9/16 18:24	TPH	
1,1,1-Trichloroethane	ND	0.10		ND	0.55	2	6/9/16 18:24	TPH	
1,1,2-Trichloroethane	ND	0.10		ND	0.55	2	6/9/16 18:24	TPH	
Trichloroethylene	ND	0.10		ND	0.54	2	6/9/16 18:24	TPH	
Trichlorofluoromethane (Freon 11)	0.68	0.10		3.8	0.56	2	6/9/16 18:24	TPH	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.10		ND	0.77	2	6/9/16 18:24	TPH	
1,2,4-Trimethylbenzene	0.13	0.10		0.66	0.49	2	6/9/16 18:24	TPH	
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	6/9/16 18:24	TPH	
Vinyl Chloride	ND	0.10		ND	0.26	2	6/9/16 18:24	TPH	
m&p-Xylene	0.39	0.20		1.7	0.87	2	6/9/16 18:24	TPH	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 6/3/2016
Field Sample #: MS Front
Sample ID: 16F0175-03
 Sample Matrix: Air
 Sampled: 6/2/2016 15:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID:
 Canister Size:
 Flow Controller ID:
 Sample Type:

Work Order: 16F0175
 Initial Vacuum(in Hg):
 Final Vacuum(in Hg):
 Receipt Vacuum(in Hg):
 Flow Controller Type:
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-14A

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
o-Xylene	0.15	0.10		0.67	0.43	2	6/9/16	18:24	TPH
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)	93.6			70-130			6/9/16	18:24	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-14A

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
16F0175-01 [ES #1]	B151214	1	1	N/A	1000	400	200	06/09/16
16F0175-02 [ES #2]	B151214	1	1	N/A	1000	400	200	06/09/16
16F0175-03 [MS Front]	B151214	1	1	N/A	1000	400	200	06/09/16

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	Limits	RPD	Limit	
Batch B151214 - TO-15 Prep											
Blank (B151214-BLK1)						Prepared & Analyzed: 06/09/16					
Benzene	ND	0.035									
Bromomethane	ND	0.035									
Carbon Tetrachloride	ND	0.035									
Chlorobenzene	ND	0.035									
Chloroethane	ND	0.035									
Chloroform	ND	0.035									
Chloromethane	ND	0.070									
1,2-Dibromoethane (EDB)	ND	0.035									
1,2-Dichlorobenzene	ND	0.035									
1,3-Dichlorobenzene	ND	0.035									
1,4-Dichlorobenzene	ND	0.035									
Dichlorodifluoromethane (Freon 12)	ND	0.035									
1,1-Dichloroethane	ND	0.035									
1,2-Dichloroethane	ND	0.035									
1,1-Dichloroethylene	ND	0.035									
cis-1,2-Dichloroethylene	ND	0.035									
1,2-Dichloropropane	ND	0.035									
cis-1,3-Dichloropropene	ND	0.035									
trans-1,3-Dichloropropene	ND	0.035									
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	ND	0.035									
Ethylbenzene	ND	0.035									
Hexachlorobutadiene	ND	0.035									
Methylene Chloride	ND	0.35									
Styrene	ND	0.035									
1,1,1,2-Tetrachloroethane	ND	0.035									
Tetrachloroethylene	ND	0.035									
Toluene	ND	0.035									
1,2,4-Trichlorobenzene	ND	0.035									
1,1,1-Trichloroethane	ND	0.035									
1,1,2-Trichloroethane	ND	0.035									
Trichloroethylene	ND	0.035									
Trichlorofluoromethane (Freon 11)	ND	0.035									
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.035									
1,2,4-Trimethylbenzene	ND	0.035									
1,3,5-Trimethylbenzene	ND	0.035									
Vinyl Chloride	ND	0.035									
m&p-Xylene	ND	0.070									
o-Xylene	ND	0.035									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	7.26				8.00		90.8	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
Batch B151214 - TO-15 Prep											
LCS (B151214-BS1)											
						Prepared & Analyzed: 06/09/16					
Benzene	5.18				5.00		104	70-130			
Bromomethane	4.40				5.00		88.1	70-130			
Carbon Tetrachloride	6.31				5.00		126	70-130			
Chlorobenzene	4.30				5.00		86.0	70-130			
Chloroethane	4.50				5.00		89.9	70-130			
Chloroform	4.68				5.00		93.6	70-130			
Chloromethane	5.40				5.00		108	70-130			
1,2-Dibromoethane (EDB)	5.05				5.00		101	70-130			
1,2-Dichlorobenzene	4.79				5.00		95.8	70-130			
1,3-Dichlorobenzene	5.00				5.00		100	70-130			
1,4-Dichlorobenzene	4.86				5.00		97.3	70-130			
Dichlorodifluoromethane (Freon 12)	4.36				5.00		87.1	70-130			
1,1-Dichloroethane	4.29				5.00		85.8	70-130			
1,2-Dichloroethane	5.50				5.00		110	70-130			
1,1-Dichloroethylene	5.52				5.00		110	70-130			
cis-1,2-Dichloroethylene	4.32				5.00		86.5	70-130			
1,2-Dichloropropane	4.66				5.00		93.1	70-130			
cis-1,3-Dichloropropene	6.17				5.00		123	70-130			
trans-1,3-Dichloropropene	6.32				5.00		126	70-130			
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	3.73				5.00		74.5	70-130			
Ethylbenzene	5.49				5.00		110	70-130			
Hexachlorobutadiene	5.22				5.00		104	70-130			
Methylene Chloride	5.35				5.00		107	70-130			
Styrene	4.82				5.00		96.3	70-130			
1,1,2,2-Tetrachloroethane	5.60				5.00		112	70-130			
Tetrachloroethylene	4.40				5.00		88.0	70-130			
Toluene	4.98				5.00		99.6	70-130			
1,2,4-Trichlorobenzene	4.38				5.00		87.6	70-130			
1,1,1-Trichloroethane	6.41				5.00		128	70-130			
1,1,2-Trichloroethane	4.77				5.00		95.4	70-130			
Trichloroethylene	5.35				5.00		107	70-130			
Trichlorofluoromethane (Freon 11)	5.52				5.00		110	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5.15				5.00		103	70-130			
1,2,4-Trimethylbenzene	5.68				5.00		114	70-130			
1,3,5-Trimethylbenzene	5.74				5.00		115	70-130			
Vinyl Chloride	4.46				5.00		89.1	70-130			
m&p-Xylene	12.0				10.0		120	70-130			
o-Xylene	5.90				5.00		118	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>7.61</i>				<i>8.00</i>		<i>95.1</i>	<i>70-130</i>			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-14A in Air</i>	
Benzene	AIHA,FL,NY
Bromomethane	AIHA,FL,NY
Carbon Tetrachloride	AIHA,FL,NY
Chlorobenzene	AIHA,FL,NY
Chloroethane	AIHA,FL,NY
Chloroform	AIHA,FL,NY
Chloromethane	AIHA,FL,NY
1,2-Dibromoethane (EDB)	NY
1,2-Dichlorobenzene	AIHA,FL,NY
1,3-Dichlorobenzene	AIHA,FL,NY
1,4-Dichlorobenzene	AIHA,FL,NY
Dichlorodifluoromethane (Freon 12)	AIHA,FL,NY
1,1-Dichloroethane	AIHA,FL,NY
1,2-Dichloroethane	AIHA,FL,NY
1,1-Dichloroethylene	AIHA,FL,NY
cis-1,2-Dichloroethylene	AIHA,FL,NY
1,2-Dichloropropane	AIHA,FL,NY
cis-1,3-Dichloropropene	AIHA,FL,NY
trans-1,3-Dichloropropene	NY
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	AIHA,FL,NY
Ethylbenzene	AIHA,FL,NY
Hexachlorobutadiene	AIHA,FL,NY
Methylene Chloride	AIHA,FL,NY
Styrene	AIHA,FL,NY
1,1,2,2-Tetrachloroethane	AIHA,FL,NY
Tetrachloroethylene	AIHA,FL,NY
Toluene	AIHA,FL,NY
1,2,4-Trichlorobenzene	AIHA,FL,NY
1,1,1-Trichloroethane	AIHA,FL,NY
1,1,2-Trichloroethane	AIHA,FL,NY
Trichloroethylene	AIHA,FL,NY
Trichlorofluoromethane (Freon 11)	AIHA,FL,NY
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NY
1,2,4-Trimethylbenzene	AIHA,FL,NY
1,3,5-Trimethylbenzene	AIHA,FL,NY
Vinyl Chloride	AIHA,FL,NY
m&p-Xylene	AIHA,FL,NY
o-Xylene	AIHA,FL,NY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2018
MA	Massachusetts DEP	M-MA100	06/30/2016
CT	Connecticut Department of Public Health	PH-0567	09/30/2017
NY	New York State Department of Health	10899 NELAP	04/1/2017
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2017
RI	Rhode Island Department of Health	LAO00112	12/30/2016
NC	North Carolina Div. of Water Quality	652	12/31/2016
NJ	New Jersey DEP	MA007 NELAP	06/30/2016
FL	Florida Department of Health	E871027 NELAP	06/30/2016
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2016
ME	State of Maine	2011028	06/9/2017
VA	Commonwealth of Virginia	460217	12/14/2016
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2016



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 Spruce Street
 East Longmeadow, MA 01028

Page 1 of 1

Company Name: **ARCADIS** Telephone: **401-738-3887**

Address: **300 METRO CENTER BLDG, SUITE 250, WARWICK, RI 02886** Project # **WK 01215.0010**

Attention: **DONNA PALLISTER** Client PO#

Project Location: **PROVIDENCE, RI**

Sampled By: **KRISTEN AUDETTE**

DATA DELIVERY (check all that apply)
 FAX EMAIL WEBSITE

Email: **DONNA.PALLISTER@ARCADIS.COM**

Format: PDF EXCEL GIS OTHER

Project Proposal Provided? (for billing purposes)
 yes no proposal date

Collection: "Enhanced Data Package"

Con-Test Lab ID (laboratory use only)

Client Sample ID / Description

Beginning Date/Time

Ending Date/Time

Composite

Grab

*Matrix Code

Conc Data

3520 Lake Drive

3

1

T

70-14 VOCs

X

X

X

ANALYSIS REQUESTED

Dissolved Metals
 Field Filtered
 Lab to Filter

*****Cont. Code:**
 A=amber glass
 G=glass
 P=plastic
 ST=sterile
 V= vial
 S=summa can
 T=teclar bag
 O=Other


****preservation**
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 X = Na hydroxide
 T = Na thiosulfate
 O = Other

***Matrix Code:**
 GW= groundwater
 WW= wastewater
 DW= drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Is your project MCP or RCP ?

- MCP Form Required
- RCP Form Required
- MA State DW Form Required PWSID #



NELAC & AIHA-LAP, LLC

Accredited

WBE/DBE Certifier

Detection Limit Requirements

Masachusetts: _____
 Connecticut: _____
 Other: _____

Turnaround

Date/Time: 6/21/16 13:48
 Date/Time: 6/21/16 13:48
 Date/Time: 6/21/16 13:48
 Date/Time: 6/21/16 13:48

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT



39 Spruce St.
 East Longmeadow, MA.
 01028
 P: 413-525-2332
 F: 413-525-6405

AIR Only Receipt Checklist

CLIENT NAME Arcadis RECEIVED BY: JDL DATE: 6/3/16

- 1) Was the chain(s) of custody relinquished and signed? Yes No
- 2) Does the chain agree with the samples? Yes No
 If not, explain: _____
- 3) Are all the samples in good condition? Yes No
 If not, explain: _____
- 4) Are there any samples "On Hold"? Yes No Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples? Yes No

Who was notified _____ Date _____ Time _____

6) Location where samples are stored: Permission to subcontract samples? Yes No
 (Walk-in clients only) if not already approved
 Client Signature: _____

7) Number of cans Individually Certified or Batch Certified? _____

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)		
Tedlar Bags	7	
TO-17 Tubes		
Regulators		
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:

Unused Regulators:

- 1) Was all media (used & unused) checked into the WASP?
- 2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:												

Page 2 of 2
Log-In Sample Receipt Checklist
(Rejection Criteria Listing - Using Sample Acceptance Policy)
Any False statement will be brought to the attention of Client

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
	T	F/NA	
1) The coolers'/boxes' custody seal, if present, is intact.		NA	
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.		NA	
4) Cooler Temperature is acceptable.		NA	
5) Cooler Temperature is recorded.		NA	
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) Samples are received within Holding Time.	T		
10) Sample containers have legible labels.	T		
11) Containers/media are not broken or leaking and valves and caps are closed tightly.	T		
12) Sample collection date/times are provided.	T		
13) Appropriate sample/media containers are used.	T		
14) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
15) Trip blanks provided if applicable.		NA	

Doc #278 Rev. 5 October 2014

Who notified of False statements?

Log-In Technician Initials: *ODL*

Date/Time:


Date/Time: *6/3/12*
1610

ATTACHMENT C


Soil Gas Trends




Soil Gas Well EPL1
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island




Soil Gas Well EPL4
 Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
 Springfield Street School Complex
 Providence, Rhode Island




Soil Gas Well MPL5
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island




Soil Gas Well MG2
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island



Soil Gas Well WB1
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island



Soil Gas Well WB15
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island



Soil Gas MPL 7
Fluctuation in Methane, Oxygen, Carbon Dioxide Percentages over Time
Springfield Street School Complex
Providence, Rhode Island

