



**EA Engineering, Science, and Technology, Inc.**

Airport Professional Park  
2374 Post Road, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
Fax: 401-736-3423  
[www.eaest.com](http://www.eaest.com)

17 December 2014

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 29  
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island  
Case No. 2005-029  
EA Project No. 15066.02*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc. (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from September 2014 through November 2014.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: B. Luger, Prov. Dept. of Public Schools  
D. Granlek, Prov. Redevelopment Agency  
M. Darigan, Partridge, Snow, & Hahn  
J. Pichardo, Senator  
Principal Hawkins, Alvarez High School

A. Sepe, Prov. Dept. of Public Property  
S. Fischbach, RI Legal Services  
R. Dorr, Neighborhood Resident  
Rep. Scott Slater  
Knight Memorial Library Repository



# **Quarterly O&M Status Report No. 29**

## **Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities**

**Alvarez High School Site  
(Formerly Adelaide Avenue High School)  
Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminster Street  
Providence, Rhode Island 02903

*Prepared by*

EA Engineering, Science, and Technology, Inc.  
2374 Post Road, Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 15066.02  
December 2014

## TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND .....	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE .....	2
2.1 SSD System .....	2
2.2 Indoor Methane Monitoring System.....	3
2.3 Ambient Outdoor and Indoor Air Sampling .....	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect .....	6
2.5 Summary of Rooftop VOC Emissions.....	7
2.6 Conclusions.....	7
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	9

## FIGURES

- FIGURE 1: SITE LOCATION MAP  
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM  
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

## APPENDICES

- APPENDIX A: O&M FIELD FORMS  
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY  
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY  
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY  
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR  
LABORATORY ANALYTICAL REPORT  
APPENDIX F: RIDEM SPLIT ANALYTICAL SUMMARY  
APPENDIX G: LABORATORY DETECTION LIMITS CORRESPONDENCE

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc. (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 29 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from September 2014 through November 2014 (Quarterly Reporting Period No. 29) and also includes an overall evaluation of volatile organic compound (VOC) concentrations within soil gas as they pertain to a potential rebound effect at the Site. Please refer to Quarterly O&M Status Reports No. 1 through No. 28 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- One supplementary monitoring event at MP-8 and select subslab vacuum monitoring points and one supplementary sampling event at MP-8 and in Room 145 following elevated PID readings during the 27 August 2014 monitoring event and/or elevated COC concentrations in samples collected on 1 August 2014.
- Monthly subslab vacuum monitoring (22 September, 22 October, and 12 November 2014) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Quarterly sampling (22 October 2014) of eight indoor air locations, one ambient outdoor air location, and seven subslab points (expanded scope due to increased VOC concentrations, some of which were attributed to laboratory or canister contamination, during the 1 August 2014 sampling event).
- RIDEM, in conjunction with RI Department of Health (DOH), conducted duplicate sampling of select quarterly sampling locations.
- Monthly inspections and monitoring of 3 rooftop fans (air velocity and vacuum) to verify proper operation.
- Supplemental rooftop fan sampling (the Amended OA prescribes one rooftop fan sampling event per year) due to increased VOC concentrations, some of which were attributed to laboratory or canister contamination during the 1 August 2014 sampling event.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations were between -0.01 and -0.15 in. of water column. Negative measurements confirm that a continuous negative pressure has been maintained beneath the building slab.

There were no alarms from the control panel for the indoor methane monitoring system during this monitoring period. On 9 September 2014 EA provided oversight of an electrician who was

retained to replace the uninterrupted power supply (UPS) portion of the control panel. The UPS was believed to have caused alarm conditions in the past when it malfunctioned.

The electrician also attempted to test the autodialer system of the alarm which calls pre-programmed phone numbers to warn of alarm conditions. The electrician could not confirm that the autodialer was functioning or that there was a dial tone on the phone line. The function of the autodialer is independent from that of the alarm system; a non-functioning autodialer would result in no notification of EA personnel during an alarm condition (although typically school employees call if alarms are sounding).

To prevent the accidental disconnection of the hard phone line, EA purchased a new autodialer unit equipped with a cell phone. The cell phone operates independently from the Alvarez School land-lines. EA oversaw installation and testing of this updated system on 12 November 2014. The system functioned correctly and has current emergency contact information programmed in.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

## **2.2 INDOOR METHANE MONITORING SYSTEM**

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period with the exception of a period where power was lost to the methane sensors (discussed in the following paragraph. In addition, the methane monitoring system was inspected and filters were replaced on 11 November 2014. The next filter replacement is scheduled for February 2015.

The eight methane sensors were operational through the reporting period. The Channel Controller and methane sensors were inspected after maintenance work on the UPS and autodialer and appeared to be functioning properly. One methane sensor was manually tripped to cause an alarm condition to test the autodialer and was returned to normal operation following the test. Although calibration of the PS-7000 Channel Controller by the manufacturer (DOD Industries, Inc.) was proposed following the installation of the new UPS unit, the controller appears to be functioning well and, therefore, calibration will not be performed.

## **2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING**

EA collected one indoor air sample in room 145 on 12 September 2014 due to exceedances of the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) for trichloroethylene (TCE). The sample that exceeded the CT RTACs was collected on 1 August 2014 and was part of the sample group where increased VOC concentrations could be partially attributed to laboratory or canister contamination. The resample was collected to confirm that indoor air concentrations were below threshold values. The results of the resample

showed decreased concentrations in all analytes except for four non-COCs. No analytes exceeded threshold values.

One ambient outdoor air sample and eight indoor air samples were collected in the school at RIDEM-approved sampling locations during the quarterly sampling event on 22 October 2014. Samples were collected within individually certified summa canisters and submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 SIM (Selective Ion Monitoring). The typical summa canister certification process occurs in batches. However, individual certification was requested for this sampling event after residual contamination affected the 1 August 2014 sampling event results. Each summa canister used during the 22 October 2014 event was individually analyzed to certify that all compounds were below the 0.2 parts per billion (ppb) limit before the sample vapor was introduced into the can.

The ambient outdoor air sample was collected upwind (northeast) of the school. Sampling locations for the indoor and sub-slab air samples are illustrated on Figure 3. The indoor air sampling results were compared to the CT RTACs in accordance with the Amended OA. The laboratory method reporting limits (MRLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs even though analyzed via the SIM procedure. Refer to Appendix G for an MRL verification letter from Con-Test Analytical Laboratory (Con-Test) verifying that where MRLs are not able to be met, the RL is the lowest currently achievable. A data summary table is provided as Appendix B and copies of the laboratory data reports associated with this sampling event are provided in Appendix E.

RIDEM provided quality control (QC) support by duplicating the ambient outdoor air sample and four of the indoor air samples in RI DOH laboratory-owned canister for analysis in the DOH laboratory in response to issues with summa can residual contamination and to evaluate possible changing site conditions as indicated from elevated PID readings. The percent difference between RIDEM analytical results and those obtained from EA-sampled and Con-Test-analyzed canisters was evaluated to determine if canister or laboratory contamination was present. Locations where RIDEM collected samples are marked on the O&M field sheet from 22 October 2014 included in Appendix A and a copy of the analytical data table is included in Appendix F.

The indoor air sample from Room 152 reported a concentration of methylene chloride (also called dichloromethane) at  $3.1 \mu\text{g}/\text{m}^3$ . The methylene chloride detection was above the RIDEM amended threshold value of  $3.0 \mu\text{g}/\text{m}^3$ . All indoor air samples and the ambient outdoor sample had detections of methylene chloride, with results ranging from  $1.2 \mu\text{g}/\text{m}^3$  to  $3.1 \mu\text{g}/\text{m}^3$ ; however, only Room 152 had a concentration greater than the threshold value. These concentrations have been reported to the RIDEM. Methylene chloride is a common laboratory contaminant and byproduct of many cleaning products, including paint strippers. This constituent has been detected in the majority of samples near the threshold value consistently since 2010. Detection limits were also refined and decreased from  $1.2 \mu\text{g}/\text{m}^3$  to  $0.69 \mu\text{g}/\text{m}^3$  in 2012, which quantified lower concentrations of the contaminant. The presence of this contaminant has been previously attributed to use of cleaning products at the school; however, the RIDEM-duplicated samples collected during this sampling event had significantly lower concentrations of methylene chloride than those analyzed at Con-Test. On average, RIDEM sample concentrations

of methylene chloride were 84% lower than Con-Test sample concentrations with very little variation in percent difference between sample locations. This data indicates that methylene chloride is present in samples due to contamination at the laboratory, not from concentrations of methylene chloride at the school.

All indoor air sample locations and the ambient outdoor air TCE and tetrachloroethylene (PCE) concentrations were below the RIDEM amended threshold values of  $1 \mu\text{g}/\text{m}^3$  and  $5 \mu\text{g}/\text{m}^3$ , respectively. The only location that had concentrations of TCE above the MRL was the ambient outdoor air. Similarly, while two indoor air locations had detected concentrations of PCE, the highest concentration observed in this sample group was in the ambient outdoor air sample.

RIDEM collected five samples of outdoor air: one sample was collected adjacent to the EA ambient outdoor air sample on the northeast side of the school; one sample was collected downwind of the school; and three samples were collected from the roofline. The roofline and downwind sampling locations were designed to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicates that exhausted vapors from the rooftop fans are well dispersed and are not causing significant impacts downwind or to the building.

Carbon tetrachloride was detected at all indoor air sampling locations and in outdoor ambient air at concentrations below the RIDEM amended threshold value of  $0.5 \mu\text{g}/\text{m}^3$ . Carbon tetrachloride is a documented background ambient compound for the Site. The compound had consistently been detected in ambient outdoor air and inside the school during every sampling event completed at the Site at concentrations ranging between  $0.19$  and  $0.77 \mu\text{g}/\text{m}^3$  (the CT RTAC is  $0.5 \mu\text{g}/\text{m}^3$ ). The ambient outdoor and indoor air concentrations of carbon tetrachloride observed during the 22 October 2014 sampling event ranged between  $0.370$  and  $0.460 \mu\text{g}/\text{m}^3$ . The RIDEM duplicate sampling results yielded slightly higher (37% higher on average) concentrations of carbon tetrachloride. The highest observed concentration in indoor air was in Room 145, where the concentration was  $0.612 \mu\text{g}/\text{m}^3$ . It is unknown whether the concentrations differences observed between samples analyzed at the two laboratories are attributable to contamination or slight mechanical bias.

The indoor air samples collected in Room 110, the elevator hallway, and the ambient outdoor air sample reported detections of chloroform that were below the RIDEM amended threshold value of  $0.5 \mu\text{g}/\text{m}^3$ . Chloroform is a common ingredient in, or can form as a byproduct of, cleaning products and some insecticides or from use of chlorinated drinking water. The detections of chloroform are not believed to be indicative of a soil-vapor intrusion pathway and are most likely attributable to products used inside the building and/or outdoor air. Chloroform concentrations in RIDEM samples corresponded very accurately (an average of 13% difference) with those from Con-Test; therefore, chloroform is not considered to be a laboratory contaminant. With this confirmation, exceedances of the threshold value during the 1 August 2014 sampling event were assumed attributable to use of pesticides or cleaning products within the building. Additionally,

concentrations of chloroform in subslab points were lower than concentrations in indoor air indicating that subsurface vapor intrusion is not the source of chloroform impacts.

The laboratory case narrative from Con-Test Analytical Laboratory for the 22 October 2014 samples documents potential low bias for three analytes: acrylonitrile, chloromethane, and p-isopropyltoluene. While low bias indicates that the actual concentrations could be higher than those reported, these constituents are historically not contaminants of concern and review of RIDEM duplicated results for these analytes showed that concentrations were likely below threshold values regardless of bias.

No other ambient indoor air samples collected during the April 2014 sampling event contained compounds with concentrations above the CT RTACs or RIDEM approved Action Levels.

## **2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT**

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. A supplemental sampling event was conducted on 15 September 2014 which included collecting one sample from MP-8. Additionally, four subslab vapor samples and two subslab vapor sample were collected on 22 October 2014 in accordance with a RIDEM-approved (Amended OA) rotating sampling schedule and analyzed for VOCs via US Environmental Protection Agency (EPA) Method TO-15 SIM. In addition to those points on the rotating schedule, MP-8 was sampled due to increased PID readings observed in July and August at this location and to evaluate temporal variations. The subslab data is summarized in Appendix C and copies of the laboratory data reports associated with these sampling events are included in Appendix E.

The subslab data has been evaluated and there was no evidence of increasing VOCs (i.e., VOC rebound) beneath the school. Although there was limited evidence of increasing VOCs, specifically of the analytes chloroethane, chloroform, 1,2dichlorobenzene, 4-methyl-2-pentanone, styrene, PCE and TCE, after the 01 August 2014, the majority of results were discredited by laboratory or canister contamination. One subslab sampling point, MP-5, saw TCE and trichlorofluoromethane concentrations that were the highest observed concentrations at that point since 2012, but not the highest historically. Vinyl chloride was detected at subslab sampling point MP-7 were the compound is typically below MRL. Slight variations in concentrations is not abnormal and does not constitute an increasing trend.

There was also evidence from the rooftop fan data from 1 August 2014 that other sub-slab points (not sampled in 01 August 2014) could have even higher concentrations of VOCs present. All three rooftop fans were resampled during the 22 October 2014 monitoring event. Most VOC concentrations decreased from the 1 August 2014 event, indicating that canister contamination had skewed results. However, most notably, TCE and trichlorofluoromethane concentrations increased in two and three of the rooftop fans, respectively since the 1 August 2014 monitoring event. These increased concentrations in fan exhaust are likely attributable to slight variations in subslab vapor concentrations, as observed at MP-5.

## 2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Rooftop sampling was conducted on 1 August 2014 and is summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. Rooftop sampling was conducted during the 22 October 2014 monitoring event due to probable summa can contamination during the previous sampling event that skewed data. The next annual rooftop effluent VOC sampling event is scheduled for July 2015 to accommodate the quarterly sampling schedule.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, and 1 August 2014 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicates that exhausted vapors from the rooftop fans was well dispersed and are not causing significant impacts downwind or to the building. More data may be sought to evaluate this issue during varying weather conditions.

## 2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into the Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- The SSD System was further improved with replacement of both the UPS and the autodialer system. These replacements ensure continued operability of the system.
- The supplementary monitoring event conducted on 12 September 2014 yielded results from room 145 that indicated summa can contamination had been present during the previous sampling of this location. The sample collected during the supplementary monitoring event showed decreased concentrations in all analytes except for four non-COCs. Subslab vapor point MP-8, which had exhibited elevated PID readings during the August monitoring events

but was not sampled on 1 August 2014, was also sampled on 12 September 2014. All analyte concentrations were consistent with historically observed concentrations at this locations.

- All three rooftop fans were resampled to determine whether increased VOC concentrations were attributable to canister contamination. The results of the resampling showed most VOC concentrations decreased from the 1 August 2014 event, indicating that canister contamination had skewed results for most contaminants of concern. However, TCE and trichlorofluoromethane concentrations increased samples in two and three of the rooftop fans, respectively since the 1 August 2014 monitoring event. These increased concentrations in fan exhaust are likely attributable to slight variations in subslab vapor concentrations, as observed at MP-5.
- The subslab data was evaluated and there was no evidence of increasing VOCs (i.e., VOC rebound) beneath the school in accordance with the Amended OA. Although there were a few instances of slight increases in COCs, these were not in the magnitude observed during the 1 August 2014 sampling event. Slight variations in concentrations is not abnormal and does not constitute an increasing trend.
- Methylene chloride was reported at a concentration which exceeded the RIDEM amended threshold value in Room 152. Methylene chloride was also present in all of the indoor air samples and the outdoor ambient air sample at concentrations below the threshold value. Through use of RIDEM duplicate sample results, it was determined that methylene chloride was likely present in samples due to contamination at the laboratory, not from concentrations of methylene chloride at the school.
- Several indoor air sample locations had detections of chloroform, carbon tetrachloride, and PCE which were below the threshold value but above laboratory MRLs. In all cases, the constituent was also present in the ambient outdoor air sample. It is unknown whether these sample concentrations are attributable to background conditions or to possible laboratory contaminants; however, the results do not indicate vapor intrusion.
- The use certified clean summa canisters, as requested by RIDEM, and the use of RIDEM duplication of samples yielded high confidence in the samples collected on 22 October 2014. Through continued consultation with RIDEM, EA will determine if certified clean canisters will be used in the upcoming sampling events.


### **3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT**

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from December 2014 to February 2015:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity;
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in January 2014;

These activities will be summarized in the next status report (Quarterly Status Report No. 30), expected to be submitted by the end of March 2015.


## FIGURES



ALVAREZ HIGH SCHOOL  
333 ADELAIDE AVENUE  
PROVIDENCE, RHODE ISLAND

FIGURE 1  
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



DESIGNED BY  
RGM DRAWN BY  
DPA DATE OCT. 16, 2013 PROJECT NO. 15066.01 FILE NAME ALVAREZ LAYOUT


CHECKED BY  
FBP PROJECT MGR. FBP SCALE NTS DRAWING NO. - FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM – ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 2

**LEGEND:**

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- +— SLOTTED 1 INCH PVC PIPING
- ◆ ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- +— SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT  
SUB SLAB MONITORING AND SAMPLING LOCATIONS  
ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 3

# **APPENDIX A**

## **O&M Field Forms**

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 9/2/2014

Performed by: C. Swanson

PID/Methane Calibration? Y - PID (yes/no)

Date of last Methane Sensor Filter Replacement: Aug-14 Replaced this O&M Visit? N (yes/no)

General Status of SSD System: On and operational

General Status of Methane Monitoring System: did not check

Eng. Cap/Fence Inspection Performed/Notes: did not check

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)
Gymnasium	NA	NA	--	--	--	--	--	--	--	--	--	--
Cafeteria	NA	NA	--	--	--	--	--	--	--	--	--	--
Kitchen Storage Room	NA	NA	--	--	--	--	--	--	--	--	--	--
Elevator Hallway	NA	NA	--	--	--	--	--	--	--	--	--	--
Room 145	NA	NA	--	--	--	--	--	--	--	--	--	--
Room 152	NA	NA	--	--	--	--	--	--	--	--	--	--
Room 118	NA	NA	--	--	--	--	--	--	--	--	--	--
Room 110	NA	NA	--	--	--	--	--	--	--	--	--	--
MP-1	--	NA	--	NA	--	--	--	--	--	--	--	--
MP-2	--	NA	--	NA	--	--	--	--	--	--	--	--
MP-3	--	NA	193	NA	--	--	--	--	--	--	--	--
MP-4	--	NA	--	NA	--	--	--	--	--	--	--	--
MP-5	--	NA	0	NA	--	--	--	--	--	--	--	--
MP-6	--	NA	2947	NA	--	--	--	--	--	--	--	--
MP-7	--	NA	3878	NA	--	--	--	--	--	--	--	--
MP-8	-0.06	NA	5930	NA	0	0	--	--	--	--	--	--
IMP-1	--	NA	--	NA	--	--	--	--	--	--	--	--
IMP-2	--	NA	--	NA	--	--	--	--	--	--	--	--
IMP-3	--	NA	--	NA	--	--	--	--	--	--	--	--
Roof-Top Fan 1	--	--	--	NA	--	--	--	--	--	--	--	--
Roof-Top Fan 2	--	--	--	NA	--	--	--	--	--	--	--	--
Roof-Top Fan 3	--	--	--	NA	--	--	--	--	--	--	--	--
Ambient Outdoor Air	NA	NA	0-200	NA	--	--	--	--	--	--	--	--

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 9/12/2014

Performed by: C. Swanson

PID/Methane Calibration? Y - PID (yes/no)

Date of last Methane Sensor Filter Replacement: Aug-14 Replaced this O&M Visit? N (yes/no)

General Status of SSD System: On and operational

General Status of Methane Monitoring System: On and operational

Eng. Cap/Fence Inspection Performed/Notes: did not check

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)	
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	--	--	--	--	--	--	--	--	--	--	Air conditioning on in building
Cafeteria	NA	NA	--	--	--	--	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	--	--	--	--	--	--	--	--	--	--	
Elevator Hallway	NA	NA	--	--	--	--	--	--	--	--	--	--	
Room 145	NA	NA	0	0	--	--	1826	4079	1433	-30	1504	-6.0	Took PID readings on all corners of room; all were 0 ppb
Room 152	NA	NA	--	--	--	--	--	--	--	--	--	--	
Room 118	NA	NA	0	0	--	--	--	--	--	--	--	--	Took PID readings on all corners of room; all were 0 ppb
Room 110	NA	NA	--	--	--	--	--	--	--	--	--	--	
MP-1	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-2	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-3	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-4	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-5	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-6	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-7	--	NA	--	NA	--	--	--	--	--	--	--	--	
MP-8	-0.05	NA	227	NA	--	--	1841	4080	1456	-29	1526	-9.5	
IMP-1	--	NA	--	NA	--	--	--	--	--	--	--	--	
IMP-2	--	NA	--	NA	--	--	--	--	--	--	--	--	
IMP-3	--	NA	--	NA	--	--	--	--	--	--	--	--	
Roof-Top Fan 1	--	--	--	NA	--	--	--	--	--	--	--	--	
Roof-Top Fan 2	--	--	--	NA	--	--	--	--	--	--	--	--	
Roof-Top Fan 3	--	--	--	NA	--	--	--	--	--	--	--	--	
Ambient Outdoor Air	NA	NA	0	NA	--	--	--	--	--	--	--	--	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 9/22/2014

Performed by: C. Swanson

PID/Methane Calibration? Y - PID (yes/no)

Date of last Methane Sensor Filter Replacement: Aug-14 Replaced this O&M Visit? N (yes/no)

General Status of SSD System: On and operational

General Status of Methane Monitoring System: On and operational

Eng. Cap/Fence Inspection Performed/Notes: area of washed out soils on NW side of building under spigot

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	
Kitchen Storage Room	NA	NA	--	0	--	--	--	--	--	--	--	no access
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	
MP-1	-0.09	NA	0	NA	0	0	--	--	--	--	--	
MP-2	-0.07	NA	0	NA	0	0	--	--	--	--	--	
MP-3	-0.05	NA	0	NA	0	0	--	--	--	--	--	
MP-4	-0.06	NA	496	NA	0	0	--	--	--	--	--	
MP-5	-0.06	NA	41	NA	0	0	--	--	--	--	--	
MP-6	-0.02	NA	0	NA	0	0	--	--	--	--	--	
MP-7	-0.04	NA	41,970	NA	0	0	--	--	--	--	--	
MP-8	-0.07	NA	30	NA	0	0	--	--	--	--	--	
IMP-1	-0.02	NA	93	NA	0	0	--	--	--	--	--	
IMP-2	-0.02	NA	55	NA	0	0	--	--	--	--	--	
IMP-3	-0.01	NA	140	NA	0	0	--	--	--	--	--	
Roof-Top Fan 1	-2.3	2195	189	NA	0	0	--	--	--	--	--	
Roof-Top Fan 2	-2.2	2002	235	NA	0	0	--	--	--	--	--	
Roof-Top Fan 3	--	--	--	NA	--	--	--	--	--	--	--	no access
Ambient Outdoor Air	NA	NA	0	NA	0	0	--	--	--	--	--	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 10/22/2014

Performed by: C.Swanson / D. Allen

PID/Methane Calibration? Y

(yes/no)

Date of last Methane Sensor Filter Replacement: August

Replaced this O&M Visit? N (yes/no)

General Status of SSD System: On and operational

General Status of Methane Monitoring System: On and operational

Eng. Cap/Fence Inspection Performed/Notes: \_\_\_\_\_ (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)	
				Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time		
Gymnasium <sup>D</sup>	NA	NA	0	0	0	0	1506	4077	12:39	-28	13:09	-5	collected from north side of gym - class ongoing
Cafeteria	NA	NA	0	0	0	0	1804	4105	8:38	-30	9:10	-7	
Kitchen Storage Room	NA	NA	0	0	0	0	1209	4213	9:24	-29.5	9:12	-5	door to outside open
Elevator Hallway	NA	NA	0	0	0	0	1750	4180	12:25	-30	12:55	-6	
Room 145 <sup>D</sup>	NA	NA	0	0	0	0	1486	4181	12:45	-29	13:15	-6	
Room 152	NA	NA	0	0	0	0	1232	4072	13:23	-30	13:53	-6	
Room 118 <sup>D</sup>	NA	NA	0	0	0	0	1035	4076	12:59	-28.5	13:30	-6.5	
Room 110 <sup>D</sup>	NA	NA	0	0	0	0	1801	4107	13:10	-30	13:42	-3	
MP-1	-0.02	NA	0	NA	0	0	-	-	-	-	-	-	
MP-2 <sup>D</sup>	-0.15	NA	0	NA	0	0	1508	4174	11:36	-30	12:06	-5	
MP-3	-0.05	NA	0	NA	0	0	-	-	-	-	-	-	
MP-4	-0.04	NA	0	NA	0	0	-	-	-	-	-	-	
MP-5	-0.05	NA	0	NA	0	0	1867	4211	9:59	-28	10:40	0	
MP-6	-0.15	NA	0	NA	0	0	1101	4175	10:55	-29.5	11:05	-5	
MP-7 <sup>D</sup>	-0.03	NA	0	NA	0	0	1326	4210	10:20	-30	10:50	-4	DEM split can pulls in water from point
MP-8 <sup>D</sup>	-0.07	NA	0	NA	0	0	1755	4171	10:57	-30	11:27	-5	
IMP-1	-0.03	NA	0	NA	0	0	1464	4170	12:34	-28	13:04	-3.5	
IMP-2	-0.04	NA	0	NA	0	0	1242	4073	13:23	-29.5	13:53	-5	
IMP-3	0.01	NA	0	NA	0	0	-	-	-	-	-	-	
Roof-Top Fan 1	-2.2	2440	0	NA	0	0	1675	4209	9:43	-29.5	10:15	-4.5	
Roof-Top Fan 2 <sup>D</sup>	-2.0	2218	0	NA	0	0	1342	4208	9:40	-29.5	10:10	-4	
Roof-Top Fan 3	-2.6	1308	0	NA	0	0	1019	4106	8:50	-30	9:19	-7	
Ambient Outdoor Air <sup>D</sup>	NA	NA	0	NA	0	0	1638	4212	8:59	-28.5	9:29	-4.5	wind coming from NNE. Can set in back parking lot

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

<sup>D</sup>: indicated RIDEM collection of a sample at the same location

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

**Alvarez High School - SSD & Interior Methane Monitoring System O&M Form**

Date of O&M: 11/12/2014

Performed by: C.Swanson

PID/Methane Calibration? Y (yes/no)

Date of last Methane Sensor Filter Replacement: August Replaced this O&M Visit? Y (yes/no)

General Status of SSD System: On and operational - new autodialer installed

General Status of Methane Monitoring System: On and operational

Eng. Cap/Fence Inspection Performed/Notes: hole in grass under downspout on NW side of building (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	--	
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--	
MP-1	-0.05	NA	0	NA	0	0	--	--	--	--	--	--	
MP-2	-0.07	NA	168	NA	0	0	--	--	--	--	--	--	
MP-3	-0.05	NA	0	NA	0	0	--	--	--	--	--	--	
MP-4	-0.02	NA	46	NA	0	0	--	--	--	--	--	--	
MP-5	-0.04	NA	0	NA	0	0	--	--	--	--	--	--	
MP-6	-0.03	NA	0	NA	0	0	--	--	--	--	--	--	
MP-7	-0.01	NA	0	NA	0	0	--	--	--	--	--	--	
MP-8	-0.06	NA	0	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	15	NA	0	1	--	--	--	--	--	--	
IMP-2	-0.02	NA	184	NA	0	1	--	--	--	--	--	--	
IMP-3	-0.01	NA	46	NA	0	1	--	--	--	--	--	--	
Roof-Top Fan 1	-2.2	2395	0	NA	0	1	--	--	--	--	--	--	
Roof-Top Fan 2	-2.1	2578	0	NA	0	1	--	--	--	--	--	--	
Roof-Top Fan 3	-2.6	1842	0	NA	0	1	--	--	--	--	--	--	Water in air in fan
Ambient Outdoor Air	NA	NA	0	NA	0	0	--	--	--	--	--	--	No wind. Monitored on South side of school

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

## APPENDIX B

### Indoor and Ambient Outdoor Air Analytical Summary

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds  
February 2008 - October 2014

Volatile Organic Compounds via TO-15	Sample Date	C-13 Duct Proposed indoor	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual						
Acetone	8-Feb-08		20.200	8.240	4.750	U	6.870	8.060	4.750	U	4.780			4.750	
	27-Mar-08 <sup>2</sup>		576.000	186.000	108.000	89.900	24.700	38.300	76.700		47.400			5.870	
	25-Apr-08		61.700	12.900	19.000	15.100	14.800	18.600	12.500		17.100			6.670	
	29-May-08		19.500	16.000	12.800	16.200	10.900	17.200	13.200		11.600			7.480	
	27-Jun-08		87.900	20.000	20.500	27.700	28.900	29.000	26.000		29.800			19.700	
	31-Jul-08		32.200	17.200	20.800	16.800	23.800	20.000	18.600		23.500			20.000	
	28-Aug-08		33.100	21.100	21.500	25.000	27.000	32.400	29.100		23.800			37.000	
	30-Sep-08		39.400	10.400	7.600	24.100	15.900	29.800	19.600		55.600			6.800	
	27-Oct-08		53.000	23.100	14.000	24.100	15.900	29.800	34.300		25.100			100.000	
	25-Nov-08		21.300	8.200	5.300	14.000	15.900	9.700	6.500		10.000			7.000	
	18-Dec-08		38.300	18.500	16.900	21.500	23.100	41.900	22.000		28.800			40.000	
	21-Jan-09		5.300	2.400	2.400	3.600	5.600	5.000	3.300		4.000			2.400	
	25-Feb-09		3.400	2.900	2.400	NS	9.000	5.000	3.900		4.100			2.400	
	26-Mar-09		34.400	10.700	8.820	11.300	13.800	12.000	10.500		12.000			9.690	
	29-Apr-09		4.750	5.700	7.230	8.240	9.200	9.420	7.570		9.610			7.700	
	22-Jul-09		3.370	U	13.100	18.700	11.700	28.900	29.400		17.100			11.000	
	9-Oct-09		19.500	10.100	9.220	11.000	15.500	12.000	10.600		11.600			8.570	
	15-Jan-10		11.900	8.160	5.080	6.700	7.320	7.270	5.260		8.110			6.190	
	21-Apr-10		26.700	22.000	23.200	19.300	19.800	21.800	20.500		4.960			14.300	
	16-Jul-10		28.200	16.500	13.800	16.100	36.900	24.900	40.700		16.000			13.000	
	15-Oct-10		32.700	8.180	4.750	11.500	7.380	6.010	5.530		6.690			7.630	
	30-Nov-10	180.0	NS	13.200	13.000	13.000	NS	NS	6.460		NS			NS	
	26-Jan-11		28.500	20.800	11.600	14.900	13.500	33.200	12.600	24.000	21.500	15.900	9.850		
	26-Jan-11**		NS	17.000	15.000	NS	NS	12.000	NS				NS		
	27-Apr-11		6.620	12.800	11.300	14.700	14.600	7.550	12.300	5.930			5.600		
	26-Jul-11		51.800	48.000	22.800	82.200	28.700	7.170	25.400	39.400			8.840		
	28-Oct-11		17.000	12.000	7.400	11.000	9.700	13.000	15.000				8.000		
	23-Jan-12		15.000	15.000	18.000	18.000	10.000	37.000	19.000		18.000			13.000	
	13-Apr-12		11.000	16.000	11.000	11.000	21.000	9.100	19.000				24.000		
	2-Jul-12 resample		NS		21.000			9.100							
	20-Jun-12		19.000	22.000	17.000	21.000	20.000	15.000	15.000	22.000	11.000			9.000	
	1-Nov-12		12.000	11.000	9.500	16.000	8.300	12.000	13.000	11.000				8.200	
	1-Feb-13		16.000	15.000	12.000	14.000	9.100	39.000	16.000	18.000				18.000	
	29-Apr-13		26.000	23.000	22.000	21.000	24.000	32.000	27.000	35.000				24.000	
	9-Jul-13		25.000	26.000	22.000	41.000	28.000	35.000	32.000				24.000	50	35
	9-Jul-13 RIDEM		NS	NS	NS	18.827	NS	NS	NS				11.710		
	18-Oct-13		34.000	32.000	30.000	24.000	29.000	29.000	46.000	34.000			20.000		
	9-Jan-14		8.900	19.000	16.000	20.000	21.000	24.000	27.000	45.000			8.300		
	24-Apr-14		19.000	12.000	18.000	17.000	17.000 <sup>M</sup>	12.000 <sup>M</sup>	16.000 <sup>M</sup>	76.000 <sup>M</sup>			6.100		
	1-Aug-14		35.000 <sup>M</sup>	12.000 <sup>M</sup>	29.000 <sup>M</sup>	37.000 <sup>M</sup>	43.000 <sup>M</sup>	38.000 <sup>M</sup>	81.000 <sup>M</sup> 62.000 <sup>M</sup>	35.000 <sup>M</sup>			27.000 <sup>M</sup>		
	12-Sep-14 resample		NS	17.000	NS	12.000	2.900	U	34.000	26.000			NS	13.000	
	22-Oct-14														
Acrylonitrile	8-Feb-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	27-Mar-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	25-Apr-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	29-May-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	27-Jun-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	31-Jul-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	28-Aug-08		1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200
	27-Oct-08		2.20												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compound**  
**February 2008 - October 2014**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	C/F or Proposed Indoor	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chlorobenzene	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
	27-Jun-08		0.092	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.092	U	
	31-Jul-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	30-Sep-08		2.500	U	2.300	U	2.500	U	2.300	U	2.500	U	2.300	U	2.300	U	
	27-Oct-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	
	25-Nov-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	
	18-Dec-08		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	
	21-Jan-09		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	
	25-Feb-09		2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	
	26-Mar-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	30-Nov-10	37.0	NS	0.092	U	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U
	26-Jan-11		0.157	U	0.156	U	0.157	U	0.157	U	0.156	U	0.156	U	0.156	U	
	26-Jan-11**		NS	0.230	U	0.230	U	NS	NS	0.230	U	NS	NS	NS	NS	NS	
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.046	U	
	23-Jan-12		0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	
	13-Apr-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.180	U	
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.140	U	
	20-Jun-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	1-Nov-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	1-Feb-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-13		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	
	9-Jul-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	18-Oct-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Jan-14		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	24-Apr-14		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	
	1-Aug-14		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	
	12-Sep-14 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	22-Oct-14		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
Chloroethane	8-Feb-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	
	27-Mar-08		0.062	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	
	25-Apr-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	
	29-May-08		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	
	27-Jun-08		0.053	U	0.050	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	
	31-Jul-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	
	28-Aug-08		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	
	30-Sep-08		1.300	U	1.300	U	1.300	U	1.300	U	1.300						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08		2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440
	27-Mar-08		2.830	3.070	2.680	2.440	U	2.830	2.440	U	2.480	2.440	U	2.440	U
	25-Apr-08		2.820	2.440	U	2.440	U	2.440	U	3.000	2.440	U	3.140	2.440	U
	29-May-08		2.790	3.000	7.100	11.000	2.940	6.280	6.420	2.770			2.440	U	
	27-Jun-08		2.650	2.440	U	2.440	U	2.830	3.260	2.620	2.440	U	2.500	2.440	U
	31-Jul-08		3.580	3.880	3.330	4.370	3.440	3.740	2.440	U	2.440	U	2.440	U	2.440
	28-Aug-08		2.440	3.140	5.310	6.880	3.150	2.440	2.540	2.540	2.540		2.440	U	
	30-Sep-08		1.400	1.300	1.000	1.400	1.000	1.000	U	1.700	1.600	1.000	1.200		
	27-Oct-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000
	25-Nov-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000
	18-Dec-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000
	21-Jan-09		1.000	U	1.000	U	1.000	U	1.500	1.000	1.000	U	1.400	U	1.200
	25-Jan-09		1.000	U	1.000	U	NS	1.000	1.000	U	1.000	U	1.000	U	1.000
	26-Mar-09		2.490	2.680	2.550	2.920	2.910	2.440	U	2.440	U	2.440	U	2.440	U
	29-Apr-09		2.710	2.910	3.600	3.730	3.130	2.660	3.390	2.660	3.390	2.660	3.390	2.510	
	22-Jul-09		2.670	2.520	2.660	2.540	2.440	U	2.780	3.320	2.440	U	2.440	U	2.440
	9-Oct-09		3.450	2.740	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440
	15-Jan-10		3.860	3.690	2.820	3.180	3.240	3.630	3.120	3.750	3.600				
	21-Apr-10		2.550	2.440	U	2.440	U	2.440	U	2.400	U	2.520	U	2.460	
	16-Jul-10		1.510	1.660	1.050	1.090	1.680	1.110	1.300	1.100	1.100	1.510			
	15-Oct-10		1.080	1.080	1.050	1.050	1.030	1.030	U	1.030	1.030	1.030	1.030	1.030	1.030
	30-Nov-10	14.0	NS	1.030	U	1.030	U	NS	1.030	U	1.030	U	1.030	U	1.030
	26-Jan-11		1.760	U	1.750	U	1.760	U	1.760	U	1.750	U	1.760	U	1.750
	26-Jan-11**		NS	1.100	1.000	NS	NS	1.000	1.000	U	1.760	U	1.750	U	1.750
	27-Apr-11		1.050	1.660	1.400	2.160	1.440	1.510	1.740	1.460	1.270				
	26-Jul-11		1.160	1.600	1.030	1.120	1.030	1.030	U	1.030	1.030	1.030	1.030	1.030	1.030
	28-Oct-11		1.400	1.000	1.300	1.500	1.300	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	23-Jan-12		1.300	1.100	1.200	1.400	1.100	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	13-Apr-12		1.300	1.400	1.400	1.500	1.100	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		1.700	0.041	U	0.041	U	0.041	U	1.500	0.041	U	1.300		
	1-Nov-12		1.100	1.100	0.910	1.200	1.000	1.200	1.400	1.300	1.100	0.990			
	1-Feb-13		1.200	1.300	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200
	29-Apr-13		1.300	1.300	1.300	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200
	9-Jul-13		1.100	0.900	1.100	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.164	
	18-Oct-13		0.880	1.100	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200
	9-Jan-14		0.900	0.950	1.000	1.100	1.100	1.100	1.100	1.100	1.100	1.200	1.100	1.100	1.100
	24-Apr-14		1.100	1.300	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100
	1-Aug-14		0.083	U	0.083	U	0.120	U	0.083	U	0.083	U	0.083	U	0.083
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22-Oct-14		0.780	U	0.810	U	0.810	U	1.000	U	1.300	U	1.200	U	0.890
Dibromochloromethane	8-Feb-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	27-Mar-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	25-Apr-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	29-May-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	27-Jun-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100
	31-Jul-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	28-Aug-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096
	30-Sep-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200
	25-Nov-08		4.200	U	4.200	U	4								

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-Apr-09		0.120	U	0.100	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	21-Apr-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Nov-10		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
	26-Jan-11**		0.205	U	0.204	U	0.205	U	0.205	U	0.204	U	0.205	U	0.204
	27-Apr-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	26-Jul-11		0.120	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	28-Oct-11		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	23-Jan-12		0.220	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210
	13-Apr-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	1-Nov-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	18-Oct-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	9-Jan-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	24-Apr-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	1-Aug-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22-Oct-14		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
1,3-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000
	25-Feb-09		3.000	U	3.000	U	3.								

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08		1.960	1.860	1.980	1.890	1.830	1.940	1.980	1.890			2.020		
	27-Mar-08		2.420	2.380	2.280	2.110	2.600	2.560	2.700	2.070			2.210		
	25-Apr-08		2.060	2.100	2.010	2.170	2.030	1.990	2.080	2.030			1.860		
	29-May-08		1.700	1.630	1.540	1.760	1.630	1.610	1.780	1.600			1.560		
	27-Jun-08		2.280	2.280	2.370	2.330	2.240	2.220	2.250	2.250			2.220		
	31-Jul-08		2.030	2.020	1.970	1.970	1.910	1.920	1.920	1.900			1.850		
	28-Aug-08		3.600	2.870	2.920	2.870	2.920	2.800	2.800	2.980			2.770		
	30-Sep-08		2.500	2.700	2.500	2.500	2.500	2.500	2.500	2.500			2.500		
	27-Oct-08		2.500	2.500	U	U	U	U	U	U			2.500		
	25-Nov-08		2.500	2.500	U	U	U	U	U	U			2.500		
	18-Dec-08		2.700	2.500	U	U	U	U	U	U			2.500		
	21-Jan-09		2.500	2.500	U	U	U	U	U	U			2.500		
	25-Feb-09		2.500	2.500	U	U	U	U	U	U			2.500		
	26-Mar-09		2.220	2.190	2.120	2.090	2.220	2.180	2.080	2.120			2.130		
	29-Apr-09		2.500	2.260	2.460	2.320	2.260	2.320	2.380	2.360			2.160		
	22-Jul-09		3.140	3.120	2.920	3.090	2.780	3.170	2.690	2.960			3.130		
	9-Oct-09		2.200	2.560	2.300	2.320	2.300	2.280	2.300	2.290			2.210		
	15-Jan-10		27.800	2.550	2.480	2.590	2.410	2.540	2.450	2.410			2.430		
	21-Apr-10		2.340	2.320	2.520	2.330	2.260	2.320	2.330	2.340			2.240		
	16-Jul-10		2.480	2.560	2.430	2.520	3.690	2.480	2.550	2.480			2.740		
	15-Oct-10	91.0	2.460	2.410	2.560	2.400	2.470	2.410	2.450	2.450			2.630		
	30-Nov-10		NS	2.480	2.550	NS	NS	2.390	NS				NS		
	26-Jan-11		2.680	2.640	2.340	2.660	2.150	2.580	2.370	2.560	2.230	2.480	2.440		
	26-Jan-11**		NS	2.800	2.700	NS	NS	2.600	NS				NS		
	27-Apr-11		2.070	2.820	2.200	2.450	2.160	2.210	2.220	2.210			2.460		
	26-Jul-11		2.290	2.270	2.270	2.360	2.260	2.340	2.250	2.260			2.350		
	28-Oct-11		2.700	2.400	2.800	2.600	2.800	2.500	2.600	2.500			2.500		
	23-Jan-12		1.700	1.800	1.600	1.500	2.000	2.000	1.800	1.900			2.000		
	13-Apr-12		2.100	2.100	2.000	2.000	1.800	1.900	1.700	1.700			1.300		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS				2.500		
	20-Jun-12		2.500	2.600	2.500	2.400	2.700	2.300	2.500	2.500			2.300		
	1-Nov-12		2.000	2.200	2.100	2.200	2.000	2.100	2.100	2.000			2.100		
	1-Feb-13		1.600	1.600	1.600	1.600	1.600	1.600	1.700	1.700			1.600		
	29-Apr-13		2.400	2.600	2.400	2.400	2.400	2.300	2.400	2.400			2.400		
	9-Jul-13		0.950	0.980	0.930	0.960	0.990	1.000	0.980	0.970			1.000		
	18-Oct-13		2.000	2.200	1.900	2.000	1.900	2.000	1.900	2.000			2.000		
	9-Jan-14		1.400	1.500	1.400	1.400	1.500	1.500	1.500	1.600			1.600		
	24-Apr-14		2.300	2.400	2.300	2.400	2.800	2.400	2.500	2.500			2.500		
	1-Aug-14		1.500	1.600	1.500	1.600	1.500	1.600	1.500	1.500			1.700		
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS				NS		
	22-Oct-14		1.400	1.400	1.400	1.400	1.500	1.500	1.400	1.500			1.500		
1,1-Dichloroethane	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U			0.080		
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U			0.080		
	27-Jun-08		0.080	U	0.080	U	0.080	U	0.080	U			0.080		
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	30-Sep-08		2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000			2.000		
	27-Oct-08		2.000	2.000	U	U	U	U	U	U			2.000		
	25-Nov-08		2.000	2.000	U	U	U	U	U	U			2.000		
	18-Dec-08		2.000	2.000	U	U	U	U	U	U			2.000		
	21-Jan-09		2.000	2.000	U	U	U	U	U	U			2.000		
	25-Feb-09		2.000	2.000	U	U	U	U	U	U			2.000		
	26-Mar-09		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	29-Apr-09		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	22-Jul-09		0.081	U	0.081	U	0.081	U	0.081	U			0.081		
	9-Oct-09		0.081	U	0.081	U	0.081</								

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed indoor	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1-Dichloroethylene	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Mar-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	25-Apr-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Jun-08		0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	27-Mar-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	29-Apr-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	22-Jul-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	9-Oct-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	15-Jan-10		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	21-Apr-10		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	16-Jul-10		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	15-Oct-10		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	30-Nov-10	10.0	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	26-Jan-11		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	26-Jan-11**		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	27-Apr-11		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	26-Jul-11		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	28-Oct-11		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	23-Jan-12		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	13-Apr-12		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	2-Jul-12 resample		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	20-Jun-12		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	1-Nov-12		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	1-Feb-13		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	29-Apr-13		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	9-Jul-13		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	9-Jul-13 RIDEM		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	18-Oct-13		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	9-Jan-14		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	24-Apr-14		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	1-Aug-14		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	12-Sep-14 resample		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	22-Oct-14		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
cis-1,2-Dichloroethene*	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Mar-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	25-Apr-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	27-Jun-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	
	30-Sep-08		5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	
	25-Feb-09		2.												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloropropane	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.092	U	0.092	U	0.090	U	0.090	U	0.092	U	0.092	U	0.092
	31-Jul-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Sep-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Oct-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	25-Nov-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	18-Dec-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	21-Jan-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	25-Feb-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	26-Mar-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	30-Nov-10	0.13	NS	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jan-11		0.158	U	0.157	U	0.157	U	0.158	U	0.157	U	0.158	U	0.157
	26-Jan-11**		NS	U	0.230	U	0.230	U	NS	U	0.230	U	NS	U	NS
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.046
	23-Jan-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081
	13-Apr-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.180
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	1-Nov-12		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046
	1-Feb-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	29-Apr-13		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046
	9-Jul-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Oct-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	9-Jan-14		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	24-Apr-14		0.046 <sup>LV</sup>	U	0.046 <sup>LV</sup>	U	0.046 <sup>LV</sup>	U	0.046 <sup>LV</sup>	U	0.046 <sup>LV</sup>	U	0.046 <sup>LV</sup>	U	0.046 <sup>LV</sup>
	1-Aug-14		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092
	12-Sep-14 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22-Oct-14		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069
cis-1,3-Dichloropropene	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Jun-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	31-Jul-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	28-Aug-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091
	30-Sep-08		0.160	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	27-Oct-08		0.160	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	25-Nov-08		0.160	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180
	26-Jan-11		0.155	U	0.154	U	0.154	U	0.155	U	0.154	U	0.154	U	0.154
	26-Jan-11**		NS												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed indoor	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08		0.260	0.230	0.620	0.450	0.250	0.170	0.160	0.180			0.220		
	27-Mar-08		0.841	0.669	1.020	0.869	0.894	1.000	0.628	0.619			0.096		
	25-Apr-08		0.770	0.637	2.200	0.711	0.678	0.712	0.705	0.650			0.087	U	U
	29-May-08		0.140	0.120	1.310	0.620	0.120	0.160	0.150	0.110			0.090		
	27-Jun-08		0.555	0.412	1.080	0.987	0.478	0.400	0.802	0.360			0.369		
	31-Jul-08		0.553	0.449	1.140	0.424	0.426	0.491	0.262	0.216			0.255		
	28-Aug-08		0.668	1.150	3.010	2.820	0.761	0.854	0.870	0.783			0.944		
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U			0.220		
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	U
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	U
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	U
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	U
	25-Feb-09		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	U
	26-Mar-09		0.932	0.803	1.120	1.060	0.511	0.648	0.738	0.599			0.727		
	29-Apr-09		0.195	0.234	0.633	0.538	0.195	0.139	0.152				0.178		
	22-Jul-09		0.442	0.212	1.090	0.291	0.551	0.625	0.807	0.542			1.190		
	9-Oct-09		0.869	0.759	1.090	1.030	0.794	0.681	0.668	0.633			0.746		
	15-Jan-10		0.447	0.334	0.386	0.351	0.321	0.266	0.273	0.252			0.286		
	21-Apr-10		0.468	0.716	1.280	0.612	0.681	0.603	0.542	0.538			0.087	U	
	16-Jul-10		0.334	0.226	0.416	0.408	0.573	0.286	0.872	0.260			0.143		
	15-Oct-10		0.262	0.308	0.412	0.152	0.126	0.200	0.097				0.121		
	30-Nov-10	53.0	NS	0.217	0.338	NS	NS	0.108	NS				NS		
	26-Jan-11		1.040	1.000	1.100	1.220	1.000	1.100	0.951	1.320			1.300		
	26-Jan-11**		NS	1.600	1.800	NS	NS	1.800	NS				NS		
	27-Apr-11		0.108	0.139	0.625	0.221	0.837	0.087	0.200	0.087			0.091		
	26-Jul-11		0.473	1.020	0.873	0.417	0.300	0.191	0.356	0.178			0.161		
	28-Oct-11		0.600	0.320	0.400	0.230	0.480	0.490	0.420				0.130		
	23-Jan-12		0.610	0.480	0.470	0.660	0.580	0.500	0.560				0.540		
	13-Apr-12		0.300	0.250	0.300	0.240	0.250	0.280	0.240	0.200			0.170		
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS				NS		
	20-Jun-12		0.490	0.500	0.490	0.560	0.550	0.460	0.530				0.470		
	1-Nov-12		0.760	0.440	0.330	0.530	0.450	0.730	0.810	0.630			0.130		
	1-Feb-13		0.130	0.087	0.087	U	0.087	0.110	0.089	0.190			0.130		
	29-Apr-13		0.760	0.540	0.540	0.540	0.670	0.430	1.600	0.530			0.150		
	9-Jul-13		0.340	0.320	0.310	0.330	0.390	0.310	0.350	0.320			0.310		
	9-Jul-13 RIDEM		NS	NS	NS	0.464	NS	NS	NS				0.330		
	18-Oct-13		0.710	0.096	0.110	0.110	0.540	0.770	0.120	1.400			0.430		
	9-Jan-14		3.100	4.500	0.160	0.170	0.170	0.160	0.570	0.210			0.140		
	24-Apr-14		0.110	0.087	0.096	0.087	U	0.087	0.150	0.120			0.087		
	1-Aug-14		0.190	0.150	0.360	0.400	0.470	0.200	0.650	0.460			0.280		
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS				NS		
	22-Oct-14		0.160	0.140	0.130	U	0.130	U	0.130	U			0.210		
Isopropylbenzene	8-Feb-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	27-Mar-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	25-Apr-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	29-May-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	27-Jun-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	31-Jul-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	28-Aug-08		2.460	U	2.460	U	2.460	U	2.460	U			2.460		
	30-Sep-08		4.900	U	4.900	U	4.900	U	4.900	U			4.900		
	27-Oct-08		4.900	U	4.900	U	4.900	U	4.900	U			4.900		
	25-Nov-08		4.900	U	4.900	U	4.900	U	4.900	U			4.900		
	18-Dec-08		4.900	U	4.900	U	4.900	U	4.900	U			4.900		
	26-Jan-11		4.190	U	4.190	U	4.190	U	4.190	U			4.190		
	26-Jan-11**		NS	NS	NS	NS	NS	NS	NS				NS		
	27-Apr-11		2.460	U	2.460	U	2.460	U	2.460						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methyl tert butyl ether (MTBE)	8-Feb-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070
	27-Mar-08		0.440		0.102		0.091		0.098		0.102		0.090		0.072
	25-Apr-08		0.116		0.116		0.107		0.126		0.121		0.131		0.072
	29-May-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070
	27-Jun-08		0.072	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.072
	31-Jul-08		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	28-Aug-08		0.095		0.130		0.123		0.091		0.106		0.115		0.094
	30-Sep-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	27-Oct-08		2.00	U	1.800	U	1.800	U	2.000	U	2.00	U	1.800	U	1.800
	25-Nov-08		2.100	U	1.800	U	1.800	U	2.000	U	1.800	U	1.800	U	1.800
	18-Dec-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	21-Jan-09		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800
	25-Feb-09		1.800	U	2.700	U	1.800	U	1.800	U	2.700	U	1.800	U	1.800
	26-Mar-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	29-Apr-09		0.072	U	0.072	U	0.233	U	0.072	U	0.072	U	0.072	U	0.072
	22-Jul-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.169
	9-Oct-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	15-Jan-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	21-Apr-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	16-Jul-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	15-Oct-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	30-Nov-10	160.0	NS	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U
	26-Jan-11		0.123	U	0.122	U	0.123	U	0.123	U	0.122	U	0.123	U	0.122
	26-Jan-11**		NS	0.180	U	0.180	U	NS	NS	0.180	U	NS	NS	NS	NS
	27-Apr-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	26-Jul-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	28-Oct-11		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	23-Jan-12		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
	13-Apr-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.140
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.110
	20-Jun-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Nov-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Feb-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	29-Apr-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jul-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	0.041	J	NS	NS	NS	NS	0.200
	18-Oct-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	9-Jan-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	24-Apr-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	1-Aug-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.110
	22-Oct-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
Methylene chloride	8-Feb-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	27-Mar-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	25-Apr-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	29-May-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	27-Jun-08		1.740	U	1.740	U	1.740	U	3.210	U	1.740	U	6.940	U	19.000
	31-Jul-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	28-Aug-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740
	30-Sep-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	27-Oct-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	25-Nov-08		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700
	26-Jan-11		4.300	U	2.000	U	2.000	U	2.000	U	2.000	U			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	C/F Draft Proposed indoor	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Styrene	8-Feb-08		0.710	0.130	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090
	27-Mar-08		1.200	0.118	0.120	0.165	0.140	0.175	0.114	0.139			0.085	U	0.085
	25-Apr-08		0.856	0.156	0.180	0.184	0.137	0.137	0.158		0.124			0.085	U
	29-May-08		0.550	0.085	U	0.130	0.260	0.090	U	0.090	U	0.090	U	0.090	U
	27-Jun-08		1.830	0.085	U	0.112	0.186	0.191	0.085	U	0.481	0.090	U	0.085	U
	31-Jul-08		1.890	0.254	0.153	0.262	0.266	0.285	0.288	0.109	0.090	U	0.085	U	0.085
	28-Aug-08		0.654	0.368	0.262	0.392	0.203	0.203	0.165	0.169	0.140		0.108		
	30-Sep-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	27-Oct-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	25-Nov-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	18-Dec-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	21-Jan-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	25-Feb-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100
	26-Mar-09		0.914	0.113	0.110	0.110	0.125	0.111	0.128	0.138			0.122		
	29-Apr-09		0.515	0.085	U	0.136	U	0.085	U	0.085	U	0.085	U	0.085	U
	22-Jul-09		1.280	0.085	U	0.153	0.095	U	0.285	0.272	0.213		0.187		
	9-Oct-09		0.838	0.153	0.149	0.174	0.566	0.179	0.140	0.140	0.149		0.140		
	15-Jan-10		1.100	0.221	0.085	U	0.089	0.196	0.098	0.085	U	0.085	U	0.085	U
	21-Apr-10		0.281	0.204	0.289	0.187	0.328	0.174	0.145	0.145	0.140		0.085	U	0.085
	16-Jul-10		0.702	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
	15-Oct-10		0.549	0.085	U	0.085	U	0.098	U	0.085	U	0.085	U	0.085	U
	30-Nov-10	52.0	NS	0.149	0.119	NS	NS	NS	0.085	U	0.085	U	0.085	U	0.085
	26-Jan-11		0.327	0.224	0.174	0.217	0.182	0.202	0.145	U	0.182	0.174	0.145	U	0.188
	26-Jan-11**		NS	0.510	0.370	NS	NS	NS	0.370	NS	NS				
	27-Apr-11		0.166	0.166	0.170	0.192	0.277	0.085	U	0.145	0.085	U	0.085	U	0.085
	26-Jul-11		0.677	2.460	0.132	11.700	0.315	1.320	0.200	0.085	U	0.085	U	0.085	U
	28-Oct-11		0.300	0.130	0.130	0.130	0.330	0.130	0.130	U	0.130	U	0.085	U	0.085
	23-Jan-12		0.820	0.250	0.410	0.480	0.270	0.510	0.150	U	0.150	U	0.150	U	0.150
	13-Apr-12		0.560	0.140	0.130	0.130	0.055	0.280	0.130	U	0.130	U	0.170	U	0.170
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		0.720	0.300	0.240	1.200	0.430	0.150	0.085	U	0.200				
	1-Nov-12		0.280	0.140	0.085	U	0.130	0.150	0.160	0.180	0.160				
	1-Feb-13		0.870	0.085	U	0.085	U	0.095	0.085	U	0.085	U	0.085	U	0.085
	29-Apr-13		1.600	0.230	0.230	0.200	0.740	0.150	0.520	0.210					
	9-Jul-13		0.410	0.120	0.085	U	0.140	0.410	0.110	0.085	U	0.085	U	0.085	U
	9-Jul-13 RIDEM		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Oct-13		0.200	0.085	U	0.085	U	0.130	0.270	0.110	0.340	0.290			
	9-Jan-14		0.260	0.260	0.085	U	0.085	0.085	U	0.120	0.085	U	0.085	U	0.085
	24-Apr-14		1.100	0.085	U	0.085	U	0.085	U	0.160	4.500				
	1-Aug-14		0.880	0.260	0.260	0.210	0.560	0.350	0.680	0.430					
	12-Sep-14 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22-Oct-14		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130
1,1,2-Tetrachloroethane	8-Feb-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	27-Mar-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	25-Apr-08		0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	27-Jun-08		0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	31-Jul-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	28-Aug-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137
	30-Sep-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	27-Oct-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140
	25-Nov-08		0.140</td												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	CF Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Tetrachloroethene*	8-Feb-08		0.140	0.140	U	0.140	0.140	U	0.140	U	0.140	U	0.350			
	27-Mar-08 <sup>2</sup>		12.500	6.680	13.300	16.100	26.000	7.730	23.300	4.310			0.153			
	25-Apr-08		0.180	0.254	0.179	0.282	0.231	0.276	0.228	0.298			0.136			
	29-May-08		0.140	0.140	U	0.140	0.140	U	0.140	U	0.140		0.140			
	27-Jun-08		0.249	0.449	0.397	0.459	0.424	0.243	0.460	0.246			0.216			
	31-Jul-08		1.030	1.000	0.877	0.880	0.795	0.872	0.252	0.287			0.154			
	28-Aug-08		0.321	0.367	0.283	0.323	0.274	0.434	0.294	0.282			0.445			
	30-Sep-08		3.400	U	3.400	U	3.400	U	3.400	U			3.400			
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U			4.200			
	25-Nov-08		3.400	U	3.400	U	3.400	U	3.400	U			3.400			
	18-Dec-08		3.400	U	3.400	U	3.400	U	3.400	U			3.400			
	21-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U			3.400			
	25-Jan-09		3.400	U	3.400	U	3.400	U	3.400	U			3.400			
	26-Mar-09	5.0	1.530	1.210	1.170	0.980	1.089	1.320	1.420	1.890			1.390			
	29-Apr-09		0.136	0.136	U	0.697	0.136	0.136	U	0.136	U			0.136		
	22-Jul-09		0.291	0.190	0.224	0.196	0.196	0.196	0.193	0.210			0.535			
	9-Oct-09		2.260	1.560	1.580	1.580	1.380	1.700	2.080	1.960			0.779			
	15-Jan-10		0.359	0.346	0.339	0.373	0.312	3.460	0.346	0.312			2.450			
	21-Apr-10		0.637	0.752	0.440	0.650	0.508	0.447	0.407	0.474			0.562			
	16-Jul-10		0.318	0.420	0.427	0.501	0.230	0.447	0.474	0.230			0.230			
	15-Oct-10		0.136	U	0.136	U	0.136	U	0.136	U			0.142			
	30-Nov-10		NS	0.461	0.291	NS	NS	0.169	NS				NS			
	26-Jan-11		0.636	0.484	0.370	0.566	0.440	0.725	0.346	0.578			0.426			
	26-Jan-11**		NS	0.580	0.490	NS	NS	0.480	NS				NS			
	27-Apr-11		0.142	0.176	0.176	0.352	0.176	0.136	0.149	0.136			0.285			
	26-Jul-11		0.529	0.563	0.522	0.631	0.549	0.325	0.739	0.461			0.224			
	28-Oct-11		0.100	0.140	0.100	0.100	0.100	0.100	0.100	0.100			0.068			
	23-Jan-12		0.240	0.240	0.240	0.590	0.320	0.510	0.260	0.410			0.260			
	13-Apr-12		0.150	0.110	0.120	0.250	0.150	0.160	0.190	0.190			0.140			
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS			0.130			
	20-Jun-12		0.390	0.800	0.310	0.370	0.390	0.400	0.410	0.440			0.240			
	1-Nov-12		0.360	0.460	0.400	0.730	0.470	0.770	0.600	0.560			0.120			
	1-Feb-13		0.130	0.095	0.073	0.120	0.090	0.210	0.440	0.092			0.140			
	29-Apr-13		0.610	0.560	0.560	0.630	0.880	0.046	0.650	0.580			0.320			
	9-Jul-13		0.270	0.240	0.230	0.260	0.250	0.320	0.440	0.280			0.280			
	9-Jul-13 RIDEM		NS	NS	NS	NS	0.279	NS	NS				0.281			
	18-Oct-13		0.140	0.140	0.150	0.140	0.180	0.210	0.170	0.180			0.140			
	9-Jan-14		0.140	0.190	0.140	0.160	0.190	0.160	0.160	0.520			0.190			
	24-Apr-14		0.068	0.068	0.068	0.140	0.068	0.068	0.140	0.140			0.068			
	1-Aug-14		0.590	0.510	0.240	0.970	3.800	0.360	0.810	15.000			15.000			
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS	NS			NS			
	22-Oct-14		0.420	0.360	0.100	U	0.100	U	0.100	U			0.500			
Toluene	8-Feb-08		1.240	4.470	1.140	4.520	4.150	5.920	0.990	0.910	1.030		1.480			
	27-Mar-08		4.800	4.000	2.810	3.900	3.790	4.070	4.010	4.040			1.560			
	29-May-08		0.930	0.790	1.630	1.330	0.870	1.060	1.020	0.670			0.465			
	27-Jun-08		3.870	3.060	3.200	3.850	4.110	3.840	4.520	3.020			0.320			
	31-Jul-08		2.760	2.020	2.690	1.990	2.720	2.200	1.680	1.440			2.410			
	28-Aug-08		5.230	5.960	7.800	7.530	5.920	5.640	5.680	5.240			6.050			
	30-Sep-08		1.900	1.900	2.500	1.900	5.000	1.900	1.900	2.300			1.900			
	27-Oct-08		6.700	6.300	3.500	6.100	2.300	5.500	3.800	6.600			8.400			
	25-Nov-08		5.500	1.900	2.000	1.900	1.900	1.900	1.900	1.900			1.900			
	21-Jan-09		1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900			1.900			
	25-Feb-09		1.900	1.900	1.900	1.900	1.900	1.900	1.900	1.900			1.900			
	29-Apr-09		0.779	0.595	0.079	U	0.704	1.050	0.595	0.614			0.953			
	22-Jul-09		1.550	1.010	2.540	1.130	3.150	3.410	3.880	7.670			6.850			
	9-Oct-09		4.740	3.690	4.190	3.900	4.500	4.170	4.220</td							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Indoor	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2-Trichloroethane	8-Feb-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	27-Mar-08		0.109	U	0.109	U	0.109	U	0.109	U	0.110	U	0.109	U	0.109
	25-Apr-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	29-May-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	27-Jun-08		0.109	U	0.109	U	0.109	U	0.110	U	0.109	U	0.110	U	0.110
	31-Jul-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	28-Aug-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	30-Sep-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	27-Oct-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	25-Nov-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	18-Dec-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	21-Jan-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	25-Feb-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	26-Mar-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	29-Apr-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	22-Jul-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	9-Oct-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	15-Jan-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	21-Apr-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	16-Jul-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	15-Oct-10	2.2	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	30-Nov-10		NS	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	NS
	26-Jan-11		0.186	U	0.185	U	0.186	U	0.186	U	0.185	U	0.186	U	0.185
	26-Jan-11**		NS	U	0.270	U	0.270	U	NS	U	0.270	U	NS	U	NS
	27-Apr-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	26-Jul-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109
	28-Oct-11		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190
	13-Apr-12		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	1-Nov-12		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	1-Feb-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	29-Apr-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	9-Jul-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	18-Oct-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	9-Jan-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	24-Apr-14		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055
	1-Aug-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110
	12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS
	22-Oct-14		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082
Trichloroethylene*	8-Feb-08		0.110	U	0.120	U	0.110	U	0.107	U	0.110	U	0.350	U	0.110
	27-Mar-08		0.239	U	0.233	U	0.218	U	0.226	U	0.325	U	0.217	U	0.107
	25-Apr-08		0.107	U	0.164	U	0.147	U	0.272	U	0.151	U	0.158	U	0.107
	29-May-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110
	27-Jun-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.143	U	0.107
	31-Jul-08		0.113	U	0.107	U	0.107	U	0.107	U	0.107	U	0.134	U	0.107
	28-Aug-08		0.193	U	0.116	U	0.107	U	0.107	U	0.146	U	0.110	U	0.838
	30-Sep-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800
	27-Oct-08		0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800
	25-Nov-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540
	18-Dec-08		0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540
	21-Jan-09		0.540	U	0.540	U</									

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	✓ Draft Proposed Index	Kitchen Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2,4-Trimethylbenzene	8-Feb-08		0.900	0.970	2.520	1.890	0.210	0.210	0.210	0.310			0.210	0.098	
	27-Mar-08		1.330	1.590	3.390	3.240	0.920	1.390	0.828	0.998			0.098	U	
	25-Apr-08		0.998	1.760	11.700	1.640	0.909	0.839	0.911	0.750			0.098	U	
	29-May-08		0.300	0.470	8.320	6.680	0.270	0.960	0.690	0.110			0.100	U	
	27-Jun-08		1.560	0.443	2.120	3.040	0.634	0.246	0.722	0.206			0.175	U	
	31-Jul-08		1.650	1.360	1.380	2.080	0.959	1.940	0.207	0.142			0.157	U	
	28-Aug-08		0.438	1.430	3.690	5.340	0.642	0.461	0.455	0.484			0.354	U	
	30-Sep-08		2.500	U	2.500	U	2.000	U	2.500	U			2.500	U	
	27-Oct-08		2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U	U
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	U
	18-Dec-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	U
	21-Jan-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	U
	25-Feb-09		2.500	U	2.500	U	3.800	NS	2.500	U	2.500	U	2.500	U	U
	26-Mar-09		0.942	0.859	1.500	1.300	0.526	0.563	0.737	0.564			0.739	U	
	29-Apr-09		1.520	0.368	1.340	1.200	0.192	0.098	0.108	0.098			0.142	U	
	22-Jul-09		1.010	0.216	1.140	0.339	0.594	0.791	0.889	0.673			0.894	U	
	9-Oct-09		1.240	1.080	1.250	1.460	0.712	0.796	0.702	0.717			0.069	U	
	15-Jan-09		0.609	0.550	0.452	0.521	0.206	0.196	0.216	0.196			0.196	U	
	21-Apr-10		0.393	0.845	4.590	0.642	0.570	0.545	0.427	0.476			0.098	U	
	16-Jul-10		0.354	0.216	0.388	0.344	0.250	0.138	0.511	0.187			0.108	U	
	15-Oct-10		0.319	0.408	0.329	0.211	0.098	0.319	0.098	0.098			0.098	U	
	30-Nov-10	9.3	NS	0.334	0.560	NS	NS	0.098	U	1.000	0.168	U	0.994	NS	
	26-Jan-11		1.010	1.120	1.200	0.780	0.917	0.868	1.030	0.944			NS	NS	
	26-Jan-11**		NS	1.900	2.100	NS	NS	2.000	NS	0.128			NS	NS	
	27-Apr-11		0.138	0.280	2.080	0.255	0.147	0.113	0.172	0.113			0.123	U	
	26-Jul-11		0.575	2.160	1.120	0.285	0.236	0.157	0.290	0.177			0.098	U	
	28-Oct-11		0.340	0.220	0.300	0.290	0.230	0.260	0.310	0.330			0.470	U	
	23-Jan-12		0.660	0.580	0.580	0.710	0.380	1.000	0.520	0.650			0.240	U	
	13-Apr-12		0.400	0.410	0.760	0.480	0.340	0.340	0.290	0.360			0.150	U	
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS			0.310	U	
	20-Jun-12		0.560	1.200	0.910	0.680	0.600	0.470	0.560	0.610			0.120	U	
	1-Nov-12		0.720	0.480	0.310	0.300	0.460	0.650	0.750	0.600			0.098	U	
	1-Feb-13		0.330	0.180	0.170	0.160	0.150	0.120	0.220	0.160			0.098	U	
	29-Apr-13		0.990	0.540	0.540	0.510	0.700	0.320	0.580	0.440			0.130	U	
	9-Jul-13		0.480	0.410	0.280	0.340	0.440	0.230	0.300	0.240			0.190	U	
	9-Jul-13 RIDEM		NS	NS	NS	NS	0.470	NS	NS	NS			0.230	U	
	18-Oct-13		2.600	0.098	0.120	2.400	3.200	0.140	3.600	3.200			0.200	U	
	9-Jan-14		4.500	8.900	0.220	0.180	0.180	0.290	0.290	0.240			0.120	U	
	24-Apr-14		0.120	0.098	0.210	0.098	0.098	0.098	0.130	0.130			0.098	U	
	1-Aug-14		0.320	0.270	0.630	1.300	1.500	0.220	0.220	1.100			1.200	U	
	12-Sept-14 resample		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS	
	22-Oct-14		0.150	U	0.170	0.160	0.150	U	0.160	U			0.160	U	
1,3,5-Trimethylbenzene	8-Feb-08		0.460	0.450	1.300	1.620	0.980	0.100	0.100	U			0.100	U	
	27-Mar-08		0.535	0.652	0.816	7.170	0.802	0.342	0.293	0.375			0.098	U	
	25-Apr-08		0.367	0.220	4.710	4.050	0.140	0.640	0.470	0.100			0.100	U	
	29-May-08		0.170	0.232	1.100	1.580	0.385	0.102	0.387	0.100			0.098	U	
	27-Jun-08		0.942	0.782	0.671	1.360	0.570	1.190	0.098	0.098			0.098	U	
	31-Jul-08		1.040	0.732	1.950	2.990	0.270	0.181	0.181	0.155			0.100	U	
	28-Aug-08		0.170	0.170	0.260	0.250	0.250	0.250	0.250	0.250			0.238	U	
	30-Sep-08		2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
	27-Oct-08		2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U			2.500	U	
	18-Dec-08		2.500	U	2.500	U	2.500	U	2.500	U					

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	C Draft Proposed indoor	Kitchen	Storage Rm	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Cntr (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)	AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08		0.710	0.660	2.110	1.460	0.550	0.450	0.390	0.420	0.580					
	27-Mar-08		2.460	2.220	3.510	2.960	2.620	2.890	1.810	1.910	0.269					
	25-Apr-08				1.870	8.240	2.170	1.960	2.080	2.150	0.205					
	29-May-08		0.350	0.290	5.110	2.260	0.290	0.410	0.340	0.250						
	27-Jun-08		1.060	1.080	3.280	3.000	1.250	0.994	2.160	0.926	0.170					
	31-Jul-08		1.360	1.160	3.330	1.140	1.140	1.370	0.656	0.488	0.656					
	28-Aug-08		2.130	3.220	8.690	8.200	1.910	2.190	2.280	1.960	2.240					
	30-Sep-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300					
	27-Oct-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300					
	25-Nov-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300					
	18-Dec-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300					
	21-Feb-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300					
	25-Feb-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300					
	26-Mar-09		3.080	2.850	4.530	4.340	1.580	1.990	2.340	1.870	2.310					
	29-Apr-09		0.456	0.733	0.534	1.950	0.477	0.308	0.312	0.347	0.442					
	22-Jul-09		0.920	0.577	2.680	0.824	1.560	2.070	2.510	1.720	3.510					
	9-Oct-09		2.610	2.240	3.360	3.190	2.200	2.090	1.960	1.910	2.290					
	15-Jan-10		1.080	0.915	1.040	0.946	0.724	0.603	0.672	0.607	0.672					
	21-Apr-10		1.200	2.000	4.380	1.610	1.800	1.670	1.430	1.350	1.74					
	16-Jul-10		0.868	0.568	1.290	1.120	1.290	0.729	1.890	0.694	0.330					
	15-Oct-10		0.642	0.972	1.340	0.408	0.299	0.174	0.468	0.174	0.317					
	30-Nov-10	220.0	NS	0.620	1.000	NS	NS	0.230	NS	NS	NS					
	26-Jan-11		2.910	2.600	2.910	3.320	2.590	2.790	2.540	3.450	3.490					
	26-Jan-11**		NS	4.300	5.100	NS	NS	4.900	NS	NS	NS					
	27-Apr-11		0.295	0.412	2.030	0.642	3.020	0.260	0.412	0.191	0.256					
	26-Jul-11		1.240	3.650	2.630	3.670	0.799	0.816	0.864	0.486	0.404					
	28-Oct-11		2.400	1.100	1.400	0.750	1.300	1.700	1.900	1.500	0.480					
	23-Jan-12		1.600	1.300	1.300	1.500	1.300	1.400	1.400	1.500	1.500					
	13-Apr-12		0.810	0.690	0.810	0.660	0.670	0.740	0.640	0.520	0.350					
	2-Jul-12 resample		NS	NS	NS	NS	NS	NS	NS	NS	NS					
	20-Jun-12		1.200	1.300	1.200	1.400	1.300	1.200	1.400	1.400	0.770					
	1-Nov-12		2.300	1.300	0.960	1.400	1.300	2.100	2.500	1.800	0.340					
	1-Feb-13		0.270	0.210	0.220	0.230	0.220	0.210	0.510	0.210	0.400					
	29-Apr-13		1.700	1.300	1.300	1.300	1.200	0.920	2.400	1.200	0.320					
	9-Jul-13		0.910	0.850	0.810	0.890	0.830	0.770	0.860	0.820	0.650					
	9-Jul-13 RIDEM		NS	NS	NS	NS	0.929	NS	NS	NS	0.669					
	18-Oct-13		2.200	0.270	0.300	1.600	2.300	0.310	4.200	2.700	1.300					
	9-Jan-14		10.000	15.000	0.380	0.400	0.420	0.360	0.820	0.430	0.330					
	24-Apr-14		0.220	0.170	0.250	0.170	0.170	0.260	0.280	0.170	0.170					
	1-Aug-14		0.470	0.410	0.980	1.200	1.300	0.550	1.700	1.400	0.990					
	12-Sep-14 resample		NS	NS	NS	NS	0.330	NS	NS	NS	NS					
	22-Oct-14		0.590	0.420	0.310	0.260	0.260	0.330	0.300	0.300	0.690					
o-Xylene	8-Feb-08		0.280	0.270	0.870	0.610	0.210	0.170	0.160	0.200						
	27-Mar-08		0.762	0.718	1.340	1.120	0.920	1.060	0.640	0.668	0.087					
	25-Apr-08		0.824	0.724	3.480	0.821	0.750	0.770	0.786	0.680	0.087					
	29-May-08		0.130	0.120	2.080	1.000	0.110	0.180	0.150	0.090	0.090					
	27-Jun-08		0.463	0.393	1.030	1.030	0.485	0.358	0.833	0.339	0.332					
	31-Jul-08		0.476	0.375	0.822	0.371	0.420	0.583	0.240	0.207	0.246					
	28-Aug-08		0.779	1.020	2.210	2.160	0.683	0.787	0.812	0.702	0.832					
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200					
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200					
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200					
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200					
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200					

## APPENDIX C

### Subslab Vapor Analytical Summary

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Acetone	8-Feb-08	17.2	NS	NS	NS	4.75	U	NS	NS	5.62	11.4	NS		
	27-Mar-08	NS	28.7	NS	NS	NS	NS	NS	NS	NS	217	12.4		
	25-Apr-08	NS	NS	188	NS	NS	NS	513	NS	34	NS	33.9		
	29-May-08	NS	NS	NS	40.9	NS	NS	NS	92	9.82	16.4	NS		
	27-Jun-08	107	NS	NS	NS	145	NS	NS	NS	NS	20.4	9.73		
	31-Jul-08	NS	101	NS	NS	NS	NS	NS	NS	14.4	NS	18.1		
	28-Aug-08	NS	NS	1130	NS	NS	NS	30.9	NS	46	47.8	NS		
	30-Sep-08	NS	NS	NS	32.8	NS	NS	NS	44.1	NS	9.4	12.8		
	27-Oct-08	19.6	NS	NS	NS	15	NS	NS	NS	17.9	NS	33.3		
	25-Nov-08	NS	148	NS	NS	183	NS	NS	NS	13	24.7	NS		
	18-Dec-08	NS	NS	856	NS	NS	NS	10.4	NS	NS	37.2	22		
	21-Jan-09	NS	NS	NS	19.1	NS	NS	NS	6.1	2.4	U	NS	4.8	
	25-Feb-09	28.6	NS	NS	NS	60.9	NS	NS	NS	9.5	8.3	NS		
	26-Mar-09	NS	102	NS	NS	47.5	U	NS	NS	NS	50.6	64.8		
	29-Apr-09	NS	NS	1980	NS	NS	NS	23.3	NS	5.15	NS	22.1		
	22-Jul-09	58.5	NS	58.5	148	NS	87.8	NS	NS	96	88.1	NS		
	9-Oct-09	NS	25.7	NS	49.7	NS	9.2	11100	6.51	NS	16.8			
	15-Jan-10	33.6	NS	90.9	22.8	NS	26.3	NS	NS	12.5	11.2	NS		
	21-Apr-10	NS	21.9	NS	NS	206	NS	263	2870	72.8	NS	73.4		
	16-Jul-10	654	NS	4800	202	NS	11400	NS	NS	8.34	21.1	NS		
	15-Oct-10	NS	11.3	NS	NS	26	NS	10.2	18.3	7.03	NS	21.2		
	26-Jan-11	114	26.8	NS	54.4	NS	34.4	NS	35.4	25.3	33.3	NS		
	28-Feb-11	NS	NS	80.8	NS	NS	NS	NS	NS	NS	NS	NS		
	27-Apr-11	NS	106	NS	255	NS	220	NS	227	17.8	NS	58.2		
	26-Jul-11	76.2	NS	120	154	E	2730	NS	48	U	51	NS		
	28-Oct-11	NS	48	NS	48	U	NS	NS	NS	38	29	NS		
	23-Jan-12	37	NS	36	19	NS	28	NS	32	NS	43	U		
	13-Apr-12	NS	32	NS	70	NS	NS	NS	NS	NS	48	U		
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23-Jun-12	21	NS	30	370	NS	1600	NS	NS	43	21	NS		
	1-Nov-12	NS	41	NS	NS	52	NS	75	44	35	NS	43		
	1-Feb-13	17	NS	12	25	NS	36	NS	NS	16	12	NS		
	29-Apr-13	NS	45	NS	100	NS	68	62	33	NS	43			
	9-Jul-13	100	NS	170	130	NS	260	NS	80	15	NS			
	18-Oct-13	NS	43	NS	61	NS	47	57	48	NS	42			
	9-Jan-14	250	NS	16	25	NS	11	NS	24	33	NS			
	24-Apr-14	NS	18	NS	13	NS	41	15	42	24	30			
	1-Aug-14	31 <sup>M</sup>	NS	NS	NS	NS	NS	NS	31 <sup>M</sup>	57/50 <sup>M</sup>	E	NS		
	27-Aug-14	NS	NS	NS	NS	NS	210 <sup>E</sup> /130	NS	NS	NS	NS	NS		
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	15	NS	NS	19	NS		
	22-Oct-14	NS	31	NS	14	5.3	17	3.8	40	NS	19	NS		
Acrylonitrile	8-Feb-08	1.08	U	NS	NS	1.08	U	NS	NS	1.08	U	1.08	NS	
	27-Mar-08	NS	1.08	U	NS	NS	NS	NS	NS	NS	U	1.08	1.08	U
	25-Apr-08	NS	NS	1.08	U	1.08	U	NS	1.08	U	1.08	1.08	NS	
	29-May-08	NS	NS	NS	NS	1.08	U	NS	NS	NS	U	1.08	1.08	U
	27-Jun-08	1.69	U	NS	NS	1.08	U	NS	NS	NS	NS	1.08	1.08	U
	31-Jul-08	NS	1.08	U	NS	NS	NS	NS	NS	NS	NS	1.08	1.08	U
	28-Aug-08	NS	NS	1.08	U	NS	NS	1.08	U	NS	NS	1.08	1.08	U
	30-Sep-08	NS	NS	NS	U	2.2	NS	NS	NS	2.2	U	NS	2.2	U
	27-Oct-08	2.2	U	NS	NS	NS	U	NS	NS	NS	U	2.2	NS	
	25-Nov-08	NS	2.2	U	NS	NS	NS	2.2	U	NS	NS	2.2	U	
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	NS	NS	2.2	U	
	21-Jan-09	NS	NS	NS	U	NS	NS	NS	NS	2.2	U	NS	2.2	U
	25-Feb-09	2.2	U	NS	NS	NS	U	NS	NS	NS	U	2.2	NS	
	26-Mar-09	NS	5.42	U	NS	NS	NS	10.8	U	NS	NS	1.08	1.08	U
	29-Apr-09	NS	NS	1.08	U	NS	NS	1.08	U	NS	NS	1.08	1.08	U
	22-Jul-09	5.42	U	NS	5.42	U	10.8	U	NS	NS	1.08	1.08	U	
	9-Oct-09	NS	0.051	U	NS	NS	1.08	U	NS	1.08	U	226	U	
	15-Jan-10	1.08	U	NS	1.08	U	NS	1.08	U	NS	NS	1.08	1.08	U
	21-Apr-10	NS	1.08	U	NS	NS	5.42	U	NS	5.42	U	1.08	1.08	U
	16-Jul-10	1.08	U	NS	1.08	U	1.08	U	NS	8.19	U	1.08	1.08	U
	15-Oct-10	NS	0.108	U	NS	NS	1.08	U	NS	1.08	U	1.08	1.08	U
	26-Jan-11	10.8	U	1.08	U	1.08	U	NS	5.42	U	NS	5.42	U	
	28-Feb-11	NS	NS	10.8	U	NS	NS	NS	NS	NS	U	5.42	U	
	27-Apr-11	NS	1.08	U	NS	NS	1.08	U	NS	1.08	U	1.08	1.08	U
	26-Jul-11	3.62	U	NS	3.62	U	1.08	U	NS	5.42	U	1.08	1.0	

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual											
Benzene	8-Feb-08	0.92	NS	NS	NS	0.98	NS	NS	NS	0.54	0.85	NS	
	27-Mar-08	NS	0.54	NS	NS	NS	0.462	NS	NS	NS	0.788	0.635	
	25-Apr-08	NS	NS	0.584	NS	NS	0.745	NS	NS	0.428	NS	0.536	
	29-May-08	NS	NS	0.73	NS	NS	1.03	1.12	0.61	NS	NS	0.399	
	27-Jun-08	0.626	NS	NS	NS	0.468	NS	NS	NS	0.499	0.399	0.265	
	31-Jul-08	NS	0.418	NS	NS	NS	NS	NS	NS	0.358	NS	0.265	
	28-Aug-08	NS	NS	1.02	NS	NS	0.537	NS	NS	0.815	0.692	NS	
	30-Sep-08	NS	NS	U	1.6	U	NS	U	1.6	U	NS	1.6	
	27-Oct-08	1.6	U	NS	NS	1.6	U	NS	NS	1.6	U	1.6	U
	25-Nov-08	NS	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	NS
	18-Dec-08	NS	NS	1.6	U	NS	NS	U	1.6	U	NS	1.6	U
	21-Jan-09	NS	NS	NS	U	1.6	U	NS	NS	1.6	U	1.6	U
	25-Feb-09	1.6	U	NS	NS	1.6	U	NS	NS	1.6	U	1.6	NS
	26-Mar-09	NS	2.1	U	NS	NS	2.23	U	NS	NS	NS	0.945	1.48
	29-Apr-09	NS	NS	0.603	NS	NS	0.246	NS	NS	0.223	U	NS	0.367
	22-Jul-09	1.12	U	NS	56	2.23	U	NS	NS	4.27	0.629	NS	
	9-Oct-09	NS	1.15	U	NS	0.974	NS	0.431	46.6	U	NS	0.824	
	15-Jan-10	0.763	NS	0.887	0.98	NS	1.26	NS	NS	0.619	0.964	0.964	
	21-Apr-10	NS	0.373	NS	NS	0.16	U	NS	1.6	U	0.635	NS	1.26
	16-Jul-10	0.332	NS	1.53	0.689	NS	2.41	U	NS	NS	0.319	U	0.319
	15-Oct-10	NS	0.319	U									
	26-Jan-11	3.19	U	2.49	NS	2.46	NS	1.6	U	NS	1.85	1.9	NS
	28-Feb-11	NS	NS	3.19	U	NS							
	27-Apr-11	NS	0.319	U	NS	0.319	U	NS	0.319	U	0.319	U	0.319
	26-Jul-11	1.06	U	1.06	U	0.434	NS	1.6	U	NS	0.319	U	1.6
	28-Oct-11	NS	1.6	U	NS	1.6	U	NS	1.6	U	1.6	U	1.6
	23-Jan-12	0.84	NS	1.2	NS	0.98	NS	0.81	NS	NS	1.4	1.5	NS
	13-Apr-12	NS	0.32	U	NS	0.32	U	NS	0.32	U	0.32	U	0.32
	2-Jul-12 (resample)	NS	1.6	NS									
	23-Jun-12	0.45	NS	0.61	0.88	NS	0.43	NS	NS	NS	0.42	0.4	NS
	1-Nov-12	NS	0.45	NS	NS	0.43	NS	0.49	0.56	0.61	NS	1	
	1-Feb-13	0.33	NS	0.45	0.47	NS	0.35	NS	NS	0.45	0.46	NS	
	29-Apr-13	NS	0.41	NS	NS	0.38	NS	0.41	0.47	0.63	NS	0.67	
	9-Jul-13	0.64	NS	0.93	0.76	NS	0.70	NS	NS	0.65	0.42	NS	
	18-Oct-13	NS	0.66	NS	NS	0.63	NS	0.86	1.0	0.28	NS	0.92	
	9-Jan-14	1.2	NS	1.1	0.97	NS	1.1	NS	NS	1.5	1.5	NS	
	24-Apr-14	NS	0.3	NS	NS	0.22	NS	0.32	0.23	0.39	0.34	0.35	
	1-Aug-14	0.49	NS	0.34	0.43	NS							
	27-Aug-14	NS	NS	NS	NS	NS	0.69	NS	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS	0.43	NS	NS	NS							
	22-Oct-14	NS	0.28	NS	NS	0.21	0.19	0.34	0.14	0.36	0.32	0.32	NS
Bromodichloromethane	8-Feb-08	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS
	27-Mar-08	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	25-Apr-08	NS	NS	0.134	U	NS	0.13	U	NS	0.134	U	0.13	NS
	29-May-08	NS	NS	0.134	U	NS	0.134	U	NS	NS	0.134	U	0.134
	27-Jun-08	0.209	U	NS	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	31-Jul-08	NS	0.134	U	NS	NS	NS	NS	NS	0.134	U	0.134	U
	28-Aug-08	NS	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	NS
	30-Sep-08	NS	NS	0.52	U	NS	NS	0.13	U	NS	NS	0.23	0.13
	27-Oct-08	0.13	U	NS	NS	1.07	NS	NS	NS	0.13	U	NS	0.13
	25-Nov-08	NS	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U	NS
	18-Dec-08	NS	NS	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U
	21-Jan-09	NS	NS	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U
	25-Feb-09	0.13	U	NS	NS	0.13	U	NS	NS	0.13	U	0.13	NS
	26-Mar-09	NS	0.67	U	NS	NS	1.34	U	NS	NS	0.134	U	0.134
	29-Apr-09	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U
	22-Jul-09	0.67	U	NS	27.3	U	1.34	U	NS	NS	0.134	U	0.134
	9-Oct-09	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	15-Jan-10	0.134	U	NS	0.134	U	0.134	U	NS	NS	0.134	U	0.134
	21-Apr-10	NS	0.134	U	NS	NS	0.67	U	NS	NS	0.134	U	0.134
	16-Jul-10	0.134	U	NS	0.134	U	0.134	U	NS	NS	0.134	U	0.134
	15-Oct-10	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	26-Jan-11	1.34	U	0.134	U	0.134	U	0.67	U	0.67	U	0.67	NS
	28-Feb-11	NS	NS	1.34	U	NS							
	27-Apr-11	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134
	26-Jul-11	0.447	U	NS	0.447	U	0.134						

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
		Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual	U	Qual									
Bromoform	8-Feb-08	0.21	U	NS	NS	NS	NS	0.21	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.206	U	
	27-Mar-08	NS	NS	0.206	U	NS	NS	NS	U	NS	NS	U	NS	U	NS	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
	25-Apr-08	NS	NS	NS	NS	NS	NS	0.21	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.206	U	0.206
	29-May-08	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.206	U	0.206
	27-Jun-08	0.322	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	0.206	U	0.206	U	0.206	U	0.206	U
	31-Jul-08	NS	NS	0.206	U	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	0.206	U	0.206	U	0.206	U	0.206	U
	28-Aug-08	NS	NS	NS	NS	NS	NS	0.41	U	NS	NS	U	NS	U	NS	0.41	U	0.41	U	0.41	U	NS	0.41	U	0.41
	30-Sep-08	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	0.41	U	0.41	U	0.41	U	0.41	U
	27-Oct-08	0.41	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	0.41	U	0.41	U	0.41	U	0.41	U
	25-Nov-08	NS	NS	0.14	U	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	0.41	U	0.41	U	0.41	U	0.41	U
	18-Dec-08	NS	NS	NS	NS	NS	NS	0.41	U	NS	NS	U	NS	U	NS	0.41	U	0.41	U	0.41	U	0.41	U	0.41	U
	21-Jan-09	NS	NS	NS	NS	NS	NS	0.41	U	NS	NS	U	NS	U	NS	0.41	U	0.41	U	0.41	U	NS	0.41	U	0.41
	25-Feb-09	0.41	U	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	0.41	U	0.41	U	0.41	U	0.41	U
	26-Mar-09	NS	NS	1.03	U	NS	NS	0.206	U	NS	NS	U	NS	U	NS	NS	U	0.206	U	0.206	U	0.206	U	0.206	U
	29-Apr-09	NS	NS	NS	NS	NS	NS	0.206	U	NS	NS	U	NS	U	NS	NS	U	0.206	U	0.206	U	0.206	U	0.206	U
	22-Jul-09	1.03	U	NS	NS	42	U	2.06	U	NS	NS	U	NS	U	NS	1.03	U	NS	NS	0.206	U	0.206	U	NS	0.206
	9-Oct-09	NS	NS	0.206	U	NS	NS	NS	U	NS	NS	U	NS	U	NS	0.206	U	43.1	U	0.206	U	NS	0.206	U	0.206
	15-Jan-10	0.206	U	NS	NS	0.206	U	0.206	U	NS	NS	U	NS	U	NS	NS	U	0.206	U	0.206	U	0.206	U	0.206	U
	21-Apr-10	NS	NS	0.206	U	NS	NS	0.206	U	NS	NS	U	NS	U	NS	1.03	U	0.206	U	0.206	U	NS	0.206	U	0.206
	16-Jul-10	0.206	U	NS	NS	0.206	U	0.206	U	NS	NS	U	NS	U	NS	NS	U	0.206	U	0.206	U	0.206	U	0.206	U
	15-Oct-10	NS	NS	0.206	U	NS	NS	0.206	U	NS	NS	U	NS	U	NS	0.206	U	0.206	U	0.206	U	NS	0.206	U	0.206
	26-Jan-11	2.06	U	0.206	U	NS	NS	0.206	U	NS	NS	U	NS	U	NS	1.03	U	1.03	U	1.03	U	1.03	U	NS	NS
	28-Feb-11	NS	NS	NS	NS	2.06	U	NS	NS	0.206	U	NS	NS	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	NS	0.206	U	NS	NS	0.206	U	NS	NS	U	NS	U	NS	0.206	U	0.206	U	0.206	U	NS	0.206	U	0.206
	26-Jul-11	0.69	U	NS	NS	0.69	U	0.207	U	NS	NS	U	NS	U	NS	1.03	U	0.206	U	0.207	U	1.03	U	NS	0.206
	28-Oct-11	NS	NS	5.2	U	NS	NS	1	U	NS	NS	U	NS	U	NS	5.2	U	5.2	U	5.2	U	NS	5.2	U	5.2
	23-Jan-12	1	U	NS	NS	1	U	1	U	NS	NS	U	NS	U	NS	1	U	NS	NS	1	U	1	U	NS	1
	13-Apr-12	NS	NS	1	U	NS	NS	NS	U	NS	NS	U	NS	U	NS	1	U	1	U	1	U	NS	1	U	1
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	U	NS	NS	U	NS	U	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	1	U	NS	NS	1	U	1	U	NS	NS	U	NS	U	NS	1	U	NS	NS	1	U	1	U	NS	1
	1-Nov-12	NS	NS	0.21	U	NS	NS	0.21	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U	0.21
	1-Feb-13	0.21	U	NS	NS	0.21	U	0.21	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U	0.21
	29-Apr-13	NS	NS	0.52	U	NS	NS	NS	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U	0.21
	9-Jul-13	0.31	U	NS	NS	0.21	U	0.21	U	NS	NS	U	NS	U	NS	0.21	U	NS	NS	0.21	U	0.21	U	NS	0.21
	18-Oct-13	NS	NS	0.21	U	NS	NS	0.21	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U	0.21
	9-Jan-14	0.21	U	NS	NS	0.21	U	0.21	U	NS	NS	U	NS	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U	0.2

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
n-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74
	27-Mar-08	NS	2.74	U	NS	NS	NS	U	NS	NS	2.74	U	2.74
	25-Apr-08	NS	NS	U	NS	NS	2.74	U	NS	2.74	U	2.74	U
	29-May-08	NS	NS	U	NS	NS	2.74	U	NS	2.74	U	2.74	U
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74
	31-Jul-08	NS	2.74	U	NS	NS	NS	U	NS	NS	2.74	U	2.74
	28-Aug-08	NS	NS	U	NS	NS	2.74	U	NS	2.74	U	2.74	U
	30-Sep-08	NS	NS	U	NS	5.5	U	NS	5.5	U	NS	5.5	U
	27-Oct-08	22.1	U	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U
	25-Nov-08	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U	11.5	NS
	18-Dec-08	NS	NS	U	5.5	NS	NS	U	NS	NS	5.5	U	5.5
	21-Jan-09	NS	NS	U	NS	5.5	U	NS	NS	5.5	U	5.5	U
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	NS	5.5	U	NS
	26-Mar-09	NS	13.7	U	NS	NS	NS	27.4	U	NS	NS	2.74	U
	29-Apr-09	NS	NS	U	2.74	U	NS	NS	2.74	U	NS	2.74	U
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	13.7	U	NS	2.74	U
	9-Oct-09	NS	1.08	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74
	15-Jan-10	2.74	U	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U
	21-Apr-10	NS	2.74	U	NS	NS	13.7	U	NS	13.7	U	2.74	U
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	20.7	U	NS	2.74	U
	15-Oct-10	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	NS	13.7	U	13.7	U
	28-Feb-11	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.745	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	NS	13.7	U	NS	13.7
	28-Oct-11	NS	7.9	U	NS	NS	7.9	U	NS	7.9	U	7.9	U
	23-Jan-12	1.6	U	NS	1.6	U	1.6	U	NS	1.6	U	1.6	U
	13-Apr-12	NS	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	U
	2-Jul-12 (resample)	NS	NS	U	NS	NS	NS	U	NS	NS	NS	7.9	U
	23-Jun-12	1.6	U	NS	1.6	U	1.6	U	1.6	U	NS	1.6	U
	1-Nov-12	NS	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.35	U
	1-Feb-13	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.32	U	0.32
	29-Apr-13	NS	0.79	U	NS	NS	0.32	U	NS	0.32	U	0.32	U
	9-Jul-13	0.47	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U
	18-Oct-13	NS	0.54	U	NS	NS	0.52	U	NS	0.74	U	0.65	U
	9-Jan-14	0.32	U	NS	0.32	U	0.32	U	0.32	U	NS	0.32	U
	24-Apr-14	NS	0.32	U	NS	NS	0.47 <sup>L</sup>	U	NS	0.32	U	0.32	U
	1-Aug-14	0.32	U	NS	0.63	NS	NS	U	NS	0.32	U	0.56	NS
	27-Aug-14	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	U	NS	NS	NS	U	NS	0.47	U	NS	NS
	22-Oct-14	NS	0.47	U	NS	NS	0.47	U	0.47	U	0.47	U	0.63
sec-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74
	27-Mar-08	NS	2.74	U	NS	NS	NS	U	NS	NS	2.74	U	2.74
	25-Apr-08	NS	NS	U	2.74	U	NS	NS	2.74	U	2.74	U	2.74
	29-May-08	NS	NS	U	NS	2.74	U	NS	NS	NS	2.74	U	2.74
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	NS	NS	2.74	U
	31-Jul-08	NS	2.74	U	NS	NS	NS	U	NS	NS	2.74	U	2.74
	28-Aug-08	NS	NS	U	2.74	U	NS	NS	2.74	U	NS	2.74	U
	27-Oct-08	NS	NS	U	NS	5.5	U	NS	5.5	U	NS	5.5	U
	27-Oct-08	5.5	U	NS	NS	NS	5.5	U	NS	NS	5.5	U	5.5
	25-Nov-08	NS	5.5	U	NS	NS	5.5	U	NS	NS	5.5	U	NS
	18-Dec-08	NS	NS	U	5.5	NS	NS	U	5.5	NS	5.5	U	5.5
	21-Jan-09	NS	NS	U	NS	5.5	U	NS	NS	5.5	U	5.5	U
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	NS	5.5	U	NS
	26-Mar-09	NS	13.7	U	NS	NS	27.4	U	NS	NS	2.74	U	2.74
	29-Apr-09	NS	NS	U	2.74	U	NS	NS	2.74	U	NS	2.74	U
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	13.7	U	NS	2.74	U
	9-Oct-09	NS	2.74	U	NS	NS	2.74	U	2.74	U	573	U	2.74
	15-Jan-10	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74
	21-Apr-10	NS	2.74	U	NS	NS	13.7	U	NS	13.7	U	2.74	U
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	20.7	U	2.74	U	2.74
	15-Oct-10	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U	2.74
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U	13.7
	28-Feb-11	NS	NS	U	27.4	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.74	U	NS	NS	2.74	U	NS	NS	2.74	U	2.47
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	13.7	U	2.74	U	13.7

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
		Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS	Qual	NS			
Carbon tetrachloride	8-Feb-08	0.44	NS		0.539		NS		0.417		NS		0.46		NS		0.477		NS		0.448		0.53			
	27-Mar-08	NS		NS	0.417		NS		NS		NS		0.477		NS		NS		NS		NS		0.576			
	25-Apr-08	NS		NS	NS		NS		NS		NS		0.46		NS		NS		0.459		NS		0.448			
	29-May-08	NS		NS	NS		NS		NS		NS		0.506		NS		NS		0.46		0.47		0.46			
	27-Jun-08	0.478		NS	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.533			
	31-Jul-08	NS		0.576			NS		NS		NS		NS		NS		NS		NS		NS		0.553			
	28-Aug-08	NS		NS	0.515			NS		0.511		NS		NS		NS		0.549		NS		0.567		0.495		
	30-Sep-08	NS		NS	NS			NS		NS		0.36		NS		NS		NS		0.577		NS		0.451		
	27-Oct-08	0.48		NS	NS			NS		NS		0.42		NS		NS		NS		0.41		NS		0.56		
	25-Nov-08	NS		0.5			NS		NS		NS		0.23		NS		NS		NS		0.3		0.44		NS	
	18-Dec-08	NS		NS			NS		0.36		NS		NS		0.28		NS		NS		0.48		0.46		0.46	
	21-Jan-09	NS		NS			NS		NS		NS		0.36		NS		NS		0.47		0.27		NS		0.67	
	25-Feb-09	0.39		NS			NS		NS		NS		0.36		NS		NS		NS		0.37		0.36		NS	
	26-Mar-09	NS		0.629		U		NS		0.484		NS		1.26	U	NS		0.629	U	NS		0.528		NS		
	29-Apr-09	NS		NS		U		NS		NS		NS		0.666		NS		NS		NS		0.515		0.503		
	22-Jul-09	0.629	U	NS		U		25.6		1.26	U	NS		0.629		U		NS		NS		NS		NS		
	9-Oct-09	NS		0.691			NS		0.647		0.509		NS		0.541		NS		NS		0.541		0.528		NS	
	15-Jan-10	0.427		NS			NS		NS		NS		0.629		U		NS		0.629	U	NS		0.61		0.503	
	21-Apr-10	NS		0.126			NS		NS		0.478		NS		0.95		U		NS		NS		0.559		NS	
	16-Jul-10	0.459		NS			NS		NS		NS		0.434		NS		NS		0.383		0.402		0.421		NS	
	15-Oct-10	NS		0.509			NS		NS		NS		0.415		NS		0.629		U		0.629		0.629	U	NS	
	26-Jan-11	1.26	U	0.415			NS		NS		NS		0.339		NS		NS		NS		NS		NS		NS	
	28-Feb-11	NS		NS			1.26	U	NS		NS		0.339		NS		NS		0.33		0.364		0.339		NS	
	27-Apr-11	NS		0.339			NS		0.42	U	0.409		NS		0.629		U		NS		0.402		0.629	U	NS	
	26-Jul-11	0.44		NS		U		3.1		NS		NS		3.1		U		NS		3.1	U	NS		3.1	U	
	28-Oct-11	NS		3.1		U		0.63	U	0.63		NS		0.63		U		NS		0.63	U	0.63		NS		
	23-Jan-12	0.63	U	NS		U		NS		NS		NS		0.31		U		NS		0.31	U	NS		0.31		
	13-Apr-12	NS		0.31		U		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	2-Jul-12 (resample)	NS		NS		U		NS		NS		NS		NS		NS		NS		NS		NS		NS		
	23-Jun-12	0.63	U	NS		U		0.63		NS		NS		0.63		U		NS		NS		0.63		0.63		
	1-Nov-12	NS		0.48			NS		NS		0.39		NS		0.46		U		NS		0.45		0.47		NS	
	1-Feb-13	0.44		NS			NS		NS		NS		0.44		NS		NS		NS		0.49		0.5		NS	
	29-Apr-13	NS		0.42			NS		NS		NS		0.46		NS		NS		0.42		0.48		0.48		NS	
	9-Jul-13	0.52		NS			NS		NS		NS		0.46		NS		NS		NS		0.45		0.47		NS	
	18-Oct-13	NS		0.45			NS		NS		NS		0.41		NS		NS		0.4		0.45		0.44		NS	
	9-Jan-14	0.40		NS			NS		0.45		0.40		NS		0.43		NS		NS		0.43		0.43		NS	
	24-Apr-14	NS		0.48			NS		NS		NS		0.45		NS		NS		0.42		0.47		0.47		0.48	
	1-Aug-14	0.30		NS			NS		0.44		0.43		NS		0.45		NS		NS		0.56		0.43		NS	
	27-Aug-14	NS		NS			NS		NS		NS		NS		0.45		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS			NS		NS		NS		NS		0.42		NS		NS		0.43		NS		NS	
	22-Oct-14	NS		0.45			NS		NS		NS		0.42		NS		0.43		NS		0.45		0.44		NS	
Chlorobenzene	8-Feb-08	0.09	U	NS	0.052		U		NS		NS		0.09		U		NS									

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chloroethane	8-Feb-08	0.05	U	NS	NS	NS	0.05	U	NS	NS	0.05	U	0.05
	27-Mar-08	NS	0.053	U	NS	NS	NS	0.053	U	NS	NS	U	0.053
	25-Apr-08	NS	NS	U	0.053	NS	NS	NS	0.139	NS	0.053	U	0.053
	29-May-08	NS	NS	U	NS	0.11	NS	NS	NS	0.1	0.07	U	NS
	27-Jun-08	0.082	U	NS	NS	NS	0.132	NS	NS	NS	0.053	U	0.053
	31-Jul-08	NS	0.053	U	NS	NS	NS	NS	0.153	NS	0.053	U	0.053
	28-Aug-08	NS	NS	U	0.053	NS	NS	NS	NS	1.3	U	0.075	NS
	30-Sep-08	NS	NS	U	NS	1.3	U	NS	NS	1.3	U	1.3	U
	27-Oct-08	1.3	U	NS	NS	NS	1.3	U	NS	NS	1.3	U	1.6
	25-Nov-08	NS	1.3	U	NS	NS	NS	1.3	U	NS	1.3	U	NS
	18-Dec-08	NS	NS	U	1.3	NS	NS	NS	1.3	U	NS	1.3	U
	21-Jan-09	NS	NS	U	NS	1.3	U	NS	NS	1.3	U	NS	1.3
	25-Feb-09	1.3	U	NS	NS	NS	1.3	U	NS	NS	1.3	U	NS
	26-Mar-09	NS	0.264	U	NS	NS	0.527	U	NS	NS	NS	0.1212	0.063
	29-Apr-09	NS	NS	U	0.137	NS	NS	0.063	NS	NS	0.053	U	0.053
	22-Jul-09	0.264	U	NS	10.8	U	0.527	NS	0.277	NS	0.053	U	0.061
	9-Oct-09	NS	0.053	U	NS	NS	0.058	NS	0.406	11	U	0.053	NS
	15-Jan-10	0.053	U	NS	0.074	NS	0.066	NS	0.053	NS	0.053	U	0.053
	21-Apr-10	NS	0.074	NS	NS	NS	0.264	NS	0.303	0.303	U	0.053	NS
	16-Jul-10	0.1	NS	NS	2.55	NS	0.166	NS	0.398	U	NS	0.053	NS
	15-Oct-10	NS	0.053	U	NS	NS	0.082	NS	0.071	0.053	U	0.053	NS
	26-Jan-11	0.527	U	0.053	U	NS	0.077	NS	0.264	U	NS	0.264	U
	28-Feb-11	NS	NS	U	,527	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.053	U	NS	NS	0.079	NS	0.082	0.053	U	0.053	NS
	26-Jul-11	0.176	U	NS	0.176	U	0.116	NS	0.264	U	NS	0.053	NS
	28-Oct-11	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	1.3	U
	23-Jan-12	0.26	U	NS	0.26	U	0.26	U	0.26	NS	NS	0.26	U
	13-Apr-12	NS	0.26	U	NS	NS	0.26	U	NS	0.26	U	0.26	U
	2-Jul-12 (resample)	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	1.3	U
	23-Jun-12	0.26	U	NS	0.26	U	0.26	U	NS	NS	0.26	U	NS
	1-Nov-12	NS	0.053	U	NS	NS	0.085	NS	0.08	0.053	U	0.053	NS
	1-Feb-13	0.082	NS	U	0.053	U	0.11	NS	0.053	NS	0.053	U	0.053
	29-Apr-13	NS	0.4	NS	NS	NS	0.11	U	NS	0.11	U	0.11	U
	9-Jul-13	0.11	NS	NS	0.12	NS	0.31	NS	0.091	NS	0.11	U	0.053
	18-Oct-13	NS	0.053	U	NS	NS	0.11	NS	0.091	0.053	U	0.053	U
	9-Jan-14	0.084	NS	0.053	U	0.11	NS	0.053	NS	0.053	U	0.053	NS
	24-Apr-14	NS	0.026	U	NS	NS	0.026	U	NS	0.026	U	0.026	U
	1-Aug-14	0.23	NS	NS	0.43	NS	0.53	NS	NS	NS	0.059	0.053	NS
	27-Aug-14	NS	NS	NS	NS	NS	NS	0.072	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.079	U	NS	NS
	22-Oct-14	NS	0.079	U	NS	NS	0.079	U	0.35	0.079	U	0.079	U
										0.11	U	0.098	NS
Chloroform	8-Feb-08	0.1	U	NS	NS	NS	NS	U	NS	NS	0.12		NS
	27-Mar-08	NS	0.098	U	NS	NS	0.231	NS	0.203	NS	0.453		0.847
	25-Apr-08	NS	NS	U	NS	NS	0.14	NS	0.1	U	0.134		0.265
	29-May-08	NS	NS	U	NS	NS	NS	NS	0.1	0.11		0.14	NS
	27-Jun-08	0.263	NS	NS	NS	NS	0.623	NS	NS	NS	NS	0.305	0.395
	31-Jul-08	NS	0.145	NS	NS	NS	NS	NS	NS	0.13	NS	NS	0.124
	28-Aug-08	NS	NS	U	0.098	NS	NS	0.49	U	NS	0.331		0.386
	30-Sep-08	NS	NS	U	NS	NS	0.49	U	NS	0.49	U	0.49	U
	27-Oct-08	0.49	U	NS	NS	NS	0.49	U	NS	NS	0.49	U	0.49
	25-Nov-08	NS	0.24	U	NS	NS	NS	0.24	U	NS	0.24	U	NS
	18-Dec-08	NS	NS	U	0.24	NS	NS	NS	0.24	U	NS	0.24	U
	21-Jan-09	NS	NS	U	0.24	NS	NS	0.24	U	NS	0.24	U	0.24
	25-Feb-09	0.24	U	NS	NS	NS	0.24	U	NS	NS	0.24	U	NS
	26-Mar-09	NS	0.488	U	NS	NS	NS	1.29	NS	NS	NS	0.265	0.2
	29-Apr-09	NS	NS	U	0.098	NS	NS	NS	0.136	NS	0.098	U	1.34
	22-Jul-09	0.488	U	NS	19.9	U	0.976	U	0.488	U	0.429	U	0.22
	9-Oct-09	NS	0.205	NS	NS	NS	0.263	NS	0.268	20.4	U	0.317	NS
	15-Jan-10	0.176	NS	NS	7.22	NS	0.146	NS	0.19	NS	0.098	U	0.312
	21-Apr-10	NS	0.098	U	NS	NS	0.488	U	0.488	U	0.488	U	0.185
	16-Jul-10	0.361	NS	NS	0.098	U	0.215	NS	0.737	U	NS	0.205	NS
	15-Oct-10	NS	0.171	NS	NS	NS	0.366	NS	0.654	0.117	0.102	NS	0.166
	26-Jan-11	2.78	0.122	NS	NS	NS	0.161	NS	0.488	U	0.488	U	0.488
	28-Feb-11	NS	NS	U	0								

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloromethane	8-Feb-08	2.44	U	NS	NS	2.44	U	NS	NS	2.44	U	2.44	U
	27-Mar-08	NS		2.67	NS	NS		NS	3.24	NS	NS	2.44	U
	25-Apr-08	NS		NS	2.44	U	NS	NS	2.44	U	2.44	U	U
	29-May-08	NS		NS	2.44	U	NS	NS	2.44	U	2.44	U	U
	27-Jun-08	3.8	U	NS	NS	2.44	U	NS	NS	2.44	U	2.44	U
	31-Jul-08	NS		4.64	NS	NS		NS	NS	2.44	U	2.44	U
	28-Aug-08	NS		NS	2.44	U	NS	NS	2.44	U	2.44	U	U
	30-Sep-08	NS		NS	1	U	NS	NS	1	U	1	U	U
	27-Oct-08	1	U	NS	NS	1	U	NS	1	U	1.1	U	3.5
	25-Nov-08	NS		1	U	NS		NS	1	U	1	U	NS
	18-Dec-08	NS		NS	1	U	NS	NS	1	U	NS	1.4	1
	21-Jan-09	NS		NS	1	U	NS	NS	3.1	1	U	NS	1
	25-Feb-09	1		NS	NS	1	U	NS	NS	1	U	1.2	NS
	26-Mar-09	NS		12.2	U	NS		NS	24.4	U	NS	4.58	2.44
	29-Apr-09	NS		NS	22.4	U	NS	NS	19.4	NS	2.44	U	2.44
	22-Jul-09	18.5		NS	497	U	32	NS	41.9	NS	2.44	U	6.29
	9-Oct-09	NS		2.44	U	NS		2.44	U	509	U	2.44	U
	15-Jan-10	2.44	U	NS	2.78	2.44	U	NS	2.44	NS	2.44	U	2.44
	21-Apr-10	NS		3.25	NS	NS		12.2	U	NS	12.2	U	2.44
	16-Jul-10	1.32		NS	62.8	1.48		NS	7.79	U	NS	1.03	U
	15-Oct-10	NS		1.03	U	NS		1.03	U	NS	1.03	U	1.03
	26-Jan-11	10.3	U	1.03	U	NS		5.16	U	NS	5.16	U	5.16
	28-Feb-11	NS		NS	10.3	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		1.23	NS	NS		1.03	U	NS	1.03	U	1.29
	26-Jul-11	3.45	U	NS	3.45	U	1.03	U	5.16	U	NS	1.03	NS
	28-Oct-11	NS		1	U	NS		1	U	NS	1	U	1.2
	23-Jan-12	0.21	U	NS	0.21	U	0.21	U	0.21	U	NS	0.21	U
	13-Apr-12	NS		0.21	U	NS		0.21	U	NS	0.21	U	0.97
	2-Jul-12 (resample)	NS		NS	NS	NS		NS	NS	NS	NS	NS	NS
	23-Jun-12	0.21	U	NS	0.21	U	NS	2.1		NS	NS	0.21	U
	1-Nov-12	NS		0.041	U	NS		0.041	U	0.041	U	0.37	NS
	1-Feb-13	0.5		NS	1.8		2.1	NS	0.19	NS	0.71	U	0.72
	29-Apr-13	NS		0.21	U	NS		0.083	U	0.083	U	0.73	NS
	9-Jul-13	0.12	U	NS	0.083	U	0.083	U	0.083	U	1.0	U	0.083
	18-Oct-13	NS		0.083	U	NS		0.083	U	0.083	U	0.40	NS
	9-Jan-14	3.2		NS	1.5		0.083	U	0.053	U	NS	0.64	0.083
	24-Apr-14	NS		4.6	NS	NS		4.5	NS	3.5	NS	0.47	1.0
	1-Aug-14	0.083	U	NS	0.12	U	0.12	U	NS	NS	0.083	U	0.083
	27-Aug-14	NS		NS	NS	NS		1.7	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS	NS	0.12 LV	U	NS	NS
	22-Oct-14	NS		1.3	NS	NS		0.12	U	0.12	U	0.74	1.1
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	0.1	U	NS	0.096	U	NS	0.1	U
	27-Mar-08	NS		0.096	U	NS		NS	0.096	U	NS	0.096	U
	25-Apr-08	NS		NS	0.096	U	0.1	NS	0.096	U	0.1	U	0.096
	29-May-08	NS		NS	NS	0.096	U	NS	NS	NS	NS	NS	U
	27-Jun-08	0.15	U	NS	NS	NS		NS	NS	NS	NS	0.096	U
	31-Jul-08	NS		0.096	U	NS		NS	NS	NS	0.096	U	0.096
	28-Aug-08	NS		NS	0.096	U	NS	NS	0.096	U	0.096	U	NS
	30-Sep-08	NS		NS	4.2	U	NS	NS	NS	4.2	U	4.2	U
	27-Oct-08	4.2	U	NS	NS	NS		4.2	U	NS	4.2	U	4.2
	25-Nov-08	NS		4.2	U	NS		NS	4.2	U	4.2	U	4.2
	18-Dec-08	NS		NS	4.2	U	NS	NS	4.2	U	NS	4.2	U
	21-Jan-09	NS		NS	4.2	U	NS	NS	4.2	U	NS	4.2	U
	25-Feb-09	4.2	U	NS	NS	4.2	U	NS	NS	4.2	U	NS	NS
	26-Mar-09	NS		0.48	U	NS		0.96	U	NS	0.96	U	0.096
	29-Apr-09	NS		NS	0.096	U	NS	NS	0.096	U	0.096	U	0.096
	22-Jul-09	0.48	U	NS	19.6	U	0.96	U	0.48	U	NS	0.96	U
	9-Oct-09	NS		0.096	U	NS		NS	0.096	U	20	U	0.096
	15-Jan-10	0.096	U	NS	0.096	U	0.096	U	0.096	U	NS	0.096	U
	21-Apr-10	NS		0.096	U	NS		0.48	U	0.48	U	0.096	U
	16-Jul-10	0.17	U	NS	0.17	U	0.17	U	1.28	U	NS	0.17	U
	15-Oct-10	NS		0.17	U	NS		0.17	U	0.17	U	0.17	U
	26-Jan-11	1.7	U	0.17	U	NS		0.851	U	NS	0.851	U	0.851
	28-Feb-11	NS		NS	1.7	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.17	U	NS		0.17	U	0.17	U	0.17	U
	26-Jul-11	0.568	U	NS	0.568	U	0.17	U	0.852	U	NS	0.17	U
	28-Oct-11	NS		4.3	U	NS		4.3	U	NS	4.3	U	4.3
	23-Jan-12	0.85	U	NS	0.85	U	0.85	U	0.85</td				

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dibromoethane	8-Feb-08	0.15	U	NS	NS	NS	0.15	U	NS	NS	0.15	U	0.15
	27-Mar-08	NS		0.154	U	NS	NS	U	NS	NS	0.154	U	0.154
	25-Apr-08	NS		NS	U	0.154	NS	U	NS	0.154	U	NS	0.154
	29-May-08	NS		NS	U	NS	0.15	U	NS	NS	0.15	U	NS
	27-Jun-08	0.239	U	NS	NS	NS	0.154	U	NS	NS	0.15	U	0.154
	31-Jul-08	NS		0.154	U	NS	NS	U	NS	NS	0.154	U	0.154
	28-Aug-08	NS		NS	U	0.154	NS	U	NS	0.154	U	0.154	U
	30-Sep-08	NS		NS	U	0.15	U	NS	NS	0.15	U	0.15	U
	27-Oct-08	0.15	U	NS	U	NS	0.15	U	NS	NS	0.15	U	0.15
	25-Nov-08	NS		0.15	U	NS	NS	U	NS	NS	0.15	U	NS
	18-Dec-08	NS		NS	U	0.15	U	NS	NS	0.15	U	0.15	U
	21-Jan-09	NS		NS	U	0.15	U	NS	NS	0.15	U	0.15	U
	25-Feb-09	0.15	U	NS	U	NS	0.15	U	NS	NS	0.15	U	NS
	26-Mar-09	NS		0.768	U	NS	NS	U	1.54	U	NS	0.154	U
	29-Apr-09	NS		NS	U	0.154	U	NS	NS	0.154	U	NS	0.154
	22-Jul-09	0.768	U	NS	U	31.3	U	1.54	U	0.768	U	0.154	U
	9-Oct-09	NS		0.154	U	NS	NS	U	0.154	U	32	U	0.154
	15-Jan-10	0.154	U	NS	U	0.154	U	0.154	U	NS	0.154	U	0.154
	21-Apr-10	NS		0.154	U	NS	NS	U	0.768	U	0.154	U	0.154
	16-Jul-10	0.154	U	NS	U	0.154	U	NS	1.16	U	NS	0.154	U
	15-Oct-10	NS		0.154	U	NS	NS	U	0.154	U8	0.154	U	0.154
	26-Jan-11	1.54	U	0.154	U	NS	0.154	U	NS	0.768	U	0.768	U
	28-Feb-11	NS		NS	U	1.54	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.154	U	NS	NS	U	0.154	U	0.154	U	0.154
	26-Jul-11	0.512	U	NS	U	0.512	U	0.154	U	0.768	U	0.154	U
	28-Oct-11	NS		3.8	U	NS	NS	U	3.8	U	3.8	U	3.8
	23-Jan-12	0.77	U	NS	U	0.77	U	0.77	U	NS	0.77	U	0.77
	13-Apr-12	NS		0.38	U	NS	NS	U	0.38	U	0.38	U	0.38
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	1.9	U
	23-Jun-12	0.77	U	NS	U	0.77	U	0.77	U	NS	0.77	U	0.77
	1-Nov-12	NS		0.077	U	NS	NS	U	0.077	U	0.077	U	0.077
	1-Feb-13	0.077	U	NS	U	0.077	U	0.077	U	NS	0.077	U	0.077
	29-Apr-13	NS		0.19	U	NS	NS	U	0.077	U	0.077	U	0.077
	9-Jul-13	0.12	U	NS	U	0.077	U	0.077	U	NS	0.077	U	0.077
	18-Oct-13	NS		0.15	U	NS	NS	U	0.15	U	0.15	U	0.15
	9-Jan-14	0.15	U	NS	U	0.15	U	NS	0.15	U	0.15	U	0.15
	24-Apr-14	NS		0.077	U	NS	NS	U	0.077	U	0.077	U	0.077
	1-Aug-14	0.15	U	NS	U	0.23	U	NS	NS	0.15	U	0.15	U
	27-Aug-14	NS		NS	U	NS	NS	U	0.077	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	U	NS	0.12	U	0.12	U
	22-Oct-14	NS		0.12	U	NS	NS	U	0.12	U	0.12	U	0.12
1,2-Dichlorobenzene	8-Feb-08	0.12	U	NS	U	NS	NS	U	NS	NS	0.12	U	0.55
	27-Mar-08	NS		0.12	U	NS	NS	U	0.12	U	NS	0.12	U
	25-Apr-08	NS		NS	U	0.12	U	NS	NS	0.12	U	0.12	U
	29-May-08	NS		NS	U	0.12	U	NS	NS	0.12	U	0.12	U
	27-Jun-08	0.187	U	NS	U	NS	0.12	U	NS	NS	0.12	U	0.12
	31-Jul-08	NS		0.12	U	NS	NS	U	NS	NS	0.12	U	0.12
	28-Aug-08	NS		NS	U	0.12	U	NS	NS	0.12	U	0.12	U
	30-Sep-08	NS		NS	U	3	U	NS	NS	3	U	3	U
	27-Oct-08	3	U	NS	U	NS	NS	U	NS	NS	3	U	3
	25-Nov-08	NS		3	U	NS	NS	U	NS	NS	3	U	3
	18-Dec-08	NS		NS	U	3	U	NS	NS	NS	3	U	3
	21-Jan-09	NS		NS	U	3	U	NS	NS	3	U	3	U
	25-Feb-09	3	U	NS	U	NS	NS	U	NS	NS	3	U	3
	26-Mar-09	NS		0.601	U	NS	NS	U	1.2	U	NS	0.12	U
	29-Apr-09	NS		NS	U	0.12	U	NS	NS	0.12	U	NS	0.12
	22-Jul-09	0.601	U	NS	U	24	U	1.2	U	0.601	U	0.12	U
	9-Oct-09	NS		0.12	U	NS	NS	U	0.12	U	25.1	U	0.12
	15-Jan-10	0.12	U	NS	U	0.12	U	NS	0.12	U	0.12	U	0.12
	21-Apr-10	NS		0.12	U	NS	NS	U	0.601	U	0.601	U	0.601
	16-Jul-10	0.12	U	NS	U	0.12	U	NS	0.907	U	NS	0.12	U
	15-Oct-10	NS		0.12	U	NS	NS	U	0.12	U	0.12	U	0.12
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	NS	0.601	U	0.601	U
	28-Feb-11	NS		NS	U	1.2	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.12	U	NS	NS	U	0.12	U	0.12	U	0.12
	26-Jul-11	0.401	U	NS	U	0.401	U	0.12	U	NS	0.12	U	0.12
	28-Oct-11	NS		3	U	NS	NS	U	3				

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS	NS	NS	0.12	U	NS	NS	0.12	U	0.12
	27-Mar-08	NS		0.12	U	NS	0.6		NS	NS	NS	U	0.12
	25-Apr-08	NS		NS	U	0.12	NS		NS	0.12	U	NS	0.12
	29-May-08	NS		NS	U	NS	1.18		NS	NS	3.47	U	NS
	27-Jun-08	0.187	U	NS	NS	NS	0.257		NS	NS	0.62	U	0.22
	31-Jul-08	NS		0.822	U	NS	NS		NS	NS	NS	U	0.12
	28-Aug-08	NS		NS	U	0.12	NS	U	NS	0.12	U	0.12	U
	30-Sep-08	NS		NS	U	3	NS	U	NS	3	U	3	U
	27-Oct-08	3	U	NS	U	NS	3	U	NS	NS	3	U	3
	25-Nov-08	NS		3	U	NS	NS	U	NS	NS	3	U	NS
	18-Dec-08	NS		NS	U	3	NS	U	NS	NS	3	U	3
	21-Jan-09	NS		NS	U	NS	3	U	NS	NS	3	U	3
	25-Feb-09	3	U	NS	U	NS	NS	U	NS	NS	3	U	NS
	26-Mar-09	NS		0.601	U	NS	NS	U	1.2	U	NS	NS	0.12
	29-Apr-09	NS		NS	U	0.12	U	NS	NS	0.12	U	NS	0.12
	22-Jul-09	0.601	U	NS	U	24.5	1.2	U	NS	0.601	U	NS	0.36
	9-Oct-09	NS		0.12	U	NS	0.12	U	NS	0.12	U	NS	0.12
	15-Jan-10	0.12		NS	U	0.12	0.12	U	NS	0.12	U	0.12	U
	21-Apr-10	NS		0.12	U	NS	NS	U	0.601	U	0.601	U	0.12
	16-Jul-10	0.595		NS	U	0.685	1.99		NS	0.907	U	NS	0.162
	15-Oct-10	NS		0.12	U	NS	NS	U	0.12	U	0.12	U	0.12
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	NS	0.601	U	0.601	U
	28-Feb-11	NS		NS	U	1.2	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.12	U	NS	NS	U	0.42	NS	0.156	U	0.12
	26-Jul-11	0.401	U	NS	U	0.401	0.12	U	NS	0.601	U	NS	0.601
	28-Oct-11	NS		3	U	NS	NS	U	3	U	3	U	3
	23-Jan-12	1.6		NS	U	1.8	2.3		NS	1.6	NS	NS	2.7
	13-Apr-12	NS		0.6	U	NS	NS	U	0.6	NS	2	U	0.6
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	NS	NS
	23-Jun-12	0.6	U	NS	U	0.6	0.6	U	NS	0.6	NS	0.6	NS
	1-Nov-12	NS		1.2		NS	NS		2.6	NS	6	2.2	0.12
	1-Feb-13	0.18		NS	U	0.34	0.56		NS	0.44	NS	0.17	NS
	29-Apr-13	NS		1.3		NS	NS		4.5	NS	6.5	6	0.14
	9-Jul-13	1.3		NS	U	2.0	3.9		NS	3.8	NS	0.12	NS
	18-Oct-13	NS		0.52		NS	NS		1.4	NS	2.6	2.2	0.22
	9-Jan-14	0.58		NS	U	0.9	1.1		NS	0.84	NS	3.0	4.1
	24-Apr-14	NS		0.12		NS	NS		0.14	NS	0.12	U	0.18
	1-Aug-14	4.2		NS	U	4.8/6.7	4.9/7.6		NS	NS	NS	3.6	5.1/6.2
	27-Aug-14	NS		NS	U	NS	NS		0.80	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS		NS	NS	0.82	NS	NS
	22-Oct-14	NS		0.18	U	NS	NS		0.18	U	0.18	U	0.24
1,4-Dichlorobenzene	8-Feb-08	1.56		NS	U	NS	NS		0.26	NS	NS	9.5	7.91
	27-Mar-08	NS		4.33		NS	NS		8.48	NS	NS	6.28	15.1
	25-Apr-08	NS		NS	U	0.347	NS		32.3	NS	17.9	NS	16.3
	29-May-08	NS		NS	U	5.5	NS		NS	10	9.41	4.18	NS
	27-Jun-08	47.3		NS	U	NS	NS		NS	NS	NS	40.8	57.9
	31-Jul-08	NS		2.46		NS	NS		38.1	NS	1.84	NS	2.04
	28-Aug-08	NS		NS	U	234	NS		NS	214	NS	229	NS
	30-Sep-08	NS		NS	U	7.2	NS		NS	3	U	6.8	5.6
	27-Oct-08	3	U	NS	U	NS	NS		3	U	NS	3	NS
	25-Nov-08	NS		3	U	NS	NS		NS	3	U	3	U
	18-Dec-08	NS		NS	U	3	NS		NS	4.7	NS	NS	10.3
	21-Jan-09	NS		NS	U	3	NS		NS	3	U	13.9	27.2
	25-Feb-09	3	U	NS	U	NS	NS		3	U	NS	3	NS
	26-Mar-09	NS		5.43		*	NS		4.87	NS	NS	20.6	33
	29-Apr-09	NS		NS	U	1.2	NS		NS	1.91	NS	4.12	4.25
	22-Jul-09	0.601	U	NS	U	24.5	1.2	U	NS	0.601	U	0.348	0.613
	9-Oct-09	NS		3.31		NS	NS		3.44	NS	2.79	6.95	3.82
	15-Jan-10	0.12		NS	U	1.06	0.715		NS	0.823	NS	2	1.98
	21-Apr-10	NS		0.12	U	NS	NS		0.601	NS	0.601	NS	2.84
	16-Jul-10	1.78		NS	U	2.3	2.86		NS	1.36	NS	1.63	5.05
	15-Oct-10	NS		0.685		NS	NS		1.75	NS	1.37	1.48	2.47
	26-Jan-11	1.2	U	0.12	U	NS	0.12	U	0.601	NS	0.601	0.601	NS
	28-Feb-11	NS		NS	U	1.2	NS		NS	NS	NS	NS	NS
	27-Apr-11	NS		0.985		NS	NS		1.08	NS	0.967	1.14	1.07
	26-Jul-11	5.45		NS	U	5.21	0.715		NS	5.26	NS	5.54	4.69
	28-Oct-11	NS		3	U	NS	NS		3	U	3	U	3
	23-Jan-12	0.6	U	NS	U	0.6	0.6	U	NS	0.6	U	0.6	NS
	13-Apr-12	NS		0.6	U	NS	NS		0.6	NS	0.		

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
Dichlorodifluoromethane	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2		NS			
	27-Mar-08	NS		2.29		NS		NS		NS		2.15		NS		NS		NS		2.72		4.14			
	25-Apr-08	NS		NS		NS		NS		2.01		NS		NS		NS		2.04		NS		2.16			
	29-May-08	NS		NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		1.66		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		3.13		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		NS		NS		2.5		U		NS		NS		2.5		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		NS		2.5		U		NS		NS		2.5		U		2.5		2.7	
	27-Oct-08	2.5		U		NS		NS		2.5		U		NS		NS		2.5		U		NS		2.5	
	25-Nov-08	NS		215		NS		NS		11.7		NS		NS		NS		2.5		U		5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		NS		2.5		NS		NS		2.5		2.5	
	21-Jan-09	NS		NS		NS		NS		2.5		U		NS		NS		5.8		U		NS		2.5	
	25-Feb-09	2.5		U		NS		NS		19.4		NS		NS		NS		2.5		U		3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		2.48		NS		NS		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		NS		3.78		NS		2.26		NS		2.4			
	22-Jul-09	2.42		NS		2.42		2.72		NS		NS		2.5		NS		2.37		2.48		NS			
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6		U		2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		2.25		NS			
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		2.2		2.64		NS		2.43			
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS			
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		NS		2.46		NS		2.43			
	26-Jan-11	2.47		U		2.2		NS		2.64		NS		1.98		NS		2.57		3.31		3.24		NS	
	28-Feb-11	NS		NS		2.47		U		NS		NS		NS		NS		NS		NS		NS			
	27-Apr-11	NS		2.18		NS		2.27		NS		2.26		2.5		2.5		2.32		NS		2.31			
	26-Jul-11	2.41		NS		2.29		2.28		NS		2.08		NS		NS		2.44		2.3		NS			
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		NS		2.9		NS		3.1			
	23-Jan-12	2.5		NS		2.6		NS		2.6		NS		2.7		NS		2.6		NS		2.6			
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		NS		2.5		NS		2.8			
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		NS		2.3		NS	
	1-Nov-12	NS		1.8		NS		1.8		NS		2		1.9		2		2		NS		1.9			
	1-Feb-13	1.4		NS		1.4		1.5		NS		1.6		NS		1.6		1.6		NS		1.6		NS	
	29-Apr-13	NS		2.6		NS		NS		2.3		NS		2.2		2.2		2.3		NS		2.3			
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		1.1		NS			
	18-Oct-13	NS		2.0		NS		1.9		NS		1.9		NS		1.9		2.2		NS		2.1			
	9-Jan-14	1.5		NS		1.2		1.3		NS		1.4		NS		1.5		1.5		NS		1.5		NS	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		NS		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS			
	27-Aug-14	NS		NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS			
	12-Sep-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS		U	
	22-Oct-14	NS		1.3		NS		NS		1.4		NS		1.4		NS		1.6		NS		1.4		NS	
1,1-Dichloroethane	8-Feb-08	0.08		U		NS		NS		0.08		U		NS		NS		0.08		U		0.08		U	
	27-Mar-08	NS		0.081		U		NS		0.081		U		NS		0.081		U		NS		0.081		U	
	25-Apr-08	NS		NS		NS		NS		0.08	</														

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloroethane	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.09	0.08	U
	27-Mar-08	NS		0.081	U	NS	NS		NS	NS	NS	0.081	U
	25-Apr-08	NS		NS	U	NS	NS		NS	NS	0.081	NS	0.089
	29-May-08	NS		NS	U	NS	0.09		NS	NS	0.11	0.08	U
	27-Jun-08	0.126	U	NS	NS	NS	0.153		NS	NS	NS	0.11	0.081
	31-Jul-08	NS		0.081	U	NS	NS		NS	NS	NS	0.081	U
	28-Aug-08	NS		NS	U	0.171	NS		NS	NS	NS	0.081	U
	27-Oct-08	NS		NS	U	NS	0.08	U	NS	NS	NS	0.08	U
	27-Oct-08	0.08	U	NS	U	NS	0.08	U	NS	NS	NS	0.08	U
	25-Nov-08	NS		0.08	U	NS	NS		0.08	U	NS	0.08	U
	18-Dec-08	NS		NS	U	0.08	NS		NS	0.08	NS	0.08	U
	21-Jan-09	NS		NS	U	0.08	U		NS	0.08	U	0.08	U
	25-Feb-09	0.08	U	NS	U	NS	0.08	U	NS	NS	NS	0.08	U
	26-Mar-09	NS		0.404	U	NS	NS		0.809	U	NS	0.098	U
	29-Apr-09	NS		NS	U	0.319	NS		NS	0.081	U	NS	0.089
	22-Jul-09	0.404	U	NS	U	16.5	U	0.809	U	0.404	U	0.081	U
	9-Oct-09	NS		0.081	U	NS	NS		0.081	U	NS	0.081	U
	15-Jan-10	0.081	U	NS	U	0.081	U	0.081	U	0.081	U	0.081	U
	21-Apr-10	NS		0.081	U	NS	0.404		NS	0.404	U	0.081	U
	16-Jul-10	0.101		NS	U	1.44	U	0.081	U	0.611	U	0.081	U
	15-Oct-10	NS		0.081	U	NS	0.081		NS	0.081	U	0.081	U
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	0.404	U	0.404	U	0.404
	28-Feb-11	NS		NS	U	0.809	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.081	U	NS	0.081	U	NS	0.081	U	0.081	NS
	26-Jul-11	0.27	U	NS	U	0.27	U	0.101	NS	0.405	U	0.081	U
	28-Oct-11	NS		2	U	NS	2	U	NS	2	U	2	U
	23-Jan-12	0.2	U	NS	U	0.2	U	0.2	U	NS	U	0.97	NS
	13-Apr-12	NS		0.2	U	NS	NS	0.2	U	NS	U	0.2	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	NS	NS	NS	1	U
	23-Jun-12	0.4	U	NS	U	0.4	U	NS	0.4	U	NS	0.4	U
	1-Nov-12	NS		0.04	U	NS	0.04	U	NS	0.04	U	0.04	NS
	1-Feb-13	0.053		NS	U	0.062	0.062	NS	0.05	NS	NS	0.066	NS
	29-Apr-13	NS		0.19	NS	NS	0.06	NS	0.04	U	0.081	0.079	NS
	9-Jul-13	0.12	U	NS	U	0.081	U	0.081	U	NS	NS	0.092	U
	18-Oct-13	NS		0.081	U	NS	0.081	U	NS	0.081	U	0.081	NS
	9-Jan-14	0.081	U	NS	U	0.040	U	0.040	U	NS	NS	0.081	0.040
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	0.040
	1-Aug-14	0.040	U	NS	U	0.170	U	0.061	U	NS	NS	0.040	U
	27-Aug-14	NS		NS	U	NS	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS							
	22-Oct-14			0.061	U	NS	NS	0.061	U	0.061	U	0.061	U
1,1-Dichloroethene	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.08	0.08	U
	27-Mar-08	NS		0.079	U	NS	NS	NS	0.079	U	NS	0.079	U
	25-Apr-08	NS		NS	U	0.079	NS	NS	0.079	U	NS	0.079	U
	29-May-08	NS		NS	U	NS	NS	NS	NS	NS	0.08	0.08	NS
	27-Jun-08	0.123	U	NS	U	NS	0.079	U	NS	NS	NS	0.079	U
	31-Jul-08	NS		0.079	U	NS	NS	NS	NS	NS	0.079	U	0.079
	28-Aug-08	NS		NS	U	0.079	U	NS	NS	NS	0.079	U	NS
	30-Sep-08	NS		NS	U	2	U	NS	NS	2	U	2	U
	27-Oct-08	2	U	NS	U	NS	2	U	NS	NS	2	U	2
	25-Nov-08	NS		2	U	NS	NS	2	U	NS	2	U	NS
	18-Dec-08	NS		NS	U	2	U	NS	NS	2	U	2	U
	21-Jan-09	NS		NS	U	NS	NS	NS	NS	2	U	NS	2
	25-Feb-09	2	U	NS	U	NS	2	U	NS	NS	2	U	NS
	26-Mar-09	NS		0.396	U	NS	NS	0.792	U	NS	NS	0.079	U
	29-Apr-09	NS		NS	U	0.079	U	NS	NS	0.079	U	NS	0.079
	22-Jul-09	0.396	U	NS	U	16.2	U	0.792	U	0.396	U	0.079	U
	9-Oct-09	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	NS
	15-Jan-10	0.137	U	NS	U	0.079	U	0.079	U	0.079	U	0.079	U
	21-Apr-10	NS		0.079	U	NS	NS	0.396	U	0.396	U	0.079	U
	16-Jul-10	0.079	U	NS	U	0.206	U	0.079	U	0.598	U	0.079	U
	15-Oct-10	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	26-Jan-11	0.792	U	NS	U	0.079	U	0.396	U	NS	3.96	U	0.396
	28-Feb-11	NS		NS	U	0.792	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	26-Jul-11	0.264	U	NS	U	0.264	U	0.079	U	0.396	U	0.079	U
	28-Oct-11	NS		2	U	NS	NS	2	U	NS	2	U	2</

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	0.079	U	NS	NS	0.08	U	NS	0.079	U	NS	NS	U	0.08	U	0.08	U	NS	0.079	U
	27-Mar-08	NS		NS	0.079	U	NS	NS	NS	U	NS	0.079	U	NS	NS	U	NS	U	0.079	U	0.079	U	U
	25-Apr-08	NS		NS	0.079	U	NS	NS	0.08	U	NS	NS	U	NS	0.079	U	0.08	U	0.08	U	NS	0.079	U
	29-May-08	NS		NS	0.079	U	NS	NS	0.079	U	NS	NS	U	NS	0.08	U	0.08	U	0.08	U	NS	0.079	U
	27-Jun-08	0.123	U	NS	0.079	U	NS	NS	0.079	U	NS	NS	U	NS	NS	U	0.079	U	0.079	U	0.079	U	U
	31-Jul-08	NS		NS	0.079	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	0.079	U	0.079	U	0.079	U	U
	28-Aug-08	NS		NS	0.079	U	NS	5.9	U	NS	NS	U	NS	NS	U	5.9	U	NS	5.9	U	5.9	U	U
	30-Sep-08	NS		NS	0.079	U	NS	2	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	27-Oct-08	2	U	NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	25-Nov-08	NS		2	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	18-Dec-08	NS		NS	2	U	NS	NS	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	21-Jan-09	NS		NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	25-Feb-09	2	U	NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	26-Mar-09	NS		0.396	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.079	U	NS	0.079	U	0.079	U
	29-Apr-09	NS		NS	0.079	U	NS	595	U	NS	NS	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	U
	22-Jul-09	0.396	U	NS	0.792	U	NS	0.792	U	NS	NS	U	NS	NS	U	0.396	U	NS	0.396	U	0.396	U	U
	9-Oct-09	NS		0.079	U	NS	NS	0.079	U	NS	NS	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	U
	15-Jan-10	0.079	U	NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	U
	21-Apr-10	NS		0.079	U	NS	NS	0.079	U	NS	NS	U	NS	NS	U	0.396	U	NS	0.079	U	NS	0.079	U
	16-Jul-10	0.079	U	NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	0.598	U	NS	0.079	U	0.079	U	U
	15-Oct-10	NS		NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	0.598	U	NS	0.079	U	0.079	U	U
	15-Jan-10	0.079	U	NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	U
	26-Mar-11	0.792	U	0.079	U	NS	NS	0.079	U	NS	NS	U	NS	NS	U	0.396	U	NS	0.396	U	0.396	U	U
	28-Feb-11	NS		NS	0.792	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	U						
	27-Apr-11	NS		NS	0.792	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	U						
	26-Jul-11	0.264	U	NS	0.264	U	NS	0.079	U	NS	NS	U	NS	NS	U	0.396	U	NS	0.396	U	0.396	U	U
	28-Oct-11	NS		2	U	NS	NS	0.4	U	NS	NS	U	NS	NS	U	2	U	NS	2	U	2	U	U
	23-Jan-12	0.4	U	NS	0.4	U	NS	0.4	U	NS	NS	U	NS	NS	U	0.4	U	NS	0.4	U	0.4	U	U
	13-Apr-12	NS		0.2	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	0.2	U	NS	0.2	U	0.2	U	U
	2-Jul-12 (resample)	NS		NS	0.2	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	U						
	23-Jun-12	0.4	U	NS	0.4	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	U						
	1-Nov-12	NS		0.04	U	NS	NS	0.04	U	NS	NS	U	NS	NS	U	0.04	U	NS	0.040	U	NS	0.04	U
	1-Feb-13	0.04	U	NS	0.04	U	NS	NS	U	NS	NS	U	NS	NS	U	0.04	U	NS	0.04	U	0.04	U	U
	29-Apr-13	NS		0.099	U	NS	NS	0.040	U	NS	NS	U	NS	NS	U	0.04	U	NS	0.040	U	NS	0.04	U
	9-Jul-13	0.059	U	NS	0.040	U	NS	NS	U	NS	NS	U	NS	NS	U	0.040	U	NS	0.040	U	0.040	U	U
	18-Oct-13	NS		0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	U
	9-Jan-14	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	NS	NS	U	NS	NS	U	0.04	U	NS	0.040	U	0.040	U	U
	1-Aug-14	0.079	U	NS	0.120	U	NS	NS	U	NS	NS	U	NS	NS	U	0.040	U	NS	0.079	U	0.079	U	U
	27-Aug-14	NS		NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	NS					

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2-Dichloropropane	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	27-Mar-08	NS	0.092	U	NS	NS	NS	0.092	U	NS	NS	0.092	U
	25-Apr-08	NS	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092
	29-May-08	NS	NS	NS	U	0.09	U	NS	NS	0.09	U	0.09	U
	27-Jun-08	0.144	U	NS	NS	NS	0.092	U	NS	NS	0.092	U	0.092
	31-Jul-08	NS	0.092	U	NS	NS	NS	0.092	U	NS	0.092	U	0.092
	28-Aug-08	NS	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092
	30-Sep-08	NS	NS	NS	U	0.09	U	NS	NS	0.09	U	0.09	U
	27-Oct-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	25-Nov-08	NS	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	18-Dec-08	NS	NS	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U
	21-Jan-09	NS	NS	NS	U	0.09	U	NS	NS	0.09	U	NS	0.09
	25-Feb-09	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS
	26-Mar-09	NS	0.462	U	NS	NS	NS	0.924	U	NS	NS	0.092	U
	29-Apr-09	NS	NS	0.092	U	NS	NS	NS	0.092	U	NS	0.092	U
	22-Jul-09	0.462	U	NS	18.8	U	0.924	U	NS	0.462	U	NS	0.092
	9-Oct-09	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	19.3	U
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	0.092
	21-Apr-10	NS	0.092	U	NS	NS	0.462	U	NS	0.462	U	0.092	U
	16-Jul-10	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	0.092
	15-Oct-10	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	0.092	U
	26-Jan-11	0.924	U	0.092	U	NS	0.092	U	NS	0.462	U	0.462	U
	28-Feb-11	NS	NS	0.924	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	NS	0.092
	26-Jul-11	0.308	U	NS	0.308	U	0.092	U	NS	0.462	U	NS	0.462
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U	2.3	U
	23-Jan-12	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U	0.23	U
	13-Apr-12	NS	0.46	U	NS	NS	0.46	U	NS	0.46	U	0.46	U
	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	1.2	U
	23-Jun-12	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U	0.46	U
	1-Nov-12	NS	0.046	U	NS	NS	0.046	U	NS	0.046	U	0.046	U
	1-Feb-13	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	0.092
	29-Apr-13	NS	0.12	U	NS	NS	0.046	U	NS	0.046	U	0.046	U
	9-Jul-13	0.14	U	NS	0.092	U	0.092	U	NS	0.092	U	0.092	U
	18-Oct-13	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U	NS	0.092
	9-Jan-14	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U	0.092	U
	24-Apr-14	NS	0.046 <sup>L,V</sup>	U	NS	NS	0.046 <sup>L,V</sup>	U	NS	0.046 <sup>L,V</sup>	U	0.046 <sup>L,V</sup>	U
	1-Aug-14	0.092	U	NS	0.14	U	0.14	U	NS	NS	0.092	U	NS
	27-Aug-14	NS	NS	NS	U	NS	NS	0.046	U	NS	NS	0.092	U
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22-Oct-14	NS	0.069	U	NS	NS	0.069	U	NS	0.069	U	0.069	U
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	27-Mar-08	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U
	25-Apr-08	NS	NS	0.091	U	NS	NS	0.09	U	NS	0.09	U	0.091
	29-May-08	NS	NS	NS	U	NS	NS	NS	U	NS	0.09	U	NS
	27-Jun-08	0.141	U	NS	NS	NS	0.091	U	NS	NS	0.091	U	0.091
	31-Jul-08	NS	0.091	U	NS	NS	NS	NS	U	NS	0.091	U	0.091
	28-Aug-08	NS	NS	0.091	U	NS	NS	0.18	U	NS	0.091	U	0.091
	27-Oct-08	NS	NS	NS	U	NS	NS	0.18	U	NS	0.18	U	0.18
	27-Oct-08	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	0.18
	25-Nov-08	NS	0.18	U	NS	NS	0.18	U	NS	NS	0.18	U	0.18
	18-Dec-08	NS	NS	0.18	U	NS	NS	0.18	U	NS	NS	0.18	U
	21-Jan-09	NS	NS	NS	U	0.18	U	NS	NS	0.18	U	0.18	U
	25-Feb-09	0.18	U	NS	NS	NS	0.18	U	NS	NS	0.18	U	0.18
	26-Mar-09	NS	0.453	U	NS	NS	0.907	U	NS	NS	0.907	U	0.91
	29-Apr-09	NS	NS	0.091	U	NS	NS	NS	U	NS	0.091	U	0.091
	22-Jul-09	0.453	U	NS	18.5	U	0.907	U	NS	0.453	U	NS	0.091
	9-Oct-09	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	18.9	U
	15-Jan-10	0.091	U	NS	0.091	U	0.091	U	NS	NS	0.091	U	0.091
	21-Apr-10	NS	0.091	U	NS	NS	0.453	U	NS	0.453	U	0.091	U
	16-Jul-10	0.091	U	NS	0.091	U	0.091	U	NS	0.685	U	0.091	U
	15-Oct-10	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	0.453	U	0.453	U	0.091
	28-Feb-11	NS	NS	0.907	U	NS	NS	NS	U	NS	NS	NS	NS
	27-Apr-11	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U	0.091	U

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09	U	0.09
	27-Mar-08	NS		0.091	U	NS	NS	U	NS	NS	0.091	U	0.091
	25-Apr-08	NS		NS	U	NS	NS	U	NS	0.091	U	NS	0.091
	29-May-08	NS		NS	U	NS	0.09	U	NS	0.09	U	0.09	U
	27-Jun-08	0.141	U	NS	NS	NS	0.091	U	NS	NS	0.091	U	0.091
	31-Jul-08	NS		0.091	U	NS	NS	U	NS	NS	0.091	U	0.091
	28-Aug-08	NS		NS	U	NS	0.091	U	NS	0.091	U	0.091	U
	30-Sep-08	NS		NS	U	NS	0.18	U	NS	0.18	U	0.18	U
	27-Oct-08	0.18	U	NS	NS	NS	0.18	U	NS	0.18	U	0.18	U
	25-Nov-08	NS		0.18	U	NS	NS	U	NS	0.18	U	0.18	U
	18-Dec-08	NS		NS	U	NS	0.18	U	NS	0.18	U	0.18	U
	21-Jan-09	NS		NS	U	NS	0.18	U	NS	0.18	U	0.18	U
	25-Feb-09	0.18	U	NS	NS	NS	0.18	U	NS	0.18	U	0.18	U
	26-Mar-09	NS		0.453	U	NS	NS	U	NS	NS	NS	0.091	U
	29-Apr-09	NS		NS	U	0.091	U	NS	NS	0.091	U	NS	0.091
	22-Jul-09	0.453	U	NS	0.453	U	0.907	U	NS	0.453	U	0.901	U
	9-Oct-09	NS		0.079	U	NS	NS	U	NS	0.091	U	18.9	U
	15-Jan-10	0.091		NS	U	0.091	U	NS	0.091	U	NS	0.091	U
	21-Apr-10	NS		0.091	U	NS	NS	U	NS	0.453	U	0.091	U
	16-Jul-10	0.091	U	NS	U	0.091	U	NS	0.685	U	NS	0.091	U
	15-Oct-10	NS		0.091	U	NS	NS	U	NS	0.091	U	0.091	U
	26-Jan-11	0.907	U	0.091	U	NS	0.091	U	NS	0.453	U	0.453	U
	28-Feb-11	NS		NS	U	0.907	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.091	U	NS	NS	U	0.091	U	0.091	U	0.091
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.454	U	0.091	U
	28-Oct-11	NS		2.3	U	NS	NS	U	2.3	U	2.3	U	2.3
	23-Jan-12	0.45	U	NS	U	0.45	U	NS	0.45	U	NS	0.45	U
	13-Apr-12	NS		1.2	U	NS	NS	U	0.23	U	0.23	U	0.23
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	1.1	U
	23-Jun-12	0.45	U	NS	U	0.45	U	NS	0.45	U	NS	0.45	U
	1-Nov-12	NS		0.045	U	NS	NS	U	0.045	U	0.045	U	0.045
	1-Feb-13	0.045	U	NS	U	0.045	U	NS	0.045	U	0.045	U	0.045
	29-Apr-13	NS		0.11	U	NS	NS	U	0.045	U	0.045	U	0.045
	9-Jul-13	0.068	U	NS	U	0.045	U	NS	0.045	U	NS	0.045	U
	18-Oct-13	NS		0.091	U	NS	NS	U	0.091	U	0.091	U	0.091
	9-Jan-14	0.091	U	NS	U	0.091	U	NS	0.091	U	0.091	U	0.091
	24-Apr-14	NS		0.045	U	NS	NS	U	0.045	U	0.045	U	0.045
	1-Aug-14	0.091	U	NS	U	0.14	U	NS	NS	U	0.091	U	0.091
	27-Aug-14	NS		NS	U	NS	NS	U	0.045	U	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	U	NS	0.068	U	0.068	U
	22-Oct-14	NS		0.068	U	NS	NS	U	0.068	U	0.068	U	0.091
Ethylbenzene	8-Feb-08	0.21		NS		NS	NS		NS		0.33		NS
	27-Mar-08	NS		0.295		NS	NS		NS		0.645		0.372
	25-Apr-08	NS		NS		0.291	NS		NS		NS		0.565
	29-May-08	NS		NS		1.49	NS		NS		2.82		1.01
	27-Jun-08	4.34		NS		NS	NS		NS		NS		0.606
	31-Jul-08	NS		*		NS	NS		NS		0.758		0.577
	28-Aug-08	NS		NS		0.83	NS		NS		0.711		0.666
	30-Sep-08	NS		NS		2.2	U	NS	NS		2.2		2.2
	27-Oct-08	18.4		NS		NS	2.2	U	NS		2.2		2.2
	25-Nov-08	NS		2.2	U	NS	NS	U	NS		2.3		2.2
	18-Dec-08	NS		NS	U	2.2	NS	NS	NS		NS		2.2
	21-Jan-09	NS		NS	U	NS	2.2	U	NS		2.2		2.2
	25-Feb-09	10.8		NS		NS	NS	U	NS		2.2		2.2
	26-Mar-09	NS		0.516		NS	NS	U	NS		NS		1.18
	29-Apr-09	NS		NS		0.19	NS	U	NS		0.304		0.325
	22-Jul-09	11.7		NS		11.7	0.868	U	NS		38.2		1.04
	9-Oct-09	NS		0.564		NS	NS	U	NS		0.542		0.542
	15-Jan-10	6.95		NS		0.568	0.542	NS	NS		0.712		0.72
	21-Apr-10	NS		0.304		NS	NS	U	NS		1.76		1.56
	16-Jul-10	8.23		NS		2.4	1.8	NS	NS		1.51		1.42
	15-Oct-10	NS		0.534		NS	NS	U	NS		1.07		0.833
	26-Jan-11	1.26		NS		1.66	NS	U	NS		1.21		4.68
	28-Feb-11	NS		NS		0.868	U	NS	NS		NS		NS
	27-Apr-11	NS		0.243		NS	NS	U	NS		3.86		0.508
	26-Jul-11	3.91		NS		0.942	0.339	NS	0.434	U	0.304		0.434
	28-Oct-11	NS		2.2	U	NS	2.2	U	NS		3.8		2.2
	23-Jan-12	3		NS	U	0.79	0.56	NS	0.82	U	1.7		12
	13-Apr-12	NS		0.43	U	NS	NS	U	NS		1.5		0.43
	2-Jul-12 (resample)	NS		NS									

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
Isopropylbenzene	8-Feb-08	2.46	U	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U		
	27-Mar-08	NS	2.46	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	25-Apr-08	NS	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U		
	29-May-08	NS	U	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U								
	27-Jun-08	3.83	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U		
	31-Jul-08	NS	2.46	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	28-Aug-08	NS	NS	NS	NS	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	30-Sep-08	NS	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	
	27-Oct-08	5.2	NS	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	
	25-Nov-08	NS	4.9	U	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	5.9	U	4.9	U	NS	4.9	U	4.9	U	
	18-Dec-08	NS	NS	NS	NS	4.9	U	NS	NS	U	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	
	21-Jan-09	NS	NS	NS	NS	NS	NS	4.9	U	NS	NS	NS	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9	U	4.9	U	
	25-Feb-09	4.9	U	NS	12.3	U	NS	NS	U	NS	NS	24.6	U	NS	NS	NS	4.9	U	4.9	U	NS	4.9	U	4.9	U	
	26-Mar-09	NS	NS	NS	NS	2.46	U	NS	NS	U	NS	NS	2.46	U	NS	NS	NS	2.46	U	NS	2.46	U	2.46	U	2.46	U
	29-Apr-09	NS	NS	NS	NS	12.3	U	24.6	U	NS	NS	12.3	U	NS	NS	NS	3.78	U	2.46	U	NS	2.46	U	2.46	U	
	22-Jul-09	12.3	U	NS	12.3	U	24.6	U	NS	NS	12.3	U	NS	NS	NS	3.78	U	2.46	U	NS	2.46	U	2.46	U		
	9-Oct-09	NS	2.74	U	NS	NS	NS	2.46	U	NS	NS	2.46	U	NS	NS	NS	513	U	2.46	U	NS	2.46	U	2.46	U	
	15-Jan-10	2.46	U	NS	2.46	U	NS	2.46	U	NS	NS	2.46	U	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	21-Apr-10	NS	2.46	U	NS	NS	2.66	U	NS	NS	18.5	U	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U		
	16-Jul-10	2.46	U	NS	NS	2.46	U	NS	NS	U	NS	NS	2.46	U	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	15-Oct-10	NS	2.46	U	NS	NS	2.46	U	NS	NS	12.3	U	NS	NS	NS	12.3	U	12.3	U	NS	12.3	U	12.3	U		
	26-Jan-11	24.6	U	2.46	U	NS	NS	2.46	U	NS	NS	12.3	U	NS	NS	NS	12.3	U	12.3	U	NS	12.3	U	12.3	U	
	28-Feb-11	NS	NS	24.6	U	NS	NS	2.46	U	NS	NS	2.46	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	2.46	U	NS	8.21	U	2.46	U	NS	NS	12.3	U	NS	NS	NS	2.46	U	2.46	U	NS	2.46	U	2.46	U	
	26-Jul-11	8.21	U	NS	6.2	U	NS	6.2	U	NS	NS	6.2	U	NS	NS	NS	6.2	U	6.2	U	NS	6.2	U	6.2	U	
	28-Oct-11	NS	1.2	U	NS	1.2	U	0.25	U	NS	NS	1.2	U	NS	NS	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U	
	23-Jan-12	1.2	U	NS	1.2	U	NS	1.2	U	NS	NS	1.2	U	NS	NS	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U	
	13-Apr-12	NS	1.2	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	23-Jun-12	1.2	U	NS	1.2	U	NS	1.2	U	NS	NS	1.2	U	NS	NS	NS	1.2	U	1.2	U	NS	1.2	U	1.2	U	
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	NS	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U	
	1-Feb-13	0.25	U	NS	0.25	U	NS	0.25	U	NS	NS	0.25	U	NS	NS	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U	
	29-Apr-13	NS	0.62	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	9-Jul-13	0.37	U	NS	0.25	U	NS	0.25	U	NS	NS	0.25	U	NS	NS	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U	
	18-Oct-13	NS	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	NS	NS	0.25	U	0.25	U	NS	0.25	U	0.25	U	
	9-Jan-14	0.25	U	NS	0.25	U	NS	0.25	U	NS	NS	0.25	U	NS	NS	NS	0.53	U	0.49	U	NS	0.49	U	0.49	U	
	24-Apr-14	NS	0.25	U	NS	0.37	U	0.37	U	NS																

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS	NS	0.07	U	NS	NS	0.14	0.07	U	NS
	27-Mar-08	NS		0.072	U	NS	NS	0.072	U	NS	0.165		0.126
	25-Apr-08	NS		NS	U	NS	NS	0.072	U	0.072	U	NS	0.079
	29-May-08	NS		NS	U	0.07	U	NS	NS	0.07	U	0.07	U
	27-Jun-08	0.436		NS	U	NS	0.072	U	NS	NS	0.072	U	0.072
	31-Jul-08	NS		0.072	U	NS	NS	NS	NS	0.072	U	NS	0.072
	28-Aug-08	NS		NS	U	0.106	NS	NS	0.072	U	0.172	U	0.14
	30-Sep-08	NS		NS	U	1.8	U	NS	NS	1.8	U	1.8	U
	27-Oct-08	1.8	U	NS	U	NS	2.6	NS	NS	3.2	NS	5.8	U
	25-Nov-08	NS		1.8	U	NS	NS	1.8	U	1.8	U	1.8	U
	18-Dec-08	NS		NS	U	1.8	NS	NS	NS	1.8	U	1.8	U
	21-Jan-09	NS		NS	U	NS	1.8	U	NS	1.8	U	1.8	U
	25-Feb-09	5.8		NS	U	NS	1.8	U	NS	1.8	U	1.8	NS
	26-Mar-09	NS		0.36	U	NS	NS	0.72	U	NS	NS	0.072	U
	29-Apr-09	NS		NS	U	0.072	U	NS	0.072	U	0.072	U	0.072
	22-Jul-09	0.36	U	NS	U	0.36	U	0.72	U	NS	0.072	U	0.072
	9-Oct-09	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.086	NS
	15-Jan-10	0.079		NS	U	0.072	U	0.072	U	NS	0.072	U	0.072
	21-Apr-10	NS		0.072	U	NS	0.36	U	NS	0.36	U	0.072	U
	16-Jul-10	0.072	U	NS	U	0.072	U	0.544	U	NS	0.072	U	0.072
	15-Oct-10	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072	U
	26-Jan-11	0.72	U	0.072	U	NS	0.072	U	NS	0.36	U	0.36	NS
	28-Feb-11	NS		NS	U	0.72	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072	U
	26-Jul-11	0.24	U	NS	U	0.24	U	0.072	U	0.36	U	0.072	U
	28-Oct-11	NS		1.8	U	NS	NS	1.8	U	1.8	U	1.8	U
	23-Jan-12	0.36	U	NS	U	0.36	U	0.36	U	NS	NS	0.36	U
	13-Apr-12	NS		0.36	U	NS	NS	0.36	U	0.36	U	0.36	U
	2-Jul-12 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	1.8	U
	23-Jun-12	0.36	U	NS	U	0.36	U	NS	0.36	U	NS	0.36	U
	1-Nov-12	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072	U
	1-Feb-13	0.072	U	NS	U	0.072	U	NS	0.072	U	0.072	U	0.072
	29-Apr-13	NS		0.18	U	NS	NS	0.072	U	NS	0.072	U	0.072
	9-Jul-13	0.17		NS	U	0.072	U	0.072	U	NS	0.072	U	0.072
	18-Oct-13	NS		0.072	U	NS	0.072	U	NS	0.072	U	0.072	U
	9-Jan-14	0.072	U	NS	U	0.072	U	0.072	U	NS	0.072	U	0.072
	24-Apr-14	NS		0.072	U	NS	NS	0.072	U	NS	0.072	U	0.11
	1-Aug-14	0.072	U	NS	U	0.11	U	0.12	NS	0.072	U	0.072	U
	27-Aug-14	NS		NS	U	NS	NS	0.072	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	U	NS	NS	NS	U	NS	NS	NS	NS
	22-Oct-14	NS		0.11	U	NS	NS	0.11	U	0.11	U	0.14	U
Methylene chloride	8-Feb-08	2.34		NS	U	NS	NS	1.74	U	NS	1.74	U	1.74
	27-Mar-08	NS		1.74	U	NS	NS	2.87	NS	NS	2.1		1.74
	25-Apr-08	NS		NS	U	1.74	NS	NS	1.74	U	1.74		U
	29-May-08	NS		NS	U	1.74	NS	NS	1.74	U	2.91	1.74	NS
	27-Jun-08	4.33	U	NS	U	NS	NS	3.69	NS	NS	NS	2.78	2.78
	31-Jul-08	NS		1.74	U	NS	NS	NS	NS	1.74	U	NS	1.74
	28-Aug-08	NS		NS	U	1.74	NS	NS	1.74	U	1.74	U	NS
	30-Sep-08	NS		NS	U	1.7	U	NS	NS	1.7	U	1.7	U
	27-Oct-08	1.7	U	NS	U	NS	NS	1.7	U	NS	1.7	U	1.7
	25-Nov-08	NS		1.7	U	NS	NS	1.7	U	NS	1.7	U	NS
	18-Dec-08	NS		NS	U	1.7	NS	NS	1.7	U	NS	1.7	U
	21-Jan-09	NS		NS	U	1.7	U	NS	NS	1.7	U	NS	1.7
	25-Feb-09	1.7	U	NS	U	NS	NS	1.7	U	NS	1.7	U	NS
	26-Mar-09	NS		16.1	U	NS	NS	17.4	U	NS	17.4	U	1.8
	29-Apr-09	NS		NS	U	1.74	NS	NS	1.74	U	1.74	U	1.74
	22-Jul-09	86.8	U	NS	U	8.68	U	17.4	U	8.68	U	17.4	U
	9-Oct-09	NS		1.74	U	NS	NS	1.74	U	1.74	U	1.74	U
	15-Jan-10	1.74	U	NS	U	1.74	U	NS	1.74	U	1.74	U	1.74
	21-Apr-10	NS		1.74	U	NS	NS	0.868	U	NS	8.68	U	1.74
	16-Jul-10	24		NS		21.5		19.5		26.2		27.1	26.5
	15-Oct-10	NS		3.47	U	NS	NS	3.47	U	3.47	U	3.47	U
	26-Jan-11	34.7	U	3.47	U	NS	3.47	U	0.404	U	17.4	17.4	17.4
	28-Feb-11	NS		NS	U	34.7	NS						
	27-Apr-11	NS		3.47	U	NS	NS	3.47	U	NS	3.47	U	3.47
	26-Jul-11	11.6	U	NS	U	11.6	U	3.47	U	17.4	U	17.4	U
	28-Oct-11	NS		17									

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3		
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS	NS	NS	2.05	U	NS	NS	2.05	U	8.7	
	27-Mar-08	NS		2.05	U	NS	NS	U	NS	NS	15.2	U	2.05	
	25-Apr-08	NS		NS	U	NS	NS	U	NS	2.05	U	2.05	U	
	29-May-08	NS		NS	U	2.05	U	NS	NS	2.05	U	2.05	U	
	27-Jun-08	3.19	U	NS	NS	NS	2.05	U	NS	NS	2.05	U	2.05	
	31-Jul-08	NS		2.05	U	NS	NS	U	NS	NS	2.05	U	2.05	
	28-Aug-08	NS		NS	U	2.05	U	NS	NS	2.05	U	2.05	U	
	30-Sep-08	NS		NS	U	2	U	NS	NS	2	U	2	U	
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	NS	2	U	2	
	25-Nov-08	NS		3.5	U	NS	NS	U	NS	NS	2	U	NS	
	18-Dec-08	NS		NS	U	2	U	NS	NS	NS	2	U	2	
	21-Jan-09	NS		NS	NS	NS	2	U	NS	NS	2	U	2	
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	NS	2	U	NS	
	26-Mar-09	NS		10.2	U	NS	NS	U	NS	NS	2.05	U	2.05	
	29-Apr-09	NS		NS	U	2.05	U	NS	NS	2.05	U	NS	2.05	
	22-Jul-09	10.2	U	NS	U	10.2	U	20.5	U	10.2	U	2.05	U	
	9-Oct-09	NS		2.05	U	NS	2.05	U	NS	2.05	U	427	U	
	15-Jan-10	2.05	U	NS	U	2.05	U	NS	2.05	U	2.05	U	2.05	
	21-Apr-10	NS		2.05	U	NS	2.05	U	NS	10.2	U	2.05	U	
	16-Jul-10	2.05	U	NS	U	2.05	U	NS	15.4	U	NS	2.05	U	
	15-Oct-10	NS		2.05	U	NS	2.05	U	NS	2.05	U	2.05	U	
	26-Jan-11	20.5	U	2.05	U	NS	2.05	U	10.2	U	10.2	U	10.2	
	28-Feb-11	NS		NS	U	20.5	U	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		2.05	U	NS	2.05	U	NS	2.05	U	NS	3.35	
	26-Jul-11	6.84	U	NS	U	0.684	U	2.05	U	10.2	U	2.05	U	
	28-Oct-11	NS		2	U	NS	2	U	NS	2	U	2	U	
	23-Jan-12	0.41	U	NS	U	0.44	U	NS	0.41	U	NS	0.41	U	
	13-Apr-12	NS		0.41	U	NS	0.41	U	NS	0.41	U	0.41	U	
	2-Jul-12 (resample)	NS		NS	U	NS	NS	U	NS	NS	NS	2	NS	
	23-Jun-12	0.41	U	NS	U	0.41	U	NS	0.41	U	NS	0.41	U	
	1-Nov-12	NS		0.89	U	NS	0.65	U	NS	0.9	U	1.1	NS	
	1-Feb-13	0.12	U	NS	U	0.082	U	NS	0.095	U	NS	0.082	U	
	29-Apr-13	NS		0.2	U	NS	NS	U	NS	0.21	U	0.082	U	
	9-Jul-13	0.66	NS	NS	U	0.55	U	NS	0.51	NS	NS	0.92	NS	
	18-Oct-13	NS		1.8	NS	NS	2.7	NS	2.2	NS	2.3	3.0	NS	
	9-Jan-14	0.18	NS	NS	U	0.15	U	NS	0.082	U	NS	0.21	0.77	
	24-Apr-14	NS		0.087	NS	NS	0.082	U	NS	0.13	U	0.082	U	
	1-Aug-14	0.64	NS	NS	NS	NS	NS	U	NS	NS	1.30	2.4/2.0	NS	
	27-Aug-14	NS		NS	NS	NS	NS	U	NS	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	U	NS	NS	NS	NS	NS	
	22-Oct-14	NS		0.13	NS	NS	0.12	U	0.12	U	0.26	U	0.73	NS
Styrene	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.3	3.15	NS	
	27-Mar-08	NS		0.1	NS	NS	0.177	NS	NS	NS	0.206	0.404		
	25-Apr-08	NS		NS	U	0.244	NS	NS	1.07	NS	0.559	NS	0.351	
	29-May-08	NS		NS	U	0.17	NS	NS	0.3	NS	0.36	0.27	NS	
	27-Jun-08	0.732	NS	NS	U	NS	0.354	NS	NS	NS	NS	0.598	0.59	
	31-Jul-08	NS		0.276	NS	NS	1.22	U	NS	0.754	NS	0.255	0.17	
	28-Aug-08	NS		NS	U	2.1	U	NS	NS	2.1	U	2.1	2.1	
	30-Sep-08	NS		NS	U	NS	2.1	U	NS	NS	2.1	U	2.1	
	27-Oct-08	2.1	U	NS	U	NS	2.1	U	NS	NS	2.1	U	2.1	
	25-Nov-08	NS		2.1	U	NS	NS	U	2.1	NS	2.1	U	NS	
	18-Dec-08	NS		NS	U	2.1	U	NS	NS	NS	2.1	U	2.1	
	21-Jan-09	NS		NS	U	2.1	U	NS	NS	2.1	U	NS	2.1	
	25-Feb-09	2.1	U	NS	U	NS	2.1	U	NS	NS	2.1	U	NS	
	26-Mar-09	NS		0.851	U	NS	NS	U	1.7	U	NS	0.292	0.361	
	29-Apr-09	NS		NS	U	0.174	NS	NS	NS	0.085	U	0.098	NS	
	22-Jul-09	0.426	U	NS	U	0.426	U	NS	0.426	U	NS	0.6	0.149	
	9-Oct-09	NS		0.085	U	NS	0.098	U	NS	0.085	U	17.8	U	
	15-Jan-10	0.106	NS	NS	U	0.119	U	NS	0.098	NS	NS	0.153	NS	
	21-Apr-10	NS		0.085	U	NS	0.911	U	0.426	U	0.426	0.481	NS	
	16-Jul-10	0.57	NS	NS	U	0.66	NS	0.643	U	NS	NS	0.34	0.864	
	15-Oct-10	NS		0.698	NS	NS	1.12	NS	0.779	NS	0.919	0.877	NS	
	26-Jan-11	0.851	U	NS	U	0.162	NS	0.426	U	NS	0.426	U	0.617	
	28-Feb-11	NS		NS	U	0.851	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.311	U	NS	NS	U	0.302	NS	0.366	0.4	0.753	
	26-Jul-11	0.724	NS	NS	U	0.779	NS	0.868	U	0.788	U	1.23	0.681	
	28-Oct-11	NS		2.1	U									

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		0.137	U
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U	0.137	U
	25-Apr-08	NS		NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.14	U	0.14	U	0.137	U
	29-May-08	NS		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U	0.137	U	0.137	U
	28-Aug-08	NS		NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U	0.137	U	NS	
	30-Sep-08	NS		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	0.14	U
	18-Dec-08	NS		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		NS		0.19	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	0.14	U
	26-Mar-09	NS		0.686	U	NS		NS		1.37	U	NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		28	U	1.37	U	NS		0.686	U	NS		0.137	U	0.137	U	0.137	U
	22-Jul-09	0.686	U	NS		NS		NS		1.37	U	NS		0.686	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	NS		28.6	U	0.137	U	0.137	U	0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	NS		1.37	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	21-Apr-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	16-Jul-10	0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	28-Feb-11	NS		NS		1.37	U	NS		NS		0.686	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	NS		0.137	U	NS		0.687	U	NS		6.2	U	6.2	U	6.2	U	6.2	U
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U	NS		0.69	U	0.69	U	0.69	U	0.69	U
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	NS
	23-Jun-12	1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	1.2	U
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS		0.62	U	NS		NS		0.137	U	NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	0.137	U
	9-Jul-13	0.37	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.036	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U
	1-Aug-14	0.14	U	NS		0.21	U	NS		0.21	U	NS		0.21	U	NS		0.21	U	0.14</					

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Tetrachloroethene*	8-Feb-08	0.35	NS	NS	NS	0.14	U	NS	NS	0.53	5.05	NS	
	27-Mar-08	NS	0.888	NS	NS	0.875		NS	NS	NS	6.99	5.25	
	25-Apr-08	NS	NS	0.322	NS	0.99		NS	0.83	NS	0.867		
	29-May-08	NS	NS	NS	1.36	NS		NS	0.24	0.3	3.21	NS	
	27-Jun-08	1.32	NS	NS	NS	29.6		NS	NS	NS	5.08	1.8	
	31-Jul-08	NS	0.667	NS	NS	NS		NS	NS	0.618	NS	0.572	
	28-Aug-08	NS	NS	1.55	NS	NS		NS	NS	1.37	6.26	NS	
	30-Sep-08	NS	NS	NS	3.4	NS		NS	3.4	U	6.1	3.4	U
	27-Oct-08	4.2	U	NS	NS	10		NS	NS	4.2	U	4.2	U
	25-Nov-08	NS	21.3	NS	NS	4.6		NS	NS	3.4	U	8.9	NS
	18-Dec-08	NS	NS	3.4	U	NS		NS	NS	NS	3.4	U	3.4
	21-Jan-09	NS	NS	NS	3.4	U		NS	NS	3.4	U	3.4	U
	25-Feb-09	3.4	U	NS	1.28	NS		NS	NS	3.4	U	3.7	NS
	26-Mar-09	NS	NS	0.271	NS	NS		NS	NS	NS	7.11	2.08	
	29-Apr-09	NS	NS	1.63	NS	2.1		NS	NS	0.237	NS	0.691	
	22-Jul-09	1.63	NS	NS	2.1	NS		NS	NS	11.8	3.25	NS	
	9-Oct-09	NS	0.556	NS	NS	2.07		NS	0.678	28.3	U	1.17	1.46
	15-Jan-10	1.31	NS	0.644	NS	1.35		NS	0.691	NS	0.447	0.501	NS
	21-Apr-10	NS	7.2	NS	NS	31.4		NS	35.5	36.8	62.1	NS	36.1
	16-Jul-10	12.4	NS	12.7	10.9	NS		NS	10	NS	15.4	19.2	NS
	15-Oct-10	NS	21.9	NS	NS	37.6		NS	21.3	21.8	22.1	NS	31.6
	26-Jan-11	1.36	U	0.691	NS	1.27		NS	0.678	U	0.813	2.13	NS
	28-Feb-11	NS	NS	1.36	U	NS		NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.44	NS	NS	7.22		NS	1.53	U	1.56	1.46	NS
	26-Jul-11	3.34	NS	0.834	NS	2.59		NS	9.29	NS	0.976	6.78	NS
	28-Oct-11	NS	3.4	U	NS	8.5		NS	3.4	U	3.4	U	3.4
	23-Jan-12	1	NS	0.68	U	1.7		NS	5.3	NS	0.76	26	NS
	13-Apr-12	NS	19	NS	NS	18		NS	12	18	18	NS	15
	2-Jul-12 (resample)	NS	NS	NS	NS	NS		NS	NS	NS	NS	9.6	NS
	23-Jun-12	1.5	NS	0.68	U	3.5		NS	0.8	NS	0.68	U	8.9
	1-Nov-12	NS	7.4	NS	NS	11		NS	0.78	0.57	1.3	NS	1.6
	1-Feb-13	1.8	NS	0.76	0.99	NS		NS	4.5	NS	1.8	7.7	NS
	29-Apr-13	NS	8.1	NS	NS	4.7		NS	1.1	1	1.3	NS	1.8
	9-Jul-13	2.0	NS	2.1	3.1	NS		NS	2.9	NS	2.6	8.8	NS
	18-Oct-13	NS	14	NS	NS	7.3		NS	0.61	0.32	0.32	NS	1.4
	9-Jan-14	0.6	NS	0.22	1.1	NS		NS	1.8	NS	0.46	11	NS
	24-Apr-14	NS	4.7	NS	NS	5.7		NS	0.41	0.068	0.51	10	0.30
	1-Aug-01	2.3	NS	3.3/4.9	2.1	NS		NS	NS	NS	0.97	4.0/5.9	NS
	27-Aug-14	NS	NS	NS	NS	NS		NS	2.4/3.5	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS		NS	NS	0.34	U	NS	NS
	22-Oct-14	NS	6.9	NS	NS	5.0		NS	0.61	0.43	U	0.10	4.0
											U		NS
Toluene	8-Feb-08	1.63	NS	NS	NS	1.8		NS	NS	2.72	455	NS	
	27-Mar-08	NS	2.24	NS	NS	1.45		NS	NS	NS	11.3	16.1	
	25-Apr-08	NS	NS	1.39	NS	1.34		NS	11.6	21	13	NS	
	29-May-08	NS	NS	7.74	NS	NS		NS	NS	NS	10.6	22.2	
	27-Jun-08	14.7	NS	NS	2.33	NS		NS	NS	NS	10.2	NS	6.11
	31-Jul-08	NS	4.15	NS	NS	3.44		NS	NS	NS	29.9	18.6	NS
	28-Aug-08	NS	6.48	NS	NS	3.44		NS	NS	NS	29.9	18.6	NS
	30-Sep-08	NS	NS	1.9	U	6.1		NS	NS	NS	7.5	8.6	
	27-Oct-08	56.3	NS	NS	3.2	NS		NS	NS	NS	6.6	NS	8.2
	25-Nov-08	NS	7.8	NS	NS	7.8		NS	NS	NS	29.9	18.6	NS
	18-Dec-08	NS	NS	2	NS	1.9		NS	1.9	U	1.9	4.8	4.9
	21-Jan-09	NS	NS	1.9	U	NS		NS	NS	NS	1.9	NS	1.9
	25-Feb-09	7	NS	NS	1.9	NS		NS	NS	NS	1.9	13.8	NS
	26-Mar-09	NS	3.53	NS	NS	3.92		NS	NS	NS	7.23	9.75	
	29-Apr-09	NS	NS	1.99	NS	NS		NS	0.651	NS	0.149	NS	4.56
	22-Jul-09	38.7	NS	38.7	2.22	NS		NS	4.71	NS	80.1	5.32	NS
	9-Oct-09	NS	3.53	NS	NS	3.06		NS	1.07	23.6	3.12	NS	3.67
	15-Jan-10	12.8	NS	4.17	4.33	NS		NS	5.81	NS	4.81	4.85	NS
	21-Apr-10	NS	0.9	NS	NS	2.97		NS	3.75	5.2	2.84	NS	5.08
	16-Jul-10	22.2	NS	17.9	5.98	NS		NS	5.54	NS	5.77	5.85	NS
	15-Oct-10	NS	1.67	NS	NS	2.1		NS	1.72	3.37	2.23	NS	3.26
	26-Jan-11	6.06	6.82	NS	NS	4.74		NS	NS	5.95	12.1	11.9	NS
	28-Feb-11	NS	1.88	NS	NS	NS		NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.836	NS	NS	0.682		NS	1.25	3.62	2.08	NS	1.62
	26-Jul-11	8.29	NS	3.96	1.15	NS		NS	1.62	NS	2.31	1.68	

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS	NS	NS	0.11	U	NS	NS	0.11	U	0.56
	27-Mar-08	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.522	0.266
	25-Apr-08	NS		NS	U	NS	NS	NS	U	NS	0.109	U	0.119
	29-May-08	NS		NS	U	NS	0.12	NS	U	NS	0.11	U	0.54
	27-Jun-08	0.17	U	NS	NS	NS	0.458	NS	NS	NS	NS	0.377	0.138
	31-Jul-08	NS		0.109	U	NS	NS	NS	U	NS	0.109	U	0.109
	28-Aug-08	NS		NS	U	0.109	NS	NS	U	NS	0.109	U	0.492
	30-Sep-08	NS		NS	U	2.7	U	NS	U	NS	2.7	U	2.7
	27-Oct-08	3.4	U	NS	U	NS	3.4	U	NS	NS	3.4	U	3.4
	25-Nov-08	NS		2.7	U	NS	NS	2.7	U	NS	2.7	U	NS
	18-Dec-08	NS		NS	U	2.7	U	NS	U	NS	2.7	U	2.7
	21-Jan-09	NS		NS	NS	NS	2.7	U	NS	NS	2.7	U	2.7
	25-Feb-09	2.7	U	NS	NS	NS	2.7	U	NS	NS	2.7	U	NS
	26-Mar-09	NS		1.59	NS	NS	NS	1.09	U	NS	NS	0.682	0.213
	29-Apr-09	NS		NS	U	0.174	NS	NS	U	NS	0.147	NS	0.191
	22-Jul-09	0.545	U	NS	U	22.2	U	1.09	U	NS	0.545	U	0.278
	9-Oct-09	NS		0.109	U	NS	0.158	NS	U	NS	22.8	U	0.136
	15-Jan-10	0.109	U	NS	U	0.109	1.09	U	NS	0.109	U	0.692	NS
	21-Apr-10	NS		0.109	U	NS	0.545	U	NS	0.545	U	0.109	0.09
	16-Jul-10	0.109	U	NS	U	0.109	0.824	U	NS	0.109	U	0.562	NS
	15-Oct-10	NS		0.272	NS	NS	0.349	NS	U	0.109	U	0.109	0.109
	26-Jan-11	1.09	U	0.109	U	NS	0.109	U	NS	0.545	U	0.545	0.845
	28-Feb-11	NS		NS	U	1.09	NS	NS	U	NS	NS	NS	NS
	27-Apr-11	NS		0.109	U	NS	0.109	U	NS	0.109	U	0.109	0.109
	26-Jul-11	0.364	U	NS	U	0.364	U	0.109	U	0.873	NS	0.109	NS
	28-Oct-11	NS		2.7	U	NS	NS	2.7	U	NS	2.7	U	2.7
	23-Jan-12	0.55	U	NS	U	0.55	U	0.55	U	1.5	U	0.55	1.3
	13-Apr-12	NS		0.27	U	NS	NS	0.27	U	NS	0.27	U	0.27
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	U	NS	NS	1.4	NS
	23-Jun-12	0.55	U	NS	U	0.55	U	0.55	U	NS	NS	0.55	0.7
	1-Nov-12	NS		0.25	NS	NS	0.27	NS	U	0.055	U	0.055	0.14
	1-Feb-13	0.055	U	NS	U	0.055	U	0.055	U	NS	NS	0.055	0.23
	29-Apr-13	NS		0.15	NS	NS	0.076	NS	U	0.055	U	0.055	0.055
	9-Jul-13	0.082	U	NS	U	0.055	U	0.061	NS	0.33	NS	0.055	NS
	18-Oct-13	NS		0.23	NS	NS	0.19	NS	U	0.11	U	0.11	0.28
	9-Jan-14	0.11	U	NS	U	0.11	U	0.11	U	0.41	NS	0.11	0.46
	24-Apr-14	NS		0.055	U	NS	0.055	U	NS	0.055	U	0.055	0.16
	1-Aug-14	0.11	U	NS	U	0.16	U	0.16	U	NS	NS	0.11	NS
	27-Aug-14	NS		NS	NS	NS	NS	0.35	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	U	0.082	U	0.082	NS
	22-Oct-14	NS		0.19	NS	NS	0.19	0.082	U	0.082	U	0.082	0.28
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS	NS	NS	0.11	U	NS	NS	0.11	U	0.11
	27-Mar-08	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.109	0.109
	25-Apr-08	NS		NS	U	0.109	U	0.11	NS	NS	0.11	U	0.109
	29-May-08	NS		NS	U	NS	NS	NS	U	NS	NS	0.11	NS
	27-Jun-08	0.17	U	NS	U	NS	0.109	U	NS	NS	NS	0.109	0.109
	31-Jul-08	NS		0.109	U	NS	NS	NS	U	NS	0.109	U	0.109
	28-Aug-08	NS		NS	U	0.109	U	0.11	U	NS	NS	0.109	NS
	30-Sep-08	NS		NS	U	0.11	U	NS	U	NS	0.11	U	0.11
	27-Oct-08	0.11	U	NS	U	NS	0.11	U	NS	NS	0.11	U	0.11
	25-Nov-08	NS		0.11	U	NS	NS	0.11	U	NS	0.11	U	0.11
	18-Dec-08	NS		NS	U	0.11	NS	NS	U	NS	0.11	U	0.11
	21-Jan-09	NS		NS	NS	0.11	U	NS	U	NS	0.11	U	0.11
	25-Feb-09	0.11	U	NS	NS	NS	0.11	U	NS	NS	0.11	U	0.11
	26-Mar-09	NS		0.545	U	NS	NS	1.09	U	NS	NS	0.109	0.109
	29-Apr-09	NS		NS	U	0.109	U	NS	U	NS	0.109	U	0.109
	22-Jul-09	0.545	U	NS	U	22.2	U	1.09	U	0.545	U	0.109	NS
	9-Oct-09	NS		0.109	U	NS	NS	0.109	U	NS	22.8	U	0.109
	15-Jan-10	0.109	U	NS	U	0.109	U	0.109	U	0.081	U	0.109	0.109
	21-Apr-10	NS		0.109	U	NS	NS	0.545	U	NS	0.545	U	0.109
	16-Jul-10	0.109	U	NS	U	0.109	U	0.109	U	0.824	U	0.109	NS
	15-Oct-10	NS		0.109	U	NS	NS	0.109	U	NS	0.109	U	0.109
	26-Jan-11	1.09	U	0.109	U	NS	0.109	U	0.545	U	0.545	U	0.545
	28-Feb-11	NS		NS	U	1.09	U	NS	U	NS	NS	NS	NS
	27-Apr-11	NS		0.109	U	NS	NS	0.109	U	NS	0.109	U	0.109

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichloroethene*	8-Feb-08	0.12	NS	0.107	U	NS	NS	0.11	U	NS	NS	NS	NS
	27-Mar-08	NS	NS	0.199		NS	NS	0.152		NS	NS	13.4	5.34
	25-Apr-08	NS	NS	NS		NS	NS	1.35		NS	0.668	NS	3.39
	29-May-08	NS	NS	NS		26.5	NS	NS		0.15	0.37	13.6	NS
	27-Jun-08	0.408	NS	NS		NS	258	NS		NS	NS	13.6	6.56
	31-Jul-08	NS	1.24			NS	NS	NS		NS	0.126	NS	3.26
	28-Aug-08	NS	NS	0.558		NS	NS	NS		NS	0.432	18.4	NS
	30-Sep-08	NS	NS	NS		56.2	NS	NS		0.8	U	NS	22.7
	27-Oct-08	0.8	U	NS		NS	117	NS		2.99	NS	0.8	
	25-Nov-08	NS	2.92			NS	NS	1.89		0.54	U	39.8	NS
	18-Dec-08	NS	NS	0.54	U	NS	NS	NS		NS	NS	4.56	2.48
	21-Jan-09	NS	NS	NS		19.6	NS	NS		0.54	U	NS	4.99
	25-Feb-09	0.44	NS	NS		NS	99.5	NS		NS	0.56	10.7	NS
	26-Mar-09	NS	9.2			NS	NS	3.88		NS	NS	25.1	5.49
	29-Apr-09	NS	NS	0.22		NS	NS	NS		1.2	NS	0.392	NS
	22-Jul-09	0.537	U	NS	0.537	U	12.7	NS		NS	NS	0.354	10.3
	9-Oct-09	NS	0.091	U	NS	NS	26	NS		1.24	U	0.182	3.26
	15-Jan-10	0.591	NS	0.242		17.7	NS	0.172		NS	NS	0.107	U
	21-Apr-10	NS	0.107	U	NS	NS	34	NS		0.94	U	0.891	NS
	16-Jul-10	0.333	NS	0.333		8.14	NS	0.811	U	NS	NS	0.107	2.01
	15-Oct-10	NS	2.26			NS	NS	129	NS	1.92		0.317	NS
	26-Jan-11	1.07	U	1.63		NS	9.94	NS	U	NS	0.617	1.23	27.1
	28-Feb-11	NS	NS	1.07	U	NS	NS	NS		NS	NS	NS	NS
	27-Apr-11	NS	0.231			NS	78.1	NS		0.891	U	0.107	1.56
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5		NS	NS	0.247	20.5
	28-Oct-11	NS	2.7	U	NS	NS	110	NS		2.7	U	2.7	NS
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8		NS	NS	0.54	44
	13-Apr-12	NS	0.27	U	NS	NS	83	NS		1.5	U	0.27	4.1
	2-Jul-12 (resample)	NS	NS	NS		NS	NS	NS		NS	NS	NS	NS
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75		NS	NS	0.54	35
	1-Nov-12	NS	2.4			NS	92	NS		1.9	0.32	0.28	6.9
	1-Feb-13	0.85	NS	0.064		21	NS	5.6		NS	NS	0.077	20
	29-Apr-13	NS	1.7			NS	46	NS		0.84	0.12	0.44	1.9
	9-Jul-13	0.60	NS	0.22		27	NS	2.6		NS	NS	0.14	22
	18-Oct-13	NS	3.3			NS	76	NS		2.2	U	0.66	15
	9-Jan-14	0.49	NS	0.11	U	36	NS	1.8		NS	NS	0.13	43
	24-Apr-14	NS	1.0			NS	58	NS		0.81	0.13	1.0	31
	1-Aug-14	2.70	NS	0.23		15/19	NS	NS		NS	NS	1.2	16/18
	27-Aug-14	NS	NS			NS	NS	2.6/3.4		NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS		NS	NS	NS		NS	0.30	NS	NS
	22-Oct-14	NS	1.3			NS	88	0.97		1.4	U	0.17	18
Trichlorofluoromethane	8-Feb-08	1.22	NS	NS		NS	NS	1.22		NS	NS	1.06	15.9
	27-Mar-08	NS	1.27			NS	NS	1.18		NS	NS	1.66	9.02
	25-Apr-08	NS	NS	1.18		NS	NS	5.2		NS	NS	1.05	3.83
	29-May-08	NS	NS	33.5		NS	NS	NS		0.98	NS	NS	8.85
	27-Jun-08	1.29	NS	NS		NS	75.2	NS		NS	NS	0.958	8.89
	31-Jul-08	NS	1.01			NS	NS	NS		1.79	NS	1.79	5.1
	28-Aug-08	NS	2.53			NS	NS	18		NS	NS	2.8	NS
	30-Sep-08	NS	NS	53.8		NS	NS	NS		2.8	U	NS	14.5
	27-Oct-08	2.8	U	NS		NS	44.4	NS		NS	NS	6.1	2.8
	25-Nov-08	NS	10			NS	NS	12.2		NS	NS	2.8	34
	18-Dec-08	NS	2.8	U		NS	NS	NS		4.9	NS	NS	4.8
	21-Jan-09	NS	NS	26.9		NS	NS	NS		7.2	U	NS	10.4
	25-Feb-09	2.8	U	NS		NS	14.8	NS		NS	NS	2.8	NS
	26-Mar-09	NS	1.43			NS	NS	2.81	U	NS	NS	19.6	10.3
	29-Apr-09	NS	NS	1.45		NS	NS	NS		4.23	NS	1.27	3.17
	22-Jul-09	1.46	NS	1.46		19.9	NS	3.42		NS	NS	1.28	6.46
	9-Oct-09	NS	0.156			NS	NS	20		11	U	1.65	NS
	15-Jan-10	1.39	NS	2.1		16.6	NS	1.78		NS	NS	1.34	15.4
	21-Apr-10	NS	0.466			NS	NS	10.1		4.83	U	4.95	5.47
	16-Jul-10	2.6	NS	1.84		16.4	NS	2.12	U	NS	NS	2.23	19.8
	15-Oct-10	NS	9.63			NS	72.2	NS		13.7	5.65	9.85	NS
	26-Jan-11	2.81	U	1.16		13.8	NS	1.4	U	NS	1.4	1.71	26
	28-Feb-11	NS	NS	2.81	U	NS	NS	NS		NS	NS	NS	NS
	27-Apr-11	NS	1.12			NS	12.8	NS		3.24	U	1.17	2.53
	26-Jul-11	4.27	NS	1.31		41.2	U	15.3		NS	NS	1.62	10
	28-Oct-11	NS	2.8			NS	30	5.1		2.8	U	2.9	4.2
	23-Jan-12	2.1	NS	1.5									

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,2,4-Trimethylbenzene	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	0.69	1.93	NS		
	27-Mar-08	NS	0.304	NS	NS	0.152	NS	NS	NS	0.958	0.681		
	25-Apr-08	NS	NS	1.72	NS	NS	0.644	NS	0.517	NS	0.338		
	29-May-08	NS	NS	NS	0.6	NS	NS	1	1.26	0.48	NS		
	27-Jun-08	7.46	NS	NS	NS	1.15	NS	NS	NS	0.638	0.736		
	31-Jul-08	NS	1.86	NS	NS	NS	NS	NS	0.885	NS	0.685		
	28-Aug-08	NS	NS	0.838	NS	NS	NS	NS	0.669	0.653	NS		
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	27-Oct-08	11.4	NS	NS	U	NS	2.5	U	NS	2.5	U	2.9	U
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	6.4	5.2	NS	
	18-Dec-08	NS	NS	2.5	U	NS	NS	U	NS	2.5	U	2.5	U
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	25-Feb-09	17.5	NS	0.491	U	NS	4	NS	6.2	2.9	NS		
	26-Mar-09	NS	0.265	U	NS	NS	0.982	U	NS	1.09	1.55		
	29-Apr-09	NS	NS	0.265	U	NS	NS	0.378	NS	0.707	0.801		
	22-Jul-09	3.49	NS	20	U	0.982	U	NS	NS	56.4	0.86	NS	
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	0.648	20.5	1.36	0.584		
	15-Jan-10	2.87	NS	0.354	NS	0.29	NS	0.314	NS	1.06	1.17	NS	
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.42	1.13	0.653	0.702		
	16-Jul-10	8.3	NS	8.23	NS	8.09	NS	6.27	NS	4.28	5.05	NS	
	15-Oct-10	NS	1.29	NS	NS	1.61	NS	1.1	1.38	1.86	2.35	NS	
	26-Jan-11	1.23	1.4	NS	1.6	NS	0.491	U	NS	1.35	6.93	10.4	NS
	28-Feb-11	NS	NS	0.982	U	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.24	1.06	2.06	1.09	NS	
	26-Jul-11	1.29	NS	2.67	NS	0.61	NS	0.541	NS	2.48	0.541	NS	
	28-Oct-11	NS	2.5	U	NS	NS	2.5	U	2.5	U	3.7	3.1	NS
	23-Jan-12	3	NS	0.76	U	0.49	NS	0.71	NS	2.7	2.8	NS	
	13-Apr-12	NS	0.49	U	NS	NS	0.49	U	0.49	1.1	3.9	1.3	NS
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5	U	NS
	23-Jun-12	4.1	NS	1.3	NS	1.2	NS	1.1	NS	2.1	1.1	NS	
	1-Nov-12	NS	1.7	NS	NS	2.5	NS	3.1	3	3.2	NS	3.3	
	1-Feb-13	1.2	NS	0.23	0.21	NS	0.3	NS	1	0.86	NS		
	29-Apr-13	NS	0.54	NS	NS	0.74	NS	0.66	0.83	1	NS	0.84	
	9-Jul-13	4.2	NS	1.6	1.8	NS	1.8	NS	NS	2	2.0	NS	
	18-Oct-13	NS	4.8	NS	NS	4.3	NS	5.6	6.4	5.0	NS	5.7	
	9-Jan-14	2.7	NS	2.7	3.8	NS	3.8	NS	NS	12.0	13.0	NS	
	24-Apr-14	NS	0.098	U	NS	NS	0.098	U	0.13	0.098	0.5	0.1	2.6
	1-Aug-14	4.1	NS	6.5/5.1	3.0/3.6	NS	NS	NS	NS	2.6	6.3/4.3	NS	
	27-Aug-14	NS	NS	NS	NS	NS	1.1	NS	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.2	NS	NS	NS	
	22-Oct-14	NS	0.37	NS	NS	0.28	0.6	0.59	0.50	1.0	1.2	NS	
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS	NS	0.1	U	NS	0.47	0.66	NS		
	27-Mar-08	NS	0.14	NS	NS	0.098	U	NS	NS	0.349	0.275		
	25-Apr-08	NS	NS	1.6	NS	NS	0.228	NS	0.192	NS	0.134		
	29-May-08	NS	NS	0.18	NS	NS	0.32	NS	0.43	0.15	NS		
	27-Jun-08	5.16	NS	NS	0.463	NS	NS	NS	NS	0.236	0.25		
	31-Jul-08	NS	0.713	NS	NS	NS	NS	NS	0.276	NS	0.224		
	28-Aug-08	NS	0.497	NS	NS	NS	0.215	NS	0.248	0.233	NS		
	30-Sep-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	2.5	U
	27-Oct-08	7.8	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	2.5	U	2.5	U	U
	18-Dec-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	NS	2.5	U
	21-Jan-09	NS	NS	2.5	U	NS	NS	2.5	U	2.5	U	2.5	U
	25-Feb-09	9.1	NS	NS	2.5	U	NS	NS	2.5	U	2.5	U	U
	26-Mar-09	0.491	U	NS	NS	0.982	U	NS	NS	0.337	0.425		
	29-Apr-09	NS	0.147	NS	NS	NS	0.128	NS	0.211	NS	0.241		
	22-Jul-09	3	NS	20	U	0.982	U	NS	NS	22.7	0.275	NS	
	9-Oct-09	NS	0.216	NS	NS	0.241	NS	0.187	20.5	U	0.388	NS	
	15-Jan-10	2.15	NS	0.118	U	0.098	U	0.108	NS	0.29	0.334	NS	
	21-Apr-10	NS	0.098	U	NS	0.491	U	NS	0.491	U	0.177	NS	
	16-Jul-10	2.76	NS	1.88	NS	1.81	NS	1.67	NS	1.08	1.25	NS	
	15-Oct-10	NS	0.418	NS	NS	0.383	NS	0.275	0.324	0.545	NS	0.54	
	26-Jan-11	0.982	0.437	NS	0.472	NS	0.491	U	0.491	U	1.99	2.87	NS
	28-Feb-11	NS	0.982	U	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.255	NS	NS	0.27	NS	0.368	0.329	0.599	NS	0.354	
	26-Jul-11	0.688	NS	0.885	0.182	NS	0.4						

## **Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**

**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Vinyl chloride*	8-Feb-08	0.05	U	NS	NS	NS	0.05	U	NS	NS	0.05	U
	27-Mar-08	NS		0.051	U	NS	0.051	U	NS	NS	0.051	U
	25-Apr-08	NS		NS	U	NS	0.75		NS	0.051	U	U
	29-May-08	NS		NS	U	NS	0.05	U	NS	0.05	U	U
	27-Jun-08	0.08	U	NS	U	NS	0.051	U	NS	NS	0.051	U
	31-Jul-08	NS		0.051	U	NS	NS		NS	0.051	U	U
	28-Aug-08	NS		NS	U	NS	0.051	U	NS	0.051	U	U
	30-Sep-08	NS		NS	U	0.1	U	NS	NS	0.1	U	U
	27-Oct-08	0.1	U	NS	U	NS	0.1	U	NS	NS	0.1	U
	25-Nov-08	NS		0.1	U	NS	0.1	U	NS	NS	0.1	U
	18-Dec-08	NS		NS	U	NS	0.1	U	NS	NS	0.1	U
	21-Jan-09	NS		NS	U	0.1	U	NS	NS	0.1	U	U
	25-Feb-09	0.1	U	NS	U	NS	0.1	U	NS	NS	0.1	U
	26-Mar-09	NS		0.255	U	NS	0.511	U	NS	NS	0.51	U
	29-Apr-09	NS		NS	U	0.061	NS	U	0.051	NS	0.051	U
	22-Jul-09	0.255	U	NS	U	0.255	0.511	U	NS	NS	0.051	U
	9-Oct-09	NS		1.72		NS	NS	U	0.102	10.7	0.051	U
	15-Jan-10	0.051	U	NS	U	0.061	0.051	U	NS	NS	0.051	U
	21-Apr-10	NS		0.051	U	NS	0.255	U	NS	0.255	0.051	U
	16-Jul-10	0.051	U	NS	U	1.98	0.051	U	NS	NS	0.051	U
	15-Oct-10	NS		0.051	U	NS	0.051	U	NS	0.051	0.051	U
	26-Jan-11	0.511	U	0.051	U	NS	0.051	U	NS	0.255	0.255	U
	28-Feb-11	NS		NS	U	0.511	NS	U	NS	NS	NS	NS
	27-Apr-11	NS		0.051	U	NS	0.051	U	NS	0.051	0.051	U
	26-Jul-11	0.17	U	NS	U	0.17	0.051	U	NS	NS	0.051	U
	28-Oct-11	NS		1.3	U	NS	1.3	U	NS	1.3	1.3	U
	23-Jan-12	0.26	U	NS	U	0.26	0.26	U	NS	0.26	0.26	U
	13-Apr-12	NS		0.13	U	NS	0.13	U	NS	0.13	0.13	U
2-Jul-12 (resample)	NS		NS	NS	U	NS	NS	U	NS	NS	0.64	U
	23-Jun-12	0.26	U	NS	U	0.26	0.26	U	NS	NS	0.26	U
	1-Nov-12	NS		0.026	U	NS	0.026	U	NS	0.026	0.026	U
	1-Feb-13	0.065		NS	U	0.026	0.026	U	NS	NS	0.026	U
	29-Apr-13	NS		0.41		NS	NS	U	0.026	0.026	0.026	U
	9-Jul-13	0.038	U	NS	U	0.026	0.085	NS	NS	NS	0.026	U
	18-Oct-13	NS		0.051	U	NS	0.074	NS	NS	0.051	0.051	U
	9-Jan-14	0.092		NS	U	0.051	0.051	U	NS	NS	0.051	U
	24-Apr-14	NS		0.026	U	NS	0.026	U	NS	0.026	0.026	U
	1-Aug-14	0.21		NS	U	0.38	0.077	U	NS	NS	0.051	U
	27-Aug-14	NS		NS	U	NS	NS	U	NS	NS	NS	NS
12-Sept-14 (resample)	NS		NS	NS	U	NS	0.038	U	NS	0.038	0.038	U
22-Oct-14	NS		0.038	U	NS	NS	0.038	U	0.24	0.038	0.038	U
p/m-Xylene	8-Feb-08	0.55		NS		NS	0.63		NS	NS	1.04	18.3
	27-Mar-08	NS		0.893		NS	0.389		NS	NS	2.17	1.33
	25-Apr-08	NS		NS		0.815	NS		NS	2.54	NS	1.81
	29-May-08	NS		NS		5	NS		7.58	10.1	3.34	NS
	27-Jun-08	12.6		NS		NS	1.5		NS	NS	1.91	2.33
	31-Jul-08	NS		2.4		NS	NS		NS	2.08	NS	1.55
	28-Aug-08	NS		NS		2.33	NS		1.44	NS	2.13	NS
	30-Sep-08	NS		NS		4.3	U		NS	4.3	4.3	U
	27-Oct-08	41.6		NS		NS	4.3	U	NS	NS	4.3	4.3
	25-Nov-08	NS		4.7		NS	4.3	U	NS	8.5	8.9	NS
	18-Dec-08	NS		NS		4.3	U		NS	NS	4.3	4.3
	21-Jan-09	NS		NS		4.3	U		NS	NS	4.3	4.3
	25-Feb-09	37.6		NS		NS	4.3	U	NS	8	9.3	NS
	26-Mar-09	NS		1.35		NS	1.74	U	NS	NS	2.59	3.56
	29-Apr-09	NS		NS		0.468	NS	U	0.516	NS	0.933	NS
	22-Jul-09	25.6		NS		25.6	1.74	U	3.88	NS	165	3.52
	9-Oct-09	NS		1.62		NS	1.63		NS	0.915	36.2	1.7
	15-Jan-10	18.4		NS		1.52	1.48		1.76	NS	2.35	2.65
	21-Apr-10	NS		0.703		NS	3.28		4.58	4.34	6.22	4.77
	16-Jul-10	21.8		NS		7.01	6.36		4.82	NS	4.95	4.91
	15-Oct-10	NS		1.81		NS	2.18		NS	1.7	3.4	NS
	26-Jan-11	3.08		4.24		NS	3.06		NS	3.17	11.5	13.6
	28-Feb-11	NS		NS		1.74	NS		NS	NS	NS	NS
	27-Apr-11	NS		0.694		NS	0.707		0.889	1.15	1.09	1.44
	26-Jul-11	9.99		NS		3.96	1.02		0.999	NS	0.956	1.26
	28-Oct-11	NS		4.3	U	NS	4.3	U	4.3	4.3	9.8	4.3
	23-Jan-12	7.9		NS	2	1.3	NS	2	NS	NS	4.4	14
	13-Apr-12	NS		0.87	U	NS	0.87	U	0.87	0.87	3.6	1.1
2-Jul-12 (resample)	NS		NS	NS	U	NS	0.94	U	NS	NS	4.3	NS
	23-Jun-12	12		NS	1.1	0.87	U		NS	NS	1.7	1.1
	1-Nov-12	NS		2.1		NS	2.4		3.3	2.9	3.6	5.3
	1-Feb-13	3.4		NS		0.44	0.38		0.59	NS	1.5	1.4
	29-Apr-13	NS		1		NS	1.2		NS	1.2	1.5	NS
	9-Jul-13	12		NS		1.9	1.8		1.7	NS	3.2	0.70
	18-Oct-13	NS		5.0		NS	5.6		NS	6.3	8.0	5.9
	9-Jan-14	8.6		NS		7.2	9.3		9.7	NS	23	22.00
	24-Apr-14	NS		0.17	U	NS	0.17	U	NS	NS	0.28	0.17
	1-Aug-14	4.8		NS		2.8/3.0	1.8/2.1		NS	NS	1.5	2.4/2.8
	27-Aug-14	NS		NS		NS	3.6		NS	NS	NS	NS
12-Sept-14 (resample)	NS		NS	NS	U	NS	NS	U	NS	1.3	NS	NS
22-Oct-14	NS		0.26	U	NS	NS	0.26	U	0.5	0.26	0.76	0.92

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds**  
**February 2008 - October 2014**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
o-Xylene	8-Feb-08	0.2	NS	NS	NS	0.23	NS	NS	NS	0.48	7.73	NS	
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	NS	NS	0.844	0.478	
	25-Apr-08	NS	NS	0.37	NS	NS	0.406	NS	NS	0.735	NS	0.62	
	29-May-08	NS	NS	NS	1.48	NS	NS	NS	2.26	2.84	1.02	NS	
	27-Jun-08	4.12	NS	NS	NS	0.55	NS	NS	NS	NS	0.672	0.794	
	31-Jul-08	NS	0.835	NS	NS	NS	NS	NS	NS	0.748	NS	0.564	
	28-Aug-08	NS	NS	0.804	NS	NS	NS	0.511	NS	0.797	0.725	NS	
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	
	27-Oct-08	9.8	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	4
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	3.1	N	2.2	
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U	2.2
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	
	25-Feb-09	8.9	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	
	26-Mar-09	NS	0.486	NS	NS	0.868	U	NS	NS	NS	0.922	1.28	
	29-Apr-09	NS	NS	0.174	NS	NS	0.208	NS	NS	0.369	NS	0.499	
	22-Jul-09	5.34	NS	5.34	0.868	U	NS	1.39	NS	NS	72.7	1.27	NS
	9-Oct-09	NS	0.542	NS	NS	0.586	NS	0.343	18.1	U	0.629	0.616	
	15-Jan-10	4.51	NS	0.49	0.49	NS	0.56	NS	NS	NS	0.833	0.846	
	21-Apr-10	NS	0.256	NS	NS	1.17	NS	1.56	1.41	1.24	NS	1.14	
	16-Jul-10	5.07	NS	2.84	2.63	NS	2.1	NS	NS	1.88	2.05	NS	
	15-Oct-10	NS	0.672	NS	NS	0.837	NS	0.659	0.729	1.22	NS	1.14	
	26-Jan-11	1.08	1.5	NS	1.54	NS	1.11	NS	1.15	4.32	5.16	NS	
	28-Feb-11	NS	NS	0.868	U	NS							
	27-Apr-11	NS	0.286	NS	NS	0.286	NS	0.369	0.456	0.451	NS	0.551	
	26-Jul-11	1.87	NS	1.45	0.334	NS	0.434	U	NS	NS	0.365	0.434	
	28-Oct-11	NS	2.2	U	NS	2.2	U	NS	2.2	U	3.3	NS	2.2
	23-Jan-12	2.3	NS	0.76	0.54	NS	0.79	NS	NS	1.7	4.6	NS	
	13-Apr-12	NS	0.43	U	NS	0.43	U	NS	0.43	U	1.4	NS	0.43
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	U	NS
	23-Jun-12	3	NS	0.43	U	0.43	U	0.43	U	NS	0.59	0.44	NS
	1-Nov-12	NS	0.72	NS	NS	0.85	NS	1.1	1.1	1.3	NS	1.8	
	1-Feb-13	1	NS	0.19	0.17	NS	0.24	NS	NS	0.64	0.52	NS	
	29-Apr-13	NS	0.43	NS	NS	0.46	NS	0.41	0.52	0.065	NS	0.86	
	9-Jul-13	3.2	NS	0.86	0.90	NS	0.84	NS	NS	1.3	0.28	NS	
	18-Oct-13	NS	1.7	NS	NS	1.9	NS	2.1	2.9	1.4	NS	1.7	
	9-Jan-14	3.4	NS	3.0	4.00	NS	4.1	NS	NS	9.8	9.6	NS	
	24-Apr-14	NS	0.087	U	NS	0.087	U	NS	0.087	U	0.11	0.087	1.2
	1-Aug-14	1.9	NS	1.6/1.8	1.10	NS	NS	1.3	NS	NS	0.79	1.2/1.6	NS
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.13	U	0.2	0.28	0.35	NS

Notes:

All data presented in micrograms per cubic meter (ug/m3).

Two values displayed with a slash indicates dilutions resulting in two different concentrations

U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.

NS: not sampled.

\* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.

M: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

L: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

V: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

E: Reported result is estimated due to value over calibration range

## APPENDIX D

### Rooftop Emission Analytical Summary

**Alvarez School - Sub Slab Depressurization System Emissions Calculations**

Sample Date: 22 October 2014

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):		2440	Measured Flow Rate (cfm):	119.8		Measured Flow Speed (fpm):		2218	Measured Flow Rate (cfm):	108.9		Measured Flow Speed (fpm):		1308	Measured Flow Rate (cfm):	64.2	
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)
Acetone	17.0	7.61E-06	1.83E-04	6.67E-02	20.0	8.14E-06	1.95E-04	7.13E-02	15.0	3.60E-06	8.64E-05	3.15E-02	1.94E-05	4.64E-04	1.70E-01			
Acrylonitrile	0.37	U	1.66E-07	3.98E-06	1.45E-03	0.37	U	1.51E-07	3.61E-06	1.32E-03	0.37	U	8.88E-08	2.13E-06	7.78E-04	4.05E-07	9.72E-06	3.55E-03
Benzene	0.37		1.66E-07	3.98E-06	1.45E-03	0.43		1.75E-07	4.20E-06	1.53E-03	0.47		1.13E-07	2.71E-06	9.88E-04	4.53E-07	1.09E-05	3.97E-03
Bromodichloromethane	0.10	U	4.48E-08	1.07E-06	3.92E-04	0.10	U	4.07E-08	9.77E-07	3.57E-04	0.10	U	2.40E-08	5.76E-07	2.10E-04	1.09E-07	2.63E-06	9.59E-04
Bromoform	0.31	U	1.39E-07	3.33E-06	1.22E-03	0.31	U	1.26E-07	3.03E-06	1.11E-03	0.31	U	7.44E-08	1.79E-06	6.52E-04	3.39E-07	8.15E-06	2.97E-03
2-Butanone	3.50	U	1.57E-06	3.76E-05	1.37E-02	3.60		1.47E-06	3.52E-05	1.28E-02	3.50	U	8.40E-07	2.02E-05	7.36E-03	3.87E-06	9.29E-05	3.39E-02
n-Butylbenzene	0.47	U	2.10E-07	5.05E-06	1.84E-03	0.47	U	1.91E-07	4.59E-06	1.68E-03	0.47	U	1.13E-07	2.71E-06	9.88E-04	5.15E-07	1.23E-05	4.51E-03
sec-Butylbenzene	0.38	U	1.70E-07	4.08E-06	1.49E-03	0.38	U	1.55E-07	3.71E-06	1.35E-03	0.38	U	9.12E-08	2.19E-06	7.99E-04	4.16E-07	9.98E-06	3.64E-03
Carbon Tetrachloride	0.41		1.84E-07	4.41E-06	1.61E-03	0.43		1.75E-07	4.20E-06	1.53E-03	0.45		1.08E-07	2.59E-06	9.46E-04	4.67E-07	1.12E-05	4.09E-03
Chlorobenzene	0.14	U	6.27E-08	1.50E-06	5.49E-04	0.14	U	5.70E-08	1.37E-06	4.99E-04	0.14	U	3.36E-08	8.06E-07	2.94E-04	1.53E-07	3.68E-06	1.34E-03
Chloroethane	0.079	U	3.54E-08	8.49E-07	3.10E-04	0.10		4.07E-08	9.77E-07	3.57E-04	0.079	U	1.90E-08	4.55E-07	1.66E-04	9.50E-08	2.28E-06	8.32E-04
Chloroform	0.26		1.16E-07	2.79E-06	1.02E-03	0.30		1.22E-07	2.93E-06	1.07E-03	0.43		1.03E-07	2.48E-06	9.04E-04	3.42E-07	8.20E-06	2.99E-03
Chloromethane	0.12	U	5.37E-08	1.29E-06	4.71E-04	0.12	U	4.88E-08	1.17E-06	4.28E-04	0.12	U	2.88E-08	6.91E-07	2.52E-04	1.31E-07	3.15E-06	1.15E-03
Dibromochloromethane	0.13	U	5.82E-08	1.40E-06	5.10E-04	0.13	U	5.29E-08	1.27E-06	4.63E-04	0.13	U	3.12E-08	7.49E-07	2.73E-04	1.42E-07	3.42E-06	1.25E-03
1,2-Dibromoethane	0.12	U	5.37E-08	1.29E-06	4.71E-04	0.12	U	4.88E-08	1.17E-06	4.28E-04	0.12	U	2.88E-08	6.91E-07	2.52E-04	1.31E-07	3.15E-06	1.15E-03
1,2-Dichlorobenzene	0.18	U	8.06E-08	1.93E-06	7.06E-04	0.18	U	7.33E-08	1.76E-06	6.42E-04	0.18	U	4.32E-08	1.04E-06	3.78E-04	1.97E-07	4.73E-06	1.73E-03
1,3-Dichlorobenzene	0.18	U	8.06E-08	1.93E-06	7.06E-04	0.18	U	7.33E-08	1.76E-06	6.42E-04	0.18	U	4.32E-08	1.04E-06	3.78E-04	1.97E-07	4.73E-06	1.73E-03
1,4-Dichlorobenzene	0.18	U	8.06E-08	1.93E-06	7.06E-04	0.18	U	7.33E-08	1.76E-06	6.42E-04	0.18	U	4.32E-08	1.04E-06	3.78E-04	1.97E-07	4.73E-06	1.73E-03
Dichlorodifluoromethane	1.40		6.27E-07	1.50E-05	5.49E-03	1.40		5.70E-07	1.37E-05	4.99E-03	1.30		3.12E-07	7.49E-06	2.73E-03	1.51E-06	3.62E-05	1.32E-02
1,1-Dichloroethane	0.061	U	2.73E-08	6.55E-07	2.39E-04	0.061	U	2.48E-08	5.96E-07	2.17E-04	0.061	U	1.46E-08	3.51E-07	1.28E-04	6.68E-08	1.60E-06	5.85E-04
1,2-Dichloroethane	0.061	U	2.73E-08	6.55E-07	2.39E-04	0.061	U	2.48E-08	5.96E-07	2.17E-04	0.061	U	1.46E-08	3.51E-07	1.28E-04	6.68E-08	1.60E-06	5.85E-04
1,1-Dichloroethene	0.059	U	2.64E-08	6.34E-07	2.31E-04	0.059	U	2.40E-08	5.76E-07	2.10E-04	0.059	U	1.42E-08	3.40E-07	1.24E-04	6.46E-08	1.55E-06	5.66E-04
cis-1,2-Dichloroethene	0.059	U	2.64E-08	6.34E-07	2.31E-04	0.059	U	2.40E-08	5.76E-07	2.10E-04	0.25		6.00E-08	1.44E-06	5.26E-04	1.10E-07	2.65E-06	9.67E-04
trans-1,2-Dichloroethene	0.059	U	2.64E-08	6.34E-07	2.31E-04	0.059	U	2.40E-08	5.76E-07	2.10E-04	0.059	U	1.42E-08	3.40E-07	1.24E-04	6.46E-08	1.55E-06	5.66E-04
1,2-Dichloropropane	0.069	U	3.09E-08	7.41E-07	2.71E-04	0.069	U	2.81E-08	6.74E-07	2.46E-04	0.069	U	1.66E-08	3.97E-07	1.45E-04	7.55E-08	1.81E-06	6.62E-04
cis-1,3-Dichloropropene	0.068	U	3.04E-08	7.31E-07	2.67E-04	0.068	U	2.77E-08	6.64E-07	2.42E-04	0.37	U	8.88E-08	2.13E-06	7.78E-04	1.47E-07	3.53E-06	1.29E-03
trans-1,3-Dichloropropene	0.068	U	3.04E-08	7.31E-07	2.67E-04	0.068	U	2.77E-08	6.64E-07	2.42E-04	0.068	U	1.63E-08	3.92E-07	1.43E-04	7.44E-08	1.79E-06	6.52E-04
Ethylbenzene	0.17		7.61E-08	1.83E-06	6.67E-04	0.18		7.33E-08	1.76E-06	6.42E-04	0.068	U	1.63E-08	3.92E-07	1.43E-04	1.66E-07	3.98E-06	1.45E-03
Isopropylbenzene	0.37	U	1.66E-07	3.98E-06	1.45E-03	0.37	U	1.51E-07	3.61E-06	1.32E-03	0.13	U	3.12E-08	7.49E-07	2.73E-04	3.47E-07	8.34E-06	

## APPENDIX E

# Laboratory Analytical Reports



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

September 24, 2014

Ron Mack  
EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886

Project Location: Alvarez School  
Client Job Number:  
Project Number: 15066.02  
Laboratory Work Order Number: 14I0665

Enclosed are results of analyses for samples received by the laboratory on September 15, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron L. Benoit". It is written in a cursive, flowing style.

Aaron L. Benoit  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	6
Sample Preparation Information	10
QC Data	11
Air Toxics by EPA Compendium Methods	11
B105552	11
Flag/Qualifier Summary	14
Certifications	15
Chain of Custody/Sample Receipt	17



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
 2374 Post Road, Suite 102  
 Warwick, RI 02886  
 ATTN: Ron Mack

REPORT DATE: 9/24/2014

PURCHASE ORDER NUMBER: 11977

PROJECT NUMBER: 15066.02

#### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 14I0665

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Room 145	14I0665-01	Indoor air		EPA TO-15	
MP-8	14I0665-02	Indoor air		EPA TO-15	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

For method TO-15, in sample 14I0665-02; Elevated reporting limit due to insufficient sample volume. Requested reporting limit not met.

#### EPA TO-15

##### **Qualifications:**

###### **L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

###### **1,2-Dichloropropane**

14I0665-01[Room 145], 14I0665-02[MP-8], B105552-BLK1, B105552-BS1

###### **Acrylonitrile**

14I0665-01[Room 145], 14I0665-02[MP-8], B105552-BLK1, B105552-BS1

###### **Chloromethane**

14I0665-01[Room 145], 14I0665-02[MP-8], B105552-BLK1, B105552-BS1

###### **S-17**

Surrogate recovery is outside of control limits. Data validation is not affected since all associated results are less than the reporting limit and bias is on the high side.

##### **Analyte & Samples(s) Qualified:**

###### **4-Bromofluorobenzene (2)**

14I0665-01[Room 145], 14I0665-02[MP-8]

###### **V-05**

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

###### **1,2-Dichloropropane**

14I0665-01[Room 145], 14I0665-02[MP-8], B105552-BLK1, B105552-BS1

###### **Acrylonitrile**

14I0665-01[Room 145], 14I0665-02[MP-8], B105552-BLK1, B105552-BS1

###### **Chloromethane**

14I0665-01[Room 145], 14I0665-02[MP-8], B105552-BLK1, B105552-BS1

###### **Z-01**

Elevated method reporting limit due to insufficient sample volume. Requested reporting limit not met.

##### **Analyte & Samples(s) Qualified:**

14I0665-02[MP-8]



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**EPA TO-15**

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Tod E. Kopyscinski". The signature is fluid and cursive, with some variations in line thickness.

Tod E. Kopyscinski  
Laboratory Director

**ANALYTICAL RESULTS**

Project Location: Alvarez School

Date Received: 9/15/2014

**Field Sample #: Room 145****Sample ID: 14I0665-01**

Sample Matrix: Indoor air

Sampled: 9/12/2014 15:04

Sample Description/Location:

Sub Description/Location:

Canister ID: 1826

Canister Size: 6 liter

Flow Controller ID: 4079

Sample Type: 30 min

**Work Order: 14I0665**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -6.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	14	0.80		33	1.9		0.4	9/17/14 20:46	WSD
Acrylonitrile	ND	0.12	L-03, V-05	ND	0.25		0.4	9/17/14 20:46	WSD
Benzene	0.13	0.020		0.41	0.064		0.4	9/17/14 20:46	WSD
Bromodichloromethane	ND	0.010		ND	0.067		0.4	9/17/14 20:46	WSD
Bromoform	ND	0.020		ND	0.21		0.4	9/17/14 20:46	WSD
2-Butanone (MEK)	0.87	0.80		2.6	2.4		0.4	9/17/14 20:46	WSD
n-Butylbenzene	ND	0.058		ND	0.32		0.4	9/17/14 20:46	WSD
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	9/17/14 20:46	WSD
Carbon Tetrachloride	0.074	0.010		0.47	0.063		0.4	9/17/14 20:46	WSD
Chlorobenzene	ND	0.020		ND	0.092		0.4	9/17/14 20:46	WSD
Chloroethane	ND	0.020		ND	0.053		0.4	9/17/14 20:46	WSD
Chloroform	0.022	0.010		0.11	0.049		0.4	9/17/14 20:46	WSD
Chloromethane	0.52	0.040	L-03, V-05	1.1	0.083		0.4	9/17/14 20:46	WSD
Dibromochloromethane	ND	0.010		ND	0.085		0.4	9/17/14 20:46	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	9/17/14 20:46	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	9/17/14 20:46	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	9/17/14 20:46	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	9/17/14 20:46	WSD
Dichlorodifluoromethane (Freon 12)	0.48	0.020		2.4	0.099		0.4	9/17/14 20:46	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	9/17/14 20:46	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	9/17/14 20:46	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	9/17/14 20:46	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	9/17/14 20:46	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	9/17/14 20:46	WSD
1,2-Dichloropropane	ND	0.010	L-03, V-05	ND	0.046		0.4	9/17/14 20:46	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	9/17/14 20:46	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	9/17/14 20:46	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	9/17/14 20:46	WSD
Ethylbenzene	0.035	0.020		0.15	0.087		0.4	9/17/14 20:46	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	9/17/14 20:46	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	9/17/14 20:46	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	9/17/14 20:46	WSD
Methylene Chloride	0.30	0.20		1.0	0.69		0.4	9/17/14 20:46	WSD
4-Methyl-2-pentanone (MIBK)	0.061	0.020		0.25	0.082		0.4	9/17/14 20:46	WSD
Styrene	0.032	0.020		0.13	0.085		0.4	9/17/14 20:46	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25		0.4	9/17/14 20:46	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	9/17/14 20:46	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez School

Date Received: 9/15/2014

**Field Sample #: Room 145****Sample ID: 1410665-01**

Sample Matrix: Indoor air

Sampled: 9/12/2014 15:04

Sample Description/Location:

Sub Description/Location:

Canister ID: 1826

Canister Size: 6 liter

Flow Controller ID: 4079

Sample Type: 30 min

**Work Order: 1410665**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -6.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.012	0.010		0.084	0.068		0.4	9/17/14 20:46	WSD
Toluene	0.25	0.020		0.93	0.075		0.4	9/17/14 20:46	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	9/17/14 20:46	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	9/17/14 20:46	WSD
Trichloroethylene	ND	0.010		ND	0.054		0.4	9/17/14 20:46	WSD
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11		0.4	9/17/14 20:46	WSD
1,2,4-Trimethylbenzene	0.025	0.020		0.12	0.098		0.4	9/17/14 20:46	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	9/17/14 20:46	WSD
Vinyl Chloride	ND	0.010		ND	0.026		0.4	9/17/14 20:46	WSD
m&p-Xylene	0.077	0.040		0.33	0.17		0.4	9/17/14 20:46	WSD
o-Xylene	0.030	0.020		0.13	0.087		0.4	9/17/14 20:46	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	117	70-130		9/17/14 20:46
4-Bromofluorobenzene (2)	136*	S-17	70-130	9/17/14 20:46

**ANALYTICAL RESULTS**

Project Location: Alvarez School

Date Received: 9/15/2014

**Field Sample #:** MP-8**Sample ID:** 1410665-02

Sample Matrix: Indoor air

Sampled: 9/12/2014 15:26

Sample Description/Location:

Sub Description/Location:

Canister ID: 1841

Canister Size: 6 liter

Flow Controller ID: 4080

Sample Type: 30 min

**Work Order:** 1410665

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -9.5

Receipt Vacuum(in Hg): -10.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Sample Flags: Z-01

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	6.1	1.2		15	2.9		0.6	9/17/14 21:37	WSD
Acrylonitrile	ND	0.17	L-03, V-05	ND	0.37		0.6	9/17/14 21:37	WSD
Benzene	0.13	0.030		0.43	0.096		0.6	9/17/14 21:37	WSD
Bromodichloromethane	ND	0.015		ND	0.10		0.6	9/17/14 21:37	WSD
Bromoform	ND	0.030		ND	0.31		0.6	9/17/14 21:37	WSD
2-Butanone (MEK)	2.4	1.2		7.0	3.5		0.6	9/17/14 21:37	WSD
n-Butylbenzene	ND	0.086		ND	0.47		0.6	9/17/14 21:37	WSD
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	9/17/14 21:37	WSD
Carbon Tetrachloride	0.069	0.015		0.43	0.094		0.6	9/17/14 21:37	WSD
Chlorobenzene	ND	0.030		ND	0.14		0.6	9/17/14 21:37	WSD
Chloroethane	ND	0.030		ND	0.079		0.6	9/17/14 21:37	WSD
Chloroform	0.024	0.015		0.12	0.073		0.6	9/17/14 21:37	WSD
Chloromethane	ND	0.060	L-03, V-05	ND	0.12		0.6	9/17/14 21:37	WSD
Dibromochloromethane	ND	0.015		ND	0.13		0.6	9/17/14 21:37	WSD
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	9/17/14 21:37	WSD
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	9/17/14 21:37	WSD
1,3-Dichlorobenzene	0.14	0.030		0.82	0.18		0.6	9/17/14 21:37	WSD
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	9/17/14 21:37	WSD
Dichlorodifluoromethane (Freon 12)	0.47	0.030		2.3	0.15		0.6	9/17/14 21:37	WSD
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	9/17/14 21:37	WSD
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	9/17/14 21:37	WSD
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	9/17/14 21:37	WSD
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	9/17/14 21:37	WSD
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	9/17/14 21:37	WSD
1,2-Dichloropropane	ND	0.015	L-03, V-05	ND	0.069		0.6	9/17/14 21:37	WSD
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	9/17/14 21:37	WSD
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	9/17/14 21:37	WSD
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	9/17/14 21:37	WSD
Ethylbenzene	0.18	0.030		0.79	0.13		0.6	9/17/14 21:37	WSD
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	9/17/14 21:37	WSD
p-Isopropyltoluene (p-Cymene)	0.12	0.068		0.66	0.38		0.6	9/17/14 21:37	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	9/17/14 21:37	WSD
Methylene Chloride	0.34	0.30		1.2	1.0		0.6	9/17/14 21:37	WSD
4-Methyl-2-pentanone (MIBK)	0.11	0.030		0.44	0.12		0.6	9/17/14 21:37	WSD
Styrene	0.19	0.030		0.81	0.13		0.6	9/17/14 21:37	WSD
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	9/17/14 21:37	WSD
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	9/17/14 21:37	WSD

**ANALYTICAL RESULTS**

Project Location: Alvarez School

Date Received: 9/15/2014

**Field Sample #:** MP-8**Sample ID:** 1410665-02

Sample Matrix: Indoor air

Sampled: 9/12/2014 15:26

Sample Description/Location:

Sub Description/Location:

Canister ID: 1841

Canister Size: 6 liter

Flow Controller ID: 4080

Sample Type: 30 min

**Work Order:** 1410665

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -9.5

Receipt Vacuum(in Hg): -10.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Sample Flags: Z-01

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.050	0.015		0.34	0.10		0.6	9/17/14 21:37	WSD
Toluene	0.41	0.030		1.5	0.11		0.6	9/17/14 21:37	WSD
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	9/17/14 21:37	WSD
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	9/17/14 21:37	WSD
Trichloroethylene	0.055	0.015		0.30	0.081		0.6	9/17/14 21:37	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.030		1.5	0.17		0.6	9/17/14 21:37	WSD
1,2,4-Trimethylbenzene	0.24	0.030		1.2	0.15		0.6	9/17/14 21:37	WSD
1,3,5-Trimethylbenzene	0.031	0.030		0.15	0.15		0.6	9/17/14 21:37	WSD
Vinyl Chloride	ND	0.015		ND	0.038		0.6	9/17/14 21:37	WSD
m&p-Xylene	0.30	0.060		1.3	0.26		0.6	9/17/14 21:37	WSD
o-Xylene	0.12	0.030		0.52	0.13		0.6	9/17/14 21:37	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	113	70-130		9/17/14 21:37
4-Bromofluorobenzene (2)	132*	S-17	70-130	9/17/14 21:37



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
14I0665-01 [Room 145]	B105552	1	1	N/A	1000	400	1000	09/17/14
14I0665-02 [MP-8]	B105552	1.5	1	N/A	1000	400	1000	09/17/14



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### QUALITY CONTROL

#### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B105552 - TO-15 Prep**

<b>Blank (B105552-BLK1)</b>	Prepared & Analyzed: 09/17/14									
Acetone	ND	0.80								
Acrylonitrile	ND	0.12								L-03, V-05
Benzene	ND	0.020								
Bromodichloromethane	ND	0.010								
Bromoform	ND	0.020								
2-Butanone (MEK)	ND	0.80								
n-Butylbenzene	ND	0.058								
sec-Butylbenzene	ND	0.046								
Carbon Tetrachloride	ND	0.010								
Chlorobenzene	ND	0.020								
Chloroethane	ND	0.020								
Chloroform	ND	0.010								
Chloromethane	ND	0.040								L-03, V-05
Dibromochloromethane	ND	0.010								
1,2-Dibromoethane (EDB)	ND	0.010								
1,2-Dichlorobenzene	ND	0.020								
1,3-Dichlorobenzene	ND	0.020								
1,4-Dichlorobenzene	ND	0.020								
Dichlorodifluoromethane (Freon 12)	ND	0.020								
1,1-Dichloroethane	ND	0.010								
1,2-Dichloroethane	ND	0.010								
1,1-Dichloroethylene	ND	0.010								
cis-1,2-Dichloroethylene	ND	0.010								
trans-1,2-Dichloroethylene	ND	0.010								
1,2-Dichloropropane	ND	0.010								L-03, V-05
1,3-Dichloropropane	ND	0.054								
cis-1,3-Dichloropropene	ND	0.010								
trans-1,3-Dichloropropene	ND	0.010								
Ethylbenzene	ND	0.020								
Isopropylbenzene (Cumene)	ND	0.051								
p-Isopropyltoluene (p-Cymene)	ND	0.046								
Methyl tert-Butyl Ether (MTBE)	ND	0.020								
Methylene Chloride	ND	0.20								
4-Methyl-2-pentanone (MIBK)	ND	0.020								
Styrene	ND	0.020								
1,1,1,2-Tetrachloroethane	ND	0.036								
1,1,2,2-Tetrachloroethane	ND	0.010								
Tetrachloroethylene	ND	0.010								
Toluene	ND	0.020								
1,1,1-Trichloroethane	ND	0.010								
1,1,2-Trichloroethane	ND	0.010								
Trichloroethylene	ND	0.010								
Trichlorofluoromethane (Freon 11)	ND	0.020								
1,2,4-Trimethylbenzene	ND	0.020								
1,3,5-Trimethylbenzene	ND	0.020								
Vinyl Chloride	ND	0.010								



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### QUALITY CONTROL

#### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

**Batch B105552 - TO-15 Prep**

<b>Blank (B105552-BLK1)</b>	Prepared & Analyzed: 09/17/14									
m&p-Xylene	ND	0.040								
o-Xylene	ND	0.020								
Surrogate: 4-Bromofluorobenzene (1)	8.45		8.00		106	70-130				
Surrogate: 4-Bromofluorobenzene (2)	9.12		8.00		114	70-130				
<b>LCS (B105552-BS1)</b>	Prepared & Analyzed: 09/17/14									
Acetone	4.59		5.00		91.8	70-130				
Acrylonitrile	1.95		2.88		67.7 *	70-130				L-03, V-05
Benzene	3.68		5.00		73.6	70-130				
Bromodichloromethane	3.92		5.00		78.3	70-130				
Bromoform	4.76		5.00		95.2	70-130				
2-Butanone (MEK)	4.85		5.00		97.0	70-130				
n-Butylbenzene	1.14		1.14		100	70-130				
sec-Butylbenzene	1.10		1.14		96.8	70-130				
Carbon Tetrachloride	4.45		5.00		89.0	70-130				
Chlorobenzene	4.30		5.00		86.1	70-130				
Chloroethane	3.96		5.00		79.3	70-130				
Chloroform	4.51		5.00		90.1	70-130				
Chloromethane	3.08		5.00		61.6 *	70-130				L-03, V-05
Dibromochloromethane	4.59		5.00		91.8	70-130				
1,2-Dibromoethane (EDB)	4.04		5.00		80.8	70-130				
1,2-Dichlorobenzene	4.66		5.00		93.3	70-130				
1,3-Dichlorobenzene	4.78		5.00		95.6	70-130				
1,4-Dichlorobenzene	4.77		5.00		95.3	70-130				
Dichlorodifluoromethane (Freon 12)	4.63		5.00		92.7	70-130				
1,1-Dichloroethane	4.20		5.00		84.1	70-130				
1,2-Dichloroethane	4.40		5.00		88.1	70-130				
1,1-Dichloroethylene	4.28		5.00		85.6	70-130				
cis-1,2-Dichloroethylene	4.16		5.00		83.3	70-130				
trans-1,2-Dichloroethylene	4.04		5.00		80.9	70-130				
1,2-Dichloropropane	3.41		5.00		68.2 *	70-130				L-03, V-05
1,3-Dichloropropane	1.29		1.35		95.3	70-130				
cis-1,3-Dichloropropene	3.98		5.00		79.7	70-130				
trans-1,3-Dichloropropene	4.16		5.00		83.2	70-130				
Ethylbenzene	4.42		5.00		88.5	70-130				
Isopropylbenzene (Cumene)	1.22		1.27		96.4	70-130				
p-Isopropyltoluene (p-Cymene)	1.14		1.14		99.7	70-130				
Methyl tert-Butyl Ether (MTBE)	4.42		5.00		88.5	70-130				
Methylene Chloride	4.02		5.00		80.4	70-130				
4-Methyl-2-pentanone (MIBK)	3.61		5.00		72.1	70-130				
Styrene	4.31		5.00		86.1	70-130				
1,1,1,2-Tetrachloroethane	1.02		0.910		113	70-130				
1,1,2,2-Tetrachloroethane	3.72		5.00		74.3	70-130				
Tetrachloroethylene	4.68		5.00		93.6	70-130				
Toluene	4.26		5.00		85.2	70-130				
1,1,1-Trichloroethane	4.12		5.00		82.4	70-130				
1,1,2-Trichloroethane	3.96		5.00		79.3	70-130				



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	-------	-----------

**Batch B105552 - TO-15 Prep**

<b>LCS (B105552-BS1)</b>						Prepared & Analyzed: 09/17/14					
Trichlorethylene	3.89				5.00		77.8	70-130			
Trichlorofluoromethane (Freon 11)	4.91				5.00		98.3	70-130			
1,2,4-Trimethylbenzene	4.45				5.00		89.1	70-130			
1,3,5-Trimethylbenzene	4.64				5.00		92.9	70-130			
Vinyl Chloride	3.81				5.00		76.3	70-130			
m&p-Xylene	9.35				10.0		93.5	70-130			
o-Xylene	4.48				5.00		89.7	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.98				8.00		112	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	9.52				8.00		119	70-130			



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

- L-03 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
- S-17 Surrogate recovery is outside of control limits. Data validation is not affected since all associated results are less than the reporting limit and bias is on the high side.
- V-05 Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
- Z-01 Elevated method reporting limit due to insufficient sample volume. Requested reporting limit not met.

**CERTIFICATIONS****Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

##### EPA TO-15 in Air

o-Xylene	AIHA,FL,NJ,NY,VA
----------	------------------

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:


Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015



**AIR SAMPLE CHAIN OF CUSTODY  
RECORD**


**39 SPRUCE ST  
EAST LONGMEAD**

Page 1 of 1  
DOC#284  
Rev. Feb 2014

 <b>con-test®</b> ANALYTICAL LABORATORY <a href="http://www.contestlabs.com">www.contestlabs.com</a>						<b>AIR SAMPLE CHAIN OF CUSTODY RECORD</b> <b>EAST LONGMEADOW, MA 01028</b> <b>39 SPRUCE ST</b> <b>Page 1 of 1</b> <b>DOC#284</b> <b>Rev. Feb 2014</b>	
<b>Company Name:</b> EA Engineering <b>Address:</b> 2374 Post Rd, Suite 102 <b>Project #</b> 1506602 <b>Client PO #</b> _____		<b>Telephone:</b> 401-736-3440 x1010 <b>Sampled By:</b> Ron Mack / Catherine Swanson <b>Proposal Provided? (for Billing purposes)</b>		<input type="checkbox"/> yes <input type="checkbox"/> proposal date			
<b>Project Location:</b> Alvarez School <b>Sampled By:</b> Catherine Swanson		<b>DATA DELIVERY (check one):</b> <input checked="" type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> WEBSITE CLIENT <b>Email:</b> rmack@east.com, catherine@contest.com <b>Format:</b> <input type="checkbox"/> EXCEL <input checked="" type="checkbox"/> PDF <input type="checkbox"/> GIS KEY <input type="checkbox"/> OTHER		<b>ANALYSIS REQUESTED</b>			
<b>Date Sampled</b>		<b>ONLY USE WHEN USING PUMPS</b>		<b>"Hg</b>			
Start	Stop	Total	Flow Rate	Volume	Minutes	M <sup>3</sup> /Min. or L/Min.	Matrix Code*
Date Time	Date Time	Sampled	L/MIN.	M <sup>3</sup>	L/MIN.	M <sup>3</sup>	Code*
9-12-14 1433	9-12-14 1504	31	1A	X	30	0	6.3
9-12-14 1456	9-12-14 1526	30	52	Y	29	0.5	16.5
TO-15 SIM							
<b>Field ID</b> <b>Sample Description</b> <b>Media</b> <b>Lab #</b>		<b>U U U U</b> <b>R R R R</b> <b>S S S S</b> <b>U U U U</b> <b>U U U U</b> <b>S S S S</b>		<b>Summa Canister ID</b>		<b>Flow Controller ID</b>	
<b>Received by (signature)</b> <i>Cathie Swanson</i> <b>Date/Time:</b> 9/15/14		<b>Turnaround**</b> <input checked="" type="checkbox"/> 7-Day <input checked="" type="checkbox"/> 10-Day <input type="checkbox"/> Other _____		<b>Special Requirements</b> <b>Regulations:</b> RI's must meet CT V/CAS <b>Data Enhancement:</b> RCP2 <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <b>Enhanced Data Package</b> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <b>(Surcharge Applies)</b> <b>Required Detection Limits:</b> per contract <b>Other:</b> 1,2 DCA RI is 0.04 mg/m <sup>3</sup> <b>Approval Required</b> <input type="checkbox"/> O = other		<b>Media Codes</b> <b>SG = SOIL GAS</b> <b>IA = INDOOR AIR</b> <b>AMB = AMBIENT</b> <b>SS = SUB SLAB</b> <b>D = DUP</b> <b>BL = BLANK</b> <b>C = cassette</b> <b>O = Other</b>	
<b>Laboratory Comments:</b>		<b>CLIENT COMMENTS:</b>					
<small>** TURNAROUND TIME STARTS AT 9:00 AM. THE DAY AFTER SAMPLE RECEIVED UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. NELAC &amp; AIHA-LAP, LLC Accredited/WBE/DBE Certified</small>							

**Page 2 of 2**  
**Login Sample Receipt Checklist**  
**(Rejection Criteria Listing - Using Sample Acceptance Policy)**  
**Any False statement will be brought to the attention of Client**

<u>Question</u>	<u>Answer (True/False)</u>	<u>Comment</u>
	T/F/NA	
1) The cooler's custody seal, if present, is intact.	NA	
2) The cooler or samples do not appear to have been compromised or tampered with.	T	
3) Samples were received on ice.	NA	
4) Cooler Temperature is acceptable.	NA	
5) Cooler Temperature is recorded.	NA	
6) COC is filled out in ink and legible.	T	
7) COC is filled out with all pertinent information.	T	
8) Field Sampler's name present on COC.	T	
9) There are no discrepancies between the sample IDs on the container and the COC.	T	
10) Samples are received within Holding Time.	T	
11) Sample containers have legible labels.	T	
12) Containers are not broken or leaking.	T	
13) Air Cassettes are not broken/open.	NA	
14) Sample collection date/times are provided.	T	
15) Appropriate sample containers are used.	NA T	
16) Proper collection media used.	NA T	
17) No headspace sample bottles are completely filled.	T NA	
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	NA T	
19) Trip blanks provided if applicable.	NA	
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA	
21) Samples do not require splitting or compositing.	T	



[www.contestlabs.com](http://www.contestlabs.com)



Page 1 of 2

39 Spruce St.  
East Longmeadow, MA.  
01028  
P: 413-525-2332  
F: 413-525-6405

## AIR Only Receipt Checklist

CLIENT NAME: EA Eng

RECEIVED BY: PB

DATE: 9.15.14

1) Was the chain(s) of custody relinquished and signed?

Yes  No

2) Does the chain agree with the samples?

Yes  No

If not, explain:

3) Are all the samples in good condition?

Yes  No

If not, explain:

4) Are there any samples "On Hold"?

Yes  No

Stored where: \_\_\_\_\_

5) Are there any RUSH or SHORT HOLDING TIME samples?

Yes  No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored:

Air Lab

Permission to subcontract samples? Yes No

(Walk-in clients only) if not already approved

Client Signature: \_\_\_\_\_

7) Number of cans Individually Certified or Batch Certified? None

### Containers received at Con-Test

		# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)		2	6 lit
Tedlar Bags			
TO-17 Tubes			
Regulators		2	30 min
Restrictors			
Hg/Hopcalite Tube (NIOSH 6009)			
(TO-4A/ TO-10A/TO-13) PUFs			
PCB Florisil Tubes (NIOSH 5503)			
Air cassette			
PM 2.5/PM 10			
TO-11A Cartridges			
Other			

Unused Summas/PUF Media:

Unused Regulators:

1) Was all media (used & unused) checked into the WASP?

2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:

1826 4079  
1841 4080



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

November 12, 2014

Frank Postma  
EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886

Project Location: Alvarez  
Client Job Number:  
Project Number: 15066.01  
Laboratory Work Order Number: 14J1263

Enclosed are results of analyses for samples received by the laboratory on October 23, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Aaron L. Benoit". It is written in a cursive style with some variations in thickness and line weight.

Aaron L. Benoit  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	43
QC Data	44
Air Toxics by EPA Compendium Methods	44
B109431	44
Flag/Qualifier Summary	48
Certifications	49
Chain of Custody/Sample Receipt	51



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
2374 Post Road, Suite 102  
Warwick, RI 02886  
ATTN: Frank Postma

REPORT DATE: 11/12/2014

PURCHASE ORDER NUMBER: 11977

PROJECT NUMBER: 15066.01

#### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 14J1263

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Rooftop Fan 3	14J1263-01	Soil Gas		EPA TO-15	
Rooftop Fan 2	14J1263-02	Soil Gas		EPA TO-15	
Rooftop Fan 1	14J1263-03	Soil Gas		EPA TO-15	
Ambient Outdoor Air	14J1263-04	Ambient Air		EPA TO-15	
MP-2	14J1263-05	Sub Slab		EPA TO-15	
MP-5	14J1263-06	Sub Slab		EPA TO-15	
MP-6	14J1263-07	Sub Slab		EPA TO-15	
MP-7	14J1263-08	Sub Slab		EPA TO-15	
MP-8	14J1263-09	Sub Slab		EPA TO-15	
IMP-1	14J1263-10	Sub Slab		EPA TO-15	
IMP-2	14J1263-11	Sub Slab		EPA TO-15	
Gymnasium	14J1263-12	Indoor air		EPA TO-15	
Cafeteria	14J1263-13	Indoor air		EPA TO-15	
Kitchen Storage	14J1263-14	Indoor air		EPA TO-15	
Elevator Hallway	14J1263-15	Indoor air		EPA TO-15	
Room 145	14J1263-16	Indoor air		EPA TO-15	
Room 118	14J1263-17	Indoor air		EPA TO-15	
Room 152	14J1263-18	Indoor air		EPA TO-15	
Room 110	14J1263-19	Indoor air		EPA TO-15	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

#### EPA TO-15

##### **Qualifications:**

###### **L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

###### **Acrylonitrile**

14J1263-01[Rooftop Fan 3], 14J1263-02[Rooftop Fan 2], 14J1263-03[Rooftop Fan 1], 14J1263-04[Ambient Outdoor Air], 14J1263-05[MP-2], 14J1263-06[MP-5], 14J1263-07[MP-6], 14J1263-08[MP-7], 14J1263-09[MP-8], 14J1263-10[IMP-1], 14J1263-11[IMP-2], 14J1263-12[Gymnasium], 14J1263-13[Cafeteria], 14J1263-14[Kitchen Storage], 14J1263-15[Elevator Hallway], 14J1263-16[Room 145], 14J1263-17[Room 118], 14J1263-18[Room 152], 14J1263-19[Room 110], B109431-BLK1, B109431-BS1, B109431-DUP1

###### **Chloromethane**

14J1263-01[Rooftop Fan 3], 14J1263-02[Rooftop Fan 2], 14J1263-03[Rooftop Fan 1], 14J1263-04[Ambient Outdoor Air], 14J1263-05[MP-2], 14J1263-06[MP-5], 14J1263-07[MP-6], 14J1263-08[MP-7], 14J1263-09[MP-8], 14J1263-10[IMP-1], 14J1263-11[IMP-2], 14J1263-12[Gymnasium], 14J1263-13[Cafeteria], 14J1263-14[Kitchen Storage], 14J1263-15[Elevator Hallway], 14J1263-16[Room 145], 14J1263-17[Room 118], 14J1263-18[Room 152], 14J1263-19[Room 110], B109431-BLK1, B109431-BS1, B109431-DUP1

###### **p-Isopropyltoluene (p-Cymene)**

14J1263-01[Rooftop Fan 3], 14J1263-02[Rooftop Fan 2], 14J1263-03[Rooftop Fan 1], 14J1263-04[Ambient Outdoor Air], 14J1263-05[MP-2], 14J1263-06[MP-5], 14J1263-07[MP-6], 14J1263-08[MP-7], 14J1263-09[MP-8], 14J1263-10[IMP-1], 14J1263-11[IMP-2], 14J1263-12[Gymnasium], 14J1263-13[Cafeteria], 14J1263-14[Kitchen Storage], 14J1263-15[Elevator Hallway], 14J1263-16[Room 145], 14J1263-17[Room 118], 14J1263-18[Room 152], 14J1263-19[Room 110], B109431-BLK1, B109431-BS1, B109431-DUP1

#### EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Johanna K. Harrington

Manager, Laboratory Reporting

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Rooftop Fan 3**Sample ID:** 14J1263-01

Sample Matrix: Soil Gas

Sampled: 10/22/2014 09:19

Sample Description/Location:

Sub Description/Location:

Canister ID: 1019

Canister Size: 6 liter

Flow Controller ID: 4106

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -7

Receipt Vacuum(in Hg): -7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	6.2	1.2		15	2.9		0.6	11/10/14 20:55	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/10/14 20:55	TPH
Benzene	0.15	0.030		0.47	0.096		0.6	11/10/14 20:55	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/10/14 20:55	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/10/14 20:55	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/10/14 20:55	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/10/14 20:55	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/10/14 20:55	TPH
Carbon Tetrachloride	0.072	0.015		0.45	0.094		0.6	11/10/14 20:55	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/10/14 20:55	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/10/14 20:55	TPH
Chloroform	0.088	0.015		0.43	0.073		0.6	11/10/14 20:55	TPH
Chloromethane	ND	0.060	L-03	ND	0.12		0.6	11/10/14 20:55	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/10/14 20:55	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/10/14 20:55	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 20:55	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 20:55	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 20:55	TPH
Dichlorodifluoromethane (Freon 12)	0.27	0.030		1.3	0.15		0.6	11/10/14 20:55	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 20:55	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 20:55	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 20:55	TPH
cis-1,2-Dichloroethylene	0.062	0.015		0.25	0.059		0.6	11/10/14 20:55	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 20:55	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/10/14 20:55	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/10/14 20:55	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 20:55	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 20:55	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/10/14 20:55	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/10/14 20:55	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/10/14 20:55	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/10/14 20:55	TPH
Methylene Chloride	ND	0.30		ND	1.0		0.6	11/10/14 20:55	TPH
4-Methyl-2-pentanone (MIBK)	0.039	0.030		0.16	0.12		0.6	11/10/14 20:55	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/10/14 20:55	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/10/14 20:55	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/10/14 20:55	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Rooftop Fan 3**Sample ID:** 14J1263-01

Sample Matrix: Soil Gas

Sampled: 10/22/2014 09:19

Sample Description/Location:

Sub Description/Location:

Canister ID: 1019

Canister Size: 6 liter

Flow Controller ID: 4106

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -7

Receipt Vacuum(in Hg): -7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	14	0.015		92	0.10		0.6	11/10/14 20:55	TPH
Toluene	0.12	0.030		0.44	0.11		0.6	11/10/14 20:55	TPH
1,1,1-Trichloroethane	0.16	0.015		0.90	0.082		0.6	11/10/14 20:55	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/10/14 20:55	TPH
Trichloroethylene	8.1	0.015		44	0.081		0.6	11/10/14 20:55	TPH
Trichlorofluoromethane (Freon 11)	3.4	0.030		19	0.17		0.6	11/10/14 20:55	TPH
1,2,4-Trimethylbenzene	0.10	0.030		0.51	0.15		0.6	11/10/14 20:55	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/10/14 20:55	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/10/14 20:55	TPH
m&p-Xylene	0.092	0.060		0.40	0.26		0.6	11/10/14 20:55	TPH
o-Xylene	0.034	0.030		0.15	0.13		0.6	11/10/14 20:55	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/10/14 20:55
4-Bromofluorobenzene (2)	96.5	70-130	11/10/14 20:55

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Rooftop Fan 2**Sample ID:** 14J1263-02

Sample Matrix: Soil Gas

Sampled: 10/22/2014 10:10

Sample Description/Location:

Sub Description/Location:

Canister ID: 1342

Canister Size: 6 liter

Flow Controller ID: 4208

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.5	1.2		20	2.9		0.6	11/10/14 21:43	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/10/14 21:43	TPH
Benzene	0.14	0.030		0.43	0.096		0.6	11/10/14 21:43	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/10/14 21:43	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/10/14 21:43	TPH
2-Butanone (MEK)	1.2	1.2		3.6	3.5		0.6	11/10/14 21:43	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/10/14 21:43	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/10/14 21:43	TPH
Carbon Tetrachloride	0.068	0.015		0.43	0.094		0.6	11/10/14 21:43	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/10/14 21:43	TPH
Chloroethane	0.038	0.030		0.100	0.079		0.6	11/10/14 21:43	TPH
Chloroform	0.061	0.015		0.30	0.073		0.6	11/10/14 21:43	TPH
Chloromethane	ND	0.060	L-03	ND	0.12		0.6	11/10/14 21:43	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/10/14 21:43	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/10/14 21:43	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 21:43	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 21:43	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 21:43	TPH
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/10/14 21:43	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 21:43	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 21:43	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 21:43	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 21:43	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 21:43	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/10/14 21:43	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/10/14 21:43	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 21:43	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 21:43	TPH
Ethylbenzene	0.041	0.030		0.18	0.13		0.6	11/10/14 21:43	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/10/14 21:43	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/10/14 21:43	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/10/14 21:43	TPH
Methylene Chloride	0.41	0.30		1.4	1.0		0.6	11/10/14 21:43	TPH
4-Methyl-2-pentanone (MIBK)	0.076	0.030		0.31	0.12		0.6	11/10/14 21:43	TPH
Styrene	0.047	0.030		0.20	0.13		0.6	11/10/14 21:43	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/10/14 21:43	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/10/14 21:43	TPH

## ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Rooftop Fan 2**Sample ID:** 14J1263-02

Sample Matrix: Soil Gas

Sampled: 10/22/2014 10:10

Sample Description/Location:

Sub Description/Location:

Canister ID: 1342

Canister Size: 6 liter

Flow Controller ID: 4208

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	1.1	0.015		7.5	0.10		0.6	11/10/14 21:43	TPH
Toluene	0.26	0.030		1.00	0.11		0.6	11/10/14 21:43	TPH
1,1,1-Trichloroethane	0.19	0.015		1.0	0.082		0.6	11/10/14 21:43	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/10/14 21:43	TPH
Trichloroethylene	13	0.015		69	0.081		0.6	11/10/14 21:43	TPH
Trichlorofluoromethane (Freon 11)	17	0.030		94	0.17		0.6	11/10/14 21:43	TPH
1,2,4-Trimethylbenzene	0.092	0.030		0.45	0.15		0.6	11/10/14 21:43	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/10/14 21:43	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/10/14 21:43	TPH
m&p-Xylene	0.13	0.060		0.58	0.26		0.6	11/10/14 21:43	TPH
o-Xylene	0.047	0.030		0.20	0.13		0.6	11/10/14 21:43	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/10/14 21:43
4-Bromofluorobenzene (2)	101	70-130	11/10/14 21:43

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Rooftop Fan 1**Sample ID:** 14J1263-03

Sample Matrix: Soil Gas

Sampled: 10/22/2014 10:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 1675

Canister Size: 6 liter

Flow Controller ID: 4209

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -4.5

Receipt Vacuum(in Hg): -3.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	7.4	1.2		17	2.9		0.6	11/10/14 22:32	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/10/14 22:32	TPH
Benzene	0.12	0.030		0.37	0.096		0.6	11/10/14 22:32	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/10/14 22:32	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/10/14 22:32	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/10/14 22:32	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/10/14 22:32	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/10/14 22:32	TPH
Carbon Tetrachloride	0.065	0.015		0.41	0.094		0.6	11/10/14 22:32	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/10/14 22:32	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/10/14 22:32	TPH
Chloroform	0.054	0.015		0.26	0.073		0.6	11/10/14 22:32	TPH
Chloromethane	ND	0.060	L-03	ND	0.12		0.6	11/10/14 22:32	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/10/14 22:32	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/10/14 22:32	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 22:32	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 22:32	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 22:32	TPH
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/10/14 22:32	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 22:32	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 22:32	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 22:32	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 22:32	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 22:32	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/10/14 22:32	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/10/14 22:32	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 22:32	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 22:32	TPH
Ethylbenzene	0.038	0.030		0.17	0.13		0.6	11/10/14 22:32	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/10/14 22:32	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/10/14 22:32	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/10/14 22:32	TPH
Methylene Chloride	0.43	0.30		1.5	1.0		0.6	11/10/14 22:32	TPH
4-Methyl-2-pentanone (MIBK)	0.057	0.030		0.23	0.12		0.6	11/10/14 22:32	TPH
Styrene	0.046	0.030		0.20	0.13		0.6	11/10/14 22:32	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/10/14 22:32	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/10/14 22:32	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Rooftop Fan 1**Sample ID:** 14J1263-03

Sample Matrix: Soil Gas

Sampled: 10/22/2014 10:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 1675

Canister Size: 6 liter

Flow Controller ID: 4209

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -4.5

Receipt Vacuum(in Hg): -3.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	3.1	0.015		21	0.10		0.6	11/10/14 22:32	TPH
Toluene	0.27	0.030		1.0	0.11		0.6	11/10/14 22:32	TPH
1,1,1-Trichloroethane	0.34	0.015		1.8	0.082		0.6	11/10/14 22:32	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/10/14 22:32	TPH
Trichloroethylene	12	0.015		66	0.081		0.6	11/10/14 22:32	TPH
Trichlorofluoromethane (Freon 11)	11	0.030		59	0.17		0.6	11/10/14 22:32	TPH
1,2,4-Trimethylbenzene	0.12	0.030		0.58	0.15		0.6	11/10/14 22:32	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/10/14 22:32	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/10/14 22:32	TPH
m&p-Xylene	0.14	0.060		0.61	0.26		0.6	11/10/14 22:32	TPH
o-Xylene	0.049	0.030		0.21	0.13		0.6	11/10/14 22:32	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/10/14 22:32
4-Bromofluorobenzene (2)	105	70-130	11/10/14 22:32

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Ambient Outdoor Air**Sample ID:** 14J1263-04

Sample Matrix: Ambient Air

Sampled: 10/22/2014 09:29

Sample Description/Location:

Sub Description/Location:

Canister ID: 1638

Canister Size: 6 liter

Flow Controller ID: 4212

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -4.5

Receipt Vacuum(in Hg): -3.6

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	5.5	1.2		13	2.9		0.6	11/10/14 23:20	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/10/14 23:20	TPH
Benzene	0.13	0.030		0.42	0.096		0.6	11/10/14 23:20	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/10/14 23:20	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/10/14 23:20	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/10/14 23:20	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/10/14 23:20	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/10/14 23:20	TPH
Carbon Tetrachloride	0.065	0.015		0.41	0.094		0.6	11/10/14 23:20	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/10/14 23:20	TPH
Chloroethane	0.036	0.030		0.095	0.079		0.6	11/10/14 23:20	TPH
Chloroform	0.032	0.015		0.16	0.073		0.6	11/10/14 23:20	TPH
Chloromethane	0.43	0.060	L-03	0.89	0.12		0.6	11/10/14 23:20	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/10/14 23:20	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/10/14 23:20	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 23:20	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 23:20	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/10/14 23:20	TPH
Dichlorodifluoromethane (Freon 12)	0.30	0.030		1.5	0.15		0.6	11/10/14 23:20	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 23:20	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/10/14 23:20	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 23:20	TPH
cis-1,2-Dichloroethylene	0.061	0.015		0.24	0.059		0.6	11/10/14 23:20	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/10/14 23:20	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/10/14 23:20	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/10/14 23:20	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 23:20	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/10/14 23:20	TPH
Ethylbenzene	0.048	0.030		0.21	0.13		0.6	11/10/14 23:20	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/10/14 23:20	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/10/14 23:20	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/10/14 23:20	TPH
Methylene Chloride	0.38	0.30		1.3	1.0		0.6	11/10/14 23:20	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/10/14 23:20	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/10/14 23:20	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/10/14 23:20	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/10/14 23:20	TPH

## ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Ambient Outdoor Air**Sample ID:** 14J1263-04

Sample Matrix: Ambient Air

Sampled: 10/22/2014 09:29

Sample Description/Location:

Sub Description/Location:

Canister ID: 1638

Canister Size: 6 liter

Flow Controller ID: 4212

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -4.5

Receipt Vacuum(in Hg): -3.6

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.074	0.015		0.50	0.10		0.6	11/10/14 23:20	TPH
Toluene	0.32	0.030		1.2	0.11		0.6	11/10/14 23:20	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/10/14 23:20	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/10/14 23:20	TPH
Trichloroethylene	0.034	0.015		0.18	0.081		0.6	11/10/14 23:20	TPH
Trichlorofluoromethane (Freon 11)	0.23	0.030		1.3	0.17		0.6	11/10/14 23:20	TPH
1,2,4-Trimethylbenzene	0.033	0.030		0.16	0.15		0.6	11/10/14 23:20	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/10/14 23:20	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/10/14 23:20	TPH
m&p-Xylene	0.16	0.060		0.69	0.26		0.6	11/10/14 23:20	TPH
o-Xylene	0.058	0.030		0.25	0.13		0.6	11/10/14 23:20	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/10/14 23:20
4-Bromofluorobenzene (2)	107	70-130	11/10/14 23:20

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-2  
**Sample ID:** 14J1263-05  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 12:06

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1508  
Canister Size: 6 liter  
Flow Controller ID: 4174  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -5  
Receipt Vacuum(in Hg): -3.2  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	13	1.2		31	2.9		0.6	11/11/14 0:08	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 0:08	TPH
Benzene	0.088	0.030		0.28	0.096		0.6	11/11/14 0:08	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 0:08	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 0:08	TPH
2-Butanone (MEK)	2.0	1.2		5.8	3.5		0.6	11/11/14 0:08	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 0:08	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 0:08	TPH
Carbon Tetrachloride	0.071	0.015		0.45	0.094		0.6	11/11/14 0:08	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 0:08	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 0:08	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 0:08	TPH
Chloromethane	0.62	0.060	L-03	1.3	0.12		0.6	11/11/14 0:08	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 0:08	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 0:08	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 0:08	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 0:08	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 0:08	TPH
Dichlorodifluoromethane (Freon 12)	0.27	0.030		1.3	0.15		0.6	11/11/14 0:08	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 0:08	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 0:08	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 0:08	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 0:08	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 0:08	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 0:08	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 0:08	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 0:08	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 0:08	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 0:08	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 0:08	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 0:08	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 0:08	TPH
Methylene Chloride	0.50	0.30		1.7	1.0		0.6	11/11/14 0:08	TPH
4-Methyl-2-pentanone (MIBK)	0.031	0.030		0.13	0.12		0.6	11/11/14 0:08	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 0:08	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 0:08	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 0:08	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** MP-2**Sample ID:** 14J1263-05

Sample Matrix: Sub Slab

Sampled: 10/22/2014 12:06

Sample Description/Location:

Sub Description/Location:

Canister ID: 1508

Canister Size: 6 liter

Flow Controller ID: 4174

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -3.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	1.0	0.015		6.9	0.10		0.6	11/11/14 0:08	TPH
Toluene	0.090	0.030		0.34	0.11		0.6	11/11/14 0:08	TPH
1,1,1-Trichloroethane	0.035	0.015		0.19	0.082		0.6	11/11/14 0:08	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 0:08	TPH
Trichloroethylene	0.24	0.015		1.3	0.081		0.6	11/11/14 0:08	TPH
Trichlorofluoromethane (Freon 11)	0.49	0.030		2.7	0.17		0.6	11/11/14 0:08	TPH
1,2,4-Trimethylbenzene	0.074	0.030		0.37	0.15		0.6	11/11/14 0:08	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 0:08	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 0:08	TPH
m&p-Xylene	ND	0.060		ND	0.26		0.6	11/11/14 0:08	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 0:08	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/11/14 0:08
4-Bromofluorobenzene (2)	101	70-130	11/11/14 0:08

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-5  
**Sample ID:** 14J1263-06  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 10:40

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1867  
Canister Size: 6 liter  
Flow Controller ID: 4211  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -28  
Final Vacuum(in Hg): 0  
Receipt Vacuum(in Hg): 0.2  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	6.1	1.2		14	2.9		0.6	11/11/14 0:55	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 0:55	TPH
Benzene	0.067	0.030		0.21	0.096		0.6	11/11/14 0:55	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 0:55	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 0:55	TPH
2-Butanone (MEK)	5.3	1.2		16	3.5		0.6	11/11/14 0:55	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 0:55	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 0:55	TPH
Carbon Tetrachloride	0.067	0.015		0.42	0.094		0.6	11/11/14 0:55	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 0:55	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 0:55	TPH
Chloroform	0.049	0.015		0.24	0.073		0.6	11/11/14 0:55	TPH
Chloromethane	ND	0.060	L-03	ND	0.12		0.6	11/11/14 0:55	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 0:55	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 0:55	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 0:55	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 0:55	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 0:55	TPH
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/11/14 0:55	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 0:55	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 0:55	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 0:55	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 0:55	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 0:55	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 0:55	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 0:55	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 0:55	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 0:55	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 0:55	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 0:55	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 0:55	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 0:55	TPH
Methylene Chloride	ND	0.30		ND	1.0		0.6	11/11/14 0:55	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/11/14 0:55	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 0:55	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 0:55	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 0:55	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-5  
**Sample ID:** 14J1263-06  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 10:40

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1867  
Canister Size: 6 liter  
Flow Controller ID: 4211  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -28  
Final Vacuum(in Hg): 0  
Receipt Vacuum(in Hg): 0.2  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.73	0.015		5.0	0.10		0.6	11/11/14 0:55	TPH
Toluene	0.085	0.030		0.32	0.11		0.6	11/11/14 0:55	TPH
1,1,1-Trichloroethane	0.034	0.015		0.19	0.082		0.6	11/11/14 0:55	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 0:55	TPH
Trichloroethylene	16	0.015		88	0.081		0.6	11/11/14 0:55	TPH
Trichlorofluoromethane (Freon 11)	5.0	0.030		28	0.17		0.6	11/11/14 0:55	TPH
1,2,4-Trimethylbenzene	0.057	0.030		0.28	0.15		0.6	11/11/14 0:55	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 0:55	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 0:55	TPH
m&p-Xylene	ND	0.060		ND	0.26		0.6	11/11/14 0:55	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 0:55	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	11/11/14 0:55
4-Bromofluorobenzene (2)	99.6	70-130	11/11/14 0:55

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-6  
**Sample ID:** 14J1263-07  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 11:05

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1101  
Canister Size: 6 liter  
Flow Controller ID: 4175  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -29.5  
Final Vacuum(in Hg): -5  
Receipt Vacuum(in Hg): -5.1  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed		Analyst	
Acetone	2.2	1.2		5.3	2.9		0.6	11/11/14	1:45
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14	1:45
Benzene	0.061	0.030		0.19	0.096		0.6	11/11/14	1:45
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14	1:45
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14	1:45
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14	1:45
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14	1:45
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14	1:45
Carbon Tetrachloride	0.069	0.015		0.43	0.094		0.6	11/11/14	1:45
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14	1:45
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14	1:45
Chloroform	0.030	0.015		0.15	0.073		0.6	11/11/14	1:45
Chloromethane	0.36	0.060	L-03	0.74	0.12		0.6	11/11/14	1:45
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14	1:45
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14	1:45
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14	1:45
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14	1:45
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14	1:45
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/11/14	1:45
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14	1:45
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14	1:45
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14	1:45
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14	1:45
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14	1:45
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14	1:45
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14	1:45
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14	1:45
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14	1:45
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14	1:45
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14	1:45
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14	1:45
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14	1:45
Methylene Chloride	0.48	0.30		1.7	1.0		0.6	11/11/14	1:45
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/11/14	1:45
Styrene	ND	0.030		ND	0.13		0.6	11/11/14	1:45
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14	1:45
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14	1:45

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-6  
**Sample ID:** 14J1263-07  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 11:05

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1101  
Canister Size: 6 liter  
Flow Controller ID: 4175  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -29.5  
Final Vacuum(in Hg): -5  
Receipt Vacuum(in Hg): -5.1  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed		Analyst	
Tetrachloroethylene	0.090	0.015		0.61	0.10		0.6	11/11/14	1:45
Toluene	0.13	0.030		0.48	0.11		0.6	11/11/14	1:45
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14	1:45
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14	1:45
Trichloroethylene	0.18	0.015		0.97	0.081		0.6	11/11/14	1:45
Trichlorofluoromethane (Freon 11)	0.75	0.030		4.2	0.17		0.6	11/11/14	1:45
1,2,4-Trimethylbenzene	0.12	0.030		0.60	0.15		0.6	11/11/14	1:45
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14	1:45
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14	1:45
m&p-Xylene	0.070	0.060		0.30	0.26		0.6	11/11/14	1:45
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14	1:45

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/11/14 1:45
4-Bromofluorobenzene (2)	101	70-130	11/11/14 1:45

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-7  
**Sample ID:** 14J1263-08  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 10:50

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1326  
Canister Size: 6 liter  
Flow Controller ID: 4210  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -4  
Receipt Vacuum(in Hg): -2.9  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	7.2	1.2		17	2.9		0.6	11/11/14 2:33	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 2:33	TPH
Benzene	0.10	0.030		0.34	0.096		0.6	11/11/14 2:33	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 2:33	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 2:33	TPH
2-Butanone (MEK)	1.3	1.2		3.9	3.5		0.6	11/11/14 2:33	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 2:33	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 2:33	TPH
Carbon Tetrachloride	0.067	0.015		0.42	0.094		0.6	11/11/14 2:33	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 2:33	TPH
Chloroethane	0.13	0.030		0.35	0.079		0.6	11/11/14 2:33	TPH
Chloroform	0.033	0.015		0.16	0.073		0.6	11/11/14 2:33	TPH
Chloromethane	ND	0.060	L-03	ND	0.12		0.6	11/11/14 2:33	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 2:33	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 2:33	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 2:33	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 2:33	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 2:33	TPH
Dichlorodifluoromethane (Freon 12)	0.28	0.030		1.4	0.15		0.6	11/11/14 2:33	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 2:33	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 2:33	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 2:33	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 2:33	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 2:33	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 2:33	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 2:33	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 2:33	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 2:33	TPH
Ethylbenzene	0.034	0.030		0.15	0.13		0.6	11/11/14 2:33	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 2:33	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 2:33	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 2:33	TPH
Methylene Chloride	0.40	0.30		1.4	1.0		0.6	11/11/14 2:33	TPH
4-Methyl-2-pentanone (MIBK)	0.062	0.030		0.26	0.12		0.6	11/11/14 2:33	TPH
Styrene	0.043	0.030		0.18	0.13		0.6	11/11/14 2:33	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 2:33	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 2:33	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-7  
**Sample ID:** 14J1263-08  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 10:50

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1326  
Canister Size: 6 liter  
Flow Controller ID: 4210  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -4  
Receipt Vacuum(in Hg): -2.9  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.063	0.015		0.43	0.10		0.6	11/11/14 2:33	TPH
Toluene	0.25	0.030		0.94	0.11		0.6	11/11/14 2:33	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 2:33	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 2:33	TPH
Trichloroethylene	0.26	0.015		1.4	0.081		0.6	11/11/14 2:33	TPH
Trichlorofluoromethane (Freon 11)	1.2	0.030		7.0	0.17		0.6	11/11/14 2:33	TPH
1,2,4-Trimethylbenzene	0.12	0.030		0.59	0.15		0.6	11/11/14 2:33	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 2:33	TPH
Vinyl Chloride	0.094	0.015		0.24	0.038		0.6	11/11/14 2:33	TPH
m&p-Xylene	0.11	0.060		0.50	0.26		0.6	11/11/14 2:33	TPH
o-Xylene	0.045	0.030		0.20	0.13		0.6	11/11/14 2:33	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/11/14 2:33
4-Bromofluorobenzene (2)	98.7	70-130	11/11/14 2:33

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** MP-8  
**Sample ID:** 14J1263-09  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 11:27

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1755  
Canister Size: 6 liter  
Flow Controller ID: 4171  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -5  
Receipt Vacuum(in Hg): -4.3  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	1.6	1.2		3.8	2.9		0.6	11/11/14 3:20	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 3:20	TPH
Benzene	0.045	0.030		0.14	0.096		0.6	11/11/14 3:20	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 3:20	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 3:20	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 3:20	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 3:20	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 3:20	TPH
Carbon Tetrachloride	0.071	0.015		0.45	0.094		0.6	11/11/14 3:20	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 3:20	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 3:20	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 3:20	TPH
Chloromethane	0.61	0.060	L-03	1.3	0.12		0.6	11/11/14 3:20	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 3:20	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 3:20	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 3:20	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 3:20	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 3:20	TPH
Dichlorodifluoromethane (Freon 12)	0.33	0.030		1.6	0.15		0.6	11/11/14 3:20	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 3:20	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 3:20	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 3:20	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 3:20	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 3:20	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 3:20	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 3:20	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 3:20	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 3:20	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 3:20	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 3:20	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 3:20	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 3:20	TPH
Methylene Chloride	ND	0.30		ND	1.0		0.6	11/11/14 3:20	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/11/14 3:20	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 3:20	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 3:20	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 3:20	TPH

## ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** MP-8**Sample ID:** 14J1263-09

Sample Matrix: Sub Slab

Sampled: 10/22/2014 11:27

Sample Description/Location:

Sub Description/Location:

Canister ID: 1755

Canister Size: 6 liter

Flow Controller ID: 4171

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -4.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 3:20	TPH
Toluene	0.14	0.030		0.51	0.11		0.6	11/11/14 3:20	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 3:20	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 3:20	TPH
Trichloroethylene	0.035	0.015		0.19	0.081		0.6	11/11/14 3:20	TPH
Trichlorofluoromethane (Freon 11)	0.30	0.030		1.7	0.17		0.6	11/11/14 3:20	TPH
1,2,4-Trimethylbenzene	0.10	0.030		0.50	0.15		0.6	11/11/14 3:20	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 3:20	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 3:20	TPH
m&p-Xylene	ND	0.060		ND	0.26		0.6	11/11/14 3:20	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 3:20	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/11/14 3:20
4-Bromofluorobenzene (2)	100	70-130	11/11/14 3:20

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** IMP-1  
**Sample ID:** 14J1263-10  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 13:04

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1464  
Canister Size: 6 liter  
Flow Controller ID: 4170  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -28  
Final Vacuum(in Hg): -3.5  
Receipt Vacuum(in Hg): -4.7  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	17	1.2		40	2.9		0.6	11/11/14 4:57	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 4:57	TPH
Benzene	0.11	0.030		0.36	0.096		0.6	11/11/14 4:57	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 4:57	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 4:57	TPH
2-Butanone (MEK)	5.1	1.2		15	3.5		0.6	11/11/14 4:57	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 4:57	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 4:57	TPH
Carbon Tetrachloride	0.068	0.015		0.43	0.094		0.6	11/11/14 4:57	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 4:57	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 4:57	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 4:57	TPH
Chloromethane	0.36	0.060	L-03	0.74	0.12		0.6	11/11/14 4:57	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 4:57	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 4:57	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 4:57	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 4:57	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 4:57	TPH
Dichlorodifluoromethane (Freon 12)	0.28	0.030		1.4	0.15		0.6	11/11/14 4:57	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 4:57	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 4:57	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 4:57	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 4:57	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 4:57	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 4:57	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 4:57	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 4:57	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 4:57	TPH
Ethylbenzene	0.062	0.030		0.27	0.13		0.6	11/11/14 4:57	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 4:57	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 4:57	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 4:57	TPH
Methylene Chloride	0.58	0.30		2.0	1.0		0.6	11/11/14 4:57	TPH
4-Methyl-2-pentanone (MIBK)	0.19	0.030		0.78	0.12		0.6	11/11/14 4:57	TPH
Styrene	0.27	0.030		1.1	0.13		0.6	11/11/14 4:57	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 4:57	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 4:57	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** IMP-1  
**Sample ID:** 14J1263-10  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 13:04

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1464  
Canister Size: 6 liter  
Flow Controller ID: 4170  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -28  
Final Vacuum(in Hg): -3.5  
Receipt Vacuum(in Hg): -4.7  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 4:57	TPH
Toluene	0.31	0.030		1.2	0.11		0.6	11/11/14 4:57	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 4:57	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 4:57	TPH
Trichloroethylene	0.032	0.015		0.17	0.081		0.6	11/11/14 4:57	TPH
Trichlorofluoromethane (Freon 11)	0.25	0.030		1.4	0.17		0.6	11/11/14 4:57	TPH
1,2,4-Trimethylbenzene	0.21	0.030		1.0	0.15		0.6	11/11/14 4:57	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 4:57	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 4:57	TPH
m&p-Xylene	0.17	0.060		0.76	0.26		0.6	11/11/14 4:57	TPH
o-Xylene	0.065	0.030		0.28	0.13		0.6	11/11/14 4:57	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/11/14 4:57
4-Bromofluorobenzene (2)	101	70-130	11/11/14 4:57

## ANALYTICAL RESULTS

Project Location: Alvarez  
 Date Received: 10/23/2014  
**Field Sample #:** IMP-2  
**Sample ID:** 14J1263-11  
 Sample Matrix: Sub Slab  
 Sampled: 10/22/2014 13:53

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1242  
 Canister Size: 6 liter  
 Flow Controller ID: 4073  
 Sample Type: 30 min

**Work Order:** 14J1263  
 Initial Vacuum(in Hg): -29.5  
 Final Vacuum(in Hg): -5  
 Receipt Vacuum(in Hg): -4.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed		Analyst	
Acetone	8.0	1.6		19	3.8		0.8	11/11/14	5:48
Acrylonitrile	ND	0.23	L-03	ND	0.50		0.8	11/11/14	5:48
Benzene	0.099	0.040		0.32	0.13		0.8	11/11/14	5:48
Bromodichloromethane	ND	0.020		ND	0.13		0.8	11/11/14	5:48
Bromoform	ND	0.040		ND	0.41		0.8	11/11/14	5:48
2-Butanone (MEK)	ND	1.6		ND	4.7		0.8	11/11/14	5:48
n-Butylbenzene	ND	0.12		ND	0.63		0.8	11/11/14	5:48
sec-Butylbenzene	ND	0.091		ND	0.50		0.8	11/11/14	5:48
Carbon Tetrachloride	0.070	0.020		0.44	0.13		0.8	11/11/14	5:48
Chlorobenzene	ND	0.040		ND	0.18		0.8	11/11/14	5:48
Chloroethane	ND	0.040		ND	0.11		0.8	11/11/14	5:48
Chloroform	ND	0.020		ND	0.098		0.8	11/11/14	5:48
Chloromethane	0.53	0.080	L-03	1.1	0.17		0.8	11/11/14	5:48
Dibromochloromethane	ND	0.020		ND	0.17		0.8	11/11/14	5:48
1,2-Dibromoethane (EDB)	ND	0.020		ND	0.15		0.8	11/11/14	5:48
1,2-Dichlorobenzene	ND	0.040		ND	0.24		0.8	11/11/14	5:48
1,3-Dichlorobenzene	ND	0.040		ND	0.24		0.8	11/11/14	5:48
1,4-Dichlorobenzene	ND	0.040		ND	0.24		0.8	11/11/14	5:48
Dichlorodifluoromethane (Freon 12)	0.28	0.040		1.4	0.20		0.8	11/11/14	5:48
1,1-Dichloroethane	ND	0.020		ND	0.081		0.8	11/11/14	5:48
1,2-Dichloroethane	ND	0.020		ND	0.081		0.8	11/11/14	5:48
1,1-Dichloroethylene	ND	0.020		ND	0.079		0.8	11/11/14	5:48
cis-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.8	11/11/14	5:48
trans-1,2-Dichloroethylene	ND	0.020		ND	0.079		0.8	11/11/14	5:48
1,2-Dichloropropane	ND	0.020		ND	0.092		0.8	11/11/14	5:48
1,3-Dichloropropane	ND	0.11		ND	0.50		0.8	11/11/14	5:48
cis-1,3-Dichloropropene	ND	0.020		ND	0.091		0.8	11/11/14	5:48
trans-1,3-Dichloropropene	ND	0.020		ND	0.091		0.8	11/11/14	5:48
Ethylbenzene	0.062	0.040		0.27	0.17		0.8	11/11/14	5:48
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50		0.8	11/11/14	5:48
p-Isopropyltoluene (p-Cymene)	ND	0.091	L-03	ND	0.50		0.8	11/11/14	5:48
Methyl tert-Butyl Ether (MTBE)	ND	0.040		ND	0.14		0.8	11/11/14	5:48
Methylene Chloride	0.87	0.40		3.0	1.4		0.8	11/11/14	5:48
4-Methyl-2-pentanone (MIBK)	0.18	0.040		0.73	0.16		0.8	11/11/14	5:48
Styrene	0.23	0.040		0.98	0.17		0.8	11/11/14	5:48
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50		0.8	11/11/14	5:48
1,1,2,2-Tetrachloroethane	ND	0.020		ND	0.14		0.8	11/11/14	5:48

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** IMP-2  
**Sample ID:** 14J1263-11  
Sample Matrix: Sub Slab  
Sampled: 10/22/2014 13:53

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1242  
Canister Size: 6 liter  
Flow Controller ID: 4073  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -29.5  
Final Vacuum(in Hg): -5  
Receipt Vacuum(in Hg): -4.9  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.59	0.020		4.0	0.14		0.8	11/11/14 5:48	TPH
Toluene	0.33	0.040		1.2	0.15		0.8	11/11/14 5:48	TPH
1,1,1-Trichloroethane	0.051	0.020		0.28	0.11		0.8	11/11/14 5:48	TPH
1,1,2-Trichloroethane	ND	0.020		ND	0.11		0.8	11/11/14 5:48	TPH
Trichloroethylene	3.3	0.020		18	0.11		0.8	11/11/14 5:48	TPH
Trichlorofluoromethane (Freon 11)	1.3	0.040		7.4	0.22		0.8	11/11/14 5:48	TPH
1,2,4-Trimethylbenzene	0.25	0.040		1.2	0.20		0.8	11/11/14 5:48	TPH
1,3,5-Trimethylbenzene	ND	0.040		ND	0.20		0.8	11/11/14 5:48	TPH
Vinyl Chloride	ND	0.020		ND	0.051		0.8	11/11/14 5:48	TPH
m&p-Xylene	0.21	0.080		0.92	0.35		0.8	11/11/14 5:48	TPH
o-Xylene	0.081	0.040		0.35	0.17		0.8	11/11/14 5:48	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	105	70-130	11/11/14 5:48
4-Bromofluorobenzene (2)	106	70-130	11/11/14 5:48

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Gymnasium**Sample ID:** 14J1263-12

Sample Matrix: Indoor air

Sampled: 10/22/2014 13:09

Sample Description/Location:

Sub Description/Location:

Canister ID: 1506

Canister Size: 6 liter

Flow Controller ID: 4077

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -7.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	ND	1.2		ND	2.9		0.6	11/11/14 6:36	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 6:36	TPH
Benzene	0.086	0.030		0.27	0.096		0.6	11/11/14 6:36	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 6:36	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 6:36	TPH
2-Butanone (MEK)	1.5	1.2		4.3	3.5		0.6	11/11/14 6:36	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 6:36	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 6:36	TPH
Carbon Tetrachloride	0.068	0.015		0.43	0.094		0.6	11/11/14 6:36	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 6:36	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 6:36	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 6:36	TPH
Chloromethane	0.52	0.060	L-03	1.1	0.12		0.6	11/11/14 6:36	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 6:36	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 6:36	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 6:36	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 6:36	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 6:36	TPH
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/11/14 6:36	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 6:36	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 6:36	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 6:36	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 6:36	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 6:36	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 6:36	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 6:36	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 6:36	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 6:36	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 6:36	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 6:36	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 6:36	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 6:36	TPH
Methylene Chloride	0.43	0.30		1.5	1.0		0.6	11/11/14 6:36	TPH
4-Methyl-2-pentanone (MIBK)	0.042	0.030		0.17	0.12		0.6	11/11/14 6:36	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 6:36	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 6:36	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 6:36	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Gymnasium**Sample ID:** 14J1263-12

Sample Matrix: Indoor air

Sampled: 10/22/2014 13:09

Sample Description/Location:

Sub Description/Location:

Canister ID: 1506

Canister Size: 6 liter

Flow Controller ID: 4077

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -7.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 6:36	TPH
Toluene	0.17	0.030		0.65	0.11		0.6	11/11/14 6:36	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 6:36	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 6:36	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 6:36	TPH
Trichlorofluoromethane (Freon 11)	0.26	0.030		1.5	0.17		0.6	11/11/14 6:36	TPH
1,2,4-Trimethylbenzene	0.032	0.030		0.16	0.15		0.6	11/11/14 6:36	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 6:36	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 6:36	TPH
m&p-Xylene	0.071	0.060		0.31	0.26		0.6	11/11/14 6:36	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 6:36	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	11/11/14 6:36
4-Bromofluorobenzene (2)	111	70-130	11/11/14 6:36

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Cafeteria  
**Sample ID:** 14J1263-13  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 09:10

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1804  
Canister Size: 6 liter  
Flow Controller ID: 4105  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -7  
Receipt Vacuum(in Hg): -5.2  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	5.2	1.2		12	2.9		0.6	11/11/14 7:26	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 7:26	TPH
Benzene	0.11	0.030		0.34	0.096		0.6	11/11/14 7:26	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 7:26	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 7:26	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 7:26	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 7:26	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 7:26	TPH
Carbon Tetrachloride	0.065	0.015		0.41	0.094		0.6	11/11/14 7:26	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 7:26	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 7:26	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 7:26	TPH
Chloromethane	0.39	0.060	L-03	0.81	0.12		0.6	11/11/14 7:26	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 7:26	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 7:26	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 7:26	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 7:26	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 7:26	TPH
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/11/14 7:26	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 7:26	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 7:26	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 7:26	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 7:26	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 7:26	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 7:26	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 7:26	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 7:26	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 7:26	TPH
Ethylbenzene	0.031	0.030		0.14	0.13		0.6	11/11/14 7:26	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 7:26	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 7:26	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 7:26	TPH
Methylene Chloride	0.76	0.30		2.6	1.0		0.6	11/11/14 7:26	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/11/14 7:26	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 7:26	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 7:26	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 7:26	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Cafeteria  
**Sample ID:** 14J1263-13  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 09:10

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1804  
Canister Size: 6 liter  
Flow Controller ID: 4105  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -7  
Receipt Vacuum(in Hg): -5.2  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.053	0.015		0.36	0.10		0.6	11/11/14 7:26	TPH
Toluene	0.22	0.030		0.82	0.11		0.6	11/11/14 7:26	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 7:26	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 7:26	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 7:26	TPH
Trichlorofluoromethane (Freon 11)	0.23	0.030		1.3	0.17		0.6	11/11/14 7:26	TPH
1,2,4-Trimethylbenzene	0.034	0.030		0.17	0.15		0.6	11/11/14 7:26	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 7:26	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 7:26	TPH
m&p-Xylene	0.097	0.060		0.42	0.26		0.6	11/11/14 7:26	TPH
o-Xylene	0.036	0.030		0.16	0.13		0.6	11/11/14 7:26	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	108	70-130	11/11/14 7:26
4-Bromofluorobenzene (2)	110	70-130	11/11/14 7:26

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Kitchen Storage**Sample ID:** 14J1263-14

Sample Matrix: Indoor air

Sampled: 10/22/2014 09:12

Sample Description/Location:

Sub Description/Location:

Canister ID: 1209

Canister Size: 6 liter

Flow Controller ID: 4213

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -5.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	7.3	1.2		17	2.9		0.6	11/11/14 9:34	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 9:34	TPH
Benzene	0.18	0.030		0.56	0.096		0.6	11/11/14 9:34	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 9:34	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 9:34	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 9:34	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 9:34	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 9:34	TPH
Carbon Tetrachloride	0.069	0.015		0.43	0.094		0.6	11/11/14 9:34	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 9:34	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 9:34	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 9:34	TPH
Chloromethane	0.38	0.060	L-03	0.78	0.12		0.6	11/11/14 9:34	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 9:34	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 9:34	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 9:34	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 9:34	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 9:34	TPH
Dichlorodifluoromethane (Freon 12)	0.27	0.030		1.4	0.15		0.6	11/11/14 9:34	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 9:34	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 9:34	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 9:34	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 9:34	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 9:34	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 9:34	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 9:34	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 9:34	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 9:34	TPH
Ethylbenzene	0.037	0.030		0.16	0.13		0.6	11/11/14 9:34	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 9:34	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 9:34	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 9:34	TPH
Methylene Chloride	0.52	0.30		1.8	1.0		0.6	11/11/14 9:34	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/11/14 9:34	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 9:34	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 9:34	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 9:34	TPH

## ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Kitchen Storage**Sample ID:** 14J1263-14

Sample Matrix: Indoor air

Sampled: 10/22/2014 09:12

Sample Description/Location:

Sub Description/Location:

Canister ID: 1209

Canister Size: 6 liter

Flow Controller ID: 4213

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -5.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	0.062	0.015		0.42	0.10		0.6	11/11/14 9:34	TPH
Toluene	0.27	0.030		1.0	0.11		0.6	11/11/14 9:34	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 9:34	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 9:34	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 9:34	TPH
Trichlorofluoromethane (Freon 11)	0.27	0.030		1.5	0.17		0.6	11/11/14 9:34	TPH
1,2,4-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 9:34	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 9:34	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 9:34	TPH
m&p-Xylene	0.14	0.060		0.59	0.26		0.6	11/11/14 9:34	TPH
o-Xylene	0.051	0.030		0.22	0.13		0.6	11/11/14 9:34	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	11/11/14 9:34
4-Bromofluorobenzene (2)	96.4	70-130	11/11/14 9:34

**ANALYTICAL RESULTS**

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Elevator Hallway**Sample ID:** 14J1263-15

Sample Matrix: Indoor air

Sampled: 10/22/2014 12:55

Sample Description/Location:

Sub Description/Location:

Canister ID: 1750

Canister Size: 6 liter

Flow Controller ID: 4180

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -6.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	7.8	1.2		18	2.9		0.6	11/11/14 10:21	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 10:21	TPH
Benzene	0.11	0.030		0.35	0.096		0.6	11/11/14 10:21	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 10:21	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 10:21	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 10:21	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 10:21	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 10:21	TPH
Carbon Tetrachloride	0.059	0.015		0.37	0.094		0.6	11/11/14 10:21	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 10:21	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 10:21	TPH
Chloroform	0.038	0.015		0.19	0.073		0.6	11/11/14 10:21	TPH
Chloromethane	0.42	0.060	L-03	0.88	0.12		0.6	11/11/14 10:21	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 10:21	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 10:21	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 10:21	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 10:21	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 10:21	TPH
Dichlorodifluoromethane (Freon 12)	0.30	0.030		1.5	0.15		0.6	11/11/14 10:21	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 10:21	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 10:21	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 10:21	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 10:21	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 10:21	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 10:21	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 10:21	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 10:21	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 10:21	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 10:21	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 10:21	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 10:21	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 10:21	TPH
Methylene Chloride	0.34	0.30		1.2	1.0		0.6	11/11/14 10:21	TPH
4-Methyl-2-pentanone (MIBK)	0.034	0.030		0.14	0.12		0.6	11/11/14 10:21	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 10:21	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 10:21	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 10:21	TPH

## ANALYTICAL RESULTS

Project Location: Alvarez

Date Received: 10/23/2014

**Field Sample #:** Elevator Hallway**Sample ID:** 14J1263-15

Sample Matrix: Indoor air

Sampled: 10/22/2014 12:55

Sample Description/Location:

Sub Description/Location:

Canister ID: 1750

Canister Size: 6 liter

Flow Controller ID: 4180

Sample Type: 30 min

**Work Order:** 14J1263

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -6

Receipt Vacuum(in Hg): -6.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

## EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 10:21	TPH
Toluene	0.11	0.030		0.42	0.11		0.6	11/11/14 10:21	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 10:21	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 10:21	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 10:21	TPH
Trichlorofluoromethane (Freon 11)	0.27	0.030		1.5	0.17		0.6	11/11/14 10:21	TPH
1,2,4-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 10:21	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 10:21	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 10:21	TPH
m&p-Xylene	ND	0.060		ND	0.26		0.6	11/11/14 10:21	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 10:21	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	11/11/14 10:21
4-Bromofluorobenzene (2)	95.8	70-130	11/11/14 10:21

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 145  
**Sample ID:** 14J1263-16  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:15

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1486  
Canister Size: 6 liter  
Flow Controller ID: 4181  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -29  
Final Vacuum(in Hg): -6  
Receipt Vacuum(in Hg): -6.6  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	11	1.2		26	2.9		0.6	11/11/14 11:08	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 11:08	TPH
Benzene	0.14	0.030		0.45	0.096		0.6	11/11/14 11:08	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 11:08	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 11:08	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 11:08	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 11:08	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 11:08	TPH
Carbon Tetrachloride	0.067	0.015		0.42	0.094		0.6	11/11/14 11:08	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 11:08	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 11:08	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 11:08	TPH
Chloromethane	0.62	0.060	L-03	1.3	0.12		0.6	11/11/14 11:08	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 11:08	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 11:08	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 11:08	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 11:08	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 11:08	TPH
Dichlorodifluoromethane (Freon 12)	0.27	0.030		1.4	0.15		0.6	11/11/14 11:08	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 11:08	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 11:08	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 11:08	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 11:08	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 11:08	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 11:08	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 11:08	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 11:08	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 11:08	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 11:08	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 11:08	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 11:08	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 11:08	TPH
Methylene Chloride	0.39	0.30		1.4	1.0		0.6	11/11/14 11:08	TPH
4-Methyl-2-pentanone (MIBK)	ND	0.030		ND	0.12		0.6	11/11/14 11:08	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 11:08	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 11:08	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 11:08	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 145  
**Sample ID:** 14J1263-16  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:15

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1486  
Canister Size: 6 liter  
Flow Controller ID: 4181  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -29  
Final Vacuum(in Hg): -6  
Receipt Vacuum(in Hg): -6.6  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 11:08	TPH
Toluene	0.16	0.030		0.62	0.11		0.6	11/11/14 11:08	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 11:08	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 11:08	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 11:08	TPH
Trichlorofluoromethane (Freon 11)	0.27	0.030		1.5	0.17		0.6	11/11/14 11:08	TPH
1,2,4-Trimethylbenzene	0.033	0.030		0.16	0.15		0.6	11/11/14 11:08	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 11:08	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 11:08	TPH
m&p-Xylene	0.069	0.060		0.30	0.26		0.6	11/11/14 11:08	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 11:08	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/11/14 11:08
4-Bromofluorobenzene (2)	94.7	70-130	11/11/14 11:08

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 118  
**Sample ID:** 14J1263-17  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:30

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1035  
Canister Size: 6 liter  
Flow Controller ID: 4076  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -28.5  
Final Vacuum(in Hg): -6.5  
Receipt Vacuum(in Hg): -7  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	12	1.2		27	2.9		0.6	11/11/14 11:56	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 11:56	TPH
Benzene	0.17	0.030		0.55	0.096		0.6	11/11/14 11:56	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 11:56	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 11:56	TPH
2-Butanone (MEK)	1.2	1.2		3.6	3.5		0.6	11/11/14 11:56	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 11:56	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 11:56	TPH
Carbon Tetrachloride	0.074	0.015		0.46	0.094		0.6	11/11/14 11:56	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 11:56	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 11:56	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 11:56	TPH
Chloromethane	0.49	0.060	L-03	1.0	0.12		0.6	11/11/14 11:56	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 11:56	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 11:56	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 11:56	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 11:56	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 11:56	TPH
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15		0.6	11/11/14 11:56	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 11:56	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 11:56	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 11:56	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 11:56	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 11:56	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 11:56	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 11:56	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 11:56	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 11:56	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 11:56	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 11:56	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 11:56	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 11:56	TPH
Methylene Chloride	0.35	0.30		1.2	1.0		0.6	11/11/14 11:56	TPH
4-Methyl-2-pentanone (MIBK)	0.069	0.030		0.28	0.12		0.6	11/11/14 11:56	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 11:56	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 11:56	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 11:56	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 118  
**Sample ID:** 14J1263-17  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:30

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1035  
Canister Size: 6 liter  
Flow Controller ID: 4076  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -28.5  
Final Vacuum(in Hg): -6.5  
Receipt Vacuum(in Hg): -7  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 11:56	TPH
Toluene	0.37	0.030		1.4	0.11		0.6	11/11/14 11:56	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 11:56	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 11:56	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 11:56	TPH
Trichlorofluoromethane (Freon 11)	0.26	0.030		1.5	0.17		0.6	11/11/14 11:56	TPH
1,2,4-Trimethylbenzene	0.031	0.030		0.15	0.15		0.6	11/11/14 11:56	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 11:56	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 11:56	TPH
m&p-Xylene	0.076	0.060		0.33	0.26		0.6	11/11/14 11:56	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 11:56	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/11/14 11:56
4-Bromofluorobenzene (2)	94.6	70-130	11/11/14 11:56

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 152  
**Sample ID:** 14J1263-18  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:53

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1232  
Canister Size: 6 liter  
Flow Controller ID: 4072  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -6  
Receipt Vacuum(in Hg): -5.4  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	21	1.2		51	2.9		0.6	11/11/14 12:47	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 12:47	TPH
Benzene	0.19	0.030		0.61	0.096		0.6	11/11/14 12:47	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 12:47	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 12:47	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 12:47	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 12:47	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 12:47	TPH
Carbon Tetrachloride	0.070	0.015		0.44	0.094		0.6	11/11/14 12:47	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 12:47	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 12:47	TPH
Chloroform	ND	0.015		ND	0.073		0.6	11/11/14 12:47	TPH
Chloromethane	0.56	0.060	L-03	1.2	0.12		0.6	11/11/14 12:47	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 12:47	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 12:47	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 12:47	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 12:47	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 12:47	TPH
Dichlorodifluoromethane (Freon 12)	0.26	0.030		1.3	0.15		0.6	11/11/14 12:47	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 12:47	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 12:47	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 12:47	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 12:47	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 12:47	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 12:47	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 12:47	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 12:47	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 12:47	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 12:47	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 12:47	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 12:47	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 12:47	TPH
Methylene Chloride	0.90	0.30		3.1	1.0		0.6	11/11/14 12:47	TPH
4-Methyl-2-pentanone (MIBK)	0.060	0.030		0.25	0.12		0.6	11/11/14 12:47	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 12:47	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 12:47	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 12:47	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 152  
**Sample ID:** 14J1263-18  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:53

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1232  
Canister Size: 6 liter  
Flow Controller ID: 4072  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -6  
Receipt Vacuum(in Hg): -5.4  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 12:47	TPH
Toluene	0.19	0.030		0.71	0.11		0.6	11/11/14 12:47	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 12:47	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 12:47	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 12:47	TPH
Trichlorofluoromethane (Freon 11)	0.27	0.030		1.5	0.17		0.6	11/11/14 12:47	TPH
1,2,4-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 12:47	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 12:47	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 12:47	TPH
m&p-Xylene	0.088	0.060		0.38	0.26		0.6	11/11/14 12:47	TPH
o-Xylene	0.038	0.030		0.16	0.13		0.6	11/11/14 12:47	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/11/14 12:47
4-Bromofluorobenzene (2)	95.3	70-130	11/11/14 12:47

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 110  
**Sample ID:** 14J1263-19  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:42

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1801  
Canister Size: 6 liter  
Flow Controller ID: 4107  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -3  
Receipt Vacuum(in Hg): -3.4  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	14	1.2		34	2.9		0.6	11/11/14 13:35	TPH
Acrylonitrile	ND	0.17	L-03	ND	0.37		0.6	11/11/14 13:35	TPH
Benzene	0.080	0.030		0.25	0.096		0.6	11/11/14 13:35	TPH
Bromodichloromethane	ND	0.015		ND	0.10		0.6	11/11/14 13:35	TPH
Bromoform	ND	0.030		ND	0.31		0.6	11/11/14 13:35	TPH
2-Butanone (MEK)	ND	1.2		ND	3.5		0.6	11/11/14 13:35	TPH
n-Butylbenzene	ND	0.086		ND	0.47		0.6	11/11/14 13:35	TPH
sec-Butylbenzene	ND	0.068		ND	0.38		0.6	11/11/14 13:35	TPH
Carbon Tetrachloride	0.074	0.015		0.46	0.094		0.6	11/11/14 13:35	TPH
Chlorobenzene	ND	0.030		ND	0.14		0.6	11/11/14 13:35	TPH
Chloroethane	ND	0.030		ND	0.079		0.6	11/11/14 13:35	TPH
Chloroform	0.031	0.015		0.15	0.073		0.6	11/11/14 13:35	TPH
Chloromethane	0.61	0.060	L-03	1.3	0.12		0.6	11/11/14 13:35	TPH
Dibromochloromethane	ND	0.015		ND	0.13		0.6	11/11/14 13:35	TPH
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12		0.6	11/11/14 13:35	TPH
1,2-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 13:35	TPH
1,3-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 13:35	TPH
1,4-Dichlorobenzene	ND	0.030		ND	0.18		0.6	11/11/14 13:35	TPH
Dichlorodifluoromethane (Freon 12)	0.30	0.030		1.5	0.15		0.6	11/11/14 13:35	TPH
1,1-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 13:35	TPH
1,2-Dichloroethane	ND	0.015		ND	0.061		0.6	11/11/14 13:35	TPH
1,1-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 13:35	TPH
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 13:35	TPH
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059		0.6	11/11/14 13:35	TPH
1,2-Dichloropropane	ND	0.015		ND	0.069		0.6	11/11/14 13:35	TPH
1,3-Dichloropropane	ND	0.081		ND	0.37		0.6	11/11/14 13:35	TPH
cis-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 13:35	TPH
trans-1,3-Dichloropropene	ND	0.015		ND	0.068		0.6	11/11/14 13:35	TPH
Ethylbenzene	ND	0.030		ND	0.13		0.6	11/11/14 13:35	TPH
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37		0.6	11/11/14 13:35	TPH
p-Isopropyltoluene (p-Cymene)	ND	0.068	L-03	ND	0.38		0.6	11/11/14 13:35	TPH
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11		0.6	11/11/14 13:35	TPH
Methylene Chloride	0.49	0.30		1.7	1.0		0.6	11/11/14 13:35	TPH
4-Methyl-2-pentanone (MIBK)	0.28	0.030		1.2	0.12		0.6	11/11/14 13:35	TPH
Styrene	ND	0.030		ND	0.13		0.6	11/11/14 13:35	TPH
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37		0.6	11/11/14 13:35	TPH
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10		0.6	11/11/14 13:35	TPH

**ANALYTICAL RESULTS**

Project Location: Alvarez  
Date Received: 10/23/2014  
**Field Sample #:** Room 110  
**Sample ID:** 14J1263-19  
Sample Matrix: Indoor air  
Sampled: 10/22/2014 13:42

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1801  
Canister Size: 6 liter  
Flow Controller ID: 4107  
Sample Type: 30 min

**Work Order:** 14J1263  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): -3  
Receipt Vacuum(in Hg): -3.4  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.015		ND	0.10		0.6	11/11/14 13:35	TPH
Toluene	0.21	0.030		0.80	0.11		0.6	11/11/14 13:35	TPH
1,1,1-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 13:35	TPH
1,1,2-Trichloroethane	ND	0.015		ND	0.082		0.6	11/11/14 13:35	TPH
Trichloroethylene	ND	0.015		ND	0.081		0.6	11/11/14 13:35	TPH
Trichlorofluoromethane (Freon 11)	0.27	0.030		1.5	0.17		0.6	11/11/14 13:35	TPH
1,2,4-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 13:35	TPH
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15		0.6	11/11/14 13:35	TPH
Vinyl Chloride	ND	0.015		ND	0.038		0.6	11/11/14 13:35	TPH
m&p-Xylene	0.063	0.060		0.27	0.26		0.6	11/11/14 13:35	TPH
o-Xylene	ND	0.030		ND	0.13		0.6	11/11/14 13:35	TPH

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	11/11/14 13:35
4-Bromofluorobenzene (2)	95.1	70-130	11/11/14 13:35

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**Sample Extraction Data**
**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
14J1263-01 [Rooftop Fan 3]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-02 [Rooftop Fan 2]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-03 [Rooftop Fan 1]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-04 [Ambient Outdoor Air]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-05 [MP-2]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-06 [MP-5]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-07 [MP-6]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-08 [MP-7]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-09 [MP-8]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-10 [IMP-1]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-11 [IMP-2]	B109431	2	1	N/A	1000	400	1000	11/10/14
14J1263-12 [Gymnasium]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-13 [Cafeteria]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-14 [Kitchen Storage]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-15 [Elevator Hallway]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-16 [Room 145]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-17 [Room 118]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-18 [Room 152]	B109431	1.5	1	N/A	1000	400	1000	11/10/14
14J1263-19 [Room 110]	B109431	1.5	1	N/A	1000	400	1000	11/10/14

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B109431 - TO-15 Prep**

<b>Blank (B109431-BLK1)</b>	Prepared & Analyzed: 11/10/14									
Acetone	ND	1.0								
Acrylonitrile	ND	0.14								L-03
Benzene	ND	0.025								
Bromodichloromethane	ND	0.012								
Bromoform	ND	0.025								
2-Butanone (MEK)	ND	1.0								
n-Butylbenzene	ND	0.072								
sec-Butylbenzene	ND	0.057								
Carbon Tetrachloride	ND	0.012								
Chlorobenzene	ND	0.025								
Chloroethane	ND	0.025								
Chloroform	ND	0.012								
Chloromethane	ND	0.050								L-03
Dibromochloromethane	ND	0.012								
1,2-Dibromoethane (EDB)	ND	0.012								
1,2-Dichlorobenzene	ND	0.025								
1,3-Dichlorobenzene	ND	0.025								
1,4-Dichlorobenzene	ND	0.025								
Dichlorodifluoromethane (Freon 12)	ND	0.025								
1,1-Dichloroethane	ND	0.012								
1,2-Dichloroethane	ND	0.012								
1,1-Dichloroethylene	ND	0.012								
cis-1,2-Dichloroethylene	ND	0.012								
trans-1,2-Dichloroethylene	ND	0.012								
1,2-Dichloropropane	ND	0.012								
1,3-Dichloropropane	ND	0.068								
cis-1,3-Dichloropropene	ND	0.012								
trans-1,3-Dichloropropene	ND	0.012								
Ethylbenzene	ND	0.025								
Isopropylbenzene (Cumene)	ND	0.064								
p-Isopropyltoluene (p-Cymene)	ND	0.057								L-03
Methyl tert-Butyl Ether (MTBE)	ND	0.025								
Methylene Chloride	ND	0.25								
4-Methyl-2-pentanone (MIBK)	ND	0.025								
Styrene	ND	0.025								
1,1,1,2-Tetrachloroethane	ND	0.046								
1,1,2,2-Tetrachloroethane	ND	0.012								
Tetrachloroethylene	ND	0.012								
Toluene	ND	0.025								
1,1,1-Trichloroethane	ND	0.012								
1,1,2-Trichloroethane	ND	0.012								
Trichloroethylene	ND	0.012								
Trichlorofluoromethane (Freon 11)	ND	0.025								
1,2,4-Trimethylbenzene	ND	0.025								
1,3,5-Trimethylbenzene	ND	0.025								
Vinyl Chloride	ND	0.012								



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### QUALITY CONTROL

#### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

**Batch B109431 - TO-15 Prep**

<b>Blank (B109431-BLK1)</b>	Prepared & Analyzed: 11/10/14									
m&p-Xylene	ND	0.050								
o-Xylene	ND	0.025								
Surrogate: 4-Bromofluorobenzene (1)	8.44		8.00		106	70-130				
Surrogate: 4-Bromofluorobenzene (2)	8.01		8.00		100	70-130				

<b>LCS (B109431-BS1)</b>	Prepared & Analyzed: 11/10/14									
Acetone	4.46		5.00		89.1	70-130				
Acrylonitrile	1.57		2.88		54.6 *	70-130				L-03
Benzene	3.72		5.00		74.4	70-130				
Bromodichloromethane	4.01		5.00		80.2	70-130				
Bromoform	4.58		5.00		91.6	70-130				
2-Butanone (MEK)	4.96		5.00		99.1	70-130				
n-Butylbenzene	0.836		1.14		73.3	70-130				
sec-Butylbenzene	0.812		1.14		71.2	70-130				
Carbon Tetrachloride	4.61		5.00		92.3	70-130				
Chlorobenzene	4.62		5.00		92.5	70-130				
Chloroethane	3.98		5.00		79.6	70-130				
Chloroform	4.62		5.00		92.5	70-130				
Chloromethane	3.49		5.00		69.8 *	70-130				L-03
Dibromochloromethane	4.83		5.00		96.7	70-130				
1,2-Dibromoethane (EDB)	4.12		5.00		82.3	70-130				
1,2-Dichlorobenzene	4.02		5.00		80.4	70-130				
1,3-Dichlorobenzene	4.48		5.00		89.6	70-130				
1,4-Dichlorobenzene	4.26		5.00		85.2	70-130				
Dichlorodifluoromethane (Freon 12)	5.03		5.00		101	70-130				
1,1-Dichloroethane	4.36		5.00		87.3	70-130				
1,2-Dichloroethane	4.62		5.00		92.4	70-130				
1,1-Dichloroethylene	4.62		5.00		92.5	70-130				
cis-1,2-Dichloroethylene	4.22		5.00		84.5	70-130				
trans-1,2-Dichloroethylene	4.14		5.00		82.7	70-130				
1,2-Dichloropropane	3.52		5.00		70.4	70-130				
1,3-Dichloropropane	1.02		1.35		75.9	70-130				
cis-1,3-Dichloropropene	4.07		5.00		81.5	70-130				
trans-1,3-Dichloropropene	4.10		5.00		81.9	70-130				
Ethylbenzene	4.63		5.00		92.7	70-130				
Isopropylbenzene (Cumene)	0.925		1.27		72.8	70-130				
p-Isopropyltoluene (p-Cymene)	0.793		1.14		69.6 *	70-130				L-03
Methyl tert-Butyl Ether (MTBE)	4.40		5.00		88.0	70-130				
Methylene Chloride	4.45		5.00		89.1	70-130				
4-Methyl-2-pentanone (MIBK)	4.26		5.00		85.2	70-130				
Styrene	4.70		5.00		93.9	70-130				
1,1,1,2-Tetrachloroethane	0.916		0.910		101	70-130				
1,1,2,2-Tetrachloroethane	3.84		5.00		76.8	70-130				
Tetrachloroethylene	4.88		5.00		97.7	70-130				
Toluene	4.56		5.00		91.2	70-130				
1,1,1-Trichloroethane	4.27		5.00		85.3	70-130				
1,1,2-Trichloroethane	4.27		5.00		85.3	70-130				

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### QUALITY CONTROL

#### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B109431 - TO-15 Prep**

<b>LCS (B109431-BS1)</b>	Prepared & Analyzed: 11/10/14										
Trichloroethylene	3.95			5.00		78.9	70-130				
Trichlorofluoromethane (Freon 11)	5.13			5.00		103	70-130				
1,2,4-Trimethylbenzene	4.46			5.00		89.3	70-130				
1,3,5-Trimethylbenzene	4.92			5.00		98.3	70-130				
Vinyl Chloride	4.08			5.00		81.6	70-130				
m&p-Xylene	10.0			10.0		100	70-130				
o-Xylene	4.70			5.00		94.0	70-130				
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.86			8.00		111	70-130				
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	9.08			8.00		114	70-130				

<b>Duplicate (B109431-DUP1)</b>	<b>Source: 14J1263-09</b>					Prepared: 11/10/14 Analyzed: 11/11/14					
Acetone	1.6	1.2	3.8	2.9		1.6		1.38	25		
Acrylonitrile	ND	0.17	ND	0.37		ND			25		L-03
Benzene	0.044	0.030	0.14	0.096		0.045		2.70	25		
Bromodichloromethane	ND	0.015	ND	0.10		ND			25		
Bromoform	ND	0.030	ND	0.31		ND			25		
2-Butanone (MEK)	0.58	1.2	1.7	3.5		0.57		1.36	25		
n-Butylbenzene	ND	0.086	ND	0.47		ND			25		
sec-Butylbenzene	ND	0.068	ND	0.38		ND			25		
Carbon Tetrachloride	0.071	0.015	0.45	0.094		0.071		0.00	25		
Chlorobenzene	ND	0.030	ND	0.14		ND			25		
Chloroethane	ND	0.030	ND	0.079		ND			25		
Chloroform	ND	0.015	ND	0.073		ND			25		
Chloromethane	0.61	0.060	1.3	0.12		0.61		0.196	25		L-03
Dibromochloromethane	ND	0.015	ND	0.13		ND			25		
1,2-Dibromoethane (EDB)	ND	0.015	ND	0.12		ND			25		
1,2-Dichlorobenzene	ND	0.030	ND	0.18		ND			25		
1,3-Dichlorobenzene	ND	0.030	ND	0.18		ND			25		
1,4-Dichlorobenzene	ND	0.030	ND	0.18		ND			25		
Dichlorodifluoromethane (Freon 12)	0.30	0.030	1.5	0.15		0.33		9.42	25		
1,1-Dichloroethane	ND	0.015	ND	0.061		ND			25		
1,2-Dichloroethane	ND	0.015	ND	0.061		ND			25		
1,1-Dichloroethylene	ND	0.015	ND	0.059		ND			25		
cis-1,2-Dichloroethylene	ND	0.015	ND	0.059		ND			25		
trans-1,2-Dichloroethylene	ND	0.015	ND	0.059		ND			25		
1,2-Dichloropropane	ND	0.015	ND	0.069		ND			25		
1,3-Dichloropropane	ND	0.081	ND	0.37		ND			25		
cis-1,3-Dichloropropene	ND	0.015	ND	0.068		ND			25		
trans-1,3-Dichloropropene	ND	0.015	ND	0.068		ND			25		
Ethylbenzene	ND	0.030	ND	0.13		ND			25		
Isopropylbenzene (Cumene)	ND	0.076	ND	0.37		ND			25		
p-Isopropyltoluene (p-Cymene)	ND	0.068	ND	0.38		ND			25		L-03
Methyl tert-Butyl Ether (MTBE)	ND	0.030	ND	0.11		ND			25		
Methylene Chloride	0.28	0.30	0.98	1.0		0.29		1.68	25		
4-Methyl-2-pentanone (MIBK)	ND	0.030	ND	0.12		ND			25		
Styrene	ND	0.030	ND	0.13		ND			25		
1,1,1,2-Tetrachloroethane	ND	0.055	ND	0.37		ND			25		



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Flag/Qual Limit
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------------

**Batch B109431 - TO-15 Prep**

Duplicate (B109431-DUP1)	Source: 14J1263-09				Prepared: 11/10/14 Analyzed: 11/11/14					
1,1,2,2-Tetrachloroethane	ND	0.015	ND	0.10		ND				25
Tetrachloroethylene	ND	0.015	ND	0.10		ND				25
Toluene	0.13	0.030	0.51	0.11		0.14		0.445		25
1,1,1-Trichloroethane	ND	0.015	ND	0.082		ND				25
1,1,2-Trichloroethane	ND	0.015	ND	0.082		ND				25
Trichloroethylene	0.032	0.015	0.17	0.081		0.035		9.01		25
Trichlorofluoromethane (Freon 11)	0.31	0.030	1.7	0.17		0.30		1.97		25
1,2,4-Trimethylbenzene	0.098	0.030	0.48	0.15		0.10		3.02		25
1,3,5-Trimethylbenzene	ND	0.030	ND	0.15		ND				25
Vinyl Chloride	ND	0.015	ND	0.038		ND				25
m&p-Xylene	0.054	0.060	0.23	0.26		0.055		1.10		25
o-Xylene	ND	0.030	ND	0.13		ND				25
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.23			8.00		103		70-130		
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.00			8.00		100		70-130		



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

\* QC result is outside of established limits.

† Wide recovery limits established for difficult compound.

‡ Wide RPD limits established for difficult compound.

# Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

L-03 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<i>EPA TO-15 in Air</i>	

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015



**AIR SAMPLE CHAIN OF CUSTODY**  
**RECORD**

39 SPRUCE ST  
EAST LONGMEADOW, MA 01028

Page 1 of 3  
DOC#284  
Rev. Feb 2014

Company Name:  
EA Engineering

Address:  
2314 Post Rd. Suite 102

Project Location:  
Warwick, RI

Sampled By:  
D. Allen / C. Swanson

Attention:  
Catherine Swanson

Telephone:  
401-736-3440

Project #  
1506602

Client PO #  
\_\_\_\_\_

Email:  
Catherine.Swanson@east.com

Fax #:  
\_\_\_\_\_

Format:  
 EXCEL     PDF     GIS KEY     OTHER

Date Sampled  
ONLY USE WHEN USING PUMPS

Start  
10/22/14

Stop  
10/22/14

Total  
29

Flow Rate  
6L

Volume  
SG

Liters or  
Min.

M<sup>3</sup>

Matrix  
Code\*

T  
0

R  
1

R  
2

R  
3

R  
4

R  
5

R  
6

R  
7

R  
8

R  
9

R  
10

R  
11

R  
12

R  
13

R  
14

R  
15

R  
16

R  
17

R  
18

R  
19

R  
20

R  
21

R  
22

R  
23

R  
24

R  
25

R  
26

R  
27

R  
28

R  
29

R  
30

R  
31

R  
32

R  
33

R  
34

R  
35

R  
36

R  
37

R  
38

R  
39

R  
40

R  
41

R  
42

R  
43

R  
44

R  
45

R  
46

R  
47

R  
48

R  
49

R  
50

R  
51

R  
52

R  
53

R  
54

R  
55

R  
56

R  
57

R  
58

R  
59

R  
60

R  
61

R  
62

R  
63

R  
64

R  
65

R  
66

R  
67

R  
68

R  
69

R  
70

R  
71

R  
72

R  
73

R  
74

R  
75

R  
76

R  
77

R  
78

R  
79

R  
80

R  
81

R  
82

R  
83

R  
84

R  
85

R  
86

R  
87

R  
88

R  
89

R  
90

R  
91

R  
92

R  
93

R  
94

R  
95

R  
96

R  
97

R  
98

R  
99

R  
100

R  
101

R  
102

R  
103

R  
104

R  
105

R  
106

R  
107

R  
108

R  
109

R  
110

R  
111

R  
112

R  
113

R  
114

R  
115

R  
116

R  
117

R  
118

R  
119

R  
120

R  
121

R  
122

R  
123

R  
124

R  
125

R  
126

R  
127

R  
128

R  
129

R  
130

R  
131

R  
132

R  
133

R  
134

R  
135

R  
136

R  
137

R  
138

R  
139

R  
140

R  
141

R  
142

R  
143

R  
144

R  
145

R  
146

R  
147

R  
148

R  
149

R  
150

R  
151

R  
152

R  
153

R  
154

R  
155

R  
156

R  
157

R  
158

R  
159

R  
160

R  
161

R  
162

R  
163

R  
164

R  
165

R  
166

R  
167

R  
168

R  
169

R  
170

R  
171

R  
172

R  
173

R  
174

R  
175

R  
176

R  
177

R  
178

R  
179

R  
180

R  
181

R  
182

R  
183

R  
184

R  
185

R  
186

R  
187

R  
188

R  
189

R  
190

R  
191

R  
192

R  
193

R  
194

R  
195

R  
196

R  
197

R  
198

R  
199

R  
200

R  
201

R  
202

R  
203

R  
204

R  
205

R  
206

R  
207

R  
208

R  
209

R  
210

R  
211

R  
212

R  
213

R  
214

R  
215

R  
216

R  
217

R  
218

R  
219

R  
220

R  
221

R  
222

R  
223

R  
224

R  
225

R  
226

R  
227

R  
228

R  
229</



Phone: 413-525-2332

## AIR SAMPLE CHAIN OF CUSTODY RECORD

39 SPRUCE ST  
EAST LONGMEADOW, MA 01028Page 2 of 3  
DOC#284  
Rev. Feb 2014

www.con-test.com

Fax: 413-525-6405  
Email: info@con-test-labs.com

1451203

Company Name: EA Engineering  
Address: 2374 Post Road Suite 102  
Warwick, RI

Attention:

Catherine Swanson

Project Location:

Alwave2

Sampled By:

D. Allen / C. Swanson

Proposal Provided? (For Billing purposes)

 yes

proposal date

Telephone: 401-736-3440

Project # 1506602

Client PO #

**DATA DELIVERY (check one):**  
 FAX  
 EMAIL  WEBSITE CLIENT  
 Email: Catherine.Swanson@eaest.com  
 Format:  EXCEL  PDF  GIS KEY  OTHER

ONLY USE WHEN USING PUMPS

Field ID	Sample Description	Media Lab #	ANALYSIS		"Hg	
			Start	Stop	Total	
IMP-8	5	09	10:22:14 1057	10:22:14 121	30	6L SS X 1015 SIM
IMP-1	10		1234	1304	30	X 35 1464 4170
IMP-2	11		1323	1353	30	X 35 1242 4073
Gymnasium	12		1239	1309	30	X 35 1506 4077
Cafeteria	13		0838	0910	32	X 35 1804 4055
Kitchen Storage	14		0842	0912	30	X 35 1209 4213
Elevator Hallway	15		1225	1255	30	X 35 1750 4180
Room 145	✓	10	✓1245	✓1315	30	X 35 1486 4181

Laboratory Comments:

CLIENT COMMENTS:

Requester by (signature)	Date/Time	Turnaround**	Special Requirements	"Matrix Code"
Received by: (signature)	1/23/14 1220	<input type="checkbox"/> 7-Day <input checked="" type="checkbox"/> 10-Day <input type="checkbox"/> Other —	Regulations: <input type="checkbox"/> Target Analytes Data Enhancement/RCP? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO Enhanced Data Package <input type="checkbox"/> Y <input checked="" type="checkbox"/> N (Surcharge Applies)	SG = SOIL GAS IA= INDOOR AIR AMB=AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = other
Relinquisher by: (signature)	1/23/14 1220	<input type="checkbox"/> 24-Hr <input type="checkbox"/> 48-Hr <input checked="" type="checkbox"/> RUSH *	Required Detection Limits: <input type="checkbox"/> per contract Other: 1/2 DLA RL is 0.04 mg/L	S=silma can T=tetrial bag P=PUF T=tube F=filter C=cassette O = Other
Received by: (signature)	Date/Time:	<input type="checkbox"/> 24-Hr <input type="checkbox"/> 48-Hr <input checked="" type="checkbox"/> RUSH *	Approval Required	

\* TURNAROUND TIME STARTS AT 9:00 AM THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. NELAC & AIHA-LAP, LLC Accredited/WBE/DBE Certified




**AIR SAMPLE CHAIN OF CUSTODY  
RECORD**

**39 SPRUCE ST  
EAST LONGMEADOW, MA 01028**

Page 3 of 5  
DOC#284  
Rev. Feb 2014

ANALYSIS REQUESTED																																																	
<p><b>Attention:</b> <u>EA Engineering</u></p> <p><b>Address:</b> <u>2374 Post Road Suite 102</u></p> <p><b>Project Location:</b> <u>Alvarez</u></p> <p><b>Sampled By:</b> <u>C.Swanson / D.Allen</u></p> <p><b>Proposal Provided? (For Billing purposes)</b></p> <p><input type="checkbox"/> yes      proposal date _____</p>																																																	
<p><b>DATA DELIVERY (check one):</b></p> <p><input checked="" type="checkbox"/> FAX    <input type="checkbox"/> EMAIL    <input type="checkbox"/> WEBSITE    CLIENT</p> <p>Fax #: _____</p> <p>Email: <u>Catherine.Swanson@east.com</u></p> <p>Format: <input checked="" type="checkbox"/> EXCEL    <input type="checkbox"/> PDF    <input type="checkbox"/> GIS KEY    <input type="checkbox"/> OTHER</p>																																																	
<p><b>Date Sampled</b> <u>ONLY USE WHEN USING PUMPS</u></p> <table border="1"> <thead> <tr> <th>Start</th> <th>Stop</th> <th>Total</th> <th>Flow Rate</th> <th>Volume</th> <th>Matrix</th> <th>Sampled</th> <th>Minutes</th> <th>L/Min.</th> <th>M<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>10-22-14</td> <td>10-22-14</td> <td>10-22-14</td> <td>10 L</td> <td>14</td> <td>X</td> <td>17</td> <td>1259</td> <td>1330</td> <td>31</td> </tr> <tr> <td>Room 152</td> <td>S</td> <td>18</td> <td></td> <td></td> <td>X</td> <td></td> <td>1323</td> <td>1353</td> <td>30</td> </tr> <tr> <td>Room 110</td> <td>S</td> <td>19</td> <td></td> <td></td> <td>X</td> <td></td> <td>1310</td> <td>1342</td> <td>32</td> </tr> </tbody> </table>										Start	Stop	Total	Flow Rate	Volume	Matrix	Sampled	Minutes	L/Min.	M <sup>3</sup>	10-22-14	10-22-14	10-22-14	10 L	14	X	17	1259	1330	31	Room 152	S	18			X		1323	1353	30	Room 110	S	19			X		1310	1342	32
Start	Stop	Total	Flow Rate	Volume	Matrix	Sampled	Minutes	L/Min.	M <sup>3</sup>																																								
10-22-14	10-22-14	10-22-14	10 L	14	X	17	1259	1330	31																																								
Room 152	S	18			X		1323	1353	30																																								
Room 110	S	19			X		1310	1342	32																																								
<p><b>Laboratory Comments:</b></p> <p><b>CLIENT COMMENTS:</b></p>																																																	
<p><b>Refined by:</b> (signature) <u>Catherine Swanson</u></p> <p><b>Received by:</b> (signature) <u>D. Allen</u></p> <p><b>Required by:</b> (signature) <u>10/24/14</u></p> <p><b>Received by:</b> (signature) <u>D. Allen</u></p> <p><b>Approved by:</b> (signature) <u>Catherine Swanson</u></p>																																																	
<p><b>Turnaround**</b></p> <table border="1"> <tr> <td>Date/Time: <u>10/23/14 1220</u></td> <td><b>Turnaround**</b></td> <td><b>Special Requirements</b></td> <td><b>Regulations:</b> <input checked="" type="checkbox"/> Target Analytes</td> </tr> <tr> <td>Date/Time: <u>10/23/14 1220</u></td> <td><input type="checkbox"/> 7-Day</td> <td><input checked="" type="checkbox"/> Enhanced Data Package</td> <td><input checked="" type="checkbox"/> RCP, <input type="checkbox"/> Y <input checked="" type="checkbox"/> IN</td> </tr> <tr> <td>Date/Time: <u>10/23/14 1220</u></td> <td><input checked="" type="checkbox"/> 10-Day</td> <td><input type="checkbox"/> Other _____</td> <td><input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N</td> </tr> <tr> <td>Date/Time: <u>10/23/14 1220</u></td> <td><input type="checkbox"/> Other _____</td> <td><b>Required Detection Limits:</b> <u>per contract</u></td> <td><b>(Surcharge Applies)</b></td> </tr> <tr> <td>Date/Time: <u>10/23/14 1220</u></td> <td><input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr</td> <td><u>Other: 1/2 DEP RL is 0.04 mg/m<sup>3</sup></u></td> <td></td> </tr> <tr> <td>Date/Time: <u>10/23/14 1220</u></td> <td><input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day</td> <td><u>'Approval Required</u></td> <td></td> </tr> </table>										Date/Time: <u>10/23/14 1220</u>	<b>Turnaround**</b>	<b>Special Requirements</b>	<b>Regulations:</b> <input checked="" type="checkbox"/> Target Analytes	Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> 7-Day	<input checked="" type="checkbox"/> Enhanced Data Package	<input checked="" type="checkbox"/> RCP, <input type="checkbox"/> Y <input checked="" type="checkbox"/> IN	Date/Time: <u>10/23/14 1220</u>	<input checked="" type="checkbox"/> 10-Day	<input type="checkbox"/> Other _____	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> Other _____	<b>Required Detection Limits:</b> <u>per contract</u>	<b>(Surcharge Applies)</b>	Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr	<u>Other: 1/2 DEP RL is 0.04 mg/m<sup>3</sup></u>		Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day	<u>'Approval Required</u>																	
Date/Time: <u>10/23/14 1220</u>	<b>Turnaround**</b>	<b>Special Requirements</b>	<b>Regulations:</b> <input checked="" type="checkbox"/> Target Analytes																																														
Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> 7-Day	<input checked="" type="checkbox"/> Enhanced Data Package	<input checked="" type="checkbox"/> RCP, <input type="checkbox"/> Y <input checked="" type="checkbox"/> IN																																														
Date/Time: <u>10/23/14 1220</u>	<input checked="" type="checkbox"/> 10-Day	<input type="checkbox"/> Other _____	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N																																														
Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> Other _____	<b>Required Detection Limits:</b> <u>per contract</u>	<b>(Surcharge Applies)</b>																																														
Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr	<u>Other: 1/2 DEP RL is 0.04 mg/m<sup>3</sup></u>																																															
Date/Time: <u>10/23/14 1220</u>	<input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day	<u>'Approval Required</u>																																															
<p><b>**Turnaround Time Starts at 9:00 AM. The day after sample receipt unless there are questions on your chain. If this form is not fulfilled out completely or is incorrect, turnaround time will not start until all questions are answered by our client. NELAC &amp; AIHA-LAP, LLC Accredited/WBEMDBE Certified</b></p>																																																	
<p>Please fill out completely, sign, date and retain the yellow copy for your record.</p> <p>Summa canisters and flow controllers must be returned within 14 days of receipt or rental fees will apply.</p> <p>For summa canister and flow controller information please refer to Con-Test's Air Media Agreement.</p>																																																	
<p><b>Matrix Code:</b></p> <p>SG = SOIL GAS IA = INDOOR AIR AMB = AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = other</p> <p><b>Media Codes:</b></p> <p>S = summa can T = teflon bag P = PUF T = tube F = filter C = cassette O = Other</p>																																																	



[www.contestlabs.com](http://www.contestlabs.com)



Page 1 of 2

## AIR Only Receipt Checklist

39 Spruce St.  
East Longmeadow, MA.  
01028  
P: 413-525-2332  
F: 413-525-6405

CLIENT NAME: EA Engineering RECEIVED BY: RLF DATE: 10/23/14

1) Was the chain(s) of custody relinquished and signed?  Yes  No

2) Does the chain agree with the samples?

If not, explain:

3) Are all the samples in good condition?

If not, explain:

4) Are there any samples "On Hold"?

Yes  No

Stored where: \_\_\_\_\_

5) Are there any RUSH or SHORT HOLDING TIME samples?

Yes  No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored:

airlab

Permission to subcontract samples? Yes  No

(Walk-in clients only) if not already approved

Client Signature: \_\_\_\_\_

7) Number of cans Individually Certified or Batch Certified? 19

### Containers received at Con-Test

	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)	19	10L
Tedlar Bags		
TO-17 Tubes		
Regulators	19	30 min
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:

Unused Regulators:

1) Was all media (used & unused) checked into the WASP?

2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

#### Laboratory Comments:

1019	1038	101	1464	1035	4106	4212	4175	4170	4105	4181
1342	1508	1326	1042	1801	4208	4174	4210	4073	4213	4076
1075	1867	1755	1506		4209	4211	4171	4077	4180	4072
1804	1209	1750	1486	1035						

**Page 2 of 2**  
**Login Sample Receipt Checklist**  
**(Rejection Criteria Listing - Using Sample Acceptance Policy)**  
**Any False statement will be brought to the attention of Client**

<u>Question</u>	<u>Answer (True/False)</u>	<u>Comment</u>
	T/F/NA	
1) The cooler's custody seal, if present, is intact.	T	
2) The cooler or samples do not appear to have been compromised or tampered with.	T	
3) Samples were received on ice.	NA	
4) Cooler Temperature is acceptable.	NA	
5) Cooler Temperature is recorded.	NA	
6) COC is filled out in ink and legible.	T	
7) COC is filled out with all pertinent information.	T	
8) Field Sampler's name present on COC.	T	
9) There are no discrepancies between the sample IDs on the container and the COC.	T	
10) Samples are received within Holding Time.	T	
11) Sample containers have legible labels.	T	
12) Containers are not broken or leaking.	T	
13) Air Cassettes are not broken/open.	NA	
14) Sample collection date/times are provided.	T	
15) Appropriate sample containers are used.	T	
16) Proper collection media used.	T	
17) No headspace sample bottles are completely filled.	T	
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T	
19) Trip blanks provided if applicable.	NA	
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA	
21) Samples do not require splitting or compositing.	T	

**Who notified of False statements?**  
**Log-In Technician Initials:**

Doc #278 Rev. 4 January 2014

**Date/Time:**  
**Date/Time:**

RLF 10/03/14

LLR30

## **APPENDIX F**

### **RIDEM Sample Results**

**Summary of RIDEM VOC Analytical Data**  
**Alvarez School, Providence RI**  
**Sample Date: 22 October 2014**

Sample ID	room 118 music room	room 145 media center	room 110	gymnasium	outdoor north - upwind	outdoor south - downwind	outdoor roof next to fan	outdoor roof next to fan	outdoor roof far SW	sub-slab mp-7	sub-slab mp-8	sub-slab mp-2	roof top fan 2
<b>Sample Details</b>	10224d1.D	10224d2.D	10224d3.D	10224d4.D	10224d5.D	10224d6.D	10224d7.D	10224d8.D	10224d9.D	10234d11.D	10234d12.D	10234d13.D	10224d10.D
	can 102	can 13341	can 12664	can 12659	can 36176	can 13339	can 13340	can 13336	can 12654	can 36174	can 13345	can 108	can 12661
<b>Duration of Sample</b>	30 min	30 min	grab	grab	30 min	grab	grab	grab	grab	30 min	30 min	30 min	30 min
<b>Sample Notes</b>										took on liq water, dil into 13338			
<b>Analyte</b>													
1,1,1-trichloroethane	0.005	0.005	0.005	0.005	0.006	0.005	0.007	0.006	0.005	0.014	0.007	0.047	0.273
1,1,2,2-tetrachloroethane	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1,1-dichloroethane	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.006	0.002	0.002	0.003
1,1-dichloroethene	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1,2,3-trimethylbenzene	0.012	0.007	0.012	0.009	0.007	0.006	0.004	0.003	0.006	0.004	0.004	0.006	0.013
1,2,4-trimethylbenzene	0.027	0.028	0.028	0.022	0.025	0.026	0.012	0.012	0.020	0.008	0.013	0.016	0.026
1,2-dichloroethane	0.015	0.013	0.014	0.012	0.013	0.012	0.012	0.011	0.012	0.005	0.009	0.009	0.010
1,2-dichloropropane	0.005	0.004	0.004	0.004	0.004	0.004	0.004	0.003	0.004	0.000	0.004	0.003	0.004
1,3,5-trimethylbenzene	0.010	0.011	0.009	0.009	0.009	0.008	0.004	0.004	0.008	0.006	0.004	0.005	0.010
1,3-butadiene	0.017	0.021	0.018	0.017	0.024	0.028	0.016	0.012	0.022	0.011	0.010	0.007	0.020
1-butene	0.281	0.277	0.288	0.260	0.276	0.280	0.237	0.231	0.252	0.802	0.359	0.313	0.319
1-pentene	0.018	0.017	0.014	0.014	0.015	0.014	0.006	0.006	0.010	0.014	0.011	0.007	0.016
2,2,4-trimethylpentane	0.043	0.048	0.047	0.038	0.048	0.062	0.024	0.023	0.042	0.040	0.023	0.018	0.053
2,2-dimethylbutane	0.018	0.016	0.014	0.012	0.015	0.018	0.007	0.007	0.012	0.013	0.009	0.009	0.018
2,3,4-trimethylpentane	0.026	0.023	0.030	0.013	0.017	0.021	0.011	0.008	0.014	0.021	0.007	0.006	0.015
2,3-dimethylbutane	0.024	0.024	0.017	0.018	0.024	0.029	0.011	0.011	0.021	0.020	0.012	0.011	0.024
2,3-dimethylpentane	0.020	0.023	0.157	0.013	0.016	0.019	0.009	0.008	0.014	0.026	0.007	0.006	0.017
2,4-dimethylpentane	0.010	0.012	0.072	0.009	0.013	0.015	0.006	0.006	0.011	0.014	0.007	0.005	0.011
2-methylheptane	0.014	0.014	0.015	0.013	0.014	0.017	0.008	0.007	0.013	0.016	0.006	0.006	0.013
2-methylhexane	0.049	0.048	0.516	0.026	0.034	0.040	0.017	0.015	0.031	0.058	0.016	0.011	0.033
2-methylpentane	0.078	0.098	0.095	0.077	0.092	0.103	0.042	0.044	0.083	0.089	0.048	0.034	0.090
3-methylheptane	0.009	0.011	0.009	0.009	0.008	0.014	0.005	0.006	0.009	0.009	0.003	0.004	0.007
3-methylhexane	0.077	0.076	0.422	0.031	0.041	0.044	0.020	0.018	0.034	0.081	0.018	0.014	0.040
3-methylpentane	0.055	0.057	0.049	0.043	0.060	0.066	0.025	0.027	0.050	0.056	0.031	0.022	0.058
acetaldehyde	1.763	1.676	2.558	0.932	0.515	0.420	0.383	0.377	0.509	3.068	0.311	0.368	1.177
acetone	6.152	7.138	15.263	2.985	1.379	1.094	0.012	0.013	1.153	0.940	0.268	0.385	3.144
acetonitrile	0.201	0.120	0.122	0.275	0.082	0.079	0.065	0.063	0.068	0.026	0.083	0.098	0.159
acetylene	0.535	0.475	0.500	0.508	0.538	0.626	0.456	0.477	0.781	0.343	0.366	0.346	0.319
acrolein	0.140	0.183	0.165	0.068	0.037	0.023	0.022	0.058	0.031	0.038	0.012	0.028	0.054
acrylonitrile	0.044	0.008	0.007	0.002	0.003	0.002	0.000	0.000	0.003	0.000	0.000	0.000	0.007
alpha-pinene	0.057	0.024	0.104	0.017	0.024	0.014	0.005	0.009	0.013	0.030	0.009	0.010	0.033
benzene	0.119	0.096	0.100	0.079	0.093	0.105	0.072	0.062	0.094	0.050	0.106	0.056	0.121
butane	3.879	0.550	3.705	1.494	0.495	0.615	0.288	0.308	0.389	1.172	0.300	0.220	7.638
carbon tetrachloride	0.095	0.096	0.090	0.092	0.094	0.095	0.094	0.095	0.096	0.089	0.097	0.102	0.099
chlorobenzene	0.000	0.001	0.001	0.001	0.001	0.001	0.000	0.000	0.001	0.000	0.002	0.001	0.001
chloroform	0.035	0.026	0.034	0.027	0.027	0.031	0.023	0.021	0.023	0.025	0.023	0.027	0.072
chloromethane	0.544	0.560	0.631	0.513	0.500	0.497	0.500	0.519	0.502	0.182	0.378	0.417	0.261
cis-1,3-dichloropropene	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
cis-2-butene	0.007	0.011	0.007	0.007	0.012	0.010	0.004	0.005	0.008	0.009	0.006	0.005	0.009
cis-2-pentene	0.006	0.009	0.007	0.005	0.008	0.007	0.002	0.003	0.007	0.005	0.004	0.003	0.006
cyclohexane	0.037	0.051	0.884	0.022	0.028	0.029	0.014	0.011	0.021	0.080	0.013	0.010	0.047
cyclopentane	0.013	0.019	0.019	0.013	0.018	0.021	0.007	0.008	0.014	0.018	0.010	0.007	0.014
decane	0.021	0.050	0.026	0.063	0.011	0.011	0.007	0.010	0.009	0.012	0.005	0.014	0.019
dibromoethane	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
dichlormethane	0.075	0.076	0.075	0.068	0.072	0.074	0.084	0.090	0.080				

# APPENDIX G

## Laboratory MRL Correspondence



39 Spruce Street  
East Longmeadow, MA 01089

December 15, 2014

Catherine Swanson  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: CT Remediation Standard Regulations – Work Order 14D1058

Dear Ms. Swanson:

This letter is in response to the Residential Target Indoor Air numbers published in the Remediation Standard Regulations. Several of the TAC's, which are calculated based on risk, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

In addition 1,2-Dichloroethane did not meet 0.04ug/m<sup>3</sup> due to a QC failure on the initial analysis which resulted in a dilution and an elevated RL.

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink, appearing to read "Tod Kopyscinski". The signature is fluid and cursive, with some loops and variations in line thickness.

Tod Kopyscinski  
Air Laboratory Manager