



Airport Professional Park
2374 Post Road, Suite 102
Warwick, Rhode Island 02886
Telephone: 401-736-3440
Fax: 401-736-3423
www.eaest.com

EA Engineering, Science, and Technology, Inc., PBC

30 March 2015

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 30
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.02*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from December 2014 through February 2015.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC.

Frank B. Postma, LSP, LEP, PG
Project Manager

cc: B. Luger, Prov. Dept. of Public Schools
D. Granlek, Prov. Redevelopment Agency
M. Darigan, Partridge, Snow, & Hahn
J. Pichardo, Senator
Principal Hawkins, Alvarez High School
A. Sepe, Prov. Dept. of Public Property
S. Fischbach, RI Legal Services
R. Dorr, Neighborhood Resident
Rep. Scott Slater
Knight Memorial Library Repository



Quarterly O&M Status Report No. 30

Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities

Alvarez High School Site (Formerly Adelaide Avenue High School) Providence, Rhode Island

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by

EA Engineering, Science, and Technology, Inc., PBC
2374 Post Road, Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.02
March 2015

TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION AND BACKGROUND	1
2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE	2
2.1 SSD System	2
2.2 Indoor Methane Monitoring System.....	3
2.3 Ambient Outdoor and Indoor Air Sampling	3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect	6
2.5 Summary of Rooftop VOC Emissions.....	7
2.6 Conclusions.....	7
3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT	9

FIGURES

FIGURE 1:	SITE LOCATION MAP
FIGURE 2:	INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM
FIGURE 3:	AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

APPENDICES

APPENDIX A:	O&M FIELD FORMS
APPENDIX B:	INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C:	SUBSLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D:	ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E:	INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR LABORATORY ANALYTICAL REPORT
APPENDIX F:	LABORATORY DETECTION LIMITS CORRESPONDENCE

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 30 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the 3-month period from December 2014 through March 2015 (Quarterly Reporting Period No. 30). Please refer to Quarterly O&M Status Reports No. 1 through No. 29 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM

The following SSD System performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly subslab vacuum monitoring (10 December 2014, 20 January 2015, and 11 February 2015) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Quarterly sampling (20 January 2015) of eight indoor air locations, one ambient outdoor air location, and six subslab points.
- Monthly inspections and monitoring of 3 rooftop fans (air velocity and vacuum) to verify proper operation. The roof could not be accessed during the 11 February 2015 event due to ice and snow.
- Continuous electronic monitoring (with automatic alarm notification via audible signal and phone notification) at each of three SSD system extraction fans to ensure continuous operation.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations were between -0.01 and -0.10 in. of water column. Negative measurements confirm that a continuous negative pressure has been maintained beneath the building slab.

There were no alarms from the control panel for the indoor methane monitoring system during this monitoring period. EA tested the cell phone autodialer unit by triggering an alarm condition during the 20 January and 11 February 2015 monitoring events. The autodialer functioned as intended and notified emergency contacts of the alarm.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system (equipped with automatic alarm notification via audible signal and phone notification) within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. In addition, the methane monitoring system was inspected and filters were replaced on 11 February 2015. The next filter replacement is scheduled for May 2015.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

One ambient outdoor air sample and eight indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 20 January 2015. Samples were collected within individually certified summa canisters and submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 Selective Ion Monitoring (SIM). The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling event results. Each summa canister used during the 20 January 2015 event was individually analyzed to certify that all compounds were below the 0.2 parts per billion (ppb) limit before the sampling event. Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved action level in accordance with the Amended OA.

Sampling locations for the indoor and sub-slab air samples are illustrated on Figure 3. The ambient outdoor air sample was collected upwind (west) of the school. The indoor air sampling results were compared to the CT RTACs in accordance with the Amended OA. The laboratory method reporting limits (MRLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs even though analyzed via the SIM procedure. Refer to Appendix F for an MRL verification letter from Con-Test Analytical Laboratory (Con-Test) verifying that where MRLs are not able to be met, the reporting limit was the lowest currently achievable. A data summary table is provided as Appendix B and copies of the laboratory data reports associated with this sampling event are provided in Appendix E.

The sample collected in Room 152 had a trichloroethylene (TCE) concentration of 20 $\mu\text{g}/\text{m}^3$, above the action level of 1 $\mu\text{g}/\text{m}^3$. The sample collected at the corresponding sub-slab monitoring point, IMP-2, did not have a TCE detection, indicating that the indoor air TCE may be from an interior source. During sample collection, a class was in progress and it is possible that clothing or plastics were the source of the detection. During the following monitoring event (11 February), Room 152 was inspected for potential interior TCE sources, though none were identified. EA coordinated with RIDEM to resample Room 152 and IMP-2 in accordance with the Amended OA. Resampling occurred on 27 March 2015. Results will be discussed in Status Report No. 31.

The samples collected in the Cafeteria, Kitchen Storage, Elevator Hallway, Room 145, Room 118, Room 110, and in Outdoor Ambient Air reported concentrations of methylene chloride (also called dichloromethane) between 27 and 40 $\mu\text{g}/\text{m}^3$. The methylene chloride detections were above the RIDEM amended threshold value of 3.0 $\mu\text{g}/\text{m}^3$. These concentrations have been reported to RIDEM. Methylene chloride is a common laboratory contaminant and byproduct of many cleaning products, including paint strippers. The presence of this contaminant has been previously attributed to use of cleaning products at the school; however, the RIDEM-duplicated samples collected during the October 2014 sampling event had significantly lower concentrations of methylene chloride than those analyzed at Con-Test. On average, RIDEM sample concentrations of methylene chloride were 84% lower than Con-Test sample

concentrations with very little variation in percent difference between sample locations. This data indicated that methylene chloride was present in samples due to contamination at the laboratory, not from concentrations of methylene chloride at the school.

Carbon tetrachloride was detected in outdoor ambient air at a concentration of $0.52 \mu\text{g}/\text{m}^3$, above the RIDEM approved action level of $0.5 \mu\text{g}/\text{m}^3$. Carbon tetrachloride was also detected at all indoor air locations at concentrations between 0.33 and $0.49 \mu\text{g}/\text{m}^3$. Carbon tetrachloride is a documented background ambient compound in the area; the compound has consistently been detected in ambient outdoor air and inside the school during every sampling event completed at the Site at concentrations ranging between 0.19 and $0.77 \mu\text{g}/\text{m}^3$. The detections during the 20 January 2015 event are consistent with historical detections. Concentrations of carbon tetrachloride in samples from sub-slab monitoring points ranged from 0.42 to $0.49 \mu\text{g}/\text{m}^3$.

The laboratory case narrative from Con-Test Analytical Laboratory for the 20 January 2015 samples documents potential low bias for three analytes - chloroethane, chloromethane, and vinyl chloride (VC), and potential high bias for acrylonitrile. Low bias indicates that the actual concentrations could be higher than those reported; however chloroethane and chloromethane are historically not contaminants of concern and were likely below threshold values regardless of bias. While VC is a contaminant of concern, there were no VC detections in the indoor air or ambient outdoor air samples and the MRL was well below the threshold value. VC has only been detected at a concentration above the threshold of $0.1 \mu\text{g}/\text{m}^3$ in one indoor sampling location since sampling was initiated.

No other ambient indoor air samples collected during the January 2015 sampling event contained compounds with concentrations above the CT RTACs or RIDEM approved action levels.

2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Four exterior subslab vapor samples and two interior subslab vapor sample were collected on 20 January 2015 in accordance with the Amended OA rotating sampling schedule and analyzed for VOCs via US EPA Method TO-15 SIM. The subslab analytical results are presented in Appendix C and copies of the laboratory data reports associated with these sampling events are included in Appendix E.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Although there was limited evidence of increasing VOCs, specifically of the analytes chloroethane, chloroform, 1,2dichlorobenzene, 4-methyl-2-pentanone, styrene, PCE and TCE, after the 01 August 2014 sampling event, the majority of results were discredited by laboratory or canister contamination. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Rooftop sampling was conducted on 1 August 2014 and again on 22 October 2014 due to summa samples collected in the August event being biased by summa can contamination. Rooftop fans were not sampled during Reporting Period No. 30. The results of the 22 October rooftop fan sampling event are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or yearly emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2015.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, and July 2013 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Tabulation of the data and the rooftop sampling analytical report is provided as Appendix D. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building. More data may be sought to evaluate this issue during varying weather conditions.

2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into the Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- Methylene chloride was reported at a concentration which exceeded the RIDEM amended threshold value in samples collected in the Cafeteria, Kitchen Storage, Elevator Hallway, Room 145, Room 118, Room 110, and in Outdoor Ambient Air. Through use of RIDEM

duplicate sample results during the October 2014 sampling event, it was determined that methylene chloride was likely present in samples due to contamination at the laboratory, not from concentrations of methylene chloride at the school. Therefore, EA assumes these detections are related to laboratory contamination as well.

- The sample collected in Room 152 had a TCE concentration of $20 \mu\text{g}/\text{m}^3$, above the MRL of $1 \mu\text{g}/\text{m}^3$. The sample collected at the corresponding sub-slab monitoring point, IMP-2, did not have a TCE detection, indicating that the indoor air TCE detection may be from an interior source. During sample collection, a class was in progress and it is possible that clothing or plastics were the source of the detection
- Carbon tetrachloride was detected in outdoor ambient air at a concentration of $0.52 \mu\text{g}/\text{m}^3$, above the RIDEM amended threshold value of $0.5 \mu\text{g}/\text{m}^3$. Carbon tetrachloride was also detected at all indoor air locations and subslab monitoring points at concentrations between 0.33 and $0.49 \mu\text{g}/\text{m}^3$. Carbon tetrachloride is a documented background ambient compound for the school and these results are consistent with historical detections; the results do not indicate vapor intrusion
- The use certified clean summa canisters, as requested by RIDEM yielded high confidence in the samples collected on 20 January 2015. Through continued consultation with RIDEM, EA has determined that certified clean canisters will be used in the upcoming sampling events.

3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from March to May 2015:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity;
- Resampling of the indoor air in Room-152 and the corresponding interior sub-slab monitoring point, IMP-2; and
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in April 2014.

These activities will be summarized in the next status report (Quarterly Status Report No. 31), expected to be submitted by the end of June 2015.

FIGURES




ALVAREZ HIGH SCHOOL
 333 ADELAIDE AVENUE
 PROVIDENCE, RHODE ISLAND

FIGURE 1
 SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD

METHANE SENSOR CALIBRATION LOCATION
IN WEST WING; ELECTRICAL ROOM AREA




METHANE SYSTEM CONTROLLER LOCATION;
ADMINISTRATION WORK ROOM

METHANE SENSOR LOCATION
(TYP.)

PLC LOCATION IN EAST WING;
ELECTRICAL ROOM/MAINTENANCE
OFFICE AREA

PROJECT NORTH



NOTE: NOT TO SCALE





DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM - ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 2

LEGEND :

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- ||— SLOTTED 1 INCH PVC PIPING
- ⊕ ROOFTOP FAN LOCATION
- SP-1
□ SSD SYSTEM SUCTION PIT
- - - - - SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT
SUB SLAB MONITORING AND SAMPLING LOCATIONS
ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 3

APPENDIX A

O&M Field Forms

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 12/10/2014

Performed by: C.Swanson

PID/Methane Calibration? Y (yes/no)

Date of last Methane Sensor Filter Replacement: November

Replaced this O&M Visit? N (yes/no)

General Status of SSD System: On and operational - new autodialer installed

General Status of Methane Monitoring System: On and operational

Eng. Cap/Fence Inspection Performed/Notes: hole in grass under downspout on NW side of building (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	118	0	0	0	--	--	--	--	--	--	
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	29	0	0	0	--	--	--	--	--	--	
Elevator Hallway	NA	NA	1078	0	0	0	--	--	--	--	--	--	
Room 145	NA	NA	841	0	0	0	--	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--	
MP-1	-0.09	NA	29	NA	0	0	--	--	--	--	--	--	
MP-2	-0.07	NA	14	NA	0	0	--	--	--	--	--	--	
MP-3	-0.08	NA	0	NA	0	0	--	--	--	--	--	--	
MP-4	-0.06	NA	59	NA	0	0	--	--	--	--	--	--	
MP-5	-0.06	NA	73	NA	0	0	--	--	--	--	--	--	
MP-6	-0.05	NA	103	NA	0	0	--	--	--	--	--	--	
MP-7	-0.01	NA	103	NA	0	0	--	--	--	--	--	--	
MP-8	-0.09	NA	118	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	1325	NA	0	0	--	--	--	--	--	--	
IMP-2	-0.01	NA	753	NA	0	0	--	--	--	--	--	--	
IMP-3	-0.01	NA	1536	NA	0	1	--	--	--	--	--	--	
Roof-Top Fan 1	-2.2	2240	0	NA	0	0	--	--	--	--	--	--	Water in air in fan
Roof-Top Fan 2	-2.2	2043	0	NA	0	0	--	--	--	--	--	--	Water in air in fan
Roof-Top Fan 3	-2.9	2036	73	NA	0	0	--	--	--	--	--	--	Water in air in fan
Ambient Outdoor Air	NA	NA	30	NA	0	0	--	--	--	--	--	--	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 1/20/2015

Performed by: C.Swanson/ S. Decarli

PID/Methane Calibration? Y (yes/no)

Date of last Methane Sensor Filter Replacement: November

Replaced this O&M Visit? N (yes/no)

General Status of SSD System: On and operational - new autodialer tested

General Status of Methane Monitoring System: On and operational

Eng. Cap/Fence Inspection Performed/Notes: hole in grass under downspout on NW side of building (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	1230	4177	8:07	-28.5	8:37	-4.5	can placed on edge of room due to class in progress
Cafeteria	NA	NA	0	0	0	0	1825	4176	8:10	-30.5	11:58	-22.0	Can/regulator not functioning correctly. May have to re-sample
Kitchen Storage Room	NA	NA	0	0	0	0	2142	4182	8:33	-27.5	9:03	-4.5	door was open to the outside
Elevator Hallway	NA	NA	1	0	0	0	2148	4105	8:15	-30.5	8:45	-7.5	
Room 145	NA	NA	0	0	0	0	1039	4183	9:17	-25.0	9:48	-6.0	
Room 152	NA	NA	0	0	0	0	1815	4086	9:24	-30.0	10:01	-0.5	
Room 118	NA	NA	0	0	0	0	2144	4170	9:37	-28.5	10:07	-3.5	
Room 110	NA	NA	0	0	0	0	1858	4083	12:51	-24.0	13:21	0.0	
MP-1	-0.01	NA	0	NA	0.1	1	1126	4172	11:08	-25.0	11:38	-3.5	
MP-2	-0.05	NA	0	NA	0.1	1	--	--	--	--	--	--	
MP-3	-0.03	NA	0	NA	0	0	2014	4196	10:54	-20.5	11:21	0.0	
MP-4	-0.06	NA	0	NA	0.1	1	2154	4084	11:51	-24.0	12:21	-2.0	
MP-5	-0.05	NA	0	NA	0.1	1	--	--	--	--	--	--	
MP-6	-0.02	NA	0	NA	0.1	1	2133	4173	10:49	-23.0	11:19	0.0	
MP-7	-0.01	NA	0	NA	0.1	1	--	--	--	--	--	--	
MP-8	-0.06	NA	0	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	0	NA	0	0	1131	4085	8:30	-25.0	9:00	-5.0	
IMP-2	-0.02	NA	0	NA	0	0	1108	4171	9:26	-30.0	10:01	-3.0	
IMP-3	-0.01	NA	0	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	-2.2	2240	0	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 2	-2.2	2043	0	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 3	-3.0	2036	0	NA	0	0	--	--	--	--	--	--	
Ambient Outdoor Air	NA	NA	0	NA	0	0	1886	4197	11:02	-23.0	11:24	-3.0	Wind from west. Can set in back, west corner of parking lot. Air smelled somewhat of acetone.

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Alvarez High School - SSD & Interior Methane Monitoring System O&M Form

Date of O&M: 2/11/2015

Performed by: C.Swanson, D. Allen aided with snow removal

PID/Methane Calibration? Y (yes/no)

Date of last Methane Sensor Filter Replacement: November

Replaced this O&M Visit? Y (yes/no)

General Status of SSD System: On and operational

General Status of Methane Monitoring System: On and operational - tested autodialer

Eng. Cap/Fence Inspection Performed/Notes: ground was snowcovered. Could not inspect

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	--	--	--	--	--	--	ventilation on very high - blew doors to gym open
Cafeteria	NA	NA	0	0	0	0	--	--	--	--	--	--	
Kitchen Storage Room	NA	NA	0	0	0	0	--	--	--	--	--	--	door open to outside during monitoring
Elevator Hallway	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 145	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 152	NA	NA	0	0	0	0	--	--	--	--	--	--	Observed room for possible contamination sources after January laboratory results showed TCE concs.
Room 118	NA	NA	0	0	0	0	--	--	--	--	--	--	
Room 110	NA	NA	0	0	0	0	--	--	--	--	--	--	
MP-1	-0.07	NA	0	NA	0	0	--	--	--	--	--	--	
MP-2	-0.07	NA	0	NA	0	0	--	--	--	--	--	--	
MP-3	-0.09	NA	0	NA	0	0	--	--	--	--	--	--	
MP-4	-0.07	NA	0	NA	0	0	--	--	--	--	--	--	
MP-5	-0.08	NA	0	NA	0	0	--	--	--	--	--	--	
MP-6	-0.10	NA	0	NA	0	0	--	--	--	--	--	--	
MP-7	-0.01	NA	0	NA	0	0	--	--	--	--	--	--	
MP-8	-0.09	NA	0	NA	0	0	--	--	--	--	--	--	
IMP-1	-0.01	NA	0	NA	0	0	--	--	--	--	--	--	
IMP-2	-0.01	NA	0	NA	0	0	--	--	--	--	--	--	
IMP-3	-0.01	NA	0	NA	0	0	--	--	--	--	--	--	
Roof-Top Fan 1	--	--	--	NA	--	--	--	--	--	--	--	--	Roof and fan inaccessible due to snow and ice
Roof-Top Fan 2	--	--	--	NA	--	--	--	--	--	--	--	--	Roof and fan inaccessible due to snow and ice
Roof-Top Fan 3	--	--	--	NA	--	--	--	--	--	--	--	--	Roof and fan inaccessible due to snow and ice
Ambient Outdoor Air	NA	NA	0	NA	0	0	--	--	--	--	--	--	wind from south with light snow

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Dalt Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Bromodichloromethane	8-Feb-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	27-Mar-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	25-Apr-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	29-May-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	27-Jun-08		0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.130	U	0.231	U	0.134	U	0.134	U			0.134	U		
	31-Jul-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	28-Aug-08		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	30-Sep-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	27-Oct-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	25-Nov-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	18-Dec-08		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	21-Jan-09		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	25-Feb-09		0.130	U	0.130	U	0.130	U	0.130	U	NS	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
	26-Mar-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	29-Apr-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	22-Jul-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	9-Oct-09		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	15-Jan-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	21-Apr-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	16-Jul-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	15-Oct-10		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	30-Nov-10		NS	U	0.134	U	0.134	U	0.134	U	NS	U	NS	U	NS	U	0.134	U	0.134	U			NS	U		
	26-Jan-11		0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.227	U	0.228	U	0.228	U	0.228	U	0.228	U		
	26-Jan-11**		NS	U	0.340	U	0.340	U	0.340	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U		
	27-Apr-11		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	26-Jul-11		0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U			0.134	U		
	28-Oct-11		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U			0.100	U		
	23-Jan-12		0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U			0.240	U		
	13-Apr-12		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U			0.100	U		
	20-Jun-12	2-Jul-12 resample		NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U		
	1-Nov-12		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U			0.067	U		
	1-Feb-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U			0.067	U		
	29-Apr-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U			0.067	U		
	9-Jul-13		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U			0.067	U		
	18-Oct-13		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U		
9-Jan-14		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U			
24-Apr-14		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U			
1-Aug-14		0.130	U	0.130	U	0.130	U	0.200	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U			0.130	U			
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			NS	U			
22-Oct-14		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U			0.100	U			
20-Jan-15		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U			0.067	U			
Bromofom	8-Feb-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U			0.210	U		
	27-Mar-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U			0.206	U		
	25-Apr-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U			0.206	U		
	29-May-08		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U			0.210	U		
	27-Jun-08		0.206	U	0.210	U	0.206	U	0.206	U	0.210	U	0.210	U	1.300	U	0.210	U	0.210	U			0.206	U		
	31-Jul-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U			0.206	U		
	28-Aug-08		0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U			0.206	U		
	30-Sep-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U			0.410	U		
	27-Oct-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U			0.410	U		
	25-Nov-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U			0.410	U		
	18-Dec-08		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U			0.410	U		
	21-Jan-09		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U			0.410	U		
	25-Feb-09		0.410	U	0.410	U																				

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual	Concentration	Qual
Chloromethane	8-Feb-08		2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440	U					2.440	U		
	27-Mar-08		2.830	U	3.070	U	2.690	U	2.440	U	2.830	U	2.440	U	2.440	U	2.480	U	2.440	U					2.440	U		
	25-Apr-08		2.820	U	2.440	U	2.440	U	2.440	U	2.440	U	2.920	U	2.440	U	3.200	U	2.440	U					2.440	U		
	29-May-08		3.000	U	7.100	U	11.000	U	2.940	U	6.280	U	6.420	U	2.770	U	2.440	U	2.500	U					2.440	U		
	27-Jun-08		2.650	U	2.440	U	2.440	U	2.830	U	3.260	U	2.620	U	2.440	U	2.500	U							2.440	U		
	31-Jul-08		3.580	U	3.330	U	4.370	U	3.330	U	3.440	U	3.740	U	2.440	U	2.440	U							2.440	U		
	28-Aug-08		2.440	U	3.140	U	5.310	U	6.880	U	3.150	U	2.440	U	2.540	U	2.540	U							2.440	U		
	20-Sep-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U							1.000	U		
	27-Oct-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U							1.000	U		
	25-Nov-08		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U							1.000	U		
	18-Dec-08		1.000	U	1.000	U	1.000	U	1.400	U	1.400	U	1.000	U	1.000	U	1.000	U							1.000	U		
	21-Jan-09		1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U							1.000	U		
	25-Feb-09		1.000	U	1.000	U	1.000	U	NS	U	1.000	U	1.000	U	1.000	U	1.000	U							1.000	U		
	26-Mar-09		2.490	U	2.680	U	2.550	U	2.920	U	2.910	U	2.440	U	2.440	U	2.440	U							2.440	U		
	29-Apr-09		2.710	U	2.910	U	3.600	U	3.730	U	3.130	U	2.660	U	3.390	U	2.960	U							2.510	U		
	22-Jul-09		2.670	U	2.520	U	2.660	U	2.540	U	2.440	U	2.780	U	3.390	U	3.320	U							2.440	U		
	9-Oct-09		3.450	U	2.740	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U							2.440	U		
	15-Jan-10		3.850	U	3.690	U	2.820	U	3.180	U	3.240	U	3.630	U	3.120	U	3.750	U							2.600	U		
	21-Apr-10		2.550	U	2.440	U	2.440	U	2.440	U	2.440	U	2.400	U	2.520	U	2.460	U							2.460	U		
	16-Jul-10		1.510	U	1.660	U	1.050	U	1.090	U	1.680	U	1.110	U	1.300	U	1.100	U							1.510	U		
	15-Oct-10		1.080	U	1.080	U	1.030	U	1.050	U	1.030	U	1.030	U	1.030	U	1.030	U							1.030	U		
	30-Nov-10		NS	U	1.030	U	1.030	U	NS	U	NS	U	NS	U	1.030	U	NS	U							NS	U		
	26-Jan-11		1.760	U	1.760	U	1.760	U	1.760	U	1.760	U	1.750	U	1.750	U	1.760	U			1.750	U			1.750	U		
	26-Jan-11**		NS	U	1.100	U	1.000	U	NS	U	NS	U	NS	U	1.000	U	NS	U							NS	U		
	27-Apr-11		1.050	U	1.660	U	1.400	U	2.160	U	1.440	U	1.510	U	1.740	U	1.460	U							1.270	U		
	26-Jul-11		1.160	U	1.600	U	1.030	U	1.120	U	1.030	U	1.030	U	1.030	U	1.030	U							1.030	U		
	28-Oct-11		1.400	U	1.000	U	1.300	U	1.500	U	0.960	U	1.000	U	1.000	U	1.000	U							1.300	U		
	23-Jan-12		1.300	U	1.100	U	1.100	U	1.200	U	1.400	U	1.900	U	1.400	U	1.500	U							1.100	U		
	13-Apr-12		1.300	U	1.400	U	1.400	U	1.500	U	1.100	U	1.000	U	1.000	U	1.200	U							0.840	U		
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U							1.500	U		
	20-Jan-12		1.700	U	0.041	U	0.041	U	0.041	U	0.041	U	0.041	U	1.500	U	0.041	U							1.300	U		
	1-Nov-12		1.100	U	1.100	U	0.910	U	1.200	U	1.000	U	1.000	U	1.100	U	1.100	U							0.990	U		
	1-Feb-13		1.200	U	1.300	U	1.200	U	1.200	U	1.200	U	1.400	U	1.300	U	1.100	U							1.100	U		
	29-Apr-13		1.300	U	1.300	U	1.300	U	1.200	U	1.800	U	1.100	U	1.300	U	1.300	U							1.100	U		
	9-Jul-13		1.100	U	1.100	U	0.800	U	1.100	U	1.000	U	1.100	U	0.980	U	1.000	U							1.100	U		
9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	1.142	U	NS	U	NS	U	NS	U							1.164	U			
18-Oct-13		0.880	U	1.200	U	1.200	U	1.200	U	1.200	U	1.200	U	1.300	U	1.300	U							1.100	U			
9-Jan-14		0.900	U	0.950	U	1.000	U	1.100	U	1.000	U	1.100	U	1.100	U	1.200	U							1.100	U			
24-Apr-14		1.100	U	1.300	U	1.100	U	1.100	U	1.100	U	1.400	U	1.400	U	1.600	U							0.940	U			
1-Aug-14		0.083	U	0.083	U	0.083	U	0.120	U	0.083	U	0.083	U	0.083	U	0.083	U							0.083	U			
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	1.100 ^{L-V}	U	NS	U							NS	U			
22-Oct-14		0.780 ^L	U	0.810 ^L	U	1.100 ^L	U	0.880 ^L	U	1.000 ^L	U	1.300 ^L	U	1.300 ^L	U	1.200 ^L	U							0.890 ^L	U			
20-Jan-15		0.820 ^L	U	0.970 ^L	U	0.072 ^L	U	0.081 ^L	U	0.089 ^L	U	1.100 ^L	U	1.000 ^L	U	0.083 ^L	U							0.820 ^L	U			
Dibromochloromethane	8-Feb-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U		
	27-Mar-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U							0.096	U		
	25-Apr-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U							0.096	U		
	29-May-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U							0.100	U		
	27-Jun-08		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.096	U	0.096	U	0.096	U							0.096	U		
	31-Jul-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U							0.096	U		
	28-Aug-08		0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U							0.096	U		
	30-Sep-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U							4.200	U		
	27-Oct-08		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U							4.200	U		
	25-Nov-08		4.200	U																								

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RfCs/Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,2-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.822	U	0.120	U				0.120	U			
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	18-Dec-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	21-Jan-09		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	25-Feb-09		3.000	U	3.000	U	3.000	U	3.000	U	NS	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	26-Mar-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	29-Apr-09		0.120	U	0.120	U	0.100	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	22-Jul-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	9-Oct-09		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	15-Jan-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	21-Apr-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	16-Jul-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	15-Oct-10		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	30-Nov-10		NS	U	0.120	U	0.120	U	0.120	U	NS	U	NS	U	NS	U	NS	U	NS	U				NS	U			
	26-Jan-11		0.205	U	0.204	U	0.205	U	0.205	U	0.205	U	0.204	U	0.204	U	0.204	U	0.205	U	0.204	U	0.205	U	0.204	U		
	26-Jan-11**		NS	U	0.300	U	0.300	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				NS	U			
	27-Apr-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	26-Jul-11		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	28-Oct-11		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U				0.180	U			
	23-Jan-12		0.220	U	0.210	U	0.400	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U				0.210	U			
	13-Apr-12		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U				0.180	U			
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				NS	U			
	20-Jun-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	1-Nov-12		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	1-Feb-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	29-Apr-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	9-Jul-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
18-Oct-13		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U				
9-Jan-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U				
24-Apr-14		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U				
1-Aug-14		0.120	U	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U				
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				NS	U				
22-Oct-14		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U				0.180	U				
20-Jan-15		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U				
1,3-Dichlorobenzene	8-Feb-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	27-Mar-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	25-Apr-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	29-May-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	27-Jun-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.862	U	0.120	U				0.120	U			
	31-Jul-08		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U				0.120	U			
	28-Aug-08		0.120	U	0.120	U	0.120	U	0.102	U	0.102	U	0.102	U	0.102	U	0.102	U	0.120	U				0.120	U			
	30-Sep-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	27-Oct-08		3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	25-Nov-08		3.000	U	3.000	U	3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000	U	3.000	U				3.000	U			
	18-Dec-08																											

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08		1.950		1.850		1.880		1.890		1.830		1.940		1.980		1.890		1.890					2.020			
	27-Mar-08		2.420		2.380		2.280		2.110		2.600		2.560		2.700		2.070		2.070					2.210			
	25-Apr-08		2.050		2.150		2.090		2.010		2.090		2.090		2.170		2.090		2.030					1.950			
	29-May-08		1.700		1.630		1.540		1.760		1.630		1.610		1.780		1.600		1.600					1.560			
	27-Jun-08		2.280		2.280		2.370		2.330		2.240		2.220		2.250		2.250		2.250					2.220			
	31-Jul-08		2.030		2.020		1.970		1.970		1.910		1.920		1.920		1.900		1.900					1.850			
	28-Aug-08		3.600		2.870		2.920		2.870		2.820		2.800		2.800		2.880		2.980					2.770			
	30-Sep-08		2.500		2.500		2.500		2.500		2.500		2.500		2.500		2.500		2.500					2.500			
	27-Oct-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U				2.500	U		
	25-Nov-08		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U				2.500	U		
	18-Dec-08		2.700	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U				2.500	U		
	21-Jan-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U				2.500	U		
	25-Feb-09		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U				2.500	U		
	26-Mar-09		2.220		2.190		2.120		2.090		2.220		2.180		2.080		2.120		2.120					2.130			
	29-Apr-09		2.500		2.460		2.320		2.320		2.320		2.320		2.380		2.360		2.360					2.160			
	22-Jul-09		3.140		3.120		2.920		3.090		2.780		3.170		2.690		2.960		2.960					3.130			
	9-Oct-09		2.290		2.560		2.300		2.320		2.320		2.280		2.300		2.290		2.290					2.210			
	15-Jan-10		27.800		2.550		2.480		2.590		2.410		2.540		2.450		2.410		2.410					2.430			
	21-Apr-10		2.340		2.320		2.320		2.330		2.260		2.330		2.260		2.330		2.330					2.240			
	16-Jul-10		2.480		2.560		2.430		2.520		3.690		2.480		2.560		2.480		2.480					2.740			
	15-Oct-10		2.460		2.460		2.460		2.460		2.470		2.460		2.460		2.460		2.460					2.630			
	30-Nov-10		NS		2.480		2.550		NS		NS		NS		NS		NS		NS				NS				
	26-Jan-11		2.680		2.640		2.340		2.660		2.150		2.580		2.370		2.560		2.560		2.230	2.480		2.440			
	26-Jan-11**		NS		2.800		2.700		NS		2.600		NS		2.600		NS		NS				NS				
	27-Apr-11		2.070		2.820		2.200		2.450		2.160		2.210		2.220		2.210		2.210					2.460			
	26-Jul-11		2.290		2.270		2.270		2.360		2.260		2.340		2.260		2.340		2.260					2.360			
	28-Oct-11		2.700		2.400		2.800		2.600		2.800		2.500		2.600		2.500		2.500					2.500			
	23-Jan-12		1.700		1.600		1.600		1.500		2.000		2.000		1.800		1.800		1.800					2.000			
	13-Apr-12		2.100		2.100		2.000		2.000		1.800		1.900		1.700		1.700		1.700					1.900			
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		NS		NS				2.500				
	20-Jun-12		2.500		2.600		2.500		2.400		2.700		2.300		2.500		2.500		2.500					2.300			
	1-Nov-12		2.000		2.200		2.100		2.200		2.000		2.100		2.100		2.000		2.000					2.100			
	1-Feb-13		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600					1.600			
	29-Apr-13		2.400		2.600		2.600		2.400		2.400		2.300		2.400		2.400		2.400					2.400			
	9-Jul-13		0.950		0.980		0.980		0.980		0.980		0.980		0.980		0.980		0.980					1.000		1	
	18-Oct-13		2.000		2.200		1.900		2.000		1.900		2.000		1.900		2.000		2.000					2.000			1.1
9-Jan-14		1.400		1.500		1.400		1.400		1.500		1.500		1.500		1.500		1.500					1.600				
24-Apr-14		2.300		2.300		2.300		2.400		2.800		2.400		2.400		2.400		2.400					2.500				
1-Aug-14		1.500		1.800		1.500		1.800		1.500		1.800		1.500		1.700		1.700					1.700				
12-Sept-14 resample		NS		NS		NS		NS		NS		NS		2.300/1.500		NS		NS				NS					
22-Oct-14		1.400		1.400		1.400		1.500		1.400		1.500		1.400		1.300		1.300					1.500				
20-Jan-15		1.400		1.300		1.400		1.500		1.400		1.500		1.400		1.500		1.500					1.500				
1,1-Dichloroethane	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U			
	27-Mar-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U				0.081	U		
	25-Apr-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U				0.081	U		
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U		
	27-Jun-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U		
	31-Jul-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U				0.081	U		
	28-Aug-08		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U				0.081	U		
	30-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U		
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U		
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U		
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U		
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U		
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U		
	26-Mar-09		0.081	U	0.081	U	0.081	U	0.081																		

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEK-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1-Dichloroethylene	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	27-Mar-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	25-Apr-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	27-Jun-08		0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	29-Sep-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U			
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U			
	25-Nov-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U			
	18-Dec-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U			
	21-Jan-09		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U			
	25-Feb-09		2.000	U	2.000	U	2.000	U	2.000	U	NS	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U				
	26-Mar-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	29-Apr-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	22-Jul-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.111	U	0.079	U	0.079	U	0.079	U				0.079	U			
	9-Oct-09		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	15-Jan-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	21-Apr-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	16-Jul-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	15-Oct-10		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	30-Nov-10		NS	U	0.079	U	0.079	U	0.079	U	0.079	U	NS	U	NS	U	0.079	U	0.079	U				NS	U			
	26-Jan-11		0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U		
	26-Jan-11**		NS	U	0.200	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U				NS	U			
	27-Apr-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	26-Jul-11		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	28-Oct-11		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U				0.040	U			
	23-Jan-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
	13-Apr-12		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U				0.079	U			
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				0.059	U			
	20-Jun-12		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	1-Nov-12		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				0.040	U			
	1-Feb-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				0.040	U			
	29-Apr-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				0.040	U			
	9-Jul-13		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				0.040	U			
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				0.029	U			
	18-Oct-13		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	9-Jan-14		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	24-Apr-14		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				0.040	U			
	1-Aug-14		0.079	U	0.079	U	0.079	U	0.079	U	0.120	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U				NS	U				
22-Oct-14		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U				0.059	U				
20-Jan-15		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U				0.059	U				
cis-1,2-Dichloroethene*	8-Feb-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	27-Mar-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	25-Apr-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	29-May-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	27-Jun-08		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U				0.080	U			
	31-Jul-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	28-Aug-08		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U				0.079	U			
	30-Sep-08		5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U				5.900	U			
	27-Oct-08		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U				2.000	U			
	25-Nov-08		2.000	U																								

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEK-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)				AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,2-Dichloropropane	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	27-Mar-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	25-Apr-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	27-Jun-08		0.092	U	0.092	U	0.090	U	0.090	U	0.090	U	0.090	U	0.092	U	0.092	U	0.092	U					0.092	U				
	31-Jul-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	28-Aug-08		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	30-Sep-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	27-Oct-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	25-Nov-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	18-Dec-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	21-Jan-09		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	25-Feb-09		0.090	U	0.090	U	0.090	U	0.090	U	NS	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U					
	26-Mar-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	29-Apr-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	22-Jul-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	9-Oct-09		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	15-Jan-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	21-Apr-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	16-Jul-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	15-Oct-10		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	30-Nov-10		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
	26-Jan-11		0.158	U	0.157	U	0.157	U	0.157	U	0.157	U	0.158	U	0.157	U	0.157	U	0.158	U		0.157	U	0.157	U	0.157	U			
	26-Jan-11**		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
	27-Apr-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	26-Jul-11		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	28-Oct-11		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U				
	23-Jan-12		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U				
	13-Apr-12		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U				
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U				
	20-Jun-12		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	1-Nov-12		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U				
	1-Feb-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
	29-Apr-13		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U				
	9-Jul-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U				
9-Jul-13 RIDEK		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U					
18-Oct-13		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U					
9-Jan-14		0.092 ^V	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092 ^V	U					
24-Apr-14		0.046 ^V	U	0.046 ^V	U	0.046 ^V	U	0.046 ^V	U	0.046 ^V	U	0.046 ^V	U	0.046 ^V	U	0.046 ^V	U	0.046 ^V	U					0.046 ^V	U					
1-Aug-14		0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U					
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U					NS	U					
22-Oct-14		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U					
20-Jan-15		0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U					
1,3-Dichloropropane	8-Feb-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U							0.090	U				
	27-Mar-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U				
	25-Apr-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U				
	29-May-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	27-Jun-08		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U				
	31-Jul-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U				
	28-Aug-08		0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U				

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Dalt Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3			
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Ethylbenzene	8-Feb-08		0.260		0.230		0.620		0.450		0.250		0.170		0.160		0.180							0.220					
	27-Mar-08		0.841		0.669		1.020		0.989		0.894		1.000		0.628		0.619							0.096					
	25-Apr-08		0.770		0.537		0.720		0.678		0.711		0.705		0.672		0.650							0.087	U				
	29-May-08		0.140		0.120		0.130		0.620		0.120		0.160		0.150		0.110							0.090	U				
	27-Jun-08		0.555		0.412		1.080		0.987		0.478		0.400		0.802		0.360							0.369					
	31-Jul-08		0.553		0.449		1.140		0.424		0.426		0.491		0.262		0.216							0.255					
	28-Aug-08		0.868		1.150		3.010		2.820		0.761		0.854		0.870		0.783							0.844					
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	15.500	U						2.200	U				
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U				
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U				
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U				
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U				
	25-Feb-09		2.200	U	2.200	U	3.600		NS		2.200	U	2.200	U	2.200	U	2.200	U						2.200	U				
	26-Mar-09		0.932		0.803		1.120		1.060		0.511		0.648		0.738		0.589							0.727					
	29-Apr-09		0.195		0.234		0.633		0.538		0.195		0.139		0.139		0.152							0.178					
	22-Jul-09		0.442		0.212		1.090		0.291		0.551		0.625		0.807		0.542							1.180					
	9-Oct-09		0.859		0.759		1.090		1.030		0.881		0.668		0.668		0.533							0.746					
	15-Jan-10		0.447		0.334		0.386		0.351		0.321		0.256		0.273		0.252							0.286					
	21-Apr-10		0.468		0.716		1.280		0.612		0.603		0.603		0.542		0.538							0.087	U				
	16-Jul-10		0.334		0.228		0.416		0.408		0.573		0.286		0.872		0.260							0.143					
	15-Oct-10		0.252		0.388		0.412		0.152		0.126		0.087		0.280		0.121							0.121					
	30-Nov-10		NS		NS		NS		NS		NS		NS	U	0.108		NS						NS						
	26-Jan-11		1.040		1.000		1.100		1.220		1.000		1.100		0.951		1.320					0.988	0.466	1.300					
	26-Jan-11**		NS		NS		NS		NS		NS		NS		NS		NS						NS						
	27-Apr-11		0.108		0.139		0.625		0.221		0.837		0.087		0.200		0.087							0.091					
	26-Jul-11		0.473		1.020		0.873		0.417		0.300		0.417		0.356		0.176							0.161					
	28-Oct-11		0.600		0.320		0.400		0.230		0.480		0.480		0.490		0.420							0.130					
	23-Jan-12		0.610		0.480		0.470		0.660		0.580		0.580		0.560		0.560							0.540					
	13-Apr-12		0.300		0.250		0.300		0.240		0.250		0.280		0.240		0.200							0.170	U				
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		NS						0.130	U					
	20-Jun-12		0.490		0.500		0.490		0.560		0.550		0.460		0.530		0.330							0.470					
	1-Nov-12		0.760		0.440		0.330		0.530		0.450		0.730		0.810		0.630							0.130					
	1-Feb-13		0.130		0.087	U	0.087	U	0.087		0.110		0.089		0.190		0.087							0.130					
	29-Apr-13		0.760		0.540		0.540		0.540		0.670		0.430		1.600		0.530							0.150					
	9-Jul-13		0.340		0.310		0.330		0.310		0.390		0.310		0.320		0.320							0.310			0.35	0.45	
	9-Jul-13 RIDEM		NS		NS		NS		NS		NS		NS		NS		NS						0.330					0.501	
	18-Oct-13		0.710		0.096		0.110		0.540		0.770		0.120		1.400		0.900							0.430					
	9-Jan-14		3.100		4.500		0.160		0.170		0.170		0.160		0.570		0.210							0.140					
	24-Apr-14		0.110		0.087		0.096		0.087	U	0.087	U	0.087	U	0.150		0.120							0.087	U				
	1-Aug-14		0.120		0.160		0.360		0.470		0.360		0.650		0.280		0.460							0.280					
	12-Sept-14 resample		NS		NS		NS		NS		NS		NS		NS		NS						NS						
	22-Oct-14		0.160		0.130		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.210						
	20-Jan-15		0.130		0.130		0.110		0.170		0.130		0.160		0.230		0.240							0.210					
	Isopropylbenzene	8-Feb-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U				
		27-Mar-08		2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U				
25-Apr-08			2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U					
29-May-08			2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U					
27-Jun-08			2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U					
31-Jul-08			2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U					
28-Aug-08			2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U					
30-Sep-08			4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	12.700	U					4.900	U					
27-Oct-08			4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U					
25-Nov-08			4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U					
18-Dec-08			4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U					
21-Jan-09			4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U					
25-Feb-09			4.900	U	4.900	U	2.460	U	NS		4.900	U	4.900	U	4.900	U	4.900	U											

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Methyl tert butyl ether (MTBE)	8-Feb-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U		
	27-Mar-08		0.440	U	0.102	U	0.102	U	0.091	U	0.095	U	0.098	U	0.102	U	0.090	U	0.072	U	0.072	U	0.072	U	0.072	U		
	25-Apr-08		0.116	U	0.116	U	0.107	U	0.127	U	0.126	U	0.121	U	0.131	U	0.113	U	0.070	U	0.070	U	0.070	U	0.070	U		
	29-May-08		0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U		
	27-Jun-08		0.072	U	0.070	U	0.070	U	0.074	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U		
	31-Jul-08		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	28-Aug-08		0.095	U	0.130	U	0.123	U	0.123	U	0.091	U	0.106	U	0.115	U	0.089	U	0.094	U	0.094	U	0.094	U	0.094	U		
	30-Sep-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	27-Oct-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	25-Nov-08		2.100	U	1.800	U	1.800	U	1.800	U	2.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	18-Dec-08		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	21-Jan-09		1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	25-Feb-09		1.800	U	2.700	U	1.800	U	NS	U	1.800	U	2.700	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U		
	26-Mar-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	29-Apr-09		0.072	U	0.072	U	2.350	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	22-Jul-09		0.072	U	0.072	U	0.223	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Oct-09		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	15-Jan-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	21-Apr-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	16-Jul-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	15-Oct-10		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	30-Nov-10		NS	U	0.072	U	0.072	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	26-Jan-11		0.123	U	0.123	U	0.123	U	0.123	U	0.123	U	0.122	U	0.122	U	0.122	U	0.123	U	0.122	U	0.123	U	0.122	U		
	26-Jan-11**		NS	U	0.180	U	0.180	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	27-Apr-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	26-Jul-11		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	28-Oct-11		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	23-Jan-12		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U		
	13-Apr-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	20-Jan-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	1-Nov-12		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	1-Feb-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	29-Apr-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Jul-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Jul-13 RIDEM		NS	U	NS	U	NS	U	NS	U	0.041	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	18-Oct-13		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	9-Jan-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	24-Apr-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
	1-Aug-14		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U		
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Oct-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			
20-Jan-15		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U			
Methylene chloride	8-Feb-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U		
	27-Mar-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U		
	25-Apr-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U		
	29-May-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U		
	27-Jun-08		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U		
	31-Jul-08		1.740	U</																								

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3				
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual			
Styrene	8-Feb-08		0.710		0.130		0.090		0.090		0.090		0.090		0.090		0.090		0.090		0.090		0.090		0.090					
	27-Mar-08		1.200		0.118		0.120		0.165		0.140		0.175		0.114		0.139		0.085		0.085		0.085		0.085					
	25-Apr-08		0.856		0.180		0.137		0.156		0.137		0.137		0.184		0.137		0.124		0.124		0.124		0.124					
	29-May-08		0.550		0.085	U	0.130		0.250		0.090	U	0.110		0.090		0.090		0.090		0.090		0.090		0.090					
	27-Jun-08		1.830		0.085	U	0.112		0.186		0.191		0.085	U	0.481		0.090		0.090		0.090		0.090		0.090					
	31-Jul-08		1.890		0.254		0.153		0.286		0.285		0.288		0.109		0.090		0.090		0.090		0.090		0.090					
	28-Aug-08		0.654		0.368		0.262		0.352		0.203		0.165		0.169		0.140		0.108		0.108		0.108		0.108					
	30-Sep-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U				
	27-Oct-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U				
	25-Nov-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U				
	18-Dec-08		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U				
	21-Jan-09		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U				
	25-Feb-09		2.100	U	2.100	U	2.100	U	NS		2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U				
	26-Mar-09		0.814		0.113		0.110		0.125		0.111		0.128		0.128		0.149		0.122		0.122		0.122		0.122					
	29-Apr-09		0.515		0.085	U	0.136	U	0.085	U	0.136	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	22-Jul-09		1.280		0.085	U	0.153	U	0.085	U	0.285	U	0.272	U	0.213	U	0.217	U	0.187		0.187		0.187		0.187					
	9-Oct-09		0.838		0.153		0.149		0.174		0.179		0.179		0.149		0.149		0.149		0.149		0.149		0.149					
	15-Jan-10		1.100		0.221		0.085	U	0.089		0.196		0.098		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	21-Apr-10		0.281		0.204		0.289		0.187		0.328		0.174		0.145		0.140		0.085	U	0.085	U	0.085	U	0.085	U				
	16-Jul-10		0.702		0.085	U	0.085	U	0.085	U	0.779	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	15-Oct-10		0.549		0.085	U	0.085	U	0.085	U	0.096	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	30-Nov-10		NS		0.149		0.119		NS		NS		NS		NS		NS		NS		NS		NS		NS					
	26-Jan-11		0.327		0.224		0.174		0.217		0.182		0.202		0.145	U	0.182		0.188		0.188		0.188		0.188					
	26-Jan-11**		NS		0.510		0.370		NS		NS		NS		NS		NS		NS		NS		NS		NS					
	27-Apr-11		0.166		0.166		0.170		0.192		0.277		0.085	U	0.145		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	26-Jul-11		0.677		2.460		1.132		11.700		0.132		1.320		0.290		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	28-Oct-11		0.300		0.130	U	0.130	U	0.130	U	0.330	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U				
	23-Jan-12		0.820		0.250		0.410		0.480		0.270		0.510		0.150		0.150		0.150		0.150		0.150		0.150					
	13-Apr-12		0.560		0.140		0.130	U	0.130	U	0.550	U	0.280		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U				
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS					
	20-Jun-12		0.720		0.300		0.240		1.200		0.430		0.150		0.085	U	0.200		0.200		0.200		0.200		0.200					
	1-Nov-12		0.280		0.140		0.085	U	0.130		0.150		0.160		0.180		0.160		0.160		0.160		0.160		0.160					
	1-Feb-13		0.870		0.085	U	0.085	U	0.085	U	0.095		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	29-Apr-13		1.600		0.230		0.200		0.200		0.740		0.150		0.520		0.210		0.210		0.210		0.210		0.210					
	9-Jul-13		0.410		0.130		0.085	U	0.140		0.410		0.085	U	0.140	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
	9-Jul-13 RIDEM		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.085	U	0.085	U
	18-Oct-13		0.200		0.085	U	0.085	U	0.130		0.270		0.110		0.340		0.290		0.130		0.130		0.130		0.130					
	9-Jan-14		0.260		0.260		0.085	U	0.085	U	0.085	U	0.085	U	0.120		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U				
	24-Apr-14		1.100		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.160		4.500		0.085	U	0.085	U	0.085	U	0.085	U				
	1-Aug-14		0.880		0.260		0.260		0.210		0.560		0.680		0.260		0.430		0.085	U	0.085	U	0.085	U	0.085	U				
12-Sept-14 resample		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS						
22-Oct-14		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					
20-Jan-15		0.120	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.130	U	0.230	U	0.130	U	0.130	U	0.130	U	0.130	U					
1,1,1,2-Tetrachloroethane	8-Feb-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
	27-Mar-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
	25-Apr-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
	29-May-08		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
	27-Jun-08		0.137	U	0.137	U	0.137	U	0.137	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
	31-Jul-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
	28-Aug-08		0.137	U	0.137	U	0.137	U	0.137	U	0.137</																			

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEEM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Ctr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,2-Trichloroethane	8-Feb-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Mar-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U	0.109	U	0.109	U	0.109	U		
	25-Apr-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	29-May-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Jun-08		0.109	U	0.109	U	0.109	U	0.110	U	0.110	U	0.110	U	0.110	U	0.302	U	0.109	U	0.109	U	0.110	U	0.110	U		
	31-Jul-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	28-Aug-08		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	29-Sep-08		0.110	U	0.110	U	0.300	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Oct-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	25-Nov-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	18-Dec-08		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	21-Jan-09		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	25-Feb-09		0.110	U	0.110	U	0.110	U	NS	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	26-Mar-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	23-Apr-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	22-Jul-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	9-Oct-09		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	15-Jan-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	21-Apr-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	16-Jul-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	15-Oct-10		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	30-Nov-10		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	26-Jan-11		0.186	U	0.185	U	0.186	U	0.186	U	0.186	U	0.185	U	0.185	U	0.185	U	0.186	U	0.185	U	0.185	U	0.185	U		
	26-Jan-11*		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	27-Apr-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	26-Jul-11		0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U		
	28-Oct-11		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U		
	23-Jan-12		0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U		
	13-Apr-12		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U		
	2-Jul-12 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U		
	20-Jun-12		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	1-Nov-12		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U		
	1-Feb-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U		
	29-Apr-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U		
	9-Jul-13		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U		
	18-Oct-13		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
9-Jan-14		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			
24-Apr-14		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U			
1-Aug-14		0.110	U	0.110	U	0.110	U	0.160	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			
12-Sept-14 resample		NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U			
22-Oct-14		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U			
20-Jan-15		0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U			
Trichloroethene*	8-Feb-08		0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.390	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Mar-08		0.239		0.233		0.218	U	0.226	U	0.218	U	0.218	U	0.308	U	0.217	U	0.217	U	0.217	U	0.217	U	0.217	U		
	25-Apr-08		0.107	U	0.164		0.147		0.272		0.151		0.152		0.158		0.229		0.229		0.229		0.229		0.229			
	29-May-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U		
	27-Jun-08		0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.107	U	0.143	U	0.195	U	0.195	U	0.195	U	0.195	U	0.195	U		
	31-Jul-08		0.113	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U		
	28-Aug-08		0.193																									

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEIM-Approved Action Level	Kitchen Storage Rm		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Cntr (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		AOA-2	AOA-3		
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
p/m-Xylene	8-Feb-08		0.710		0.660		2.110		1.460		0.550		0.450		0.390		0.420							0.580				
	27-Mar-08		2.460		2.080		3.510		2.960		2.620		2.890		1.810		1.910							0.269				
	25-Apr-08		2.220		1.870		8.240		2.170		1.960		2.260		2.150		1.550							0.225				
	29-May-08		0.350		0.290		5.110		2.250		0.290		0.410		0.340		0.250							0.170				
	27-Jun-08		1.060		1.080		3.280		3.000		1.250		0.994		2.160		0.926							0.795				
	31-Jul-08		1.360		3.330		1.140		1.140		1.370		1.370		0.656		0.488							0.656				
	28-Aug-08		2.130		3.220		8.690		8.200		1.910		2.190		2.280		1.960							2.240				
	30-Sep-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	22.000	U	4.300	U				4.300	U			
	27-Oct-08		4.300	U	4.300	U	4.300	U	5.000	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.700	U			
	25-Nov-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	U			
	18-Dec-08		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	U			
	21-Jan-09		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	U			
	25-Feb-09		4.300	U	4.300	U	15.000		NS		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U				4.300	U			
	26-Mar-09		3.080		2.850		4.530		4.340		1.990		1.580		2.340		1.870							2.310				
	29-Apr-09		0.456		0.733		0.534		1.950		0.477		0.308		0.312		0.347							0.442				
	22-Jul-09		0.920		0.577		2.680		0.824		1.560		2.070		2.510		1.720							3.510				
	9-Oct-09		2.610		2.240		3.360		3.190		2.200		1.960		2.290		1.910							2.290				
	15-Jan-10		1.080		0.915		1.040		0.946		0.724		0.603		0.672		0.607							0.672				
	21-Apr-10		1.200		2.000		4.380		1.610		1.800		1.670		1.430		1.350							0.174				
	16-Jul-10		0.868		0.568		1.290		1.120		1.290		0.729		1.890		0.694							0.330				
	15-Oct-10		0.642		0.972	U	1.340		0.408		0.299		0.174	U	0.468		0.174	U					0.317					
	30-Nov-10		NS		0.620		1.000		NS		NS		NS		0.230		NS						NS					
	26-Jan-11		2.810		2.600		2.910		3.320		2.590		2.790		2.540		3.450							3.480				
	26-Jan-11**		NS		4.300		5.100		NS		NS		NS		4.900		NS						2.700					
	27-Apr-11		0.295		0.412		2.030		0.842		3.020		0.260		0.412		0.191							0.256				
	26-Jul-11		1.240		3.650		2.630		3.670		0.799		2.630		0.816		0.486							0.404				
	28-Oct-11		2.400		1.100		1.400		0.750		1.300		1.700		1.900		1.500							0.480				
	23-Jan-12		1.600		1.300		1.300		1.500		1.300		1.400		1.400		1.500							1.500				
	13-Apr-12		0.810		0.690		0.810		0.660		0.670		0.740		0.640		0.520							0.350				
	2-Jul-12 resample		NS		NS		NS		NS		NS		NS		NS		NS						0.260					
	20-Jun-12		1.200		1.300		1.200		1.400		1.300		1.200		1.400		1.400							0.770				
	1-Nov-12		2.300		1.300		0.960		1.400		1.300		2.100		2.500		1.800							0.340				
	1-Feb-13		0.270		0.210		0.220		0.230		0.220		0.220		0.510		0.210							0.400				
	29-Apr-13		1.700		1.300		1.300		1.300		1.200		0.920		2.400		1.200							0.320				
	9-Jul-13		0.910		0.850		0.810		0.890		0.770		0.890		0.860		0.820							0.650				
9-Jul-13 RIDEIM		NS		NS		NS		NS		NS		NS		NS		NS						0.669						
18-Oct-13		2.200		0.300		0.300		1.600		2.300		0.310		4.200		2.700							1.300					
9-Jan-14		10.000		15.000		0.380		0.400		0.420		0.360		0.820		0.430							0.330					
24-Apr-14		0.220		0.170	U	0.250		0.170		0.170	U	0.170	U	0.260		0.280							0.170					
1-Aug-14		0.470		0.410		0.380		0.410		1.300		1.700		1.400		1.400							0.900					
12-Sept-14 resample		NS		NS		NS		NS		NS		NS		NS		NS						NS						
22-Oct-14		0.590		0.420		0.310		0.260	U	0.330		0.270		0.300		0.690							0.690					
20-Jan-15		0.390		0.440		0.360		0.530		0.400		0.550		0.720		0.800							0.800					
o-Xylene	8-Feb-08		0.280		0.270		0.870		0.210		0.170		0.150		0.160								0.200					
	27-Mar-08		0.762		0.718		1.340		0.920		1.060		0.640		0.668		0.680						0.087					
	25-Apr-08		0.824		0.724		3.480		0.750		0.770		0.786		0.680		0.680						0.087					
	29-May-08		0.130		0.120		2.080		1.000		0.110		0.180		0.190		0.090						0.090					
	27-Jun-08		0.463		0.363		1.030		0.465		1.030		0.358		0.633		0.339							0.332				
	31-Jul-08		0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207							0.246				
	28-Aug-08		0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702							0.832				
	30-Sep-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.600						2.600	U				
	27-Oct-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U				
	25-Nov-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U				
	18-Dec-08		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U				
	21-Jan-09		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U				
	25-Feb-09		2.200	U	2.200	U	2.600		NS		2.200	U	2.200	U	2.200	U	2.200	U					2.200	U				
	26-Mar-09		1.080		0.798		1.090		0.716		0.561																	

APPENDIX C

Subslab Vapor Analytical Summary

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Acetone	8-Feb-08	17.2		NS		NS		NS		4.75	U	NS		NS		NS		5.62		11.4	
	27-Mar-08	NS		28.7		NS		NS		NS		NS		NS		NS		NS		217		NS	
	25-Apr-08	NS		NS		188		NS		NS		NS		513		NS		34		NS		33.9	
	29-May-08	NS		NS		NS		40.9		NS		NS		NS		92		9.82		16.4		NS	
	27-Jun-08	107		NS		NS		145		NS		NS		NS		NS		NS		20.4		9.73	
	31-Jul-08	NS		101		NS		NS		NS		NS		NS		NS		14.4		NS		18.1	
	28-Aug-08	NS		NS		1130		NS		NS		NS		30.9		NS		46		NS		NS	
	30-Sep-08	NS		NS		NS		32.8		NS		NS		NS		44.1		NS		9.4		12.8	
	27-Oct-08	19.6		NS		NS		NS		15		NS		NS		NS		17.9		NS		33.3	
	25-Nov-08	NS		148		NS		NS		NS		183		NS		NS		13		24.7		NS	
	18-Dec-08	NS		NS		856		NS		NS		NS		10.4		NS		NS		37.2		22	
	21-Jan-09	NS		NS		NS		19.1		NS		NS		NS		6.1		2.4	U	NS		4.8	
	25-Feb-09	28.6		NS		NS		NS		60.9		NS		NS		NS		9.5		8.3		NS	
	26-Mar-09	NS		102		NS		NS		NS		47.5	U	NS		NS		NS		50.6		64.8	
	29-Apr-09	NS		NS		1980		NS		NS		NS		23.3		NS		5.15		NS		22.1	
	22-Jul-09	58.5		NS		58.5		148		NS		87.8		NS		NS		96		88.1		NS	
	9-Oct-09	NS		25.7		NS		NS		49.7		NS		9.2		11100		6.51		NS		16.8	
	15-Jan-10	33.6		NS		90.9		22.8		NS		26.3		NS		NS		12.5		11.2		NS	
	21-Apr-10	NS		21.9		NS		NS		206		NS		263		2870		72.8		NS		73.4	
	16-Jul-10	654		NS		4800		202		NS		11400		NS		NS		8.34		NS		21.1	
	15-Oct-10	NS		11.3		NS		NS		26		NS		10.2		18.3		7.03		NS		21.2	
	26-Jan-11	114		26.8		NS		54.4		NS		34.4		NS		35.4		25.3		33.3		NS	
	28-Feb-11	NS		NS		80.8		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		106		NS		NS		255		NS		220		227		17.8		NS		58.2	
	26-Jul-11	76.2		NS		120		154	E	NS		2730		NS		NS		12.8		23.8		NS	
	28-Oct-11	NS		48	U	NS		NS	E	48	U	NS		48	U	48	U	51		NS		48	U
	23-Jan-12	37		NS		36		NS		28		NS		NS		NS		38		NS		NS	
	13-Apr-12	NS		32		NS		NS		70		NS		32		83		54		NS		43	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		48	U	NS	
	23-Jun-12	21		NS		30		370		NS		1600		NS		NS		43		21		NS	
	1-Nov-12	NS		41		NS		NS		52		NS		75		44		35		NS		43	
	1-Feb-13	17		NS		12		NS		25		36		NS		NS		16		NS		NS	
	29-Apr-13	NS		45		NS		NS		100		NS		68		62		33		NS		43	
	9-Jul-13	100		NS		170		130		NS		260		NS		NS		80		15		NS	
	18-Oct-13	NS		43		NS		NS		61		NS		47		57		48		NS		42	
	9-Jan-14	250		NS		16		NS		11		NS		NS		NS		24		33		NS	
	24-Apr-14	NS		18		NS		13		NS		NS		41		15		42		24		30	
	1-Aug-14	31 ^M		NS		110/100 ^M	E	110/100 ^M	E	NS		NS		NS		NS		31 ^M		57/50 ^M	E	NS	
	27-Aug-14	NS		NS		NS		NS		NS		210 ^F /130		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	22-Oct-14	NS		31		NS		NS		14		5.3		17		3.8		40		19		NS	
	20-Jan-15	14		NS		23		23		NS		16		NS		NS		39		72		NS	
Acrylonitrile	8-Feb-08	1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	NS	U
	27-Mar-08	NS		NS	U	NS		NS		NS		NS		NS		NS		NS	U	NS	U	1.08	U
	25-Apr-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS	U	1.08	U
	29-May-08	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	NS	U	NS	U
	27-Jun-08	1.69	U	NS		NS		NS		1.08	U	NS		NS		NS		NS	U	1.08	U	1.08	U
	31-Jul-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		1.08	U	NS	U	1.08	U
	28-Aug-08	NS		NS		NS	U	NS		NS		NS		1.08	U	NS		1.08	U	NS	U	NS	U
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2		2.2	U
	27-Oct-08	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U	NS	U
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	25-Feb-09	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS	U
	26-Mar-09	NS		5.42	U	NS		NS		NS		10.8	U	NS		NS		NS		1.08	U	1.08	U
	29-Apr-09	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	22-Jul-09	5.42	U	NS		5.42	U	10.8	U	NS		5.42	U	NS		NS		1.08	U	1.08	U	NS	U
	9-Oct-09	NS		0.051	U	NS		NS		1.08	U	NS		1.08	U	226	U	1.08	U	NS		1.08	U
	15-Jan-10	1.08	U	NS		1.08	U	1.08	U	NS		1.08	U	NS		NS		1.08	U	1.08	U	NS	U
	21-Apr-10	NS		1.08	U	NS		NS		5.42	U	NS		5.42	U	5.42	U	1.08	U	NS		1.08	U
	16-Jul-10	1.08	U	NS		1.08	U	1.08	U	NS		8.19	U	NS		NS		1.08	U	1.08	U	NS	U
	15-Oct-10	NS		0.108		NS		NS		1.08	U	NS		1.08	U	1.08		1.08	U	NS		1.08	U
	26-Jan-11	10.8	U	NS		NS		1.08	U	NS		5.42	U	NS		5.42	U	5.42	U	NS		NS	U
	28-Feb-11	NS		NS		10.8	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		1.08	U	NS		NS		1.08	U	NS		1.08	U	1.08		1.08	U	NS		1.08	U
	26-Jul-11	3.62	U	NS		3.62	U	1.08	U	NS		5.42	U	NS		NS		1.08	U	5.42	U	NS	U
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		NS		1.2	U	NS		1.2	U	NS		NS		1.2	U	NS		NS	U
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS																	

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Benzene	8-Feb-08	0.92		NS		NS		NS		0.98		NS		NS		NS		0.54		0.85	
	27-Mar-08	NS		0.54		NS		NS		0.462		NS		NS		NS		NS		0.788		0.635	
	25-Apr-08	NS		NS		0.584		NS		NS		NS		0.745		NS		0.428		NS		0.536	
	29-May-08	NS		NS		NS		0.73		NS		NS		NS		1.03		1.12		0.61		NS	
	27-Jun-08	0.626		NS		NS		NS		0.468		NS		NS		NS		NS		0.499		0.399	
	31-Jul-08	NS		0.418		NS		NS		NS		NS		NS		NS		0.358		NS		0.265	
	28-Aug-08	NS		NS		1.02		NS		NS		NS		0.537		NS		0.815		0.692		NS	
	30-Sep-08	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	1.6	U
	27-Oct-08	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U
	25-Nov-08	NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	NS		1.6	U
	18-Dec-08	NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U
	21-Jan-09	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	1.6	U
	25-Feb-09	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	1.6	U	NS	
	26-Mar-09	NS		2.1		NS		NS		NS		2.23	U	NS		NS		NS		0.945		1.48	
	29-Apr-09	NS		NS		0.603		NS		NS		NS		0.246		NS		0.223	U	NS		0.367	
	22-Jul-09	1.12	U	NS		56		2.23	U	NS		1.45		NS		NS		4.27		0.629		NS	
	9-Oct-09	NS		1.15		NS		NS		0.974		NS		0.431		46.6	U	0.619		NS		0.824	
	15-Jan-10	0.763		NS		0.887		0.98		NS		1.26		NS		NS		0.964		0.964		NS	
	21-Apr-10	NS		0.373		NS		NS		0.16	U	NS		1.6	U	1.61		0.635		NS		1.26	
	16-Jul-10	0.332		NS		1.53		0.689		NS		2.41	U	NS		NS		0.319	U	0.319	U	NS	
	15-Oct-10	NS		0.319	U	NS		NS		0.319	U	NS		NS	U	0.319	U	0.319	U	NS		0.319	U
	26-Jan-11	3.19	U	2.49		NS		2.46		NS		1.6	U	NS		1.85		1.8		1.9		NS	
	28-Feb-11	NS		NS		3.19	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.354		0.319	U	NS		0.319	
	26-Jul-11	1.06	U	NS		1.06	U	0.434		NS		1.6	U	NS		NS		0.319	U	NS		1.6	U
	28-Oct-11	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	23-Jan-12	0.84		NS		1.2		0.98		NS		0.81		NS		NS		1.4		NS		1.5	
	13-Apr-12	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS	
	23-Jun-12	0.45		NS		0.61		0.88		NS		0.43		NS		NS		0.42		NS		0.4	
	1-Nov-12	NS		0.45		NS		NS		0.43		NS		0.49		0.56		0.61		NS		1	
	1-Feb-13	0.33		NS		0.45		0.47		NS		0.35		NS		NS		0.45		NS		0.46	
	29-Apr-13	NS		0.41		NS		NS		0.38		NS		0.41		0.47		0.63		NS		0.67	
	9-Jul-13	0.64		NS		0.93		0.76		NS		0.70		NS		NS		0.65		0.42		NS	
	18-Oct-13	NS		0.66		NS		NS		0.63		NS		0.86		NS		0.28		NS		0.92	
	9-Jan-14	1.2		NS		1.1		0.97		NS		1.1		NS		NS		1.5		NS		NS	
	24-Apr-14	NS		0.3		NS		NS		0.22		NS		0.32		0.23		0.39		0.34		0.35	
	1-Aug-14	0.49		NS		0.79/0.76		0.68/0.69		NS		NS		NS		NS		0.34		0.43		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.69		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS		NS	U
	22-Oct-14	NS		0.28		NS		NS		0.21		0.19		0.34		0.14		0.36		0.32		NS	
	20-Jan-15	0.42		NS		0.33		0.45		NS		0.31		NS		NS		0.63		0.46		NS	
Bromodichloromethane	8-Feb-08	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	U
	27-Mar-08	NS		0.134	U	NS		NS		0.134	U	NS		NS		0.134	U	0.134	U	NS		0.134	U
	25-Apr-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	29-May-08	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS		NS	U
	27-Jun-08	0.209	U	NS		NS		NS		0.134	U	NS		NS		NS		NS		0.134	U	0.134	U
	31-Jul-08	NS		0.134	U	NS		NS		NS		NS		NS		NS		0.134	U	NS		0.134	U
	28-Aug-08	NS		NS		0.134	U	NS		NS		0.134	U	NS		NS		0.134	U	0.134	U	NS	U
	30-Sep-08	NS		NS		NS		0.52		NS		NS		NS		0.13	U	NS		0.23		0.13	U
	27-Oct-08	0.13	U	NS		NS		NS		1.07		NS		NS		NS		0.13	U	NS		0.13	U
	25-Nov-08	NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	3		NS	U
	18-Dec-08	NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	0.13	U
	21-Jan-09	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U
	25-Feb-09	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS	U
	26-Mar-09	NS		0.67	U	NS		NS		NS		1.34	U	NS		NS		NS		0.134	U	0.134	U
	29-Apr-09	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	22-Jul-09	0.67	U	NS		27.3	U	1.34	U	NS		0.67	U	NS		NS		0.134	U	0.134	U	NS	U
	9-Oct-09	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	28	U	0.134	U	NS		0.134	U
	15-Jan-10	0.134	U	NS		0.134	U	0.134	U	NS		0.134	U	NS		NS		0.134	U	0.134	U	NS	U
	21-Apr-10	NS		0.134	U	NS		NS		0.67	U	NS		0.67	U	NS		0.134	U	NS		0.134	U
	16-Jul-10	0.134	U	NS		0.134	U	0.134	U	NS		1.01	U	NS		NS		0.134	U	0.134	U	NS	U
	15-Oct-10	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jan-11	1.34	U	0.134	U	NS		0.134	U	NS		0.67	U	NS		NS		0.67	U	NS		NS	U
	28-Feb-11	NS		NS		1.34	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jul-11	0.447	U	NS		0.447	U	0.134	U	NS		0.67	U	NS		NS		0.134	U	0.67	U	NS	U
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.67	U																				

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Bromoform	8-Feb-08	0.21	U	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U
	27-Mar-08	NS		0.206	U	NS		NS		0.206	U	NS		NS		NS		NS		0.206	U	0.206	U
	25-Apr-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS	U	0.206	U
	29-May-08	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS	U	NS	U
	27-Jun-08	0.322	U	NS		NS		0.206	U	NS		NS		NS		NS		NS		0.206	U	0.206	U
	31-Jul-08	NS		0.206	U	NS		NS		NS		NS		NS		NS		0.206	U	NS	U	0.206	U
	28-Aug-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	0.206	U	NS	U
	30-Sep-08	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	0.41	U
	27-Oct-08	0.41	U	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS	U	0.41	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	NS	U	0.41	U
	18-Dec-08	NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U
	21-Jan-09	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS	U	0.41	U
	25-Feb-09	0.41	U	NS		NS		NS		0.14	U	NS		NS		NS		0.41	U	0.41	U	NS	U
	26-Mar-09	NS		1.03	U	NS		NS		NS		2.06	U	NS		NS		NS		0.206	U	0.206	U
	29-Apr-09	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS	U	0.206	U
	22-Jul-09	1.03	U	NS		42	U	2.06	U	NS		1.03	U	NS		NS		0.206	U	0.206	U	NS	U
	9-Oct-09	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	43.1	U	0.206	U	NS	U	0.206	U
	15-Jan-10	0.206	U	NS		0.206	U	0.206	U	NS		0.206		NS		NS		0.206	U	0.206	U	NS	U
	21-Apr-10	NS		0.206	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	0.206	U	NS	U	0.206	U
	16-Jul-10	0.206	U	NS		0.206	U	NS		1.56	U	NS		NS		NS		0.206	U	0.206	U	NS	U
	15-Oct-10	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS	U	0.206	U
	26-Jan-11	2.06	U	0.206	U	NS		0.206	U	NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS	U
	28-Feb-11	NS		NS		2.06	U	NS		NS		NS		NS		NS		NS		NS	U	NS	U
	27-Apr-11	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS	U	0.206	U
	26-Jul-11	0.69	U	NS		0.69	U	0.207	U	NS		1.03	U	NS		NS		NS		1.03	U	NS	U
	28-Oct-11	NS		5.2	U	NS		NS		5.2	U	NS		5.2	U	5.2	U	5.2	U	NS	U	5.2	U
	23-Jan-12	1	U	NS		1	U	1	U	NS		1	U	NS		1	U	1	U	1	U	NS	U
	13-Apr-12	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS	U	1	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.2	U	NS	U
	23-Jun-12	1	U	NS		1	U	1	U	NS		1	U	NS		1	U	1	U	1	U	NS	U
	1-Nov-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS	U	0.21	U
	1-Feb-13	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	29-Apr-13	NS		0.52	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS	U	0.21	U
	9-Jul-13	0.31	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	18-Oct-13	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	NS		0.21	U	NS	U	0.21	U
	9-Jan-14	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	U
	24-Apr-14	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	NS		0.21	U	0.21	U	0.31	U
	1-Aug-14	0.21	U	NS		0.31	U	0.31	U	NS		NS		NS		NS		0.21	U	0.21	U	NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.21	U	NS		NS		NS		NS	U	NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS	U	NS	U
	22-Oct-14	NS		0.31	U	NS		NS		0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.41	U	NS	U
	20-Jan-15	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.31	U	0.21	U	NS	U
2-Butanone	8-Feb-08	126		NS		NS		NS		1.47	U	NS		NS		NS		3.08		10.6		NS	
	27-Mar-08	NS		226		NS		NS		NS		NS		NS		NS		NS		11.9		3.9	
	25-Apr-08	NS		NS		477		NS		NS		NS		1680		NS		2.24		NS		1.47	U
	29-May-08	NS		NS		NS		527		NS		NS		NS		591		2.27		3.04		NS	
	27-Jun-08	1080		NS		NS		NS		596		NS		NS		NS		NS		6.92		3.64	
	31-Jul-08	NS		1350		NS		NS		NS		NS		NS		NS		12		NS		2.56	
	28-Aug-08	NS		NS		8380		NS		NS		NS		102		NS		5.29		9.18		NS	
	30-Sep-08	NS		NS		NS		101		NS		NS		NS		194		NS		2		1.5	U
	27-Oct-08	53.5		NS		NS		NS		30.5		NS		NS		NS		2.4		NS		5.7	U
	25-Nov-08	NS		802		NS		NS		NS		259		NS		NS		1.8		2.4		NS	
	18-Dec-08	NS		NS		5630		NS		NS		NS		8.3		NS		NS		2.6		3.3	
	21-Jan-09	NS		NS		NS		209		NS		NS		NS		24		1.5	U	NS		1.5	U
	25-Feb-09	30		NS		NS		NS		198		NS		NS		NS		1.5	U	1.5	U	NS	
	26-Mar-09	NS		926		NS		NS		NS		29.1		NS		NS		NS		2.66		3.02	
	29-Apr-09	NS		NS		12400		NS		NS		NS		38.1		NS		1.47	U	NS		3.06	
	22-Jul-09	433		NS		433		410		NS		151		NS		NS		21.6		2.8		NS	
	9-Oct-09	NS		289		NS		NS		1.47	U	NS		19.1		22700		2.75		NS		12.6	
	15-Jan-10	29.8		NS		826		64.1		NS		38.4		NS		NS		2.64		1.6		NS	
	21-Apr-10	NS		6.44		NS		NS		7.37	U	NS		34.6		1840		16.8		NS		14.5	
	16-Jul-10	5320		NS		21000		441		NS		10400		NS		NS		1.54		2.8		NS	
	15-Oct-10	NS		117		NS		NS		44.9		NS		2.85		NS		1.47		NS		1.92	
	26-Jan-11	940		22.3		NS		16.5		NS		7.37	U	NS		50.4		7.37	U	7.37	U	NS	
	28-Feb-11	NS		NS		625		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		6.87		NS		NS		171		NS		11.3		15.3		5.38		NS		10.4	
	26-Jul-11	690	E	NS		82.9		93.2		NS		11000		NS		NS		2.07		7.37	U	NS	
	28-Oct-11	NS		59	U	NS		NS		59	U	NS		59	U	NS		59	U	NS		59	U
	23-Jan-12	110</																					

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
n-Butylbenzene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	NS	
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		NS		2.74	U	2.74	U
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	22.1		NS		NS		NS		5.5	U	NS		NS		NS		NS		12.8		NS	
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	11.5	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	NS	
	25-Feb-09	5.5	U	NS		NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U
	26-Mar-09	NS		13.7	U	NS		NS		NS		NS		27.4	U	NS		NS		NS		2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		NS		2.74	U	NS	
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		NS		2.74	U	2.74	U
	9-Oct-09	NS		1.08	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	2.74	U	NS	
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		NS		2.74	U	NS		NS		2.74	U	2.74	U
	21-Apr-10	NS		2.74	U	NS		NS		NS		13.7	U	NS		13.7	U	NS		2.74	U	NS	
	16-Jul-10	2.74	U	NS		2.74	U	NS		2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U
	15-Oct-10	NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U	NS	
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	NS		13.7	U	NS	
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.745	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	2.74	U	NS	
	26-Jul-11	9.17	U	NS		NS		2.74	U	NS		13.7	U	NS		NS		NS		2.74	U	13.7	U
	28-Oct-11	NS		7.9	U	NS		NS		NS		7.9	U	NS		7.9	U	NS		7.9	U	NS	
	23-Jan-12	1.6	U	NS		NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS	
	13-Apr-12	NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	NS		1.6	U	NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		7.9	U
	23-Jun-12	1.6	U	NS		1.6	U	NS		1.6	U	NS		1.6	U	NS		NS		1.6	U	NS	
1-Nov-12	NS		0.32	U	NS		NS		NS		0.32	U	NS		0.44	U	0.35		0.38		NS		
1-Feb-13	0.32	U	NS		NS		0.32	U	NS		NS		NS		NS		NS		0.32	U	0.32	U	
29-Apr-13	NS		0.79	U	NS		NS		NS		0.32	U	NS		0.32	U	0.32		0.32	U	NS		
9-Jul-13	0.47	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		NS		0.32	U	0.32	U	
18-Oct-13	NS		NS		0.54	U	NS		NS		0.52	U	NS		0.74	U	0.65		0.68		NS		
9-Jan-14	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		NS		0.32	U	0.32	U	
24-Apr-14	NS		0.32	U	NS		NS		NS		0.32	U	NS		0.32	U	0.32		0.32	U	0.32	U	
1-Aug-14	0.32	U	NS		0.63	U	0.47 ⁺	U	NS		NS		NS		NS		NS		0.32	U	0.56		
27-Aug-14	NS		NS		NS		NS		NS		NS		0.32	U	NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.47	U	NS		NS		
22-Oct-14	NS		0.47	U	NS		NS		NS		0.47	U	NS		0.47	U	0.47		0.47	U	0.63	U	
20-Jan-15	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		NS		0.47	U	0.032	U	
sec-Butylbenzene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		NS		2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	NS	
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		NS		2.74	U	NS	
	27-Oct-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	5.5	U	NS		NS		NS		NS		NS		NS		NS		NS		5.5	U	NS	
	25-Nov-08	NS		5.5	U	NS		NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	NS	
	25-Feb-09	5.5	U	NS		NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		NS		2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		NS		2.74	U	NS	
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		NS		2.74	U	2.74	U
	9-Oct-09	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	2.74	U	NS	
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		NS		2.74	U	2.74	U
	21-Apr-10	NS		2.74	U	NS		NS		NS		13.7	U	NS		13.7	U	NS		2.74	U	NS	
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		2.74	U	NS		2.74	U	2.74	U
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	NS	
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	NS		13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		NS		2.74	U	2.74	U	2.74	U	NS	
	26-Jul-11	9.17	U	NS		NS		2.74	U	NS		13.7	U	NS		NS		NS		2.74	U	13.7	U
	28-Oct-11	NS		6.3	U	NS		NS		NS		6.3	U	NS		6.3	U	NS		6.3	U	NS	
	23-Jan-12	1.3	U	NS		NS		1.3	U	NS		1.3	U	NS		1.3	U	NS		1.3	U	NS	
	13-Apr-12	NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	NS		1.3			

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual	
		Chloroethane	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS
	27-Mar-08	NS		0.053	U	NS		NS		NS		0.053	U	NS		NS		NS		0.053	U	0.053		U
	25-Apr-08	NS		NS		0.053	U	NS		NS		NS		0.139		NS		0.053	U	NS		0.053		U
	29-May-08	NS		NS		NS		0.11		NS		NS		NS		0.1		0.07		0.05		NS		U
	27-Jun-08	0.082	U	NS		NS		0.132		NS		NS		NS		NS		NS		0.053		NS		U
	31-Jul-08	NS		0.053	U	NS		NS		NS		NS		NS		NS		0.053	U	NS		0.053		U
	28-Aug-08	NS		NS		0.053	U	NS		NS		0.153		NS		NS		0.053	U	0.075		NS		U
	30-Sep-08	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3		U
	27-Oct-08	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.6		U
	25-Nov-08	NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3		NS		U
	18-Dec-08	NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3		U
	21-Jan-09	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3		U
	25-Feb-09	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS		U
	26-Mar-09	NS		0.264	U	NS		NS		NS		0.527	U	NS		NS		NS		0.1212		0.063		U
	29-Apr-09	NS		NS		0.137		NS		NS		NS		0.063		NS		0.053	U	NS		0.053		U
	22-Jul-09	0.264	U	NS		10.8	U	0.527	U	NS		0.277		NS		NS		0.053	U	0.061		NS		U
	9-Oct-09	NS		0.053	U	NS		NS		0.058		NS		0.406		11	U	0.053	U	NS		0.053		U
	15-Jan-10	0.053	U	NS		0.074		0.066		NS		0.053		NS		NS		0.053	U	0.053		NS		U
	21-Apr-10	NS		0.074		NS		NS		0.264		NS		0.303		0.303		0.053	U	NS		0.116		U
	16-Jul-10	0.1		NS		2.55		0.166		NS		0.398	U	NS		NS		0.053		NS		0.087		U
	15-Oct-10	NS		0.053	U	NS		NS		0.082		NS		0.071		0.053	U	0.053	U	NS		0.053		U
	26-Jan-11	0.527	U	0.053	U	NS		0.077		NS		0.264	U	NS		0.264	U	0.264	U	0.264	U	0.264		U
	28-Feb-11	NS		NS		.527	U	NS		NS		NS		NS		NS		NS		NS		NS		U
	27-Apr-11	NS		0.053	U	NS		NS		0.079		NS		0.082		0.053	U	0.053	U	NS		0.053		U
	26-Jul-11	0.176	U	NS		0.176	U	0.116		NS		0.264	U	NS		NS		0.053	U	0.264	U	NS		U
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3		U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS		U
	13-Apr-12	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26		U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.3	U	NS		U
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS		U
	1-Nov-12	NS		0.053	U	NS		NS		0.085		NS		0.08		0.053	U	0.053	U	NS		0.087		U
	1-Feb-13	0.082		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	NS		NS		U
	29-Apr-13	NS		0.4		NS		NS		0.11	U	NS		0.11		0.11	U	0.11	U	NS		0.11		U
	9-Jul-13	0.11		NS		0.12		0.31		NS		0.091		NS		NS		0.11		0.053	U	NS		U
	18-Oct-13	NS		0.053	U	NS		NS		0.091		NS		0.053	U	0.053	U	0.053	U	NS		0.053		U
	9-Jan-14	0.084		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS		U
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.13		0.026	U	0.026	U	0.026	U	0.026		U
	1-Aug-14	0.23		NS		0.43		0.53		NS		NS		NS		NS		0.059		0.053	U	NS		U
	27-Aug-14	NS		NS		NS		NS		NS		0.072		NS		NS		NS		NS		NS		U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.079	U	NS		NS		NS		U
	22-Oct-14	NS		0.079	U	NS		NS		0.079	U	0.079	U	0.35		0.079	U	0.079	U	0.11	U	NS		U
	20-Jan-15	0.069 ^v		NS		0.094		0.062		NS		0.24 ^v		NS		NS		0.079 ^v	U	0.053 ^v	U	NS		U
Chloroform	8-Feb-08	0.1	U	NS		NS		NS		NS	U	NS		NS		NS		0.12		0.12		NS		
	27-Mar-08	NS		0.098	U	NS		NS		NS		0.125		NS		NS		NS		0.453		0.847		
	25-Apr-08	NS		NS		0.231		NS		NS		NS		0.203		NS		0.134		NS		0.265		
	29-May-08	NS		NS		NS		0.14		NS		NS		NS		0.1	U	NS		0.14		NS		
	27-Jun-08	0.263		NS		NS		NS		0.623		NS		NS		NS		NS		0.305		0.395		
	31-Jul-08	NS		0.145		NS		NS		NS		NS		NS		NS		0.13		NS		0.124		
	28-Aug-08	NS		NS		0.098	U	NS		NS		NS		1.2		NS		0.331		0.386		NS		
	30-Sep-08	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U	0.49		U
	27-Oct-08	0.49	U	NS		NS		NS		0.49	U	NS		NS		NS		NS		NS		NS		U
	25-Nov-08	NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U	NS		U
	18-Dec-08	NS		NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24		U
	21-Jan-09	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24		U
	25-Feb-09	0.24	U	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		U
	26-Mar-09	NS		0.488	U	NS		NS		1.29		NS		NS		NS		NS		0.265		0.2		
	29-Apr-09	NS		NS		0.098	U	NS		NS		NS		0.136		NS		0.098	U	NS		1.34		
	22-Jul-09	0.488	U	NS		19.9	U	0.976	U	NS		0.488	U	NS		NS		0.429		0.22		NS		
	9-Oct-09	NS		0.205		NS		0.263		NS		0.268		20.4		NS		0.317	U	NS		0.312		
	15-Jan-10	0.176		NS		7.22		0.146		NS		0.19		NS		NS		0.098	U	0.185		NS		
	21-Apr-10	NS		0.098	U	NS		NS		0.488	U	NS		0.488	U	0.488	U	0.22		NS		0.2		
	16-Jul-10	0.361		NS		0.098	U	0.215		NS		0.737	U	NS		NS		0.205	U	0.346		NS		
	15-Oct-10	NS		0.171		NS		NS		0.366		NS		0.654		0.117		0.102		NS		0.166		
	26-Jan-11	2.78		NS		0.122		0.161		NS		0.488	U	NS		0.488	U	0.488	U	0.488	U	NS		
	28-Feb-11	NS		NS		0.976	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.136		NS		NS		0.185		NS												

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Chloromethane	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	NS	U
	27-Mar-08	NS		2.67		NS		NS		NS		3.24		NS		NS		NS		2.44	U	2.44	U
	25-Apr-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	NS	U	2.44	U
	29-May-08	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	2.44	U	2.44	U
	27-Jun-08	3.8	U	NS		NS		NS		2.44	U	NS		NS		NS		NS		2.44	U	2.44	U
	31-Jul-08	NS		4.64		NS		NS		NS		NS		NS		NS		2.44	U	NS	U	2.44	U
	28-Aug-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	2.44	U	2.44	U
	30-Sep-08	NS		NS		NS		1	U	NS		NS		NS		1	U	NS		1	U	1	U
	27-Oct-08	1	U	NS		NS		NS		1	U	NS		NS		NS		1.1		NS		3.5	
	25-Nov-08	NS		1	U	NS		NS		NS		1	U	NS		NS		1	U	1	U	NS	
	18-Dec-08	NS		NS		1	U	NS		NS		NS		1	U	NS		NS		1.4		1	U
	21-Jan-09	NS		NS		NS		1	U	NS		NS		NS		3.1		NS		1	U	NS	U
	25-Feb-09	1		NS		NS		NS		1	U	NS		NS		NS		1	U	1.2		NS	
	26-Mar-09	NS		12.2	U	NS		NS		NS		24.4	U	NS		NS		NS		4.58		2.44	U
	29-Apr-09	NS		NS		NS		NS		NS		NS		19.4		NS		NS		2.44	U	NS	U
	22-Jul-09	18.5		NS		497	U	32		NS		41.9		NS		NS		2.44	U	6.29		NS	
	9-Oct-09	NS		2.44	U	NS		NS		2.44	U	NS		2.44	U	509	U	2.44	U	NS		2.44	U
	15-Jan-10	2.44	U	NS		2.78		2.44	U	NS		2.44		NS		NS		2.44	U	2.44		NS	
	21-Apr-10	NS		3.25		NS		NS		12.2	U	NS		12.2	U	12.2	U	2.44	U	NS		2.44	U
	16-Jul-10	1.32		NS		62.8		1.48		NS		7.79	U	NS		NS		1.03	U	1.03	U	NS	
	15-Oct-10	NS		1.03	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS		1.03	U
	26-Jan-11	10.3	U	1.03	U	NS		1.03	U	NS		5.16	U	NS		5.16	U	5.16	U	5.16	U	NS	
	28-Feb-11	NS		NS		10.3		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.23		NS		NS		1.03	U	NS		1.03	U	1.18		1.03	U	NS		1.29	
	26-Jul-11	3.45	U	NS		3.45	U	1.03	U	NS		5.16	U	NS		NS		1.03	U	5.16	U	NS	
	28-Oct-11	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1.2	
	23-Jan-12	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		1.2		0.21	U	NS	
	13-Apr-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	1.2		NS		0.97	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS	
	23-Jun-12	0.21	U	NS		0.21	U	0.21	U	NS		2.1		NS		NS		0.21	U	0.21	U	NS	
1-Nov-12	NS		0.041	U	NS		NS		0.041	U	NS		0.041	U	0.041	U	0.37		NS		1.1		
1-Feb-13	0.5		NS		1.8		2.1		NS		0.19		NS		NS		0.71		NS		0.72		
29-Apr-13	NS		0.21	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.73		NS		1.2		
9-Jul-13	0.12	U	NS		0.083	U	0.083	U	NS		0.083	U	NS		NS		1.0		0.083	U	NS		
18-Oct-13	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.40		NS		1.1		
9-Jan-14	3.2		NS		1.5		0.083	U	NS		0.053	U	NS		NS		0.64		0.083	U	NS		
24-Apr-14	NS		4.6		NS		NS		4.5		NS		3.5		1.2		0.47		1.0		1.0		
1-Aug-14	0.083	U	NS		0.12	U	0.12	U	NS		NS		NS		NS		0.083	U	0.083	U	NS		
27-Aug-14	NS		NS		NS		NS		NS		1.7		NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12 ^{L-V}	U	NS		NS	U	NS		
22-Oct-14	NS		1.3		NS		NS		NS		0.12	U	0.74	U	1.30		0.74		1.1		NS		
20-Jan-15	0.083 ^V	U	NS		3 ^V		0.083	U	NS		0.083 ^V	U	NS		NS		0.69 ^V	U	1.2 ^V	U	NS		
Dibromochloromethane	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	U
	27-Mar-08	NS		0.096	U	NS		NS		NS		0.096	U	NS		NS		0.096	U	NS	U	0.096	U
	25-Apr-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS	U	0.096	U
	29-May-08	NS		NS		NS		0.1	U	NS		NS		NS		NS		0.1	U	NS	U	NS	U
	27-Jun-08	0.15	U	NS		NS		NS		0.096	U	NS		NS		NS		NS		0.096	U	0.096	U
	31-Jul-08	NS		0.096	U	NS		NS		NS		NS		NS		NS		0.096	U	NS	U	0.096	U
	28-Aug-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS	U	NS	U
	30-Sep-08	NS		NS		NS		4.2	U	NS		NS		NS		NS		4.2	U	NS	U	4.2	U
	27-Oct-08	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS	U	4.2	U
	25-Nov-08	NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	NS	U	NS	U
	18-Dec-08	NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U
	21-Jan-09	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	4.2	U
	25-Feb-09	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS	U	NS	U
	26-Mar-09	NS		0.48	U	NS		NS		NS		0.96		NS		NS		NS		0.096	U	0.096	U
	29-Apr-09	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS	U	0.096	U
	22-Jul-09	0.48	U	NS		19.6	U	0.96	U	NS		0.48	U	NS		NS		0.096	U	0.096	U	NS	U
	9-Oct-09	NS		0.096	U	NS		NS		NS		NS		0.096	U	NS		20	U	0.096	U	NS	U
	15-Jan-10	0.096	U	NS		0.096	U	0.096	U	NS		0.096	U	NS		NS		0.096	U	0.096	U	NS	U
	21-Apr-10	NS		0.096	U	NS		NS		0.48	U	NS		0.48	U	NS		0.096	U	NS	U	0.096	U
	16-Jul-10	0.17	U	NS		0.17	U	0.17	U	NS		1.28	U	NS		NS		0.17	U	0.17	U	NS	U
	15-Oct-10	NS		0.17	U	NS		NS		0.17	U	NS		NS		NS		0.17	U	NS	U	0.17	U
	26-Jan-11	1.7	U	0.17	U	NS		0.17	U	NS		0.851	U	NS		0.851	U	0.851	U	NS	U	NS	U
	28-Feb-11	NS		NS		1.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.17	U	NS		NS		0.17	U	NS		NS		0.17	U	NS		NS		0.17	U
	26-Jul-11	0.568	U	NS		0.568	U	0.17	U	NS		0.852	U	NS		NS		0.17	U	0.852	U	NS	U
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	NS		4.3	U	NS	U	4.3	U
	23-Jan-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	NS	U	NS	U

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		1,2-Dibromoethane	8-Feb-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U
	27-Mar-08	NS		0.154	U	NS		NS		NS		0.154	U	NS		NS		NS		0.154	U	0.154	U
	25-Apr-08	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	29-May-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15		0.15	U	NS		NS	U
	27-Jun-08	0.239	U	NS		NS		NS		0.154	U	NS		NS		NS		NS		0.154	U	0.154	U
	31-Jul-08	NS		0.154	U	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U
	28-Aug-08	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U	NS		NS	U
	30-Sep-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U	0.15	U
	27-Oct-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U
	25-Nov-08	NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS	U
	18-Dec-08	NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U	0.15	U
	21-Jan-09	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U	NS	U
	25-Feb-09	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	U
	26-Mar-09	NS		0.768	U	NS		NS		NS		1.54	U	NS		NS		NS		0.154	U	0.154	U
	29-Apr-09	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	22-Jul-09	0.768	U	NS		31.3	U	1.54	U	NS		0.768	U	NS		NS		0.154	U	0.154	U	NS	U
	9-Oct-09	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	32	U	0.154	U	NS		0.154	U
	15-Jan-10	0.154	U	NS		0.154	U	0.154	U	NS		0.154	U	NS		NS		0.154	U	0.154	U	NS	U
	21-Apr-10	NS		0.154	U	NS		NS		0.768	U	NS		0.768	U	0.768	U	0.154	U	NS		0.154	U
	16-Jul-10	0.154	U	NS		0.154	U	0.154	U	NS		1.16	U	NS		NS		0.154	U	0.154	U	NS	U
	15-Oct-10	NS		0.154	U	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U
	26-Jan-11	1.54	U	0.154	U	NS		0.154	U	NS		0.768	U	NS		0.768	U	0.768	U	0.768	U	NS	U
	28-Feb-11	NS		NS		1.54	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	0.154	U	0.154	U	NS		0.154	U
	26-Jul-11	0.512	U	NS		0.512	U	NS		0.154	U	0.768	U	NS		NS		0.154	U	0.768	U	NS	U
	28-Oct-11	NS		3.8	U	NS		NS		3.8	U	NS		3.8	U	3.8	U	3.8	U	NS		3.8	U
	23-Jan-12	0.77	U	NS		0.77	U	NS		0.77	U	NS		0.77	U	NS		0.77	U	0.77	U	NS	U
	13-Apr-12	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS	U
	23-Jun-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	U
	1-Nov-12	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		0.077	U	0.077	U	NS		0.077	U
	29-Apr-13	NS		0.19	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	9-Jul-13	0.12	U	NS		0.077	U	NS		0.077	U	NS		NS		NS		0.077	U	0.077	U	NS	U
	18-Oct-13	NS		0.15	U	NS		NS		0.15	U	NS		NS		0.15	U	0.15	U	NS		0.15	U
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	NS		0.15	U	NS		NS		0.15	U	0.15	U	NS	U
	24-Apr-14	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	0.077	U	0.23	U
	1-Aug-14	0.15	U	NS		0.23	U	0.23	U	NS		NS		NS		NS		0.15	U	NS		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		0.077	U	NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	22-Oct-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.15	U	NS	U
	20-Jan-15	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.12	U	0.077	U	NS	U
1,2-Dichlorobenzene	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.55	U	NS	U
	27-Mar-08	NS		0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		NS		NS		NS		NS		NS		NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	0.12	U	NS	U
	27-Jun-08	0.187	U	NS		NS		NS		0.12	U	NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.12	U	NS		NS		NS		NS		NS		NS		0.12	U	NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		NS		NS		0.12	U	0.12	U	NS	U
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	U
	18-Dec-08	NS		NS		3	U	NS		NS		3	U	NS		NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	NS	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	U
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.12	U	NS	U
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		NS		25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	U
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.12	U	NS		0.12	U	0.12	U	NS		0.907	U	NS		NS		0.12	U	1.2	U	NS	U
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		NS		0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	U
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U		

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS	
	27-Mar-08	NS		0.12	U	NS		0.6		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		1.18		NS		NS		NS		3.47		0.62		0.22		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.257		NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.822		NS		NS		NS		NS		NS		NS		0.136		NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	NS		3	U
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		3	U	NS		3	U	NS		3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601		NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.36		NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12		NS		0.12	U	0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12		NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.595		NS		0.685		1.99		NS		0.907	U	NS		NS		0.132		0.162		NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601		NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.42		NS		0.156		0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601		NS	
	28-Oct-11	NS		3	U	NS		3	U	NS		3	U	NS		3	U	NS		3	U	NS	
	23-Jan-12	1.6		NS		1.8		2.3		NS		1.6		NS		1.9		NS		2.7		NS	
	13-Apr-12	NS		0.6	U	NS		NS		NS		0.6	U	NS		2		0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		0.6	U	0.6	U	0.6		NS	
	1-Nov-12	NS		1.2		NS		NS		2.6		NS		6		2.2		0.18		NS		0.12	U
	1-Feb-13	0.18		NS		0.34		0.56		NS		0.44		NS		NS		0.17		0.12	U	NS	
	29-Apr-13	NS		1.3		NS		NS		4.5		NS		6.5		6		0.12	U	NS		0.14	
	9-Jul-13	1.3		NS		2.0		3.9		NS		3.8		NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		NS		0.52		NS		1.4		2.6		NS		2.2		0.16		NS		0.22	
	9-Jan-14	0.58		NS		0.9		1.1		NS		0.84		NS		NS		3.0		4.1		NS	
	24-Apr-14	NS		0.12	U	NS		0.14		NS		0.12	U	NS		0.12	U	0.1	U	0.12	U	0.18	U
	1-Aug-14	4.2		NS		4.8/6.7		4.9/7.6		NS		NS		NS		NS		3.6		5.1/6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.80		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.82		NS		NS		NS	
22-Oct-14	NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS		
20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.2	U	0.12	U	NS		
1,4-Dichlorobenzene	8-Feb-08	1.56		NS		NS		NS		0.26		NS		NS		NS		9.5		7.91		NS	
	27-Mar-08	NS		4.33		NS		NS		NS		8.48		NS		NS		NS		6.28		15.1	
	25-Apr-08	NS		NS		0.347		NS		NS		NS		32.3		NS		17.9		NS		16.3	
	29-May-08	NS		NS		NS		5.5		NS		NS		NS		10		9.41		4.18		NS	
	27-Jun-08	47.3		NS		NS		NS		38.1		NS		NS		NS		NS		40.8		57.9	
	31-Jul-08	NS		2.46		NS		NS		NS		NS		NS		NS		1.84		NS		2.04	
	28-Aug-08	NS		NS		234		NS		NS		NS		214		NS		229		208		NS	
	30-Sep-08	NS		NS		NS		7.2		NS		NS		NS		3	U	NS		6.8		5.6	
	27-Oct-08	3	U	NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	NS	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		4.7		NS		NS		10.3		17.1	
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		13.9		27.2	
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		5.43		NS		*		NS		4.87		NS		NS		NS		20.6		33	
	29-Apr-09	NS		NS		1.2		NS		NS		NS		1.91		NS		NS		4.12		4.25	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.348		0.613		NS	
	9-Oct-09	NS		3.31		NS		3.44		NS		2.79		NS		25.1	U	6.95		NS		3.82	
	15-Jan-10	0.12		NS		1.06		0.715		NS		0.823		NS		NS		2		1.98		NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	3.27		NS		2.84	
	16-Jul-10	1.78		NS		2.3		2.86		NS		1.36		NS		NS		1.63		5.05		NS	
	15-Oct-10	NS		0.685		NS		NS		1.75		NS		1.37		1.48		1.8		NS		2.47	
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.985		NS		1.08		NS		0.967		1.14		1.07		NS		NS		1.24	
	26-Jul-11	5.45		NS		5.21		0.715		NS		5.26		NS		NS		5.54		4.69		NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.66		NS	
	13-Apr-12	NS		0.6	U	NS		0.6	U	NS		0.6	U	NS		0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS																			

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Dichlorodifluoromethane	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2	
	27-Mar-08	NS		2.29		NS		NS		2.15		NS		NS		NS		NS		2.72		NS	
	25-Apr-08	NS		NS		2.01		NS		NS		NS		2.11		NS		2.04		NS		2.16	
	29-May-08	NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		1.66		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		3.13		NS		NS		NS		2.8		NS		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	2.7	
	27-Oct-08	2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		215		NS		NS		NS		11.7		NS		NS		2.5	U	5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		5.8		2.5	U	NS		2.5	U
	25-Feb-09	2.5	U	NS		NS		NS		19.4		NS		NS		NS		2.5	U	3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		NS		2.48		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		NS		3.78		NS		2.26		NS		2.4	
	22-Jul-09	2.42		NS		2.42		2.72		NS		2.5		NS		NS		2.37		2.48		NS	
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6	U	2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		2.25		NS	
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		2.2		2.64		NS		2.43	
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS	
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		2.41		2.46		NS		2.43	
	26-Jan-11	2.47	U	2.2		NS		2.64		NS		1.98		NS		2.57		3.31		3.24		NS	
	28-Feb-11	NS		NS		2.47	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.18		NS		NS		2.27		NS		2.26		2.5		2.32		NS		2.31	
	26-Jul-11	2.41		NS		2.29		2.28		NS		2.08		NS		NS		2.44		NS		NS	
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		2.7		2.9		NS		3.1	
	23-Jan-12	2.5		NS		2.6		NS		2.7		NS		2.7		NS		2.6		NS		NS	
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		3.2		2.5		NS		2.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		NS		NS	
	1-Nov-12	NS		1.8		NS		NS		1.8		NS		2		1.9		2		NS		1.9	
	1-Feb-13	1.4		NS		1.4		NS		1.5		NS		NS		NS		1.6		NS		NS	
	29-Apr-13	NS		2.6		NS		NS		2.3		NS		2.2		2.2		2.3		NS		2.3	
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		1.1		NS	
	18-Oct-13	NS		NS		NS		NS		1.9		NS		1.9		2.2		2.0		NS		2.1	
	9-Jan-14	1.5		NS		1.2		1.3		NS		1.4		NS		NS		1.5		NS		NS	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS		NS	U
	22-Oct-14	NS		1.3		NS		NS		1.4		1.4		1.4		1.6		1.4		NS		NS	
	20-Jan-15	0.099	U	NS		1.5		1.4		NS		1.4		NS		NS		1.4		1.5		NS	
1,1-Dichloroethane	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	U
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.081	U	NS		NS		NS		0.081	U	0.081	U
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.08	U	NS	U
	27-Jun-08	0.126	U	NS		NS		NS		0.081	U	NS		NS		NS		NS		0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		NS	U
	27-Oct-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		NS	U
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.081	U	0.081	U
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.081	U	NS		0.121		NS		0.081	U
	22-Jul-09	0.404	U	NS		16.5	U	0.801	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	U
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.137	U	NS		0.081	U	0.801	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	U
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.081	U	NS		2.48		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	U
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081		0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		7.37	U	NS		0.404	U	0.404	U	0.404	U	NS	U
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081		0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.081	U	NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	NS		2	U	2	U
	23-Jan-12	0.4	U	NS		0.4	U	NS		NS		0.4	U	NS		NS		0.4	U	NS		NS	U
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	NS					

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		cis-1,2-Dichloroethene*																					
8-Feb-08	0.08	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	NS	U
27-Mar-08	NS		0.079	NS	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
25-Apr-08	NS		NS	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
29-May-08	NS		NS	NS		NS		0.08		NS		NS		NS		0.08	U	0.08	U	0.08	U	NS	U
27-Jun-08	0.123	U	NS	NS		NS		NS		NS	U	NS		NS		NS		NS		0.079	U	0.079	U
31-Jul-08	NS		0.079	NS	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
28-Aug-08	NS		NS	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	U
30-Sep-08	NS		NS	NS		NS		5.9	U	NS		NS		NS		5.9	U	NS		5.9	U	5.9	U
27-Oct-08	2	U	NS	NS		NS		2		NS	U	NS		NS		2		2	U	NS		2	U
25-Nov-08	NS		2	NS	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
18-Dec-08	NS		NS	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
21-Jan-09	NS		NS	NS		NS		2	U	NS		NS		2	U	NS		2	U	NS		2	U
25-Feb-09	2	U	NS	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	U
26-Mar-09	NS		0.396	NS	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
29-Apr-09	NS		NS	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
22-Jul-09	0.396	U	NS	NS		595		0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	U
9-Oct-09	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
15-Jan-10	0.079	U	NS	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	U
21-Apr-10	NS		0.079	NS	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
16-Jul-10	0.079	U	NS	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	NS		0.079	U
15-Oct-10	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
26-Jan-11	0.792	U	NS	NS		NS		0.079	U	NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	NS	U
28-Feb-11	NS		NS	NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	U
27-Apr-11	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
26-Jul-11	0.264	U	NS	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	U
28-Oct-11	NS		2	NS	U	NS		NS		2	U	NS		2	U	2	U	NS		2	U	NS	U
23-Jan-12	0.4	U	NS	NS		0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	0.53		NS	U
13-Apr-12	NS		0.2	NS	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	NS		NS		0.2	U
2-Jul-12 (resample)	NS		NS	NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	U
23-Jun-12	0.4	U	NS	NS		0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	0.4	U	NS	U
1-Nov-12	NS		0.04	NS	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
1-Feb-13	0.04	U	NS	NS		0.04	U	NS		0.04	U	NS		NS		NS		0.04	U	NS		NS	U
29-Apr-13	NS		0.2	NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
9-Jul-13	0.059	U	NS	NS		0.040	U	0.040	U	NS		0.054	U	NS		NS		0.040	U	0.040	U	NS	U
18-Oct-13	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
9-Jan-14	0.079	U	NS	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	U
24-Apr-14	NS		0.04	NS	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
1-Aug-14	0.079	U	NS	NS		0.120	U	0.120	U	NS		NS		NS		NS		0.079	U	0.079	U	NS	U
27-Aug-14	NS		NS	NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	U
12-Sept-14 (resample)	NS		NS	NS		NS		NS		NS		NS		NS		0.059	U	NS		NS		NS	U
22-Oct-14	NS		0.059	NS	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	U
20-Jan-15	0.04	U	NS	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	U
trans-1,2-Dichloroethene*																							
8-Feb-08	0.08	U	NS	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	U
27-Mar-08	NS		0.079	NS	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
25-Apr-08	NS		NS	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
29-May-08	NS		NS	NS		NS		0.08	U	NS		NS		NS		NS		0.08	U	NS		NS	U
27-Jun-08	0.123	U	NS	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
31-Jul-08	NS		0.079	NS	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
28-Aug-08	NS		NS	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		NS	U
30-Sep-08	NS		NS	NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
27-Oct-08	2	U	NS	NS		NS		2		NS	U	NS		NS		2		2	U	NS		2	U
25-Nov-08	NS		2	NS	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
18-Dec-08	NS		NS	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
21-Jan-09	NS		NS	NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
25-Feb-09	2	U	NS	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		NS	U
26-Mar-09	NS		0.396	NS	U	NS		NS		0.792	U	NS		NS		NS		NS		0.079	U	0.079	U
29-Apr-09	NS		NS	NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
22-Jul-09	0.396	U	NS	NS		0.396	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	U
9-Oct-09	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
15-Jan-10	0.079	U	NS	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	U
21-Apr-10	NS		0.079	NS	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
16-Jul-10	0.079	U	NS	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	U
15-Oct-10	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
26-Jan-11	0.792	U	NS	NS		NS		0.079	U	NS		0.36	U	NS		0.396	U	0.396	U	0.396	U	NS	U
28-Feb-11	NS		NS	NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	U
27-Apr-11	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
26-Jul-11	0.264	U	NS	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	U
28-Oct-11	NS		2	NS	U	NS		NS		2	U	NS		2	U	2	U	NS		2	U	NS	U
23-Jan-12	0.4	U	NS	NS		0.4	U	NS		0.4	U	NS		0.4	U	NS		0.4	U	0.4	U	NS	U
13-Apr-12	NS		0.2	NS	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	NS		NS		0.2	U
2-Jul-12 (resample)	NS		NS	NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	U
23-Jun-12	0.4	U	NS	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	U
1-Nov-12	NS		0.04	NS	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
1-Feb-13	0.04	U	NS	NS		0.04	U	NS		0.04	U	NS		NS		NS		0.040	U	NS		NS	U
29-Apr-13	NS		0.099	NS	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
9-Jul-13	0.059	U	NS	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	U
18-Oct-13	NS		0.079	NS	U	NS		NS		0.079	U	NS		0.079									

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,2-Dichloropropane	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	NS	
	27-Jun-08	0.144	U	NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		NS		0.092	U	NS	
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		0.092	U	0.092	U
	30-Sep-08	NS		NS		NS		0.09	U	NS		NS		NS		NS		0.09	U	NS		0.09	U
	27-Oct-08	0.09	U	NS		NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS	
	25-Nov-08	NS		0.09	U	NS		NS		NS		NS		NS		NS		NS		0.09	U	NS	
	18-Dec-08	NS		NS		0.09	U	NS		NS		NS		NS		0.09	U	NS		NS		0.09	U
	21-Jan-09	NS		NS		NS		0.09	U	NS		NS		NS		NS		NS		0.09	U	NS	
	25-Feb-09	0.09	U	NS		NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS	
	26-Mar-09	NS		0.462	U	NS		NS		NS		NS		0.924	U	NS		NS		NS		0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	NS		NS		0.092	U
	22-Jul-09	0.462	U	NS		18.8	U	0.924	U	NS		0.462	U	NS		NS		NS		0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		NS		0.092	U	19.3	U	0.092	U	NS	
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		NS		0.092	U	NS		NS		0.092	U	0.092	U
	21-Apr-10	NS		0.092	U	NS		NS		NS		0.462	U	NS		0.462	U	NS		0.092	U	NS	
	16-Jul-10	0.092	U	NS		0.092	U	NS		0.092	U	NS		0.698	U	NS		NS		0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	NS	
	26-Jan-11	0.924	U	0.092	U	NS		0.092	U	NS		0.462	U	NS		0.462	U	NS		0.462	U	0.462	U
	28-Feb-11	NS		NS		0.924	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U	NS	
	26-Jul-11	0.308	U	NS		0.308	U	0.092	U	NS		0.462	U	NS		NS		NS		0.092	U	0.462	U
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		NS		0.23	U	0.23	U
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	NS		NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		NS		NS		0.46	U
1-Nov-12	NS		0.046	U	NS		NS		0.046	U	NS		NS		0.046	U	NS		NS		NS		
1-Feb-13	0.092	U	NS		0.092	U	NS		0.092	U	NS		NS		NS		NS		0.092	U	NS		
29-Apr-13	NS		0.12	U	NS		NS		NS		0.046	U	NS		0.046	U	NS		NS		NS		
9-Jul-13	0.14	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		NS		0.092	U	NS		
18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		NS		0.092	U	NS		NS		NS		
9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		NS		0.092	U	NS		
24-Apr-14	NS		0.046 ^{L-V}	U	NS		NS		NS		0.046 ^{L-V}	U	NS		0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.046 ^{L-V}	U	0.046 ^{L-V}	U	
1-Aug-14	0.092	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		NS		0.092	U	NS		
27-Aug-14	NS		NS		NS		NS		NS		0.046	U	NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.069 ^{L-V}	U	NS		NS		NS		
22-Oct-14	NS		0.069	U	NS		NS		NS		0.069	U	NS		0.069	U	NS		0.069	U	NS		
20-Jan-15	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		NS		0.069	U	0.046	U	
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		NS		NS		NS		NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		NS		0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		NS		0.091	U	NS	
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		0.091	U	NS	
	27-Oct-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	25-Nov-08	NS		0.18	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		NS		NS		NS		NS		NS	
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		NS		NS		NS		NS	
	25-Feb-09	0.18	U	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		NS		0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	NS		NS		NS	
	22-Jul-09	0.453	U	NS		18.5	U	0.907	U	NS		NS		0.453	U	NS		NS		0.091	U	NS	
	9-Oct-09	NS		0.091	U	NS		NS		NS		NS		NS		0.091	U	NS		NS		NS	
	15-Jan-10	0.091	U	NS		0.091	U	0.091	U	NS		NS		NS		NS		NS		NS		NS	
	21-Apr-10	NS		0.091	U	NS		NS		NS		0.453	U	NS		NS		NS		NS		NS	
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		NS		NS		NS		NS		NS		NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		NS		0.091	U	NS		NS		NS	
	26-Jan-11	0.907	U	NS		NS		0.091	U	NS		NS		NS		NS		NS		NS		NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		NS		NS		NS		0.091	U	NS		NS		NS	
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		NS		0.454	U	NS		NS		NS		0.454	U
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		NS		0.45	U	NS		NS		NS		NS		NS		NS		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.23	U	NS		NS		0.23	U	NS		NS		NS	</

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
trans-1,3-Dichloropropene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09		0.09	U	0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	30-Sep-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		0.453	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091		NS		0.091	U	0.091		NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	NS		0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	NS		0.091	U	NS		0.685	U	NS		0.091	U	NS		0.091	U
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS	
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	0.453	U
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		NS		0.303	U	0.091	U	NS		0.454	U	NS		0.091	U	NS		0.454	U
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		NS		0.45	U	NS		0.45	U	NS		NS		0.45	U	NS		0.45	U
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	NS		0.45	U	NS		NS		NS		NS		0.45	U	0.45	U
1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	NS		
1-Feb-13	0.045	U	NS		NS		0.045	U	NS		NS		NS		NS		NS		0.045	U	NS		
29-Apr-13	NS		0.11	U	NS		NS		NS		NS		0.045	U	NS		0.045	U	NS		NS		
9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		NS		
18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	NS		0.091	U	NS		NS		
9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	NS		NS		
24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	
1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	NS		NS		
27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS		NS		
22-Oct-14	NS		0.068	U	NS		NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	
20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS		
Ethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.33		4.89		NS	
	27-Mar-08	NS		0.295		NS		NS		NS		0.157		NS		NS		NS		0.645		0.372	
	25-Apr-08	NS		NS		0.291		NS		NS		NS		0.32		NS		NS		NS		0.565	
	29-May-08	NS		NS		NS		1.49		NS		NS		NS		2.2		2.82		1.01		NS	
	27-Jun-08	4.34		NS		NS		NS		0.472		NS		NS		NS		NS		0.606		0.699	
	31-Jul-08	NS		-		NS		NS		NS		NS		NS		NS		0.758		NS		0.577	
	28-Aug-08	NS		NS		0.83		NS		NS		0.482		NS		NS		0.711		0.666		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	18.4		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.3	U	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	NS		2.2	U
	25-Feb-09	10.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS	
	26-Mar-09	NS		0.516		NS		NS		NS		0.868	U	NS		NS		NS		0.845		1.18	
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.191		NS		NS		0.304		NS	
	22-Jul-09	11.7		NS		11.7		0.868	U	NS		1.15		NS		NS		38.2		1.04		NS	
	9-Oct-09	NS		0.564		NS		NS		0.56		NS		0.291		18.1	U	0.542		NS		0.542	
	15-Jan-10	6.95		NS		0.568		0.542		NS		0.659		NS		NS		0.712		0.72		NS	
	21-Apr-10	NS		0.304		NS		NS		1.34		NS		1.8		1.76		2.12		NS		1.56	
	16-Jul-10	8.23		NS		2.4		1.8		NS		1.44		NS		NS		1.51		1.42		NS	
	15-Oct-10	NS		0.534		NS		NS		0.625		NS		0.521		0.573		1.07		NS		0.833	
	26-Jan-11	1.26		1.62		NS		1.66		NS		1.26		NS		1.21		4.14		4.68		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.243		NS		NS		0.239		NS		0.286		3.86		0.364		NS		0.508	
	26-Jul-11	3.91		NS		0.942		0.339		NS		0.434	U	NS		NS		0.304		0.434	U	NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.8		NS		2.2	U
	23-Jan-12	3		NS		0.79		0.56		NS		0.82		NS		NS		1.7		NS		NS	

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Isopropylbenzene	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS	
	27-Mar-08	NS		2.46	U	NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	25-Apr-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U	NS	
	27-Jun-08	3.83	U	NS		NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		2.46	U	NS		2.46	U
	28-Aug-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS	
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	NS	
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS	
	26-Mar-09	NS		12.3	U	NS		NS		NS		24.6	U	NS		NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		NS		2.46	U	NS	
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		NS		3.78		2.46	U	NS	
	9-Oct-09	NS		2.74	U	NS		2.46	U	NS		2.46	U	NS		513	U	2.46	U	NS		2.46	U
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		NS		2.46	U	2.46	U	NS	
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	NS		2.46	U	NS		2.46	U
	16-Jul-10	2.46	U	NS		2.66	U	NS		2.46	U	NS		18.5	U	NS		2.46	U	NS		2.46	U
	15-Oct-10	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	NS		2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		2.46	U	NS		12.3	U	NS		12.3	U	12.3	U	12.3	U	NS	
	28-Feb-11	NS		NS		24.6	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jul-11	8.21	U	NS		8.21	U	2.46	U	NS		12.3	U	NS		2.46	U	2.46	U	12.3	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		NS		0.25	U	NS		1.2	U	NS		1.2	U	NS		1.4		NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U	NS		NS		1.2	U	NS	
1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U	
1-Feb-13	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	
29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U	
9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS		
18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		0.27	U	NS		0.25	U	
9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.53		0.49		NS		
24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U	
1-Aug-14	0.25		NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS		
27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS		NS		
22-Oct-14	NS		0.37	U	NS		NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS		
p-Isopropyltoluene	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		1.2		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS		NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	12.5		NS		NS		NS		5.5	U	NS		NS		NS		18.5		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.72	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	NS		2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	NS		2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	NS		6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		NS		1.3	U	NS		1.3	U	NS		NS		1.3	U	NS		NS	

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
Methyl tert butyl ether (MTBE)	8-Feb-08	0.07	U	NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS	
	27-Mar-08	NS		0.072	U	NS		NS		NS		0.072	U	NS		NS		NS		0.165		NS	
	25-Apr-08	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.079	
	29-May-08	NS		NS		NS		0.07	U	NS		NS		NS		0.07	U	0.07	U	NS		0.07	
	27-Jun-08	0.436		NS		NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	NS	U
	31-Jul-08	NS		0.072	U	NS		NS		NS		NS		NS		NS		0.072	U	NS		0.072	U
	28-Aug-08	NS		NS		0.106		NS		NS		NS		0.072	U	NS		NS		0.172	U	0.14	
	30-Sep-08	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U
	27-Oct-08	1.8	U	NS		NS		NS		2.6		NS		NS		NS		3.2		NS		5.8	
	25-Nov-08	NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS	
	18-Dec-08	NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	NS	
	21-Jan-09	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		1.8	U	NS	U
	25-Feb-09	5.8		NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS	
	26-Mar-09	NS		0.36	U	NS		NS		NS		0.72	U	NS		NS		NS		NS		0.072	U
	29-Apr-09	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		NS		0.072	U	NS	U
	22-Jul-09	0.36	U	NS		0.36	U	0.72	U	NS		0.36	U	NS		NS		0.072	U	0.072	U	NS	
	9-Oct-09	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	15	U	0.086		NS		0.083	
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	NS	
	21-Apr-10	NS		0.072	U	NS		NS		0.36	U	NS		3.6	U	0.36	U	0.072	U	NS		0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	NS		0.072	U	0.544	U	NS		NS		0.072	U	0.072	U	NS	
	15-Oct-10	NS		0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	NS	U
	26-Jan-11	0.72	U	NS		NS		0.072	U	NS		0.396	U	NS		0.36	U	0.36	U	NS		0.36	U
	28-Feb-11	NS		NS		0.72	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		NS	U
	26-Jul-11	0.24	U	NS		NS		0.24	U	0.072	U	NS		0.36	U	NS		0.072	U	NS		0.36	U
	28-Oct-11	NS		1.8	U	NS		NS		1.8	U	NS		1.8	U	1.8	U	NS		NS		1.8	U
	23-Jan-12	0.36	U	NS		NS		0.36	U	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U
	13-Apr-12	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	0.36	U	0.36	U	NS		NS	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		1.8	U
	23-Jun-12	0.36	U	NS		0.36	U	NS		0.36	U	NS		NS		NS		NS		0.36	U	NS	U
1-Nov-12	NS		0.072	U	NS		NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	NS	U	
1-Feb-13	0.072	U	NS		NS		0.072	U	0.072	U	NS		NS		NS		NS		0.072	U	NS	U	
29-Apr-13	NS		0.18	U	NS		NS		NS		0.072	U	NS		0.072	U	0.072	U	NS		NS	U	
9-Jul-13	0.17		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		NS		0.072	U	NS	U	
18-Oct-13	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	NS		NS		NS		NS	U	
9-Jan-14	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		NS		0.072	U	NS	U	
24-Apr-14	NS		0.072	U	NS		NS		0.072	U	NS		NS		0.077	U	0.072	U	NS		0.072	U	
1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		NS		0.072	U	NS	U	
27-Aug-14	NS		NS		NS		NS		NS		0.072	U	NS		NS		NS		NS		NS	U	
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS		NS	U	
22-Oct-14	NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.14	U	
20-Jan-15	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.11	U	NS		0.072	U	
Methylene chloride	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS	
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS		2.1		1.74	U
	25-Apr-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	29-May-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	2.91		1.74	U	NS	U
	27-Jun-08	4.33	U	NS		NS		NS		3.69		NS		NS		NS		NS		2.78	U	2.78	U
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		NS	U
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	NS	U
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	NS		NS	U
	18-Dec-08	NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	NS	U
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		NS		1.7	U	NS	U
	26-Mar-09	NS		16.1		NS		NS		NS		17.4	U	NS		NS		NS		NS		1.74	U
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		NS		1.74	U	NS	U
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		NS		1.74	U	1.74	U	NS	U
	9-Oct-09	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U	362	U	NS		1.74	U	NS	U
	15-Jan-10	1.74	U	NS		1.74	U	1.74	U	NS		1.74	U	NS		NS		1.74	U	1.74	U	NS	U
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74	U	NS		NS	U
	16-Jul-10	24		NS		21.5		19.5		NS		26.2	U	NS		NS		27.1		26.5		NS	
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	NS		3.47	U	NS		3.47	U
	26-Jan-11	34.7	U	NS		NS		3.47	U	NS		0.404	U	NS		17.4	U	NS		17.4	U	NS	U
	28-Feb-11	NS		NS		34.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		NS		3.47	U	NS		NS		NS	U
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		NS		5.7		17.4	U	NS	U
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	NS		140		NS		17	U
	23-Jan-12	3.5	U	NS		NS		3.5	U	NS		NS		NS		NS		3.5	U	NS		NS	U
	13-Apr-12	NS		4.6		NS																	

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		4-Methyl-2-pentanone	8-Feb-08	2.05	U	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	8.7	
	27-Mar-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		NS		15.2		2.05	U
	25-Apr-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	29-May-08	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	2.05	U	2.05	U	NS	U
	27-Jun-08	3.19	U	NS		NS		NS		2.05	U	NS		NS		NS		NS		2.05	U	2.05	U
	31-Jul-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		2.05	U	NS		2.05	U
	28-Aug-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	2.05	U	NS	U
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		3.5		NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	U
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	NS	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	U
	26-Mar-09	NS		10.2	U	NS		NS		NS		20.5	U	NS		NS		NS		2.05	U	2.05	U
	29-Apr-09	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	22-Jul-09	10.2	U	NS		10.2	U	20.5	U	NS		10.2	U	NS		NS		2.05	U	2.05	U	NS	U
	9-Oct-09	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	427	U	2.05	U	NS		2.05	U
	15-Jan-10	2.05	U	NS		2.05	U	2.05	U	NS		2.05	U	NS		NS		2.05	U	2.05	U	NS	U
	21-Apr-10	NS		2.05	U	NS		NS		10.2	U	NS		10.2	U	10.2	U	2.05	U	NS		2.05	U
	16-Jul-10	2.05	U	NS		2.05	U	NS		2.05	U	15.4	U	NS		NS		2.05	U	2.05	U	NS	U
	15-Oct-10	NS		2.05	U	NS		NS		2.05	U	NS		NS		2.05	U	2.05	U	NS		2.05	U
	26-Jan-11	20.5	U	2.05	U	NS		NS		NS		10.2	U	NS		10.2	U	10.2	U	10.2	U	NS	U
	28-Feb-11	NS		NS		20.5	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		3.35	U
	26-Jul-11	6.84	U	NS		0.684	U	NS		NS		10.2	U	NS		NS		2.05	U	NS		NS	U
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	NS		NS		2	U
	23-Jan-12	0.41	U	NS		0.44	U	NS		0.41	U	NS		0.41	U	NS		0.41	U	NS		1.8	NS
	13-Apr-12	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	0.41	U	NS		0.41	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U	NS	U
	23-Jun-12	0.41	U	NS		0.41	U	NS		0.41	U	NS		NS		NS		0.41	U	0.46		NS	U
	1-Nov-12	NS		0.89		NS		NS		0.65		NS		0.9		0.84		NS		NS		1.1	U
	1-Feb-13	0.12		NS		0.082	U	NS		0.095		NS		NS		NS		0.082	U	0.29		NS	U
	29-Apr-13	NS		0.2	U	NS		NS		0.21		NS		0.21		0.082		0.86		NS		0.78	U
	9-Jul-13	0.66		NS		0.55		0.47		NS		0.51		NS		NS		0.92		0.39		NS	U
	18-Oct-13	NS		1.8		NS		NS		2.7		NS		2.2		2.3		NS		NS		3.8	U
	9-Jan-14	0.18		NS		0.15		0.21		NS		0.082	U	NS		NS		0.21		0.77		NS	U
	24-Apr-14	NS		0.087		NS		NS		0.082		NS		0.13		0.082	U	0.38		0.32		0.66	U
	1-Aug-14	0.64		NS		1.0/0.74		1.1/0.86		NS		NS		NS		NS		1.30		2.4/2.0		NS	U
	27-Aug-14	NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS		NS	U
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS	U
	22-Oct-14	NS		0.13		NS		NS		0.12	U	0.12	U	0.26		0.12	U	0.78		0.73		NS	U
	20-Jan-15	0.087		NS		0.085		0.12		NS		0.088		NS		NS		0.35		5.8		NS	U
Styrene	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.3		3.15		NS	U
	27-Mar-08	NS		0.1		NS		NS		NS		0.177		NS		NS		NS		0.206		0.404	U
	25-Apr-08	NS		NS		0.244		NS		NS		NS		1.07		NS		0.559		NS		0.351	U
	29-May-08	NS		NS		NS		0.17		NS		NS		NS		0.3		0.36		0.27		NS	U
	27-Jun-08	0.732		NS		NS		NS		0.354		NS		NS		NS		NS		0.598		0.59	U
	31-Jul-08	NS		0.276		NS		NS		NS		NS		NS		NS		0.255		NS		0.17	U
	28-Aug-08	NS		NS		1.22		NS		NS		0.754		NS		NS		1.02		1.01		NS	U
	30-Sep-08	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	2.1	U
	27-Oct-08	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		NS		NS		2.1	U
	25-Nov-08	NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U	NS	U
	18-Dec-08	NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U
	21-Jan-09	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	2.1	U
	25-Feb-09	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS	U
	26-Mar-09	NS		0.851	U	NS		NS		NS		1.7	U	NS		NS		NS		0.292		0.361	U
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.085	U	NS		0.098		NS		0.243	U
	22-Jul-09	0.426	U	NS		0.426	U	0.851	U	NS		0.426	U	NS		NS		0.6		0.149		NS	U
	9-Oct-09	NS		0.085	U	NS		0.098		NS		0.085	U	NS		17.8	U	0.153		NS		0.204	U
	15-Jan-10	0.106		NS		0.119		0.089		NS		0.098		NS		NS		0.128		0.221		NS	U
	21-Apr-10	NS		0.085	U	NS		NS		0.426	U	NS		0.426	U	0.426	U	0.481		NS		0.579	U
	16-Jul-10	0.57		NS		0.911		0.66		NS		0.643	U	NS		NS		0.34		0.864		NS	U
	15-Oct-10	NS		0.698		NS		NS		1.12		NS		0.779		0.919		0.877		NS		1.52	U
	26-Jan-11	0.851	U	0.162		NS		0.179		NS		0.426	U	NS		0.426	U	0.426		0.617		NS	U
	28-Feb-11	NS		NS		0.851	U	NS		NS		NS		NS		NS		NS		NS		NS	U
	27-Apr-11	NS		0.311		NS		NS		0.302		NS		0.366		NS		0.4		0.753		NS	U
	26-Jul-11	0.724		NS		0.779		0.868		NS		0.788	U	NS		NS		1.23		0.681		NS	U
	28-Oct-11	NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	2.1	U	2.1	U	NS		2.1	U
	23-Jan-12	0.84		NS		0.43	U	0.43</															

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		NS		0.137	U	NS	
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS	
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		NS		0.14	U	NS		NS		0.14	U
	21-Jan-09	NS		NS		NS		0.19	U	NS		NS		NS		0.14	U	NS		NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		NS		0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		0.137	U	NS	
	22-Jul-09	0.686	U	NS		28	U	1.37	U	NS		0.686	U	NS		NS		NS		0.137	U	0.137	U
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	NS		0.137	U	NS	
	15-Jan-10	0.109	U	NS		0.137	U	1.37	U	NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	NS		0.137	U	NS	
	16-Jul-10	0.137	U	NS		0.137	U	NS		0.137	U	NS		1.04	U	NS		NS		0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	NS	
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	NS		0.137	U	NS	
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		NS		0.137	U	0.687	U
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	NS		NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U	NS		NS		1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	NS		NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U
	23-Jun-12	1.2	U	NS		1.2	U	NS		1.2	U	NS		1.2	U	NS		NS		NS		1.2	U
1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		NS		0.25	U	
1-Feb-13	0.25	U	NS		0.25	U	NS		0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		
29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	NS		NS		0.25	U	
9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.036	U	0.25	U	
18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		
9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.25	U	NS		
24-Apr-14	NS		0.25	U	NS		NS		0.25 ⁺	U	NS		0.25 ⁺	U	NS		NS		0.25 ⁺	U	0.25	U	
1-Aug-14	0.25	U	NS		0.37	U	0.37	U	NS		NS		NS		NS		NS		0.25	U	0.25	U	
27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	NS		0.37	U	0.50	U	
20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		NS		0.37	U	0.25	U	
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		NS		0.137	U	NS	
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		NS		0.14	U	NS	
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U
	21-Jan-09	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		NS		0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		NS		0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		0.137	U	NS	
	22-Jul-09	0.686	U	NS		28	U	0.137	U	NS		0.686	U	NS		NS		NS		0.137	U	0.137	U
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	NS		0.137	U	NS	
	15-Jan-10	0.109	U	NS		0.137	U	0.137	U	NS		0.109	U	NS		NS		NS		0.137	U	0.137	U
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	NS		0.137	U	NS	
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	NS		1.04	U	NS		NS		NS		0.137	U	0.137	U
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	NS	
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	NS		0.137	U	NS	
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		NS		0.137	U	0.687	U
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	NS		NS		3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	NS		0.69	U	NS		NS		NS		NS					

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Tetrachloroethene*	8-Feb-08	0.35		NS		NS		NS		0.14	U	NS		NS		NS		0.53		5.05	
	27-Mar-08	NS		0.888		NS		NS		0.875		NS		NS		NS		NS		6.99		NS	
	25-Apr-08	NS		NS		0.322		NS		NS		NS		0.99		NS		0.83		NS		0.867	
	29-May-08	NS		NS		NS		1.36		NS		NS		NS		0.24		0.3		3.21		NS	
	27-Jun-08	1.32		NS		NS		NS		29.6		NS		NS		NS		NS		5.08		NS	
	31-Jul-08	NS		0.667		NS		NS		NS		NS		NS		NS		0.618		NS		0.572	
	28-Aug-08	NS		NS		1.55		NS		NS		NS		1.52		NS		NS		1.37		NS	
	30-Sep-08	NS		NS		NS		3.4		NS		NS		NS		3.4	U	NS		6.1		3.4	U
	27-Oct-08	4.2	U	NS		NS		NS		10		NS		NS		NS		4.2		NS		4.2	U
	25-Nov-08	NS		21.3		NS		NS		4.6		NS		NS		NS		3.4	U	NS		NS	U
	18-Dec-08	NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		3.4	U	NS	U
	21-Jan-09	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		NS	U
	25-Feb-09	3.4	U	NS		NS		NS		8.3		NS		NS		NS		3.4	U	NS		NS	U
	26-Mar-09	NS		1.28		NS		NS		NS		1.36	U	NS		NS		NS		7.11		NS	U
	29-Apr-09	NS		NS		0.271		NS		NS		NS		0.305		NS		0.237		NS		0.691	
	22-Jul-09	1.63		NS		1.63		2.1		NS		3.08		NS		NS		11.8		3.25		NS	
	9-Oct-09	NS		0.556		NS		NS		2.07		NS		0.678		28.3	U	NS		1.17		NS	
	15-Jan-10	1.31		NS		0.644		1.35		NS		0.691		NS		NS		0.447		0.501		NS	
	21-Apr-10	NS		7.2		NS		NS		31.4		NS		35.5		36.8		62.1		NS		36.1	
	16-Jul-10	12.4		NS		12.7		10.9		NS		NS		NS		NS		15.4		NS		NS	
	15-Oct-10	NS		21.9		NS		NS		37.6		NS		21.3		21.8		22.1		NS		31.6	
	26-Jan-11	1.36	U	0.691		NS		1.27		NS		0.678	U	NS		0.813		2.13		NS		NS	
	28-Feb-11	NS		NS		1.36	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.44		NS		NS		7.22		NS		1.53		1.56		1.46		NS		NS	
	26-Jul-11	3.34		NS		0.834		2.59		NS		9.29		NS		NS		0.976		6.78		NS	
	28-Oct-11	NS		3.4	U	NS		NS		8.5		NS		3.4	U	3.4	U	NS		NS		NS	U
	23-Jan-12	1		NS		0.68		NS	U	1.7		NS		NS		NS		0.76		NS		NS	U
	13-Apr-12	NS		19		NS		NS		NS		NS		12		NS		NS		NS		NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	23-Jun-12	1.5		NS		0.68		NS	U	3.5		NS		NS		NS		0.68		NS	U	NS	
	1-Nov-12	NS		7.4		NS		NS		11		NS		0.78		0.57		1.3		NS		NS	
	1-Feb-13	1.8		NS		0.76		NS		0.99		NS		NS		NS		NS		NS		NS	
	29-Apr-13	NS		8.1		NS		NS		NS		NS		1.1		1		1.3		NS		NS	
	9-Jul-13	2.0		NS		2.1		3.1		NS		2.9		NS		NS		2.6		NS		NS	
	18-Oct-13	NS		NS		14		NS		7.3		NS		0.61		0.32		0.32		NS		NS	
	9-Jan-14	0.6		NS		0.22		1.1		NS		NS		NS		NS		0.46		NS		NS	
	24-Apr-14	NS		4.7		NS		NS		5.7		NS		0.41		0.068	U	0.51		NS		NS	
	1-Aug-01	2.3		NS		3.3/4.9		2.1		NS		NS		NS		NS		0.97		4.0/5.9		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.4/3.5		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS	U
	22-Oct-14	NS		6.9		NS		NS		5.0		0.61		0.43		0.10		0.10	U	NS		NS	
	20-Jan-15	0.9		NS		0.20		0.37		NS		1.0		NS		NS		0.52		NS		NS	
	8-Feb-08	1.63		NS		NS		NS		1.8		NS		NS		NS		2.72		455		NS	
	27-Mar-08	NS		2.24		NS		NS		NS		1.45		NS		NS		NS		11.3		NS	
	25-Apr-08	NS		NS		1.39		NS		NS		NS		1.34		NS		11.2		NS		NS	
	29-May-08	NS		NS		NS		7.74		NS		NS		NS		11.6		NS		13		NS	
	27-Jun-08	14.7		NS		NS		NS		2.33		NS		NS		NS		NS		10.6		NS	
	31-Jul-08	NS		4.15		NS		NS		NS		NS		NS		NS		10.2		NS		6.11	
	28-Aug-08	NS		NS		6.48		NS		NS		NS		3.44		NS		10		NS		NS	
	30-Sep-08	NS		NS		NS		1.9	U	NS		NS		NS		6.1		NS		NS		8.6	
	27-Oct-08	56.3		NS		NS		NS		3.2		NS		NS		NS		6.6		NS		NS	
	25-Nov-08	NS		7.8		NS		NS		NS		7.8		NS		NS		29.9		NS		NS	
	18-Dec-08	NS		NS		2		NS		NS		NS		1.9	U	NS		NS		NS		NS	
	21-Jan-09	NS		NS		NS		1.9	U	NS		NS		NS		NS	U	1.9	U	NS		NS	U
	25-Feb-09	7		NS		NS		NS		1.9	U	NS		NS		NS		NS		NS		NS	
	26-Mar-09	NS		3.53		NS		NS		NS		3.92		NS		NS		NS		NS		7.23	9.75
	29-Apr-09	NS		NS		1.99		NS		NS		NS		0.651		NS		0.149		NS		NS	4.56
	22-Jul-09	38.7		NS		38.7		2.22		NS		4.71		NS		NS		80.1		NS		5.32	NS
	9-Oct-09	NS		3.53		NS		NS		3.06		NS		1.07		23.6		3.12		NS		NS	3.67
	15-Jan-10	12.8		NS		NS		4.17		NS		NS		NS		NS		4.81		NS		NS	
	21-Apr-10	NS		0.9		NS		NS		2.97		NS		3.75		5.2		2.84		NS		NS	5.08
	16-Jul-10	22.2		NS		17.9		5.98		NS		5.54		NS		NS		5.77		NS		NS	
	15-Oct-10	NS		1.67		NS		NS		2.1		NS		1.72		3.37		2.23		NS		NS	3.26
	26-Jan-11	6.06		6.82		NS		6.82		NS		4.74		NS		5.95		12.1		NS		NS	
	28-Feb-11	NS		NS		1.88		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.836		NS		NS		0.682		NS		1.25		3.62		2.08		NS		NS	1.62
	26-Jul-11	8.29		NS		3.96		1.15		NS		1.62		NS		NS		2.31		NS		NS	
	28-Oct-11	NS		1.9	U	NS		NS		1.9	U	NS		1.9	U	3.3		NS		NS		NS	
	23-Jan-12	7.9		NS		NS		3.8		NS		NS		NS		NS		NS		NS		NS	
	13-Apr-12	NS		0.75		NS		NS		0.38	U	NS		0.38	U	1.3		2.4		NS		NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	23-Jun-12	8.5		NS		3.5		1.5		NS		2.5		NS									

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		1,1,1-Trichloroethane*	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.56	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.522		0.266	
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.119	
	29-May-08	NS		NS		NS		0.12		NS		NS		NS		0.11	U	0.11	U	0.54		NS	
	27-Jun-08	0.17	U	NS		NS		0.458		NS		NS		NS		NS		NS		0.377		0.138	
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		0.153		NS		NS		0.109	U	0.492		NS	
	30-Sep-08	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U
	27-Oct-08	3.4	U	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		3.4	U
	25-Nov-08	NS		2.7	U	NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	
	18-Dec-08	NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U
	21-Jan-09	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U
	25-Feb-09	2.7	U	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	
	26-Mar-09	NS		1.59		NS		NS		NS		1.09	U	NS		NS		NS		0.682		0.213	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191	
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.278		NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.158		NS		0.191		22.8	U	0.109	U	NS		0.136	
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.109	U	NS		NS		0.109	U	0.692		NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		1.09	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		0.109	U	0.562		NS	
	15-Oct-10	NS		0.272		NS		NS		0.349		NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.545	U	0.545	U	0.845		NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.873	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		1.5	U	NS		NS		0.55	U	1.3		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		NS		NS		NS		0.55	U	0.7		NS	
	1-Nov-12	NS		0.25		NS		NS		0.27		NS		0.055	U	0.055	U	0.055	U	NS		0.14	
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.83		NS		NS		0.055	U	0.23		NS	
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		0.055	U	0.061		0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.061		NS		0.33		NS		NS		0.055	U	0.26		NS	
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		0.11	U	0.11	U	0.11	U	NS		0.28	
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.41		NS		NS		0.11	U	0.46		NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.42		0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.22		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.35		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS	U	NS	
	22-Oct-14	NS		0.19		NS		NS		0.19		0.082	U	0.082	U	0.082	U	0.082	U	0.28		NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.31		NS		NS		0.082	U	0.055	U	NS	
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.109	U	0.109	U
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	29-May-08	NS		NS		NS		0.11	U	NS		NS		NS		NS		0.11	U	NS		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.109	U	NS		NS		NS		NS		0.109	U	0.109	U
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		NS	
	30-Sep-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	0.11	U
	27-Oct-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U
	25-Nov-08	NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	18-Dec-08	NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U
	21-Jan-09	NS		NS		NS		0.11	U	NS		NS		NS		NS		0.11	U	NS		0.11	U
	25-Feb-09	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS	
	26-Mar-09	NS		0.545	U	NS		NS		NS		1.09	U	NS		NS		NS		0.109	U	0.109	U
	29-Apr-09	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.109	U	NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	22.8	U	0.109	U	NS		0.109	U
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.081	U	NS		NS		0.109	U	0.109	U	NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		0.109	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		1.09	U	0.109	U	NS	
	15-Oct-10	NS		0.109		NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	NS		NS		0.109	U	NS		0.545	U	NS		0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.546	U	NS		NS		0.109	U	0.546	U	NS	

Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		1,2,4-Trimethylbenzene	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.69		1.93	
	27-Mar-08	NS		0.304		NS		NS		NS		0.152		NS		NS		NS		0.958		0.681	
	25-Apr-08	NS		NS		1.72		NS		NS		NS		0.644		NS		0.517		NS		0.338	
	29-May-08	NS		NS		NS		0.6		NS		NS		NS		1		1.26		0.48		NS	
	27-Jun-08	7.46		NS		NS		NS		1.15		NS		NS		NS		NS		0.638		0.736	
	31-Jul-08	NS		1.86		NS		NS		NS		NS		NS		NS		0.885		NS		0.685	
	28-Aug-08	NS		NS		0.838		NS		NS		NS		NS		NS		0.669		0.653		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U
	27-Oct-08	11.4		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.9	
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		6.4		5.2		NS	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U
	25-Feb-09	17.5		NS		NS		NS		4		NS		NS		NS		6.2		2.9		NS	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		1.09		NS	
	29-Apr-09	NS		NS		0.265		NS		NS		NS		0.378		NS		0.707		NS		0.801	
	22-Jul-09	3.49		NS		20	U	0.982	U	NS		0.737		NS		NS		56.4		0.86		NS	
	9-Oct-09	NS		0.707		NS		NS		0.781		NS		0.648		20.5	U	NS		1.36		NS	
	15-Jan-10	2.87		NS		0.354		0.29		NS		0.314		NS		NS		1.06		1.17		NS	
	21-Apr-10	NS		0.211		NS		NS		0.933		NS		1.42		1.13		0.653		NS		0.702	
	16-Jul-10	8.3		NS		8.23		8.09		NS		6.27		NS		NS		4.28		5.05		NS	
	15-Oct-10	NS		1.29		NS		NS		1.61		NS		1.1		1.38		1.86		NS		2.35	
	26-Jan-11	1.23		NS		NS		1.6		NS		0.491	U	NS		1.35		6.93		10.4		NS	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.845		NS		NS		0.855		NS		1.24		1.06		2.06		NS		1.09	
	26-Jul-11	1.29		NS		2.67		0.61		NS		0.541		NS		NS		2.48		0.541		NS	
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	3.7		NS		3.1	
	23-Jan-12	3		NS		0.76		0.49	U	NS		0.71		NS		NS		2.7		2.8		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	1.1		3.9		NS		1.3	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	NS	
	23-Jun-12	4.1		NS		1.3		1.2		NS		1.1		NS		NS		2.1		1.1		NS	
	1-Nov-12	NS		1.7		NS		NS		2.5		NS		3.1		3		3.2		NS		3.3	
	1-Feb-13	1.2		NS		0.23		0.21		NS		0.3		NS		NS		1		0.86		NS	
	29-Apr-13	NS		0.54		NS		NS		0.74		NS		0.66		0.83		1		NS		0.84	
	9-Jul-13	4.2		NS		1.6		1.8		NS		1.8		NS		NS		2		2.0		NS	
	18-Oct-13	NS		NS		4.8		NS		4.3		NS		5.6		6.4		5.0		NS		5.7	
	9-Jan-14	2.7		NS		2.7		3.8		NS		3.8		NS		NS		12.0		13.0		NS	
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.13		0.098	U	NS		0.5		2.6	
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS		NS		NS		2.6		6.3/4.3		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.1		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS	U
	22-Oct-14	NS		0.37		NS		NS		0.28		0.6		0.59		0.50		1.0		1.2		NS	
	20-Jan-15	0.19		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.4		NS	
1,3,5-Trimethylbenzene	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS	
	27-Mar-08	NS		0.14		NS		NS		NS		0.098	U	NS		NS		NS		0.349		0.275	
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134	
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		0.32		0.43		NS		0.15	
	27-Jun-08	5.16		NS		NS		NS		0.463		NS		NS		NS		NS		0.236		0.25	
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		0.276		NS		0.224	
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		2.5	U
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U	NS	U
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5	U	NS	U
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		0.337		0.425	
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		0.211		NS		0.241	
	22-Jul-09	3		NS		20	U	0.982	U	NS		0.491	U	NS		NS		22.7		0.275		NS	
	9-Oct-09	NS		0.216		NS		0.241		NS		0.187		NS		20.5	U	0.388		NS		0.226	
	15-Jan-10	2.15		NS		0.118		0.098	U	NS		0.108		NS		NS		0.29		0.334		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.491	U	NS		0.491	U	0.491	U	0.177		NS		0.206	
	16-Jul-10	2.76		NS		1.88		1.81		NS		1.67		NS		NS		1.08		1.25		NS	
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		0.275		0.324		0.545		NS		0.54	
	26-Jan-11	0.982	U	0.437		NS		0.472		NS		0.491	U	NS		NS		1.99		2.87		NS	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.255		NS		0.27		NS		0.368		NS		0.329		0.599		NS		0.354	
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492	U	NS		NS		0.664		0.492	U	NS	
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	2.5	U	NS		2.5	U
	23-Jan-12	0.99		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.71		0.83		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	1.1	</				

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		Vinyl chloride*	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U
	27-Mar-08	NS		0.051	U	NS		NS		NS		0.051	U	NS		NS		NS		0.051	U	0.051	U
	25-Apr-08	NS		NS		0.051	U	NS		NS		NS		0.75		NS		0.051	U	NS		0.051	U
	29-May-08	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	0.05	U	NS	
	27-Jun-08	0.08	U	NS		NS		NS		0.051	U	NS		NS		NS		NS		0.051	U	0.051	U
	31-Jul-08	NS		0.051	U	NS		NS		NS		NS		NS		NS		0.051	U	NS		0.051	U
	28-Aug-08	NS		NS		0.051	U	NS		NS		NS		0.051	U	NS		0.051	U	0.051	U	NS	
	30-Sep-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U	0.1	U
	27-Oct-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U
	25-Nov-08	NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U	NS	
	18-Dec-08	NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U
	21-Jan-09	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U	NS	
	25-Feb-09	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	
	26-Mar-09	NS		0.255	U	NS		NS		NS		0.511	U	NS		NS		NS		0.051	U	0.051	U
	29-Apr-09	NS		NS		0.061		NS		NS		NS		0.051	U	NS		0.051	U	NS		0.051	U
	22-Jul-09	0.255	U	NS		0.255	U	0.511	U	NS		0.255	U	NS		NS		0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72		NS		0.051	U	NS		NS		0.102		10.7	U	0.051	U	NS		0.051	U
	15-Jan-10	0.051	U	NS		0.061		0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	21-Apr-10	NS		0.051	U	NS		NS		0.255	U	NS		0.256	U	0.255	U	0.051	U	NS		0.051	U
	16-Jul-10	0.051	U	NS		1.98		0.051	U	NS		0.386	U	NS		NS		0.051	U	NS		NS	
	15-Oct-10	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jan-11	0.511	U	0.051	U	NS		0.051	U	NS		0.255	U	NS		0.255	U	0.255	U	0.255	U	NS	
	28-Feb-11	NS		NS		0.511	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jul-11	0.17	U	NS		0.17	U	0.051	U	NS		0.256	U	NS		NS		0.051	U	0.256	U	NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.64	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	1-Nov-12	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	1-Feb-13	0.065	U	NS		0.026	U	0.026	U	NS		NS		NS		NS		0.026	U	0.026	U	NS	
	29-Apr-13	NS		0.41		NS		NS		0.045		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	9-Jul-13	0.038	U	NS		0.026	U	0.085		NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	18-Oct-13	NS		0.051	U	NS		NS		0.074		NS		0.051	U	0.063		0.051	U	NS		0.051	U
	9-Jan-14	0.092		NS		0.051	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.10		0.026	U	0.026	U	0.077	U
	1-Aug-14	0.21		NS		0.38	U	0.077	U	NS		NS		NS		NS		0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.026	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.038	U	NS		NS		NS	
	22-Oct-14	NS		0.038	U	NS		NS		0.038	U	0.038	U	0.24		0.038	U	0.038	U	0.051	U	NS	
	20-Jan-15	0.093 ^v		NS		0.14 ^v		0.026	U	NS		0.072 ^v	U	NS		NS		0.038 ^v	U	0.026	U	NS	
p/m-Xylene	8-Feb-08	0.55		NS		NS		NS		0.63		NS		NS		NS		1.04		18.3		NS	
	27-Mar-08	NS		0.893		NS		NS		NS		0.389		NS		NS		NS		2.17		1.33	
	25-Apr-08	NS		NS		0.815		NS		NS		NS		0.97		NS		2.54		NS		1.81	
	29-May-08	NS		NS		NS		5		NS		NS		NS		7.58		10.1		3.34		NS	
	27-Jun-08	12.6		NS		NS		NS		1.5		NS		NS		NS		NS		1.91		2.33	
	31-Jul-08	NS		2.4		NS		NS		NS		NS		NS		NS		2.08		NS		1.55	
	28-Aug-08	NS		NS		2.33		NS		NS		NS		1.44		NS		2.13		1.94		NS	
	30-Sep-08	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	4.3	U
	27-Oct-08	41.6		NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U
	25-Nov-08	NS		4.7		NS		NS		NS		4.3	U	NS		NS		8.5		8.9		NS	
	18-Dec-08	NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		NS		4.3	U	4.3	U
	21-Jan-09	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	4.3	U
	25-Feb-09	37.6		NS		NS		NS		4.3	U	NS		NS		NS		8		9.3		NS	
	26-Mar-09	NS		1.35		NS		NS		NS		1.74	U	NS		NS		NS		2.59		3.56	
	29-Apr-09	NS		NS		0.468		NS		NS		NS		0.516		NS		NS		NS		1.06	
	22-Jul-09	25.6		NS		25.6		1.74	U	NS		3.88		NS		NS		165		3.52		NS	
	9-Oct-09	NS		1.62		NS		1.63		NS		0.915		NS		36.2	U	1.74		NS		1.7	
	15-Jan-10	18.4		NS		1.52		1.48		NS		1.76		NS		NS		2.35		2.65		NS	
	21-Apr-10	NS		0.703		NS		NS		3.28		NS		4.58		4.34		6.22		NS		4.77	
	16-Jul-10	21.8		NS		7.01		6.36		NS		4.82		NS		NS		4.95		4.91		NS	
	15-Oct-10	NS		1.81		NS		NS		2.18		NS		1.7		1.88		3.4		NS		2.88	
	26-Jan-11	3.08		4.24		NS		4.37		NS		3.06		NS		3.17		11.5		13.6		NS	
	28-Feb-11	NS		NS		1.74	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.694		NS		NS		0.707		NS		0.889		1.15		1.09		NS		1.44	
	26-Jul-11	9.99		NS		3.96		1.02		NS		0.999		NS		NS		0.956		1.26		NS	
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	9.8					

**Summary of Subslab Air Sampling Data - Alvarez School Project - Volatile Organic Compounds
February 2008 - January 2015**

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
		p-Xylene	8-Feb-08	0.2		NS		NS		NS		0.23		NS		NS		NS		0.48		7.73	
	27-Mar-08	NS		0.273		NS		NS		NS		0.142		NS		NS		NS		0.844		NS	
	25-Apr-08	NS		NS		0.37		NS		NS		NS		0.406		NS		0.735		NS		0.62	
	29-May-08	NS		NS		NS		1.48		NS		NS		NS		2.26		2.84		1.02		NS	
	27-Jun-08	4.12		NS		NS		NS		0.55		NS		NS		NS		NS		0.672		NS	
	31-Jul-08	NS		0.835		NS		NS		NS		NS		NS		NS		0.748		NS		0.564	
	28-Aug-08	NS		NS		0.804		NS		NS		NS		0.511		NS		0.797		0.725		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	9.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2		NS		4	
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		3.1	U	NS		NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS	U	NS		2.2	U
	25-Feb-09	8.9		NS		NS		NS		2.2	U	NS		NS		NS		2.2		3.2		NS	
	26-Mar-09	NS		0.486		NS		NS		NS		0.868	U	NS		NS		NS		0.922		1.28	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.208		NS		0.369		NS		0.499	
	22-Jul-09	5.34		NS		5.34		0.868	U	NS		1.39		NS		NS		72.7		1.27		NS	
	9-Oct-09	NS		0.542		NS		NS		0.586		NS		0.343		18.1	U	0.629		NS		0.616	
	15-Jan-10	4.51		NS		0.49		0.49		NS		0.56		NS		NS		0.833		0.846		NS	
	21-Apr-10	NS		0.256		NS		NS		1.17		NS		1.56		1.41		1.24		NS		1.14	
	16-Jul-10	5.07		NS		2.84		2.63		NS		2.1		NS		NS		1.88		2.05		NS	
	15-Oct-10	NS		0.672		NS		NS		0.837		NS		0.659		0.729		1.22		NS		1.14	
	26-Jan-11	1.08		NS		1.5		NS		1.54		NS		1.11		NS		4.32		5.16		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.286		NS		NS		0.286		NS		0.369		0.456		0.451		NS		0.551	
	26-Jul-11	1.87		NS		1.45		0.334		NS		0.434	U	NS		NS		0.365		NS		0.434	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.3		NS		2.2	U
	23-Jan-12	2.3		NS		0.76		0.54		NS		0.79		NS		NS		1.7		NS		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.4		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	U	NS	
	23-Jun-12	3		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.59		0.44		NS	
	1-Nov-12	NS		0.72		NS		NS		0.85		NS		1.1		1.1		1.3		NS		1.8	
	1-Feb-13	1		NS		0.19		NS		0.17		NS		0.24		NS		0.64		NS		NS	
	29-Apr-13	NS		0.43		NS		NS		0.46		NS		0.41		0.52		0.065		NS		0.86	
	9-Jul-13	3.2		NS		0.86		0.90		NS		0.84		NS		NS		1.3		0.28		NS	
	18-Oct-13	NS		NS		NS		NS		1.9		NS		2.1		2.9		NS		NS		1.7	
	9-Jan-14	3.4		NS		3.0		4.00		NS		4.1		NS		NS		9.8		9.6		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.11		0.087	U	1.2	
	1-Aug-14	1.9		NS		1.6/1.8		1.10		NS		NS		NS		NS		0.79		1.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.52		NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.2		0.13	U	0.28		0.35		NS	
	20-Jan-15	0.29		NS		0.087	U	0.10		NS		0.087	U	NS		NS		0.23		0.34		NS	

Notes:
 All data presented in micrograms per cubic meter (ug/m3).
 Two values displayed with a slash indicates dilutions resulting in two different concentrations.
 U: designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.
 NS: not sampled.
 * = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.
 M: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.
 L: Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
 V: Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
 E: Reported result is estimated due to value over calibration range.

APPENDIX D

Rooftop Emission Analytical Summary

Alvarez School - Sub Slab Depressurization System Emissions Calculations

Sample Date: 22 October 2014

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)		
	Measured Flow Speed (fpm): 2440		Measured Flow Rate (cfm): 119.8		Measured Flow Speed (fpm): 2218		Measured Flow Rate (cfm): 108.9		Measured Flow Speed (fpm): 1308		Measured Flow Rate (cfm): 64.2		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)
	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m ³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
Acetone	17.0	7.61E-06	1.83E-04	6.67E-02	20.0	8.14E-06	1.95E-04	7.13E-02	15.0	3.60E-06	8.64E-05	3.15E-02	1.94E-05	4.64E-04	1.70E-01
Acrylonitrile	0.37 U	1.66E-07	3.98E-06	1.45E-03	0.37 U	1.51E-07	3.61E-06	1.32E-03	0.37 U	8.88E-08	2.13E-06	7.78E-04	4.05E-07	9.72E-06	3.55E-03
Benzene	0.37	1.66E-07	3.98E-06	1.45E-03	0.43	1.75E-07	4.20E-06	1.53E-03	0.47	1.13E-07	2.71E-06	9.88E-04	4.53E-07	1.09E-05	3.97E-03
Bromodichloromethane	0.10 U	4.48E-08	1.07E-06	3.92E-04	0.10 U	4.07E-08	9.77E-07	3.57E-04	0.10 U	2.40E-08	5.76E-07	2.10E-04	1.09E-07	2.63E-06	9.59E-04
Bromoform	0.31 U	1.39E-07	3.33E-06	1.22E-03	0.31 U	1.26E-07	3.03E-06	1.11E-03	0.31 U	7.44E-08	1.79E-06	6.52E-04	3.39E-07	8.15E-06	2.97E-03
2-Butanone	3.50 U	1.57E-06	3.76E-05	1.37E-02	3.60	1.47E-06	3.52E-05	1.28E-02	3.50 U	8.40E-07	2.02E-05	7.36E-03	3.87E-06	9.29E-05	3.39E-02
n-Butylbenzene	0.47 U	2.10E-07	5.05E-06	1.84E-03	0.47 U	1.91E-07	4.59E-06	1.68E-03	0.47 U	1.13E-07	2.71E-06	9.88E-04	5.15E-07	1.23E-05	4.51E-03
sec-Butylbenzene	0.38 U	1.70E-07	4.08E-06	1.49E-03	0.38 U	1.55E-07	3.71E-06	1.35E-03	0.38 U	9.12E-08	2.19E-06	7.99E-04	4.16E-07	9.98E-06	3.64E-03
Carbon Tetrachloride	0.41	1.84E-07	4.41E-06	1.61E-03	0.43	1.75E-07	4.20E-06	1.53E-03	0.45	1.08E-07	2.59E-06	9.46E-04	4.67E-07	1.12E-05	4.09E-03
Chlorobenzene	0.14 U	6.27E-08	1.50E-06	5.49E-04	0.14 U	5.70E-08	1.37E-06	4.99E-04	0.14 U	3.36E-08	8.06E-07	2.94E-04	1.53E-07	3.68E-06	1.34E-03
Chloroethane	0.079 U	3.54E-08	8.49E-07	3.10E-04	0.10	4.07E-08	9.77E-07	3.57E-04	0.079 U	1.90E-08	4.55E-07	1.66E-04	9.50E-08	2.28E-06	8.32E-04
Chloroform	0.26	1.16E-07	2.79E-06	1.02E-03	0.30	1.22E-07	2.93E-06	1.07E-03	0.43	1.03E-07	2.48E-06	9.04E-04	3.42E-07	8.20E-06	2.99E-03
Chloromethane	0.12 U	5.37E-08	1.29E-06	4.71E-04	0.12 U	4.88E-08	1.17E-06	4.28E-04	0.12 U	2.88E-08	6.91E-07	2.52E-04	1.31E-07	3.15E-06	1.15E-03
Dibromochloromethane	0.13 U	5.82E-08	1.40E-06	5.10E-04	0.13 U	5.29E-08	1.27E-06	4.63E-04	0.13 U	3.12E-08	7.49E-07	2.73E-04	1.42E-07	3.42E-06	1.25E-03
1,2-Dibromoethane	0.12 U	5.37E-08	1.29E-06	4.71E-04	0.12 U	4.88E-08	1.17E-06	4.28E-04	0.12 U	2.88E-08	6.91E-07	2.52E-04	1.31E-07	3.15E-06	1.15E-03
1,2-Dichlorobenzene	0.18 U	8.06E-08	1.93E-06	7.06E-04	0.18 U	7.33E-08	1.76E-06	6.42E-04	0.18 U	4.32E-08	1.04E-06	3.78E-04	1.97E-07	4.73E-06	1.73E-03
1,3-Dichlorobenzene	0.18 U	8.06E-08	1.93E-06	7.06E-04	0.18 U	7.33E-08	1.76E-06	6.42E-04	0.18 U	4.32E-08	1.04E-06	3.78E-04	1.97E-07	4.73E-06	1.73E-03
1,4-Dichlorobenzene	0.18 U	8.06E-08	1.93E-06	7.06E-04	0.18 U	7.33E-08	1.76E-06	6.42E-04	0.18 U	4.32E-08	1.04E-06	3.78E-04	1.97E-07	4.73E-06	1.73E-03
Dichlorodifluoromethane	1.40	6.27E-07	1.50E-05	5.49E-03	1.40	5.70E-07	1.37E-05	4.99E-03	1.30	3.12E-07	7.49E-06	2.73E-03	1.51E-06	3.62E-05	1.32E-02
1,1-Dichloroethane	0.061 U	2.73E-08	6.55E-07	2.39E-04	0.061 U	2.48E-08	5.96E-07	2.17E-04	0.061 U	1.46E-08	3.51E-07	1.28E-04	6.68E-08	1.60E-06	5.85E-04
1,2-Dichloroethane	0.061 U	2.73E-08	6.55E-07	2.39E-04	0.061 U	2.48E-08	5.96E-07	2.17E-04	0.061 U	1.46E-08	3.51E-07	1.28E-04	6.68E-08	1.60E-06	5.85E-04
1,1-Dichloroethene	0.059 U	2.64E-08	6.34E-07	2.31E-04	0.059 U	2.40E-08	5.76E-07	2.10E-04	0.059 U	1.42E-08	3.40E-07	1.24E-04	6.46E-08	1.55E-06	5.66E-04
cis-1,2-Dichloroethene	0.059 U	2.64E-08	6.34E-07	2.31E-04	0.059 U	2.40E-08	5.76E-07	2.10E-04	0.25	6.00E-08	1.44E-06	5.26E-04	1.10E-07	2.65E-06	9.67E-04
trans-1,2-Dichloroethene	0.059 U	2.64E-08	6.34E-07	2.31E-04	0.059 U	2.40E-08	5.76E-07	2.10E-04	0.059 U	1.42E-08	3.40E-07	1.24E-04	6.46E-08	1.55E-06	5.66E-04
1,2-Dichloropropane	0.069 U	3.09E-08	7.41E-07	2.71E-04	0.069 U	2.81E-08	6.74E-07	2.46E-04	0.069 U	1.66E-08	3.97E-07	1.45E-04	7.55E-08	1.81E-06	6.62E-04
cis-1,3-Dichloropropene	0.068 U	3.04E-08	7.31E-07	2.67E-04	0.068 U	2.77E-08	6.64E-07	2.42E-04	0.37 U	8.88E-08	2.13E-06	7.78E-04	1.47E-07	3.53E-06	1.29E-03
trans-1,3-Dichloropropene	0.068 U	3.04E-08	7.31E-07	2.67E-04	0.068 U	2.77E-08	6.64E-07	2.42E-04	0.068 U	1.63E-08	3.92E-07	1.43E-04	7.44E-08	1.79E-06	6.52E-04
Ethylbenzene	0.17	7.61E-08	1.83E-06	6.67E-04	0.18	7.33E-08	1.76E-06	6.42E-04	0.068 U	1.63E-08	3.92E-07	1.43E-04	1.66E-07	3.98E-06	1.45E-03
Isopropylbenzene	0.37 U	1.66E-07	3.98E-06	1.45E-03	0.37 U	1.51E-07	3.61E-06	1.32E-03	0.13 U	3.12E-08	7.49E-07	2.73E-04	3.47E-07	8.34E-06	3.04E-03
p-Isopropyltoluene	0.38 U	1.70E-07	4.08E-06	1.49E-03	0.38 U	1.55E-07	3.71E-06	1.35E-03	0.37 U	8.88E-08	2.13E-06	7.78E-04	4.14E-07	9.93E-06	3.62E-03
Methyl tert butyl ether	0.11 U	4.93E-08	1.18E-06	4.31E-04	0.11 U	4.48E-08	1.07E-06	3.92E-04	0.38 U	9.12E-08	2.19E-06	7.99E-04	1.85E-07	4.45E-06	1.62E-03
Methylene chloride	1.50	6.72E-07	1.61E-05	5.88E-03	1.40	5.70E-07	1.37E-05	4.99E-03	0.11 U	2.64E-08	6.34E-07	2.31E-04	1.27E-06	3.04E-05	1.11E-02
4-Methyl-2-pentanone	0.230	1.03E-07	2.47E-06	9.02E-04	0.31	1.26E-07	3.03E-06	1.11E-03	1.00	2.40E-07	5.76E-06	2.10E-03	4.69E-07	1.13E-05	4.11E-03
Styrene	0.20	8.95E-08	2.15E-06	7.84E-04	0.20	8.14E-08	1.95E-06	7.13E-04	0.13 U	3.12E-08	7.49E-07	2.73E-04	2.02E-07	4.85E-06	1.77E-03
1,1,1,2-Tetrachloroethane	0.37 U	1.66E-07	3.98E-06	1.45E-03	0.37 U	1.51E-07	3.61E-06	1.32E-03	0.37 U	8.88E-08	2.13E-06	7.78E-04	4.05E-07	9.72E-06	3.55E-03
1,1,2,2-Tetrachloroethane	0.10 U	4.48E-08	1.07E-06	3.92E-04	0.1 U	4.07E-08	9.77E-07	3.57E-04	0.1 U	2.40E-08	5.76E-07	2.10E-04	1.09E-07	2.63E-06	9.59E-04
Tetrachloroethene	21	9.40E-06	2.26E-04	8.24E-02	7.5	3.05E-06	7.33E-05	2.67E-02	92	2.21E-05	5.30E-04	1.93E-01	3.45E-05	8.29E-04	3.03E-01
Toluene	1.00	4.48E-07	1.07E-05	3.92E-03	1.00	4.07E-07	9.77E-06	3.57E-03	0.44	1.06E-07	2.53E-06	9.25E-04	9.60E-07	2.30E-05	8.41E-03
1,1,1-Trichloroethane	1.80	8.06E-07	1.93E-05	7.06E-03	1.00	4.07E-07	9.77E-06	3.57E-03	0.90	2.16E-07	5.18E-06	1.89E-03	1.43E-06	3.43E-05	1.25E-02
1,1,2-Trichloroethane	0.082 U	3.67E-08	8.81E-07	3.22E-04	0.082 U	3.34E-08	8.01E-07	2.92E-04	0.082 U	1.97E-08	4.72E-07	1.72E-04	8.98E-08	2.15E-06	7.86E-04
Trichloroethylene	66	2.96E-05	7.09E-04	2.59E-01	69	2.81E-05	6.74E-04	2.46E-01	44	1.06E-05	2.53E-04	9.25E-02	6.82E-05	1.64E-03	5.97E-01
Trichlorofluoromethane	59	2.64E-05	6.34E-04	2.31E-01	94	3.83E-05	9.18E-04	3.35E-01	19	4.56E-06	1.09E-04	3.99E-02	6.92E-05	1.66E-03	6.07E-01
1,2,4-Trimethylbenzene	0.58	2.60E-07	6.23E-06	2.27E-03	0.45	1.83E-07	4.40E-06	1.60E-03	0.51	1.22E-07	2.94E-06	1.07E-03	5.65E-07	1.36E-05	4.95E-03
1,3,5-Trimethylbenzene	0.15 U	6.72E-08	1.61E-06	5.88E-04	0.15 U	6.11E-08	1.47E-06	5.35E-04	0.15 U	3.60E-08	8.64E-07	3.15E-04	1.64E-07	3.94E-06	1.44E-03
Vinyl chloride	0.038 U	1.70E-08	4.08E-07	1.49E-04	0.038 U	1.55E-08	3.71E-07	1.35E-04	0.038 U	9.12E-09	2.19E-07	7.99E-05	4.16E-08	9.98E-07	3.64E-04
p/m-Xylene	0.61	2.73E-07	6.55E-06	2.39E-03	0.58	2.36E-07	5.67E-06	2.07E-03	0.40	9.60E-08	2.30E-06	8.41E-04	6.05E-07	1.45E-05	5.30E-03
o-Xylene	0.21	9.40E-08	2.26E-06	8.24E-04	0.20	8.14E-08	1.95E-06	7.13E-04	0.15	3.60E-08	8.64E-07	3.15E-04	2.11E-07	5.07E-06	1.85E-03
Total VOCs	1.80E+02	8.06E-05	1.94E-03	7.06E-01	2.07E+02	8.42E-05	2.02E-03	7.38E-01	1.85E+02	4.45E-05	1.07E-03	7.52E-01	2.09E-04	5.02E-03	1.59E+00
RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	10	100	20,000 (Individual VOCs) 50,000 (Total VOCs)	

U : indicates that chemical was not detected by the laboratory. To be conservative, the reporting limit shown in the concentration column was used in the emissions calculations.

Hourly Emissions (lbs/hour) = VOC concentration (ug/m³) x measured flow rate (cfm) x 0.02832 m³/ft³ x 60 min/hour x 0.001 mg/ug x 0.001 g/mg x 0.0022 lb/g.

Daily Emissions (lbs/day) = Hourly Emissions x 24 hours/day.

Yearly Emissions (lbs/year) = Daily Emissions x 365 days/year.

Where samples were analyzed with multiple dilution factors, the highest reported value is shown

* RIDEM Air Pollution Control Regulation No. 9 [August 1971, Amended April 2004].

APPENDIX E

Laboratory Analytical Reports

February 10, 2015

Catherine Swanson
EA Engineering Science & Tech. - RI
2374 Post Road, Suite 102
Warwick, RI 02886

Project Location: Alvarez
Client Job Number:
Project Number: 1506602
Laboratory Work Order Number: 15A0624

Enclosed are results of analyses for samples received by the laboratory on January 21, 2015. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	6
Sample Preparation Information	36
QC Data	37
Air Toxics by EPA Compendium Methods	37
B114989	37
Flag/Qualifier Summary	40
Certifications	41
Chain of Custody/Sample Receipt	43

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
 2374 Post Road, Suite 102
 Warwick, RI 02886
 ATTN: Catherine Swanson

REPORT DATE: 2/10/2015

PURCHASE ORDER NUMBER:

PROJECT NUMBER: 1506602

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 15A0624

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Alvarez

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	15A0624-01	Indoor air		EPA TO-15	
Cafeteria	15A0624-02	Indoor air		EPA TO-15	
Kitchen Storage	15A0624-03	Indoor air		EPA TO-15	
Elevator Hallway	15A0624-04	Indoor air		EPA TO-15	
Room 145	15A0624-05	Indoor air		EPA TO-15	
Room 152	15A0624-06	Indoor air		EPA TO-15	
Room 118	15A0624-07	Indoor air		EPA TO-15	
Room 110	15A0624-08	Indoor air		EPA TO-15	
MP-1	15A0624-09	Air		EPA TO-15	
MP-3	15A0624-10	Air		EPA TO-15	
MP-4	15A0624-11	Air		EPA TO-15	
MP-6	15A0624-12	Air		EPA TO-15	
IMP-1	15A0624-13	Air		EPA TO-15	
IMP-2	15A0624-14	Air		EPA TO-15	
Ambient Air	15A0624-15	Ambient Air		EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15

Qualifications:**L-01**

Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

Analyte & Samples(s) Qualified:**Acrylonitrile**

B114989-BS1

L-03

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

Analyte & Samples(s) Qualified:**Chloroethane**

15A0624-01[Gymnasium], 15A0624-02[Cafeteria], 15A0624-03[Kitchen Storage], 15A0624-04[Elevator Hallway], 15A0624-05[Room 145], 15A0624-06[Room 152], 15A0624-07[Room 118], 15A0624-08[Room 110], 15A0624-09[MP-1], 15A0624-10[MP-3], 15A0624-11[MP-4], 15A0624-12[MP-6], 15A0624-13[IMP-1], 15A0624-14[IMP-2], 15A0624-15[Ambient Air], B114989-BLK1, B114989-BS1

Chloromethane

15A0624-01[Gymnasium], 15A0624-02[Cafeteria], 15A0624-03[Kitchen Storage], 15A0624-04[Elevator Hallway], 15A0624-05[Room 145], 15A0624-06[Room 152], 15A0624-07[Room 118], 15A0624-08[Room 110], 15A0624-09[MP-1], 15A0624-10[MP-3], 15A0624-11[MP-4], 15A0624-12[MP-6], 15A0624-13[IMP-1], 15A0624-14[IMP-2], 15A0624-15[Ambient Air], B114989-BLK1, B114989-BS1

Vinyl Chloride

15A0624-01[Gymnasium], 15A0624-02[Cafeteria], 15A0624-03[Kitchen Storage], 15A0624-04[Elevator Hallway], 15A0624-05[Room 145], 15A0624-06[Room 152], 15A0624-07[Room 118], 15A0624-08[Room 110], 15A0624-09[MP-1], 15A0624-10[MP-3], 15A0624-11[MP-4], 15A0624-12[MP-6], 15A0624-13[IMP-1], 15A0624-14[IMP-2], 15A0624-15[Ambient Air], B114989-BLK1, B114989-BS1

V-05

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

Analyte & Samples(s) Qualified:**Chloroethane**

15A0624-01[Gymnasium], 15A0624-02[Cafeteria], 15A0624-03[Kitchen Storage], 15A0624-04[Elevator Hallway], 15A0624-05[Room 145], 15A0624-06[Room 152], 15A0624-07[Room 118], 15A0624-08[Room 110], 15A0624-09[MP-1], 15A0624-10[MP-3], 15A0624-11[MP-4], 15A0624-12[MP-6], 15A0624-13[IMP-1], 15A0624-14[IMP-2], 15A0624-15[Ambient Air], B114989-BLK1, B114989-BS1

Chloromethane

15A0624-01[Gymnasium], 15A0624-02[Cafeteria], 15A0624-03[Kitchen Storage], 15A0624-04[Elevator Hallway], 15A0624-05[Room 145], 15A0624-06[Room 152], 15A0624-07[Room 118], 15A0624-08[Room 110], 15A0624-09[MP-1], 15A0624-10[MP-3], 15A0624-11[MP-4], 15A0624-12[MP-6], 15A0624-13[IMP-1], 15A0624-14[IMP-2], 15A0624-15[Ambient Air], B114989-BLK1, B114989-BS1

Vinyl Chloride

15A0624-01[Gymnasium], 15A0624-02[Cafeteria], 15A0624-03[Kitchen Storage], 15A0624-04[Elevator Hallway], 15A0624-05[Room 145], 15A0624-06[Room 152], 15A0624-07[Room 118], 15A0624-08[Room 110], 15A0624-09[MP-1], 15A0624-10[MP-3], 15A0624-11[MP-4], 15A0624-12[MP-6], 15A0624-13[IMP-1], 15A0624-14[IMP-2], 15A0624-15[Ambient Air], B114989-BLK1, B114989-BS1

V-06

Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

Analyte & Samples(s) Qualified:**Acrylonitrile**

15A0624-05[Room 145], B114989-BS1

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is written in a cursive style with a large, sweeping "T" and "K".

Tod E. Kopyscinski
Laboratory Director

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Gymnasium
Sample ID: 15A0624-01
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 08:37

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1230
 Canister Size: 6 liter
 Flow Controller ID: 4177
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -28.5
 Final Vacuum(in Hg): -4.5
 Receipt Vacuum(in Hg): -5.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	13	0.80		30	1.9	0.4	2/7/15	0:30	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	0:30	WSD
Benzene	0.14	0.020		0.44	0.064	0.4	2/7/15	0:30	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	0:30	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	0:30	WSD
2-Butanone (MEK)	0.92	0.80		2.7	2.4	0.4	2/7/15	0:30	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	0:30	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	0:30	WSD
Carbon Tetrachloride	0.052	0.010		0.33	0.063	0.4	2/7/15	0:30	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	0:30	WSD
Chloroethane	ND	0.020	L-03, V-05	ND	0.053	0.4	2/7/15	0:30	WSD
Chloroform	ND	0.010		ND	0.049	0.4	2/7/15	0:30	WSD
Chloromethane	0.35	0.040	L-03, V-05	0.72	0.083	0.4	2/7/15	0:30	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	0:30	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	0:30	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	0:30	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	0:30	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	0:30	WSD
Dichlorodifluoromethane (Freon 12)	0.26	0.020		1.3	0.099	0.4	2/7/15	0:30	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	0:30	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	0:30	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	0:30	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	0:30	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	0:30	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	0:30	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	0:30	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	0:30	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	0:30	WSD
Ethylbenzene	0.026	0.020		0.11	0.087	0.4	2/7/15	0:30	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	0:30	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	0:30	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	0:30	WSD
Methylene Chloride	0.84	0.20		2.9	0.69	0.4	2/7/15	0:30	WSD
4-Methyl-2-pentanone (MIBK)	0.15	0.020		0.61	0.082	0.4	2/7/15	0:30	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	0:30	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	0:30	WSD
1,1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	0:30	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Gymnasium
Sample ID: 15A0624-01
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 08:37

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1230
 Canister Size: 6 liter
 Flow Controller ID: 4177
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -28.5
 Final Vacuum(in Hg): -4.5
 Receipt Vacuum(in Hg): -5.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.022	0.010		0.15	0.068	0.4	2/7/15	0:30	WSD
Toluene	0.21	0.020		0.78	0.075	0.4	2/7/15	0:30	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	0:30	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	0:30	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	0:30	WSD
Trichlorofluoromethane (Freon 11)	0.22	0.020		1.2	0.11	0.4	2/7/15	0:30	WSD
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	0:30	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	0:30	WSD
Vinyl Chloride	ND	0.010	L-03, V-05	ND	0.026	0.4	2/7/15	0:30	WSD
m&p-Xylene	0.084	0.040		0.36	0.17	0.4	2/7/15	0:30	WSD
o-Xylene	0.031	0.020		0.14	0.087	0.4	2/7/15	0:30	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	94.0	70-130	2/7/15	0:30
4-Bromofluorobenzene (2)	81.1	70-130	2/7/15	0:30

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Cafeteria
Sample ID: 15A0624-02
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 11:58

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1825
 Canister Size: 6 liter
 Flow Controller ID: 4176
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30.5
 Final Vacuum(in Hg): -22
 Receipt Vacuum(in Hg): -0.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	13	0.80		30	1.9	0.4	2/7/15	1:19	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	1:19	WSD
Benzene	0.14	0.020		0.44	0.064	0.4	2/7/15	1:19	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	1:19	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	1:19	WSD
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/7/15	1:19	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	1:19	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	1:19	WSD
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	2/7/15	1:19	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	1:19	WSD
Chloroethane	ND	0.020	L-03, V-05	ND	0.053	0.4	2/7/15	1:19	WSD
Chloroform	0.024	0.010		0.12	0.049	0.4	2/7/15	1:19	WSD
Chloromethane	0.47	0.040	L-03, V-05	0.97	0.083	0.4	2/7/15	1:19	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	1:19	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	1:19	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	1:19	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	1:19	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	1:19	WSD
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	2/7/15	1:19	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	1:19	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	1:19	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	1:19	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	1:19	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	1:19	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	1:19	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	1:19	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	1:19	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	1:19	WSD
Ethylbenzene	0.029	0.020		0.13	0.087	0.4	2/7/15	1:19	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	1:19	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	1:19	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	1:19	WSD
Methylene Chloride	7.7	0.20		27	0.69	0.4	2/7/15	1:19	WSD
4-Methyl-2-pentanone (MIBK)	0.14	0.020		0.57	0.082	0.4	2/7/15	1:19	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	1:19	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	1:19	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	1:19	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Cafeteria
Sample ID: 15A0624-02
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 11:58

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1825
 Canister Size: 6 liter
 Flow Controller ID: 4176
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30.5
 Final Vacuum(in Hg): -22
 Receipt Vacuum(in Hg): -0.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Tetrachloroethylene	0.024	0.010		0.16	0.068	0.4	2/7/15	1:19	WSD
Toluene	0.23	0.020		0.88	0.075	0.4	2/7/15	1:19	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	1:19	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	1:19	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	1:19	WSD
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/7/15	1:19	WSD
1,2,4-Trimethylbenzene	0.11	0.020		0.56	0.098	0.4	2/7/15	1:19	WSD
1,3,5-Trimethylbenzene	0.023	0.020		0.11	0.098	0.4	2/7/15	1:19	WSD
Vinyl Chloride	ND	0.010	L-03, V-05	ND	0.026	0.4	2/7/15	1:19	WSD
m&p-Xylene	0.10	0.040		0.44	0.17	0.4	2/7/15	1:19	WSD
o-Xylene	0.041	0.020		0.18	0.087	0.4	2/7/15	1:19	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	93.4	70-130	2/7/15	1:19
4-Bromofluorobenzene (2)	81.9	70-130	2/7/15	1:19

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Kitchen Storage
Sample ID: 15A0624-03
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 09:03

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2142
 Canister Size: 6 liter
 Flow Controller ID: 4182
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -27.5
 Final Vacuum(in Hg): -4.5
 Receipt Vacuum(in Hg): -5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	16	0.80		37	1.9	0.4	2/7/15	2:13	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	2:13	WSD
Benzene	0.14	0.020		0.45	0.064	0.4	2/7/15	2:13	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	2:13	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	2:13	WSD
2-Butanone (MEK)	1.9	0.80		5.5	2.4	0.4	2/7/15	2:13	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	2:13	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	2:13	WSD
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	2/7/15	2:13	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	2:13	WSD
Chloroethane	ND	0.020	L-03, V-05	ND	0.053	0.4	2/7/15	2:13	WSD
Chloroform	0.024	0.010		0.12	0.049	0.4	2/7/15	2:13	WSD
Chloromethane	0.40	0.040	L-03, V-05	0.82	0.083	0.4	2/7/15	2:13	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	2:13	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	2:13	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	2:13	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	2:13	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	2:13	WSD
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	2/7/15	2:13	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	2:13	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	2:13	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	2:13	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	2:13	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	2:13	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	2:13	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	2:13	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	2:13	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	2:13	WSD
Ethylbenzene	0.029	0.020		0.13	0.087	0.4	2/7/15	2:13	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	2:13	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	2:13	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	2:13	WSD
Methylene Chloride	8.1	0.20		28	0.69	0.4	2/7/15	2:13	WSD
4-Methyl-2-pentanone (MIBK)	0.12	0.020		0.50	0.082	0.4	2/7/15	2:13	WSD
Styrene	0.028	0.020		0.12	0.085	0.4	2/7/15	2:13	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	2:13	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	2:13	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Kitchen Storage
Sample ID: 15A0624-03
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 09:03

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2142
 Canister Size: 6 liter
 Flow Controller ID: 4182
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -27.5
 Final Vacuum(in Hg): -4.5
 Receipt Vacuum(in Hg): -5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	2/7/15	2:13	WSD
Toluene	0.24	0.020		0.89	0.075	0.4	2/7/15	2:13	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	2:13	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	2:13	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	2:13	WSD
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/7/15	2:13	WSD
1,2,4-Trimethylbenzene	0.030	0.020		0.15	0.098	0.4	2/7/15	2:13	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	2:13	WSD
Vinyl Chloride	ND	0.010	L-03, V-05	ND	0.026	0.4	2/7/15	2:13	WSD
m&p-Xylene	0.089	0.040		0.39	0.17	0.4	2/7/15	2:13	WSD
o-Xylene	0.030	0.020		0.13	0.087	0.4	2/7/15	2:13	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.5	70-130	2/7/15 2:13
4-Bromofluorobenzene (2)	86.5	70-130	2/7/15 2:13

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Elevator Hallway
Sample ID: 15A0624-04
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 08:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2148
 Canister Size: 6 liter
 Flow Controller ID: 4105
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30.5
 Final Vacuum(in Hg): -7.5
 Receipt Vacuum(in Hg): -5.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	14	0.80		34	1.9	0.4	2/7/15	3:08	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	3:08	WSD
Benzene	0.13	0.020		0.43	0.064	0.4	2/7/15	3:08	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	3:08	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	3:08	WSD
2-Butanone (MEK)	1.2	0.80		3.6	2.4	0.4	2/7/15	3:08	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	3:08	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	3:08	WSD
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	2/7/15	3:08	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	3:08	WSD
Chloroethane	0.023	0.020	V-05, L-03	0.060	0.053	0.4	2/7/15	3:08	WSD
Chloroform	0.021	0.010		0.10	0.049	0.4	2/7/15	3:08	WSD
Chloromethane	0.39	0.040	V-05, L-03	0.81	0.083	0.4	2/7/15	3:08	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	3:08	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	3:08	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	3:08	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	3:08	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	3:08	WSD
Dichlorodifluoromethane (Freon 12)	0.29	0.020		1.4	0.099	0.4	2/7/15	3:08	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	3:08	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	3:08	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	3:08	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	3:08	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	3:08	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	3:08	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	3:08	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	3:08	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	3:08	WSD
Ethylbenzene	0.038	0.020		0.17	0.087	0.4	2/7/15	3:08	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	3:08	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	3:08	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	3:08	WSD
Methylene Chloride	8.2	0.20		29	0.69	0.4	2/7/15	3:08	WSD
4-Methyl-2-pentanone (MIBK)	0.20	0.020		0.80	0.082	0.4	2/7/15	3:08	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	3:08	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	3:08	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	3:08	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Elevator Hallway
Sample ID: 15A0624-04
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 08:45

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2148
 Canister Size: 6 liter
 Flow Controller ID: 4105
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30.5
 Final Vacuum(in Hg): -7.5
 Receipt Vacuum(in Hg): -5.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.026	0.010		0.17	0.068	0.4	2/7/15	3:08	WSD
Toluene	0.28	0.020		1.1	0.075	0.4	2/7/15	3:08	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	3:08	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	3:08	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	3:08	WSD
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/7/15	3:08	WSD
1,2,4-Trimethylbenzene	0.032	0.020		0.16	0.098	0.4	2/7/15	3:08	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	3:08	WSD
Vinyl Chloride	ND	0.010	V-05, L-03	ND	0.026	0.4	2/7/15	3:08	WSD
m&p-Xylene	0.12	0.040		0.53	0.17	0.4	2/7/15	3:08	WSD
o-Xylene	0.046	0.020		0.20	0.087	0.4	2/7/15	3:08	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	95.8	70-130	2/7/15	3:08
4-Bromofluorobenzene (2)	88.3	70-130	2/7/15	3:08

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 145
Sample ID: 15A0624-05
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 09:48

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1039
 Canister Size: 6 liter
 Flow Controller ID: 4183
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -25
 Final Vacuum(in Hg): -6.0
 Receipt Vacuum(in Hg): -10.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	24	1.2		57	2.9	0.6	2/7/15	3:56	WSD
Acrylonitrile	ND	0.17	V-06	ND	0.37	0.6	2/7/15	3:56	WSD
Benzene	0.18	0.030		0.58	0.096	0.6	2/7/15	3:56	WSD
Bromodichloromethane	ND	0.015		ND	0.10	0.6	2/7/15	3:56	WSD
Bromoform	ND	0.030		ND	0.31	0.6	2/7/15	3:56	WSD
2-Butanone (MEK)	1.3	1.2		3.9	3.5	0.6	2/7/15	3:56	WSD
n-Butylbenzene	ND	0.086		ND	0.47	0.6	2/7/15	3:56	WSD
sec-Butylbenzene	ND	0.068		ND	0.38	0.6	2/7/15	3:56	WSD
Carbon Tetrachloride	0.072	0.015		0.45	0.094	0.6	2/7/15	3:56	WSD
Chlorobenzene	ND	0.030		ND	0.14	0.6	2/7/15	3:56	WSD
Chloroethane	ND	0.030	V-05, L-03	ND	0.079	0.6	2/7/15	3:56	WSD
Chloroform	ND	0.015		ND	0.073	0.6	2/7/15	3:56	WSD
Chloromethane	0.51	0.060	V-05, L-03	1.0	0.12	0.6	2/7/15	3:56	WSD
Dibromochloromethane	ND	0.015		ND	0.13	0.6	2/7/15	3:56	WSD
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12	0.6	2/7/15	3:56	WSD
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15	3:56	WSD
1,3-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15	3:56	WSD
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15	3:56	WSD
Dichlorodifluoromethane (Freon 12)	0.30	0.030		1.5	0.15	0.6	2/7/15	3:56	WSD
1,1-Dichloroethane	ND	0.015		ND	0.061	0.6	2/7/15	3:56	WSD
1,2-Dichloroethane	ND	0.015		ND	0.061	0.6	2/7/15	3:56	WSD
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15	3:56	WSD
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15	3:56	WSD
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15	3:56	WSD
1,2-Dichloropropane	ND	0.015		ND	0.069	0.6	2/7/15	3:56	WSD
1,3-Dichloropropane	ND	0.081		ND	0.37	0.6	2/7/15	3:56	WSD
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	2/7/15	3:56	WSD
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	2/7/15	3:56	WSD
Ethylbenzene	0.053	0.030		0.23	0.13	0.6	2/7/15	3:56	WSD
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.6	2/7/15	3:56	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.38	0.6	2/7/15	3:56	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.6	2/7/15	3:56	WSD
Methylene Chloride	11	0.30		37	1.0	0.6	2/7/15	3:56	WSD
4-Methyl-2-pentanone (MIBK)	0.13	0.030		0.55	0.12	0.6	2/7/15	3:56	WSD
Styrene	ND	0.030		ND	0.13	0.6	2/7/15	3:56	WSD
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37	0.6	2/7/15	3:56	WSD
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.6	2/7/15	3:56	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 145
Sample ID: 15A0624-05
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 09:48

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1039
 Canister Size: 6 liter
 Flow Controller ID: 4183
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -25
 Final Vacuum(in Hg): -6.0
 Receipt Vacuum(in Hg): -10.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.015		ND	0.10	0.6	2/7/15	3:56	WSD
Toluene	0.93	0.030		3.5	0.11	0.6	2/7/15	3:56	WSD
1,1,1-Trichloroethane	ND	0.015		ND	0.082	0.6	2/7/15	3:56	WSD
1,1,2-Trichloroethane	ND	0.015		ND	0.082	0.6	2/7/15	3:56	WSD
Trichloroethylene	ND	0.015		ND	0.081	0.6	2/7/15	3:56	WSD
Trichlorofluoromethane (Freon 11)	0.25	0.030		1.4	0.17	0.6	2/7/15	3:56	WSD
1,2,4-Trimethylbenzene	0.034	0.030		0.17	0.15	0.6	2/7/15	3:56	WSD
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15	0.6	2/7/15	3:56	WSD
Vinyl Chloride	ND	0.015	V-05, L-03	ND	0.038	0.6	2/7/15	3:56	WSD
m&p-Xylene	0.16	0.060		0.72	0.26	0.6	2/7/15	3:56	WSD
o-Xylene	0.061	0.030		0.26	0.13	0.6	2/7/15	3:56	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	94.0	70-130	2/7/15	3:56
4-Bromofluorobenzene (2)	89.0	70-130	2/7/15	3:56

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 152
Sample ID: 15A0624-06
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 10:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1815
 Canister Size: 6 liter
 Flow Controller ID: 4086
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -0.5
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	7.0	0.80		17	1.9	0.4	2/7/15	4:49	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	4:49	WSD
Benzene	0.15	0.020		0.48	0.064	0.4	2/7/15	4:49	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	4:49	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	4:49	WSD
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/7/15	4:49	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	4:49	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	4:49	WSD
Carbon Tetrachloride	0.078	0.010		0.49	0.063	0.4	2/7/15	4:49	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	4:49	WSD
Chloroethane	ND	0.020	V-05, L-03	ND	0.053	0.4	2/7/15	4:49	WSD
Chloroform	0.030	0.010		0.14	0.049	0.4	2/7/15	4:49	WSD
Chloromethane	ND	0.040	V-05, L-03	ND	0.083	0.4	2/7/15	4:49	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	4:49	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	4:49	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	4:49	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	4:49	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	4:49	WSD
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	2/7/15	4:49	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	4:49	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	4:49	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	4:49	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	4:49	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	4:49	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	4:49	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	4:49	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	4:49	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	4:49	WSD
Ethylbenzene	0.055	0.020		0.24	0.087	0.4	2/7/15	4:49	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	4:49	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	4:49	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	4:49	WSD
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/7/15	4:49	WSD
4-Methyl-2-pentanone (MIBK)	0.076	0.020		0.31	0.082	0.4	2/7/15	4:49	WSD
Styrene	0.055	0.020		0.23	0.085	0.4	2/7/15	4:49	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	4:49	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	4:49	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 152
Sample ID: 15A0624-06
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 10:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1815
 Canister Size: 6 liter
 Flow Controller ID: 4086
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -0.5
 Receipt Vacuum(in Hg): -3.5
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.62	0.010		4.2	0.068	0.4	2/7/15	4:49	WSD
Toluene	0.26	0.020		0.97	0.075	0.4	2/7/15	4:49	WSD
1,1,1-Trichloroethane	0.049	0.010		0.27	0.055	0.4	2/7/15	4:49	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	4:49	WSD
Trichloroethylene	3.7	0.010		20	0.054	0.4	2/7/15	4:49	WSD
Trichlorofluoromethane (Freon 11)	0.81	0.020		4.5	0.11	0.4	2/7/15	4:49	WSD
1,2,4-Trimethylbenzene	0.10	0.020		0.49	0.098	0.4	2/7/15	4:49	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	4:49	WSD
Vinyl Chloride	ND	0.010	V-05, L-03	ND	0.026	0.4	2/7/15	4:49	WSD
m&p-Xylene	0.18	0.040		0.77	0.17	0.4	2/7/15	4:49	WSD
o-Xylene	0.060	0.020		0.26	0.087	0.4	2/7/15	4:49	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	97.0	70-130	2/7/15	4:49
4-Bromofluorobenzene (2)	92.1	70-130	2/7/15	4:49

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 118
Sample ID: 15A0624-07
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 10:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2144
 Canister Size: 6 liter
 Flow Controller ID: 4170
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -28.5
 Final Vacuum(in Hg): -3.5
 Receipt Vacuum(in Hg): -4.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	16	0.80		39	1.9	0.4	2/7/15	5:42	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	5:42	WSD
Benzene	0.16	0.020		0.50	0.064	0.4	2/7/15	5:42	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	5:42	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	5:42	WSD
2-Butanone (MEK)	1.9	0.80		5.7	2.4	0.4	2/7/15	5:42	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	5:42	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	5:42	WSD
Carbon Tetrachloride	0.074	0.010		0.46	0.063	0.4	2/7/15	5:42	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	5:42	WSD
Chloroethane	ND	0.020	V-05, L-03	ND	0.053	0.4	2/7/15	5:42	WSD
Chloroform	0.023	0.010		0.11	0.049	0.4	2/7/15	5:42	WSD
Chloromethane	0.43	0.040	V-05, L-03	0.89	0.083	0.4	2/7/15	5:42	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	5:42	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	5:42	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	5:42	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	5:42	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	5:42	WSD
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	2/7/15	5:42	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	5:42	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	5:42	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	5:42	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	5:42	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	5:42	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	5:42	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	5:42	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	5:42	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	5:42	WSD
Ethylbenzene	0.031	0.020		0.13	0.087	0.4	2/7/15	5:42	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	5:42	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	5:42	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	5:42	WSD
Methylene Chloride	7.2	0.20		25	0.69	0.4	2/7/15	5:42	WSD
4-Methyl-2-pentanone (MIBK)	0.14	0.020		0.56	0.082	0.4	2/7/15	5:42	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	5:42	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	5:42	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	5:42	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 118
Sample ID: 15A0624-07
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 10:07

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2144
 Canister Size: 6 liter
 Flow Controller ID: 4170
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -28.5
 Final Vacuum(in Hg): -3.5
 Receipt Vacuum(in Hg): -4.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.010		ND	0.068	0.4	2/7/15	5:42	WSD
Toluene	0.24	0.020		0.89	0.075	0.4	2/7/15	5:42	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	5:42	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	5:42	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	5:42	WSD
Trichlorofluoromethane (Freon 11)	0.26	0.020		1.5	0.11	0.4	2/7/15	5:42	WSD
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	5:42	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	5:42	WSD
Vinyl Chloride	ND	0.010	V-05, L-03	ND	0.026	0.4	2/7/15	5:42	WSD
m&p-Xylene	0.091	0.040		0.40	0.17	0.4	2/7/15	5:42	WSD
o-Xylene	0.034	0.020		0.15	0.087	0.4	2/7/15	5:42	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	94.2	70-130	2/7/15	5:42
4-Bromofluorobenzene (2)	89.5	70-130	2/7/15	5:42

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 110
Sample ID: 15A0624-08
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 13:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1858
 Canister Size: 6 liter
 Flow Controller ID: 4083
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -4.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	18	0.80		44	1.9	0.4	2/7/15 6:35	WSD	
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15 6:35	WSD	
Benzene	0.16	0.020		0.50	0.064	0.4	2/7/15 6:35	WSD	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15 6:35	WSD	
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15 6:35	WSD	
2-Butanone (MEK)	0.81	0.80		2.4	2.4	0.4	2/7/15 6:35	WSD	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15 6:35	WSD	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15 6:35	WSD	
Carbon Tetrachloride	0.072	0.010		0.45	0.063	0.4	2/7/15 6:35	WSD	
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15 6:35	WSD	
Chloroethane	ND	0.020	V-05, L-03	ND	0.053	0.4	2/7/15 6:35	WSD	
Chloroform	0.027	0.010		0.13	0.049	0.4	2/7/15 6:35	WSD	
Chloromethane	0.52	0.040	V-05, L-03	1.1	0.083	0.4	2/7/15 6:35	WSD	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15 6:35	WSD	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15 6:35	WSD	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 6:35	WSD	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 6:35	WSD	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 6:35	WSD	
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	2/7/15 6:35	WSD	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15 6:35	WSD	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15 6:35	WSD	
1,1-Dichloroethylene	0.025	0.010		0.098	0.040	0.4	2/7/15 6:35	WSD	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 6:35	WSD	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 6:35	WSD	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15 6:35	WSD	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15 6:35	WSD	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15 6:35	WSD	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15 6:35	WSD	
Ethylbenzene	0.038	0.020		0.16	0.087	0.4	2/7/15 6:35	WSD	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15 6:35	WSD	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15 6:35	WSD	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15 6:35	WSD	
Methylene Chloride	8.7	0.20		30	0.69	0.4	2/7/15 6:35	WSD	
4-Methyl-2-pentanone (MIBK)	0.20	0.020		0.80	0.082	0.4	2/7/15 6:35	WSD	
Styrene	ND	0.020		ND	0.085	0.4	2/7/15 6:35	WSD	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15 6:35	WSD	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15 6:35	WSD	

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Room 110
Sample ID: 15A0624-08
 Sample Matrix: Indoor air
 Sampled: 1/20/2015 13:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1858
 Canister Size: 6 liter
 Flow Controller ID: 4083
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -4.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.042	0.010		0.28	0.068	0.4	2/7/15	6:35	WSD
Toluene	0.30	0.020		1.1	0.075	0.4	2/7/15	6:35	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	6:35	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	6:35	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	6:35	WSD
Trichlorofluoromethane (Freon 11)	0.23	0.020		1.3	0.11	0.4	2/7/15	6:35	WSD
1,2,4-Trimethylbenzene	0.075	0.020		0.37	0.098	0.4	2/7/15	6:35	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	6:35	WSD
Vinyl Chloride	ND	0.010	V-05, L-03	ND	0.026	0.4	2/7/15	6:35	WSD
m&p-Xylene	0.13	0.040		0.55	0.17	0.4	2/7/15	6:35	WSD
o-Xylene	0.047	0.020		0.20	0.087	0.4	2/7/15	6:35	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	96.1	70-130	2/7/15	6:35
4-Bromofluorobenzene (2)	91.8	70-130	2/7/15	6:35

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-1
Sample ID: 15A0624-09
 Sample Matrix: Air
 Sampled: 1/20/2015 11:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1126
 Canister Size: 6 liter
 Flow Controller ID: 4172
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -25
 Final Vacuum(in Hg): -3.5
 Receipt Vacuum(in Hg): -5.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	5.9	0.80		14	1.9	0.4	2/7/15	7:30	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	7:30	WSD
Benzene	0.13	0.020		0.42	0.064	0.4	2/7/15	7:30	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	7:30	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	7:30	WSD
2-Butanone (MEK)	1.7	0.80		5.1	2.4	0.4	2/7/15	7:30	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	7:30	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	7:30	WSD
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	2/7/15	7:30	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	7:30	WSD
Chloroethane	0.026	0.020	V-05, L-03	0.069	0.053	0.4	2/7/15	7:30	WSD
Chloroform	ND	0.010		ND	0.049	0.4	2/7/15	7:30	WSD
Chloromethane	ND	0.040	V-05, L-03	ND	0.083	0.4	2/7/15	7:30	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	7:30	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	7:30	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	7:30	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	7:30	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	7:30	WSD
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	2/7/15	7:30	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	7:30	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	7:30	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	7:30	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	7:30	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	7:30	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	7:30	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	7:30	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	7:30	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	7:30	WSD
Ethylbenzene	0.092	0.020		0.40	0.087	0.4	2/7/15	7:30	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	7:30	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	7:30	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	7:30	WSD
Methylene Chloride	9.6	0.20		33	0.69	0.4	2/7/15	7:30	WSD
4-Methyl-2-pentanone (MIBK)	0.021	0.020		0.087	0.082	0.4	2/7/15	7:30	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	7:30	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	7:30	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	7:30	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-1
Sample ID: 15A0624-09
 Sample Matrix: Air
 Sampled: 1/20/2015 11:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1126
 Canister Size: 6 liter
 Flow Controller ID: 4172
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -25
 Final Vacuum(in Hg): -3.5
 Receipt Vacuum(in Hg): -5.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.13	0.010		0.89	0.068	0.4	2/7/15	7:30	WSD
Toluene	0.40	0.020		1.5	0.075	0.4	2/7/15	7:30	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	7:30	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	7:30	WSD
Trichloroethylene	0.097	0.010		0.52	0.054	0.4	2/7/15	7:30	WSD
Trichlorofluoromethane (Freon 11)	0.29	0.020		1.6	0.11	0.4	2/7/15	7:30	WSD
1,2,4-Trimethylbenzene	0.038	0.020		0.19	0.098	0.4	2/7/15	7:30	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	7:30	WSD
Vinyl Chloride	0.036	0.010	V-05, L-03	0.093	0.026	0.4	2/7/15	7:30	WSD
m&p-Xylene	0.25	0.040		1.1	0.17	0.4	2/7/15	7:30	WSD
o-Xylene	0.066	0.020		0.29	0.087	0.4	2/7/15	7:30	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.2	70-130	2/7/15 7:30
4-Bromofluorobenzene (2)	91.5	70-130	2/7/15 7:30

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-3
Sample ID: 15A0624-10
 Sample Matrix: Air
 Sampled: 1/20/2015 11:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2014
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -20.5
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -3.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	9.6	0.80		23	1.9	0.4	2/7/15	8:23	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	8:23	WSD
Benzene	0.10	0.020		0.33	0.064	0.4	2/7/15	8:23	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	8:23	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	8:23	WSD
2-Butanone (MEK)	1.3	0.80		3.9	2.4	0.4	2/7/15	8:23	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	8:23	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	8:23	WSD
Carbon Tetrachloride	0.078	0.010		0.49	0.063	0.4	2/7/15	8:23	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	8:23	WSD
Chloroethane	0.036	0.020	V-05, L-03	0.094	0.053	0.4	2/7/15	8:23	WSD
Chloroform	0.28	0.010		1.4	0.049	0.4	2/7/15	8:23	WSD
Chloromethane	1.4	0.040	V-05, L-03	3.0	0.083	0.4	2/7/15	8:23	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	8:23	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	8:23	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	8:23	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	8:23	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	8:23	WSD
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	2/7/15	8:23	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	8:23	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	8:23	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	8:23	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	8:23	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	8:23	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	8:23	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	8:23	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	8:23	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	8:23	WSD
Ethylbenzene	ND	0.020		ND	0.087	0.4	2/7/15	8:23	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	8:23	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	8:23	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	8:23	WSD
Methylene Chloride	7.7	0.20		27	0.69	0.4	2/7/15	8:23	WSD
4-Methyl-2-pentanone (MIBK)	0.021	0.020		0.085	0.082	0.4	2/7/15	8:23	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	8:23	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	8:23	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	8:23	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-3
Sample ID: 15A0624-10
 Sample Matrix: Air
 Sampled: 1/20/2015 11:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2014
 Canister Size: 6 liter
 Flow Controller ID: 4196
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -20.5
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -3.8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.029	0.010		0.20	0.068	0.4	2/7/15	8:23	WSD
Toluene	0.16	0.020		0.61	0.075	0.4	2/7/15	8:23	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	8:23	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	8:23	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	8:23	WSD
Trichlorofluoromethane (Freon 11)	0.27	0.020		1.5	0.11	0.4	2/7/15	8:23	WSD
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	8:23	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	8:23	WSD
Vinyl Chloride	0.054	0.010	L-03, V-05	0.14	0.026	0.4	2/7/15	8:23	WSD
m&p-Xylene	0.049	0.040		0.21	0.17	0.4	2/7/15	8:23	WSD
o-Xylene	ND	0.020		ND	0.087	0.4	2/7/15	8:23	WSD

Surrogates	% Recovery	% REC Limits		
4-Bromofluorobenzene (1)	94.2	70-130	2/7/15	8:23
4-Bromofluorobenzene (2)	91.1	70-130	2/7/15	8:23

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-4
Sample ID: 15A0624-11
 Sample Matrix: Air
 Sampled: 1/20/2015 12:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2154
 Canister Size: 6 liter
 Flow Controller ID: 4084
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -5.75
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	9.8	0.80		23	1.9	0.4	2/7/15	9:19	WSD
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15	9:19	WSD
Benzene	0.14	0.020		0.45	0.064	0.4	2/7/15	9:19	WSD
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15	9:19	WSD
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15	9:19	WSD
2-Butanone (MEK)	1.5	0.80		4.3	2.4	0.4	2/7/15	9:19	WSD
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15	9:19	WSD
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15	9:19	WSD
Carbon Tetrachloride	0.066	0.010		0.42	0.063	0.4	2/7/15	9:19	WSD
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15	9:19	WSD
Chloroethane	0.024	0.020	V-05, L-03	0.062	0.053	0.4	2/7/15	9:19	WSD
Chloroform	0.029	0.010		0.14	0.049	0.4	2/7/15	9:19	WSD
Chloromethane	ND	0.040	V-05, L-03	ND	0.083	0.4	2/7/15	9:19	WSD
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15	9:19	WSD
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15	9:19	WSD
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	9:19	WSD
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	9:19	WSD
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15	9:19	WSD
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	2/7/15	9:19	WSD
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	9:19	WSD
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15	9:19	WSD
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	9:19	WSD
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	9:19	WSD
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15	9:19	WSD
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15	9:19	WSD
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15	9:19	WSD
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	9:19	WSD
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15	9:19	WSD
Ethylbenzene	0.022	0.020		0.096	0.087	0.4	2/7/15	9:19	WSD
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15	9:19	WSD
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15	9:19	WSD
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15	9:19	WSD
Methylene Chloride	7.3	0.20		25	0.69	0.4	2/7/15	9:19	WSD
4-Methyl-2-pentanone (MIBK)	0.028	0.020		0.12	0.082	0.4	2/7/15	9:19	WSD
Styrene	ND	0.020		ND	0.085	0.4	2/7/15	9:19	WSD
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15	9:19	WSD
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15	9:19	WSD

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-4
Sample ID: 15A0624-11
 Sample Matrix: Air
 Sampled: 1/20/2015 12:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2154
 Canister Size: 6 liter
 Flow Controller ID: 4084
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -24
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -5.75
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.054	0.010		0.37	0.068	0.4	2/7/15	9:19	WSD
Toluene	0.16	0.020		0.60	0.075	0.4	2/7/15	9:19	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	9:19	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	9:19	WSD
Trichloroethylene	4.5	0.010		24	0.054	0.4	2/7/15	9:19	WSD
Trichlorofluoromethane (Freon 11)	1.6	0.020		9.1	0.11	0.4	2/7/15	9:19	WSD
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	9:19	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15	9:19	WSD
Vinyl Chloride	ND	0.010	V-05, L-03	ND	0.026	0.4	2/7/15	9:19	WSD
m&p-Xylene	0.070	0.040		0.30	0.17	0.4	2/7/15	9:19	WSD
o-Xylene	0.024	0.020		0.10	0.087	0.4	2/7/15	9:19	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	92.1	70-130	2/7/15 9:19
4-Bromofluorobenzene (2)	88.2	70-130	2/7/15 9:19

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-6
Sample ID: 15A0624-12
 Sample Matrix: Air
 Sampled: 1/20/2015 11:19

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2133
 Canister Size: 6 liter
 Flow Controller ID: 4173
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -23
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -2.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	6.8	0.80		16	1.9	0.4	2/7/15 10:10	WSD	
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15 10:10	WSD	
Benzene	0.097	0.020		0.31	0.064	0.4	2/7/15 10:10	WSD	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15 10:10	WSD	
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15 10:10	WSD	
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	2/7/15 10:10	WSD	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15 10:10	WSD	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15 10:10	WSD	
Carbon Tetrachloride	0.070	0.010		0.44	0.063	0.4	2/7/15 10:10	WSD	
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15 10:10	WSD	
Chloroethane	0.092	0.020	V-05, L-03	0.24	0.053	0.4	2/7/15 10:10	WSD	
Chloroform	0.058	0.010		0.29	0.049	0.4	2/7/15 10:10	WSD	
Chloromethane	ND	0.040	V-05, L-03	ND	0.083	0.4	2/7/15 10:10	WSD	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15 10:10	WSD	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15 10:10	WSD	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 10:10	WSD	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 10:10	WSD	
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 10:10	WSD	
Dichlorodifluoromethane (Freon 12)	0.29	0.020		1.4	0.099	0.4	2/7/15 10:10	WSD	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15 10:10	WSD	
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15 10:10	WSD	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 10:10	WSD	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 10:10	WSD	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 10:10	WSD	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15 10:10	WSD	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15 10:10	WSD	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15 10:10	WSD	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15 10:10	WSD	
Ethylbenzene	ND	0.020		ND	0.087	0.4	2/7/15 10:10	WSD	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15 10:10	WSD	
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	2/7/15 10:10	WSD	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15 10:10	WSD	
Methylene Chloride	8.9	0.20		31	0.69	0.4	2/7/15 10:10	WSD	
4-Methyl-2-pentanone (MIBK)	0.022	0.020		0.088	0.082	0.4	2/7/15 10:10	WSD	
Styrene	ND	0.020		ND	0.085	0.4	2/7/15 10:10	WSD	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15 10:10	WSD	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15 10:10	WSD	

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: MP-6
Sample ID: 15A0624-12
 Sample Matrix: Air
 Sampled: 1/20/2015 11:19

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2133
 Canister Size: 6 liter
 Flow Controller ID: 4173
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -23
 Final Vacuum(in Hg): 0
 Receipt Vacuum(in Hg): -2.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL		Results	RL			
Tetrachloroethylene	0.15	0.010		1.0	0.068	0.4	2/7/15 10:10	WSD
Toluene	0.12	0.020		0.44	0.075	0.4	2/7/15 10:10	WSD
1,1,1-Trichloroethane	0.056	0.010		0.31	0.055	0.4	2/7/15 10:10	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15 10:10	WSD
Trichloroethylene	0.24	0.010		1.3	0.054	0.4	2/7/15 10:10	WSD
Trichlorofluoromethane (Freon 11)	0.93	0.020		5.2	0.11	0.4	2/7/15 10:10	WSD
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15 10:10	WSD
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	2/7/15 10:10	WSD
Vinyl Chloride	0.028	0.010	L-03, V-05	0.072	0.026	0.4	2/7/15 10:10	WSD
m&p-Xylene	0.046	0.040		0.20	0.17	0.4	2/7/15 10:10	WSD
o-Xylene	ND	0.020		ND	0.087	0.4	2/7/15 10:10	WSD

Surrogates	% Recovery	% REC Limits	Date/Time Analyzed
4-Bromofluorobenzene (1)	92.0	70-130	2/7/15 10:10
4-Bromofluorobenzene (2)	85.9	70-130	2/7/15 10:10

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: IMP-1
Sample ID: 15A0624-13
 Sample Matrix: Air
 Sampled: 1/20/2015 09:00

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1131
 Canister Size: 6 liter
 Flow Controller ID: 4085
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -25
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	17	1.2		39	2.9	0.6	2/7/15 10:56	WSD	
Acrylonitrile	ND	0.17		ND	0.37	0.6	2/7/15 10:56	WSD	
Benzene	0.20	0.030		0.63	0.096	0.6	2/7/15 10:56	WSD	
Bromodichloromethane	ND	0.015		ND	0.10	0.6	2/7/15 10:56	WSD	
Bromoform	ND	0.030		ND	0.31	0.6	2/7/15 10:56	WSD	
2-Butanone (MEK)	2.5	1.2		7.5	3.5	0.6	2/7/15 10:56	WSD	
n-Butylbenzene	ND	0.086		ND	0.47	0.6	2/7/15 10:56	WSD	
sec-Butylbenzene	ND	0.068		ND	0.38	0.6	2/7/15 10:56	WSD	
Carbon Tetrachloride	0.076	0.015		0.48	0.094	0.6	2/7/15 10:56	WSD	
Chlorobenzene	ND	0.030		ND	0.14	0.6	2/7/15 10:56	WSD	
Chloroethane	ND	0.030	V-05, L-03	ND	0.079	0.6	2/7/15 10:56	WSD	
Chloroform	ND	0.015		ND	0.073	0.6	2/7/15 10:56	WSD	
Chloromethane	0.33	0.060	V-05, L-03	0.69	0.12	0.6	2/7/15 10:56	WSD	
Dibromochloromethane	ND	0.015		ND	0.13	0.6	2/7/15 10:56	WSD	
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12	0.6	2/7/15 10:56	WSD	
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15 10:56	WSD	
1,3-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15 10:56	WSD	
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15 10:56	WSD	
Dichlorodifluoromethane (Freon 12)	0.29	0.030		1.4	0.15	0.6	2/7/15 10:56	WSD	
1,1-Dichloroethane	ND	0.015		ND	0.061	0.6	2/7/15 10:56	WSD	
1,2-Dichloroethane	ND	0.015		ND	0.061	0.6	2/7/15 10:56	WSD	
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15 10:56	WSD	
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15 10:56	WSD	
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15 10:56	WSD	
1,2-Dichloropropane	ND	0.015		ND	0.069	0.6	2/7/15 10:56	WSD	
1,3-Dichloropropane	ND	0.081		ND	0.37	0.6	2/7/15 10:56	WSD	
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	2/7/15 10:56	WSD	
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	2/7/15 10:56	WSD	
Ethylbenzene	0.056	0.030		0.24	0.13	0.6	2/7/15 10:56	WSD	
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.6	2/7/15 10:56	WSD	
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.38	0.6	2/7/15 10:56	WSD	
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.6	2/7/15 10:56	WSD	
Methylene Chloride	9.2	0.30		32	1.0	0.6	2/7/15 10:56	WSD	
4-Methyl-2-pentanone (MIBK)	0.085	0.030		0.35	0.12	0.6	2/7/15 10:56	WSD	
Styrene	0.16	0.030		0.67	0.13	0.6	2/7/15 10:56	WSD	
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37	0.6	2/7/15 10:56	WSD	
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.6	2/7/15 10:56	WSD	

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: IMP-1
Sample ID: 15A0624-13
 Sample Matrix: Air
 Sampled: 1/20/2015 09:00

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1131
 Canister Size: 6 liter
 Flow Controller ID: 4085
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -25
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.077	0.015		0.52	0.10	0.6	2/7/15	10:56	WSD
Toluene	0.37	0.030		1.4	0.11	0.6	2/7/15	10:56	WSD
1,1,1-Trichloroethane	ND	0.015		ND	0.082	0.6	2/7/15	10:56	WSD
1,1,2-Trichloroethane	ND	0.015		ND	0.082	0.6	2/7/15	10:56	WSD
Trichloroethylene	ND	0.015		ND	0.081	0.6	2/7/15	10:56	WSD
Trichlorofluoromethane (Freon 11)	0.24	0.030		1.3	0.17	0.6	2/7/15	10:56	WSD
1,2,4-Trimethylbenzene	0.058	0.030		0.29	0.15	0.6	2/7/15	10:56	WSD
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15	0.6	2/7/15	10:56	WSD
Vinyl Chloride	ND	0.015	V-05, L-03	ND	0.038	0.6	2/7/15	10:56	WSD
m&p-Xylene	0.16	0.060		0.70	0.26	0.6	2/7/15	10:56	WSD
o-Xylene	0.054	0.030		0.23	0.13	0.6	2/7/15	10:56	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	97.1	70-130	2/7/15 10:56
4-Bromofluorobenzene (2)	89.7	70-130	2/7/15 10:56

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: IMP-2
Sample ID: 15A0624-14
 Sample Matrix: Air
 Sampled: 1/20/2015 10:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1108
 Canister Size: 6 liter
 Flow Controller ID: 4171
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -2.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Acetone	31	0.80		72	1.9	0.4	2/7/15 11:47	WSD	
Acrylonitrile	ND	0.12		ND	0.25	0.4	2/7/15 11:47	WSD	
Benzene	0.14	0.020		0.46	0.064	0.4	2/7/15 11:47	WSD	
Bromodichloromethane	ND	0.010		ND	0.067	0.4	2/7/15 11:47	WSD	
Bromoform	ND	0.020		ND	0.21	0.4	2/7/15 11:47	WSD	
2-Butanone (MEK)	2.1	0.80		6.2	2.4	0.4	2/7/15 11:47	WSD	
n-Butylbenzene	ND	0.058		ND	0.32	0.4	2/7/15 11:47	WSD	
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	2/7/15 11:47	WSD	
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	2/7/15 11:47	WSD	
Chlorobenzene	ND	0.020		ND	0.092	0.4	2/7/15 11:47	WSD	
Chloroethane	ND	0.020	V-05, L-03	ND	0.053	0.4	2/7/15 11:47	WSD	
Chloroform	0.030	0.010		0.14	0.049	0.4	2/7/15 11:47	WSD	
Chloromethane	0.58	0.040	V-05, L-03	1.2	0.083	0.4	2/7/15 11:47	WSD	
Dibromochloromethane	ND	0.010		ND	0.085	0.4	2/7/15 11:47	WSD	
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	2/7/15 11:47	WSD	
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 11:47	WSD	
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	2/7/15 11:47	WSD	
1,4-Dichlorobenzene	0.022	0.020		0.13	0.12	0.4	2/7/15 11:47	WSD	
Dichlorodifluoromethane (Freon 12)	0.31	0.020		1.5	0.099	0.4	2/7/15 11:47	WSD	
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	2/7/15 11:47	WSD	
1,2-Dichloroethane	0.026	0.010		0.10	0.040	0.4	2/7/15 11:47	WSD	
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 11:47	WSD	
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 11:47	WSD	
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	2/7/15 11:47	WSD	
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	2/7/15 11:47	WSD	
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	2/7/15 11:47	WSD	
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15 11:47	WSD	
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	2/7/15 11:47	WSD	
Ethylbenzene	0.066	0.020		0.29	0.087	0.4	2/7/15 11:47	WSD	
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	2/7/15 11:47	WSD	
p-Isopropyltoluene (p-Cymene)	0.092	0.046		0.51	0.25	0.4	2/7/15 11:47	WSD	
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	2/7/15 11:47	WSD	
Methylene Chloride	ND	0.20		ND	0.69	0.4	2/7/15 11:47	WSD	
4-Methyl-2-pentanone (MIBK)	1.4	0.020		5.8	0.082	0.4	2/7/15 11:47	WSD	
Styrene	ND	0.020		ND	0.085	0.4	2/7/15 11:47	WSD	
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	2/7/15 11:47	WSD	
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	2/7/15 11:47	WSD	

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: IMP-2
Sample ID: 15A0624-14
 Sample Matrix: Air
 Sampled: 1/20/2015 10:01

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1108
 Canister Size: 6 liter
 Flow Controller ID: 4171
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -2.2
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	0.031	0.010		0.21	0.068	0.4	2/7/15	11:47	WSD
Toluene	0.41	0.020		1.5	0.075	0.4	2/7/15	11:47	WSD
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	11:47	WSD
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	2/7/15	11:47	WSD
Trichloroethylene	ND	0.010		ND	0.054	0.4	2/7/15	11:47	WSD
Trichlorofluoromethane (Freon 11)	0.24	0.020		1.4	0.11	0.4	2/7/15	11:47	WSD
1,2,4-Trimethylbenzene	0.072	0.020		0.36	0.098	0.4	2/7/15	11:47	WSD
1,3,5-Trimethylbenzene	0.023	0.020		0.11	0.098	0.4	2/7/15	11:47	WSD
Vinyl Chloride	ND	0.010	V-05, L-03	ND	0.026	0.4	2/7/15	11:47	WSD
m&p-Xylene	0.21	0.040		0.90	0.17	0.4	2/7/15	11:47	WSD
o-Xylene	0.079	0.020		0.34	0.087	0.4	2/7/15	11:47	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	97.6	70-130	2/7/15 11:47
4-Bromofluorobenzene (2)	91.8	70-130	2/7/15 11:47

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Ambient Air
Sample ID: 15A0624-15
 Sample Matrix: Ambient Air
 Sampled: 1/20/2015 11:24

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1886
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -23
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Acetone	20	1.2		49	2.9	0.6	2/7/15 13:51	WSD	
Acrylonitrile	ND	0.17		ND	0.37	0.6	2/7/15 13:51	WSD	
Benzene	0.16	0.030		0.51	0.096	0.6	2/7/15 13:51	WSD	
Bromodichloromethane	ND	0.015		ND	0.10	0.6	2/7/15 13:51	WSD	
Bromoform	ND	0.030		ND	0.31	0.6	2/7/15 13:51	WSD	
2-Butanone (MEK)	1.2	1.2		3.6	3.5	0.6	2/7/15 13:51	WSD	
n-Butylbenzene	ND	0.086		ND	0.47	0.6	2/7/15 13:51	WSD	
sec-Butylbenzene	ND	0.068		ND	0.38	0.6	2/7/15 13:51	WSD	
Carbon Tetrachloride	0.083	0.015		0.52	0.094	0.6	2/7/15 13:51	WSD	
Chlorobenzene	ND	0.030		ND	0.14	0.6	2/7/15 13:51	WSD	
Chloroethane	ND	0.030	V-05, L-03	ND	0.079	0.6	2/7/15 13:51	WSD	
Chloroform	ND	0.015		ND	0.073	0.6	2/7/15 13:51	WSD	
Chloromethane	0.40	0.060	V-05, L-03	0.82	0.12	0.6	2/7/15 13:51	WSD	
Dibromochloromethane	ND	0.015		ND	0.13	0.6	2/7/15 13:51	WSD	
1,2-Dibromoethane (EDB)	ND	0.015		ND	0.12	0.6	2/7/15 13:51	WSD	
1,2-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15 13:51	WSD	
1,3-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15 13:51	WSD	
1,4-Dichlorobenzene	ND	0.030		ND	0.18	0.6	2/7/15 13:51	WSD	
Dichlorodifluoromethane (Freon 12)	0.30	0.030		1.5	0.15	0.6	2/7/15 13:51	WSD	
1,1-Dichloroethane	ND	0.015		ND	0.061	0.6	2/7/15 13:51	WSD	
1,2-Dichloroethane	ND	0.015		ND	0.061	0.6	2/7/15 13:51	WSD	
1,1-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15 13:51	WSD	
cis-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15 13:51	WSD	
trans-1,2-Dichloroethylene	ND	0.015		ND	0.059	0.6	2/7/15 13:51	WSD	
1,2-Dichloropropane	ND	0.015		ND	0.069	0.6	2/7/15 13:51	WSD	
1,3-Dichloropropane	ND	0.081		ND	0.37	0.6	2/7/15 13:51	WSD	
cis-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	2/7/15 13:51	WSD	
trans-1,3-Dichloropropene	ND	0.015		ND	0.068	0.6	2/7/15 13:51	WSD	
Ethylbenzene	0.048	0.030		0.21	0.13	0.6	2/7/15 13:51	WSD	
Isopropylbenzene (Cumene)	ND	0.076		ND	0.37	0.6	2/7/15 13:51	WSD	
p-Isopropyltoluene (p-Cymene)	ND	0.068		ND	0.38	0.6	2/7/15 13:51	WSD	
Methyl tert-Butyl Ether (MTBE)	ND	0.030		ND	0.11	0.6	2/7/15 13:51	WSD	
Methylene Chloride	12	0.30		40	1.0	0.6	2/7/15 13:51	WSD	
4-Methyl-2-pentanone (MIBK)	0.41	0.030		1.7	0.12	0.6	2/7/15 13:51	WSD	
Styrene	ND	0.030		ND	0.13	0.6	2/7/15 13:51	WSD	
1,1,1,2-Tetrachloroethane	ND	0.055		ND	0.37	0.6	2/7/15 13:51	WSD	
1,1,2,2-Tetrachloroethane	ND	0.015		ND	0.10	0.6	2/7/15 13:51	WSD	

ANALYTICAL RESULTS

Project Location: Alvarez
 Date Received: 1/21/2015
Field Sample #: Ambient Air
Sample ID: 15A0624-15
 Sample Matrix: Ambient Air
 Sampled: 1/20/2015 11:24

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1886
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 15A0624
 Initial Vacuum(in Hg): -23
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -8
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling: <20%

EPA TO-15

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Tetrachloroethylene	ND	0.015		ND	0.10	0.6	2/7/15	13:51	WSD
Toluene	0.39	0.030		1.5	0.11	0.6	2/7/15	13:51	WSD
1,1,1-Trichloroethane	ND	0.015		ND	0.082	0.6	2/7/15	13:51	WSD
1,1,2-Trichloroethane	ND	0.015		ND	0.082	0.6	2/7/15	13:51	WSD
Trichloroethylene	ND	0.015		ND	0.081	0.6	2/7/15	13:51	WSD
Trichlorofluoromethane (Freon 11)	0.25	0.030		1.4	0.17	0.6	2/7/15	13:51	WSD
1,2,4-Trimethylbenzene	ND	0.030		ND	0.15	0.6	2/7/15	13:51	WSD
1,3,5-Trimethylbenzene	ND	0.030		ND	0.15	0.6	2/7/15	13:51	WSD
Vinyl Chloride	ND	0.015	L-03, V-05	ND	0.038	0.6	2/7/15	13:51	WSD
m&p-Xylene	0.18	0.060		0.80	0.26	0.6	2/7/15	13:51	WSD
o-Xylene	0.061	0.030		0.27	0.13	0.6	2/7/15	13:51	WSD

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	94.2	70-130	2/7/15 13:51
4-Bromofluorobenzene (2)	84.5	70-130	2/7/15 13:51

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
15A0624-01 [Gymnasium]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-02 [Cafeteria]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-03 [Kitchen Storage]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-04 [Elevator Hallway]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-05 [Room 145]	B114989	1.5	1	N/A	1000	400	1000	02/06/15
15A0624-06 [Room 152]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-07 [Room 118]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-08 [Room 110]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-09 [MP-1]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-10 [MP-3]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-11 [MP-4]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-12 [MP-6]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-13 [IMP-1]	B114989	1.5	1	N/A	1000	400	1000	02/06/15
15A0624-14 [IMP-2]	B114989	1	1	N/A	1000	400	1000	02/06/15
15A0624-15 [Ambient Air]	B114989	1.5	1	N/A	1000	400	1000	02/06/15

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	Limits	RPD	Limit	
Batch B114989 - TO-15 Prep											
Blank (B114989-BLK1)											
						Prepared & Analyzed: 02/06/15					
Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.010									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.010									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									L-03, V-05
Chloroform	ND	0.010									
Chloromethane	ND	0.040									L-03, V-05
Dibromochloromethane	ND	0.010									
1,2-Dibromoethane (EDB)	ND	0.010									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.010									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.010									
cis-1,2-Dichloroethylene	ND	0.010									
trans-1,2-Dichloroethylene	ND	0.010									
1,2-Dichloropropane	ND	0.010									
1,3-Dichloropropane	ND	0.054									
cis-1,3-Dichloropropene	ND	0.010									
trans-1,3-Dichloropropene	ND	0.010									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.010									
Tetrachloroethylene	ND	0.010									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.010									
1,1,2-Trichloroethane	ND	0.010									
Trichloroethylene	ND	0.010									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.010									

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
Batch B114989 - TO-15 Prep											
Blank (B114989-BLK1)						Prepared & Analyzed: 02/06/15					
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	7.34				8.00		91.8	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	6.47				8.00		80.9	70-130			
LCS (B114989-BS1)						Prepared & Analyzed: 02/06/15					
Acetone	5.82				5.00		116	70-130			
Acrylonitrile	7.31				2.88		254 *	70-130			L-01, V-06
Benzene	3.98				5.00		79.7	70-130			
Bromodichloromethane	4.95				5.00		98.9	70-130			
Bromoform	4.21				5.00		84.3	70-130			
2-Butanone (MEK)	4.06				5.00		81.3	70-130			
n-Butylbenzene	1.01				1.14		88.3	70-130			
sec-Butylbenzene	0.959				1.14		84.1	70-130			
Carbon Tetrachloride	4.86				5.00		97.3	70-130			
Chlorobenzene	4.20				5.00		84.0	70-130			
Chloroethane	3.30				5.00		65.9 *	70-130			L-03, V-05
Chloroform	4.65				5.00		93.0	70-130			
Chloromethane	3.26				5.00		65.3 *	70-130			L-03, V-05
Dibromochloromethane	4.78				5.00		95.6	70-130			
1,2-Dibromoethane (EDB)	4.50				5.00		90.0	70-130			
1,2-Dichlorobenzene	4.05				5.00		81.1	70-130			
1,3-Dichlorobenzene	3.95				5.00		79.0	70-130			
1,4-Dichlorobenzene	3.90				5.00		77.9	70-130			
Dichlorodifluoromethane (Freon 12)	5.03				5.00		101	70-130			
1,1-Dichloroethane	4.55				5.00		91.0	70-130			
1,2-Dichloroethane	4.98				5.00		99.6	70-130			
1,1-Dichloroethylene	4.51				5.00		90.3	70-130			
cis-1,2-Dichloroethylene	4.67				5.00		93.4	70-130			
trans-1,2-Dichloroethylene	4.52				5.00		90.3	70-130			
1,2-Dichloropropane	4.55				5.00		90.9	70-130			
1,3-Dichloropropane	1.18				1.35		87.1	70-130			
cis-1,3-Dichloropropene	4.55				5.00		91.0	70-130			
trans-1,3-Dichloropropene	4.71				5.00		94.2	70-130			
Ethylbenzene	4.37				5.00		87.4	70-130			
Isopropylbenzene (Cumene)	0.966				1.27		76.1	70-130			
p-Isopropyltoluene (p-Cymene)	0.956				1.14		83.9	70-130			
Methyl tert-Butyl Ether (MTBE)	4.26				5.00		85.2	70-130			
Methylene Chloride	4.14				5.00		82.7	70-130			
4-Methyl-2-pentanone (MIBK)	4.35				5.00		86.9	70-130			
Styrene	4.01				5.00		80.3	70-130			
1,1,1,2-Tetrachloroethane	0.790				0.910		86.8	70-130			
1,1,2,2-Tetrachloroethane	4.45				5.00		89.1	70-130			
Tetrachloroethylene	4.18				5.00		83.6	70-130			
Toluene	4.38				5.00		87.6	70-130			
1,1,1-Trichloroethane	4.66				5.00		93.2	70-130			
1,1,2-Trichloroethane	4.65				5.00		93.1	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	RPD	
Batch B114989 - TO-15 Prep									
LCS (B114989-BS1)					Prepared & Analyzed: 02/06/15				
Trichloroethylene	4.38				5.00		87.5	70-130	
Trichlorofluoromethane (Freon 11)	4.94				5.00		98.8	70-130	
1,2,4-Trimethylbenzene	4.34				5.00		86.9	70-130	
1,3,5-Trimethylbenzene	4.24				5.00		84.7	70-130	
Vinyl Chloride	3.23				5.00		64.7 *	70-130	L-03, V-05
m&p-Xylene	9.36				10.0		93.6	70-130	
o-Xylene	4.32				5.00		86.4	70-130	
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>7.80</i>				<i>8.00</i>		<i>97.4</i>	<i>70-130</i>	
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>6.81</i>				<i>8.00</i>		<i>85.1</i>	<i>70-130</i>	

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
 - † Wide recovery limits established for difficult compound.
 - ‡ Wide RPD limits established for difficult compound.
 - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
No results have been blank subtracted unless specified in the case narrative section.
- L-01 Laboratory fortified blank /laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.
 - L-03 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
 - V-05 Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
 - V-06 Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
EPA TO-15 in Air	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
---------	----------------

EPA TO-15 in Air

o-Xylene AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2015
NC	North Carolina Div. of Water Quality	652	12/31/2015
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2015
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015

Phone: 413-525-2332 AIR SAMPLE CHAIN OF CUSTODY 39 SPRUCE ST Page of
 EAST LONGMEADOW, MA 01028 DOC#284 Rev. Feb 2014



Company Name: EA Engineering
 Address: 2374 Post Rd.
Warwick RI
 Attention: Catherine Swanson
 Project Location: Alvarez
 Sampled By: C. Swanson / S. Decarl.

Telephone: 401-736-3440
 Project #: 1506602
 Client PO #

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #:
 Email: CatherineSwanson@eaest.com
 Format: EXCEL PDF GIS KEY OTHER

Field ID	Sample Description	Media	Lab #	Date		Start Time	Stop Time	ONLY USE WHEN USING PUMPS		Volume Liters or M ³	Matrix Code*	Flow Rate M ³ /Min. or L/Min.	Total Minutes Sampled	Flow Controller ID	Summa Canister ID	F low Controller ID
				Date	Time			Start	Stop							
01	Gymnasium	AS		1-20-15	0807	1-20-15	0831		30		IA		30	1230	4177	
02	Cafeteria			0810		1158	228				IA		228	1825	4176	
03	Kitchen Storage			0833		0903	30				IA		30	2142	4182	
04	Elevator Hallway			0815		0845	30						30	2148	4105	
05	Room 145			0917		0948	31						31	1039	4183	
06	Room 152			0924		1001	37						37	1815	4086	
07	Room 118			0937		1007	30						30	2144	4170	
08	Room 110			1251		1321	30						30	1858	4083	

ANALYSIS REQUESTED:
 "Hg Initial Pressure"
 "Hg Final Pressure"
 Please fill out completely, sign, date and retain the yellow copy for your record.
 Summa canisters and flow controllers must be returned within 14 days of receipt or rental fees will apply.
 For summa canister and flow controller information please refer to Con-Test's Air Media Agreement.

Special Requirements:
 Regulations: CT Target Analyte
 Data Enhancement/RCP? Y N
 Enhanced Data Package Y N
 (Surcharge Applies)
 Required Detection Limits: Contract
 Other: 1,2-DCA RL is 0.04 ug/m³

Matrix Codes:
 SG= SOIL GAS
 IA= INDOOR AIR
 AMB= AMBIENT
 SS= SUB SLAB
 D= DUP
 BL= BLANK
 O= other

Media Codes:
 S= summa can
 T= tedar bag
 P= PUF
 T= tube
 F= filter
 C= cassette
 O= Other

Turnaround: 7-Day 10-Day Other
 RUSH* *24-Hr *48-Hr *72-Hr *4-Day
 *Approval Required

Date/Time: 1-21-15 0955
 Date/Time: 12/15/0955
 Date/Time: 1400
 Date/Time: 1400

Relinquished by: (signature) Catherine Swanson
 Received by: (signature) [Signature]
 Relinquished by: (signature) [Signature]
 Received by: (signature) [Signature]

Laboratory Comments:
 * Flow controllers 4183 & 4083 were switched in boxes - used on cans in box not designated by label
 CLIENT COMMENTS: contract detection limits * Cafeteria sample regulator not functioning correctly - can closed after 4 hrs (supposed to be 30 min) because pressure wasn't going down

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. NELAC & AIHA-LAP, LLC Accredited/WBE/DBE Certified



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com

Company Name: EA Engineering
 Address: 2374 Post Rd.
Warwick, RI
 Attention: Catherine Swanson
 Project Location: Alvarez
 Sampled By: C. Swanson / S. Decarti

Telephone: 401-736-3440
 Project # 150660Z
 Client PO # _____

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax # : _____
 Email: catherine.swanson@east.com
 Format: EXCEL PDF GIS KEY OTHER _____

Proposal Provided? (For Billing purposes)
 yes _____ proposal date _____

Field ID	Sample Description	Media Lab #	ONLY USE WHEN USING PUMPS			Matrix Code*	"Hg	Flow Controller ID
			Date	Start	Stop			
			Date Time	Minutes Sampled	Flow Rate M ³ /Min. or L/Min.	Volume Liters or M ³		
09	mp-1	55	1-20-15 1108	30	1-20-15 1138	30	33-5 1126	4172
10	mp-3		1054	27	1121		30 2014	4196
11	mp-4		1151	30	1221		24.0 2154	4084
12	mp-6		1049	30	1119		23 0 2133	4173
13	imp-1		0830	30	0900		35 0 1131	4085
14	imp-2		0926	35	1001		30 3 1108	4171
15	Ambient Air	AMB	1102	22	1124		23 3 1886	4197

CLIENT COMMENTS:
 *Flow controllers 4083-444

Relinquished by (signature)	Date/Time	Turnaround**	Special Requirements	Matrix Code	Media Codes
<u>Catherine Swanson</u>	1-21-15 0955	<input type="checkbox"/> 7-Day <input checked="" type="checkbox"/> 10-Day <input type="checkbox"/> Other _____	Regulations: <u>CT Target Analytes</u> Data Enhancement/RCP? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Enhanced Data Package <input type="checkbox"/> Y <input checked="" type="checkbox"/> N (Surcharge Applies) Required Detection Limits: <u>contract</u> Other: <u>1.2 DCA RL is 0.04 ug/m³</u>	SG= SOIL GAS IA= INDOOR AIR AMB=AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = other	S= summa can T=tedlar bag P=PUP T=tube F= filter C=cassette O = Other
Received by (signature): <u>Tom Man</u>	Date/Time: <u>1/21/15 0955</u>	<input type="checkbox"/> *24-Hr <input type="checkbox"/> *48-Hr <input type="checkbox"/> *72-Hr <input type="checkbox"/> *4-Day *Approval Required			
Relinquished by (signature): <u>Tom Man</u>	Date/Time: <u>1/21/15 1400</u>				
Received by (signature): <u>Tom Man</u>	Date/Time: <u>1/21/15 1400</u>				

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. NELAC & AIHA-LAP, LLC Accredited/WBE/DBE Certified



39 Spruce St.
East Longmeadow, MA.
01028
P: 413-525-2332
F: 413-525-6405

AIR Only Receipt Checklist

CLIENT NAME: FAeryman RECEIVED BY: MJ DATE: 11/21/15

- 1) Was the chain(s) of custody relinquished and signed? Yes No
- 2) Does the chain agree with the samples? Yes No
If not, explain:
- 3) Are all the samples in good condition? Yes No
If not, explain:
- 4) Are there any samples "On Hold"? Yes No Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples? Yes No

Who was notified _____ Date _____ Time _____

6) Location where samples are stored:

19

Permission to subcontract samples? Yes No
(Walk-in clients only) if not already approved
Client Signature: _____

7) Number of cans Individually Certified or Batch Certified? 15

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)	15	6L
Tedlar Bags		
TO-17 Tubes		
Regulators	15	30 min
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:

Unused Regulators:

1) Was all media (used & unused) checked into the WASP?

2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:	2014	1131	4177	4183	4172	4085
1230	2148	2144	4176	4086	4196	4171
1825	1039	1058	4182	4170	4084	4191
2142	1015	1126	4105	4083	4173	

Page 2 of 2
Login Sample Receipt Checklist
(Rejection Criteria Listing - Using Sample Acceptance Policy)
Any False statement will be brought to the attention of Client

Question	Answer (True/False)		Comment
	T/F/NA		
1) The coolers'/boxes' custody seal, if present, is intact.	T		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	NA		
4) Cooler Temperature is acceptable.	NA		
5) Cooler Temperature is recorded.	NA		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) Samples are received within Holding Time.	T		
10) Sample containers have legible labels.	T		
11) Containers/media are not broken or leaking and valves and caps are closed tightly.	F *		COC says reg # 4176 not functioning properly
12) Sample collection date/times are provided.	T		
13) Appropriate sample/media containers are used.	T		
14) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	*		Sample # 2 possibly not enough?
15) Trip blanks provided if applicable.	T		

Doc #278 Rev. 5 October 2014

Who notified of False statements?
 Log-In Technician Initials:

Date/Time:
 Date/Time:

MJ 1/2/15
 14:00



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/3/2014 **Batch #:** 14CC0626

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1230 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/16/2014 **Batch #:** 14CC0650

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1825 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 1/2/2015 **Batch #:** 15CC0002

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC2142 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/31/2014 **Batch #:** 14CC0665

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1039 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/16/2014 **Batch #:** 14CC0649

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1815 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 1/5/2015 **Batch #:** 15CC0006

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC2144 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/23/2014 **Batch #:** 14CC0664

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1858 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 1/2/2015 **Batch #:** 15CC0001

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1126 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 1/7/2015 **Batch #:** 15CC0011

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC2014 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/22/2014 **Batch #:** 14CC0658

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC2154 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	<0.02	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/22/2014 **Batch #:** 14CC0660

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC2154 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	660	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/31/2014 **Batch #:** 14CC0667

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1131 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	660	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 10/2/2014 **Batch #:** 14CC0523

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1108 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	660	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15



Air Sampling Media Certificate of Analysis

Date Analyzed: 12/23/2014 **Batch #:** 14CC0662

Certification Type: *Batch Certified* *Individual Certified*

Media Type: *Summa Canister* *Flow Controllers*

Media IDs: BC1886 _____

Note: Two ID's grouped together, for example BC2136/BC3145, represents matched pairs of certified summa canisters and flow controllers.

Units: PPBv

<0.80	Propene	<0.04	Vinyl acetate	<0.02	Dibromchloromethane
<0.02	Dichlorodifluoromethane	<0.20	Hexane	<0.02	1,2-Dibromomethane
<0.04	Chloromethane	<0.02	Ethyl acetate	<0.02	Tetrachloroethylene
<0.02	Freon 114	<0.02	Chloroform	<0.02	Chlorobenzene
<0.02	Vinyl chloride	<0.02	Tetrahydrofuran	<0.02	Ethylbenzene
<0.02	1,3-Butadiene	<0.02	1,2-Dichloroethane	<0.04	m,p-Xylenes
<0.02	Bromomethane	<0.02	1,1,1-Trichloroethane	<0.02	Bromoform
<0.02	Chloroethane	<0.02	Benzene	660	Styrene
<0.08	Acrolein	<0.02	Carbon Tetrachloride	<0.02	o-Xylene
<0.80	Acetone	<0.02	Cyclohexane	<0.02	1,1,2,2-Tetrachloroethane
<0.02	Trichlorofluoromethane	<0.02	1,2-Dichloropropane	<0.02	4-Ethyltoluene
<0.80	Ethanol	<0.02	Bromodichloromethane	<0.02	1,3,5-Trimethylbenzene
<0.02	1,1-Dichloroethylene	<0.02	Trichloroethylene	<0.02	1,2,4-Trimethylbenzene
<0.20	Methylene chloride	<0.02	1,4-Dioxane	<0.02	1,3-Dichlorobenzene
<0.02	Freon 113	<0.02	Methylmethacrylate	<0.02	Benzyl chloride
<0.02	Carbon disulfide	<0.02	Heptane	<0.02	1,4-Dichlorobenzene
<0.02	t-1,2-Dichloroethylene	<0.02	MIBK	<0.02	1,2-Dichlorobenzene
<0.02	1,1-Dichloroethane	<0.02	c-1,3-Dichloropropylene	<0.04	1,2,4-Trichlorobenzene
<0.02	MTBE	<0.02	t-1,3-Dichloropropylene	<0.02	Naphthalene
<0.80	IPA	<0.02	1,1,2-Trichloroethylene	<0.02	Hexachlorobutadiene
<0.20	2-Butanone (MEK)	<0.02	Toluene		
<0.02	c-1,2-Dichloroethylene	<0.02	2-Hexanone (MBK)		

Special Notes: _____

Analyst Initials/Date: WSD 2/9/15

APPENDIX F

Laboratory MRL Correspondence



39 Spruce Street
East Longmeadow, MA 01089

March 30, 2015

Catherine Swanson
EA Engineering Science & Technology
2350 Post Road
Warwick, RI 02886
RE: CT Remediation Standard Regulations – Work Order 15A0624

Dear Ms. Swanson:

This letter is in response to the Residential Target Indoor Air numbers published in the Remediation Standard Regulations. Several of the TAC's, which are calculated based on risk, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

In addition 1,2-Dichloroethane did not meet 0.04ug/m³ in samples 15A0624-05, 15A0624-13 and 15A0624-13 due to a dilution and an elevated RL.

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is written in a cursive, flowing style.

Tod Kopyscinski
Air Laboratory Manager