



EA Engineering, Science, and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102  
Warwick, Rhode Island 02886  
Telephone: 401-736-3440  
[www.eaest.com](http://www.eaest.com)

9 December 2019

Mr. Joseph T. Martella II, Senior Engineer  
Site Remediation Program  
Office of Waste Management  
RI Department of Environmental Management  
235 Promenade Street  
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 49  
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island  
Case No. 2005-029  
EA Project No. 15066.07*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently completed Site activities related to compliance subslab vapor and indoor air sampling for the period from September 2019 through November 2019.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,  
AND TECHNOLOGY, INC., PBC

Frank B. Postma, LSP, LEP, PG  
Project Manager

cc: F. Gallo, Prov. Dept. of Public Schools	A. Buco, Prov. Dept. of Public Property
B. Nickerson, Prov. Redevelopment Agency	Knight Memorial Library Repository
R. Dorr, Neighborhood Resident	Principal Hawkins, Alvarez High School
Rep. Scott Slater	

*This page intentionally left blank*



# **Quarterly O&M Status Report No. 49**

## **Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities**

**Alvarez High School Site  
(Formerly Adelaide Avenue High School)  
Providence, Rhode Island**

*Prepared for*

City of Providence School Department  
797 Westminster Street  
Providence, Rhode Island 02903

*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
301 Metro Center Blvd., Suite 102  
Warwick, Rhode Island 02886  
(401) 736-3440

EA Project No. 15066.07  
December 2019

## TABLE OF CONTENTS

1.	INTRODUCTION AND BACKGROUND .....	1
2.	SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE .....	2
2.1	SSD SYSTEM AND RELATED MONITORING.....	2
2.1.1	Rooftop Extraction Fans .....	3
2.2	INDOOR METHANE MONITORING SYSTEM.....	3
2.3	AMBIENT OUTDOOR AND INDOOR AIR SAMPLING .....	4
2.4	SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT.....	5
2.4.1	Subslab Monitoring Point IMP-2 Corrective Actions .....	5
2.5	SUMMARY OF ROOFTOP VOC EMISSIONS .....	6
3.	CONCLUSIONS.....	7
4.	FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT .....	8

## FIGURES

- FIGURE 1: SITE LOCATION MAP  
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM  
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

## APPENDICES

- APPENDIX A: O&M FIELD FORMS  
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY  
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY  
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY  
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR LABORATORY ANALYTICAL REPORTS  
APPENDIX F: LABORATORY DETECTION LIMITS CORRESPONDENCE

## 1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 49 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the three-month period from September 2019 through November 2019 (Quarterly Reporting Period No. 49). Please refer to Quarterly O&M Status Reports No. 1 through No. 48 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

## 2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

### 2.1 SSD SYSTEM AND RELATED MONITORING

The following SSD system performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly sub-slab monitoring of vacuum pressure and vapor-phase constituents (13 September 2019, 28 October 2019, and 1 November 2019) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.
- Monthly inspections and monitoring (air velocity and vacuum) of the three rooftop fans to verify proper operation and effluent concentrations.
- Monthly inspections of the electronic monitoring system associated with each of three SSD system extraction fans and the methane sensor system (automatic alarm notification via audible signal and phone notification).
- Quarterly sampling (28 October and 1 November 2019) of eight indoor air locations, one ambient outdoor air location, and seven subslab points.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations ranged from -0.01 to -0.17 in. of water column. Negative measurements confirm that a negative pressure exists beneath the building slab due to continuous fan operation. All rooftop fans were observed to be operating correctly during this reporting period; pressure and air velocity recorded at all rooftop fans were within normal ranges.

A new area of erosion near the back entrance to the kitchen storage room/loading ramp was observed in May 2019. The previously noted 6-inch hole under a roof leader downspout at the back of the building and another eroded area approximately 3-4 inches deep observed near the back door to the school remain present; Depth of landscape erosion at the back door has been slowly increasing since spring 2017. EA met with city staff in 2018 to correct the deficiencies as soon as possible. EA has been informed that the Providence Public School Department will be correcting deficiencies.

Additionally, tree and bush removal on the southern and eastern sides of the building was first observed in September 2019. No new landscaping projects appeared in progress during the October and November monitoring events. Any future landscaping work must adhere to the Soil Management Plan and the Amended OA to ensure the engineered cap is not damaged and the protective cover soil layer is maintained.

### **2.1.1 Rooftop Extraction Fans**

On 12 November 2018, it was discovered that the electronic monitoring system associated with each of three SSD system extraction fans was not functioning as intended. On 15 April 2019, a certified electrician replaced and calibrated the pressure sensors on each fan, installed an additional alarm panel which is triggered when a change in pressure is detected in the rooftop exhaust fans, and connected the new alarm panel to the existing autodialer system. The exhaust fan alarm system was also connected to the existing back-up battery packs in the control panel, which have sufficient capacity to operate for multiple days in the event of an electrical outage or power disruption to the system.

EA received alarm notifications from the rooftop exhaust fan autodialer system on the mornings of 23 October 2019, 11 and 20 November 2019 signaling a fan malfunction. EA mobilized to the site after each notification to inspected the auto dialer alarm panel in the school administration office. The panel indicated that on 23 October all three fans momentarily lost power due to a brief power outage overnight. EA inspected all fans and found that negative fan vacuums, fan speeds, and the negative subslab pressures observed at the site were within normal ranges and the system appeared to be operating properly. On 11 and 20 November, however, the alarm panel indicated that a malfunction had occurred at Rooftop Fan #3 only. EA subsequently inspected Rooftop Fan #3 and the subslab pressure at IMP-1, directly beneath Rooftop Fan #3; each time negative fan vacuums, fan speeds, and the negative subslab pressures observed at the site were within normal ranges and the system appeared to be operating properly.

In response to the alarm notifications, EA employed a certified electrician to inspect all rooftop fans and the autodialer system to identify the causes behind each malfunction. On 23 November 2019 the electrician downloaded the alarm panel data records and reviewed the fan operating history. The data confirmed that the 23 October 2019 malfunction was due to a momentary power outage and also indicated that fan power was down for less than 30 seconds. A specific cause for the malfunctions at Rooftop Fan #3 could not be determined; however, the records indicated that the fan was without power for less than a minute. The electrician inspected the fan system and suggested that since the fan flow sensor on Rooftop Fan #3 is located at a bend in the piping, the pressure sensor may not be completely accurate and could be sending false signals to the alarm panel. As of the date of this report EA is working with the electrician to identify the appropriate solution and improve the accuracy of the fan monitoring system. Until a solution is identified, EA will continue to respond to the alarm notifications to ensure the fans are all operating as intended.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

## **2.2 INDOOR METHANE MONITORING SYSTEM**

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system equipped with automatic alarm notification via audible signal and phone notification within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and

Methane Monitoring System Diagram provided as Figure 2) during this reporting period. The annual autodialer cell phone contract was renewed on 21 December 2018 for another year of service. The methane monitoring system was inspected during each monitoring event and the filters were replaced on 28 October 2019. The next filter replacement is scheduled for January 2020.

## 2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

One ambient outdoor air sample and the six indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 28 October 2019. Two summa canisters provided by Con-Test Analytical Laboratory (Con-Test) were found to be below pressure and insufficient to use for sampling during the 28 October 2019 sampling event. EA returned to the site on 1 November 2019 with new canisters to ensure representative samples were collected from all sampling points. The samples collected in October and November 2019 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 Selective Ion Monitoring (SIM). Each summa canister used during this monitoring period was individually certified to ensure that all containers were devoid of residual contamination. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling results.

Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA. Sampling locations for the indoor air samples are illustrated on Figure 3. The 28 October 2019 ambient outdoor air sample was collected upwind (north) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

The laboratory method detection limits (MDLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analysis was performed using the method with the lowest available detection levels (SIM procedure). The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected in indoor air at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not significant and do not disqualify the dataset. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable.

No analytes were identified in indoor air samples above the CT RTACs and RIDEM threshold levels during the October and November 2019 sampling events.

## 2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Six subslab samples were collected on the rotating schedule in accordance with the Amended OA and analyzed for VOCs via US EPA Method TO-15 SIM. Four exterior subslab vapor samples and two interior subslab vapor samples were routinely collected on 28 October 2019. EA also collected an additional subslab sample from IMP-2 during this quarter as part of a corrective action plan associated with deficiencies detected at IMP-2. The subslab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E. The locations for sub-slab sampling are illustrated on Figure 3.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period though these variations were within historical ranges and do not constitute an increasing trend.

### 2.4.1 Subslab Monitoring Point IMP-2 Corrective Actions

EA sampled Indoor Monitoring Point 2 (IMP-2) during this quarter as part of a corrective action plan associated with deficiencies detected at IMP-2. A corrective action report was prepared and provided to RIDEM in response to the deficiencies associated with IMP-2. During the routine monitoring event on 13 September 2019, an irregular (high) VOC reading on the Photonization Detector was recorded. EA noted that the monitoring well cap was not fully secured, the tubing appeared moist, and a musty odor was detected. EA conducted a follow up investigation which included additional monitoring, vacuum purging, and subslab soil vapor sample collection and analysis. EA also contacted Aramark Services (Aramark) to collect information on the types of cleaning chemicals used at the school; specifically the floor cleaning products used in Room 152 where IMP-2 is located.

A Corrective Action Report was prepared and provided to RIDEM in response to the deficiencies associated with IMP-2. Results of the investigation indicate that IMP-2 was likely compromised when floor cleaning chemicals used by Aramark infiltrated the point prior to the routine air monitoring event in September. No evidence of VOC rebound beneath the school was observed and VOCs were not detected in the ambient air directly above the monitoring point or in the classroom. Analytical results from the October and November 2019 sampling event for IMP-2 and Room 152 were within normal range. EA replaced the IMP-2 well cap in November 2019 and will continue to monitor IMP-2 for a period of three months. As a precaution, EA has also replaced the well caps at IMP-1 and IMP-3 to prevent similar damage at those monitoring points. An IMP-2 Corrective Action Status Report will be submitted to RIDEM and the City at the end of the three-month monitoring period in January 2019.

## 2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis; Rooftop fan sampling was conducted on 29 July 2019. The analytical results of rooftop fan sampling are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or annual emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2020.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, October 2014, July 2015, July 2016 and July 2017 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

### 3. CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- Irregular VOC readings recorded at subslab point IMP-2 in September and October were investigated. Impacts were found to be isolated in the IMP-2 tubing and a Corrective Action Report was prepared and provided to RIDEM in response to the deficiencies. Corrective actions are in progress including close monitoring of IMP-2 and replacement of the all indoor monitoring points' well caps.
- Deficiencies noted in the engineered cap near the kitchen storage room, the back (northern) entrance to the school, and the roof leader downspout at the northwestern corner of the school need to be corrected.
- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- The use of certified clean summa canisters, as requested by RIDEM, yielded confidence in the samples collected in October and November 2019. EA will continue to use certified clean canisters in the upcoming sampling events.


#### **4. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT**

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from December 2019 to February 2020:

- Continuous monitoring of the operational status of the three rooftop extraction fans;
- Continue coordination with a certified electrician to identify the causes behind the extraction fan autodialer alarm notifications;
- Renew the autodialer cell phone contract in December 2019 for another year of service;
- Monthly site inspections and monitoring using a calibrated photoionization detector with part-per-billion sensitivity and a Landtec multi-gas meter;
- Collection of air samples from eight indoor locations, one ambient outdoor location, and six subslab monitoring points in January 2019;
- Initiate erosion repairs to prevent damage to the engineered cap;
- IMP-2 will continue to be closely monitored in accordance with the November 2019 Corrective Action Report. A Corrective Action Status Report will be submitted following the end of the IMP-2 monitoring period in January 2019; and
- Any future landscaping projects by the City must be conducted in accordance with the site specific Soil Management Plan and the Amended OA.

These activities will be summarized in the next status report (Quarterly Status Report No. 50), expected to be submitted by the end of March 2020.

## **FIGURES**




ALVAREZ HIGH SCHOOL  
333 ADELAIDE AVENUE  
PROVIDENCE, RHODE ISLAND

FIGURE 1  
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD

**LEGEND:**


- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- +— SLOTTED 1 INCH PVC PIPING
- ◆ ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- +— SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT  
SUB SLAB MONITORING AND SAMPLING LOCATIONS  
ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT  
FIGURE 3



NOTE: NOT TO SCALE



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY ERP	PROJECT MGR. ERP	SCALE NTS	DRAWING NO. —	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING  
SYSTEM DIAGRAM — ALVAREZ HIGH SCHOOL  
PROVIDENCE, RHODE ISLAND

## QUARTERLY STATUS REPORT FIGURE 2

**APPENDIX A**

**O&M Field Forms**



EA Engineering, Science, and Technology, Inc.,  
PBC

### Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 9/13/2019

Performed by: B. Chambers, D. Allen

PID/Methane Calibration? yes (yes/no)

PID Calibration Re 10 ppm

Date of last Methane Sensor Filter

Replacement: 7/29/2019

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: Good

General Status of Methane

Monitoring System: Operating Correctly

Eng. Cap/Fence Inspection

Performed/Notes: Landscape/bush removal/hedge trimming around south and eastern sides of building

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Cafeteria	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Kitchen Storage Room	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Elevator Hallway	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Room 145	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Room 152	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Room 118	NA	NA	0	0	0	0	-	-	-	-	-	-	-
Room 110	NA	NA	0	0	0	0	-	-	-	-	-	-	-
MP-1	-0.09	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-2	-0.09	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-3	-0.05	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-4	-0.05	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-5	-0.09	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-6	-0.05	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-7	-0.01	NA	0	NA	0	0	-	-	-	-	-	-	-
MP-8	-0.17	NA	0	NA	0	0	-	-	-	-	-	-	-
IMP-1	-0.03	NA	0	NA	0	0	-	-	-	-	-	-	-
IMP-2	-0.02	NA	1130	NA	0	0	-	-	-	-	-	-	IMP-2 high hits ~2300 ppb. Well cap not tight and tubing moist upon opening; Let tubing air out and returned approx 1.5 hrs later to take another reading. Updated Frank at 1030 and 1200, Frank indicated he would contact Joe Martella
IMP-3	-0.01	NA	0	NA	0	0	-	-	-	-	-	-	
Roof-Top Fan 1	-1.8	1805	0	NA	0	0	-	-	-	-	-	-	
Roof-Top Fan 2	-1.6	2251	0	NA	0	0	-	-	-	-	-	-	
Roof-Top Fan 3	-2	1909	0	NA	0	0	-	-	-	-	-	-	
Ambient Outdoor Air	NA	NA	0	NA	0	0	-	-	-	-	-	-	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.,  
PBC

### Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 10/28/2019 Performed by: BC/GJ

PID/Methane Calibration? yes (yes/no) PID Calibration Result: 10 ppm

Date of last Methane Sensor Filter Replacement: 10/28/2019 Replaced this O&M Visit? Yes (yes/no)

**General Status of SSD System:** Operating as intended; control panel displaying fan status as designed.

**General Status of Methane**

**Monitoring System:** Operating as intended; indoor methane sensors displaying as designed.

**Eng. Cap/Fence Inspection** Trees and bushes at the southern entrance and along the west and eastern faces of building were removed; Notified Frank that the **Performed/Notes:** City should be aware of soil management requirements if future landscaping is planned.

**General** Possible PID malfunction causing high VOC readings; follow-up monitoring scheduled for 11/1/19 to confirm high readings. PID

**Notes** battery died half-way through monitoring event. Elevated VOC levels observed at IMP-2 possibly due to floor cleaner infiltration

Two summa cans were discovered faulty during sampling event; can pressures dropped very quickly and hissing/leaking noise occurred when can was opened. Con-Test contacted to deliver 2 replacement can for sample collection on 11/1/19.

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc .... <a href="#">continue on separate</a> )
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	347	0	0	0	2025	4202	1043	-31	1113	-4	
Cafeteria	NA	NA	482	0	0	0	1720	4304	1040	-30	1110	-4	
Kitchen Storage Room	NA	NA	450	0	0	0							Faulty summa can; sample collection planned for 11/1/19
Elevator Hallway	NA	NA	430	0	0	0	1066	4203	1034	-29.5	1106	-2.5	
Room 145	NA	NA	270	0	0	0	2072	4298	1145	-30	1215	-2	
Room 152	NA	NA	450	0	0	0							Faulty summa can; sample collection planned for 11/1/19
Room 118	NA	NA	385	0	0	0	2488	4207	1052	-29	1127	1	
Room 110	NA	NA	930	0	0	0	2002	4290	1055	-28	1130	0	
MP-1	-0.07	NA	*	NA	0	0	NA	NA	NA	NA	NA	NA	PID battery failure; reading not collected
MP-2	-0.03	NA	*	NA	0	0	2137	4070	1330	-30	1405	-5	PID battery failure; reading not collected
MP-3	-0.01	NA	*	NA	0	0	NA	NA	NA	NA	NA	NA	PID battery failure; reading not collected
MP-4	-0.02	NA	*	NA	0	0	NA	NA	NA	NA	NA	NA	PID battery failure; reading not collected
MP-5	-0.05	NA	4202	NA	0	0	2043	4093	1323	-30	1354	0	
MP-6	-0.04	NA	*	NA	0	0	NA	NA	NA	NA	NA	NA	PID battery failure; reading not collected
MP-7	-0.01	NA	6520	NA	0	0	2455	4200	1308	-24	1337	0	
MP-8	-0.08	NA	964	NA	0	0	2461	4079	1324	-28.5	1359	-3.5	
IMP-1	-0.02	NA	840	NA	0	0	1508	4195	1100	-30	1130	0	
IMP-2	-0.02	NA	69.3 ppm	NA	0	0	1821	4077	1147	-28	1222	-7.5	VOCs in ppm
IMP-3	-0.01	NA	1190	NA	0	0	2145	4192	1051	-29	1121	-3	
Roof-Top Fan 1	-1.4	2246	*	NA	0	0	NA	NA	NA	NA	NA	NA	PID battery failure; reading not collected
Roof-Top Fan 2	-1.2	2256	*	NA	0	0	NA	NA	NA	NA	NA	NA	PID battery failure; reading not collected
Roof-Top Fan 3	-2	2275	1900	NA	0	0	NA	NA	NA	NA	NA	NA	
Ambient Outdoor Air	NA	NA	763	NA	0	0	2134	1312	1312	-30	1347	-4.5	North side of school

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.,  
PBC

**Alvarez High School - SSD & Interior Methane Monitoring System O&M**

Date of O&M: 11/1/2019

Performed by: GJ

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10 ppm

Date of last Methane Sensor Filter

Replacement: 10/28/2019

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: Operating as intended; control panel displaying fan status as designed.

General Status of Methane

Monitoring System: Operating as intended; indoor methane sensors displaying as designed.

Eng. Cap/Fence Inspection

Performed/Notes: No additional landscaping observed near fence/cap.

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc ....)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	10	0	0	0							
Kitchen Storage Room	NA	NA	7	0	0	0	1304	4073	1007	-29	1042	-2	
Elevator Hallway	NA	NA	15	0	0	0							
Room 145	NA	NA	83	0	0	0							
Room 152	NA	NA	78	0	0	0	1035	4283	1019	-29	1051	-3	
Room 118	NA	NA	50	0	0	0							
Room 110	NA	NA	33	0	0	0							
MP-1	-0.05	NA	114	NA	0	0							
MP-2	-0.04	NA	7	NA	0	0							
MP-3	-0.04	NA	10	NA	0	0							
MP-4	-0.07	NA	2	NA	0	0							
MP-5	-0.05	NA	0	NA	0	0							
MP-6	-0.03	NA	0	NA	0	0							
MP-7	-0.02	NA	2	NA	0	0							
MP-8	-0.07	NA	5	NA	0	0							
IMP-1	-0.04	NA	22	NA	0	0							
IMP-2	-0.03	NA	2104	NA	0	0							
IMP-3	-0.01	NA	66	NA	0	0							
Roof-Top Fan 1	-1.8	2261	15	NA	0	0							
Roof-Top Fan 2	-1.3	2123	0	NA	0	0							
Roof-Top Fan 3	-1.9	775	30	NA	0	0							
Ambient Outdoor Air	NA	NA	5	NA	0	0							

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

\* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

## **APPENDIX B**

### **Indoor and Ambient Outdoor Air Analytical Summary**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Acetone	180.0	8-Feb-08	20.20		8.24		4.75		U	4.75		6.87		8.06		4.75		U	4.78		4.750	U	
		27-Mar-08 <sup>2</sup>	576.00		186.00		108.00		U	89.90		24.70		38.30		76.70			47.40		5.870		
		25-Apr-08	61.70		12.90		19.00			15.10		14.80		18.60		12.50			17.10		6.670		
		29-May-08	19.50		16.00		12.80			16.20		10.90		17.20		13.20			11.60		7.480		
		27-Jun-08	87.90		20.00		20.50			27.70		28.90		29.00		26.00			29.80		19.700		
		31-Jul-08	32.20		17.20		20.80			16.80		23.80		20.00		18.60			23.50		20.000		
		28-Aug-08	33.10		21.10		21.50			25.80		27.00		32.40		29.10			23.80		37.000		
		30-Sep-08	39.40		10.40		7.60			11.20		44.80		29.90		19.60			55.60		6.800		
		27-Oct-08	56.20		23.10		14.90			24.10		15.90		26.50		34.30			25.10		109.000		
		25-Nov-08	21.30		8.20		5.30			14.00		15.60		9.70		6.50			10.00		7.000		
		18-Dec-08	39.30		18.50		16.90			21.50		23.10		41.90		22.00			28.80		40.000		
		21-Jan-09	5.30		2.40		2.40		U	3.60		5.60		5.00		3.30			4.00		2.400	U	
		25-Feb-09	2.40	U	2.90		2.40		U	NS		9.60		5.00		3.80			4.10		2.400	U	
		26-Mar-09	34.40		10.70		8.82			11.30		13.80		12.00		10.50			12.00		9.680		
		29-Apr-09	4.75	U	5.70		7.23			8.24		19.20		9.42		7.57			9.61		7.700		
		22-Jul-09	2.37	U	13.10		18.70			11.70		28.90		29.40		17.10			19.40		11.000		
		9-Oct-09	19.50		10.10		9.22			11.00		15.50		12.00		10.60			11.60		8.570		
		15-Jan-10	11.90		8.16		5.08			6.70		7.32		7.27		5.26			8.11		6.190		
		21-Apr-10	26.70		22.00		23.20			23.20		19.30		19.90		21.80			20.50		4.960		
		16-Jul-10	28.20		16.50		13.80			16.10		36.90		24.90		40.70			16.00		14.300		
		15-Oct-10	32.70		8.18		4.75		U	11.50		7.36		6.01		5.53			6.69		7.630		
		30-Nov-10	NS		13.20		13.00			NS		NS		NS		6.46			NS		NS		
		26-Jan-11	28.50		20.80		11.60			14.90		13.50		33.20		12.60			24.00	21.50	15.90	9.850	
		26-Jan-11**	NS		17.00		15.00			NS		NS		NS		12.00			NS		NS		
		27-Apr-11	6.82		12.80		11.30			14.70		14.60		7.55		12.30			5.93		5.600		
		26-Jul-11	51.80		48.00		22.80			82.20		28.70		7.17		25.40			39.40		8.840		
		28-Oct-11	17.00		12.00		7.40			9.90		11.00		9.70		13.00			15.00		8.000		
		23-Jan-12	15.00		15.00		18.00			18.00		10.00		37.00		19.00			18.00		13.000		
		13-Apr-12	11.00		16.00		11.00			11.00		11.00		21.00		9.10			19.00		24.000		
		2-Jul-12 resample	NS		NS		NS			NS		NS		NS		NS			21.00		9.100		
		20-Jun-12	19.00		22.00		17.00			21.00		20.00		15.00		15.00			22.00		11.000		
		1-Nov-12	12.00		11.00		9.50			16.00		8.30		12.00		13.00			11.00		9.000		
		1-Feb-13	16.00		15.00		12.00			14.00		9.10		39.00		16.00			18.00		8.200		
		29-Apr-13	26.00		23.00		22.00			21.00		28.00		32.00		27.00			35.00		18.000		
		9-Jul-13	25.00		26.00		22.00			24.00		41.00		28.00		35.00			32.00		24.000		
		9-Jul-13 RIDEM	NS		NS		NS			NS		18.83		NS		NS			NS		11.710		
		18-Oct-13	34.00		32.00		30.00			42.00		29.00		29.00		46.00			34.00		20.000		
		9-Jan-14	8.90		19.00		16.00			20.00		21.00		24.00		27.00			45.00		8.300		
		24-Apr-14	19.00		12.00		18.00			17.00		17.000 <sup>m</sup>											

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Acrylonitrile	None	8-Feb-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		27-Mar-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		25-Apr-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		29-May-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		27-Jun-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		31-Jul-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		28-Aug-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		25-Feb-09	2.200	U	2.200	U	2.200	U	NS		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		26-Mar-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		29-Apr-09	1.080	U	1.080	U	2.740	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		22-Jul-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		9-Oct-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		15-Jan-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		21-Apr-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		16-Jul-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		15-Oct-10	1.080	U	0.108	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		30-Nov-10	NS		1.080	U	1.080	U	NS				NS		1.080	U	NS				NS		
		26-Jan-11	1.850	U	1.840	U	1.850	U	0.185	U	1.850	U	1.840	U	1.840	U	1.850	U	1.840	U	1.840	U	
		26-Jan-11**	NS								NS										NS		
		27-Apr-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		26-Jul-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U			1.080	U	
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U			0.250	U	
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U			0.440	U	
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U			0.500	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual
Benzene	3.3	8-Feb-08	0.910		0.840		0.730		0.780		0.810		0.800		0.750		0.790		0.372		0.413		0.230	
		27-Mar-08	1.420		1.350		1.600		1.420		0.218		2.130		1.730		1.680		1.120		0.310		0.726	
		25-Apr-08	1.360		1.300		0.638		1.400		1.150		1.270		1.130		0.410		0.390		0.405		0.230	
		29-May-08	0.370		0.430		0.300		0.400		0.300		0.450		0.410		0.310		0.582		0.390		0.405	
		27-Jun-08	0.631		0.603		0.666		0.644		0.657		0.604		0.849		0.390		0.310		0.310		0.726	
		31-Jul-08	0.568		0.477		0.419		0.451		0.528		0.465		0.378		0.390		0.310		0.390		0.405	
		28-Aug-08	1.190		1.110		1.010		0.953		0.935		1.060		1.060		1.020		1.280		1.280		1.280	
		30-Sep-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U
		27-Oct-08	2.100		1.600		1.600		1.600		1.600		1.600		1.600		1.900		3.600		1.600		1.600	
		25-Nov-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U
		18-Dec-08	1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.600	
		21-Jan-09	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U
		25-Feb-09	1.600	U	1.600	U	1.600	U	NS		1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U
		26-Mar-09	2.330		1.840		1.740		1.650		1.540		2.210		0.316		1.880		2.390		0.351		0.351	
		29-Apr-09	0.594		0.358		0.332		0.332		0.303		0.358		1.460		0.335		0.319		0.319		0.319	
		22-Jul-09	0.626		0.546		0.642		0.574		0.852		1.560		1.460		1.080		4.330		1.100		1.100	
		9-Oct-09	1.130		0.954		0.903		0.878		0.919		1.050		1.070		0.996		1.370		1.370		1.370	
		15-Jan-10	1.670		1.510		1.340		1.460		1.420		1.450		1.540		1.550		1.240		0.335		0.335	
		21-Apr-10	1.020		1.320		1.080		1.380		1.270		1.210		1.230		1.240		1.240		0.319		0.319	
		16-Jul-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.485		0.319	U	0.319	U	0.319	U	0.319	U
		15-Oct-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U
		30-Nov-10	NS		0.514		0.594		NS		NS		NS		0.412		NS		NS		NS		NS	
		26-Jan-11	2.920		2.890		2.970		3.290		2.940		3.430		2.560		3.660		2.940		2.850		3.350	
		26-Jan-11**	NS		3.600		3.800		NS		NS		NS		3.800		NS		NS		NS		NS	
		27-Apr-11	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U
		26-Jul-11	0.559		0.664		0.319		0.326		0.319		0.319		0.329		0.319		0.319		0.319		0.319	
		28-Oct-11	0.640		0.500		0.380		0.390		0.410		0.450		0.460		0.430		0.300		0.300		0.300	
		23-Jan-12	1.300		1.200		1.200		1.200		1.200		1.200		1.200		1.200		1.300		1.200		1.200	
		13-Apr-12	0.680		0.670		0.590		0.600		0.580		0.650		0.580		0.520		0.520		0.220		0.220	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.140	
		20-Jun-12	0.490		0.540		0.410		0.510		0.520		0.440		0.460		0.540		0.740		0.470		0.470	
		1-Nov-12	1.300		1.000		0.770		1.200		0.990		1.500		1.700		1.300		0.430		0.410		0.410	
		1-Feb-13	0.470		0.410		0.400		0.420		0.410		0.490		0.500		0.430		0.319		0.319		0.319	
		29-Apr-13	0.960		0.920		0.900		0.930		0.760		0.710		0.940		0.840		0.300		0.300		0.300	
		9-Jul-13	0.440		0.420		0.400		0.450		0.450		0.420		0.450		0.440		0.520		0.520		0.520	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.537		NS		NS		NS		NS		NS		0.597	
		18-Oct-13	0.240		1.000		0.880		0.660		1.100		0.830		0.800		1.000		1.000		1.000		1.000	
		9-Jan-14	1.400		1.700		0.910		0.860		0.730		0.810		0.960		0.820		0.750		0.750		0.750	
		24-Apr-14	0.300		0.240		0.300		0.230		0.240		0.210		0.240		0.300		0.210		0.210		0.210	
		1-Aug-14	0.570		0.360		0.350		0.820		0.740		0.600		0.790		0.550		0.590		0.590		0.590	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		22-Oct-14	0.560		0.340		0.270		U		0.350		0.550		0.250		0.450		0.610		0.420		0.420	
		20-Jan-15	0.450		0.440		0.440		0.430		0.500		0.500		0.580		0.480		0.510		0.510		0.510	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		22-Apr-15	0.950		1.200		0.920		0.950		1.100		0.750		0.930		0.830		0.880		0.880		0.880	
		21-Jul-15	0.580		0.500 ^		0.510		0.470		0.530		0.570		0.480		0.480		0.350		0.350		0.350	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		29-Oct-15	0.130 ^		0.250		0.580		0.180 ^		0.140 ^		0.160 ^		0.220		0.1							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
2-Butanone	500.0	8-Feb-08	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U			1.470	U	
		27-Mar-08	8.560		6.540		5.650		5.140		3.950		4.440		0.360		5.680				1.470	U	
		25-Apr-08	2.140		1.470		3.170		1.470		1.470		1.470		1.470		1.470				1.470	U	
		29-May-08	1.470	U	1.470	U	2.840		2.240		1.470		1.470		1.470		1.470				1.470	U	
		27-Jun-08	7.850		2.520		3.810		3.890		3.050		2.420		2.840		2.340				3.080		
		31-Jul-08	2.080		1.720		3.080		1.650		2.080		2.160		1.470		1.490				1.470	U	
		30-Sep-08	2.280		1.790		3.980		3.980		1.470		1.470		1.470		1.470				1.650		
		30-Sep-08	1.500	U	1.500	U	1.500	U	1.500	U	2.200		1.500		1.500		1.500				1.500	U	
		27-Oct-08	1.900		3.200		1.500		3.600		1.500		2.000		1.500		2.300				2.800		
		25-Nov-08	2.600		1.500		1.500		1.900		1.500		1.500		2.900		1.500				1.600		
		18-Dec-08	1.500	U	1.500	U	1.500	U	1.500	U	1.500		1.500		1.500		1.500				1.500	U	
		21-Jan-09	1.500	U	1.500	U	1.500	U	1.500	U	1.500		1.500		1.500		1.500				1.500	U	
		25-Feb-09	1.500	U	1.500	U	0.079	U	NS		1.500		1.500		1.500		1.500				1.500	U	
		26-Mar-09	2.410		1.560		1.470		1.470		1.470		1.470		1.470		1.470				1.470	U	
		29-Apr-09	1.470	U	1.470	U	1.470	U	1.460	U	1.470		1.470		1.740		1.470				1.470	U	
		22-Jul-09	1.470	U	1.470	U	4.750		1.470		2.070		21.900		1.740		1.480				4.360		
		9-Oct-09	1.470	U	1.470	U	1.540		1.640		1.470		1.470		1.470		1.470				1.470	U	
		15-Jan-10	6.610		1.470		1.470		1.470		1.470		1.470		1.470		1.470				1.470	U	
		21-Apr-10	1.850		1.470		2.770		1.590		1.480		1.470		1.470		1.470				1.470	U	
		16-Jul-10	2.520		1.900		2.100		2.210		3.180		2.800		24.600		1.870				1.630		
		15-Oct-10	4.300		1.470		1.470		1.470		1.470		1.470		1.470		1.470				0.021	I	
		30-Nov-10	NS		1.470		1.470		NS		NS		NS		1.470		1.470				NS		
		26-Jan-11	2.720		3.190		2.510		2.510		2.520		2.500		2.640		2.710		2.500	U	2.510	U	
		26-Jan-11**	NS		2.300		2.100		NS		NS		1.600		NS		NS				NS		
		27-Apr-11	1.470	U	1.470	U	2.220		1.470		1.470		1.470		1.470		1.470		U		1.470	U	
		26-Jul-11	1.600		1.470		2.320		1.520		1.470		1.470		1.470		3.010				1.470	U	
		28-Oct-11	3.500	U	3.500	U	3.500	U	3.500	U	3.500		3.500		3.500		3.500		U		2.400	U	
		23-Jan-12	4.100	U	4.100	U	4.100	U	4.100	U	4.100		4.100		4.100		4.100				4.100	U	
		13-Apr-12	3.500	U	3.500	U	3.500	U	3.500	U	3.500		3.600		3.500		3.500		U		4.700	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		3.500		U		3.500	U	
		20-Jun-12	2.600		2.400		3.300		2.700		2.800		2.400		2.400		2.400		U		2.400	U	
		1-Nov-12	2.400	U	2.400	U	2.400	U	2.400	U	2.400		2.400		2.400		2.400		U		2.400	U	
		1-Feb-13	2.400	U	2.400	U	2.400	U	2.400	U	2.400		2.400		2.400		2.400		U		2.400	U	
		29-Apr-13	5.100		3.500		3.500		3.800		4.800		3.600		4.100		3.300				4.500		
		9-Jul-13	2.800		3.000		2.800		2.400		3.600		2.400		5.400		2.900				3.200		
		9-Jul-13 RIDEM	NS		NS		NS		NS		2.525		NS		NS		NS				1.886		
		18-Oct-13	4.800		4.700		3.500		5.800		2.800		2.800		6.900		3.100				3.200		
		9-Jan-14	2.400	U	2.400	U	2.400	U															

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Air Sampling Data Summary																		Ambient Outdoor (AOA-1)													
		Kitchen Storage Room			Cafeteria			Gymnasium			Elevator Hallway			Room 118			Room 110			Media Center (Rm 145)			Room 152			Room 149			Room 234			Ambient Outdoor (AOA-1)	
		Sample Date	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual					
Carbon tetrachloride	0.5	8-Feb-08	0.500		0.480		0.440		0.450		0.460		0.470		0.470		0.470		0.470		0.470		0.470		0.470		0.470						
		27-Mar-08	0.540		0.541		0.547		0.537		0.580		0.577		0.552		0.586												0.565				
		25-Apr-08	0.436		0.439		0.405		0.441		0.448		0.439		0.465		0.450											0.416					
		29-May-08	0.470		0.470		0.450		0.470		0.480		0.490		0.520		0.460											0.460					
		27-Jun-08	0.544		0.535		0.526		0.534		0.526		0.538		0.555		0.547											0.537					
		31-Jul-08	0.526		0.532		0.528		0.554		0.554		0.542		0.564		0.551											0.557					
		28-Aug-08	0.552		0.548		0.551		0.545		0.566		0.559		0.556		0.572											0.551					
		30-Sep-08	0.489		0.446		0.404		0.497		0.461		0.250		U	0.491	0.531											0.547					
		27-Oct-08	0.370		0.510		0.260		0.450		0.280		0.510		0.270		0.480											0.460					
		25-Nov-08	0.400		0.400		0.400		0.440		0.420		0.350		0.370		0.470											0.470					
		18-Dec-08	0.350		0.330		0.440		0.410		0.420		0.350		0.340		0.310											0.520					
		21-Jan-09	0.490		0.460		0.570		0.460		0.500		0.490		0.570		0.540											0.620					
		25-Feb-09	0.360		0.190		0.380		NS		4.000		0.400		0.410		0.400											0.440					
		26-Mar-09	0.568		0.592		0.542		0.561		0.584		0.561		0.566		0.542											0.604					
		29-Apr-09	0.534		0.522		0.597		0.534		0.528		0.622		0.578		0.559											0.515					
		22-Jul-09	0.597		0.591		0.585		0.597		0.585		0.585		0.578		0.585											0.591					
		9-Oct-09	0.503		0.566		0.471		0.497		0.471		0.497		0.478		0.484											0.478					
		15-Jan-10	0.585		0.603		0.578		0.597		0.585		0.610		0.616		0.610											0.635					
		21-Apr-10	0.490		0.547		0.559		0.484		0.126		U	0.459	0.530	0.490	0.484	0.484									0.484						
		16-Jul-10	0.497		0.503		0.484		0.528		0.465		0.547		0.484		0.484											0.541					
		15-Oct-10	0.459		0.427		0.509		0.434		0.440		0.408		0.453		0.446											0.503					
		30-Nov-10	NS		0.478		0.559		NS		NS		NS		0.484		NS											NS					
		26-Jan-11	0.558		0.502		0.504		0.567		0.472		0.566		0.481		0.558		0.481		0.481		0.481		0.481		0.481						
		26-Jan-11**	NS		0.540		0.500		NS		NS		NS		0.500		NS											NS					
		27-Apr-11	0.371		0.358		0.364		0.408		0.352		0.364		0.358		0.358											0.434					
		26-Jul-11	0.409		0.442		0.409		0.428		0.402		0.421		0.402		0.421											0.459					
		28-Oct-11	0.410		0.380		0.430		0.430		0.420		0.410		0.430		0.430											0.440					
		23-Jan-12	0.490		0.490		0.480		0.480		0.470		0.460		0.490		0.460											0.480					
		13-Apr-12	0.480		0.490		0.420		0.460		0.450		0.460		0.470		0.460											0.300					
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS											0.400					
		20-Jun-12	0.560		0.610		0.520		0.530		0.590		0.500		0.550		0.570											0.490					
		1-Nov-12	0.510		0.520		0.480		0.400		0.480		0.490		0.520		0.490											0.530					
		1-Feb-13	0.520		0.510		0.520		0.510		0.550		0.510		0.520		0.510																

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chloromethane	14.0	8-Feb-08	2.440	U	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	
		27-Mar-08	2.830		3.070		2.680		2.440		2.830		2.440		2.480		2.440		2.440		2.440		
		25-Apr-08	2.820		2.440		2.440		2.440		2.440		3.000		2.440		3.140		2.440		2.440		
		29-May-08	2.790		3.000		7.100		11.000		2.940		6.280		6.420		2.770		2.440		2.440		
		27-Jun-08	2.650		2.440		2.440		2.830		3.260		2.620		2.440		2.500		2.440		2.440		
		31-Jul-08	3.580		3.880		3.330		4.370		3.440		3.740		2.440		2.440		2.440		2.440		
		28-Aug-08	2.440		3.140		5.310		6.880		3.150		2.440		2.540		2.540		2.440		2.440		
		30-Sep-08	1.400		1.300		1.100		1.400		1.000		1.700		1.600		1.000		1.200		1.200		
		27-Oct-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.200		1.000		1.000	U	1.000		1.000	U	
		25-Nov-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	
		18-Dec-08	1.000	U	1.000	U	1.000	U	1.400		1.000	U	1.000	U	1.000	U	1.300		1.000		1.000		
		21-Jan-09	1.000	U	1.000	U	1.000	U	1.500		1.000	U	1.000	U	1.400		1.100		1.200		1.200		
		25-Feb-09	1.000	U	1.000	U	1.000	U	NS		1.000	U	1.000	U	1.000	U	1.100		1.000		1.000	U	
		26-Mar-09	2.490		2.680		2.550		2.920		2.910		2.440		2.440		2.440		2.440		2.440		
		29-Apr-09	2.710		2.910		3.600		3.730		3.130		2.660		3.390		2.960		2.510		2.510		
		22-Jul-09	2.670		2.520		2.660		2.540		2.440		2.780		3.390		3.320		2.440		2.440		
		9-Oct-09	3.450		2.740		2.440		2.440		2.440		2.440		2.440		2.440		2.440		2.440		
		15-Jan-10	3.850		3.690		2.820		3.180		3.240		3.630		3.120		3.750		2.600		2.600		
		21-Apr-10	2.550		2.440		2.440		2.440		2.440		2.400		2.520		2.440		2.460		2.460		
		16-Jul-10	1.510		1.660		1.050		1.090		1.680		1.110		1.300		1.100		1.510		1.510		
		15-Oct-10	1.080		1.080		1.030		1.050		1.030		1.030		1.030		1.030		1.030		1.030	U	
		30-Nov-10	NS		1.030		1.030		NS		NS		NS		1.030		NS		NS		NS		
		26-Jan-11	1.760	U	1.750	U	1.760	U	1.760	U	1.760	U	1.750	U	1.750	U	1.760	U	1.750	U	1.750	U	
		26-Jan-11**	NS		1.100		1.000		NS		NS		NS		1.000		NS		NS		NS		
		27-Apr-11	1.050		1.660		1.400		2.160		1.440		1.510		1.740		1.460		1.270		1.270		
		26-Jul-11	1.160		1.600		1.030		1.120		1.030		1.030		1.030		1.030		1.030		1.030		
		28-Oct-11	1.400		1.000		1.300		1.500		1.300		0.960		1.000		1.100		1.300		1.300		
		23-Jan-12	1.300		1.100		1.100		1.200		1.400		1.900		1.400		1.500		1.100		1.100		
		13-Apr-12	1.300		1.400		1.400		1.500		1.100		1.000		1.000		1.200		0.840		0.840		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.500		1.100		1.100		
		20-Jun-12	1.700	U	0.041	U	0.041	U	0.041	U	0.041	U	0.041	U	1.500		0.041	U	1.300		1.300		
		1-Nov-12	1.100		1.100		0.910		1.200		1.000		1.200		1.100		1.100		0.990		0.990		
		1-Feb-13	1.200		1.300		1.200		1.200		1.200		1.200		1.400		1.300		1.100		1.100		
		29-Apr-13	1.300		1.300		1.300		1.200		1.800		1.100		1.300		1.300		1.100		1.100		
		9-Jul-13	1.100		1.100		0.900		1.100		2.200		1.000		0.980		1.100		1.000		1.000		
		9-Jul-13 RIDEM	NS		NS		NS		NS		1.142		NS		NS		NS		NS		1.164		
		18-Oct-13	0.880		1.100		1.200		1.100		1.20												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,4-Dichlorobenzene	24.0	8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U	
		27-Mar-08	0.292		0.272		0.206		0.596		0.728		0.793		0.228		0.237				0.120	U	
		25-Apr-08	0.415		0.287		0.126		0.247		0.261		0.245		0.205		0.220				0.222		
		29-May-08	0.230		0.120		U	0.120	U	0.120		U	0.120	U	0.120	U	0.120	U			0.120	U	
		27-Jun-08	0.506		0.176		0.391		0.315		0.130		0.273		1.340		0.582				0.132		
		31-Jul-08	0.309		0.524		0.254		0.323		0.458		0.669		0.272		0.320				0.259		
		28-Aug-08	0.198		0.252		0.216		0.262		0.205		0.211		0.202		0.222				0.213		
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		25-Nov-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		25-Feb-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		26-Mar-09	0.149		0.129		0.120		U	0.120		U	0.193		0.146		0.204				0.120	U	
		29-Apr-09	0.246		0.144		0.180		1.740		0.210		0.168		0.144		0.168				0.366		
		22-Jul-09	0.198		0.120		U	0.553		0.120		U	0.174		0.204		0.144				0.444		
		9-Oct-09	0.360		0.402		0.336		0.360		0.354		0.487		0.324		0.366				0.186		
		15-Jan-10	0.156		0.186		0.120		U	0.432		0.150		0.198		0.144		0.120				0.138	
		21-Apr-10	0.120	U	0.180		0.120		U	0.156		0.150		0.156		0.126		0.126				1.200	U
		16-Jul-10	1.580		0.493		0.637		0.306		0.499		0.655		11.400		0.553				0.384		
		15-Oct-10	0.120	U	0.120		U	0.120		U	0.120		0.120		0.120		0.120				0.120	U	
		30-Nov-10	NS		0.282		0.318		NS		NS		NS		0.120		NS				NS		
		26-Jan-11	0.205	U	0.470		0.205		U	0.205		U	0.205		0.316		0.204		U	0.205	U	0.204	U
		26-Jan-11**	NS		0.740		0.300		U	NS		NS		0.300		NS		NS				NS	
		27-Apr-11	0.120	U	0.174		0.120		U	0.222		0.120		0.120		U	0.120	U	0.120		0.120	U	
		26-Jul-11	0.120	U	0.120		U	0.120		U	0.120		U	0.120		U	0.120	U	0.120		0.120	U	
		28-Oct-11	0.190		0.180		U	0.180		U	0.180		U	0.180		U	0.180		U		0.120	U	
		23-Jan-12	0.210	U	0.210		U	0.210		U	0.210		U	0.210		U	0.210		U		0.210		
		13-Apr-12	0.180	U	0.180		U	0.180		U	0.180		U	0.180		U	0.180		U		0.240		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.180		
		20-Jun-12	0.120	U	0.120		U	0.120		U	0.120		U	0.120		U	0.120		U		0.120		
		1-Nov-12	0.120	U	0.120		U	0.120		U	0.120		U	0.120		U	0.120		U		0.120		
		1-Feb-13	0.120		0.120		U	0.120		U	0.120		U	0.120		U	0.120		U		0.120		
		29-Apr-13	0.120	U	0.120		U	0.120		U	0.120		U	0.120		U	0.120		U		0.120		
		9-Jul-13	0.120	U	0.120		U	0.120		U	0.120		U	0.120		U	0.120		U		0.120		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.038	J	NS		NS		NS		NS		0.030	J	
		18-Oct-13	0.120	U	0.120		U	0.120		U	0.120		U	0.120		U	0.120		U		0.120		
		9-Jan-14	0.120	U	0.120		U																

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																							
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Dichlorodifluoromethane	91.0	27-Mar-08	2.420		2.380		2.280		2.110		2.600		2.560		2.700		2.070					2.210		
		25-Apr-08	2.060		2.100		2.010		2.170		2.030		1.990		2.080		2.030					1.860		
		29-May-08	1.700		1.630		1.540		1.760		1.630		1.610		1.780		1.600					1.560		
		27-Jun-08	2.280		2.280		2.370		2.330		2.240		1.910		2.220		2.250					2.220		
		31-Jul-08	2.030		2.020		1.970		1.970		1.920		1.920		1.920		1.900					1.850		
		28-Aug-08	3.600		2.870		2.920		2.870		2.920		2.800		2.800		2.980					2.770		
		30-Sep-08	2.500		2.700		2.500		U		2.500		U		2.900		2.800		2.500			2.500		
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500		U		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U		
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500		U		3.400		2.500	U	2.500	U	2.500	U	2.500	U		
		18-Dec-08	2.700		2.500		2.500		2.500		U		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U		
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500		U		2.500	U	2.500	U	3.000		2.500	U	2.500	U		
		25-Feb-09	2.500	U	2.500	U	2.500	U	NS		U		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U		
		26-Mar-09	2.220		2.190		2.120		2.090		2.220		2.180		2.080		2.120					2.130		
		29-Apr-09	2.500		2.260		2.460		2.320		2.260		2.320		2.380		2.360					2.160		
		22-Jul-09	3.140		3.120		2.920		3.090		2.780		3.170		2.690		2.960					3.130		
		9-Oct-09	2.290		2.560		2.300		2.320		2.300		2.280		2.300		2.290					2.210		
		15-Jan-10	27.800		2.550		2.480		2.590		2.410		2.540		2.450		2.410					2.430		
		21-Apr-10	2.340		2.320		2.520		2.330		2.330		2.260		2.320		2.330					2.240		
		16-Jul-10	2.480		2.560		2.430		2.520		3.690		2.480		2.550		2.480					2.740		
		15-Oct-10	2.460		2.410		2.560		2.400		2.470		2.410		2.450		2.450					2.630		
		30-Nov-10	NS		2.480		2.550		NS		NS		NS		2.390		NS					NS		
		26-Jan-11	2.680		2.640		2.340		2.660		2.150		2.580		2.370		2.560		2.230		2.480		2.440	
		26-Jan-11**	NS		2.800		2.700		NS		NS		NS		2.600		NS					NS		
		27-Apr-11	2.070		2.820		2.200		2.450		2.160		2.210		2.220		2.210					2.460		
		26-Jul-11	2.290		2.270		2.270		2.360		2.260		2.340		2.250		2.260					2.350		
		28-Oct-11	2.700		2.400		2.800		2.600		2.800		2.500		2.600		2.800					2.500		
		23-Jan-12	1.700		1.800		1.600		1.500		2.000		2.000		1.800		1.900					2.000		
		13-Apr-12	2.100		2.100		2.000		2.000		1.800		1.900		1.700		1.700					1.300		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		2.700			2.500		
		20-Jun-12	2.500		2.600		2.500		2.400		2.700		2.300		2.500		2.500					2.300		
		1-Nov-12	2.000		2.200		2.100		2.200		2.000		2.100		2.100		2.000					2.100		
		1-Feb-13	1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.700					1.600		
		29-Apr-13	2.400		2.600		2.600		2.400		2.400		2.300		2.400		2.400					2.400		
		9-Jul-13	0.950		0.980		0.930		0.960		0.990		1.000		0.980		0.970					1.000		
		18-Oct-13	2.000		2.200		1.900		2.000		1.900		2.000		1.900		2.000					2.000		
		9-Jan-14	1.400		1.500		1.400		1.400		1.500		1.500		1.500		1.600					1.600		
		24-Apr-14	2.300		2.400		2.300		2.400		2.800		2.400		2.400		2.500					2.500		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1-Dichloroethane	77.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		27-Jun-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		26-Mar-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		30-Nov-10	NS		0.081	U	0.081	U	NS		NS		NS		0.081	U	NS				NS		
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		0.200	U	NS		NS				NS		
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U			0.040	U	
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U			0.140	U	
		13-Apr-12	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U			0.081	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	0.061	U	
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U	
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U	
		29-Apr-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.081	U	
		9-Jul-13	0.040	U	0.040	U	0.400	U	0.040		0.040	U	0.040	U	0.040	U	0.040</						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,2-Dichloroethane	0.07/0.08	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		27-Jun-08	0.080	U	0.081	U	0.080	U	0.084	U	0.080	U	0.080	U	0.178	U	0.080	U	0.081	U	0.081	U	
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		30-Sep-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.081	U	0.080	U	0.080	U	
		27-Oct-08	0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		25-Nov-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		18-Dec-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		21-Jan-09	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		25-Feb-09	0.080	U	0.080	U	0.080	U	NS	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	
		26-Mar-09	0.102	U	0.084	U	0.087	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081	U	0.081	U	0.081	U	
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.162	U	0.081	U	0.081	U	
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.087	U	0.081	U	0.081	U	0.081	U	
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		30-Nov-10	NS	0.081	U	0.081	U	NS	U	NS	U	NS	U	0.081	U	NS	U	NS	U	NS	U	NS	U
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	
		26-Jan-11**	NS	0.200	U	0.200	U	NS	U	NS	U	NS	U	0.200	U	0.200	U	0.200	U	0.200	U	NS	U
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.093	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081	U	
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.040	U	
		23-Jan-12	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.091	U	0.071	U	0.071	U	0.071	U	0.071	U	
		13-Apr-12	0.066	U	0.068	U	0.061	U	0.061	U	0.063	U	0.063	U	0.061	U	0.075	U	0.081	U	0.081	U	
		2-Jul-12 resample	NS	NS	NS	NS	NS	NS	NS	U	NS	U	NS	U	NS	U	0.061	U	0.061	U	0.061	U	
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081	U	0.081	U	0.081	U	
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
		1-Feb-13	0.076	0.084	0.083	0.086	0.086	0.089	0.089	0.089	0.089	0.079	0.079	0.099	0.099	0.099	0.099	0.110	0.110	0.08			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
cis-1,2-Dichloroethene*	18.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		27-Mar-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		25-Apr-08	0.080	U	0.080	U	0.080	U	0.100	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.080	U	
		27-Jun-08	0.080	U	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U			0.079	U	
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.092	U	0.079	U			0.090	U	
		30-Sep-08	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U			5.900	U	
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.127	U	0.079	U	0.079	U			0.079	U	
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		21-Apr-10	0.079	U	0.780	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		30-Nov-10	NS		0.079	U	0.079	U															
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	
		26-Jan-11**	NS		0.200	U	0.200	U															
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		28-Oct-11	0.069		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U			0.040	U	
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U			0.140	U	
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U			0.079	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U	
		1-Feb-13	0.040		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U	
		29-Apr-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U			0.079	U	
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U			0.040	U	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
cis-1,3-Dichloropropene	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.185	U	0.090	U	0.091	U	0.091	U	
		31-Jul-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		30-Sep-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		25-Feb-09	0.180	U	0.180	U	0.180	U	NS		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		29-Apr-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		15-Oct-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		30-Nov-10	NS		0.091	U	0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.155	U	0.154	U	
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS		NS		NS		
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		28-Oct-11	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		29-Apr-13	0.045	U	0.250	U	0.045	U	0.045	U	0.250	U											

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
trans-1,3-Dichloropropene	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.340	U	0.090	U	0.091	U	0.091	U	
		31-Jul-08	0.090	U	0.090	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		27-Oct-08	0.180	U	0.180	U	0.200		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		25-Feb-09	0.180	U	0.180	U	0.180	U	NS		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		29-Apr-09	0.091	U	0.091	U	0.107	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		15-Oct-10	0.091	U	0.092	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		30-Nov-10	NS		0.091	U	0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.155	U	0.154	U	
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS		NS		NS		
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		28-Oct-11	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.045	U	
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	
		29-Apr-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045</td												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sampling Locations																Ambient Outdoor (AOA-1)									
		Kitchen Storage Room				Cafeteria				Gymnasium				Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Ethylbenzene	53.0	8-Feb-08	0.260		0.230		0.620		0.450		0.250		0.170		0.160		0.180								0.220		
		27-Mar-08	0.841		0.669		1.020		0.869		0.894		1.000		0.628		0.619								0.096		
		25-Apr-08	0.770		0.637		2.200		0.711		0.678		0.712		0.705		0.650								0.087	U	
		29-May-08	0.140		0.120		1.310		0.620		0.120		0.160		0.150		0.110								0.090	U	
		27-Jun-08	0.555		0.412		1.080		0.987		0.478		0.400		0.802		0.360								0.369		
		31-Jul-08	0.553		0.449		1.140		0.424		0.426		0.491		0.262		0.216								0.255		
		28-Aug-08	0.868		1.150		3.010		2.820		0.761		0.854		0.870		0.783								0.944		
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	15.500							2.200	U		
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U		
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U		
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U		
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U						2.200	U		
		25-Feb-09	2.200	U	2.200	U	3.600		NS		2.200	U	2.200	U	2.200	U	2.200	U						2.200	U		
		26-Mar-09	0.932		0.803		1.120		1.060		0.511		0.648		0.738		0.589								0.727		
		29-Apr-09	0.195		0.234		0.633		0.538		0.195		0.139		0.139		0.152								0.178		
		22-Jul-09	0.442		0.212		1.090		0.291		0.551		0.625		0.807		0.542								1.180		
		9-Oct-09	0.859		0.759		1.090		1.030		0.794		0.681		0.668		0.633								0.746		
		15-Jan-10	0.447		0.334		0.386		0.351		0.321		0.256		0.273		0.252								0.286		
		21-Apr-10	0.468		0.716		1.280		0.612		0.681		0.603		0.542		0.538								0.087	U	
		16-Jul-10	0.334		0.226		0.416		0.408		0.573		0.286		0.872		0.260								0.143		
		15-Oct-10	0.252		0.308		0.412		0.152		0.126		0.087	U	0.200		0.087	U							0.121		
		30-Nov-10	NS		0.217		0.338		NS		NS		NS		0.108		NS								NS		
		26-Jan-11	1.040		1.000		1.100		1.220		1.000		1.100		0.951		1.320		0.988		0.466				1.300		
		26-Jan-11**	NS		1.600		1.800		NS		NS		NS		1.800		NS								NS		
		27-Apr-11	0.108		0.139		0.625		0.221		0.837		0.087		0.200		0.087	U							0.091		
		26-Jul-11	0.473		1.020		0.873		0.417		0.300		0.191		0.356		0.178								0.161		
		28-Oct-11	0.600		0.320		0.400		0.230		0.480		0.490		0.490		0.420								0.130		
		23-Jan-12	0.610		0.480		0.470		0.660		0.580		0.500		0.560		0.560								0.540		
		13-Apr-12	0.300		0.250		0.300		0.240		0.250		0.280		0.240		0.200								0.170	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U							0.130	U	
		20-Jun-12	0.490		0.500		0.490		0.560		0.550		0.460		0.530		0.530								0.470		
		1-Nov-12	0.760		0.440		0.330		0.530		0.450		0.730		0.810		0.630								0.130		
		1-Feb-13	0.130		0.087	U	0.087	U	0.087		0.110		0.089		0.190		0.087	U							0.130		
		29-Apr-13	0.760		0.540		0.540		0.540		0.670		0.430		1.600		0.530								0.150		
		9-Jul-13	0.340		0.320		0.310		0.330		0.390		0.310														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level			Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)			
ethyl tert butyl ether (MT)	160.0	8-Feb-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	
		27-Mar-08	0.440		0.102		0.102		0.091		0.127		0.126		0.121		0.131		0.113		0.090		0.072		0.072		
		25-Apr-08	0.116		0.116		0.107		0.070		0.070		0.070		0.070		0.070		0.070		0.070		0.070		0.070		
		29-May-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	
		27-Jun-08	0.072	U	0.070	U	0.070	U	0.074		0.072		0.072		0.072		0.072		0.070		0.070		0.072		0.072		
		31-Jul-08	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		28-Aug-08	0.095		0.130		0.123		0.123		0.091		0.106		0.115		0.089		0.094								
		30-Sep-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		27-Oct-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	2.600		2.300		1.800		1.800		1.800		1.800		1.800		
		25-Nov-08	2.100		1.800		1.800		1.800		1.800		2.800		1.800		1.800		1.800		1.800		1.800		1.800		
		18-Dec-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		21-Jan-09	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	
		25-Feb-09	1.800	U	2.700		1.800		NS		1.800		2.700		1.800		1.800		1.800		1.800		1.800		1.800		
		26-Mar-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		29-Apr-09	0.072	U	0.072	U	2.350		0.072		0.072		0.072		0.072		0.072		0.072		0.072		0.072		0.072		
		22-Jul-09	0.072	U	0.072	U	0.223		0.072		0.072		0.072		0.072		0.072		0.072		0.072		0.072		0.169		
		9-Oct-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		15-Jan-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		21-Apr-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		16-Jul-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		15-Oct-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		30-Nov-10	NS		0.072		0.072		U		NS		NS		NS		0.072		NS		NS		NS		NS		
		26-Jan-11	0.123	U	0.122	U	0.123	U	0.123	U	0.123	U	0.122	U	0.122	U	0.122	U	0.123	U	0.122	U	0.123	U	0.122	U	
		26-Jan-11**	NS		0.180		0.180		U		NS		NS		0.180		U		NS		NS		NS		NS		
		27-Apr-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		26-Jul-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		28-Oct-11	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		23-Jan-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		13-Apr-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.140	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		1-Nov-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		1-Feb-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		29-Apr-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		9-Jul-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		9-Jul-13 RIDEM	NS		NS		NS		NS		NS		0.041	J	NS		NS		NS		NS		NS		0.200	U	
		18-Oct-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		9-Jan-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		24-Apr-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		1-Aug-14	0.072	U	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	
		12-Sept-14 resample	NS		NS																						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level			Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Methylene chloride	3.0	8-Feb-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		27-Mar-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		25-Apr-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	2.210	U			1.740	U	
		29-May-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		27-Jun-08	1.740	U	1.740	U	1.740	U	1.740	U	3.210	U	1.740	U	6.940	U	1.740	U	1.740	U			19.000		
		31-Jul-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		28-Aug-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		30-Sep-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		27-Oct-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		25-Nov-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		18-Dec-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		21-Jan-09	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		25-Feb-09	1.700	U	1.700	U	1.700	U	NS		1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		26-Mar-09	7.540		1.870		4.010		2.100		1.850		3.230		4.060									11.600	
		29-Apr-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	0.147	U	1.740	U	1.740	U	1.740	U			1.740	U	
		22-Jul-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		9-Oct-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		15-Jan-10	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		21-Apr-10	5.410		1.740		1.740		1.740		1.740		1.740		1.740		1.740		1.740				1.740		
		16-Jul-10	18.400		23.300		16.900		13.900		19.900		48.200		46.700		22.200							20.600	
		15-Oct-10	3.470	U	4.440		4.510		3.470	U	3.470	U	5.840		3.470	U	3.470	U	3.470	U			3.470	U	
		30-Nov-10	NS		3.570		11.600		NS		NS		5.770		NS									NS	
		26-Jan-11	4.530		2.950	U	2.960	U	2.960	U	2.960	U	2.950	U	5.290		2.960	U	4.880	2.960	U		2.950	U	
		26-Jan-11**	NS		2.500		1.700		NS		NS		1.600		NS									NS	
		27-Apr-11	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	5.040		3.470	U	3.470	U	3.470	U			3.470	U	
		26-Jul-11	3.470	U	5.800		4.240		3.470	U	3.470	U	3.510		10.200									5.380	
		28-Oct-11	1.900		1.900		1.800		1.900		1.000	U	1.200		5.700		5.500							0.690	
		23-Jan-12	2.500		1.200	U	2.300		2.200		2.500		6.300		1.900		1.200	U						1.900	
		13-Apr-12	5.800		4.600		3.100		1.100		1.000	U	1.700		1.000		50.000							53.000	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.000	U						1.000	
		20-Jun-12	0.920		1.600		0.880		1.300		1.200		1.400		1.100		1.400		1.400					1.700	
		1-Nov-12	0.690	U	1.200		0.750		0.690	U	0.690	U	0.760		1.200		0.690	U	0.690	U			1.200		
		1-Feb-13	0.800		0.690	U	0.690		0.690	U	0.810		2.200		0.810		0.760							0.690	
		29-Apr-13	1.400		0.950		0.950		1.200		1.200	</td													

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
4-Methyl-2-pentanone	37.0	8-Feb-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		27-Mar-08	2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		25-Apr-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		29-May-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		27-Jun-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		31-Jul-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		28-Aug-08	2.050	U	2.050	U	2.050	U	2.540		2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000		2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U			2.000	U	
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.600		2.000	U	2.000	U	2.000	U			2.000	U	
		26-Mar-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		29-Apr-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		22-Jul-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		9-Oct-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		15-Jan-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		21-Apr-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.250				2.050	U	
		16-Jul-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		15-Oct-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		30-Nov-10	NS		2.050	U	2.050	U	NS		NS		NS		2.050	U	NS				NS		
		26-Jan-11	3.490	U	3.480	U	3.490	U	3.480	U	3.490	U	59,500		3.480	U	6,760		3,480	U	3,490	U	
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		0.200	U	NS		NS				NS		
		27-Apr-11	2.050	U	2.050	U	2.050	U	2.050	U	2.930		2.050	U	2.050	U	2.050	U			2.050	U	
		26-Jul-11	11.700		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U			2.050	U	
		28-Oct-11	2.100		0.490		0.840		0.560		0.800		0.930		1.500		1.200				0.390		
		23-Jan-12	0.140	U	0.140	U	0.210		0.190		26,000		2,900		0.230		270,000				0.540		
		13-Apr-12	0.120	U	0.120	U	0.200		0.120		0.150		0.230		0.120	U	0.140		0.120	U	0.120		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		20-Jun-12	0.230		0.082	U	0.460		0.250		0.320		0.270		0.190		0.320		0.120		0.120		
		1-Nov-12	0.082	U	0.260		0.180		0.420		0.500		0.650		0.082	U	0.220		0.170		0.170		
		1-Feb-13	0.093		0.100		0.120		0.082		0.190		0.280		0.082	U	0.082		0.095				
		29-Apr-13	2.900		2.290		0.290		0.420		0.510		0.320		0.450		0.400		0.390				
		9-Jul-13	0.250		0.320		0.300		0.320		0.350		0.400		0.270		0.280		0.220				
		18-Oct-13	1.800		0.220		0.190		1.500		2.200												

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room												Ambient Outdoor (AOA-1)														
		Cafeteria			Gymnasium			Elevator Hallway			Room 118			Room 110			Media Center (Rm 145)			Room 152			Room 149			Room 234		
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		27-Jun-08	0.137	U	0.140	U	0.140	U	0.137	U	0.140	U	0.137	U	0.140	U	0.179	U	0.140	U				0.140	U			
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.137	U				0.140	U			
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		21-Jan-09	0.140	U	0.140	U	5.000	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		25-Feb-09	0.140	U	0.140	U	0.320	NS			0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				0.140	U			
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		30-Nov-10	NS		0.137	U	0.137	U	NS				NS		NS		0.137	U	NS					NS				
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.233	U	0.233	U	0.233	U	0.233	U	0.234	U	0.233	U	0.234	U	0.233	U		
		26-Jan-11**	NS					NS				NS		NS		NS		NS						NS				
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				0.137	U			
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U				0.250	U			
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U				0.440	U			
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U				0.500	U			
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS			
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U				0.250	U			
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U				0.250	U			
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250																			

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level			Kitchen Storage Room			Cafeteria			Gymnasium			Elevator Hallway			Room 118			Room 110			Media Center (Rm 145)			Room 152			Room 149			Room 234			Ambient Outdoor (AOA-1)		
				Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual						
1,1,2,2-Tetrachloroethane	0.011/0.14	8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		27-Jun-08	0.140	U	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		21-Jan-09	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		25-Feb-09	0.140	U	0.140	U	0.140	U	0.140	U	0.140	NS	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U				
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U				
		30-Nov-10	NS		0.137	U	0.137	U	0.137	U	0.137	U	0.1																							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level				Kitchen Storage Room			Cafeteria			Gymnasium			Elevator Hallway			Room 118			Room 110			Media Center (Rm 145)			Room 152			Room 149			Room 234			Ambient Outdoor (AOA-1)						
					Sample Date	Qual		Qual		Qual	Qual			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual									
					8-Feb-08	0.140		0.140	U	0.140		0.140		U	0.150		0.140	U	0.140		0.140	U	0.140		0.140	U	0.140		0.140		0.140		0.350								
					27-Mar-08 <sup>z</sup>	12.500		6.680		13.300		0.254		U	0.179		0.282	U	0.231		0.276	U	0.228		0.298	U	0.140		0.140		0.140		0.153		0.136	U					
					25-Apr-08	0.180		0.140	U	0.140		0.449		U	0.140		0.140	U	0.140		0.140	U	0.140		0.246	U	0.140		0.140		0.140		0.140		0.216	U					
					29-May-08	0.140		0.140	U	0.140		0.449		U	0.140		0.459	U	0.424		0.243	U	0.460		0.246	U	0.140		0.140		0.140		0.140		0.216	U					
					27-Jun-08	0.249		0.449		0.397		0.249		U	0.459		0.380	U	0.795		0.872	U	0.252		0.287	U	0.154		0.154		0.154		0.154		0.154		0.216	U			
					31-Jul-08	1.030		1.000		0.877		0.367		U	0.283		0.323	U	0.274		0.434	U	0.294		0.282	U	0.445		0.445		0.445		0.445		0.445		0.445		0.445	U	
					28-Aug-08	0.321		0.367		0.323		0.321		U	0.340		0.340	U	0.3400		0.3400	U	0.3400		0.3400	U	0.3400		0.3400		0.3400		0.3400		0.3400		0.3400	U			
					30-Sep-08	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		3.400	U					
					27-Oct-08	4.200		U	4.200		U	4.200		U	4.200		U	4.200		U	4.200		U	4.200		U	4.200		U	4.200		4.200	U								
					25-Nov-08	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		3.400	U								
					18-Dec-08	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		3.400	U								
					21-Jan-09	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		3.400	U								
					25-Feb-09	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		U	3.400		3.400	U								
					26-Mar-09	1.530		1.210		1.170		0.249		U	0.980		0.980	U	1.080		1.320	U	1.420		1.890	U	1.380		1.380		1.380	U									
					29-Apr-09	0.136		U	0.136		U	0.697		0.697		U	0.136		0.136	U	0.136		0.136	U	0.136		0.136	U	0.136		0.136	U									
					22-Jul-09	0.291		0.190		0.224		0.291		U	0.196		0.196	U	0.196		0.196	U	0.183		0.210	U	0.535		0.535		0.535	U									
					9-Oct-09	2.250		1.550		1.580		2.250		U	1.580		1.580	U	1.380		1.700	U	2.080		1.960	U	0.779		0.779		0.779	U									
					15-Jan-10	0.359		0.346		0.339		0.359		U	0.373		0.373	U	0.312		0.360	U	0.346		0.312	U	2.450		2.450		2.450	U									
					21-Apr-10	0.637		0.752		0.440		0.637		U	0.650		0.650	U	0.508		0.447	U	0.407		0.474	U	0.562		0.562		0.562	U									
					16-Jul-10	0.318		0.420		0.420		0.318		U	0.427		0.427	U	0.501		0.230	U	0.447		0.474	U	0.230		0.230		0.230	U									
					15-Oct-10	0.136		U	0.136		U	0.136		U	0.136		U	0.136		U	0.136		U	0.136		U	0.142		0.142		0.142	U									
					30-Nov-10	NS		0.461		0.291		NS		U	NS		NS	U	NS		NS	U	0.169		NS	U	NS		NS		NS	U									
					26-Jan-11	0.636		0.484		0.370		0.636		U	0.566		0.566	U	0.440		0.725	U	0.346		0.578	U	0.472		0.428		0.426	U									
					26-Jan-11**	NS		0.580		0.490		NS		U	NS		NS	U	NS		NS	U	0.480		NS	U	NS		NS		NS	U									
					27-Apr-11	0.142		0.176		0.176		0.529		U	0.352		0.352	U	0.176		0.136	U	0.149		0.136	U	0.285		0.285		0.285	U									
					26-Jul-11	0.529		0.563		0.522		0.529		U	0.631		0.631	U	0.549		0.325	U	0.739		0.461	U	0.2														

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds  
February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level		Air Sampling Data (ppb)																Ambient Outdoor (AOA-1)									
			Kitchen Storage Room				Cafeteria				Gymnasium				Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234	
		Sample Date	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual	Mean	Qual		
Toluene	210.0	8-Feb-08	1.240		1.140		1.120		1.150		1.240		0.990		0.910		1.030								1.480			
		27-Mar-08	6.470		4.040		4.520		4.150		5.920		5.570		4.210		4.040								1.560			
		25-Apr-08	4.800		4.000		2.810		3.900		1.330		3.790		4.070		4.010		3.660							0.465		
		29-May-08	0.930		0.790		1.630		1.330		0.870		1.060		1.020		0.670								0.320			
		27-Jun-08	3.870		3.060		3.200		3.850		4.110		3.840		4.520		3.020								2.410			
		31-Jul-08	2.760		2.020		2.690		1.990		2.720		2.200		1.680		1.440								1.850			
		28-Aug-08	5.230		5.960		7.800		7.530		5.920		5.640		5.680		5.240								6.050			
		30-Sep-08	1.900	U	1.900	U	2.500		1.900	U	5.000		1.900	U	1.900	U	2.300								1.900	U		
		27-Oct-08	6.700		6.300		3.500		6.100		2.300		5.500		3.800		6.600								8.400			
		25-Nov-08	5.500		1.900	U	1.900	U	2.000		1.900	U	1.900	U	1.900	U	1.900	U							1.900	U		
		18-Dec-08	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U							1.900	U		
		21-Jan-09	1.900	U	1.900	U	1.900	U	1.900	U	NS		1.900	U	1.900	U	1.900	U							1.900	U		
		25-Feb-09	1.900	U	1.900	U	1.900	U	1.900	U	1.900		1.900	U	1.900	U	1.900	U							1.900	U		
		26-Mar-09	6.110		4.060		3.990		3.540		3.900		4.730		5.870		6.080								5.310			
		29-Apr-09	0.779		0.595		0.079	U	0.704		1.050		0.595		0.614		0.610								0.953			
		22-Jul-09	1.550		1.010		2.540		1.130		3.150		3.410		3.880		7.670								6.850			
		9-Oct-09	4.740		3.690		4.190		3.900		4.500		4.170		4.220		4.090								4.580			
		15-Jan-10	1.920		1.580		1.520		1.690		1.690		1.540		1.620		1.630								2.860			
		21-Apr-10	4.770		8.610		5.220		7.430		4.490		4.140		4.030		3.900								0.414			
		16-Jul-10	2.070		1.210		1.180		1.360		2.250		1.570		3.760		1.330								0.787			
		15-Oct-10	7.230		0.618		0.565		0.715		0.501		0.358		0.565		0.312								0.625			
		30-Nov-10	NS		1.280		1.200		NS		NS		NS		0.825		NS								NS			
		26-Jan-11	5.860		5.970		5.640		6.490		5.840		6.050		5.830		7.230		5.650		4.000		7.210					
		26-Jan-11**	NS		7.700		8.400		NS		NS		NS		8.300		NS								NS			
		27-Apr-11	0.764		0.855		1.070		1.070		1.030		0.840		0.783		0.625								0.648			
		26-Jul-11	2.040		3.920		1.590		1.210		1.620		1.060		1.400		0.934								0.652			
		28-Oct-11	6.700		2.800		2.900		1.800		2.500		3.600		5.200		3.100								1.400			
		23-Jan-12	3.200		2.500		0.130		2.700		2.800		3.000		2.700		3.000								3.600			
		13-Apr-12	1.800		1.500		1.300		1.400		1.400		1.500		1.400		1.200								0.320			
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.550								0.550			
		20-Jun-12	2.200		2.500		1.800		2.300		2.300		2.000		2.200		2.400								2.600			
		1-Nov-12	4.300		2.500		1.800		3.000		2.400		4.000		4.600		3.500								0.750			
		1-Feb-13	0.810		0.460		0.430		0.520		0.650		0.780		0.950		0.510								0.460			
		29-Apr-13	3.900		3.100		3.100		3.100		2.700		2.200		5.000		2.600								0.690			
		9-Jul-13	2.300		2.100		1.900		2.300		2.30																	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
1,1,2-Trichloroethane	2.2	8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U	0.109	U	0.109	U
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.110	U
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		27-Jun-08	0.109	U	0.109	U	0.109	U	0.109	U	0.110	U	0.110	U	0.110	U	0.302	U	0.109	U	0.110	U	0.110	U
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		30-Sep-08	0.110	U	0.110	U	0.300		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		27-Oct-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		25-Nov-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		18-Dec-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		21-Jan-09	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		29-Apr-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		15-Oct-10	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		30-Nov-10	NS		0.109	U	0.109	U	NS		NS		NS		NS		0.109	U	NS		NS		NS	
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.186	U	0.185	U	0.185	U	0.186	U	0.185	U	0.186	U	0.185	U
		26-Jan-11**	NS		0.270	U	0.270	U	NS		NS		0.270	U	NS		NS		NS		NS		NS	
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055	U
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.110	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		1-Nov-12	0.055	U	0.055	U	0.055																	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Trichloroethene*	1.0	8-Feb-08	0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.350		0.110	U			0.110	U	
		27-Mar-08	0.239		0.233		0.218		0.226		0.325		0.308		0.217		0.170				0.107	U	
		25-Apr-08	0.107	U	0.164		0.147		0.272		0.151		0.152		0.158		0.229				0.107	U	
		29-May-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110		0.110	U			0.110	U	
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.107		0.110	U	0.107	U	0.143		0.195				0.107	U	
		31-Jul-08	0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		28-Aug-08	0.193		0.116		0.107	U	0.107	U	0.146		0.134		0.110		0.107	U			0.838		
		30-Sep-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U	
		27-Oct-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U	
		25-Nov-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		18-Dec-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		21-Jan-09	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U			0.130		
		26-Mar-09	4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450				6.870		
		29-Apr-09	0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		22-Jul-09	0.177		0.107		0.188		0.123		0.193		0.709		0.140		0.177				0.209		
		9-Oct-09	0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156				0.107	U	
		15-Jan-10	0.107		0.107		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		21-Apr-10	0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456				0.107	U	
		16-Jul-10	0.107	U	0.107	U	0.107	U	0.220		0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		15-Oct-10	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		30-Nov-10	NS		0.107	U	0.107	U	NS		NS		NS		0.109	U	NS				NS		
		26-Jan-11	0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.484		0.467	0.767	
		26-Jan-11**	NS		0.570		0.600		NS		NS		0.600		NS		NS				NS		
		27-Apr-11	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		26-Jul-11	0.107	U	0.107	U	0.118		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		28-Oct-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.054	U	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.290		0.190	U	0.190	U	0.190	U	0.190	U			0.190	U	
		13-Apr-12	0.081	U	0.081	U	0.081	U	0.081	U	0.090		0.081		0.081	U	0.081	U			0.110		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				0.081	U	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.120		0.110		0.110		0.110				0.110	U	
		1-Nov-12	0.054	U	0.054	U	0.067		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U	
		1-Feb-13	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U	
		29-Apr-13	0.120		0.110		0.110		0.110		0.130		0.120		0.110		0.110				0.054	U	
		9-Jul-13	0.160		0.140		0.140		0.150		0.120		0.400		0.280		0.310				0.080		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.119		NS		NS		NS				0.088		
		18-Oct-13	0.110	U	0.1																		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sampling Locations																		Ambient Outdoor (AOA-1)							
		Kitchen Storage Room			Cafeteria			Gymnasium			Elevator Hallway			Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234			
		Sample Date	Qual		Qual		Qual	Qual		Qual		Qual		Qual		Qual		Qual					Qual		Qual		
		8-Feb-08	0.900		0.970		2.520		1.890		0.210		0.210		0.210		0.210		0.310		0.210		0.098		0.098	U	
		27-Mar-08	1.330		1.590		3.390		3.240		0.920		1.390		0.828		0.911		0.750		0.100		0.098		0.098	U	
		25-Apr-08	0.998		1.760		11.700		1.640		0.909		0.839		0.911		0.690		0.110		0.175		0.100		0.100	U	
		29-May-08	0.300		0.470		8.320		6.680		0.270		0.960		0.690		0.206		0.110		0.157		0.157		0.157	U	
		27-Jun-08	1.560		0.443		2.120		3.040		0.634		0.246		0.722		0.206		0.142		0.354		0.354		0.354	U	
		31-Jul-08	1.650		1.360		1.380		2.080		0.959		1.940		0.207		0.455		0.464		0.250		0.250		0.250	U	
		28-Aug-08	0.438		1.430		3.690		5.340		0.642		0.461		0.455		0.464		0.250		0.250		0.250		0.250	U	
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.000	U	6.800		2.500	U	2.500	U	2.500	U	9.300		2.500		2.500		2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		2.500	U	
		25-Feb-09	2.500	U	2.500	U	3.900		NS		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500		2.500		2.500	U	
		26-Mar-09	0.942		0.859		1.500		1.300		0.526		0.563		0.737		0.564		0.739		0.142		0.142		0.142	U	
		29-Apr-09	1.520		0.368		1.340		1.200		0.192		0.098		0.108		0.098		0.108		0.142		0.142		0.142	U	
		22-Jul-09	1.010		0.216		1.140		0.339		0.594		0.791		0.889		0.673		0.894		0.123		0.123		0.123	U	
		9-Oct-09	1.240		1.080		1.250		1.460		0.712		0.796		0.702		0.717		0.717		0.123		0.123		0.123	U	
		15-Jan-09	0.609		0.550		0.452		0.521		0.206		0.196		0.216		0.196		0.196		0.196		0.196		0.196	U	
		21-Apr-10	0.393		0.845		4.590		0.643		0.570		0.545		0.427		0.427		0.427		0.476		0.476		0.476	U	
		16-Jul-10	0.354		0.216		0.388		0.344		0.250		0.138		0.511		0.187		0.187		0.108		0.108		0.108	U	
		15-Oct-10	0.319		0.408		0.329		0.211		0.098		0.098		0.319		0.098		0.098		0.098		0.098		0.098	U	
		30-Nov-10	NS		0.334		0.560		NS		NS		NS		0.290		0.290		0.290		NS		NS		NS	U	
		26-Jan-11	1.010		1.120		1.100		1.200		0.780		0.917		0.868		1.030		1.000		1.068		1.068		1.068	U	
		26-Jan-11**	NS		1.900		2.100		NS		NS		2.000		NS		NS		NS		NS		NS		NS	U	
		27-Apr-11	0.138		0.280		2.080		0.255		0.147		0.113		0.172		0.113		0.113		0.128		0.128		0.128	U	
		26-Jul-11	0.575		2.160		1.120		0.285		0.236		0.157		0.290		0.177		0.177		0.123		0.123		0.123	U	
		28-Oct-11	0.340		0.220		0.300		0.290		0.230		0.260		0.310		0.330		0.330		0.098		0.098		0.098	U	
		23-Jan-12	0.660		0.580		0.580		0.710		0.380		1.000		0.340		0.290		0.650		0.470		0.470		0.470	U	
		13-Apr-12	0.400		0.410		0.760		0.480		0.340		0.340		0.290		0.360		0.360		0.240		0.240		0.240	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150		0.150		0.150		0.150		0.150	U	
		20-Jun-12	0.560		1.200		0.910		0.680		0.600		0.470		0.560		0.610		0.610		0.310		0.310		0.310	U	
		1-Nov-12	0.720		0.480		0.310		0.300		0.460		0.650		0.750		0.600		0.600		0.120		0.120		0.120	U	
		1-Feb-13	0.330		0.180		0.170		0.160		0.150																

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Center (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)				
												Qual	Qual	Qual		
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
1,3,5-Trimethylbenzene	9.3	8-Feb-08	0.460		0.450		1.300	0.980		0.100	U	0.100	U	0.100	U	
		27-Mar-08	0.535		0.652		1.620	1.530		0.292	U	0.438	U	0.334	U	
		25-Apr-08	0.367		0.816		7.170	0.802		0.342	U	0.293	U	0.280	U	
		29-May-08	0.170		0.220		4.710	4.050		0.140	U	0.640	U	0.470	U	
		27-Jun-08	0.942		0.232		1.100	1.580		0.385	U	0.102	U	0.387	U	
		31-Jul-08	1.040		0.782		0.671	1.360		0.570	U	1.190	U	0.098	U	
		28-Aug-08	0.170		0.732		1.950	2.990		0.270	U	0.181	U	0.155	U	
		30-Sep-08	2.500	U	2.500	U	2.500	2.500	U	2.500	U	2.500	U	9.300	U	
		27-Oct-08	2.500	U	2.500	U	2.500	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	2.500	U	2.500	U	2.500	U	2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	2.500	U	2.500	U	2.500	U	2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Feb-09	2.500	U	2.500	U	2.500	NS	U	2.500	U	2.500	U	2.500	U	
		26-Mar-09	0.330		0.315		0.678	0.540		0.194	U	0.185	U	0.246	U	
		29-Apr-09	0.098	U	0.192		0.678	0.629		0.098	U	0.098	U	0.098	U	
		22-Jul-09	0.378		0.098	U	0.427	0.138		0.246	U	0.270	U	0.295	U	
		9-Oct-09	0.550		0.452		0.476	0.599		0.255	U	0.265	U	0.221	U	
		15-Jan-10	0.265		0.260		0.192	0.206		0.098	U	0.098	U	0.098	U	
		21-Apr-10	0.118		0.368		2.100	2.600		0.206	U	0.187	U	0.162	U	
		16-Jul-10	0.113		0.098	U	0.138	0.118		0.098	U	0.098	U	0.147	U	
		15-Oct-10	0.128		0.172		0.123	0.098	U	0.098	U	0.098	U	0.098	U	
		30-Nov-10	NS		0.133		0.177	NS		NS	U	0.098	U	NS	U	
		26-Jan-11	0.293		0.326		0.360	0.410		0.260	U	0.267	U	0.292	U	
		26-Jan-11**	NS		0.590		0.700	NS		NS	U	0.630	U	NS	U	
		27-Apr-11	0.098	U	0.128		0.820	0.113		0.098	U	0.098	U	0.098	U	
		26-Jul-11	0.206		0.737		0.393	0.108	U	0.098	U	0.098	U	0.098	U	
		28-Oct-11	0.150	U	0.150	U	0.150	0.150	U	0.150	U	0.150	U	0.150	U	
		23-Jan-12	0.220		0.170	U	0.200	0.230		0.170	U	0.220	U	0.180	U	
		13-Apr-12	0.150	U	0.150	U	0.270	0.170		0.150	U	0.150	U	0.150	U	
		2-Jul-12 resample	NS		NS		NS	NS		NS	U	NS	U	0.150	U	
		20-Jun-12	0.180		0.450		0.340	0.250		0.220	U	0.150	U	0.200	U	
		1-Nov-12	0.220		0.140		0.098	U	0.120		0.140	U	0.190	U	0.220	U
		1-Feb-13	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U
		29-Apr-13	0.250		0.180		0.180	0.180		0.250	U	0.130	U	0.190	U	
		9-Jul-13	0.180		0.150		0.098	U	0.110		0.160	U	0.098	U	0.098	U
		9-Jul-13 RIDEM	NS		NS		NS	NS		0.143	U	NS	U	NS	J	
		18-Oct-13	0.170		0.098	U	0.098	U	0.180		0.290	U	0.098	U	0.420	U
		9-Jan-14	1.100		2.100		0.098	U	0.098		0.098	U	0.098	U	0.098	U
		24-Apr-14	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U
		1-Aug-14	0.130		0.120		0.220	0.290		0.310	U	0.098	U	0.290	U	
		12-Sept-14 resample	NS		NS		NS	NS		NS	U	0.098	U	NS	U	
		22-Oct-14	0.150	U	0.150	U	0.150	0.150	U	0.150	U	0.150	U	0.150	U	
		20-Jan-15	0.098	U	0.110		0.098	U	0.098	U	0.098	U	0.150	U	0.150	U
		30-Mar-15 resample	NS		NS		NS	NS		NS	U	NS	U	0.110	U	
		22-Apr-15	0.130		0.150		0.170	0.140		0.190	U	0.100	U	0.160	U	
		21-Jul-15	0.230 <sup>j</sup>		0.200 <sup>A</sup>	U	0.200	0.300	U	0.300	U	0.300	U	0.200	U	
		23-Sept-15 resample	NS		NS		NS	NS		NS	U	NS	U	NS	U	
		29-Oct-15	0.300	U	0.220 <sup>j</sup>		0.200 <sup>j</sup>	0.300	U	0.300	U	0.300	U	0.200	U	
		4-Dec-15 resample	NS		0.200	U	NS	NS		NS	U	NS	U	NS	U	
		27-Jan-16	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U
		20-Apr-16 <sup>s</sup>	0.098	U	0.098	U	0.098	U	0.098							

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Center (Rm 145)		Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)		
								Qual	Qual				Qual	Qual	
		Sample Date													
Vinyl chloride*	0.1	8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	0.050	U
		27-Mar-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		25-Apr-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	0.050	U
		27-Jun-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	0.051	U
		31-Jul-08	0.050	U	0.050	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		28-Aug-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		30-Sep-08	0.100	U	0.100	U	0.130		0.100	U	0.100	U	0.100	0.100	U
		27-Oct-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	0.100	U
		25-Nov-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	0.100	U
		18-Dec-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	0.100	U
		21-Jan-09	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	0.100	U
		25-Feb-09	0.100	U	0.100	U	0.100	U	NS		0.100	U	0.100	0.100	U
		26-Mar-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		29-Apr-09	0.051	U	0.051	U	1.080	U	0.051	U	0.051	U	0.051	0.051	U
		22-Jul-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		9-Oct-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		15-Jan-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		21-Apr-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		16-Jul-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		15-Oct-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		30-Nov-10	NS		0.051	U	0.051	U	NS		NS	U	0.051	NS	NS
		26-Jan-11	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	0.087	U
		26-Jan-11**	NS		0.130	U	0.130	U	NS		NS	U	0.130	NS	NS
		27-Apr-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		26-Jul-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		28-Oct-11	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	0.026	U
		23-Jan-12	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	0.090	U
		13-Apr-12	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	0.100	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		0.038	U	0.038
		20-Jun-12	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		1-Nov-12	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	0.026	U
		1-Feb-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	0.026	U
		29-Apr-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	0.026	U
		9-Jul-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	0.026	U
		9-Jul-13 RIDEM	NS		NS		NS		0.001	J	NS		NS	NS	J
		18-Oct-13	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		9-Jan-14	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	0.051	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	0.026	U
		1-Aug-14	0.051	U	0.051	U	0.077	U	0.051	U	0.051	U	0.051	0.051	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		0.026	NS	NS
		22-Oct-14	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	0.038	U
		20-Jan-15	0.026 ^	U	0.026 ^	U	0.026 ^	U	0.026 ^	U	0.026 ^	U	0.026 ^	0.038 ^	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		0.029	NS	NS
		22-Apr-15	0.026	U	0.026	U	0.026 ^	U	0.026	U	0.026	U	0.026	0.026	U
		21-Jul-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS	NS	NS
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	0.200	U
		4-Dec-15 resample	NS		0.100	U	NS		NS		NS		NS	NS	NS
		27-Jan-16	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	0.026	

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Indoor Air Sampling Data Summary																Ambient Outdoor (AOA-1)									
		Kitchen Storage Room				Cafeteria				Gymnasium				Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
p/m-Xylene	220.0	8-Feb-08	0.710		0.660		2.110		1.460		0.550		0.450		0.390		0.420								0.580		
		27-Mar-08	2.460		2.080		3.510		2.960		2.620		2.890		1.810		1.910								0.269		
		25-Apr-08	2.220		1.870		8.240		5.110		2.170		1.960		2.080		2.150		1.850						0.205		
		29-May-08	0.350		0.290		5.110		2.260		0.290		0.410		0.340		0.250								0.170	U	
		27-Jun-08	1.060		1.080		3.280		3.000		1.250		0.994		2.160		0.926								0.795		
		31-Jul-08	1.360		1.160		3.330		1.140		1.140		1.370		0.656		0.488								0.656		
		28-Aug-08	2.130		3.220		8.690		8.200		1.910		2.190		2.280		1.960								2.240		
		30-Sep-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	22.000								4.300	U	
		27-Oct-08	4.300	U	4.300	U	4.300	U	5.000		4.300	U	4.300	U	4.300	U	4.300	U	4.700							4.700	
		25-Nov-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U	
		18-Dec-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U	
		21-Jan-09	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U	
		25-Feb-09	4.300	U	4.300	U	15.000		NS		4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U	
		26-Mar-09	3.080		2.850		4.530		4.340		1.580		1.990		2.340		1.870								2.310		
		29-Apr-09	0.456		0.733		0.534		1.950		0.477		0.308		0.312		0.347								0.442		
		22-Jul-09	0.920		0.577		2.680		0.824		1.560		2.070		2.510		1.720								3.510		
		9-Oct-09	2.610		2.240		3.360		3.190		2.200		2.090		1.960		1.910								2.290		
		15-Jan-10	1.080		0.915		1.040		0.946		0.724		0.603		0.672		0.607								0.672		
		21-Apr-10	1.200		2.000		4.380		1.610		1.800		1.670		1.430		1.350								0.174	U	
		16-Jul-10	0.868		0.568		1.290		1.120		1.290		0.729		1.890		0.694								0.330		
		15-Oct-10	0.642		0.972		1.340		0.408		0.299		0.174		0.468		0.174								0.317		
		30-Nov-10	NS		0.620		1.000		NS		NS		NS		0.230		NS								NS		
		26-Jan-11	2.810		2.600		2.910		3.320		2.590		2.790		2.540		3.450		2.700		1.010				3.480		
		26-Jan-11**	NS		4.300		5.100		NS		NS		NS		4.900		NS								NS		
		27-Apr-11	0.295		0.412		2.030		0.642		3.020		0.260		0.412		0.191								0.256		
		26-Jul-11	1.240		3.650		2.630		3.670		0.799		0.816		0.864		0.486								0.404		
		28-Oct-11	2.400		1.100		1.400		0.750		1.300		1.700		1.900		1.500								0.480		
		23-Jan-12	1.600		1.300		1.300		1.500		1.300		1.400		1.400		1.500								1.500		
		13-Apr-12	0.810		0.690		0.810		0.660		0.670		0.740		0.640		0.520								0.350	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.260		U						0.260	U	
		20-Jun-12	1.200		1.300		1.200		1.400		1.300		1.200		1.400		1.400								0.770		
		1-Nov-12	2.300		1.300		0.960		1.400		1.300		2.100		2.500		1.800								0.340		
		1-Feb-13	0.270		0.210		0.220		0.230		0.220		0.210		0.510		0.210								0.400		
		29-Apr-13	1.700		1.300		1.300		1.300		1.200		1.200		2.400		1.200								0.320		
		9-Jul-13	0.910		0.																						

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
o-Xylene	220.0	8-Feb-08	0.280		0.270		0.870		0.610		0.210		0.170		0.150		0.160				0.200		
		27-Mar-08	0.762		0.718		1.340		1.120		0.920		1.060		0.640		0.668				0.087	U	
		25-Apr-08	0.824		0.724		3.480		0.821		0.750		0.770		0.786		0.680				0.087	U	
		29-May-08	0.130		0.120		2.080		1.000		0.110		0.180		0.150		0.090				0.090	U	
		27-Jun-08	0.463		0.393		1.030		1.030		0.485		0.358		0.833		0.339				0.332		
		31-Jul-08	0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207				0.246		
		28-Aug-08	0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702				0.832		
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.600				2.200	U	
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		25-Feb-09	2.200	U	2.200	U	2.600		NS		2.200	U	2.200	U	2.200	U	2.200	U			2.200	U	
		26-Mar-09	1.080		0.798		1.090		1.020		0.551		0.718		0.824		0.651				0.826		
		29-Apr-09	0.143		0.186		0.085		U		0.442		0.165		0.100		0.104				0.156		
		22-Jul-09	0.347		0.195		0.690		0.247		0.555		0.742		0.911		0.590				1.240		
		9-Oct-09	0.850		0.724		0.954		0.920		0.764		0.764		0.720		0.698				0.759		
		15-Jan-10	0.404		0.321		0.356		0.338		0.273		0.230		0.256		0.230				0.273		
		21-Apr-10	0.425		0.686		1.260		0.577		0.629		0.603		0.564		0.482				0.087	U	
		16-Jul-10	0.273		0.186		0.312		0.304		503		0.200		0.703		0.230				0.126		
		15-Oct-10	0.186		0.265		0.347		U		0.130		0.087		2.000		0.087				0.104		
		30-Nov-10	NS		0.226		0.325		NS		NS		NS		0.091		NS				NS		
		26-Jan-11	1.000		0.981		1.020		1.150		0.948		1.030		0.922		1.270		1.000		0.392		
		26-Jan-11**	NS		1.600		1.900		NS		NS		1.900		NS		NS				NS		
		27-Apr-11	0.133		0.134		0.616		0.208		0.824		0.091		0.152		0.080		U		0.095		
		26-Jul-11	0.439		1.520		0.643		2.210		0.295		0.395		0.308		0.165				0.139		
		28-Oct-11	0.810		0.360		0.440		0.260		0.450		0.550		0.660		0.470				0.180		
		23-Jan-12	0.630		0.520		0.530		0.620		0.530		0.580		0.580		0.600				0.590		
		13-Apr-12	0.320		0.270		0.320		0.270		0.280		0.300		0.270		0.220				0.200		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130		U		0.130	U	
		20-Jun-12	0.470		0.056		0.430		0.580		0.490		0.460		0.530		0.510				0.280		
		1-Nov-12	0.860		0.480		0.350		0.510		0.480		0.780		0.930		0.710				0.140		
		1-Feb-13	0.110		0.089		0.087		U		0.087		0.090		0.220		0.087		U		0.140		
		29-Apr-13	0.590		0.460		0.460		0.450		0.450		0.330		0.910		0.430				0.120		
		9-Jul-13	0.350		0.320		0.300		0.350		0.340		0.300		0.330		0.310				0.290		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.405		NS		NS		NS				0.330		
		18-Oct-13	0.660		0.100		0.100		0.500		0.770		0.110		1.300		0.850				0.460		
		9-Jan-14	4.000		6.100		0.160		0.160		0.160		0.160		0.330		0.190				0.140		

**Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds**  
**February 2008 - November 2019**

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Center (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)			
			[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]	[Qual]			
* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.																
**- Analyzed by Con-Test Analytical Laboratory																
<sup>1</sup> Elevated Data is a result of inadvertent cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detected by the laboratory (MDL = 0.14 ug/m <sup>3</sup> ).																
<sup>2</sup> Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion.																
<sup>3</sup> : All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.																
<sup>4</sup> All samples collected on 17 April 2017 except for the Kitchen Storage Room, which was collected on 25 April 2017 due to inaccessibility of the room during spring break.																
<sup>A</sup> Summa canister had low pressure upon beginning sample collection, possible interference. Re-sampling effort on 25 April 2008 indicates no exceedances of applicable Acetone and Tetrachloroethylene Action Levels.																
<sup>B</sup> Analyte found in associated blank as well as the sample but not expected to affect data due to sample concentration >10x concentration found in blank.																
<sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.																
<sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.																
<sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.																
<sup>W</sup> Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.																
<sup>J</sup> Estimated result as the result was between the MDL and the RDL.																
<sup>I</sup> Initial calibration verification did not meet standard. Reported value is likely to be biased on the high side.																
<sup>D</sup> Elevated method detection limits due to failure of Con-test internal standards. Applies to Ambient Outdoor Air sample.																
NOTES:																
All data presented in micrograms per cubic meter (ug/m <sup>3</sup> ).																
Two values displayed with a slash indicates dilutions resulting in two different concentrations																
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.																
NS = Not sampled.																
None = No Draft Proposed CT Residential TAC for this compound.																
[Yellow Box] = exceedance of interim RIDEM-approved action level																

## **APPENDIX C**

### **Subslab Vapor Analytical Summary**

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	17.2	NS	NS	4.75	U	NS	NS	5.62	11.4	NS
	27-Mar-08	NS	28.7	NS	NS	NS	NS	NS	NS	217	12.4
	25-Apr-08	NS	NS	188	NS	NS	513	34	NS	33.9	
	29-May-08	NS	NS	NS	40.9	NS	NS	92	9.82	16.4	NS
	27-Jun-08	107	NS	NS	145	NS	NS	NS	NS	20.4	9.73
	31-Jul-08	NS	101	NS	NS	NS	NS	NS	14.4	NS	18.1
	28-Aug-08	NS	NS	1130	NS	NS	30.9	NS	46	47.8	NS
	30-Sep-08	NS	NS	NS	32.8	NS	NS	44.1	NS	9.4	12.8
	27-Oct-08	19.6	NS	NS	15	NS	NS	NS	17.9	NS	33.3
	25-Nov-08	NS	148	NS	NS	183	NS	NS	13	24.7	NS
	18-Dec-08	NS	NS	856	NS	NS	10.4	NS	NS	37.2	22
	21-Jan-09	NS	NS	NS	19.1	NS	NS	6.1	2.4	U	4.8
	25-Feb-09	28.6	NS	NS	60.9	NS	NS	NS	9.5	8.3	NS
	26-Mar-09	NS	102	NS	NS	47.5	U	NS	NS	50.6	64.8
	29-Apr-09	NS	NS	1980	NS	NS	23.3	NS	5.15	NS	22.1
	22-Jul-09	58.5	NS	58.5	148	NS	87.8	NS	96	88.1	NS
	9-Oct-09	NS	25.7	NS	NS	49.7	NS	9.2	11100	6.51	NS
	15-Jan-10	33.6	NS	90.9	22.8	NS	26.3	NS	12.5	11.2	NS
	21-Apr-10	NS	21.9	NS	206	NS	263	2870	72.8	NS	73.4
	16-Jul-10	654	NS	4800	202	NS	11400	NS	8.34	21.1	NS
	15-Oct-10	NS	11.3	NS	NS	26	NS	10.2	18.3	7.03	21.2
	26-Jan-11	114	26.8	NS	54.4	NS	34.4	NS	35.4	25.3	33.3
	28-Feb-11	NS	NS	80.8	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	106	NS	NS	255	NS	220	227	17.8	NS
	26-Jul-11	76.2	NS	120	154	NS	2730	NS	NS	12.8	23.8
	28-Oct-11	NS	48	U	NS	48	U	48	U	51	48
	23-Jan-12	37	NS	36	19	NS	28	NS	NS	38	29
	13-Apr-12	NS	32	NS	NS	70	NS	32	83	54	43
Acetone	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	21	NS	30	370	NS	1600	NS	NS	43	21
	1-Nov-12	NS	41	NS	NS	52	NS	75	44	35	43
	1-Feb-13	17	NS	12	25	NS	36	NS	NS	16	12
	29-Apr-13	NS	45	NS	NS	100	NS	68	62	33	43
	9-Jul-13	100	NS	170	130	NS	260	NS	NS	80	15
	18-Oct-13	NS	43	NS	NS	61	NS	47	57	48	NS
	9-Jan-14	250	NS	16	25	NS	11	NS	NS	24	33
	24-Apr-14	NS	18	NS	NS	13	NS	41	15	42	30
	1-Aug-14	31 <sup>M</sup>	NS	110/99 <sup>ME</sup>	110/100 <sup>ME</sup>	NS	NS	NS	31 <sup>M</sup>	57/50 <sup>ME</sup>	NS
	27-Aug-14	NS	NS	NS	NS	NS	210 <sup>E</sup> /130	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	15	NS	NS	NS
	22-Oct-14	NS	31	NS	NS	14	5.3	17	3.8	40	19
	20-Jan-15	14	NS	23	23	NS	16	NS	39	72	NS
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	45	NS
	22-Apr-15	NS	87 <sup>v</sup>	NS	NS	1.9 <sup>v</sup>	U	43	55 <sup>L,V/68</sup>	42	49
	21-Jul-15	12	NS	22	20	NS	9.2	NS	NS	42 <sup>o</sup>	11 <sup>o</sup>
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	5.0	NS	NS	NS
	29-Oct-15	NS	4.5	NS	NS	20	NS	11	9.2	11	22
4-Dec-15 resample	NS	1.9	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	8.4	NS	9.2	7.2	NS	8.6	NS	NS	49	22
	20-Apr-16	NS	7.3	NS	NS	8.4	NS	11	11	35	21
	20-Jul-16	37	NS	56	44	NS	35	NS	NS	70	51
	21-Oct-16	NS	17	NS	NS	25	NS	22	12	29	52
	31-Jan-17	7.4 <sup>L,V</sup>	NS <sup>L,V</sup>	8.9 <sup>L,V</sup>	5.9 <sup>L,V</sup>	NS	6.7 <sup>L,V</sup>	NS	NS	21 <sup>L,V</sup>	20 <sup>L,V</sup>
	17-Apr-17	NS	7	NS	NS	17	NS	13	7.5	33	49
	26-Jul-17	19	NS	15	17	NS	11	NS	NS	18	16
	12-Oct-17	NS	32	NS	NS	20	NS	52	29	22	NS
	10-Jan-18	39	NS	17	8.1	NS	14	NS	NS	26	28
	11-Apr-18	NS	34	NS	NS	26	NS	36	63	38	40
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	19
	27-Jul-18	73	NS	110	130	NS	77	NS	NS	83	63
	24-Oct-18	NS	13	NS	13	NS	16	21	30	NS	35
	16-Jan-19	33	NS	6.9	6.1	NS	6.8	NS	NS	14	21
	12-Apr-19	NS	8.8	NS	17	NS	9.2	7.7	25	NS	51
	29-Jul-19	130 <sup>E</sup>	NS	92 <sup>E</sup>	130 <sup>E</sup>	NS	110 <sup>E</sup>	NS	NS	75 <sup>E</sup>	65 <sup>E</sup>
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	68	NS
	29-Oct-19	NS	9.8	NS	NS	12	NS	6	12	35 <sup>D</sup>	24 <sup>D</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Acrylonitrile	8-Feb-08	1.08	U	NS	NS	NS	1.08	U	NS	NS	1.08	U
	27-Mar-08	NS	1.08	U	NS	NS	NS	NS	NS	NS	1.08	U
	25-Apr-08	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08
	29-May-08	NS	NS	NS	U	1.08	NS	NS	1.08	U	1.08	U
	27-Jun-08	1.69	U	NS	NS	NS	1.08	U	NS	NS	1.08	U
	31-Jul-08	NS	1.08	U	NS	NS	NS	NS	NS	1.08	U	1.08
	28-Aug-08	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	NS
	30-Sep-08	NS	NS	NS	U	2.2	U	NS	NS	2.2	U	2.2
	27-Oct-08	2.2	U	NS	NS	NS	2.2	U	NS	2.2	U	2.2
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U	NS
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U
	21-Jan-09	NS	NS	NS	U	2.2	U	NS	NS	2.2	U	2.2
	25-Feb-09	2.2	U	NS	NS	NS	2.2	U	NS	2.2	U	NS
	26-Mar-09	NS	5.42	U	NS	NS	10.8	U	NS	NS	1.08	U
	29-Apr-09	NS	NS	1.08	U	NS	NS	1.08	U	NS	1.08	U
	22-Jul-09	5.42	U	NS	5.42	U	10.8	U	NS	NS	1.08	U
	9-Oct-09	NS	0.051	U	NS	NS	1.08	U	NS	226	U	1.08
	15-Jan-10	1.08	U	NS	1.08	U	1.08	U	NS	NS	1.08	U
	21-Apr-10	NS	1.08	U	NS	NS	5.42	U	NS	5.42	U	1.08
	16-Jul-10	1.08	U	NS	1.08	U	NS	8.19	U	NS	1.08	U
	15-Oct-10	NS	0.108	U	NS	NS	1.08	U	NS	1.08	U	1.08
	26-Jan-11	10.8	U	1.08	U	NS	1.08	U	5.42	U	NS	5.42
	28-Feb-11	NS	NS	10.8	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.08	U	NS	NS	1.08	U	NS	1.08	U	1.08
	26-Jul-11	3.62	U	NS	3.62	U	1.08	U	5.42	U	NS	5.42
	28-Oct-11	NS	6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2
	23-Jan-12	1.2	U	NS	1.2	U	1.2	U	NS	NS	1.2	U
	13-Apr-12	NS	1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2
	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	NS	NS	NS	6.2	U
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	NS	NS	1.2	U
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	29-Apr-13	NS	0.62	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	18-Oct-13	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	24-Apr-14	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.37
	1-Aug-14	0.25	U	NS	0.37	U	0.37	U	NS	NS	0.25	U
	27-Aug-14	NS	NS	NS	NS	NS	0.25	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.37 L <sup>v</sup>	U	NS
	22-Oct-14	NS	0.37 L <sup>v</sup>	U	NS	NS	0.37 L <sup>v</sup>	U	NS	0.37 L <sup>v</sup>	U	0.50 L <sup>v</sup>
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.37	U	0.25
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.28	U
	22-Apr-15	NS	0.26 L <sup>v</sup>	U	NS	NS	0.25 L <sup>v</sup>	U	NS	0.50	U	0.29 L <sup>v</sup>
	21-Jul-15	0.1	U	NS	0.4	U	2	U	NS	0.1	U	0.1
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.1	U	NS
	29-Oct-15	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	0.1
	4-Dec-15 resample	NS	0.1	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	20-Apr-16	NS	0.25	U	NS	NS	0.25	U	NS	NS	0.25	U
	20-Jul-16	1.3	U	NS	1.3 MW	1.3	U	1.3	U	NS	1.3	U
	21-Oct-16	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	17-Apr-17	NS	0.38	U	NS	NS	0.38	U	NS	0.38	U	0.38
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	12-Oct-17	NS	0.25	U	NS	NS	0.25	U	NS	0.76	U	0.63
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	NS	0.63	U	0.71
	11-Apr-18	NS	0.25	U	NS	NS	2.5	U	NS	0.76	U	0.25
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5
	27-Jul-18	1.3	U	NS	1.3	U	1.3	U	NS	NS	1.3	U
	24-Oct-18	NS	1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	NS	NS	0.25	U
	12-Apr-19	NS	0.25	U	NS	0.25	U	0.25	U	0.31	U	0.38
	29-Jul-19	0.38	U	NS	0.38	U	0.25	U	NS	NS	0.38	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.38
	29-Oct-19	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	1.3 <sup>b</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Benzene	8-Feb-08	0.92	NS	NS	NS	0.98	NS	NS	0.54	0.85	NS
	27-Mar-08	NS	0.54	NS	NS	0.462	NS	NS	NS	0.788	0.635
	25-Apr-08	NS	NS	0.584	NS	NS	0.745	NS	0.428	NS	0.536
	29-May-08	NS	NS	NS	0.73	NS	NS	1.03	1.12	0.61	NS
	27-Jun-08	0.626	NS	NS	NS	0.468	NS	NS	NS	0.499	0.399
	31-Jul-08	NS	0.418	NS	NS	NS	NS	NS	0.358	NS	0.265
	28-Aug-08	NS	NS	1.02	NS	NS	0.537	NS	0.815	0.692	NS
	30-Sep-08	NS	NS	NS	1.6	U	NS	1.6	U	1.6	U
	27-Oct-08	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6
	25-Nov-08	NS	1.6	U	NS	1.6	U	NS	1.6	U	NS
	18-Dec-08	NS	NS	1.6	U	NS	1.6	U	NS	1.6	U
	21-Jan-09	NS	NS	NS	1.6	U	NS	1.6	U	NS	1.6
	25-Feb-09	1.6	U	NS	NS	1.6	U	NS	1.6	U	NS
	26-Mar-09	NS	2.1	NS	NS	2.23	U	NS	NS	0.945	1.48
	29-Apr-09	NS	NS	0.603	NS	NS	0.246	NS	0.223	U	0.367
	22-Jul-09	1.12	U	NS	56	2.23	U	NS	4.27	U	0.629
	9-Oct-09	NS	1.15	NS	NS	0.974	NS	0.431	46.6	U	0.824
	15-Jan-10	0.763	NS	0.887	0.98	NS	1.26	NS	0.964	NS	0.964
	21-Apr-10	NS	0.373	NS	NS	0.16	U	NS	1.61	0.635	1.26
	16-Jul-10	0.332	NS	1.53	0.689	NS	2.41	U	NS	0.319	U
	15-Oct-10	NS	0.319	U	NS	0.319	U	NS	0.319	U	NS
	26-Jan-11	3.19	U	2.49	NS	2.46	NS	1.6	U	1.85	1.9
	28-Feb-11	NS	NS	3.19	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.319	U	NS	0.319	U	NS	0.354	U	0.319
	26-Jul-11	1.06	U	NS	1.06	U	0.434	NS	NS	0.319	U
	28-Oct-11	NS	1.6	U	NS	1.6	U	NS	1.6	U	1.6
	23-Jan-12	0.84	NS	1.2	0.98	NS	0.81	NS	1.4	U	1.5
	13-Apr-12	NS	0.32	U	NS	0.32	U	NS	0.32	U	0.32
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.6	U
	23-Jun-12	0.45	NS	0.61	0.88	NS	0.43	NS	NS	0.42	NS
	1-Nov-12	NS	0.45	NS	NS	0.43	NS	0.49	0.56	0.61	1
	1-Feb-13	0.33	NS	0.45	0.47	NS	0.35	NS	0.45	0.46	NS
	29-Apr-13	NS	0.41	NS	NS	0.38	NS	0.41	0.47	0.63	0.67
	9-Jul-13	0.64	NS	0.93	0.76	NS	0.70	NS	NS	0.65	0.42
	18-Oct-13	NS	0.66	NS	NS	0.63	NS	0.86	1.0	0.28	NS
	9-Jan-14	1.2	NS	1.1	0.97	NS	1.1	NS	NS	1.5	NS
	24-Apr-14	NS	0.3	NS	NS	0.22	NS	0.32	0.23	0.39	0.34
	1-Aug-14	0.49	NS	0.79/0.76	0.68/0.69	NS	NS	NS	0.34	0.43	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.69	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.43	NS	U
	22-Oct-14	NS	0.28	NS	NS	0.21	0.19	0.34	0.14	0.36	0.32
	20-Jan-15	0.42	NS	0.33	0.45	NS	0.31	NS	NS	0.63	0.46
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.41	NS
	22-Apr-15	NS	0.48	NS	NS	0.35	NS	0.46	0.57/0.60	0.84	0.93
	21-Jul-15	0.35	NS	0.520 <sup>j</sup>	3	U	0.29	NS	NS	0.29 <sup>o</sup>	0.41 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.28	NS	NS	NS
	29-Oct-15	NS	0.15 <sup>j</sup>	NS	NS	0.19	NS	0.26 <sup>j</sup>	0.27	0.24	0.23
	4-Dec-15 resample	NS	0.11 <sup>j</sup>	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.32	NS	0.5	0.53	NS	0.43	NS	NS	0.72	0.69
	20-Apr-16	NS	0.21	NS	NS	0.27	NS	0.27	0.32	0.73	0.47
	20-Jul-16	0.32	U	NS	0.7	0.41	NS	0.68	NS	0.43	0.85
	21-Oct-16	NS	0.35	NS	NS	0.84	NS	0.58	1.3	0.39	NS
	31-Jan-17	0.24	NS	0.43	0.37	NS	0.37	NS	0.66	0.49	NS
	17-Apr-17	NS	0.25	NS	NS	0.26	NS	0.24	0.33	0.29	0.39
	26-Jul-17	0.2	NS	0.41	0.36	NS	0.37	NS	NS	0.4	NS
	12-Oct-17	NS	0.18	NS	NS	0.17	NS	0.23	0.4	0.37	0.32
	10-Jan-18	0.26	NS	0.46	0.46	NS	0.44	NS	NS	0.73	0.35
	11-Apr-18	NS	0.36	NS	NS	0.64	U	0.64	0.64	0.99	0.81
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jul-18	0.32	U	NS	0.6	0.39	NS	0.43	NS	0.37	0.38
	24-Oct-18	NS	0.32	U	NS	0.32	U	NS	0.32	U	0.47
	16-Jan-19	0.55	NS	0.5	0.64	NS	0.48	NS	NS	1	0.75
	12-Apr-19	NS	0.44	NS	NS	0.37	NS	0.18	0.71	0.67	0.54
	29-Jul-19	0.6	NS	0.73	0.88	NS	1.3	NS	NS	0.34	1.1
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-19	NS	0.29	NS	NS	0.28	NS	0.25	0.37	0.42 <sup>D</sup>	0.54 <sup>D</sup>

### Summary of Subslab Air Sampling Data

Alvarez School

#### Volatile Organic Compounds

February 2008 - October 2019

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.13	U	NS	NS	NS	0.13	U	NS	NS	0.13	U
	27-Mar-08	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U
	25-Apr-08	NS	NS	0.134	U	NS	NS	0.134	U	0.134	U	0.134
	29-May-08	NS	NS	NS	0.13	U	NS	NS	0.13	U	0.13	U
	27-Jun-08	0.209	U	NS	NS	NS	0.134	U	NS	NS	0.134	U
	31-Jul-08	NS	0.134	U	NS	NS	NS	NS	NS	NS	NS	0.134
	28-Aug-08	NS	NS	0.134	U	NS	0.52	NS	NS	0.134	U	0.134
	30-Sep-08	NS	NS	NS	NS	NS	1.07	NS	NS	0.13	U	0.23
	27-Oct-08	0.13	U	NS	NS	NS	NS	NS	NS	NS	0.13	U
	25-Nov-08	NS	0.13	U	NS	NS	0.13	U	NS	NS	3	NS
	18-Dec-08	NS	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U
	21-Jan-09	NS	NS	NS	0.13	U	NS	NS	0.13	U	NS	0.13
	25-Feb-09	0.13	U	NS	NS	NS	0.13	U	NS	NS	0.13	U
	26-Mar-09	NS	0.67	U	NS	NS	1.34	U	NS	NS	0.134	U
	29-Apr-09	NS	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U
	22-Jul-09	0.67	U	NS	27.3	U	1.34	U	NS	NS	0.134	U
	9-Oct-09	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	15-Jan-10	0.134	U	NS	0.134	U	0.134	U	NS	NS	0.134	U
	21-Apr-10	NS	0.134	U	NS	NS	0.67	U	NS	0.67	U	0.134
	16-Jul-10	0.134	U	NS	0.134	U	0.134	U	1.01	U	NS	0.134
	15-Oct-10	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	26-Jan-11	1.34	U	0.134	U	NS	0.134	U	NS	0.67	U	0.67
	28-Feb-11	NS	NS	1.34	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.134	U	NS	NS	0.134	U	NS	0.134	U	0.134
	26-Jul-11	0.447	U	NS	0.447	U	0.134	U	0.67	U	0.134	U
	28-Oct-11	NS	3.4	U	NS	NS	3.4	U	NS	3.4	U	3.4
	23-Jan-12	0.67	U	NS	0.67	U	0.67	U	NS	0.67	U	0.67
	13-Apr-12	NS	0.34	U	NS	NS	0.34	U	NS	0.34	U	0.34
Bromodichloromethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.7	U
	23-Jun-12	0.67	U	NS	0.67	U	0.67	U	NS	0.67	U	NS
	1-Nov-12	NS	0.067	U	NS	NS	0.067	U	NS	0.067	U	0.067
	1-Feb-13	0.067	U	NS	0.067	U	0.067	U	NS	0.067	U	0.067
	29-Apr-13	NS	0.16	U	NS	NS	0.067	U	NS	0.067	U	0.067
	9-Jul-13	0.1	U	NS	0.067	U	0.067	U	NS	0.067	U	0.23
	18-Oct-13	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U	0.13
	9-Jan-14	0.13	U	NS	0.13	U	0.13	U	NS	0.13	U	0.13
	24-Apr-14	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U	0.20
	1-Aug-14	0.13	U	NS	0.20	U	0.20	U	NS	NS	0.13	U
	27-Aug-14	NS	NS	NS	NS	NS	0.067	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.1	NS	NS
	22-Oct-14	NS	0.10	U	NS	NS	0.10	U	0.10	U	0.10	U
	20-Jan-15	0.067	U	NS	0.067	U	0.067	U	NS	0.1	U	0.067
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.075	U
	22-Apr-15	NS	0.069	U	NS	NS	0.067	U	NS	0.067	U	0.077
	21-Jul-15	0.3	U	NS	NS	U	7	U	0.4	U	0.30°	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.3	NS	NS
	29-Oct-15	NS	0.4	U	NS	NS	0.4	U	NS	0.6	U	0.3
	4-Dec-15 resample	NS	0.3	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.067	U	NS	0.067	U	0.067	U	NS	NS	0.067	U
	20-Apr-16	NS	0.067	U	NS	NS	0.83	NS	0.067	U	0.067	U
	20-Jul-16	0.34	U	NS	0.34	U	0.34	U	0.38	NS	0.43	U
	21-Oct-16	NS	0.067	U	NS	NS	0.067	U	NS	0.067	U	0.067
	31-Jan-17	0.067	U	NS	0.067	U	0.067	U	NS	NS	0.067	U
	17-Apr-17	NS	0.10	U	NS	NS	0.10	U	NS	0.10	U	0.1
	26-Jul-17	0.067	U	NS	0.067	U	0.067	U	NS	NS	0.067	U
	12-Oct-17	NS	0.067	U	NS	NS	0.067	U	NS	0.2	U	0.17
	10-Jan-18	0.067	U	NS	0.067	U	0.067	U	NS	0.17	U	0.19
	11-Apr-18	NS	0.13	U	NS	NS	1.3	U	NS	NS	0.13	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.1	NS
	27-Jul-18	0.34	U	NS	0.34	U	0.34	U	NS	0.34	U	0.34
	24-Oct-18	NS	0.34	U	NS	NS	0.34	U	NS	0.34	U	0.34
	16-Jan-19	0.067	U	NS	0.067	U	0.067	U	NS	0.067	U	0.067
	12-Apr-19	NS	0.067	U	NS	NS	0.067	U	NS	0.084	U	0.1
	29-Jul-19	0.1	U	NS	0.1	U	0.067	U	NS	NS	0.067	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.10	U
	29-Oct-19	NS	0.067	U	NS	NS	0.067	U	NS	0.067	U	0.34°

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.21	U	NS	NS	NS	0.21	U	NS	NS	0.21	U
	27-Mar-08	NS	0.206	U	NS	NS	0.206	U	NS	NS	0.206	U
	25-Apr-08	NS	NS	0.206	U	NS	NS	0.206	U	0.206	U	0.206
	29-May-08	NS	NS	NS	0.21	U	NS	NS	0.21	U	0.21	U
	27-Jun-08	0.322	U	NS	NS	NS	0.206	U	NS	NS	0.206	U
	31-Jul-08	NS	0.206	U	NS	NS	NS	NS	NS	NS	0.206	U
	28-Aug-08	NS	NS	0.206	U	NS	NS	0.206	U	0.206	U	NS
	30-Sep-08	NS	NS	0.41	U	NS	NS	0.41	U	NS	0.41	U
	27-Oct-08	0.41	U	NS	NS	NS	0.41	U	NS	NS	0.41	U
	25-Nov-08	NS	0.14	U	NS	NS	0.41	U	NS	NS	0.41	U
	18-Dec-08	NS	NS	0.41	U	NS	NS	0.41	U	NS	0.41	U
	21-Jan-09	NS	NS	0.41	U	NS	NS	0.41	U	0.41	U	0.41
	25-Feb-09	0.41	U	NS	NS	0.14	U	NS	NS	0.41	U	NS
	26-Mar-09	NS	1.03	U	NS	NS	2.06	U	NS	NS	0.206	U
	29-Apr-09	NS	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U
	22-Jul-09	1.03	U	NS	42	U	2.06	U	NS	NS	0.206	U
	9-Oct-09	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U	0.206
	15-Jan-10	0.206	U	NS	0.206	U	0.206	U	NS	0.206	U	NS
	21-Apr-10	NS	0.206	U	NS	NS	1.03	U	NS	1.03	U	0.206
	16-Jul-10	0.206	U	NS	0.206	U	0.206	U	1.56	U	0.206	U
	15-Oct-10	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U	NS
	26-Jan-11	2.06	U	0.206	U	NS	0.206	U	1.03	U	0.206	U
	28-Feb-11	NS	NS	2.06	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.206	U	NS	NS	0.206	U	NS	0.206	U	0.206
	26-Jul-11	0.69	U	NS	0.69	U	0.207	U	NS	1.03	U	0.207
	28-Oct-11	NS	5.2	U	NS	NS	5.2	U	NS	5.2	U	5.2
	23-Jan-12	1	U	NS	1	U	1	U	NS	1	U	1
	13-Apr-12	NS	1	U	NS	NS	1	U	NS	1	U	1
Bromoform	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.2	U
	23-Jun-12	1	U	NS	1	U	NS	1	U	1	U	NS
	1-Nov-12	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	1-Feb-13	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	NS
	29-Apr-13	NS	0.52	U	NS	NS	0.21	U	NS	0.21	U	0.21
	9-Jul-13	0.31	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	18-Oct-13	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	NS
	9-Jan-14	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	0.21
	24-Apr-14	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.31
	1-Aug-14	0.21	U	NS	0.31	U	0.31	U	NS	0.21	U	NS
2019 Resamples	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.13	U	NS
	22-Oct-14	NS	0.31	U	NS	NS	0.31	U	NS	0.31	U	0.41
	20-Jan-15	0.21	U	NS	0.21	U	0.21	U	NS	0.31	U	0.21
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.23	U
	22-Apr-15	NS	0.21	U	NS	NS	0.21	U	NS	0.03	U	0.21
	21-Jul-15	0.5	U	NS	2	U	10	U	NS	0.50 <sup>o</sup>	U	0.60 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.5	U	NS
	29-Oct-15	NS	0.6	U	NS	NS	0.6	U	NS	0.9	U	0.5
	4-Dec-15 resample	NS	0.5	U	NS	NS	NS	NS	NS	NS	NS	NS
2020-2021 Resamples	27-Jan-16	0.21	U	NS	0.21	U	0.21	U	NS	NS	0.21	U
	20-Apr-16	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	20-Jul-16	1.0	U	NS	1.0	U	1.0	U	NS	1.0	U	1.0
	21-Oct-16	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	0.21
	31-Jan-17	0.21	U	NS	0.21	U	0.21	U	NS	0.21	U	NS
	17-Apr-17	NS	0.310	U	NS	NS	0.310	U	NS	0.310	U	0.310
	26-Jul-17	0.21	U	NS	0.21	U	0.21	U	NS	0.210	U	0.21
	12-Oct-17	NS	0.21	U	NS	NS	0.21	U	NS	0.590	U	0.52
	10-Jan-18	0.21	U	NS	0.21	U	0.21	U	NS	0.210	U	0.21
	11-Apr-18	NS	0.21	U	NS	NS	2.1 <sup>D</sup>	U	NS	2.1 <sup>D</sup>	U	2.1 <sup>D</sup>
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.31	U
	27-Jul-18	1.0	U	NS	1.0	U	1.0	U	NS	1.0	U	NS
	24-Oct-18	NS	1	U	NS	NS	1	U	NS	1	U	1
	16-Jan-19	0.2	U	NS	0.2	U	0.2	U	NS	0.2	U	0.2
	12-Apr-19	NS	0.1	U	NS	NS	0.1	U	NS	0.16	U	0.16
	29-Jul-19	0.31	U	NS	0.31	U	0.21	U	NS	0.21	U	3.1
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.31	U
	29-Oct-19	NS	0.21	U	NS	NS	0.21	U	NS	0.21	U	1 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
2-Butanone	8-Feb-08	126		NS		NS		NS	3.08	10.6	NS
	27-Mar-08	NS		226		NS		NS	11.9	3.9	
	25-Apr-08	NS		NS	477	NS		NS	2.24	NS	1.47
	29-May-08	NS		NS	527	NS		1680	2.27	3.04	NS
	27-Jun-08	1080		NS	NS	596		NS	NS	6.92	3.64
	31-Jul-08	NS		1350	NS	NS		NS	12	NS	2.56
	28-Aug-08	NS		NS	8380	NS		NS	5.29	9.18	NS
	30-Sep-08	NS		NS	NS	101		NS	2	1.5	U
	27-Oct-08	53.5		NS	NS	30.5		NS	2.4	NS	5.7
	25-Nov-08	NS		802	NS	NS		259	1.8	2.4	NS
	18-Dec-08	NS		NS	5630	NS		8.3	NS	2.6	3.3
	21-Jan-09	NS		NS	NS	209		NS	24	U	1.5
	25-Feb-09	30		NS	NS	198		NS	1.5	U	NS
	26-Mar-09	NS		926	NS	NS		29.1	NS	2.66	3.02
	29-Apr-09	NS		NS	12400	NS		38.1	1.47	U	NS
	22-Jul-09	433		NS	433	410		151	NS	21.6	2.8
	9-Oct-09	NS		289	NS	NS		19.1	22700	2.75	NS
	15-Jan-10	29.8		NS	826	64.1		NS	2.64	1.6	NS
	21-Apr-10	NS		6.44	NS	NS		34.6	1840	16.8	NS
	16-Jul-10	5320		NS	21000	441		10400	NS	1.54	NS
	15-Oct-10	NS		117	NS	NS		44.9	NS	1.47	U
	26-Jan-11	940		22.3	NS	16.5		NS	50.4	7.37	U
	28-Feb-11	NS		NS	625	NS		NS	NS	NS	NS
	27-Apr-11	NS		6.87	NS	NS		171	NS	11.3	10.4
	26-Jul-11	690	E	NS	82.9	93.2		NS	15.3	5.38	NS
	28-Oct-11	NS		59	U	NS		11000	NS	2.07	7.37
	23-Jan-12	110		NS	70	12	U	59	U	59	U
	13-Apr-12	NS		16	NS	NS		20	NS	12	NS
	2-Jul-12 (resample)	NS		NS	NS	74		12	U	12	U
	23-Jun-12	75		NS	92	3700		NS	NS	59	U
	1-Nov-12	NS		24	NS	NS		1900	NS	12	NS
	1-Feb-13	36		NS	4.9	16		NS	3.6	3.7	4.2
	29-Apr-13	NS		170	NS	NS		110	NS	NS	2.4
	9-Jul-13	98		NS	130	79		370	NS	6.8	U
	18-Oct-13	NS		91	NS	NS		28	NS	8.2	NS
	9-Jan-14	1900		NS	11	26		11	NS	4.2	6.4
	24-Apr-14	NS		32	NS	NS		11	NS	2.6	NS
	1-Aug-14	38		NS	110/81	110/93		NS	3.2	8.1	3.5
	27-Aug-14	NS		NS	NS	NS		NS	NS	4.3	U
	12-Sept-14 (resample)	NS		NS	NS	NS		12	NS	NS	NS
	22-Oct-14	NS		5.8	NS	NS		1900	NS	NS	NS
	20-Jan-15	5.1		NS	3.9	4.3		NS	7.0	NS	NS
	30-Mar-15 (resample)	NS		NS	NS	NS		16	U	15	4.5
	22-Apr-15	NS		17 <sup>v</sup>	NS	NS		3.5	3.5	4.7	U
	21-Jul-15	17		NS	55	170		NS	11	19	10
	23-Sept-15 resample	NS		NS	NS	NS		21	NS	20 <sup>o</sup>	NS
	29-Oct-15	NS		10	NS	NS		11	7.9	NS	NS
	4-Dec-15 resample	NS		3.3	NS	NS		13	NS	5.7	3.1
	27-Jan-16	2.4	U	NS	2.4	2.4	U	NS	NS	2.1	NS
	20-Apr-16	NS		21	NS	NS		29	NS	12	4.1
	20-Jul-16	36		NS	37	12	U	NS	34	12	NS
	21-Oct-16	NS		21	NS	NS		46	NS	32	U
	31-Jan-17	2.4	U	NS	2.8	2.4	U	NS	NS	12	NS
	17-Apr-17	NS		13	NS	NS		21	NS	5.6	NS
	26-Jul-17	29		NS	16	6.1		7.3	NS	8	7
	12-Oct-17	NS		8.3	NS	NS		8.3	NS	6.8	NS
	10-Jan-18	96 <sup>E</sup>		NS	18	2.4	U	NS	7.1	NS	3.5
	11-Apr-18	NS		6	NS	NS		24	U	5.1	U
	23-May-18	NS		NS	NS	NS		NS	NS	3.5	NS
	27-Jul-18	22		NS	24	12	U	NS	12	12	NS
	24-Oct-18	NS		12	NS	NS		12	U	12	U
	16-Jan-19	41		NS	3	2.4	U	NS	NS	3.6	NS
	12-Apr-19	NS		7.3	NS	NS		6.4	NS	4.1	4.4
	29-Jul-19	6.4		NS	25	12	U	NS	NS	9.7	NS
	26-Sep-19	NS		NS	NS	NS		NS	NS	210	NS
	29-Oct-19	NS		9	NS	NS		4.2	NS	12 <sup>D</sup>	12 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
n-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74	U
	27-Mar-08	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U
	25-Apr-08	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U	U
	29-May-08	NS	NS	NS	U	NS	NS	NS	2.74	U	2.74	U
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	NS	2.74	U
	31-Jul-08	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	2.74
	28-Aug-08	NS	NS	2.74	U	NS	5.5	U	NS	2.74	U	NS
	30-Sep-08	NS	NS	NS	U	NS	NS	2.74	U	5.5	U	5.5
	27-Oct-08	22.1	NS	NS	NS	NS	5.5	U	NS	12.8	NS	5.5
	25-Nov-08	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U	NS
	18-Dec-08	NS	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U
	21-Jan-09	NS	NS	NS	U	NS	NS	NS	5.5	U	NS	5.5
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	5.5	U	NS
	26-Mar-09	NS	13.7	U	NS	NS	27.4	U	NS	NS	2.74	U
	29-Apr-09	NS	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	2.74	U	NS
	9-Oct-09	NS	1.08	U	NS	NS	2.74	U	NS	573	U	2.74
	15-Jan-10	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	2.74
	21-Apr-10	NS	2.74	U	NS	NS	13.7	U	13.7	U	2.74	U
	16-Jul-10	2.74	U	NS	2.74	U	20.7	U	NS	2.74	U	2.74
	15-Oct-10	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	NS
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U
	28-Feb-11	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.745	U	NS	NS	2.74	U	NS	2.74	U	2.74
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	13.7	U	2.74	U
	28-Oct-11	NS	7.9	U	NS	NS	7.9	U	7.9	U	7.9	U
	23-Jan-12	1.6	U	NS	1.6	U	1.6	U	NS	1.6	U	1.6
	13-Apr-12	NS	1.6	U	NS	NS	1.6	U	1.6	U	1.6	U
	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	NS	NS	NS	7.9	U
	23-Jun-12	1.6	U	NS	1.6	U	1.6	U	NS	1.6	U	NS
	1-Nov-12	NS	0.32	U	NS	0.32	U	0.32	U	0.38	U	0.32
	1-Feb-13	0.32	U	NS	0.32	U	0.32	U	0.44	U	0.32	U
	29-Apr-13	NS	0.79	U	NS	NS	0.32	U	0.32	U	0.32	U
	9-Jul-13	0.47	U	NS	0.32	U	0.32	U	NS	0.32	U	NS
	18-Oct-13	NS	0.54	U	NS	NS	0.52	U	0.74	U	0.68	NS
	9-Jan-14	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32
	24-Apr-14	NS	0.32	U	NS	NS	0.32	U	0.32	U	0.32	U
	1-Aug-14	0.32	U	NS	0.63	U	0.47 <sup>L</sup>	U	NS	NS	0.32	U
	27-Aug-14	NS	NS	NS	NS	NS	NS	0.32	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.47	U	NS
	22-Oct-14	NS	0.47	U	NS	NS	0.47	U	0.47	U	0.47	U
	20-Jan-15	0.32	U	NS	0.32	U	0.32	U	NS	0.47	U	0.032
	30-Mar-15 (resample)	NS	NS	NS	U	NS	NS	NS	NS	NS	0.36	U
	22-Apr-15	NS	0.32	U	NS	NS	0.32	U	NS	0.46	U	0.36
	27-Jan-16	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32
	20-Apr-16	NS	0.32	U	NS	NS	0.32	U	0.32	U	0.32	U
	20-Jul-16	1.6	U	NS	1.6 <sup>MV</sup>	U	1.6	U	NS	1.6	U	NS
	21-Oct-16	NS	0.32	U	NS	NS	0.32	U	0.32	U	0.32	U
	31-Jan-17	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32
	17-Apr-17	NS	0.47	U	NS	NS	0.47	U	0.47	U	0.47	U
	26-Jul-17	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32
	12-Oct-17	NS	0.32	U	NS	NS	0.32	U	0.96	U	0.9	U
	10-Jan-18	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32
	11-Apr-18	NS	0.32	U	NS	NS	3.2	U	3.2	U	0.32	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.47	U
	27-Jul-18	1.6	U	NS	1.6	U	1.6	U	NS	1.6	U	NS
	24-Oct-18	NS	1.6	U	NS	NS	1.6	U	1.6	U	1.6	U
	16-Jan-19	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32
	12-Apr-19	NS	0.32	U	NS	0.47	U	0.32	U	0.47	U	0.47
	29-Jul-19	0.47	U	NS	NS	NS	0.32	U	NS	0.32	U	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.47	U	NS
	29-Oct-19	NS	0.32	U	NS	NS	0.32	U	0.32	U	1.6 <sup>D</sup>	U

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74	U
	27-Mar-08	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U
	25-Apr-08	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U	U
	29-May-08	NS	NS	NS	U	NS	NS	NS	2.74	U	2.74	U
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	NS	2.74	U
	31-Jul-08	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	2.74
	28-Aug-08	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U	NS
	27-Oct-08	NS	NS	NS	U	NS	5.5	U	NS	5.5	U	5.5
	27-Oct-08	5.5	U	NS	NS	NS	5.5	U	NS	5.5	U	5.5
	25-Nov-08	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U	NS
	18-Dec-08	NS	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U
	21-Jan-09	NS	NS	NS	U	NS	NS	NS	5.5	U	NS	5.5
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	5.5	U	NS
	26-Mar-09	NS	13.7	U	NS	NS	27.4	U	NS	NS	2.74	U
	29-Apr-09	NS	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	2.74	U	NS
	9-Oct-09	NS	2.74	U	NS	NS	2.74	NS	2.74	U	NS	2.74
	15-Jan-10	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	NS
	21-Apr-10	NS	2.74	U	NS	NS	13.7	U	13.7	U	2.74	U
	16-Jul-10	2.74	U	NS	2.74	U	NS	20.7	U	2.74	U	2.74
	15-Oct-10	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	NS
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7	U
	28-Feb-11	NS	NS	27.4	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.47
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	13.7	U	2.74	U
	28-Oct-11	NS	6.3	U	NS	NS	6.3	U	6.3	U	6.3	U
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U	NS
	13-Apr-12	NS	1.3	U	NS	NS	1.3	U	1.3	U	1.3	U
sec-Butylbenzene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	6.3	U
	23-Jun-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U	NS
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS	0.63	U	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jul-13	0.38	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U
	24-Apr-14	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	1-Aug-14	0.25	U	NS	0.38	U	0.38	U	NS	0.25	U	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.25	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.38	U	NS	NS
	22-Oct-14	NS	0.38	U	NS	NS	0.38	U	0.38	U	0.38	U
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.38	U	0.25
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.28	U
	22-Apr-15	NS	0.26	U	NS	NS	0.25	U	NS	0.36	U	0.29
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	20-Apr-16	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	20-Jul-16	1.3	U	NS	1.3 <sup>MW</sup>	U	1.3	U	NS	1.3	U	NS
	21-Oct-16	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	17-Apr-17	NS	0.38	U	NS	NS	0.38	U	0.38	U	0.38	U
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	12-Oct-17	NS	0.25	U	NS	NS	0.25	U	0.76	U	0.71	U
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	11-Apr-18	NS	0.25	U	NS	NS	2.5	U	2.5	U	0.25	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.38	U
	27-Jul-18	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U	NS
	24-Oct-18	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	12-Apr-19	NS	0.25	U	NS	0.25	U	0.25	U	0.38	U	0.38
	29-Jul-19	0.38	U	NS	0.38	U	0.25	U	NS	0.25	U	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.38	U	NS
	29-Oct-19	NS	0.25	U	NS	NS	0.25	U	0.25	U	1.3 <sup>D</sup>	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.44	NS	NS	NS	0.46	NS	NS	0.53	0.45	NS
	27-Mar-08	NS	0.539	NS	NS	0.477	NS	NS	0.576	0.574	0.574
	25-Apr-08	NS	NS	0.417	NS	NS	0.448	NS	0.459	NS	0.448
	29-May-08	NS	NS	NS	0.46	NS	NS	0.46	0.47	0.46	NS
	27-Jun-08	0.478	NS	NS	NS	0.506	NS	NS	0.533	0.553	0.553
	31-Jul-08	NS	0.576	NS	NS	NS	NS	NS	0.548	NS	0.495
	28-Aug-08	NS	NS	0.515	NS	NS	0.549	NS	0.567	0.563	NS
	30-Sep-08	NS	NS	NS	0.511	NS	NS	0.577	NS	0.451	0.469
	27-Oct-08	0.48	NS	NS	NS	0.36	NS	NS	0.41	NS	0.56
	25-Nov-08	NS	0.5	NS	NS	0.42	NS	NS	0.3	0.44	NS
	18-Dec-08	NS	NS	0.23	NS	NS	0.28	NS	NS	0.48	0.46
	21-Jan-09	NS	NS	NS	0.36	NS	NS	0.47	0.27	NS	0.67
	25-Feb-09	0.39	NS	NS	NS	0.36	NS	NS	0.37	0.36	NS
	26-Mar-09	NS	0.629	U	NS	1.26	U	NS	NS	0.601	0.565
	29-Apr-09	NS	NS	0.484	NS	NS	0.528	NS	0.522	NS	0.654
	22-Jul-09	0.629	U	NS	25.6	1.26	U	NS	NS	0.515	0.503
	9-Oct-09	NS	0.691	NS	NS	0.666	NS	0.465	26.2	U	0.691
	15-Jan-10	0.427	NS	0.647	0.509	NS	0.541	NS	0.541	0.528	NS
	21-Apr-10	NS	0.126	NS	NS	0.629	U	0.629	U	0.61	0.503
	16-Jul-10	0.459	NS	0.478	0.515	NS	0.95	U	NS	0.559	NS
	15-Oct-10	NS	0.509	NS	NS	0.434	NS	0.383	0.402	0.421	0.44
	26-Jan-11	1.26	U	0.415	NS	0.415	NS	0.629	U	0.629	U
	28-Feb-11	NS	NS	1.26	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.339	NS	NS	0.339	NS	0.33	0.364	0.339	0.327
	26-Jul-11	0.44	NS	0.42	U	0.409	NS	0.629	U	0.402	0.629
	28-Oct-11	NS	3.1	U	NS	3.1	U	3.1	U	3.1	U
	23-Jan-12	0.63	U	NS	0.63	U	NS	0.63	U	0.63	U
	13-Apr-12	NS	0.31	U	NS	0.31	U	0.31	U	0.31	U
Carbon tetrachloride	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS
	23-Jun-12	0.63	U	NS	0.63	U	NS	NS	0.63	U	NS
	1-Nov-12	NS	0.48	NS	0.43	0.39	NS	0.46	0.45	NS	0.43
	1-Feb-13	0.44	NS	NS	0.43	0.39	NS	0.42	NS	0.49	NS
	29-Apr-13	NS	0.42	NS	NS	0.44	NS	0.42	0.48	0.48	0.46
	9-Jul-13	0.52	NS	0.52	0.46	NS	0.48	NS	NS	0.45	0.47
	18-Oct-13	NS	0.45	NS	NS	0.41	NS	0.4	0.45	0.44	0.47
	9-Jan-14	0.40	NS	0.45	0.40	NS	0.43	NS	NS	0.43	NS
	24-Apr-14	NS	0.48	NS	NS	0.45	NS	0.42	0.47	0.47	0.48
	1-Aug-14	0.30	NS	0.44	0.43	NS	NS	NS	NS	0.56	0.43
	27-Aug-14	NS	NS	NS	NS	NS	0.45	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.43	NS	NS
	22-Oct-14	NS	0.45	NS	NS	0.42	0.43	0.42	0.45	0.43	0.44
	20-Jan-15	0.45	NS	0.49	0.42	NS	0.44	NS	NS	0.48	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.43	NS
	22-Apr-15	NS	0.28	NS	NS	0.29	NS	0.34	0.34/0.36	0.33	0.33
	21-Jul-15	0.270 <sup>j</sup>	NS	1	U	6	U	0.28 <sup>j</sup>	NS	0.25 <sup>j,o</sup>	0.24 <sup>j,o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.27 <sup>j</sup>	0.28 <sup>j</sup>	0.27 <sup>j</sup>	0.27 <sup>j</sup>
	29-Oct-15	NS	0.35	NS	NS	0.29 <sup>j</sup>	NS	0.27 <sup>j</sup>	0.28 <sup>j</sup>	0.27 <sup>j</sup>	0.27 <sup>j</sup>
	4-Dec-15 resample	NS	0.30 <sup>j</sup>	NS	NS	NS	NS	NS	NS	NS	NS
Toluene	27-Jan-16	0.57	NS	0.59	0.53	NS	0.56	NS	NS	0.57	0.59
	20-Apr-16	NS	0.65	NS	NS	0.61	NS	0.62	0.65	0.64	0.67
	20-Jul-16	0.42	NS	0.58	0.59	NS	0.64	NS	NS	0.63	0.55
	21-Oct-16	NS	0.49	NS	NS	0.45	NS	0.44	0.46	0.48	0.47
	31-Jan-17	0.41	NS	0.38	0.39	NS	0.4	NS	0.45	0.45	NS
	17-Apr-17	NS	0.49	NS	NS	0.44	NS	0.43	0.49	0.44	0.48
	26-Jul-17	0.4	NS	0.44	0.41	NS	0.4	NS	NS	0.39	NS
	12-Oct-17	NS	0.38	NS	NS	0.37	NS	0.43	0.62	0.47	0.41
	10-Jan-18	0.34	NS	0.35	0.36	NS	0.35	NS	0.37	NS	0.37
	11-Apr-18	NS	0.49	NS	NS	1.3 <sup>D</sup>	U	1.3 <sup>D</sup>	U	0.55	1.3 <sup>D</sup>
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.45	NS
	27-Jul-18	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U
	24-Oct-18	NS	0.31	U	NS	0.31	U	0.31	U	0.31	U
	16-Jan-19	0.4	NS	0.39	0.39	NS	0.4	NS	NS	0.44	NS
	12-Apr-19	NS	0.47	NS	NS	0.44	NS	0.39	0.42	0.45	0.43
	29-Jul-19	0.37	NS	0.44	0.47	NS	0.49	NS	NS	0.46	1.8
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.094	NS
	29-Oct-19	NS	0.063	U	NS	NS	0.49	NS	0.46	0.43 <sup>D</sup>	0.44 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09
	27-Mar-08	NS	0.052	U	NS	NS	0.092	U	NS	NS	0.092
	25-Apr-08	NS	NS	0.092	U	NS	NS	0.092	U	NS	0.092
	29-May-08	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U
	27-Jun-08	0.207	NS	NS	NS	NS	0.092	U	NS	NS	0.092
	31-Jul-08	NS	0.092	U	NS	NS	NS	NS	0.092	U	NS
	28-Aug-08	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U
	30-Sep-08	NS	NS	2.3	U	NS	NS	2.3	U	NS	2.3
	27-Oct-08	2.3	U	NS	NS	NS	NS	NS	NS	NS	2.3
	25-Nov-08	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U
	18-Dec-08	NS	NS	2.3	U	NS	NS	2.3	U	NS	2.3
	21-Jan-09	NS	NS	2.3	U	NS	NS	2.3	U	NS	2.3
	25-Feb-09	2.3	U	NS	NS	NS	NS	NS	NS	2.3	U
	26-Mar-09	NS	0.46	U	NS	NS	0.92	U	NS	NS	0.092
	29-Apr-09	NS	NS	0.092	U	NS	NS	0.092	U	NS	0.092
	22-Jul-09	0.46	U	NS	18.8	U	0.92	U	NS	0.092	U
	9-Oct-09	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	21-Apr-10	NS	0.092	U	NS	NS	0.46	U	NS	0.092	U
	16-Jul-10	0.092	U	NS	0.092	U	0.212	U	NS	0.092	U
	15-Oct-10	NS	0.092	U	NS	NS	0.129	U	NS	0.092	U
	26-Jan-11	0.92	U	0.092	U	NS	0.092	U	NS	0.46	U
	28-Feb-11	NS	NS	0.92	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	26-Jul-11	0.307	U	NS	0.307	U	0.092	U	NS	0.092	U
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U
	23-Jan-12	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U
	13-Apr-12	NS	0.46	U	NS	NS	0.46	U	NS	0.46	U
Chlorobenzene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2.3	U
	23-Jun-12	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U
	1-Nov-12	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	1-Feb-13	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	29-Apr-13	NS	0.12	U	NS	NS	0.046	U	NS	0.046	U
	9-Jul-13	0.18	NS	0.14	NS	0.15	NS	0.15	NS	0.092	U
	18-Oct-13	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	9-Jan-14	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	24-Apr-14	NS	0.046	U	NS	NS	0.046	U	NS	0.046	U
	1-Aug-14	0.092	U	NS	0.14	U	0.25	NS	NS	0.092	U
	27-Aug-14	NS	NS	NS	NS	NS	0.092	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.14	U	NS
	22-Oct-14	NS	0.14	U	NS	NS	0.14	U	0.14	U	0.18
	20-Jan-15	0.092	U	NS	0.092	U	0.092	U	NS	0.14	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.10	U
	22-Apr-15	NS	0.094	U	NS	NS	0.092	U	NS	0.092	U
	21-Jul-15	0.2	U	NS	0.9	U	5	U	NS	0.2	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	NS	0.2	U
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	20-Apr-16	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092
	20-Jul-16	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U
	21-Oct-16	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	31-Jan-17	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	17-Apr-17	NS	0.14	U	NS	NS	0.14	U	0.14	U	0.14
	26-Jul-17	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	12-Oct-17	NS	0.092	U	NS	NS	0.092	U	0.28	U	0.26
	10-Jan-18	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	11-Apr-18	NS	0.092	U	NS	NS	0.92	U	0.92	U	0.92
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.14	U
	27-Jul-18	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U
	24-Oct-18	NS	0.46	U	NS	NS	0.46	U	0.46	U	0.46
	16-Jan-19	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	12-Apr-19	NS	0.092	U	NS	NS	0.092	U	0.12	U	0.14
	29-Jul-19	0.14	U	NS	0.14	U	0.092	U	NS	0.092	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.14	U
	29-Oct-19	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.46 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.05	U	NS	NS	0.05	U	NS	NS	0.05	U	0.05
	27-Mar-08	NS	0.053	U	NS	NS	0.053	U	NS	NS	U	0.053
	25-Apr-08	NS	NS	0.053	U	NS	NS	0.139	NS	0.053	U	0.053
	29-May-08	NS	NS	NS	0.11	NS	NS	0.1	NS	0.05	U	NS
	27-Jun-08	0.082	U	NS	NS	0.132	NS	NS	NS	0.053	U	0.053
	31-Jul-08	NS	0.053	U	NS	NS	NS	NS	0.053	U	NS	0.053
	28-Aug-08	NS	NS	0.053	U	NS	NS	0.153	NS	0.053	U	0.075
	30-Sep-08	NS	NS	NS	1.3	U	NS	NS	1.3	U	NS	1.3
	27-Oct-08	1.3	U	NS	NS	1.3	U	NS	NS	1.3	U	1.6
	25-Nov-08	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	NS
	18-Dec-08	NS	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U
	21-Jan-09	NS	NS	NS	1.3	U	NS	NS	1.3	U	NS	1.3
	25-Feb-09	1.3	U	NS	NS	1.3	U	NS	NS	1.3	U	NS
	26-Mar-09	NS	0.264	U	NS	NS	0.527	U	NS	NS	0.1212	0.063
	29-Apr-09	NS	NS	0.137	U	NS	NS	0.063	NS	0.053	U	0.053
	22-Jul-09	0.264	U	NS	10.8	U	0.527	U	NS	0.053	U	0.061
	9-Oct-09	NS	0.053	U	NS	NS	0.058	NS	0.406	11	U	0.053
	15-Jan-10	0.053	U	NS	0.074	0.066	NS	0.053	NS	0.053	U	0.053
	21-Apr-10	NS	0.074	NS	NS	0.264	NS	0.303	0.303	0.053	U	0.116
	16-Jul-10	0.1	NS	2.55	NS	0.166	NS	0.398	U	NS	0.053	NS
	15-Oct-10	NS	0.053	U	NS	NS	0.082	NS	0.071	0.053	U	0.053
	26-Jan-11	0.527	U	0.053	U	NS	0.077	NS	0.264	U	0.264	U
	28-Feb-11	NS	NS	,527	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.053	U	NS	NS	0.079	NS	0.082	0.053	U	0.053
	26-Jul-11	0.176	U	NS	0.176	U	0.116	NS	0.264	U	NS	0.264
	28-Oct-11	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	1.3
	23-Jan-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U	0.26
	13-Apr-12	NS	0.26	U	NS	NS	0.26	U	0.26	U	NS	0.26
Chloroethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.3	U
	23-Jun-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U	NS
	1-Nov-12	NS	0.053	U	NS	NS	0.085	NS	0.08	0.053	U	0.087
	1-Feb-13	0.082	NS	0.053	U	0.11	NS	0.053	U	NS	0.053	U
	29-Apr-13	NS	0.4	NS	NS	0.11	U	NS	0.11	U	0.11	U
	9-Jul-13	0.11	NS	0.12	NS	0.31	NS	0.091	NS	0.11	U	0.053
	18-Oct-13	NS	0.053	U	NS	NS	0.11	NS	0.091	0.053	U	0.053
	9-Jan-14	0.084	NS	0.053	U	0.11	NS	0.053	U	NS	0.053	U
	24-Apr-14	NS	0.026	U	NS	NS	0.026	U	0.13	0.026	U	0.026
	1-Aug-14	0.23	NS	0.43	NS	0.53	NS	NS	NS	0.059	0.053	U
	27-Aug-14	NS	NS	NS	NS	NS	0.072	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	0.079	U	0.35	0.079	U	0.11
	22-Oct-14	NS	0.079	U	NS	NS	0.079	U	0.24 <sup>v</sup>	NS	0.079 <sup>v</sup>	U
	20-Jan-15	0.069 <sup>v</sup>	NS	0.094	NS	0.062	NS	NS	NS	NS	0.053 <sup>v</sup>	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.059	U
	22-Apr-15	NS	0.20 <sup>v</sup>	NS	NS	0.19 <sup>v</sup>	N	0.16	0.077	U	0.72	NS
	21-Jul-15	0.1	U	NS	0.5	U	3	NS	0.21	NS	0.1 <sup>o</sup>	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.1	U	NS	NS
	29-Oct-15	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	0.1
	4-Dec-15 resample	NS	0.1	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.1	NS	0.11	NS	0.12	NS	0.11	NS	0.053	U	0.053
	20-Apr-16	NS	0.14	NS	NS	0.053	U	NS	0.073	0.053	U	0.053
	20-Jul-16	0.26 <sup>LV</sup>	U	NS	0.26 <sup>LV</sup>	U	0.26 <sup>LV</sup>	U	0.77 <sup>LV</sup>	NS	0.26 <sup>LV</sup>	U
	21-Oct-16	NS	0.16	NS	0.14	NS	0.069	NS	0.088	0.053	U	0.053
	31-Jan-17	0.053	U	NS	0.16	NS	0.053	U	NS	0.053	U	0.053
	17-Apr-17	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U
	26-Jul-17	0.053	U	NS	0.18	0.12	NS	0.053	NS	0.053 <sup>L</sup>	U	0.053 <sup>L</sup>
	12-Oct-17	NS	0.15	NS	NS	0.066	NS	0.16	U	0.15	U	0.13
	10-Jan-18	0.13	NS	0.17	NS	0.07	NS	0.36	NS	0.053	U	0.084
	11-Apr-18	NS	0.053	U	NS	NS	0.53	U	0.53	0.053	U	0.53
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.079	U
	27-Jul-18	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U	NS
	24-Oct-18	NS	0.26	U	NS	0.26	U	NS	0.26	U	0.26	U
	16-Jan-19	0.053	U	NS	0.053	U	0.053	U	0.29	NS	0.053	U
	12-Apr-19	NS	0.053	U	NS	0.053	U	0.053	NS	0.066	U	0.079
	29-Jul-19	0.079	U	NS	0.079	U	0.053	U	NS	0.079	U	0.75
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.079	U
	29-Oct-19	NS	0.053 <sup>L</sup>	U	NS	NS	0.053 <sup>L</sup>	U	NS	0.053 <sup>L</sup>	U	0.26 <sup>LD</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Chloroform	8-Feb-08	0.1	U	NS	NS	NS	U	NS	NS	0.12	NS
	27-Mar-08	NS		0.098	U	NS		NS	NS	0.453	0.847
	25-Apr-08	NS		NS	0.231	NS		NS	NS	0.265	
	29-May-08	NS		NS	0.14	NS		0.203	0.134	NS	
	27-Jun-08	0.263		NS	NS	0.623		NS	0.1	0.14	NS
	31-Jul-08	NS	0.145	NS	NS	NS		NS	NS	0.305	0.395
	28-Aug-08	NS		NS	0.098	U	NS	NS	0.13	NS	0.124
	30-Sep-08	NS		NS	0.49	U	NS	1.2	0.331	0.386	NS
	27-Oct-08	0.49	U	NS	NS	0.49	U	NS	0.49	0.49	U
	25-Nov-08	NS	0.24	U	NS	NS	U	NS	0.24	0.24	U
	18-Dec-08	NS		NS	0.24	U	NS	0.24	NS	0.24	U
	21-Jan-09	NS		NS	0.24	U	NS	NS	0.24	NS	0.24
	25-Feb-09	0.24	U	NS	NS	0.24	U	NS	0.24	0.24	U
	26-Mar-09	NS	0.488	U	NS	NS		NS	NS	0.265	0.2
	29-Apr-09	NS		NS	0.098	U	NS	0.136	0.098	NS	1.34
	22-Jul-09	0.488	U	NS	19.9	U	0.976	U	NS	0.429	NS
	9-Oct-09	NS		NS	0.205		NS	0.268	20.4	0.317	0.312
	15-Jan-10	0.176		NS	7.22		0.146	NS	0.19	0.098	NS
	21-Apr-10	NS		0.098	U	NS	0.488	U	0.488	0.22	0.2
	16-Jul-10	0.361		NS	0.098	U	0.215	NS	0.737	0.205	NS
	15-Oct-10	NS		0.171	NS	NS	0.366	NS	0.654	0.102	0.166
	26-Jan-11	2.78		0.122	NS	0.161	NS	0.488	U	0.488	U
	28-Feb-11	NS		NS	0.976	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.136	NS	NS	0.185	NS	0.117	0.273	0.098
	26-Jul-11	0.326	U	NS	0.326	U	0.239	NS	1.37	NS	0.244
	28-Oct-11	NS	2.4	U	NS	NS	2.4	U	2.4	2.4	U
	23-Jan-12	0.49	U	NS	0.84	U	0.49	U	NS	0.49	0.84
	13-Apr-12	NS		0.24	U	NS	0.24	U	0.24	0.24	NS
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	1.2
	23-Jun-12	0.49	U	NS	0.49	U	0.49	U	NS	0.49	NS
	1-Nov-12	NS	0.088		NS	NS	0.28	NS	0.12	0.076	0.092
	1-Feb-13	0.14		NS	0.46		0.15	NS	0.19	NS	0.18
	29-Apr-13	NS		0.15	NS	NS	0.19	NS	0.13	0.13	0.41
	9-Jul-13	0.34		NS	0.63		0.33	NS	0.27	NS	0.27
	18-Oct-13	NS	0.098	U	NS	NS	0.29	NS	0.12	0.11	0.31
	9-Jan-14	0.12		NS	0.94		0.18	NS	0.27	NS	0.16
	24-Apr-14	NS		0.049	U	NS	NS	0.21	NS	0.11	0.16
	1-Aug-14	1.0		NS	2.7/3.6		0.32	NS	NS	NS	0.55
	27-Aug-14	NS		NS	NS		NS	0.19	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS		NS	NS	NS	NS	NS
	22-Oct-14	NS	0.073	U	NS	NS	0.24	0.15	0.16	0.073	0.098
	20-Jan-15	0.049	U	NS	1.4		0.14	NS	0.29	NS	0.14
	30-Mar-15 (resample)	NS		NS	NS		NS	NS	NS	NS	NS
	22-Apr-15	NS	0.17 <sup>v</sup>		NS		0.21 <sup>v</sup>	NS	0.13	0.071	0.17 <sup>1,o</sup>
	21-Jul-15	0.130 <sup>j</sup>		NS	1	U	5	U	0.21 <sup>j</sup>	NS	0.14 <sup>1,o</sup>
	23-Sept-15 resample	NS		NS	NS		NS	NS	NS	0.2	NS
	29-Oct-15	NS	0.16 <sup>j</sup>		NS		0.16 <sup>j</sup>	NS	0.4	0.2	0.28
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.086		NS	1		0.13	NS	0.11	NS	0.16
	20-Apr-16	NS	0.08		NS		0.18	NS	0.1	0.096	0.13
	20-Jul-16	0.24	U	NS	0.69		0.38	NS	0.47	NS	0.35
	21-Oct-16	NS	0.13		NS		0.27	NS	0.12	0.23	0.44
	31-Jan-17	0.078		NS	0.56		0.2	NS	0.13	NS	0.2
	17-Apr-17	NS	0.11		NS		0.20	NS	0.073	0.11	0.18
	26-Jul-17	0.13		NS	0.62		0.24	NS	0.13	NS	0.33
	12-Oct-17	NS	0.18		NS		0.28	NS	0.15	0.4	0.12
	10-Jan-18	0.1		NS	0.68		0.14	NS	0.18	0.14	U
	11-Apr-18	NS	0.14		NS		0.98	U	0.98	0.13	0.98
	23-May-18	NS		NS	NS		NS	NS	NS	NS	NS
	27-Jul-18	0.24	U	NS	0.24	U	0.24	U	0.24	0.24	0.24
	24-Oct-18	NS	0.24	U	NS	0.24	U	0.24	U	0.24	0.24
	16-Jan-19	0.1		NS	0.14		0.26	NS	0.12	0.049	0.15
	12-Apr-19	NS	0.12		NS		0.15	NS	0.061	0.073	0.21
	29-Jul-19	0.073	U	NS	0.69		0.31	NS	0.3	NS	1.6
	26-Sep-19	NS	NS	NS	NS		NS	NS	NS	NS	<0.073
	29-Oct-19	NS	0.049	U	NS		0.33	NS	0.14	0.24 <sup>d</sup>	0.24 <sup>d</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.44	U	NS	NS	NS	2.44	U	NS	NS	2.44	U
	27-Mar-08	NS		2.67	NS	NS	3.24		NS	NS	2.44	U
	25-Apr-08	NS		NS	2.44	U	NS	2.44	U	2.44	U	2.44
	29-May-08	NS		NS	2.44	U	NS	2.44	U	2.44	U	2.44
	27-Jun-08	3.8	U	NS	NS	NS	2.44	U	NS	NS	2.44	U
	31-Jul-08	NS		4.64	NS	NS	NS	NS	NS	NS	2.44	U
	28-Aug-08	NS		NS	2.44	U	NS	NS	2.44	U	2.44	U
	30-Sep-08	NS		NS	1	U	NS	NS	1	U	1	U
	27-Oct-08	1	U	NS	NS	NS	1	U	NS	1.1	NS	3.5
	25-Nov-08	NS		1	U	NS	1	U	NS	1	U	NS
	18-Dec-08	NS		NS	1	U	NS	1	U	NS	1.4	U
	21-Jan-09	NS		NS	1	U	NS	NS	3.1	1	U	1
	25-Feb-09	1		NS	NS	NS	1	U	NS	1	U	NS
	26-Mar-09	NS		12.2	U	NS	24.4		NS	NS	4.58	U
	29-Apr-09	NS		NS	22.4		NS	19.4		NS	2.44	U
	22-Jul-09	18.5		NS	497	U	32	NS	NS	2.44	U	6.29
	9-Oct-09	NS		2.44	U	NS	2.44	U	NS	509	U	2.44
	15-Jan-10	2.44	U	NS	2.78		2.44	U	NS	NS	2.44	U
	21-Apr-10	NS		3.25	NS	NS	12.2	U	NS	12.2	U	2.44
	16-Jul-10	1.32		NS	62.8		1.48		NS	NS	1.03	U
	15-Oct-10	NS		1.03	U	NS	1.03	U	NS	1.03	U	1.03
	26-Jan-11	10.3	U	1.03	U	NS	1.03	U	5.16	U	5.16	U
	28-Feb-11	NS		NS	10.3	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		1.23	NS	NS	1.03	U	NS	1.03	U	1.29
	26-Jul-11	3.45	U	NS	3.45		1.03	U	5.16	U	5.16	U
	28-Oct-11	NS		1	U	NS	1	U	NS	1	U	1.2
	23-Jan-12	0.21	U	NS	0.21		0.21	U	NS	NS	0.21	U
	13-Apr-12	NS		0.21	U	NS	0.21	U	NS	0.21	U	0.97
Chloromethane	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	1.1	NS
	23-Jun-12	0.21	U	NS	0.21	U	0.21	U	NS	NS	0.21	U
	1-Nov-12	NS		0.041	U	NS	0.041	U	NS	0.041	U	0.37
	1-Feb-13	0.5		NS	1.8		2.1		NS	NS	0.71	NS
	29-Apr-13	NS		0.21	U	NS	0.083	U	NS	0.083	U	0.73
	9-Jul-13	0.12	U	NS	0.083	U	0.083	U	NS	NS	1.0	0.083
	18-Oct-13	NS		0.083	U	NS	0.083	U	NS	0.083	U	0.40
	9-Jan-14	3.2		NS	1.5		0.083	U	NS	NS	0.64	0.083
	24-Apr-14	NS		4.6		NS	4.5		NS	3.5	1.2	1.0
	1-Aug-14	0.083	U	NS	0.12	U	0.12	U	NS	NS	0.083	U
	27-Aug-14	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	NS	0.12 L <sup>v</sup>	U	NS
	22-Oct-14	NS		1.3	NS	NS	0.12	U	0.74	0.12	U	1.1
	20-Jan-15	0.083 v	U	NS	3 v		0.083	U	NS	NS	0.69 v	1.2 v
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	0.093	U
	22-Apr-15	NS		0.083 v	U	NS	0.083 v	U	NS	1.7/1.6	U	1.4
	21-Jul-15	0.69		NS	6.9		2	U	NS	NS	0.11 o	U
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS	0.09	U	NS
	29-Oct-15	NS		11	NS	NS	6.5	NS	NS	1.5	0.73	0.84
	4-Dec-15 resample	NS		0.1	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.083	U	NS	3.9		0.083	U	NS	2.1	NS	1
	20-Apr-16	NS		7.7	NS	NS	<0.083	NS	NS	2.4	1.4	1
	20-Jul-16	0.41	U	NS	4.3		0.41	U	NS	5	NS	1.6
	21-Oct-16	NS		0.083	U	NS	0.083	U	NS	0.083	U	0.82
	31-Jan-17	0.083	U	NS	3.8		0.96	NS	1.4	NS	0.99	NS
	17-Apr-17	NS		0.12	U	NS	0.12	U	NS	1.7	1.4	1.1
	26-Jul-17	0.083	U	NS	0.083	U	0.083	U	NS	NS	0.71	0.56
	12-Oct-17	NS		0.083	U	NS	0.083	U	NS	0.25	1.5	1.2
	10-Jan-18	5.3		NS	3.8		1.4		NS	2.8	0.99	1.1
	11-Apr-18	NS		0.083	U	NS	0.83	U	NS	3.4	1.8	0.83
	23-May-18	NS		NS	NS	NS	NS	NS	NS	NS	0.99	NS
	27-Jul-18	4.5		NS	3.4		5.5	NS	2.6	NS	<0.41	U
	24-Oct-18	NS		0.41	U	NS	0.41	U	NS	0.41	U	2.8
	16-Jan-19	0.083	U	NS	2		0.083	U	0.083	U	1	NS
	12-Apr-19	NS		0.083 v	U	NS	0.083 v	U	NS	0.1 v	U	0.12 v
	29-Jul-19	0.12	U	NS	0.12		0.083	U	0.083	NS	0.083	U
	26-Sep-19	NS		NS	NS	NS	NS	NS	NS	NS	<0.12	U
	29-Oct-19	NS		0.083	U	NS	0.083	U	NS	0.083	U	0.41 d

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	NS	0.1	U	NS	NS	0.1
	27-Mar-08	NS	0.096	U	NS	NS	0.096	U	NS	NS	0.096
	25-Apr-08	NS	NS	0.096	U	NS	0.096	U	0.096	U	0.096
	29-May-08	NS	NS	NS	U	0.1	NS	NS	0.1	U	NS
	27-Jun-08	0.15	U	NS	NS	NS	0.096	U	NS	NS	0.096
	31-Jul-08	NS	0.096	U	NS	NS	NS	NS	0.096	U	NS
	28-Aug-08	NS	NS	0.096	U	NS	NS	0.096	U	0.096	U
	30-Sep-08	NS	NS	NS	U	4.2	U	NS	4.2	U	4.2
	27-Oct-08	4.2	U	NS	NS	NS	4.2	U	NS	4.2	U
	25-Nov-08	NS	4.2	U	NS	NS	4.2	U	NS	4.2	U
	18-Dec-08	NS	NS	4.2	U	NS	NS	4.2	U	NS	4.2
	21-Jan-09	NS	NS	NS	U	4.2	U	NS	4.2	U	4.2
	25-Feb-09	4.2	U	NS	NS	NS	4.2	U	NS	4.2	U
	26-Mar-09	NS	0.48	U	NS	NS	0.96	U	NS	0.096	U
	29-Apr-09	NS	NS	0.096	U	NS	NS	0.096	U	NS	0.096
	22-Jul-09	0.48	U	NS	19.6	U	0.96	U	NS	0.096	U
	9-Oct-09	NS	0.096	U	NS	NS	U	NS	20	U	NS
	15-Jan-10	0.096	U	NS	0.096	U	0.096	U	NS	0.096	U
	21-Apr-10	NS	0.096	U	NS	NS	0.48	U	0.48	U	0.096
	16-Jul-10	0.17	U	NS	0.17	U	0.17	U	1.28	U	0.17
	15-Oct-10	NS	0.17	U	NS	NS	0.17	U	NS	0.17	U
	26-Jan-11	1.7	U	0.17	U	NS	0.17	U	0.851	U	NS
	28-Feb-11	NS	NS	1.7	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.17	U	NS	NS	0.17	U	NS	0.17	U
	26-Jul-11	0.568	U	NS	0.568	U	0.17	U	0.852	U	NS
	28-Oct-11	NS	4.3	U	NS	NS	4.3	U	NS	4.3	U
	23-Jan-12	0.85	U	NS	0.85	U	0.85	U	NS	0.85	U
	13-Apr-12	NS	0.85	U	NS	NS	0.85	U	NS	0.85	U
	2-Jul-12 (resample)	NS	NS	NS	U	NS	NS	U	NS	NS	NS
	23-Jun-12	0.85	U	NS	0.85	U	0.85	U	NS	0.85	U
	1-Nov-12	NS	0.085	U	NS	NS	0.085	U	0.085	U	0.085
	1-Feb-13	0.17	U	NS	0.17	U	0.17	U	NS	0.17	U
	29-Apr-13	NS	0.21	U	NS	NS	0.085	U	NS	0.085	U
	9-Jul-13	0.26	U	NS	0.17	U	0.17	U	NS	0.17	U
	18-Oct-13	NS	0.17	U	NS	NS	0.17	U	NS	0.17	U
	9-Jan-14	0.17	U	NS	0.17	U	0.17	U	NS	0.17	U
	24-Apr-14	NS	0.085	U	NS	NS	0.085	U	NS	0.085	U
	1-Aug-14	0.17	U	NS	0.26	U	0.26	U	NS	0.17	U
	27-Aug-14	NS	NS	NS	U	NS	0.085	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	U	NS	NS	U	0.13	U	NS
	22-Oct-14	NS	0.13	U	NS	NS	0.13	U	0.13	U	0.17
	20-Jan-15	0.085	U	NS	0.085	U	0.085	U	NS	0.13	U
	30-Mar-15 (resample)	NS	NS	NS	U	NS	NS	U	NS	0.096	U
	22-Apr-15	NS	0.087	U	NS	NS	0.085	U	0.083	U	0.085
	21-Jul-15	0.4	U	NS	2	U	8	U	0.5	U	0.4 <sup>b</sup>
	23-Sept-15 resample	NS	NS	NS	U	NS	NS	U	NS	0.4	NS
	29-Oct-15	NS	0.5	U	NS	NS	0.5	U	0.7	U	0.4
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	U	NS	NS	NS
	27-Jan-16	0.085	U	NS	0.085	U	0.085	U	NS	0.085	U
	20-Apr-16	NS	0.085	U	NS	NS	0.085	U	0.085	U	0.085
	20-Jul-16	0.43	U	NS	0.43	U	0.43	U	NS	0.43	U
	21-Oct-16	NS	0.085	U	NS	NS	0.085	U	0.085	U	0.085
	31-Jan-17	0.085	U	NS	0.085	U	0.085	U	NS	0.085	U
	17-Apr-17	NS	0.13 <sup>v</sup>	U	NS	NS	0.13 <sup>v</sup>	U	NS	0.13 <sup>v</sup>	U
	26-Jul-17	0.085	U	NS	0.085	U	0.085	U	NS	0.085	U
	12-Oct-17	NS	0.085	U	NS	0.085	U	NS	0.26	U	0.21
	10-Jan-18	0.085	U	NS	0.085	U	0.085	U	NS	0.085	U
	11-Apr-18	NS	0.17	U	NS	NS	1.7	U	NS	1.7	U
	23-May-18	NS	NS	NS	U	NS	NS	U	NS	NS	1.7
	27-Jul-18	0.43	U	NS	0.43	U	0.43	U	NS	0.43	U
	24-Oct-18	NS	0.43	U	NS	NS	0.43	U	0.43	U	0.43
	16-Jan-19	0.085	U	NS	0.085	U	0.085	U	NS	0.085	U
	12-Apr-19	NS	0.085	U	NS	NS	0.085	U	0.11	U	0.13
	29-Jul-19	0.13	U	NS	0.13	U	0.085	U	NS	0.11	2.3
	26-Sep-19	NS	NS	NS	U	NS	NS	U	NS	NS	<0.13
	29-Oct-19	NS	0.085	U	NS	NS	0.085	U	0.085	U	0.43 <sup>d</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.15	U	NS	NS	NS	0.15	U	NS	NS	0.15	U
	27-Mar-08	NS	0.154	U	NS	NS	0.154	U	NS	NS	0.154	U
	25-Apr-08	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	0.154
	29-May-08	NS	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U
	27-Jun-08	0.239	U	NS	NS	NS	0.154	U	NS	NS	0.154	U
	31-Jul-08	NS	0.154	U	NS	NS	NS	NS	NS	NS	0.154	U
	28-Aug-08	NS	NS	0.154	U	NS	NS	0.154	U	0.154	U	NS
	30-Sep-08	NS	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U
	27-Oct-08	0.15	U	NS	NS	NS	0.15	U	NS	NS	0.15	U
	25-Nov-08	NS	0.15	U	NS	NS	0.15	U	NS	NS	0.15	U
	18-Dec-08	NS	NS	0.15	U	NS	NS	0.15	U	NS	0.15	U
	21-Jan-09	NS	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.15
	25-Feb-09	0.15	U	NS	NS	NS	0.15	U	NS	NS	0.15	U
	26-Mar-09	NS	0.768	U	NS	NS	1.54	U	NS	NS	0.154	U
	29-Apr-09	NS	NS	0.154	U	NS	NS	0.154	U	NS	0.154	U
	22-Jul-09	0.768	U	NS	31.3	U	1.54	U	NS	NS	0.154	U
	9-Oct-09	NS	0.154	U	NS	NS	0.154	U	NS	32	0.154	U
	15-Jan-10	0.154	U	NS	0.154	U	0.154	U	NS	NS	0.154	U
	21-Apr-10	NS	0.154	U	NS	NS	0.768	U	NS	0.768	U	0.154
	16-Jul-10	0.154	U	NS	0.154	U	0.154	U	1.16	U	0.154	U
	15-Oct-10	NS	0.154	U	NS	NS	0.154	U	NS	0.154	U	0.154
	26-Jan-11	1.54	U	0.154	U	NS	0.154	U	0.768	U	0.768	U
	28-Feb-11	NS	NS	1.54	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.154	U	NS	NS	0.154	U	NS	0.154	U	0.154
	26-Jul-11	0.512	U	NS	0.512	U	0.154	U	0.768	U	0.154	U
	28-Oct-11	NS	3.8	U	NS	NS	3.8	U	NS	3.8	U	3.8
	23-Jan-12	0.77	U	NS	0.77	U	0.77	U	NS	0.77	U	0.77
	13-Apr-12	NS	0.38	U	NS	NS	0.38	U	NS	0.38	U	0.38
1,2-Dibromoethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.9	U
	23-Jun-12	0.77	U	NS	0.77	U	0.77	U	NS	0.77	U	NS
	1-Nov-12	NS	0.077	U	NS	NS	0.077	U	NS	0.077	U	0.077
	1-Feb-13	0.077	U	NS	0.077	U	0.077	U	NS	0.077	U	0.077
	29-Apr-13	NS	0.19	U	NS	NS	0.077	U	NS	0.077	U	0.077
	9-Jul-13	0.12	U	NS	0.077	U	0.077	U	NS	0.077	U	NS
	18-Oct-13	NS	0.15	U	NS	NS	0.15	U	NS	0.15	U	0.15
	9-Jan-14	0.15	U	NS	0.15	U	0.15	U	NS	0.15	U	0.15
	24-Apr-14	NS	0.077	U	NS	NS	0.077	U	NS	0.077	U	0.077
	1-Aug-14	0.15	U	NS	0.23	U	0.23	U	NS	NS	0.15	U
	27-Aug-14	NS	NS	NS	NS	NS	0.077	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.12	U	NS
	22-Oct-14	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U
	20-Jan-15	0.077	U	NS	0.077	U	0.077	U	NS	0.12	U	0.077
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.086	U
	22-Apr-15	NS	0.079	U	NS	NS	0.077	U	NS	0.11	U	0.088
	21-Jul-15	0.4	U	NS	2	U	8	U	0.4	U	0.4°	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.4	U	NS	NS
	29-Oct-15	NS	0.4	U	NS	NS	0.4	U	0.6	U	0.4	U
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.077	U	NS	0.077	U	0.077	U	NS	0.077	U	0.077
	20-Apr-16	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.077	U
	20-Jul-16	0.38	U	NS	0.38	U	0.38	U	NS	0.38	U	NS
	21-Oct-16	NS	0.077	U	NS	NS	0.077	U	NS	0.077	U	0.077
	31-Jan-17	0.077	U	NS	0.077	U	0.077	U	NS	0.077	U	0.077
	17-Apr-17	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	26-Jul-17	0.077	U	NS	0.077	U	0.077	U	NS	0.077	U	0.077
	12-Oct-17	NS	0.077	U	NS	NS	0.077	U	0.23	U	0.22	U
	10-Jan-18	0.077	U	NS	0.077	U	0.077	U	NS	0.077	U	0.077
	11-Apr-18	NS	0.15	U	NS	NS	1.5	U	NS	1.5	U	1.5
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.12	U
	27-Jul-18	0.38	U	NS	0.38	U	0.38	U	NS	0.38	U	NS
	24-Oct-18	NS	0.38	U	NS	NS	0.38	U	0.38	U	0.38	U
	16-Jan-19	0.077	U	NS	0.077	U	0.077	U	NS	0.077	U	0.077
	12-Apr-19	NS	0.077	U	NS	NS	0.077	U	0.096	U	0.12	U
	29-Jul-19	0.12	U	NS	0.12	U	0.077	U	NS	0.077	U	2.1
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.12	U	NS
	29-Oct-19	NS	0.077	U	NS	NS	0.077	U	0.077	U	0.38°	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.12	U	NS	NS	NS	0.12	U	NS	NS	0.55
	27-Mar-08	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12
	25-Apr-08	NS	NS	0.12	U	NS	NS	0.12	U	NS	0.12
	29-May-08	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U
	27-Jun-08	0.187	U	NS	NS	NS	0.12	U	NS	0.12	U
	31-Jul-08	NS	0.12	U	NS	NS	NS	NS	0.12	U	0.12
	28-Aug-08	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS
	30-Sep-08	NS	NS	NS	3	U	NS	NS	3	U	3
	27-Oct-08	3	U	NS	NS	NS	3	U	NS	3	U
	25-Nov-08	NS	3	U	NS	NS	3	U	NS	3	U
	18-Dec-08	NS	NS	3	U	NS	NS	3	U	3	U
	21-Jan-09	NS	NS	NS	3	U	NS	NS	3	U	3
	25-Feb-09	3	U	NS	NS	NS	3	U	NS	3	U
	26-Mar-09	NS	0.601	U	NS	NS	1.2	U	NS	NS	0.12
	29-Apr-09	NS	NS	0.12	U	NS	NS	0.12	U	NS	0.12
	22-Jul-09	0.601	U	NS	24	U	1.2	U	NS	0.12	U
	9-Oct-09	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U
	15-Jan-10	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	21-Apr-10	NS	0.12	U	NS	NS	0.601	U	NS	0.12	U
	16-Jul-10	0.12	U	NS	0.12	U	0.907	U	NS	0.12	U
	15-Oct-10	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
	26-Jan-11	1.2	U	0.12	U	NS	0.601	U	NS	0.601	U
	28-Feb-11	NS	NS	1.2	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
	26-Jul-11	0.401	U	NS	0.401	U	0.12	U	NS	0.12	U
	28-Oct-11	NS	3	U	NS	NS	3	U	NS	3	U
	23-Jan-12	0.6	U	NS	0.6	U	0.1	U	NS	0.6	U
	13-Apr-12	NS	0.6	U	NS	NS	0.6	U	NS	0.6	U
1,2-Dichlorobenzene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	3	U
	23-Jun-12	0.6	U	NS	0.6	U	0.6	U	NS	0.6	U
	1-Nov-12	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
	1-Feb-13	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	29-Apr-13	NS	0.3	U	NS	NS	0.12	U	0.12	U	0.12
	9-Jul-13	0.18	U	NS	0.12	U	0.12	U	NS	0.12	U
	18-Oct-13	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
	9-Jan-14	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	24-Apr-14	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.18
	1-Aug-14	0.12	U	NS	0.18	U	0.69	NS	NS	0.12	U
	27-Aug-14	NS	NS	NS	NS	NS	0.12	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.18	U	NS
	22-Oct-14	NS	0.18	U	NS	NS	0.18	U	0.18	U	0.24
	20-Jan-15	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.14	U
	22-Apr-15	NS	0.12	U	NS	NS	0.12	U	0.17	U	0.14
	21-Jul-15	0.3	U	NS	0.900 <sup>d</sup>	6	U	NS	NS	0.3 <sup>o</sup>	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.3	U	NS
	29-Oct-15	NS	0.3	U	NS	NS	4	NS	0.5	U	0.3
	4-Dec-15 resample	NS	0.3	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	20-Apr-16	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
	20-Jul-16	0.60	U	NS	0.60	U	0.60	U	NS	0.60	U
	21-Oct-16	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
	31-Jan-17	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	17-Apr-17	NS	0.18	U	NS	NS	0.18	U	0.18	U	0.18
	26-Jul-17	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	12-Oct-17	NS	0.12	U	NS	NS	0.12	U	0.36	U	0.3
	10-Jan-18	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	11-Apr-18	NS	0.12	U	NS	NS	1.2	U	1.2	U	1.2
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.18	U
	27-Jul-18	0.60	U	NS	0.60	U	0.60	U	NS	0.60	U
	24-Oct-18	NS	0.6	U	NS	NS	0.6	U	0.6	U	0.6
	16-Jan-19	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	12-Apr-19	NS	0.12	U	NS	NS	0.12	U	0.15	U	0.18
	29-Jul-19	0.18	U	NS	0.18	U	0.12	U	NS	0.12	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.18	U
	29-Oct-19	NS	0.12	U	NS	NS	0.23	NS	0.12	U	0.6 <sup>b</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
8-Feb-08	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	NS
27-Mar-08	NS	0.12	U	NS	0.6	NS	0.12	U	NS	0.12	U
25-Apr-08	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
29-May-08	NS	NS	NS	U	1.18	NS	NS	3.47	0.62	U	NS
27-Jun-08	0.187	U	NS	NS	NS	0.257	NS	NS	0.12	U	0.12
31-Jul-08	NS	0.822	NS	NS	NS	NS	NS	0.136	NS	NS	0.12
28-Aug-08	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	NS
30-Sep-08	NS	NS	NS	U	3	U	NS	3	U	3	U
27-Oct-08	3	U	NS	NS	NS	3	U	NS	3	U	3
25-Nov-08	NS	3	U	NS	NS	3	U	NS	3	U	NS
18-Dec-08	NS	NS	3	U	NS	NS	3	U	NS	3	U
21-Jan-09	NS	NS	NS	U	3	U	NS	3	U	NS	3
25-Feb-09	3	U	NS	NS	NS	3	U	NS	3	U	NS
26-Mar-09	NS	0.601	U	NS	NS	1.2	U	NS	NS	0.12	U
29-Apr-09	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12
22-Jul-09	0.601	U	NS	24.5	U	1.2	U	NS	0.12	U	0.36
9-Oct-09	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
15-Jan-10	0.12	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U
21-Apr-10	NS	0.12	U	NS	NS	0.601	U	0.601	U	0.12	U
16-Jul-10	0.595	NS	0.685	NS	1.99	NS	0.907	U	NS	0.132	NS
15-Oct-10	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U
26-Jan-11	1.2	U	0.12	U	NS	0.12	U	0.601	U	0.601	U
28-Feb-11	NS	NS	1.2	U	NS	NS	NS	NS	NS	NS	NS
27-Apr-11	NS	0.12	U	NS	NS	0.42	NS	0.156	U	0.12	U
26-Jul-11	0.401	U	NS	0.401	U	0.12	U	0.601	U	0.12	U
28-Oct-11	NS	3	U	NS	NS	3	U	3	U	3	U
23-Jan-12	1.6	NS	1.8	NS	2.3	NS	1.6	NS	NS	2.7	NS
13-Apr-12	NS	0.6	U	NS	NS	0.6	U	0.6	U	0.6	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	3	U
23-Jun-12	0.6	U	NS	0.6	U	NS	0.6	U	NS	0.6	U
1-Nov-12	NS	1.2	NS	NS	2.6	NS	6	2.2	0.18	NS	0.12
1-Feb-13	0.18	NS	0.34	0.56	NS	0.44	NS	NS	0.17	0.12	U
1,3-Dichlorobenzene	29-Apr-13	NS	1.3	NS	NS	4.5	NS	6.5	6	0.12	U
	9-Jul-13	1.3	NS	2.0	3.9	NS	3.8	NS	NS	0.12	U
	18-Oct-13	NS	0.52	NS	NS	1.4	NS	2.6	2.2	0.16	NS
	9-Jan-14	0.58	NS	0.9	1.1	NS	0.84	NS	3.0	4.1	NS
	24-Apr-14	NS	0.12	U	NS	0.14	NS	0.12	U	0.12	U
	1-Aug-14	4.2	NS	4.8/6.7	4.9/7.6	NS	NS	NS	NS	3.6	5.1/6.2
	27-Aug-14	NS	NS	NS	NS	NS	0.80	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	0.82	NS	NS	U
	22-Oct-14	NS	0.18	U	NS	0.18	U	0.18	U	0.18	U
	20-Jan-15	0.12	U	NS	0.120	U	0.12	U	NS	0.2	0.12
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.14	U
	22-Apr-15	NS	0.13	NS	NS	0.36	NS	1.5	0.78/0.87	0.12	U
	21-Jul-15	0.3	U	NS	1	6	U	NS	NS	0.3 <sup>b</sup>	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.3	U	NS	NS
	29-Oct-15	NS	0.3	U	NS	0.3	U	0.5	U	0.3	U
	4-Dec-15 resample	NS	0.3	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.12	U	NS	0.12	U	0.12	U	NS	0.21 <sup>M</sup>	U
	20-Apr-16	NS	0.31	NS	NS	0.51	NS	0.9	0.24	0.22	NS
	20-Jul-16	0.60	U	NS	1.3	0.60	U	NS	0.60	U	0.60
	21-Oct-16	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	31-Jan-17	0.12	U	NS	0.13	NS	0.12	NS	0.41	0.5	NS
	17-Apr-17	NS	0.92	NS	NS	0.79	NS	1.3	1.8	0.18	U
	26-Jul-17	0.2	NS	0.12	U	2.3	NS	3.5	NS	0.12	U
	12-Oct-17	NS	2.2	NS	NS	0.73	NS	4.2	4.5	0.34	U
	10-Jan-18	0.12	U	NS	0.19	0.28	NS	0.12	NS	0.37	NS
	11-Apr-18	NS	0.12	U	NS	1.2	U	1.2	U	0.58	1.2
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	3.2	NS
	27-Jul-18	3.4	NS	6.4	4.4	NS	4.1	NS	1.1	1.1	NS
	24-Oct-18	NS	0.6	U	NS	0.6	U	0.6	U	0.6	U
	16-Jan-19	0.12	U	NS	0.12	U	0.12	NS	0.19	0.24	NS
	12-Apr-19	NS	0.2	NS	NS	0.13	NS	0.15	U	0.18	U
	29-Jul-19	3.3	NS	3	6.4	NS	6.7	NS	NS	1.4	3.6
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	1	NS
	29-Oct-19	NS	1	NS	NS	1.4	NS	0.22	1.1	2.6 <sup>b</sup>	4.1 <sup>b</sup>
											2.7 <sup>b</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual								
	8-Feb-08	1.56	NS	NS	0.26	NS	NS	NS	9.5	7.91	NS
	27-Mar-08	NS	4.33	NS	8.48	NS	NS	NS	6.28	15.1	
	25-Apr-08	NS	NS	0.347	NS	NS	32.3	NS	NS	16.3	
	29-May-08	NS	NS	5.5	NS	NS	10	9.41	4.18	NS	
	27-Jun-08	47.3	NS	NS	38.1	NS	NS	NS	40.8	57.9	
	31-Jul-08	NS	2.46	NS	NS	NS	NS	NS	NS	2.04	
	28-Aug-08	NS	NS	234	NS	NS	214	NS	208	NS	
	30-Sep-08	NS	NS	7.2	NS	NS	3	U	6.8	5.6	
	27-Oct-08	3	U	NS	3	U	NS	NS	3	3	U
	25-Nov-08	NS	3	U	NS	3	U	NS	3	3	U
	18-Dec-08	NS	NS	NS	NS	NS	4.7	NS	NS	10.3	17.1
	21-Jan-09	NS	NS	NS	NS	NS	NS	3	U	NS	27.2
	25-Feb-09	3	U	NS	NS	NS	NS	NS	3	3	U
	26-Mar-09	NS	5.43	NS	*	NS	NS	NS	NS	20.6	33
	29-Apr-09	NS	NS	1.2	NS	NS	1.91	NS	NS	4.12	4.25
	22-Jul-09	0.601	U	NS	24.5	U	1.2	NS	NS	0.348	0.613
	9-Oct-09	NS	3.31	NS	NS	3.44	NS	2.79	25.1	6.95	NS
	15-Jan-10	0.12	NS	1.06	0.715	NS	0.823	NS	2	1.98	NS
	21-Apr-10	NS	0.12	U	NS	0.601	U	0.601	U	3.27	2.84
	16-Jul-10	1.78	NS	2.3	2.86	NS	1.36	NS	1.63	5.05	NS
	15-Oct-10	NS	0.685	NS	NS	1.75	NS	1.37	1.48	1.8	2.47
	26-Jan-11	1.2	U	0.12	U	0.12	U	0.601	U	0.601	U
	28-Feb-11	NS	NS	1.2	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.985	NS	NS	1.08	NS	0.967	1.14	1.07	1.24
	26-Jul-11	5.45	NS	5.21	0.715	NS	5.26	NS	NS	5.54	4.69
	28-Oct-11	NS	3	U	NS	3	U	NS	3	3	U
	23-Jan-12	0.6	U	NS	0.6	U	NS	NS	0.6	0.66	NS
	13-Apr-12	NS	0.6	U	NS	0.6	U	0.6	U	0.6	U
1,4-Dichlorobenzene	2-Jul-12 (resample)	NS	3	U							
	23-Jun-12	0.6	U	NS	0.6	U	0.6	U	0.6	0.6	NS
	1-Nov-12	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	1-Feb-13	0.12	U	NS	0.12	U	0.4	NS	0.12	0.12	U
	29-Apr-13	NS	0.3	U	NS	0.12	U	0.12	U	0.12	U
	9-Jul-13	0.18	U	NS	0.14	0.16	NS	0.18	NS	0.18	NS
	18-Oct-13	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	9-Jan-14	0.12	U	NS	0.12	U	0.12	NS	0.14	0.12	U
	24-Apr-14	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	1-Aug-14	0.12	U	NS	0.18	U	0.18	NS	0.12	0.12	U
	27-Aug-14	NS	NS	NS	NS	NS	0.12	U	NS	NS	NS
	12-Sept-14 (resample)	NS	0.18	NS	NS						
	22-Oct-14	NS	0.18	U	NS	0.18	U	0.18	U	0.18	U
	20-Jan-15	0.12	U	NS	0.120	U	0.12	U	0.12	0.18	U
	30-Mar-15 (resample)	NS	0.14	U							
	22-Apr-15	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	21-Jul-15	0.3	U	NS	1	U	6	U	0.3	0.3	U
	23-Sept-15 resample	NS	0.3	NS	NS						
	29-Oct-15	NS	0.3	U	NS	0.3	U	0.5	U	0.3	U
	4-Dec-15 resample	NS	0.3	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.12	U	NS	0.12	U	0.12	U	0.12	0.13	NS
	20-Apr-16	NS	0.12	U	NS	0.52	NS	0.12	U	0.12	U
	20-Jul-16	0.60	U	NS	0.60	U	0.60	U	NS	0.60	U
	21-Oct-16	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U
	31-Jan-17	0.12	U	NS	0.12	U	0.12	U	0.12	0.12	U
	17-Apr-17	NS	0.18	U	NS	0.18	U	0.18	U	0.18	U
	26-Jul-17	0.12	U	NS	1.8	U	0.12	U	NS	0.12	U
	12-Oct-17	NS	0.12	U	NS	0.12	U	0.36	U	0.34	NS
	10-Jan-18	0.12	U	NS	0.12	U	0.12	NS	0.12	NS	0.12
	11-Apr-18	NS	0.12	U	NS	1.2	U	1.2	U	0.12	U
	23-May-18	NS	0.18	NS							
	27-Jul-18	0.60	U	NS	0.60	U	0.60	U	0.60	0.60	U
	24-Oct-18	NS	0.6	U	NS	0.6	U	0.6	U	0.60	U
	16-Jan-19	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U
	12-Apr-19	NS	0.12	U	NS	0.12	U	0.15	U	0.18	U
	29-Jul-19	0.18	U	NS	0.18	U	0.12	NS	0.12	2.2	NS
	26-Sep-19	NS	<0.18	U							
	29-Oct-19	NS	0.12	U	NS	NS	0.29	NS	0.12	0.6 <sup>b</sup>	U

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08	2	NS	NS	NS	2.03	NS	NS	1.92	2	NS
	27-Mar-08	NS	2.29	NS	NS	2.15	NS	NS	2.72	4.14	
	25-Apr-08	NS	NS	2.01	NS	NS	2.11	NS	2.04	2.16	
	29-May-08	NS	NS	NS	1.63	NS	NS	1.62	1.68	1.66	NS
	27-Jun-08	2.03	NS	NS	NS	2.52	NS	NS	NS	2.27	2.48
	31-Jul-08	NS	1.9	NS	NS	NS	NS	NS	1.81	NS	1.87
	28-Aug-08	NS	NS	3.13	NS	NS	2.8	NS	2.75	2.88	NS
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.7
	27-Oct-08	2.5	U	NS	NS	2.5	U	NS	2.5	U	2.5
	25-Nov-08	NS	215	NS	NS	11.7	NS	NS	2.5	U	5.1
	18-Dec-08	NS	NS	25	NS	NS	2.5	U	NS	2.5	U
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	5.8	U	2.5
	25-Feb-09	2.5	U	NS	NS	19.4	NS	NS	2.5	U	3.4
	26-Mar-09	NS	2.55	NS	NS	2.48	NS	NS	NS	2.46	2.41
	29-Apr-09	NS	NS	2.41	NS	NS	3.78	NS	2.26	NS	2.4
	22-Jul-09	2.42	NS	2.42	2.72	NS	2.5	NS	2.37	2.48	NS
	9-Oct-09	NS	2.73	NS	NS	2.77	NS	3.67	51.6	U	2.64
	15-Jan-10	2.5	NS	3.57	2.52	NS	2.61	NS	NS	2.29	2.25
	21-Apr-10	NS	0.568	NS	NS	2.2	NS	2.59	2.2	2.64	NS
	16-Jul-10	3.36	NS	2.61	2.55	NS	2.98	NS	3.15	3.29	NS
	15-Oct-10	NS	3.13	NS	NS	2.67	NS	2.43	2.41	2.46	NS
	26-Jan-11	2.47	U	2.2	NS	2.64	NS	1.98	NS	2.57	3.31
	28-Feb-11	NS	NS	2.47	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.18	NS	NS	2.27	NS	2.26	2.5	2.32	NS
	26-Jul-11	2.41	NS	2.29	2.28	NS	2.08	NS	NS	2.44	2.3
	28-Oct-11	NS	2.7	NS	NS	2.7	NS	2.7	2.7	2.9	NS
	23-Jan-12	2.5	NS	2.6	2.6	NS	2.7	NS	NS	2.6	2.6
	13-Apr-12	NS	2.5	NS	NS	2.9	NS	2.4	3.2	2.5	NS
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8
	23-Jun-12	2.6	NS	2.3	2.5	NS	2.3	NS	NS	2.3	NS
	1-Nov-12	NS	1.8	NS	NS	1.8	NS	2	1.9	2	1.9
	1-Feb-13	1.4	NS	1.4	1.5	NS	1.6	NS	NS	1.6	NS
	29-Apr-13	NS	2.6	NS	NS	2.3	NS	2.2	2.2	2.3	NS
	9-Jul-13	1	NS	1.1	0.99	NS	1.1	NS	NS	1.0	1.1
	18-Oct-13	NS	2.0	NS	NS	1.9	NS	1.9	2.2	2.0	NS
	9-Jan-14	1.5	NS	1.2	1.3	NS	1.4	NS	NS	1.5	NS
	24-Apr-14	NS	2.7	NS	NS	2.6	NS	2.3	2.6	2.7	3.1
	1-Aug-14	1.1	NS	2.2/1.5	2.3/1.6	NS	NS	NS	NS	1.6	2.2/1.6
	27-Aug-14	NS	NS	NS	NS	NS	2.9/3.3	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	2.3	NS	U
	22-Oct-14	NS	1.3	NS	NS	1.4	1.4	1.4	1.6	1.4	NS
	20-Jan-15	0.099	U	NS	1.5	1.4	NS	1.4	NS	1.4	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	22-Apr-15	NS	4.0 <sup>v</sup>	NS	NS	4.1 <sup>v</sup>	NS	1.8	1.7/2.0	1.8	NS
	21-Jul-15	0.88	NS	1.6	5	U	0.91	NS	NS	0.74 <sup>o</sup>	0.72 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.93	NS	NS	NS
	29-Oct-15	NS	1	NS	NS	0.89	NS	0.88	0.89	0.83	NS
	4-Dec-15 resample	NS	0.91	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2 <sup>M</sup>	NS	2 <sup>M</sup>	2.1 <sup>M</sup>	NS	2.1 <sup>M</sup>	NS	NS	2.2 <sup>M</sup>	2.1 <sup>M</sup>
	20-Apr-16	NS	1.5	NS	NS	1.6	NS	1.5	1.7	1.6	NS
	20-Jul-16	1.4	NS	1.6	1.6	NS	1.6	NS	NS	1.5	NS
	21-Oct-16	NS	0.55	NS	NS	0.55	NS	0.58	0.56	0.51	NS
	31-Jan-17	0.75	NS	0.79	0.8	NS	0.75	NS	NS	0.78	0.51
	17-Apr-17	NS	0.84	NS	NS	0.89	NS	0.91	0.96	0.86	NS
	26-Jul-17	1.8	NS	1.8	1.8	NS	1.7	NS	NS	1.8	NS
	12-Oct-17	NS	0.82	NS	NS	0.73	NS	1.3	1.2	1.4	NS
	10-Jan-18	0.66	NS	0.67	0.65	NS	0.63	NS	NS	0.63	0.63
	11-Apr-18	NS	1.2	NS	NS	2.8	NS	2.7	2.7	1.1	NS
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS
	27-Jul-18	1.6	NS	1.7	1.6	NS	1.5	NS	1.4	1.6	NS
	24-Oct-18	NS	1.7	NS	NS	1.2	NS	1.1	1.1	1.3	NS
	16-Jan-19	0.75	NS	0.78	0.75	NS	0.8	NS	NS	0.79	0.99
	12-Apr-19	NS	0.84 <sup>LV</sup>	NS	0.83 <sup>LV</sup>	NS	0.86 <sup>LV</sup>	0.79	0.8	NS	1.1
	29-Jul-19	0.15	U	0.15	U	0.099	U	0.099	U	0.099	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	1.5	NS
	29-Oct-19	NS	1.5	NS	NS	1.8	NS	1.6	1.5	2.6 <sup>b</sup>	3.4 <sup>b</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.08	U	NS	NS	NS	NS	NS	0.08	U	NS
	27-Mar-08	NS	0.081	U	NS	NS	NS	NS	0.081	U	NS
	25-Apr-08	NS	NS	0.081	U	NS	NS	NS	0.081	U	NS
	29-May-08	NS	NS	NS	U	0.08	U	NS	0.081	U	0.081
	27-Jun-08	0.126	U	NS	NS	NS	0.081	U	NS	0.081	U
	31-Jul-08	NS	0.081	U	NS	NS	NS	NS	0.081	U	0.081
	28-Aug-08	NS	NS	0.081	U	NS	NS	NS	0.081	U	NS
	27-Oct-08	NS	NS	NS	U	2	U	NS	NS	2	U
	27-Oct-08	2	U	NS	NS	NS	U	NS	NS	2	U
	25-Nov-08	NS	2	U	NS	NS	2	U	NS	2	U
	18-Dec-08	NS	NS	2	U	NS	NS	2	U	NS	2
	21-Jan-09	NS	NS	NS	U	2	U	NS	NS	2	U
	25-Feb-09	2	U	NS	NS	NS	U	NS	NS	2	U
	26-Mar-09	NS	0.404	U	NS	NS	0.809	U	NS	NS	0.081
	29-Apr-09	NS	NS	0.19	U	NS	NS	0.081	U	0.121	NS
	22-Jul-09	0.404	U	NS	16.5	U	0.801	U	NS	0.081	U
	9-Oct-09	NS	0.081	U	NS	NS	0.081	U	0.081	U	0.081
	15-Jan-10	0.137	U	NS	0.081	U	0.801	U	NS	0.081	U
	21-Apr-10	NS	0.081	U	NS	NS	0.404	U	NS	0.404	U
	16-Jul-10	0.081	U	NS	2.48	U	0.081	U	0.611	U	NS
	15-Oct-10	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U
	26-Jan-11	0.809	U	0.081	U	NS	0.081	U	7.37	U	NS
	28-Feb-11	NS	NS	0.809	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U
	26-Jul-11	0.27	U	NS	0.27	U	0.081	U	0.405	U	NS
	28-Oct-11	NS	2	U	NS	NS	2	U	NS	2	U
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U
1,1-Dichloroethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	1-Nov-12	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	29-Apr-13	NS	0.2	U	NS	NS	0.081	U	NS	0.081	U
	9-Jul-13	0.061	U	NS	0.040	U	0.040	U	0.040	U	0.040
	18-Oct-13	NS	0.081	U	NS	NS	0.081	U	NS	0.081	U
	9-Jan-14	0.081	U	NS	0.081	U	0.081	U	NS	0.081	U
	24-Apr-14	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U
	1-Aug-14	0.081	U	NS	0.280	U	0.120	U	NS	0.081	U
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	0.061	U	0.061	U	NS
	22-Oct-14	NS	0.061	U	NS	NS	0.061	U	0.061	U	0.081
	20-Jan-15	0.04	U	NS	0.040	U	0.040	U	NS	0.061	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	0.041 <sup>v</sup>	U	0.04 <sup>v</sup>	U	0.046
	22-Apr-15	NS	0.041 <sup>v</sup>	U	NS	NS	0.04 <sup>v</sup>	U	NS	0.040	U
	21-Jul-15	0.2	U	NS	0.8	U	4	U	NS	0.200 <sup>o</sup>	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	0.04	U	NS	0.200 <sup>o</sup>	U
	29-Oct-15	NS	0.2	U	NS	NS	0.2	U	NS	NS	NS
	4-Dec-15 resample	NS	0.2	U	NS	NS	0.2	U	NS	NS	NS
27-Jan-16	27-Jan-16	0.04	U	NS	0.044	U	0.04	U	NS	0.04	U
	20-Apr-16	NS	0.040	U	NS	NS	0.040	U	NS	0.040	U
	20-Jul-16	0.20	U	NS	0.37	U	0.20	U	NS	0.20	U
	21-Oct-16	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U
	31-Jan-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	17-Apr-17	NS	0.061	U	NS	NS	0.061	U	NS	0.061	U
	26-Jul-17	0.04	U	NS	0.2	U	0.04	U	NS	0.04	U
	12-Oct-17	NS	0.04	U	NS	NS	0.04	U	NS	0.11	U
	10-Jan-18	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	11-Apr-18	NS	0.081	U	NS	NS	0.81	U	NS	0.081	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.061	U
	27-Jul-18	0.20	U	NS	0.20	U	0.20	U	NS	0.20	U
	24-Oct-18	NS	0.2	U	NS	NS	0.2	U	NS	0.20	U
	16-Jan-19	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Apr-19	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U
	29-Jul-19	0.061	U	NS	0.24	U	0.04	U	0.13	NS	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.061
	29-Oct-19	NS	0.04	U	NS	NS	0.04	U	NS	0.2 <sup>b</sup>	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.08	U	NS	NS	NS	NS	NS	0.09	0.08	NS
	27-Mar-08	NS	0.081	U	NS	NS	0.143	NS	NS	0.081	0.1
	25-Apr-08	NS	NS	0.081	U	NS	NS	0.081	U	NS	0.089
	29-May-08	NS	NS	NS	0.09	NS	NS	0.11	0.08	U	NS
	27-Jun-08	0.126	U	NS	NS	0.153	NS	NS	NS	0.11	0.081
	31-Jul-08	NS	0.081	U	NS	NS	NS	NS	0.081	U	0.081
	28-Aug-08	NS	NS	0.171	NS	NS	NS	NS	0.081	U	NS
	27-Oct-08	NS	NS	NS	0.08	U	NS	NS	0.08	U	0.08
	27-Oct-08	0.08	U	NS	NS	0.08	U	NS	0.08	U	0.095
	25-Nov-08	NS	0.08	U	NS	NS	0.08	U	NS	0.08	U
	18-Dec-08	NS	NS	0.08	U	NS	NS	U	NS	0.08	U
	21-Jan-09	NS	NS	0.08	U	NS	NS	U	0.08	U	0.08
	25-Feb-09	0.08	U	NS	NS	0.08	U	NS	0.08	U	NS
	26-Mar-09	NS	0.404	U	NS	NS	0.809	U	NS	0.098	0.133
	29-Apr-09	NS	NS	0.319	NS	NS	0.081	U	NS	0.081	0.089
	22-Jul-09	0.404	U	NS	16.5	U	0.809	U	NS	0.081	U
	9-Oct-09	NS	0.081	U	NS	0.081	U	NS	0.081	U	0.081
	15-Jan-10	0.081	U	NS	0.081	U	0.081	U	NS	0.081	U
	21-Apr-10	NS	0.081	U	NS	0.404	U	NS	0.404	U	0.081
	16-Jul-10	0.101	NS	1.44	0.081	U	0.611	U	NS	0.081	U
	15-Oct-10	NS	0.081	U	NS	0.081	U	NS	0.081	U	0.081
	26-Jan-11	0.809	U	0.081	U	NS	0.404	U	NS	0.404	U
	28-Feb-11	NS	NS	0.809	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.081	U	NS	0.081	U	NS	0.081	U	0.081
	26-Jul-11	0.27	U	NS	0.27	U	0.405	U	NS	0.405	U
	28-Oct-11	NS	2	U	NS	2	U	2	U	2	U
	23-Jan-12	0.2	U	NS	0.2	U	NS	0.2	U	0.2	U
	13-Apr-12	NS	0.2	U	NS	0.2	U	NS	0.2	U	0.2
1,2-Dichloroethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1	NS
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	1-Nov-12	NS	0.04	U	NS	0.04	U	0.04	U	0.04	0.057
	1-Feb-13	0.053	NS	0.062	0.062	NS	0.05	NS	0.066	0.049	NS
	29-Apr-13	NS	0.19	NS	NS	0.06	NS	0.04	0.079	NS	0.094
	9-Jul-13	0.12	U	NS	0.081	U	0.081	U	NS	0.092	U
	18-Oct-13	NS	0.081	U	NS	0.081	U	0.081	U	0.081	U
	9-Jan-14	0.081	U	NS	0.040	U	0.040	U	NS	0.081	NS
	24-Apr-14	NS	0.04	U	NS	0.04	U	0.04	U	0.040	U
	1-Aug-14	0.040	U	NS	0.170	0.061	U	NS	NS	0.040	U
	27-Aug-14	NS	NS	NS	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	0.061	U	NS	NS
	22-Oct-14	NS	0.061	U	NS	0.061	U	0.061	U	0.061	U
	20-Jan-15	0.040	U	NS	0.040	U	0.040	U	NS	0.061	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.046	U
	22-Apr-15	NS	0.17 <sup>v</sup>	NS	NS	0.087 <sup>v</sup>	NS	0.04	U	0.040	U
	21-Jul-15	0.140 <sup>j</sup>	NS	0.8	U	4	U	0.2	U	NS	0.200 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.2	U	NS	NS
	29-Oct-15	NS	0.2	U	NS	0.2	U	0.3	U	0.2	U
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
1,1-Dichloroethane	27-Jan-16	0.04	U	NS	0.057	0.042	NS	0.049	NS	0.065	0.05
	20-Apr-16	NS	0.053	NS	NS	0.040	U	NS	0.049	0.058	0.060
	20-Jul-16	0.20	U	NS	0.20	U	0.28	NS	0.21	0.20	U
	21-Oct-16	NS	0.086	NS	NS	0.04	U	NS	0.045	0.04	0.052
	31-Jan-17	0.04	U	NS	0.078	0.04	U	0.04	U	0.04	U
	17-Apr-17	NS	0.061	U	NS	0.061	U	0.061	U	0.061	U
	26-Jul-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Oct-17	NS	0.04	U	NS	0.04	U	0.12	U	0.11	U
	10-Jan-18	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	11-Apr-18	NS	0.081	U	NS	NS	0.81 <sup>D</sup>	U	0.81 <sup>D</sup>	NS	0.81 <sup>D</sup>
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.061	U
	27-Jul-18	0.20	U	NS	0.20	U	0.20	U	NS	0.20	U
	24-Oct-18	NS	0.2	U	NS	0.2	U	0.2	U	0.20	U
	16-Jan-19	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Apr-19	NS	0.04	U	NS	0.04	U	0.051	U	0.061	U
	29-Jul-19	0.061	U	NS	0.061	U	0.04	U	NS	0.04	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.061	U
	29-Oct-19	NS	0.04	U	NS	NS	0.04	U	0.04	U	0.2 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.08	U
	27-Mar-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	0.079	U
	25-Apr-08	NS	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	29-May-08	NS	NS	NS	0.08	U	NS	NS	0.08	U	0.08	U
	27-Jun-08	0.123	U	NS	NS	NS	0.079	U	NS	NS	0.079	U
	31-Jul-08	NS	0.079	U	NS	NS	NS	NS	NS	0.079	U	0.079
	28-Aug-08	NS	NS	0.079	U	NS	NS	0.079	U	0.079	U	NS
	30-Sep-08	NS	NS	2	U	NS	NS	2	U	NS	2	U
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	2	U	2
	25-Nov-08	NS	2	U	NS	NS	2	U	NS	2	U	NS
	18-Dec-08	NS	NS	2	U	NS	NS	2	U	NS	2	U
	21-Jan-09	NS	NS	NS	2	U	NS	NS	2	U	NS	2
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	2	U	NS
	26-Mar-09	NS	0.396	U	NS	NS	0.792	U	NS	NS	0.079	U
	29-Apr-09	NS	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U
	22-Jul-09	0.396	U	NS	16.2	U	0.792	U	NS	0.079	U	0.079
	9-Oct-09	NS	0.079	U	NS	NS	0.079	U	NS	16.5	U	0.079
	15-Jan-10	0.137	U	NS	0.079	U	0.079	U	NS	0.079	U	0.079
	21-Apr-10	NS	0.079	U	NS	NS	0.396	U	NS	0.396	U	0.079
	16-Jul-10	0.079	U	NS	0.206	U	0.079	U	0.598	U	0.079	U
	15-Oct-10	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.079	U	0.396	U	0.396	U
	28-Feb-11	NS	NS	0.792	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	0.396	U	0.396	U
	28-Oct-11	NS	2	U	NS	NS	2	U	NS	2	U	2
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U	0.2
1,1-Dichloroethene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.99	U
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	NS
	1-Nov-12	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.040	U	0.040
	29-Apr-13	NS	0.099	U	NS	NS	0.04	U	0.04	U	0.040	U
	9-Jul-13	0.059	U	NS	0.040	U	0.040	U	NS	0.040	U	0.040
	18-Oct-13	NS	0.079	U	NS	NS	0.079	U	NS	0.079	U	0.079
	9-Jan-14	0.079	U	NS	0.081	U	0.079	U	0.079	U	0.079	U
	24-Apr-14	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U	0.040
	1-Aug-14	0.079	U	NS	0.120	U	0.420	NS	NS	NS	0.079	U
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	0.040	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	0.059	U	0.059	U	0.059	U
	22-Oct-14	NS	0.059	U	NS	NS	0.059	U	0.059	U	0.059	U
	20-Jan-15	0.04	U	NS	0.040	U	0.040	U	NS	0.059	U	0.040
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.045	U
	22-Apr-15	NS	0.041 <sup>v</sup>	U	NS	NS	0.040 <sup>v</sup>	U	NS	0.040	U	0.046
	21-Jul-15	0.2	U	NS	0.8	U	4	U	NS	0.2	U	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.2	U	NS
	29-Oct-15	NS	0.2	U	NS	NS	0.2	U	NS	0.3	U	0.2
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS	NS
27-Jan-16	27-Jan-16	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04
	20-Apr-16	NS	0.040	U	NS	NS	0.040	U	NS	0.040	U	0.040
	20-Jul-16	0.20	U	NS	0.21	U	0.20	U	NS	0.24	U	0.21
	21-Oct-16	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U	0.04
	31-Jan-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04
	17-Apr-17	NS	0.059	U	NS	NS	0.059	U	NS	0.059	U	0.059
	26-Jul-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04
	12-Oct-17	NS	0.04	U	NS	NS	0.04	U	NS	0.12	U	0.099
	10-Jan-18	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04
	11-Apr-18	NS	0.079	U	NS	NS	0.79	U	NS	0.79	U	0.79
23-May-18	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.059	U
	27-Jul-18	0.20	U	NS	0.20	U	0.20	U	NS	0.20	U	NS
	24-Oct-18	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U	0.2
	16-Jan-19	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04
	12-Apr-19	NS	0.04	U	NS	NS	0.04	U	NS	0.059	U	0.059
	29-Jul-19	0.059	U	NS	0.059	U	0.04	U	NS	0.04	U	1.1
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.059	U
	29-Oct-19	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U	0.2 <sup>b</sup>
												0.2 <sup>b</sup>
												0.2 <sup>b</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	NS	NS	0.08	U	NS	NS	0.08
	27-Mar-08	NS	0.079	U	NS	NS	0.079	U	NS	NS	0.079
	25-Apr-08	NS	NS	0.079	U	NS	NS	0.079	U	NS	0.079
	29-May-08	NS	NS	NS	0.08	NS	NS	0.08	U	0.08	NS
	27-Jun-08	0.123	U	NS	NS	NS	0.079	U	NS	NS	0.079
	31-Jul-08	NS	0.079	U	NS	NS	NS	NS	U	0.08	NS
	28-Aug-08	NS	NS	0.079	U	NS	NS	0.079	U	0.08	NS
	30-Sep-08	NS	NS	NS	5.9	U	NS	NS	U	NS	5.9
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	2	U
	25-Nov-08	NS	2	U	NS	NS	2	U	NS	2	U
	18-Dec-08	NS	NS	2	U	NS	NS	2	U	NS	2
	21-Jan-09	NS	NS	NS	2	U	NS	NS	U	2	U
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	2	U
	26-Mar-09	NS	0.396	U	NS	NS	0.792	U	NS	NS	0.079
	29-Apr-09	NS	NS	0.079	U	NS	NS	0.079	U	NS	0.079
	22-Jul-09	0.396	U	NS	595	0.792	U	NS	U	0.079	U
	9-Oct-09	NS	0.079	U	NS	NS	0.079	U	16.5	U	0.079
	15-Jan-10	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U
	21-Apr-10	NS	0.079	U	NS	NS	0.396	U	0.396	U	0.079
	16-Jul-10	0.079	U	NS	0.079	U	0.598	U	NS	0.079	U
	15-Oct-10	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.396	U	NS	0.396	U
	28-Feb-11	NS	NS	0.792	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	26-Jul-11	0.264	U	NS	0.264	U	0.396	U	NS	0.396	U
	28-Oct-11	NS	2	U	NS	NS	2	U	2	U	2
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	0.2	U	0.2
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	U	NS	0.99	U
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	1-Nov-12	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	29-Apr-13	NS	0.2	U	NS	NS	0.079	U	0.079	U	0.079
	9-Jul-13	0.059	U	NS	0.040	U	0.040	U	NS	0.040	U
	18-Oct-13	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	9-Jan-14	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U
	24-Apr-14	NS	0.04	U	NS	NS	0.04	U	0.04	U	0.040
	1-Aug-14	0.079	U	NS	0.120	U	0.120	U	NS	0.079	U
	27-Aug-14	NS	NS	NS	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	U	0.059	U	NS
	22-Oct-14	NS	0.059	U	NS	NS	0.059	U	0.059	U	0.059
	20-Jan-15	0.04	U	NS	0.040	U	0.040	U	NS	0.059	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	U	NS	0.045	U
	22-Apr-15	NS	0.041 <sup>v</sup>	U	NS	NS	0.040 <sup>v</sup>	U	0.04	U	0.040
	21-Jul-15	0.2	U	NS	0.8	U	4	U	NS	0.11 <sup>1,o</sup>	1.700 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	0.27	U	0.2	U	NS
	29-Oct-15	NS	0.2	U	NS	NS	NS	U	0.31	U	2.7
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	U	NS	NS	NS
	27-Jan-16	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	20-Apr-16	NS	0.040	U	NS	NS	0.040	U	0.040	U	0.040
	20-Jul-16	0.20	U	NS	0.20	U	0.20	U	NS	0.21	U
	21-Oct-16	NS	0.04	U	NS	NS	0.04	U	0.04	U	0.04
	31-Jan-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	17-Apr-17	NS	0.059	U	NS	NS	0.059	U	0.059	U	0.059
	26-Jul-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Oct-17	NS	0.04	U	NS	NS	0.04	U	0.099	U	0.099
	10-Jan-18	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	11-Apr-18	NS	0.079	U	NS	NS	0.79	U	0.79	U	0.79
	23-May-18	NS	NS	NS	NS	NS	NS	U	NS	0.059	U
	27-Jul-18	0.20	U	NS	0.20	U	0.20	U	NS	0.20	U
	24-Oct-18	NS	0.2	U	NS	NS	0.2	U	0.2	U	0.2
	16-Jan-19	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Apr-19	NS	0.04	U	NS	NS	0.04	U	0.059	U	0.059
	29-Jul-19	0.059	U	NS	0.059	U	0.071	U	NS	0.059	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	U	NS	<0.059	U
	29-Oct-19	NS	0.04	U	NS	NS	0.04	U	0.04	U	0.2 <sup>b</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.08	U	NS	NS	NS	NS	NS	0.08	U	NS
	27-Mar-08	NS	0.079	U	NS	NS	NS	NS	0.079	U	NS
	25-Apr-08	NS	NS	0.079	U	NS	NS	NS	0.079	U	NS
	29-May-08	NS	NS	NS	U	0.08	NS	NS	0.079	U	0.079
	27-Jun-08	0.123	U	NS	NS	NS	NS	NS	0.08	U	0.08
	31-Jul-08	NS	0.079	U	NS	NS	NS	NS	0.08	U	NS
	28-Aug-08	NS	NS	0.079	U	NS	NS	NS	0.079	U	NS
	30-Sep-08	NS	NS	NS	U	2	NS	NS	0.079	U	0.079
	27-Oct-08	2	U	NS	NS	NS	NS	NS	2	U	2
	25-Nov-08	NS	2	U	NS	NS	NS	NS	2	U	2
	18-Dec-08	NS	NS	2	U	NS	NS	NS	2	U	2
	21-Jan-09	NS	NS	NS	U	2	NS	NS	2	U	2
	25-Feb-09	2	U	NS	NS	NS	NS	NS	2	U	NS
	26-Mar-09	NS	0.396	U	NS	NS	NS	NS	NS	0.079	U
	29-Apr-09	NS	NS	0.079	U	NS	NS	NS	0.079	U	0.079
	22-Jul-09	0.396	U	NS	0.396	U	NS	NS	0.079	U	NS
	9-Oct-09	NS	0.079	U	NS	NS	0.079	NS	0.079	U	0.079
	15-Jan-10	0.079	NS	0.079	U	0.079	NS	NS	0.079	U	NS
	21-Apr-10	NS	0.079	U	NS	NS	0.396	U	3.96	U	0.079
	16-Jul-10	0.079	U	NS	0.079	U	NS	0.598	U	0.079	U
	15-Oct-10	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.36	U	NS	0.396	U
	28-Feb-11	NS	NS	0.792	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	0.396	U	0.396
	28-Oct-11	NS	2	U	NS	NS	2	U	2	U	2
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	13-Apr-12	NS	0.2	U	NS	NS	0.2	U	0.2	U	0.2
trans-1,2-Dichloroethene*	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.99	U
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U
	1-Nov-12	NS	0.04	U	NS	0.04	U	0.04	U	0.040	U
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.040	U
	29-Apr-13	NS	0.099	U	NS	NS	0.04	U	0.04	U	0.04
	9-Jul-13	0.059	U	NS	0.040	U	0.040	U	NS	0.040	U
	18-Oct-13	NS	0.079	U	NS	NS	0.079	U	0.079	U	0.079
	9-Jan-14	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U
	24-Apr-14	NS	0.04	U	NS	NS	0.04	U	0.04	U	0.040
	1-Aug-14	0.079	U	NS	0.120	U	0.120	U	NS	0.079	U
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	0.040	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.059	U	NS
	22-Oct-14	NS	0.059	U	NS	NS	0.059	U	0.059	U	0.059
	20-Jan-15	0.04	U	NS	0.040	U	0.040	U	NS	0.059	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.045	U
	22-Apr-15	NS	0.041 <sup>v</sup>	U	NS	NS	0.040 <sup>v</sup>	U	0.04	U	0.040
	21-Jul-15	0.2	U	NS	0.8	U	4	U	0.2	U	0.200 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.2	U	NS
	29-Oct-15	NS	0.2	U	NS	NS	0.2	U	0.3	U	0.2
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
27-Jan-16	27-Jan-16	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	20-Apr-16	NS	0.040	U	NS	NS	0.040	U	0.040	U	0.040
	20-Jul-16	0.20	U	NS	0.20	U	0.20	U	NS	0.20	U
	21-Oct-16	NS	0.04	U	NS	NS	0.04	U	NS	0.04	U
	31-Jan-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	17-Apr-17	NS	0.071	U	NS	NS	0.079	U	0.059	U	0.059
	26-Jul-17	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Oct-17	NS	0.04	U	NS	NS	0.04	U	0.12	U	0.099
	10-Jan-18	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	11-Apr-18	NS	0.079	U	NS	NS	0.79	U	0.79	U	0.079
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.059
	27-Jul-18	0.20	U	NS	0.20	U	0.20	U	NS	0.20	U
	24-Oct-18	NS	0.2	U	NS	NS	0.2	U	0.2	U	0.2
	16-Jan-19	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U
	12-Apr-19	NS	0.04	U	NS	NS	0.04	U	0.05	U	0.059
	29-Jul-19	0.059	U	NS	0.059	U	0.04	U	NS	0.04	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.059	U
	29-Oct-19	NS	0.04	U	NS	NS	0.04	U	0.04	U	0.2 <sup>b</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	NS	0.09
	27-Mar-08	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092
	25-Apr-08	NS	NS	0.092	U	NS	NS	0.092	U	NS	0.092
	29-May-08	NS	NS	NS	U	0.09	U	NS	0.09	U	NS
	27-Jun-08	0.144	U	NS	NS	NS	0.092	U	NS	NS	0.092
	31-Jul-08	NS	0.092	U	NS	NS	NS	NS	0.092	U	NS
	28-Aug-08	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U
	30-Sep-08	NS	NS	NS	U	0.09	U	NS	0.09	U	0.09
	27-Oct-08	0.09	U	NS	NS	NS	0.09	U	NS	0.09	U
	25-Nov-08	NS	0.09	U	NS	NS	0.09	U	NS	0.09	U
	18-Dec-08	NS	NS	0.09	U	NS	NS	0.09	U	NS	0.09
	21-Jan-09	NS	NS	NS	U	0.09	U	NS	0.09	U	0.09
	25-Feb-09	0.09	U	NS	NS	NS	0.09	U	NS	0.09	U
	26-Mar-09	NS	0.462	U	NS	NS	0.924	U	NS	NS	0.092
	29-Apr-09	NS	NS	0.092	U	NS	NS	0.092	U	NS	0.092
	22-Jul-09	0.462	U	NS	18.8	U	0.924	U	NS	0.092	U
	9-Oct-09	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	21-Apr-10	NS	0.092	U	NS	NS	0.462	U	NS	0.462	U
	16-Jul-10	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	15-Oct-10	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	26-Jan-11	0.924	U	0.092	U	NS	0.092	U	NS	0.462	U
	28-Feb-11	NS	NS	0.924	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.092	U	NS	NS	0.092	U	NS	0.092	U
	26-Jul-11	0.308	U	NS	0.308	U	0.092	U	NS	0.462	U
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U
	23-Jan-12	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U
	13-Apr-12	NS	0.46	U	NS	NS	0.46	U	NS	0.46	U
1,2-Dichloropropane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	U	NS	1.2	U
	23-Jun-12	0.46	U	NS	0.46	U	0.46	U	NS	0.46	U
	1-Nov-12	NS	0.046	U	NS	NS	0.046	U	0.046	U	0.046
	1-Feb-13	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	29-Apr-13	NS	0.12	U	NS	NS	0.046	U	0.046	U	0.098
	9-Jul-13	0.14	U	NS	0.092	U	0.092	U	NS	0.092	U
	18-Oct-13	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092
	9-Jan-14	0.092	U	NS	0.092	U	0.092	U	NS	0.092	U
	24-Apr-14	NS	0.046 <sup>L,V</sup>	U	NS	NS	0.046 <sup>L,V</sup>	U	NS	0.046 <sup>L,V</sup>	U
	1-Aug-14	0.092	U	NS	0.14	U	0.14	U	NS	0.092	U
	27-Aug-14	NS	NS	NS	NS	NS	0.046	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	U	0.069 <sup>L,V</sup>	NS	NS
	22-Oct-14	NS	0.069	U	NS	NS	0.069	U	0.069	U	0.092
	20-Jan-15	0.046	U	NS	0.046	U	0.046	U	NS	0.069	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	U	NS	0.052	U
	22-Apr-15	NS	0.047	U	NS	NS	0.046	U	0.046	U	0.053
	21-Jul-15	0.2	U	NS	0.9	U	5	U	NS	0.200 °	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	U	NS	0.200 °	U
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	NS	0.2	U
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	U	NS	NS	U
	27-Jan-16	0.046	U	NS	0.046	U	0.046	U	NS	0.046	U
	20-Apr-16	NS	0.046	U	NS	NS	0.046	U	0.046	U	0.046
	20-Jul-16	0.23	U	NS	0.23	U	0.23	U	NS	0.29	U
	21-Oct-16	NS	0.046	U	NS	NS	0.046	U	0.046	U	0.046
	31-Jan-17	0.046	U	NS	0.046	U	0.046	U	NS	0.046	U
	17-Apr-17	NS	0.069	U	NS	NS	0.069	U	0.069	U	0.069
	26-Jul-17	0.046	U	NS	0.046	U	0.046	U	NS	0.046	U
	12-Oct-17	NS	0.046	U	NS	NS	0.046	U	0.14	U	0.12
	10-Jan-18	0.046	U	NS	0.046	U	0.046	U	NS	0.046	U
	11-Apr-18	NS	0.092	U	NS	NS	0.92 <sup>D</sup>	U	0.92 <sup>D</sup>	U	0.92 <sup>D</sup>
	23-May-18	NS	NS	NS	NS	NS	NS	U	NS	0.069	U
	27-Jul-18	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U
	24-Oct-18	NS	0.23	U	NS	NS	0.23	U	0.23	U	0.23
	16-Jan-19	0.046	U	NS	0.046	U	0.046	U	NS	0.046	U
	12-Apr-19	NS	0.046	U	NS	NS	0.046	U	0.058	U	0.069
	29-Jul-19	0.069	U	NS	0.069	U	0.046	U	NS	0.046	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	U	NS	<0.069	U
	29-Oct-19	NS	0.046	U	NS	NS	0.046	U	0.046	U	0.23 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.09	U	NS	NS	NS	0.09	U	NS	0.09	U
	27-Mar-08	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U
	25-Apr-08	NS	NS	0.091	U	NS	NS	0.091	U	NS	0.091
	29-May-08	NS	NS	NS	U	0.09	U	NS	0.091	U	0.091
	27-Jun-08	0.141	U	NS	NS	NS	0.091	U	NS	0.091	U
	31-Jul-08	NS	0.091	U	NS	NS	NS	NS	0.091	U	0.091
	28-Aug-08	NS	NS	0.091	U	NS	NS	0.091	U	0.091	U
	27-Oct-08	NS	NS	NS	U	0.18	U	NS	0.18	U	0.18
	27-Oct-08	0.18	U	NS	NS	NS	0.18	U	NS	0.18	U
	25-Nov-08	NS	0.18	U	NS	NS	0.18	U	NS	0.18	U
	18-Dec-08	NS	NS	0.18	U	NS	NS	0.18	U	0.18	U
	21-Jan-09	NS	NS	0.18	U	NS	NS	0.18	U	0.18	U
	25-Feb-09	0.18	U	NS	NS	0.18	U	NS	0.18	U	NS
	26-Mar-09	NS	0.453	U	NS	NS	0.907	U	NS	0.91	U
	29-Apr-09	NS	NS	0.091	U	NS	NS	0.091	U	NS	0.091
	22-Jul-09	0.453	U	NS	18.5	U	0.907	U	NS	0.091	U
	9-Oct-09	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U
	15-Jan-10	0.091	U	NS	0.091	U	0.091	U	NS	0.091	U
	21-Apr-10	NS	0.091	U	NS	NS	0.453	U	NS	0.091	U
	16-Jul-10	0.091	U	NS	0.091	U	0.685	U	NS	0.091	U
	15-Oct-10	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U
	26-Jan-11	0.907	U	0.091	U	NS	0.453	U	NS	0.453	U
	28-Feb-11	NS	NS	0.907	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.091	U	NS	NS	0.091	U	0.091	U	0.091
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	0.454	U	0.454
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	2.3	U	2.3
	23-Jan-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U
	13-Apr-12	NS	0.2	U	NS	NS	0.23	U	0.23	U	0.23
cis-1,3-Dichloropropene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.1	U
	23-Jun-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U
	1-Nov-12	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.045
	1-Feb-13	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	29-Apr-13	NS	0.11	U	NS	NS	0.045	U	0.045	U	0.045
	9-Jul-13	0.068	U	NS	0.045	U	0.045	U	NS	0.045	U
	18-Oct-13	NS	0.091	U	NS	NS	0.091	U	0.091	U	0.091
	9-Jan-14	0.091	U	NS	0.091	U	0.091	U	NS	0.091	U
	24-Apr-14	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.045
	1-Aug-14	0.091	U	NS	0.14	U	0.14	U	NS	0.091	U
	27-Aug-14	NS	NS	NS	NS	NS	0.045	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.068	U	NS
	22-Oct-14	NS	0.068	U	NS	NS	0.068	U	0.068	U	0.068
	20-Jan-15	0.045	U	NS	0.045	U	0.045	U	NS	0.068	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.051	U
	22-Apr-15	NS	0.047	U	NS	NS	0.045	U	0.066	U	0.045
	21-Jul-15	0.2	U	NS	0.9	U	5	U	NS	0.200 °	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.2	U	NS
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	0.4	U	0.2
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	20-Apr-16	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.045
	20-Jul-16	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U
	21-Oct-16	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.045
	31-Jan-17	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	17-Apr-17	NS	0.068	U	NS	NS	0.068	U	0.068	U	0.068
	26-Jul-17	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	12-Oct-17	NS	0.045	U	NS	NS	0.045	U	0.14	U	0.11
	10-Jan-18	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	11-Apr-18	NS	0.091	U	NS	NS	0.91	U	0.91	U	0.91
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.068	U
	27-Jul-18	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U
	24-Oct-18	NS	0.23	U	NS	NS	0.23	U	0.23	U	0.23
	16-Jan-19	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	12-Apr-19	NS	0.045	U	NS	NS	0.045	U	0.057	U	0.068
	29-Jul-19	0.068	U	NS	0.068	U	0.045	U	NS	0.045	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.068	U
	29-Oct-19	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.23 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual								
	8-Feb-08	0.09	U	NS	NS	NS	NS	NS	0.09	U	NS
	27-Mar-08	NS	0.091	U	NS	NS	NS	NS	0.091	U	NS
	25-Apr-08	NS	NS	0.091	U	NS	NS	NS	0.091	U	NS
	29-May-08	NS	NS	NS	0.09	U	NS	NS	0.091	U	NS
	27-Jun-08	0.141	U	NS	NS	NS	NS	NS	0.091	U	NS
	31-Jul-08	NS	0.091	U	NS	NS	NS	NS	0.091	U	NS
	28-Aug-08	NS	NS	0.091	U	NS	NS	NS	0.091	U	NS
	30-Sep-08	NS	NS	NS	0.18	U	NS	NS	0.18	U	NS
	27-Oct-08	0.18	U	NS	NS	0.18	U	NS	0.18	U	NS
	25-Nov-08	NS	0.18	U	NS	NS	0.18	U	NS	0.18	U
	18-Dec-08	NS	NS	0.18	U	NS	NS	0.18	U	NS	0.18
	21-Jan-09	NS	NS	0.18	U	NS	NS	0.18	U	NS	0.18
	25-Feb-09	0.18	U	NS	NS	0.18	U	NS	0.18	U	NS
	26-Mar-09	NS	0.453	U	NS	NS	0.907	U	NS	NS	0.091
	29-Apr-09	NS	NS	0.091	U	NS	NS	0.091	U	NS	0.091
	22-Jul-09	0.453	U	NS	0.453	U	0.907	U	NS	0.091	U
	9-Oct-09	NS	0.079	U	NS	NS	0.091	U	NS	18.9	U
	15-Jan-10	0.091	NS	0.091	U	0.091	NS	0.091	U	NS	0.091
	21-Apr-10	NS	0.091	U	NS	NS	0.453	U	NS	0.453	U
	16-Jul-10	0.091	U	NS	0.091	U	0.685	U	NS	0.091	U
	15-Oct-10	NS	0.091	U	NS	0.091	U	NS	0.091	U	NS
	26-Jan-11	0.907	U	0.091	U	NS	0.453	U	NS	0.453	U
	28-Feb-11	NS	NS	0.907	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.091	U
	28-Oct-11	NS	2.3	U	NS	NS	2.3	U	NS	2.3	U
	23-Jan-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U
	13-Apr-12	NS	1.2	U	NS	NS	0.23	U	NS	0.23	U
	2-Jul-12 (resample)	NS	1.1	U							
	23-Jun-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U
	1-Nov-12	NS	0.045	U	NS	NS	0.045	U	NS	0.045	U
	1-Feb-13	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
trans-1,3-Dichloropropene	29-Apr-13	NS	0.11	U	NS	NS	0.045	U	NS	0.045	U
	9-Jul-13	0.068	U	NS	0.045	U	0.045	U	NS	0.045	U
	18-Oct-13	NS	0.091	U	NS	NS	0.091	U	NS	0.091	U
	9-Jan-14	0.091	U	NS	0.091	U	0.091	U	NS	0.091	U
	24-Apr-14	NS	0.045	U	NS	NS	0.045	U	NS	0.045	U
	1-Aug-14	0.091	U	NS	0.14	U	0.14	U	NS	0.091	U
	27-Aug-14	NS	NS	NS	NS	NS	0.045	U	NS	NS	NS
	12-Sept-14 (resample)	NS	0.068	U	NS						
	22-Oct-14	NS	0.068	U	NS	NS	0.068	U	0.068	U	0.068
	20-Jan-15	0.045	U	NS	0.045	U	0.045	U	NS	0.068	U
	30-Mar-15 (resample)	NS	0.051	U							
	22-Apr-15	NS	0.047	U	NS	NS	0.045	U	NS	0.045	U
	21-Jul-15	0.2	U	NS	0.9	U	5	U	NS	0.200 °	U
	23-Sept-15 resample	NS	0.2	U	NS						
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	NS	0.2	U
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	20-Apr-16	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.045
	20-Jul-16	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U
	21-Oct-16	NS	0.045	U	NS	NS	0.045	U	NS	0.045	U
	31-Jan-17	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	17-Apr-17	NS	0.068	U	NS	NS	0.068	U	0.068	U	0.068
	26-Jul-17	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	12-Oct-17	NS	0.045	U	NS	NS	0.045	U	0.14	U	0.11
	10-Jan-18	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	11-Apr-18	NS	0.091	U	NS	NS	0.91	U	0.91	U	0.91
	23-May-18	NS	0.27	U							
	27-Jul-18	0.23	U	NS	0.23	U	0.23	U	NS	0.23	U
	24-Oct-18	NS	0.23	U	NS	NS	0.23	U	0.23	U	0.23
	16-Jan-19	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U
	12-Apr-19	NS	0.045	U	NS	NS	0.045	U	0.057	U	<0.068
	29-Jul-19	0.068	U	NS	0.068	U	0.045	U	NS	0.045	U
	26-Sep-19	NS	NS								
	29-Oct-19	NS	0.045	U	NS	NS	0.045	U	0.045	U	0.23°

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	0.33	4.89	NS
	27-Mar-08	NS	0.295	NS	NS	0.157	NS	NS	0.645	0.372	
	25-Apr-08	NS	NS	0.291	NS	NS	0.32	NS	NS	0.565	
	29-May-08	NS	NS	NS	1.49	NS	NS	2.2	2.82	1.01	NS
	27-Jun-08	4.34	NS	NS	NS	0.472	NS	NS	NS	0.606	0.699
	31-Jul-08	NS	*	NS	NS	NS	NS	NS	0.758	NS	0.577
	28-Aug-08	NS	NS	0.83	NS	NS	NS	0.482	0.711	0.666	NS
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2
	27-Oct-08	18.4	NS	NS	NS	2.2	U	NS	NS	NS	U
	25-Nov-08	NS	2.2	U	NS	NS	U	NS	2.3	2.2	U
	18-Dec-08	NS	NS	2.2	U	NS	NS	NS	NS	2.2	U
	21-Jan-09	NS	NS	NS	U	NS	NS	2.2	2.2	U	2.2
	25-Feb-09	10.8	NS	NS	NS	2.2	U	NS	NS	2.2	U
	26-Mar-09	NS	0.516	NS	NS	0.868	U	NS	NS	0.845	1.18
	29-Apr-09	NS	NS	0.19	NS	NS	U	0.191	NS	NS	0.325
	22-Jul-09	11.7	NS	11.7	0.868	U	NS	1.15	NS	38.2	1.04
	9-Oct-09	NS	0.564	NS	NS	0.56	NS	0.291	18.1	0.542	NS
	15-Jan-10	6.95	NS	0.568	0.542	NS	0.659	NS	NS	0.72	NS
	21-Apr-10	NS	0.304	NS	NS	1.34	NS	1.8	1.76	2.12	NS
	16-Jul-10	8.23	NS	2.4	1.8	NS	1.44	NS	NS	1.51	1.42
	15-Oct-10	NS	0.534	NS	NS	0.625	NS	0.521	0.573	1.07	NS
	26-Jan-11	1.26	1.62	NS	1.66	NS	1.26	NS	1.21	4.14	4.68
	28-Feb-11	NS	NS	0.868	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.243	NS	NS	0.239	NS	0.286	3.86	0.364	0.508
	26-Jul-11	3.91	NS	0.942	0.339	NS	0.434	U	NS	0.304	U
	28-Oct-11	NS	2.2	U	NS	2.2	U	NS	2.2	U	2.2
	23-Jan-12	3	NS	0.79	0.56	NS	0.82	NS	NS	1.7	12
	13-Apr-12	NS	0.43	U	NS	0.43	U	0.43	U	1.5	0.43
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2.2	U
	23-Jun-12	5.1	NS	0.53	0.43	U	NS	0.47	NS	0.76	NS
	1-Nov-12	NS	0.55	NS	NS	0.57	NS	0.8	0.75	0.87	1.3
	1-Feb-13	1.3	NS	0.18	0.15	NS	0.23	NS	NS	0.54	0.52
	29-Apr-13	NS	0.33	NS	NS	0.39	NS	0.37	0.49	0.63	NS
	9-Jul-13	5.1	NS	0.087	U	0.68	NS	0.59	NS	1.1	1.0
	18-Oct-13	NS	1.7	NS	NS	1.9	NS	2.0	2.6	1.5	NS
	9-Jan-14	2.7	NS	2.0	2.6	NS	2.8	NS	NS	6.2	5.5
	24-Apr-14	NS	0.087	U	NS	0.087	U	0.087	U	0.092	0.087
	1-Aug-14	1.7	NS	0.84	0.65	NS	NS	NS	NS	0.45	0.85
	27-Aug-14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	0.79	NS	NS	U
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.15	0.13	0.27	NS
	20-Jan-15	0.400	NS	0.087	U	0.096	NS	0.087	U	0.24	0.29
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.29	NS
	22-Apr-15	NS	0.22	NS	NS	0.12	NS	0.26	0.21/0.24	0.44	0.53
	21-Jul-15	0.54	NS	0.590 <sup>j</sup>	4	U	NS	0.56	NS	0.65 <sup>o</sup>	0.90 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.41	NS	NS	NS
	29-Oct-15	NS	0.2	U	NS	0.14 <sup>j</sup>	NS	0.22 <sup>j</sup>	0.28	0.27	0.33
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.63	NS	0.087	0.12	NS	0.12	NS	NS	0.51	0.54
	20-Apr-16	NS	0.3	NS	NS	0.39	NS	0.56	0.34	0.71	0.61
	20-Jul-16	5.8	NS	0.75	0.43	U	0.5	NS	NS	2.7	1.1
	21-Oct-16	NS	0.14	NS	NS	0.35	NS	0.24	0.62	1.2	0.52
	31-Jan-17	0.56	NS	0.16	0.17	NS	0.14	NS	NS	0.86	0.61
	17-Apr-17	NS	0.13	U	NS	0.13	U	0.13	U	0.17	0.17
	26-Jul-17	0.53	NS	0.27	0.21	NS	0.38	NS	NS	0.4	0.35
	12-Oct-17	NS	0.16	NS	0.2	NS	0.26	U	0.36	0.32	0.31
	10-Jan-18	0.5	NS	0.11	0.22	NS	0.19	NS	NS	0.94	0.4
	11-Apr-18	NS	0.13	NS	0.87	U	0.87	U	0.87	0.37	0.87
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.19	NS
	27-Jul-18	0.43	U	0.43	U	0.43	U	0.43	U	0.43	U
	24-Oct-18	NS	0.43	NS	0.11	NS	0.7	0.43	U	0.49	0.43
	16-Jan-19	0.51	NS	0.087	U	0.13	NS	0.26	0.26	0.31	NS
	12-Apr-19	NS	0.1	NS	0.11	NS	0.11	U	0.2	0.19	0.37
	29-Jul-19	3.6	NS	3.7	4.6	NS	5.5	NS	NS	2.4	3.3
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	29-Oct-19	NS	0.64	NS	NS	0.48	NS	0.2	0.66	1.1 <sup>d</sup>	0.97 <sup>d</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.46	U	NS	NS	NS	2.46	U	NS	NS	2.46	U
	27-Mar-08	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U
	25-Apr-08	NS	NS	2.46	U	NS	NS	2.46	U	2.46	U	U
	29-May-08	NS	NS	NS	U	2.46	U	NS	2.46	U	2.46	U
	27-Jun-08	3.83	U	NS	NS	NS	2.46	U	NS	NS	2.46	U
	31-Jul-08	NS	2.46	U	NS	NS	NS	NS	NS	NS	2.46	U
	28-Aug-08	NS	NS	2.46	U	NS	NS	2.46	U	2.46	U	NS
	30-Sep-08	NS	NS	NS	U	4.9	U	NS	4.9	U	4.9	U
	27-Oct-08	5.2	NS	NS	NS	NS	4.9	U	NS	4.9	U	4.9
	25-Nov-08	NS	4.9	U	NS	NS	4.9	U	NS	5.9	U	4.9
	18-Dec-08	NS	NS	4.9	U	NS	NS	4.9	U	NS	4.9	U
	21-Jan-09	NS	NS	NS	U	4.9	U	NS	4.9	U	NS	4.9
	25-Feb-09	4.9	U	NS	NS	NS	4.9	U	NS	4.9	U	NS
	26-Mar-09	NS	12.3	U	NS	NS	24.6	U	NS	NS	2.46	U
	29-Apr-09	NS	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U
	22-Jul-09	12.3	U	NS	12.3	U	24.6	U	NS	3.78	2.46	U
	9-Oct-09	NS	2.74	U	NS	NS	2.46	U	NS	513	U	2.46
	15-Jan-10	2.46	U	NS	2.46	U	2.46	U	NS	2.46	U	2.46
	21-Apr-10	NS	2.46	U	NS	NS	12.3	U	12.3	U	2.46	U
	16-Jul-10	2.46	U	NS	2.66	2.46	U	18.5	U	NS	2.46	U
	15-Oct-10	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U	NS
	26-Jan-11	24.6	U	2.46	U	NS	2.46	U	12.3	U	12.3	U
	28-Feb-11	NS	NS	24.6	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.46	U	NS	NS	2.46	U	NS	2.46	U	2.46
	26-Jul-11	8.21	U	NS	8.21	U	2.46	U	12.3	U	2.46	U
	28-Oct-11	NS	6.2	U	NS	NS	6.2	U	6.2	U	6.2	U
	23-Jan-12	1.2	U	NS	1.2	U	0.25	U	1.2	U	1.2	U
	13-Apr-12	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U
Isopropylbenzene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	6.2	U
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	NS
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	29-Apr-13	NS	0.62	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	18-Oct-13	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	NS	0.53	U	NS
	24-Apr-14	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.37
	1-Aug-14	0.25	NS	0.37	U	0.37	U	NS	NS	0.25	U	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.25	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	0.25	U	NS	0.37	U	NS
	22-Oct-14	NS	0.37	U	NS	NS	0.37	U	0.37	U	0.37	U
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.37	U	0.25
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.28	U
	22-Apr-15	NS	0.26	U	NS	NS	0.25	U	NS	0.36	U	0.25
	21-Jul-15	0.140 <sup>j</sup>	NS	1	U	5	U	NS	0.19 <sup>j</sup>	NS	0.21 <sup>j,o</sup>	0.20 <sup>j,o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.2	U	NS
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	0.4	U	0.2	U
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	20-Apr-16	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U
	20-Jul-16	1.2	U	NS	1.2	U,M,W	1.2	U	1.2	U	1.2	U
	21-Oct-16	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	17-Apr-17	NS	0.37	U	NS	NS	0.37	U	0.37	U	0.37	U
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	12-Oct-17	NS	0.25	U	NS	NS	0.25	U	0.76	U	0.62	U
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	11-Apr-18	NS	0.25	U	NS	NS	2.5	U	2.5	U	0.25	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.37	U
	27-Jul-18	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	NS
	24-Oct-18	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	12-Apr-19	NS	0.25	U	NS	NS	0.25	U	0.31	U	0.37	U
	29-Jul-19	0.37	U	NS	0.37	U	0.25	U	NS	0.25	U	0.37
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.37	U
	29-Oct-19	NS	0.25	U	NS	NS	0.25	U	0.25	U	1.2 <sup>b</sup>	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.74	U	NS	NS	NS	2.74	U	NS	NS	2.74
	27-Mar-08	NS	2.74	U	NS	1.2	NS	NS	NS	NS	2.74
	25-Apr-08	NS	NS	2.74	U	NS	2.74	U	NS	NS	2.74
	29-May-08	NS	NS	NS	U	NS	NS	NS	2.74	U	NS
	27-Jun-08	4.27	U	NS	NS	NS	2.74	U	NS	NS	2.74
	31-Jul-08	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74
	28-Aug-08	NS	NS	2.74	U	NS	5.5	U	NS	NS	NS
	30-Sep-08	NS	NS	NS	U	NS	NS	NS	2.74	U	NS
	27-Oct-08	12.5	NS	NS	NS	NS	5.5	U	NS	18.5	5.5
	25-Nov-08	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U
	18-Dec-08	NS	NS	5.5	U	NS	NS	U	NS	5.5	U
	21-Jan-09	NS	NS	NS	U	NS	NS	U	5.5	U	5.5
	25-Feb-09	5.5	U	NS	NS	NS	5.5	U	NS	5.5	U
	26-Mar-09	NS	13.7	U	NS	NS	27.4	U	NS	NS	2.74
	29-Apr-09	NS	NS	2.74	U	NS	NS	U	2.74	U	2.74
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	2.74	U
	9-Oct-09	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U
	15-Jan-10	2.72	U	NS	2.74	U	2.74	U	NS	2.74	U
	21-Apr-10	NS	2.74	U	NS	NS	13.7	U	13.7	U	2.74
	16-Jul-10	2.74	U	NS	2.74	U	NS	U	NS	2.74	U
	15-Oct-10	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS	2.74	U	13.7	U	13.7
	28-Feb-11	NS	NS	27.4	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	2.74	U	NS	NS	2.74	U	2.74	U	2.74
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	13.7	U	13.7
	28-Oct-11	NS	6.3	U	NS	NS	6.3	U	6.3	U	6.3
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U
	13-Apr-12	NS	1.3	U	NS	NS	1.3	U	1.3	U	1.3
p-Isopropyltoluene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	6.3	U
	23-Jun-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	0.29	NS
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	29-Apr-13	NS	0.63	U	NS	NS	0.25	U	0.25	U	0.25
	9-Jul-13	0.38	U	NS	0.28	U	0.29	NS	NS	0.36	NS
	18-Oct-13	NS	0.38	NS	NS	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS	0.33	0.040	NS	0.25	NS	1.2	NS
	24-Apr-14	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25
	1-Aug-14	0.70	NS	0.88	1.4	NS	NS	NS	NS	0.45	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.38	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.66	NS	NS
	22-Oct-14	NS	0.38 <sup>L</sup>	U	NS	NS	0.38 <sup>L</sup>	U	0.38 <sup>L</sup>	U	0.50 <sup>L</sup>
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.38	0.51
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.28	U
	22-Apr-15	NS	0.26	U	NS	NS	0.25	U	0.36	U	0.29
	21-Jul-15	0.3	U	NS	1	U	6	U	0.16 <sup>J</sup>	NS	0.30 <sup>O</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.34	NS	NS
	29-Oct-15	NS	0.3	U	NS	NS	0.19 <sup>J</sup>	NS	0.5	U	0.19 <sup>J</sup>
	4-Dec-15 resample	NS	0.3	U	NS	NS	NS	NS	0.3	U	NS
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	20-Apr-16	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U
	20-Jul-16	1.3	U	NS	1.3 <sup>MW</sup>	U	1.3	U	1.3	U	1.3
	21-Oct-16	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	0.43	NS
	17-Apr-17	NS	0.38	U	NS	0.38	U	0.38	U	0.38	U
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	12-Oct-17	NS	0.25	U	NS	0.25	U	0.76	U	0.63	U
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	11-Apr-18	NS	0.25	U	NS	NS	2.5	U	2.5	U	2.5
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.38	NS
	27-Jul-18	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U
	24-Oct-18	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U
	12-Apr-19	NS	0.25	U	NS	NS	0.25	U	0.31	U	0.41
	29-Jul-19	0.38	U	NS	0.38	U	0.26	NS	0.31	U	0.25
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.38	NS
	29-Oct-19	NS	0.25	U	NS	NS	0.25	U	0.25	U	1.3 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.07	U	NS	NS	NS	0.07	U	NS	NS	0.14
	27-Mar-08	NS	0.072	U	NS	NS	0.072	U	NS	NS	0.072
	25-Apr-08	NS	NS	0.072	U	NS	NS	0.072	U	NS	0.072
	29-May-08	NS	NS	0.07	U	NS	NS	0.07	U	0.07	NS
	27-Jun-08	0.436	NS	NS	NS	NS	0.072	U	NS	NS	0.072
	31-Jul-08	NS	0.072	U	NS	NS	NS	NS	0.072	U	0.072
	28-Aug-08	NS	NS	0.106	NS	NS	NS	0.072	U	0.172	NS
	30-Sep-08	NS	NS	1.8	U	NS	NS	1.8	U	NS	1.8
	27-Oct-08	1.8	U	NS	NS	2.6	NS	NS	NS	3.2	NS
	25-Nov-08	NS	1.8	U	NS	NS	1.8	U	NS	1.8	NS
	18-Dec-08	NS	NS	1.8	U	NS	NS	1.8	U	NS	1.8
	21-Jan-09	NS	NS	1.8	U	NS	NS	1.8	U	NS	1.8
	25-Feb-09	5.8	NS	NS	NS	1.8	U	NS	NS	1.8	NS
	26-Mar-09	NS	0.36	U	NS	NS	0.72	U	NS	NS	0.072
	29-Apr-09	NS	NS	0.072	U	NS	NS	0.072	U	NS	0.072
	22-Jul-09	0.36	U	NS	0.36	U	0.36	U	NS	0.072	U
	9-Oct-09	NS	0.072	U	NS	0.072	U	NS	0.072	U	0.083
	15-Jan-10	0.079	NS	0.072	U	0.072	U	0.072	U	0.072	U
	21-Apr-10	NS	0.072	U	NS	0.36	U	3.6	U	0.072	U
	16-Jul-10	0.072	U	NS	0.072	U	NS	0.544	U	0.072	U
	15-Oct-10	NS	0.072	U	NS	0.072	U	NS	0.072	U	0.072
	26-Jan-11	0.72	U	0.072	U	NS	0.396	U	NS	0.36	U
	28-Feb-11	NS	NS	0.72	U	NS	NS	NS	U	NS	NS
	27-Apr-11	NS	0.072	U	NS	NS	0.072	U	0.072	U	0.072
	26-Jul-11	0.24	U	NS	0.24	U	0.36	U	NS	0.072	U
	28-Oct-11	NS	1.8	U	NS	1.8	U	1.8	U	1.8	U
	23-Jan-12	0.36	U	NS	0.36	U	0.36	U	NS	0.36	U
	13-Apr-12	NS	0.36	U	NS	0.36	U	0.36	U	0.36	U
Methyl tert butyl ether (MTBE)	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.36	U	NS	0.36	U	0.36	U	NS	0.36	U
	1-Nov-12	NS	0.072	U	NS	0.072	U	0.072	U	0.072	U
	1-Feb-13	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	29-Apr-13	NS	0.18	U	NS	NS	0.072	U	0.072	U	0.072
	9-Jul-13	0.17	NS	0.072	U	0.072	U	NS	NS	0.072	U
	18-Oct-13	NS	0.072	U	NS	NS	0.072	U	0.072	U	0.072
	9-Jan-14	0.072	U	NS	0.072	U	NS	0.072	U	0.072	U
	24-Apr-14	NS	0.072	U	NS	0.072	U	0.077	U	0.072	U
	1-Aug-14	0.072	U	NS	0.11	U	0.12	NS	NS	0.072	U
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	0.072	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.11	U	NS
	22-Oct-14	NS	0.11	U	NS	NS	0.11	U	0.11	U	0.14
	20-Jan-15	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.081	U
	22-Apr-15	NS	0.074 <sup>v</sup>	U	NS	0.072 <sup>v</sup>	U	0.072	U	0.10	U
	21-Jul-15	0.2	U	NS	0.7	U	4	U	NS	0.200 <sup>o</sup>	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.2	U	NS
	29-Oct-15	NS	0.2	U	NS	NS	0.2	U	NS	0.2	U
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
27-Jan-16	27-Jan-16	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	20-Apr-16	NS	0.072	U	NS	0.072	U	0.072	U	0.072	U
	20-Jul-16	0.36	U	NS	0.46	U	0.36	U	NS	0.36	U
	21-Oct-16	NS	0.072	U	NS	0.072	U	0.072	U	0.072	U
	31-Jan-17	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	17-Apr-17	NS	0.11	U	NS	0.11	U	NS	0.11	U	0.11
	26-Jul-17	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	12-Oct-17	NS	0.072	U	NS	0.072	U	NS	0.22	U	0.18
	10-Jan-18	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	11-Apr-18	NS	0.072	U	NS	0.72	U	NS	0.72	U	0.72
23-May-18	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.11	U
	27-Jul-18	0.36	U	NS	0.36	U	0.36	U	NS	0.36	U
	24-Oct-18	NS	0.36	U	NS	0.36	U	0.36	U	0.36	U
	16-Jan-19	0.072	U	NS	0.072	U	0.072	U	NS	0.072	U
	12-Apr-19	NS	0.072	U	NS	0.072	U	0.072	U	0.11	U
	29-Jul-19	0.11	U	NS	0.11	U	0.072	U	NS	0.072	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	<0.11	U
	29-Oct-19	NS	0.072	U	NS	NS	0.072	U	0.36 <sup>d</sup>	U	0.36 <sup>d</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.34	NS	NS	1.74	U	NS	1.74	U	NS	1.74	U
	27-Mar-08	NS	1.74	U	NS	NS	2.87	NS	NS	NS	2.1	1.74
	25-Apr-08	NS	NS	1.74	U	NS	NS	1.74	U	1.74	U	U
	29-May-08	NS	NS	1.74	U	NS	NS	NS	U	2.91	1.74	U
	27-Jun-08	4.33	U	NS	NS	3.69	NS	NS	U	NS	2.78	U
	31-Jul-08	NS	1.74	U	NS	NS	NS	NS	NS	NS	1.74	U
	28-Aug-08	NS	NS	1.74	U	NS	NS	1.74	U	1.74	U	NS
	30-Sep-08	NS	NS	1.7	U	NS	NS	NS	U	1.7	U	1.7
	27-Oct-08	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	1.7
	25-Nov-08	NS	1.7	U	NS	NS	1.7	U	NS	1.7	U	NS
	18-Dec-08	NS	NS	1.7	U	NS	NS	1.7	U	NS	1.7	U
	21-Jan-09	NS	NS	1.7	U	NS	NS	NS	U	1.7	U	1.7
	25-Feb-09	1.7	U	NS	NS	1.7	U	NS	NS	1.7	U	NS
	26-Mar-09	NS	16.1	NS	NS	NS	17.4	U	NS	NS	1.74	U
	29-Apr-09	NS	NS	1.74	U	NS	NS	1.74	U	1.74	U	1.74
	22-Jul-09	86.8	U	NS	8.68	U	17.4	U	NS	1.74	U	1.74
	9-Oct-09	NS	1.74	U	NS	NS	1.74	U	362	U	1.74	U
	15-Jan-10	1.74	U	NS	1.74	U	1.74	U	NS	1.74	U	1.74
	21-Apr-10	NS	1.74	U	NS	0.868	U	8.68	U	8.68	U	1.74
	16-Jul-10	24	NS	21.5	NS	19.5	NS	26.2	U	NS	27.1	NS
	15-Oct-10	NS	3.47	U	NS	NS	3.47	U	NS	3.47	U	3.47
	26-Jan-11	34.7	U	3.47	U	NS	0.404	U	NS	17.4	U	17.4
	28-Feb-11	NS	NS	34.7	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	3.47	U	NS	3.47	U	NS	3.47	U	3.47	U
	26-Jul-11	11.6	U	NS	11.6	U	17.4	U	NS	5.7	U	17.4
	28-Oct-11	NS	17	U	NS	17	U	17	U	140	NS	17
	23-Jan-12	3.5	U	NS	3.5	U	3.5	U	NS	3.5	U	3.5
	13-Apr-12	NS	4.6	NS	NS	7.3	NS	3.5	U	4.6	NS	3.5
Methylene chloride	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	17	NS
	23-Jun-12	3.5	U	NS	3.5	U	3.5	U	NS	3.5	U	3.5
	1-Nov-12	NS	0.74	NS	0.93	1.6	NS	1.1	U	0.69	U	6.2
	1-Feb-13	2	NS	0.93	NS	1.6	NS	1.1	NS	0.9	2.1	NS
	29-Apr-13	NS	1.7	U	NS	NS	1.4	NS	0.93	1.8	1.1	1.4
	9-Jul-13	1.8	NS	25	1.2	NS	1.1	NS	NS	31	3.6	NS
	18-Oct-13	NS	0.69	U	NS	NS	0.69	U	0.69	0.77	0.69	0.74
	9-Jan-14	0.85	NS	0.69	U	0.69	NS	0.69	U	0.69	0.69	1.3
	24-Apr-14	NS	0.90	NS	NS	6.7	NS	2.8	U	1.5	0.69	0.69
	1-Aug-14	1.0	NS	1.7	1.7	NS	NS	NS	NS	1.1	1.1	NS
	27-Aug-14	NS	NS	NS	NS	NS	2.9	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.2	NS	NS
	22-Oct-14	NS	1.7	NS	NS	1.0	1.7	1.4	U	1.0	2.0	3.0
	20-Jan-15	33	NS	27	25	NS	31	NS	NS	32	0.69	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	40	NS
	22-Apr-15	NS	0.85 <sup>v</sup>	NS	NS	1.00 <sup>v</sup>	NS	0.73	2.5/2.3	1.0	NS	1.3
	21-Jul-15	2.1	NS	3.5	3.1 <sup>j</sup>	NS	1.5	NS	NS	1.7 <sup>o</sup>	2.4 <sup>o</sup>	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	2.4	NS	NS	NS	NS
	29-Oct-15	NS	1.6	NS	NS	1.4	NS	3.6	2.7	2	NS	4.7
	4-Dec-15 resample	NS	1.6	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.3	NS	0.69	U	0.69	U	0.69	U	0.69	U	0.69
	20-Apr-16	NS	0.69	U	NS	0.69	U	1.7	0.69	4.4	NS	0.86
	20-Jul-16	3.5	U	NS	3.5	U	3.5	U	NS	3.5	U	8.6
	21-Oct-16	NS	0.69	U	NS	4.6	NS	0.69	U	2.3	1.1	1.7
	31-Jan-17	0.69	U	NS	0.8	0.69	U	0.69	U	0.69	U	0.69
	17-Apr-17	NS	1	U	NS	1	U	1	U	1	U	1
	26-Jul-17	0.69	U	0.79	NS	0.92	NS	2.1	U	2.8	2	U
	12-Oct-17	NS	0.78	NS	0.69	U	1.1	NS	NS	1.1	NS	0.69
	10-Jan-18	0.78	NS	0.69	U	6.9 <sup>d</sup>	U	6.9 <sup>d</sup>	U	8.8 <sup>d</sup>	1.7	6.9 <sup>d</sup>
	11-Apr-18	NS	0.69	U	NS	NS	NS	NS	NS	NS	1	NS
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	1	NS
	27-Jul-18	3.5	U	NS	3.5	U	3.5	U	NS	3.5	U	3.5
	24-Oct-18	NS	3.5	U	NS	3.5	U	3.5	U	3.5	U	3.5
	16-Jan-19	0.69	U	NS	0.69	U	1.6	NS	NS	1.1	0.69	NS
	12-Apr-19	NS	0.69	U	NS	0.69	U	0.87	U	1.1	2.6	1
	29-Jul-19	1	U	NS	1	U	0.69	U	NS	0.69	U	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<1.0	NS
	29-Oct-19	NS	0.69	U	NS	NS	0.69	U	0.69	1.8	3.5 <sup>b</sup>	3.5 <sup>b</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	2.05	U	NS	NS	NS	2.05	U	NS	NS	NS
	27-Mar-08	NS	2.05	U	NS	NS	NS	NS	NS	15.2	2.05
	25-Apr-08	NS	NS	2.05	U	NS	NS	2.05	U	NS	2.05
	29-May-08	NS	NS	NS	U	NS	NS	2.05	U	2.05	U
	27-Jun-08	3.19	U	NS	NS	NS	2.05	U	NS	2.05	U
	31-Jul-08	NS	2.05	U	NS	NS	NS	NS	NS	NS	2.05
	28-Aug-08	NS	NS	2.05	U	NS	NS	2.05	U	NS	2.05
	30-Sep-08	NS	NS	NS	U	2	U	NS	2	U	2
	27-Oct-08	2	U	NS	NS	NS	2	U	NS	2	U
	25-Nov-08	NS	3.5	NS	NS	NS	2	U	NS	2	U
	18-Dec-08	NS	NS	2	U	NS	NS	2	U	NS	2
	21-Jan-09	NS	NS	NS	U	2	U	NS	2	U	2
	25-Feb-09	2	U	NS	NS	NS	2	U	NS	2	U
	26-Mar-09	NS	10.2	U	NS	NS	20.5	U	NS	2.05	U
	29-Apr-09	NS	NS	2.05	U	NS	NS	2.05	U	NS	2.05
	22-Jul-09	10.2	U	NS	10.2	U	20.5	U	NS	2.05	U
	9-Oct-09	NS	2.05	U	NS	NS	2.05	U	427	2.05	U
	15-Jan-10	2.05	U	NS	2.05	U	2.05	U	NS	2.05	U
	21-Apr-10	NS	2.05	U	NS	NS	10.2	U	10.2	U	2.05
	16-Jul-10	2.05	U	NS	2.05	U	15.4	U	NS	2.05	U
	15-Oct-10	NS	2.05	U	NS	NS	2.05	U	2.05	U	2.05
	26-Jan-11	20.5	U	2.05	U	NS	2.05	U	10.2	U	10.2
	28-Feb-11	NS	NS	20.5	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.05	U	NS	NS	2.05	U	2.05	U	3.35
	26-Jul-11	6.84	U	NS	0.684	U	2.05	U	10.2	U	10.2
	28-Oct-11	NS	2	U	NS	NS	2	U	2	U	2
	23-Jan-12	0.41	U	NS	0.44	U	0.41	U	NS	0.41	U
	13-Apr-12	NS	0.41	U	NS	NS	0.41	U	0.41	U	0.41
4-Methyl-2-pentanone	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2	U
	23-Jun-12	0.41	U	NS	0.41	U	0.41	U	NS	0.41	U
	1-Nov-12	0.89	NS	NS	NS	0.65	NS	0.9	0.84	1.1	NS
	1-Feb-13	0.12	NS	0.082	U	0.082	U	0.095	NS	0.082	U
	29-Apr-13	NS	0.2	U	NS	NS	0.21	NS	0.21	0.082	U
	9-Jul-13	0.66	NS	0.55	U	0.47	NS	0.51	NS	0.92	NS
	18-Oct-13	NS	1.8	NS	NS	2.7	NS	2.2	2.3	3.0	NS
	9-Jan-14	0.18	NS	0.15	U	0.21	NS	0.082	NS	0.21	NS
	24-Apr-14	NS	0.087	NS	NS	0.082	U	0.13	0.082	0.38	0.66
	1-Aug-14	0.64	NS	1.0/0.74	1.1/0.86	NS	NS	NS	NS	1.30	2.4/2.0
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	2.4	NS	NS	NS	NS
	22-Oct-14	NS	0.13	NS	NS	0.12	U	0.12	0.12	0.78	0.73
	20-Jan-15	0.087	NS	0.085	0.12	NS	0.088	NS	NS	0.35	5.8
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.77	NS
	22-Apr-15	NS	0.57	NS	NS	0.34	NS	0.85	0.39/0.40	0.87	0.88
	21-Jul-15	0.2	U	NS	0.8	4	U	0.2	NS	1.4°	2.7°
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.2	NS	NS
	29-Oct-15	NS	0.2	U	NS	0.2	U	0.3	U	0.97	0.42
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.082	U	NS	0.082	U	0.082	U	NS	0.61	0.88
17-Apr-17	20-Apr-16	NS	0.082	U	NS	0.084	NS	0.21	0.15	0.7	0.74
	20-Jul-16	0.41	U	NS	1.2	0.59	NS	0.82	NS	2.4	1.7
	21-Oct-16	NS	0.49	NS	NS	0.56	NS	0.64	0.76	2.5	1.2
	31-Jan-17	0.1	NS	0.085	U	0.082	U	0.082	NS	0.32	0.83
	26-Jul-17	0.64	NS	0.86	U	0.76	NS	1.5	NS	1.1	1.4
	12-Oct-17	NS	0.15	NS	NS	0.082	U	0.25	0.32	0.48	0.39
	10-Jan-18	0.084	NS	0.082	U	0.082	U	0.15	NS	0.28	0.55
	11-Apr-18	NS	0.082	U	NS	0.82	U	0.82	U	0.19 <sup>M</sup>	0.82
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.12	U
	27-Jul-18	0.41	U	NS	0.41	U	0.41	U	NS	1.4	0.87
16-Jan-19	24-Oct-18	NS	0.41	U	NS	0.41	U	0.41	U	0.41	U
	12-Apr-19	NS	0.082	U	NS	0.31	NS	0.1	U	0.12	U
	29-Jul-19	0.4	NS	0.12	U	0.74 <sup>V</sup>	NS	0.71 <sup>V</sup>	NS	0.082 <sup>V</sup>	1.8 <sup>V</sup>
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-19	NS	0.082	U	NS	0.082	U	0.082	U	0.41 <sup>D</sup>	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.09	U	NS	NS	0.09	U	NS	NS	0.3	3.15
	27-Mar-08	NS		0.1	NS	0.177		NS	NS	0.206	0.404
	25-Apr-08	NS		NS	0.244	NS		1.07	NS	NS	0.351
	29-May-08	NS		NS	0.17	NS		NS	0.559	0.27	NS
	27-Jun-08	0.732		NS	NS	0.354		NS	NS	0.598	0.59
	31-Jul-08	NS		0.276	NS	NS		NS	0.255	NS	0.17
	28-Aug-08	NS		NS	1.22	NS		0.754	NS	1.02	1.01
	30-Sep-08	NS		NS	2.1	U	NS	NS	2.1	U	2.1
	27-Oct-08	2.1	U	NS	NS	2.1	U	NS	NS	2.1	U
	25-Nov-08	NS		2.1	U	NS		2.1	NS	2.1	U
	18-Dec-08	NS		NS	2.1	U	NS	2.1	NS	2.1	U
	21-Jan-09	NS		NS	2.1	U	NS	NS	2.1	U	2.1
	25-Feb-09	2.1	U	NS	NS	2.1	U	NS	NS	2.1	U
	26-Mar-09	NS		0.851	U	NS		1.7	U	NS	0.292
	29-Apr-09	NS		NS	0.174	NS		NS	0.085	U	0.243
	22-Jul-09	0.426	U	NS	0.426	U	0.851	NS	0.426	NS	0.149
	9-Oct-09	NS		0.085	U	NS		0.098	NS	0.085	U
	15-Jan-10	0.106		NS	0.119	0.089		NS	0.098	NS	0.128
	21-Apr-10	NS		0.085	U	NS		0.426	U	0.426	U
	16-Jul-10	0.57		NS	0.911	0.66		0.643	U	NS	0.34
	15-Oct-10	NS		0.698	NS	NS		1.12	NS	0.779	0.877
	26-Jan-11	0.851	U	0.162	NS	0.179		NS	0.426	U	0.426
	28-Feb-11	NS		NS	0.851	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.311	NS	NS		0.302	NS	0.366	0.4
	26-Jul-11	0.724		NS	0.779	0.868		NS	0.788	U	NS
	28-Oct-11	NS		2.1	U	NS		2.1	U	2.1	U
	23-Jan-12	0.84		NS	0.43	U	0.43	U	NS	0.46	16
	13-Apr-12	NS		0.43	U	NS		0.43	U	0.43	U
Styrene	2-Jul-12 (resample)	NS		NS	NS	NS		NS	NS	NS	2.1
	23-Jun-12	1.7		NS	1.4	1.9		NS	NS	2.4	2.6
	1-Nov-12	NS		0.14	NS	NS		0.15	NS	0.17	0.34
	1-Feb-13	0.085	U	NS	0.085	0.085	U	NS	0.085	NS	0.26
	29-Apr-13	NS		0.22	NS	NS		0.27	NS	0.36	0.53
	9-Jul-13	0.43		NS	0.60	0.39		NS	0.43	NS	0.48
	18-Oct-13	NS		0.25	NS	NS		0.26	NS	0.35	0.50
	9-Jan-14	0.10		NS	0.10	0.12		NS	0.14	NS	0.44
	24-Apr-14	NS		0.085	NS	NS		0.085	U	0.085	0.21
	1-Aug-14	0.32		NS	0.64	2.8/3.8		NS	NS	NS	0.51
	27-Aug-14	NS		NS	NS	NS		2.7/2.9	NS	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS		NS	NS	NS	U
	22-Oct-14	NS		0.13	U	NS		0.13	U	0.13	U
	20-Jan-15	0.085	U	NS	0.085	U	0.085	U	NS	0.67	0.085
	30-Mar-15 (resample)	NS		NS	NS	NS		NS	NS	NS	1.4
	22-Apr-15	NS		0.098	NS	NS		0.085	U	0.099	0.12
	21-Jul-15	0.160 <sup>j</sup>		NS	0.460 <sup>j</sup>	4	U	NS	0.23 <sup>j</sup>	NS	1.3 <sup>b</sup>
	23-Sept-15 resample	NS		NS	NS	NS		NS	NS	0.13 <sup>j</sup>	NS
	29-Oct-15	NS		0.2	U	NS		0.21 <sup>j</sup>	NS	0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS	NS	NS	NS
	27-Jan-16	0.085	U	NS	0.085	U	0.085	U	NS	NS	3.7
	20-Apr-16	NS		0.085	U	NS		0.09	NS	0.13	0.52
	20-Jul-16	0.79 <sup>L</sup>	L	NS	0.88 <sup>L</sup>	0.97 <sup>L</sup>		1 <sup>L</sup>	NS	NS	5.9 <sup>L</sup>
	21-Oct-16	NS		0.12	NS	NS		0.18	NS	0.22	0.63
	31-Jan-17	0.085	U	NS	0.085	U	0.085	U	NS	0.97	2.8
	17-Apr-17	NS		0.13	U	NS		0.13	NS	0.41	0.61
	26-Jul-17	0.18		NS	0.22	0.21		NS	0.32	NS	2.3
	12-Oct-17	NS		0.14	NS	NS		0.17	NS	0.26	0.43
	10-Jan-18	0.085	U	NS	0.085	U	0.085	U	NS	0.18	0.82
	11-Apr-18	NS		0.085	U	NS		0.85	U	0.85	0.85
	23-May-18	NS		NS	NS	NS		NS	NS	NS	U
	27-Jul-18	0.43	U	NS	0.43	U	0.43	U	NS	0.68	0.43
	24-Oct-18	NS		0.43	U	NS		0.43	U	0.43	U
	16-Jan-19	0.085	U	NS	0.085	U	0.085	U	NS	0.25	0.29
	12-Apr-19	NS		0.11	NS	NS		0.085	U	0.16	NS
	29-Jul-19	0.61		NS	0.78	1.1		1.3	NS	0.48	2.8
	26-Sep-19	NS		NS	NS	NS		NS	NS	NS	0.43
	29-Oct-19	NS		0.085	U	NS		0.19	NS	0.085	U

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.14	U	NS	NS	NS	0.14	U	NS	NS	0.14	U
	27-Mar-08	NS	0.137	U	NS	NS	0.137	U	NS	NS	0.137	U
	25-Apr-08	NS	NS	0.137	U	NS	NS	0.137	U	0.137	U	0.137
	29-May-08	NS	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Jun-08	0.214	U	NS	NS	NS	0.137	U	NS	NS	0.137	U
	31-Jul-08	NS	0.137	U	NS	NS	NS	NS	NS	NS	0.137	U
	28-Aug-08	NS	NS	0.137	U	NS	NS	0.137	U	0.137	U	NS
	30-Sep-08	NS	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U
	27-Oct-08	0.14	U	NS	NS	NS	0.14	U	NS	NS	0.14	U
	25-Nov-08	NS	0.14	U	NS	NS	0.14	U	NS	0.14	U	NS
	18-Dec-08	NS	NS	0.14	U	NS	NS	0.14	U	NS	0.14	U
	21-Jan-09	NS	NS	0.19	U	NS	NS	0.14	U	0.14	U	0.14
	25-Feb-09	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	NS
	26-Mar-09	NS	0.686	U	NS	NS	1.37	U	NS	NS	0.137	U
	29-Apr-09	NS	NS	0.137	U	NS	NS	0.137	U	NS	0.137	U
	22-Jul-09	0.686	U	NS	28	U	1.37	U	NS	NS	0.137	U
	9-Oct-09	NS	0.137	U	NS	NS	0.137	U	NS	0.137	U	0.137
	15-Jan-10	0.109	U	NS	0.137	U	1.37	U	NS	0.137	U	0.137
	21-Apr-10	NS	0.137	U	NS	NS	0.686	U	NS	0.686	U	0.137
	16-Jul-10	0.137	U	NS	0.137	U	0.137	U	1.04	U	0.137	U
	15-Oct-10	NS	0.137	U	NS	NS	0.137	U	NS	0.137	U	NS
	26-Jan-11	1.37	U	0.137	U	NS	0.137	U	0.686	U	0.686	U
	28-Feb-11	NS	NS	1.37	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.137	U	NS	NS	0.137	U	NS	0.137	U	0.137
	26-Jul-11	0.458	U	NS	0.458	U	0.137	U	0.687	U	0.137	U
	28-Oct-11	NS	6.2	U	NS	NS	6.2	U	NS	6.2	U	6.2
	23-Jan-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	1.2
	13-Apr-12	NS	1.2	U	NS	NS	1.2	U	NS	1.2	U	1.2
1,1,1,2-Tetrachloroethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	6.2	U
	23-Jun-12	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	NS
	1-Nov-12	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	29-Apr-13	NS	0.62	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jul-13	0.37	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	18-Oct-13	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	9-Jan-14	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	24-Apr-14	NS	0.25	U	NS	NS	0.25 <sup>L</sup>	U	NS	0.25 <sup>L</sup>	U	0.25
	1-Aug-14	0.25	U	NS	0.37	U	0.37	U	NS	0.25	U	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.25	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	0.37	U	NS	0.37	U	NS
	22-Oct-14	NS	0.37	U	NS	NS	0.37	U	0.37	U	0.37	U
	20-Jan-15	0.25	U	NS	0.25	U	0.25	U	NS	0.37	U	0.25
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.28	U
	22-Apr-15	NS	0.29	U	NS	NS	0.25	U	NS	0.36	U	0.29
	27-Jan-16	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	20-Apr-16	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	20-Jul-16	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	NS
	21-Oct-16	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25
	31-Jan-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	17-Apr-17	NS	0.37	U	NS	NS	0.37	U	NS	0.37	U	0.37
	26-Jul-17	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	12-Oct-17	NS	0.25	U	NS	NS	0.25	U	NS	0.62	U	0.62
	10-Jan-18	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	0.25
	11-Apr-18	NS	0.25	U	NS	NS	2.5	U	NS	2.5	U	2.5
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.37	U
	27-Jul-18	1.2	U	NS	1.2	U	1.2	U	NS	1.2	U	NS
	24-Oct-18	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U
	16-Jan-19	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS
	12-Apr-19	NS	0.25	U	NS	NS	0.25	U	0.31	U	0.37	U
	29-Jul-19	0.37	U	NS	0.37	U	0.25 <sup>L</sup>	U	NS	0.25 <sup>L</sup>	U	0.25 <sup>L</sup>
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.37	U
	29-Oct-19	NS	0.25 <sup>L</sup>	U	NS	NS	0.25 <sup>L</sup>	U	NS	0.25 <sup>L</sup>	U	1.2 <sup>L,D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual						
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	NS	NS	NS	0.14	U	0.14
	27-Mar-08	NS	0.137	U	NS	NS	NS	NS	NS	NS	0.137
	25-Apr-08	NS	NS	0.137	U	NS	NS	NS	0.137	U	0.137
	29-May-08	NS	NS	NS	U	0.14	U	NS	0.14	U	0.14
	27-Jun-08	0.214	U	NS	NS	NS	U	NS	NS	U	0.137
	31-Jul-08	NS	0.137	U	NS	NS	NS	NS	0.137	U	0.137
	28-Aug-08	NS	NS	0.137	U	NS	NS	NS	0.137	U	NS
	30-Sep-08	NS	NS	NS	U	0.14	U	NS	0.14	U	0.14
	27-Oct-08	0.14	U	NS	NS	NS	U	NS	NS	0.14	U
	25-Nov-08	NS	0.14	U	NS	NS	U	NS	0.14	U	NS
	18-Dec-08	NS	NS	0.14	U	NS	U	NS	0.14	U	0.14
	21-Jan-09	NS	NS	0.14	U	NS	U	NS	0.14	U	0.14
	25-Feb-09	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U
	26-Mar-09	NS	0.686	U	NS	NS	U	NS	NS	0.137	U
	29-Apr-09	NS	NS	0.137	U	NS	U	NS	0.137	U	0.137
	22-Jul-09	0.686	U	NS	28	U	0.137	U	NS	0.137	U
	9-Oct-09	NS	0.137	U	NS	NS	U	NS	0.137	U	0.137
	15-Jan-10	0.109	U	NS	0.137	U	NS	0.109	U	NS	0.137
	21-Apr-10	NS	0.137	U	NS	NS	U	NS	0.686	U	0.137
	16-Jul-10	0.137	U	NS	0.137	U	NS	1.04	U	NS	0.137
	15-Oct-10	NS	0.137	U	NS	NS	U	NS	0.137	U	0.137
	26-Jan-11	1.37	U	0.137	U	NS	U	0.686	U	NS	0.686
	28-Feb-11	NS	NS	1.37	U	NS	U	NS	NS	NS	NS
	27-Apr-11	NS	0.137	U	NS	NS	U	0.137	U	0.137	U
	26-Jul-11	0.458	U	NS	0.458	U	0.137	U	0.687	U	0.687
	28-Oct-11	NS	3.4	U	NS	NS	U	3.4	U	3.4	U
	23-Jan-12	0.69	U	NS	0.69	U	NS	0.69	U	0.69	U
	13-Apr-12	NS	0.34	U	NS	NS	U	0.34	U	0.34	U
	2-Jul-12 (resample)	NS	NS	NS	U	NS	U	NS	NS	NS	NS
	23-Jun-12	0.69	U	NS	0.69	U	NS	0.69	U	0.69	U
	1-Nov-12	NS	0.069	U	NS	0.069	U	0.069	U	0.069	U
	1-Feb-13	0.069	U	NS	0.069	U	NS	0.069	U	0.069	U
	29-Apr-13	NS	0.17	U	NS	NS	U	0.069	U	0.069	U
	9-Jul-13	0.10	U	NS	0.069	U	NS	0.069	U	0.010	U
	18-Oct-13	NS	0.14	U	NS	NS	U	0.14	U	0.140	U
	9-Jan-14	0.14	U	NS	0.14	U	NS	0.14	U	0.140	U
	24-Apr-14	NS	0.069	U	NS	NS	U	0.069 <sup>L</sup>	U	0.069 <sup>L</sup>	U
	1-Aug-14	0.14	U	NS	0.21	U	NS	NS	U	0.140	U
	27-Aug-14	NS	NS	NS	U	NS	U	0.069 <sup>L</sup>	U	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	U	NS	U	NS	U	NS	NS
	22-Oct-14	NS	0.10	U	NS	NS	U	0.10	U	0.10	U
	20-Jan-15	0.069	U	NS	0.069	U	NS	0.069	U	0.10	U
	30-Mar-15 (resample)	NS	NS	NS	U	NS	U	NS	U	0.077	U
	22-Apr-15	NS	0.070	U	NS	NS	U	0.069	U	0.069	U
	21-Jul-15	0.3	U	NS	1	U	7	U	0.4	U	0.400 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	U	NS	NS	NS	U	0.300 <sup>o</sup>	U
	29-Oct-15	NS	0.4	U	NS	NS	U	0.4	U	0.3	U
	4-Dec-15 resample	NS	0.3	U	NS	NS	U	NS	NS	NS	NS
	27-Jan-16	0.069	U	NS	0.069	U	NS	0.069	U	0.069	U
	20-Apr-16	NS	0.069	U	NS	NS	U	0.069	U	0.069	U
	20-Jul-16	0.34	U	NS	0.34	U	0.34	U	NS	0.34	U
	21-Oct-16	NS	0.069	U	NS	NS	U	0.069	U	0.069	U
	31-Jan-17	0.069	U	NS	0.069	U	NS	0.069	U	0.069	U
	17-Apr-17	NS	0.10	U	NS	NS	U	0.10	U	0.10	U
	26-Jul-17	0.069	U	NS	0.069	U	NS	0.069	U	0.069	U
	12-Oct-17	NS	0.069	U	NS	NS	U	0.069	U	0.21	U
	10-Jan-18	0.069	U	NS	0.069	U	NS	0.069	U	0.45	U
	11-Apr-18	NS	0.14	U	NS	NS	U	1.4	U	1.4	U
	23-May-18	NS	NS	NS	U	NS	NS	NS	U	NS	1.4
	27-Jul-18	0.34	U	NS	0.34	U	0.34	U	NS	0.34	U
	24-Oct-18	NS	0.34	U	NS	NS	U	0.34	U	0.34	U
	16-Jan-19	0.069	U	NS	0.069	U	NS	0.069	U	0.34	U
	12-Apr-19	NS	0.069	U	NS	NS	U	0.069	U	0.069	U
	29-Jul-19	0.1	U	NS	0.1	U	0.069	U	NS	0.069	U
	26-Sep-19	NS	NS	NS	U	NS	NS	NS	NS	<0.10	U
	29-Oct-19	NS	0.069	U	NS	NS	U	0.22	NS	0.069	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.35	NS	NS	0.14	U	NS	NS	0.53	5.05	NS
	27-Mar-08	NS	0.888	NS	NS	0.875	NS	NS	6.99	5.25	
	25-Apr-08	NS	NS	0.322	NS	NS	0.99	NS	0.83	NS	0.867
	29-May-08	NS	NS	1.36	NS	NS	NS	0.24	0.3	3.21	NS
	27-Jun-08	1.32	NS	NS	29.6	NS	NS	NS	NS	5.08	1.8
	31-Jul-08	NS	0.667	NS	NS	NS	NS	NS	0.618	NS	0.572
	28-Aug-08	NS	NS	1.55	NS	NS	1.52	NS	1.37	6.26	NS
	30-Sep-08	NS	NS	3.4	NS	NS	NS	3.4	U	6.1	3.4
	27-Oct-08	4.2	U	NS	NS	10	NS	NS	4.2	U	4.2
	25-Nov-08	NS	21.3	NS	NS	4.6	NS	NS	3.4	U	8.9
	18-Dec-08	NS	NS	3.4	U	NS	3.4	U	NS	3.4	U
	21-Jan-09	NS	NS	3.4	U	NS	NS	3.4	U	NS	3.4
	25-Feb-09	3.4	U	NS	NS	8.3	NS	NS	3.4	U	3.7
	26-Mar-09	NS	1.28	NS	NS	1.36	U	NS	NS	7.11	2.08
	29-Apr-09	NS	NS	0.271	NS	NS	0.305	NS	0.237	NS	0.691
	22-Jul-09	1.63	NS	1.63	2.1	NS	3.08	NS	11.8	3.25	NS
	9-Oct-09	NS	0.556	NS	NS	2.07	NS	0.678	28.3	U	1.17
	15-Jan-10	1.31	NS	0.644	1.35	NS	0.691	NS	0.447	0.501	NS
	21-Apr-10	NS	7.2	NS	NS	31.4	NS	35.5	36.8	62.1	NS
	16-Jul-10	12.4	NS	12.7	10.9	NS	10	NS	15.4	19.2	NS
	15-Oct-10	NS	21.9	NS	NS	37.6	NS	21.3	21.8	22.1	31.6
	26-Jan-11	1.36	U	0.691	NS	1.27	NS	0.678	U	0.813	8.3
	28-Feb-11	NS	NS	1.36	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.44	NS	NS	7.22	NS	1.53	1.56	1.46	1.98
	26-Jul-11	3.34	NS	0.834	2.59	NS	9.29	NS	0.976	6.78	NS
	28-Oct-11	NS	3.4	U	NS	8.5	NS	3.4	U	3.4	U
	23-Jan-12	1	NS	0.68	U	1.7	NS	5.3	NS	0.76	26
	13-Apr-12	NS	19	NS	NS	18	NS	12	18	18	NS
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	9.6	NS
	23-Jun-12	1.5	NS	0.68	U	3.5	NS	0.8	NS	0.68	U
	1-Nov-12	NS	7.4	NS	NS	11	NS	0.78	0.57	1.3	1.6
	1-Feb-13	1.8	NS	0.76	0.99	NS	4.5	NS	NS	1.8	7.7
Tetrachloroethene*	29-Apr-13	NS	8.1	NS	NS	4.7	NS	1.1	1	1.3	NS
	9-Jul-13	2.0	NS	2.1	3.1	NS	2.9	NS	NS	2.6	8.8
	18-Oct-13	NS	14	NS	NS	7.3	NS	0.61	0.32	0.32	NS
	9-Jan-14	0.6	NS	0.22	1.1	NS	1.8	NS	0.46	11	NS
	24-Apr-14	NS	4.7	NS	NS	5.7	NS	0.41	0.068	U	0.51
	1-Aug-01	2.3	NS	3.3/4.9	2.1	NS	NS	NS	NS	0.97	4.0/5.9
	27-Aug-14	NS	NS	NS	NS	NS	2.4/3.5	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	0.34	NS	NS	U
	22-Oct-14	NS	6.9	NS	NS	5.0	0.61	0.43	0.10	U	4.0
	20-Jan-15	0.9	NS	0.20	0.37	NS	1.0	NS	NS	0.52	0.21
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	3.0
	22-Apr-15	NS	5.3	NS	NS	2.6	NS	0.85	0.48/0.52	1.7	1.5
	21-Jul-15	0.34	NS	1	U	7	U	NS	NS	0.44 <sup>o</sup>	4.0 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	1.5	NS	NS	NS
	29-Oct-15	NS	18	NS	NS	3.6	NS	1.2	6.6	0.18 <sup>j</sup>	0.65
	4-Dec-15 resample	NS	14	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	3.1	NS	0.19	0.71	NS	0.63	NS	NS	0.19	6.7
	20-Apr-16	NS	9.7	NS	NS	3.4	NS	0.22	0.11	0.14	0.47
	20-Jul-16	0.5	NS	0.99	1.6	NS	4.8	NS	NS	0.71	5.6
	21-Oct-16	NS	40	NS	NS	4.6	NS	0.75	0.83	0.39	0.93
	31-Jan-17	0.33	NS	0.23	0.79	NS	0.75	NS	NS	0.15	12
	17-Apr-17	NS	8.1	NS	NS	3.2	NS	0.99	0.16	0.21	1.1
	26-Jul-17	0.26	NS	0.34	1.3	NS	1.1	NS	NS	0.22	5.4
	12-Oct-17	NS	7.5	NS	NS	4.2	NS	0.44	0.43	0.41	1.7
	10-Jan-18	0.21	NS	0.15	0.64	NS	2	NS	NS	0.33	4.9
	11-Apr-18	NS	10	NS	NS	1.8	NS	1.4	U	0.24	2
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	27-Jul-18	0.68	U	NS	0.68	U	2.5	NS	NS	0.68	U
	24-Oct-18	NS	6.1	NS	NS	6.8	NS	0.68	U	0.68	U
	16-Jan-19	0.44	NS	0.27	0.97	NS	1.8	NS	NS	0.24	5.9
	12-Apr-19	NS	11	NS	NS	2.3	NS	0.29	U	0.2	U
	29-Jul-19	0.86	NS	0.92	1.4	NS	6.7	NS	NS	0.4	5.9
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.7
	29-Oct-19	NS	21	NS	NS	7.2	NS	0.14	0.16	0.68 <sup>D</sup>	U
										7 <sup>D</sup>	0.68 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.63	NS	NS	1.8	NS	NS	NS	2.72	455	NS
	27-Mar-08	NS	2.24	NS	NS	1.45	NS	NS	NS	11.3	16.1
	25-Apr-08	NS	NS	1.39	NS	NS	1.34	NS	11.2	NS	21.8
	29-May-08	NS	NS	NS	7.74	NS	NS	11.6	21	13	NS
	27-Jun-08	14.7	NS	NS	NS	2.33	NS	NS	NS	10.6	22.2
	31-Jul-08	NS	4.15	NS	NS	NS	NS	NS	10.2	NS	6.11
	28-Aug-08	NS	NS	6.48	NS	NS	3.44	NS	10	11.2	NS
	30-Sep-08	NS	NS	1.9	U	NS	NS	6.1	NS	7.5	8.6
	27-Oct-08	56.3	NS	NS	3.2	NS	NS	NS	6.6	NS	8.2
	25-Nov-08	NS	7.8	NS	NS	7.8	NS	NS	29.9	18.6	NS
	18-Dec-08	NS	NS	2	NS	NS	1.9	U	NS	4.8	4.9
	21-Jan-09	NS	NS	1.9	U	NS	NS	1.9	U	NS	1.9
	25-Feb-09	7	NS	NS	1.9	U	NS	NS	1.9	U	13.8
	26-Mar-09	NS	3.53	NS	NS	3.92	NS	NS	NS	7.23	9.75
	29-Apr-09	NS	1.99	NS	NS	0.651	NS	NS	0.149	NS	4.56
	22-Jul-09	38.7	NS	38.7	2.22	NS	4.71	NS	NS	80.1	5.32
	9-Oct-09	NS	3.53	NS	NS	3.06	NS	1.07	23.6	3.12	NS
	15-Jan-10	12.8	NS	4.17	4.33	NS	5.81	NS	NS	4.81	4.85
	21-Apr-10	NS	0.9	NS	2.97	NS	3.75	5.2	2.84	NS	5.08
	16-Jul-10	22.2	NS	17.9	5.98	NS	5.54	NS	NS	5.77	5.85
	15-Oct-10	NS	1.67	NS	NS	2.1	NS	1.72	3.37	2.23	NS
	26-Jan-11	6.06	6.82	NS	6.82	NS	4.74	NS	5.95	12.1	11.9
	28-Feb-11	NS	NS	1.88	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.836	NS	0.682	NS	1.25	3.62	2.08	NS	1.62
	26-Jul-11	8.29	NS	3.96	1.15	NS	1.62	NS	NS	2.31	1.68
	28-Oct-11	NS	1.9	NS	1.9	U	NS	1.9	U	3.3	4.7
	23-Jan-12	7.9	NS	3.8	1.9	NS	3.4	NS	NS	5.2	15
	13-Apr-12	NS	0.75	NS	0.38	U	NS	0.38	U	1.3	2.4
Toluene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.9
	23-Jun-12	8.5	NS	3.5	1.5	NS	2.5	NS	NS	2.4	1.8
	1-Nov-12	NS	2	NS	NS	1.7	NS	2.3	2.8	NS	4.5
	1-Feb-13	2.4	NS	0.69	0.69	NS	0.71	NS	NS	1.4	1.6
	29-Apr-13	NS	1.7	NS	1.3	NS	1.7	2.1	3.1	NS	3.9
	9-Jul-13	11	NS	3.0	2.0	NS	2.5	NS	NS	6.8	3.4
	18-Oct-13	NS	2.3	NS	NS	3.1	NS	2.8	7.5	1.3	NS
	9-Jan-14	10	NS	7.6	8.6	NS	10	NS	NS	20	16
	24-Apr-14	NS	0.23	NS	0.22	NS	0.25	0.36	0.28	0.25	1.1
	1-Aug-14	2.7	NS	2.8/3.2	1.3/1.4	NS	NS	NS	NS	1.6	1.9
	27-Aug-14	NS	NS	NS	NS	2.2/2.8	NS	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.5	NS	NS	U
	22-Oct-14	NS	0.34	NS	0.32	0.48	0.94	0.51	1.2	1.2	NS
	20-Jan-15	1.5	NS	0.6	0.6	NS	0.44	NS	NS	1.4	1.5
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.2	NS
	22-Apr-15	NS	0.95	NS	NS	0.59	NS	1.2	1.4/1.6	3.4	4.3
	21-Jul-15	3.8	NS	4.5	4	U	NS	2	NS	5.4 <sup>b</sup>	7.6 <sup>b</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	1.4	NS	NS	NS
	29-Oct-15	NS	0.41	NS	0.55	NS	0.64	1.1	1.2	NS	2.8
4-Dec-15 resample	NS	0.42	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	1.5	NS	0.5	0.4	NS	0.44	NS	NS	1.2	0.89
	20-Apr-16	NS	0.62	NS	NS	0.77	NS	1.3	0.85	3.5	1.8
	20-Jul-16	1.2 <sup>w</sup>	NS	1.9 <sup>w</sup>	0.77 <sup>w</sup>	NS	1.2 <sup>w</sup>	NS	NS	1.6 <sup>w</sup>	44 <sup>w</sup>
	21-Oct-16	NS	0.56	NS	NS	2.6	NS	1.8	4.2	1.9	NS
	31-Jan-17	1.1	NS	1.2	1.0	NS	0.98	NS	NS	2.2	1.8
	17-Apr-17	NS	1.0	NS	NS	1.1	NS	1.3	1.5	1.0	NS
	26-Jul-17	1.1	NS	1.5	0.73	NS	1.2	NS	NS	1.8	1.4
	12-Oct-17	NS	0.41	NS	NS	0.47	NS	0.55	1	0.99	NS
	10-Jan-18	0.88	NS	0.99	1.1	NS	1	NS	NS	2.4	0.81
	11-Apr-18	NS	0.61	NS	0.75	U	NS	0.75	U	3.4	1.7
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.72	NS
	27-Jul-18	1.2	NS	1.9	0.75	NS	1.6	NS	NS	0.9	NS
	24-Oct-18	NS	0.49	NS	0.38	U	NS	0.47	1.2	1.4	1.5
	16-Jan-19	1.4	NS	0.65	0.7	NS	0.77	NS	NS	1.6	1.2
	12-Apr-19	NS	0.48	NS	0.34	NS	0.24	1.1	1.5	NS	0.88
	29-Jul-19	1.6	NS	2	1.9	NS	3.2	NS	NS	1.3	2.2
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS
	29-Oct-19	NS	3	NS	NS	0.89	NS	0.79	3.4	2.7 <sup>b</sup>	4.5 <sup>b</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.11	U	NS	NS	NS	NS	NS	0.11	U	NS
	27-Mar-08	NS	0.109	U	NS	NS	NS	NS	NS	NS	0.522
	25-Apr-08	NS	NS	0.109	U	NS	NS	NS	0.109	U	0.266
	29-May-08	NS	NS	NS	0.12	NS	NS	NS	0.11	U	0.119
	27-Jun-08	0.17	U	NS	NS	NS	0.458	NS	NS	NS	0.377
	31-Jul-08	NS	0.109	U	NS	NS	NS	NS	0.109	U	0.138
	28-Aug-08	NS	NS	0.109	U	NS	NS	0.153	NS	0.492	NS
	30-Sep-08	NS	NS	NS	2.7	U	NS	NS	2.7	U	2.7
	27-Oct-08	3.4	U	NS	NS	NS	3.4	U	NS	NS	3.4
	25-Nov-08	NS	2.7	U	NS	NS	2.7	U	NS	2.7	U
	18-Dec-08	NS	NS	2.7	U	NS	NS	2.7	U	2.7	U
	21-Jan-09	NS	NS	NS	2.7	U	NS	NS	2.7	U	2.7
	25-Feb-09	2.7	U	NS	NS	NS	2.7	U	NS	2.7	U
	26-Mar-09	NS	1.59	NS	NS	NS	1.09	U	NS	0.682	0.213
	29-Apr-09	NS	NS	0.174	NS	NS	0.147	NS	0.158	NS	0.191
	22-Jul-09	0.545	U	NS	22.2	U	1.09	U	NS	0.278	NS
	9-Oct-09	NS	0.109	U	NS	NS	0.158	NS	0.191	U	0.136
	15-Jan-10	0.109	U	NS	0.109	U	1.09	U	NS	0.692	NS
	21-Apr-10	NS	0.109	U	NS	NS	0.545	U	0.545	U	1.09
	16-Jul-10	0.109	U	NS	0.109	U	0.109	U	NS	0.562	NS
	15-Oct-10	NS	0.272	NS	NS	0.349	NS	0.109	U	0.109	0.109
	26-Jan-11	1.09	U	0.109	U	NS	0.545	U	NS	0.545	NS
	28-Feb-11	NS	NS	1.09	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.109	U	NS	NS	0.109	U	0.109	U	0.109
	26-Jul-11	0.364	U	NS	0.364	U	0.109	U	0.873	U	0.546
	28-Oct-11	NS	2.7	U	NS	NS	2.7	U	NS	2.7	U
	23-Jan-12	0.55	U	NS	0.55	U	0.55	U	1.5	U	1.3
	13-Apr-12	NS	0.27	U	NS	NS	0.27	U	0.27	U	0.27
1,1,1-Trichloroethane*	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.4
	23-Jun-12	0.55	U	NS	0.55	U	0.55	U	NS	0.55	NS
	1-Nov-12	NS	0.25	NS	NS	0.27	NS	0.055	U	0.055	0.14
	1-Feb-13	0.055	U	NS	0.055	U	0.055	U	NS	0.055	NS
	29-Apr-13	NS	0.15	NS	NS	0.076	NS	0.055	U	0.055	0.055
	9-Jul-13	0.082	U	NS	0.055	U	0.061	NS	0.33	NS	0.26
	18-Oct-13	NS	0.23	NS	NS	0.19	NS	0.11	U	0.11	0.28
	9-Jan-14	0.11	U	NS	0.11	U	0.11	NS	0.41	NS	0.46
	24-Apr-14	NS	0.055	U	NS	0.055	U	0.055	U	0.055	0.16
	1-Aug-14	0.11	U	NS	0.16	U	0.16	NS	NS	0.11	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.35	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	0.19	0.082	U	0.082	U
	22-Oct-14	NS	0.19	NS	NS	0.19	0.082	U	0.082	U	0.28
	20-Jan-15	0.055	U	NS	0.055	U	0.055	U	0.31	NS	0.055
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.14
	22-Apr-15	NS	0.056	U	NS	0.055	U	0.055	U	0.079	0.063
	21-Jul-15	0.3	U	NS	1	U	5	U	0.27 <sup>j</sup>	NS	0.3 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.3	NS
	29-Oct-15	NS	0.36	NS	NS	0.3	U	NS	0.5	U	0.3
	4-Dec-15 resample	NS	0.23 <sup>j</sup>	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.055	U	NS	0.055	U	0.055	U	0.24	NS	0.4
	20-Apr-16	NS	0.2	NS	NS	0.098	NS	0.055	U	0.055	0.074
	20-Jul-16	0.27	U	NS	0.27	U	0.27	U	0.59	NS	0.28
	21-Oct-16	NS	0.59	NS	NS	0.19	NS	0.083	U	0.094	1.4
	31-Jan-17	0.13	NS	0.055	U	0.055	U	0.2	NS	0.055	NS
	17-Apr-17	NS	0.12	NS	NS	0.082	U	0.082	U	0.082	0.082
	26-Jul-17	0.055	U	NS	0.055	U	0.055	U	0.12	NS	0.22
	12-Oct-17	NS	0.12	NS	NS	0.15	NS	0.17	U	0.28	0.14
	10-Jan-18	0.055 <sup>l</sup>	U	NS	0.055 <sup>l</sup>	U	0.055 <sup>l</sup>	U	0.29 <sup>l</sup>	NS	0.37 <sup>l</sup>
	11-Apr-18	NS	0.12	NS	NS	1.1	U	NS	1.1	U	1.1
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.082
	27-Jul-18	0.27	U	NS	0.27	U	0.27	U	0.27	U	0.56
	24-Oct-18	NS	0.27	U	NS	0.27	U	0.27	U	0.27	0.27
	16-Jan-19	0.055	U	NS	0.055	U	0.055	U	0.2	NS	0.26
	12-Apr-19	NS	0.16	NS	NS	0.055	U	NS	0.068	U	0.082
	29-Jul-19	0.082	U	NS	0.082	0.1	NS	0.36	NS	0.076	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.29
	29-Oct-19	NS	0.22	NS	NS	0.055	U	NS	0.055	U	0.27 <sup>d</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual								
	8-Feb-08	0.11	U	NS	NS	NS	NS	NS	0.11	U	NS
	27-Mar-08	NS	0.109	U	NS	NS	NS	NS	NS	NS	0.109
	25-Apr-08	NS	NS	0.109	U	NS	NS	NS	0.109	U	NS
	29-May-08	NS	NS	NS	0.11	U	NS	NS	0.11	U	NS
	27-Jun-08	0.17	U	NS	NS	NS	NS	NS	NS	0.11	U
	31-Jul-08	NS	0.109	U	NS	NS	NS	NS	0.109	U	NS
	28-Aug-08	NS	NS	0.109	U	NS	NS	NS	0.109	U	NS
	30-Sep-08	NS	NS	NS	0.11	U	NS	NS	0.11	U	0.11
	27-Oct-08	0.11	U	NS	NS	NS	NS	NS	0.11	U	0.11
	25-Nov-08	NS	0.11	U	NS	NS	NS	NS	0.11	U	NS
	18-Dec-08	NS	NS	0.11	U	NS	NS	NS	0.11	U	0.11
	21-Jan-09	NS	NS	NS	0.11	U	NS	NS	0.11	U	0.11
	25-Feb-09	0.11	U	NS	NS	0.11	U	NS	NS	0.11	U
	26-Mar-09	NS	0.545	U	NS	NS	1.09	U	NS	NS	0.109
	29-Apr-09	NS	NS	0.109	U	NS	NS	0.109	U	NS	0.109
	22-Jul-09	0.545	U	NS	22.2	U	1.09	U	NS	0.109	U
	9-Oct-09	NS	0.109	U	NS	NS	0.109	U	NS	22.8	U
	15-Jan-10	0.109	U	NS	0.109	U	1.09	U	NS	0.109	U
	21-Apr-10	NS	0.109	U	NS	NS	0.545	U	NS	0.109	U
	16-Jul-10	0.109	U	NS	0.109	U	0.109	U	NS	1.09	U
	15-Oct-10	NS	0.109	NS	NS	0.109	U	NS	0.109	U	0.109
	26-Jan-11	1.09	U	0.109	U	NS	0.109	U	NS	0.545	U
	28-Feb-11	NS	NS	1.09	U	NS	NS	U	NS	NS	NS
	27-Apr-11	NS	0.109	U	NS	NS	0.109	U	NS	0.109	U
	26-Jul-11	0.364	U	NS	0.364	U	0.109	U	NS	0.109	U
	28-Oct-11	NS	2.7	U	NS	NS	2.7	U	NS	2.7	U
	23-Jan-12	0.55	U	NS	0.55	U	0.55	U	NS	0.55	U
	13-Apr-12	NS	0.27	U	NS	NS	0.27	U	NS	0.27	U
1,1,2-Trichloroethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	U	NS	1.4	U
	23-Jun-12	0.55	U	NS	0.55	U	0.55	U	NS	0.55	U
	1-Nov-12	NS	0.055	U	NS	0.055	U	0.055	U	0.055	U
	1-Feb-13	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U
	29-Apr-13	NS	0.14	U	NS	NS	0.055	U	0.055	U	0.055
	9-Jul-13	0.082	U	NS	0.055	U	0.055	U	NS	0.055	U
	18-Oct-13	NS	0.11	U	NS	NS	0.11	U	0.11	U	0.11
	9-Jan-14	0.11	U	NS	0.11	U	0.11	U	NS	0.11	U
	24-Apr-14	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055
	1-Aug-14	0.11	U	NS	0.16	U	0.16	U	NS	0.11	U
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	0.055	U	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	U	NS	NS	NS
	22-Oct-14	NS	0.082	U	NS	NS	0.082	U	0.082	U	0.11
	20-Jan-15	0.055	U	NS	0.055	U	0.055	U	NS	0.082	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	U	NS	0.061	U
	22-Apr-15	NS	0.056	U	NS	NS	0.055	U	0.079	U	0.055
	21-Jul-15	0.3	U	NS	1	U	5	U	NS	0.3 <sup>b</sup>	U
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	U	NS	NS	NS
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	NS	0.3	U
	4-Dec-15 resample	NS	0.3	U	NS	NS	NS	U	NS	NS	NS
27-Jan-16	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U	0.055
	20-Apr-16	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055
	20-Jul-16	0.27	U	NS	0.27	U	0.27	U	NS	0.27	U
	21-Oct-16	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055
	31-Jan-17	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U
	17-Apr-17	NS	0.082	U	NS	NS	0.082	U	0.082	U	0.082
	26-Jul-17	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U
	12-Oct-17	NS	0.055	U	NS	NS	0.055	U	0.17	U	0.14
	10-Jan-18	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U
	11-Apr-18	NS	0.11	U	NS	NS	1.1	U	NS	0.11	U
23-May-18	NS	NS	NS	NS	NS	NS	NS	U	NS	0.082	U
	27-Jul-18	0.27	U	NS	0.27	U	0.27	U	NS	0.27	U
	24-Oct-18	NS	0.27	U	NS	NS	0.27	U	0.27	U	0.27
	16-Jan-19	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U
	12-Apr-19	NS	0.055	U	NS	NS	0.055	U	0.068	U	0.082
	29-Jul-19	0.082	U	NS	0.082	U	0.055	U	NS	0.055	U
	26-Sep-19	NS	NS	NS	NS	NS	NS	U	NS	<0.082	U
	29-Oct-19	NS	0.055	U	NS	NS	0.055	U	0.055	0.27 <sup>d</sup>	U
										0.27 <sup>d</sup>	U
										0.27 <sup>d</sup>	U

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.12	NS	NS	NS	0.11	U	NS	NS	0.2	19.6
	27-Mar-08	NS	0.107	U	NS	NS	0.152	NS	NS	13.4	5.34
	25-Apr-08	NS	NS	0.199	NS	NS	1.35	NS	0.668	NS	3.39
	29-May-08	NS	NS	NS	26.5	NS	NS	0.15	0.37	13.6	NS
	27-Jun-08	0.408	NS	NS	NS	258	NS	NS	NS	13.6	6.56
	31-Jul-08	NS	1.24	NS	NS	NS	NS	NS	0.126	NS	3.26
	28-Aug-08	NS	NS	0.558	NS	NS	3.56	NS	0.432	18.4	NS
	30-Sep-08	NS	NS	NS	56.2	NS	NS	0.8	U	NS	22.7
	27-Oct-08	0.8	U	NS	NS	117	NS	NS	2.99	NS	0.8
	25-Nov-08	NS	2.92	NS	NS	1.89	NS	NS	0.54	U	39.8
	18-Dec-08	NS	NS	0.54	U	NS	0.54	U	NS	NS	4.56
	21-Jan-09	NS	NS	NS	19.6	NS	NS	0.54	U	NS	4.99
	25-Feb-09	0.44	NS	NS	NS	99.5	NS	NS	0.56	NS	10.7
	26-Mar-09	NS	9.2	NS	NS	3.88	NS	NS	NS	NS	25.1
	29-Apr-09	NS	NS	0.22	NS	NS	1.2	NS	0.392	NS	2.96
	22-Jul-09	0.537	U	NS	0.537	U	12.7	NS	0.354	10.3	NS
	9-Oct-09	NS	0.091	U	NS	26	NS	1.24	22.4	U	0.182
	15-Jan-10	0.591	NS	0.242	17.7	NS	0.172	NS	0.107	U	18.5
	21-Apr-10	NS	0.107	U	NS	34	NS	0.94	0.537	U	0.891
	16-Jul-10	0.333	NS	0.333	8.14	NS	0.811	U	NS	0.107	27.8
	15-Oct-10	NS	2.26	NS	NS	129	NS	1.92	0.177	0.317	NS
	26-Jan-11	1.07	U	1.63	NS	9.94	NS	0.537	U	NS	6.17
	28-Feb-11	NS	NS	1.07	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.231	NS	NS	78.1	NS	0.891	0.107	U	0.107
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5	NS	0.247	20.5
	28-Oct-11	NS	2.7	U	NS	110	NS	2.7	U	2.7	U
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8	NS	0.54	44
	13-Apr-12	NS	0.27	U	NS	83	NS	1.5	0.27	U	0.27
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	32
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75	NS	0.54	35
	1-Nov-12	NS	2.4	NS	NS	92	NS	1.9	0.32	0.28	6.9
	1-Feb-13	0.85	NS	0.064	21	NS	5.6	NS	0.077	20	NS
	29-Apr-13	NS	1.7	NS	NS	46	NS	0.84	0.12	0.44	1.9
	9-Jul-13	0.60	NS	0.22	27	NS	2.6	NS	NS	0.14	22
	18-Oct-13	NS	3.3	NS	NS	76	NS	2.2	0.48	0.66	15
	9-Jan-14	0.49	NS	0.11	U	36	NS	1.8	NS	0.13	43
	24-Apr-14	NS	1.0	NS	NS	58	NS	0.81	0.13	1.0	31
	1-Aug-14	2.70	NS	0.23	15/19	NS	NS	NS	NS	1.2	16/18
	27-Aug-14	NS	NS	NS	NS	NS	2.6/3.4	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.30	NS	U
	22-Oct-14	NS	1.3	NS	NS	88	0.97	1.4	0.19	0.17	18
	20-Jan-15	0.52	NS	0.054	U	24	NS	1.3	NS	0.081	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	15
	22-Apr-15	NS	0.96	NS	NS	35	NS	0.80	0.078	U	0.57
	21-Jul-15	0.2	U	NS	1	U	15	NS	NS	0.99 °	24 °
	23-Sept-15 resample	NS	NS	NS	NS	NS	3.1	NS	NS	NS	NS
	29-Oct-15	NS	4.1	NS	NS	54	NS	3.3	0.89	0.55	7.3
	4-Dec-15 resample	NS	2.1	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.3	NS	0.13	25	NS	0.98	NS	NS	0.27	36
	20-Apr-16	NS	1.8	NS	NS	76	NS	0.8	0.17	0.39	9.4
	20-Jul-16	0.47	NS	0.6	28	NS	3.8	NS	NS	0.63	21
	21-Oct-16	NS	7.6	NS	NS	66	NS	1.1	0.31	0.18	5.7
	31-Jan-17	0.23	NS	0.11	32	NS	0.71	NS	NS	0.054	44
	17-Apr-17	NS	1.4	NS	NS	58	NS	0.66	0.081	U	0.081
	26-Jul-17	0.23	NS	0.13	33	NS	1.4	NS	NS	0.31	25
	12-Oct-17	NS	1.8	NS	NS	88	NS	0.76	0.38	0.15	2.1
	10-Jan-18	0.19	NS	0.054	U	29	NS	2.1	NS	0.43	65
	11-Apr-18	NS	2.1	NS	NS	41	NS	1.1	U	0.13	37
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	7.0
	27-Jul-18	0.27	U	NS	0.27	U	140	0.68	NS	0.27	74
	24-Oct-18	NS	1.7	NS	NS	110	NS	0.69	0.27	U	0.27
	16-Jan-19	0.29	NS	0.054	U	47	NS	1.4	NS	0.054	42
	12-Apr-19	NS	1.8	NS	NS	45	NS	0.38	0.081	U	0.081
	29-Jul-19	0.4	NS	0.15	23	NS	4.7	NS	NS	0.24	21
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	22
	29-Oct-19	NS	4.8	NS	NS	33	NS	0.054	U	0.11	0.27°

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.22	NS	NS	NS	1.22	NS	NS	1.06	15.9	NS
	27-Mar-08	NS	1.27	NS	NS	1.18	NS	NS	NS	12	9.02
	25-Apr-08	NS	NS	1.18	NS	NS	5.2	NS	1.66	NS	3.83
	29-May-08	NS	NS	NS	33.5	NS	NS	0.98	1.05	10.6	NS
	27-Jun-08	1.29	NS	NS	NS	75.2	NS	NS	NS	8.85	8.89
	31-Jul-08	NS	1.01	NS	NS	NS	NS	NS	0.958	NS	5.1
	28-Aug-08	NS	NS	2.53	NS	NS	18	NS	1.79	15.6	NS
	30-Sep-08	NS	NS	NS	53.8	NS	NS	2.8	U	NS	10.4
	27-Oct-08	2.8	U	NS	NS	44.4	NS	NS	6.1	NS	2.8
	25-Nov-08	NS	10	NS	NS	12.2	NS	NS	2.8	U	NS
	18-Dec-08	NS	NS	2.8	U	NS	NS	4.9	NS	NS	4.8
	21-Jan-09	NS	NS	NS	26.9	NS	NS	7.2	2.8	U	NS
	25-Feb-09	2.8	U	NS	NS	14.8	NS	NS	2.8	U	7.1
	26-Mar-09	NS	1.43	NS	NS	2.81	U	NS	NS	NS	19.6
	29-Apr-09	NS	NS	1.45	NS	NS	4.23	NS	1.27	NS	3.17
	22-Jul-09	1.46	NS	1.46	19.9	NS	3.42	NS	NS	1.28	6.46
	9-Oct-09	NS	0.156	NS	NS	20	NS	11	58.6	U	1.65
	15-Jan-10	1.39	NS	2.1	16.6	NS	1.78	NS	NS	1.34	15.4
	21-Apr-10	NS	0.466	NS	NS	10.1	NS	4.83	1.4	U	4.95
	16-Jul-10	2.6	NS	1.84	16.4	NS	2.12	U	NS	2.23	19.8
	15-Oct-10	NS	9.63	NS	NS	72.2	NS	13.7	5.65	NS	10
	26-Jan-11	2.81	U	1.16	NS	13.8	NS	1.4	U	NS	1.71
	28-Feb-11	NS	NS	2.81	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.12	NS	NS	12.8	NS	3.24	1.27	NS	1.17
	26-Jul-11	4.27	NS	1.31	41.2	U	NS	15.3	NS	NS	1.62
	28-Oct-11	NS	2.8	U	NS	30	NS	5.1	2.8	U	2.9
	23-Jan-12	2.1	NS	1.5	28	NS	29	NS	NS	NS	1.4
	13-Apr-12	NS	1.9	NS	NS	15	NS	6.4	2.1	2	NS
Trichlorofluoromethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	21
	23-Jun-12	2.4	NS	1.1	85	NS	2.2	NS	NS	1.2	15
	1-Nov-12	NS	3.3	NS	NS	33	NS	6.7	1.2	1.2	NS
	1-Feb-13	2.1	NS	1.6	15	NS	17	NS	NS	1.6	5.6
	29-Apr-13	NS	2.6	NS	NS	8.3	NS	3.1	1.5	1.6	NS
	9-Jul-13	1.4	NS	2.2	33	NS	3.3	NS	NS	3.6	5.5
	18-Oct-13	NS	4.0	NS	NS	19	NS	6.9	3.0	1.6	NS
	9-Jan-14	1.6	NS	1.8	21	NS	11	NS	NS	1.8	NS
	24-Apr-14	NS	2.3	NS	NS	10	NS	3.5	1.7	2.4	9.3
	1-Aug-14	2.9	NS	1.7/1.6	23/26	NS	NS	NS	NS	2.4	6.2
	27-Aug-14	NS	NS	NS	NS	NS	7.0/6.6	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.5	NS	NS
	22-Oct-14	NS	2.7	NS	NS	28	4.2	7.0	1.7	1.4	7.4
	20-Jan-15	1.6	NS	1.5	9.1	NS	5.2	NS	NS	1.3	1.4
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8
	22-Apr-15	NS	7.8 <sup>v</sup>	NS	NS	15 <sup>v</sup>	NS	3.5	1.7/2.0	1.9	NS
	21-Jul-15	0.87	NS	1.0 <sup>j</sup>	19	NS	3.2	NS	NS	0.98 <sup>o</sup>	2.9 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.98	NS	NS	NS
	29-Oct-15	NS	4.3	NS	NS	11	NS	2.6	0.93	0.8	1.8
	4-Dec-15 resample	NS	2.5	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.5 <sup>M,V</sup>	NS	1.9 <sup>M,V</sup>	19 <sup>M,V</sup>	NS	7.6 <sup>M,V</sup>	NS	NS	2.4 <sup>M,V</sup>	7.6 <sup>M,V</sup>
	20-Apr-16	NS	2.3	NS	NS	8.8	NS	2.5	1.6	1.4	NS
	20-Jul-16	1.3	NS	1.6	16	NS	4.2	NS	NS	1.7	4
	21-Oct-16	NS	4.7	NS	NS	15	NS	3.8	1.5	1.3	NS
	31-Jan-17	1.4	NS	1.5	35	NS	3.9	NS	NS	1.4	9.1
	17-Apr-17	NS	2.7	NS	NS	8.6	NS	3.1	1.7	1.7	NS
	26-Jul-17	0.98	NS	0.98	19	NS	1.9	NS	NS	1.1	3.4
	12-Oct-17	NS	2.3	NS	NS	18	NS	3.8	1.8	1.5	NS
	10-Jan-18	1.2	NS	1.3	9.1	NS	4.6	NS	NS	1.1	11
	11-Apr-18	NS	2.1	NS	NS	5.3	NS	4.5	U	1.4	9.9
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2
	27-Jul-18	2.2	U	NS	2.2	U	24	NS	NS	2.2	6
	24-Oct-18	NS	2.6	NS	NS	14	NS	3.4	2.2	U	NS
	16-Jan-19	1.1	NS	1.2	16	NS	2.9	NS	NS	1.2	5.1
	12-Apr-19	NS	1.8	NS	NS	4.5	NS	2	1.2	1.1	NS
	29-Jul-19	1.6	NS	1.2	13	NS	3.9	NS	NS	1.3	4.3
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.6
	29-Oct-19	NS	3.6	NS	NS	5.6	NS	1.7	1.7	2.2 <sup>b</sup>	U

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	0.69	1.93	NS
	27-Mar-08	NS	0.304	NS	NS	0.152	NS	NS	0.958	0.681	
	25-Apr-08	NS	NS	1.72	NS	NS	0.644	NS	0.517	NS	0.338
	29-May-08	NS	NS	NS	0.6	NS	NS	1	1.26	0.48	NS
	27-Jun-08	7.46	NS	NS	NS	1.15	NS	NS	NS	0.638	0.736
	31-Jul-08	NS	1.86	NS	NS	NS	NS	NS	0.885	NS	0.685
	28-Aug-08	NS	NS	0.838	NS	NS	NS	NS	0.669	0.653	NS
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.5
	27-Oct-08	11.4	NS	NS	NS	2.5	U	NS	NS	2.5	U
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	6.4	5.2
	18-Dec-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.5
	25-Feb-09	17.5	NS	NS	NS	4	NS	NS	6.2	2.9	NS
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	1.55
	29-Apr-09	NS	NS	0.265	NS	NS	0.378	NS	0.707	NS	0.801
	22-Jul-09	3.49	NS	20	U	0.982	U	NS	NS	56.4	0.86
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	0.648	20.5	U	0.584
	15-Jan-10	2.87	NS	0.354	0.29	NS	0.314	NS	NS	1.06	1.17
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.42	1.13	0.653	0.702
	16-Jul-10	8.3	NS	8.23	8.09	NS	6.27	NS	NS	4.28	5.05
	15-Oct-10	NS	1.29	NS	NS	1.61	NS	1.1	1.38	1.86	NS
	26-Jan-11	1.23	1.4	NS	1.6	NS	0.491	U	NS	6.93	10.4
	28-Feb-11	NS	NS	0.982	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.24	1.06	2.06	1.09
	26-Jul-11	1.29	NS	2.67	0.61	NS	0.541	NS	NS	2.48	0.541
	28-Oct-11	NS	2.5	U	NS	NS	2.5	U	2.5	U	3.1
	23-Jan-12	3	NS	0.76	0.49	U	NS	0.71	NS	2.7	2.8
	13-Apr-12	NS	0.49	U	NS	NS	0.49	U	1.1	3.9	1.3
1,2,4-Trimethylbenzene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2.5	U
	23-Jun-12	4.1	NS	1.3	1.2	NS	1.1	NS	NS	2.1	NS
	1-Nov-12	NS	1.7	NS	NS	2.5	NS	3.1	3	3.2	3.3
	1-Feb-13	1.2	NS	0.23	0.21	NS	0.3	NS	NS	1	0.86
	29-Apr-13	NS	0.54	NS	NS	0.74	NS	0.66	0.83	1	0.84
	9-Jul-13	4.2	NS	1.6	1.8	NS	1.8	NS	NS	2	2.0
	18-Oct-13	NS	4.8	NS	NS	4.3	NS	5.6	6.4	5.0	5.7
	9-Jan-14	2.7	NS	2.7	3.8	NS	3.8	NS	NS	12.0	13.0
	24-Apr-14	NS	0.098	U	NS	0.098	U	0.13	0.098	U	0.1
	1-Aug-14	4.1	NS	6.5/5.1	3.0/3.6	NS	NS	NS	NS	2.6	6.3/4.3
	27-Aug-14	NS	NS	NS	NS	NS	1.1	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.2	NS	U
	22-Oct-14	NS	0.37	NS	NS	0.28	0.6	0.59	0.50	1.0	1.2
	20-Jan-15	0.19	NS	0.098	U	0.098	U	0.098	U	NS	0.4
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.55	NS
	22-Apr-15	NS	0.27	NS	NS	0.17	NS	0.24	0.33/0.37	0.33	0.43
	21-Jul-15	0.44	NS	1.1	5	U	0.89	NS	NS	0.47 <sup>o</sup>	0.66 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	1.7	NS	NS
	29-Oct-15	NS	0.43	NS	NS	0.78	NS	0.87	0.64	0.48	0.76
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.32	NS	0.098	U	0.17	NS	0.098	U	0.55	0.38
	20-Apr-16	NS	0.39	NS	NS	0.57	NS	0.79	0.49	1	0.94
	20-Jul-16	2.2	NS	2.6	2.3	NS	2.4	NS	NS	3.2	2.6
	21-Oct-16	NS	0.8	NS	NS	0.74	NS	1.1	1.2	1.6	NS
	31-Jan-17	1.3	NS	0.61	0.69	NS	0.74	NS	NS	5.1	4.9
	17-Apr-17	NS	0.16	NS	NS	0.21	NS	0.2	0.2	0.29	0.33
	26-Jul-17	0.28	NS	0.098	U	0.3	NS	0.36	NS	0.34	0.29
	12-Oct-17	NS	0.95	NS	NS	0.58	NS	2.6	2.1	1.9	1.6
	10-Jan-18	0.14	NS	0.098	U	0.18	NS	0.12	NS	0.88	0.76
	11-Apr-18	NS	0.31 <sup>M</sup>	NS	NS	0.98	U	0.98	U	0.098	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.15	U
	27-Jul-18	0.49	U	0.49	U	0.49	U	0.49	U	0.49	U
	24-Oct-18	NS	0.49	U	NS	0.49	U	0.49	U	0.49	U
	16-Jan-19	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U
	12-Apr-19	NS	0.098	U	NS	0.098	U	0.12	U	0.15	U
	29-Jul-19	2.9	NS	3.1	4.3	NS	5.3	NS	NS	1.9	3.3
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.5
	29-Oct-19	NS	1.9	NS	NS	1.5	NS	0.3	1.7	2.2 <sup>b</sup>	2 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.1	U	NS	NS	0.1	U	NS	0.47	0.66	NS
	27-Mar-08	NS		0.14	NS	0.098	U	NS	NS	0.349	0.275
	25-Apr-08	NS		NS	1.6	NS		0.228	0.192	NS	0.134
	29-May-08	NS		NS	0.18	NS		0.32	0.43	0.15	NS
	27-Jun-08	5.16		NS	NS	0.463	NS	NS	NS	0.236	0.25
	31-Jul-08	NS	0.713	NS	NS	NS	NS	NS	0.276	NS	0.224
	28-Aug-08	NS		0.497	NS	NS	NS	0.215	0.248	0.233	NS
	30-Sep-08	NS		NS	2.5	U	NS	NS	NS	2.5	U
	27-Oct-08	7.8		NS	NS	2.5	U	NS	NS	2.5	U
	25-Nov-08	NS	2.5	U	NS	2.5	U	NS	NS	2.5	U
	18-Dec-08	NS		NS	2.5	U	NS	2.5	U	NS	U
	21-Jan-09	NS		NS	2.5	U	NS	2.5	U	NS	U
	25-Feb-09	9.1		NS	NS	2.5	U	NS	NS	2.5	U
	26-Mar-09	NS	0.491	U	NS	0.982	U	NS	NS	0.337	0.425
	29-Apr-09	NS		NS	0.147	NS		0.128	0.211	NS	0.241
	22-Jul-09	3		NS	20	U	0.982	U	NS	22.7	0.275
	9-Oct-09	NS		0.216	NS	0.241	NS	0.187	0.388	NS	0.226
	15-Jan-10	2.15		NS	0.118	0.098	U	0.108	NS	0.29	0.334
	21-Apr-10	NS		0.098	U	NS	0.491	U	0.491	0.177	NS
	16-Jul-10	2.76		NS	1.88	1.81		1.67	NS	1.08	1.25
	15-Oct-10	NS		0.418	NS	0.383	NS	0.275	0.324	0.545	NS
	26-Jan-11	0.982	U	0.437	NS	0.472	NS	0.491	U	1.99	2.87
	28-Feb-11	NS		NS	0.982	U	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.255	NS	NS	0.27	NS	0.368	0.329	0.354
	26-Jul-11	0.688		NS	0.885	0.182	NS	0.492	U	0.664	0.492
	28-Oct-11	NS	2.5	U	NS	NS	2.5	U	2.5	U	NS
	23-Jan-12	0.99		NS	0.49	U	0.49	U	NS	0.71	0.83
	13-Apr-12	NS		0.49	U	NS	0.49	U	0.49	U	0.49
1,3,5-Trimethylbenzene	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	2.5	U
	23-Jun-12	1.6		NS	0.49	U	NS	0.49	U	0.49	U
	1-Nov-12	NS	0.25		NS	NS	0.39	NS	0.53	0.56	0.63
	1-Feb-13	0.42		NS	0.098	U	0.098	U	NS	0.3	0.24
	29-Apr-13	NS	0.25	U	NS	NS	0.22	NS	0.18	0.3	0.27
	9-Jul-13	1.5		NS	0.39	0.37	NS	0.38	NS	0.43	NS
	18-Oct-13	NS	0.53		NS	NS	0.52	NS	0.75	0.44	0.53
	9-Jan-14	0.77		NS	0.69	0.96	NS	0.98	NS	2.9	3.1
	24-Apr-14	NS		0.098	U	NS	0.098	U	0.098	U	0.098
	1-Aug-14	0.90		NS	1.00	0.60	NS	NS	NS	0.46	0.86
12-Sept-14 (resample)	27-Aug-14	NS		NS	NS	NS	NS	NS	NS	NS	NS
	22-Oct-14	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.20
	20-Jan-15	0.098	U	NS	0.098	U	0.098	U	0.098	U	0.11
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS	0.11	U
	22-Apr-15	NS	0.10	U	NS	NS	0.098	U	0.14	U	0.098
	21-Jul-15	0.2	U	NS	1	5	U	NS	NS	0.20 <sup>o</sup>	0.14 <sup>*,o</sup>
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	0.48	NS	NS
	29-Oct-15	NS	0.3	U	NS	NS	0.16 <sup>j</sup>	NS	0.4	0.13 <sup>j</sup>	0.15 <sup>j</sup>
	4-Dec-15 resample	NS		0.2	U	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.1		NS	0.098	U	0.098	U	NS	0.13	0.098
23-May-16 (resample)	20-Apr-16	NS		0.098	U	NS	0.098	U	0.098	NS	0.18
	20-Jul-16	0.78		NS	1.2	0.88	NS	0.96	NS	1.3	1
	21-Oct-16	NS	0.17		NS	NS	0.18	NS	0.19	0.28	0.53
	31-Jan-17	0.36		NS	0.13	0.15	NS	0.15	NS	1.3	1.2
	17-Apr-17	NS	0.15	U	NS	NS	0.15	U	0.15	U	0.15
	26-Jul-17	0.098	U	NS	0.098	U	0.098	U	NS	0.098	U
	12-Oct-17	NS	0.16		NS	0.16	NS	0.3	U	0.28	0.25
	10-Jan-18	0.098	U	NS	0.098	U	0.098	U	NS	0.17	0.12
	11-Apr-18	NS		0.098	U	NS	0.98	U	0.98	U	0.98
	23-May-18	NS		NS	NS	NS	NS	NS	NS	0.15	U
12-Apr-19 (resample)	27-Jul-18	0.49	U	NS	0.49	U	0.49	U	NS	0.49	U
	24-Oct-18	NS	0.49	U	NS	NS	0.49	U	0.49	U	0.49
	16-Jan-19	0.1		NS	0.098	U	0.098	U	NS	0.098	U
	12-Apr-19	NS		0.098	U	NS	0.098	U	0.12	U	0.15
	29-Jul-19	0.68		NS	0.75	1	NS	1.2	NS	0.53	U
	26-Sep-19	NS		NS	NS	NS	NS	NS	NS	<0.15	U
	29-Oct-19	NS		0.4	NS	NS	0.47	NS	0.098	0.55 <sup>D</sup>	0.49 <sup>D</sup>
									0.38	0.73 <sup>D</sup>	U

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.05	U	NS	NS	NS	NS	NS	0.05	U	NS
	27-Mar-08	NS	0.051	U	NS	NS	NS	NS	0.051	U	NS
	25-Apr-08	NS	NS	0.051	U	NS	NS	NS	0.75	U	NS
	29-May-08	NS	NS	NS	U	0.05	U	NS	0.05	U	0.051
	27-Jun-08	0.08	U	NS	NS	NS	0.051	U	NS	0.05	U
	31-Jul-08	NS	0.051	U	NS	NS	NS	NS	0.051	U	0.051
	28-Aug-08	NS	NS	0.051	U	NS	NS	NS	0.051	U	NS
	30-Sep-08	NS	NS	NS	U	0.1	U	NS	0.051	U	0.1
	27-Oct-08	0.1	U	NS	NS	NS	0.1	U	NS	0.1	U
	25-Nov-08	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U
	18-Dec-08	NS	NS	0.1	U	NS	NS	0.1	U	NS	0.1
	21-Jan-09	NS	NS	NS	U	0.1	U	NS	0.1	U	0.1
	25-Feb-09	0.1	U	NS	NS	0.1	U	NS	0.1	U	NS
	26-Mar-09	NS	0.255	U	NS	NS	0.511	U	NS	NS	0.051
	29-Apr-09	NS	NS	0.061	U	NS	NS	0.051	U	NS	0.051
	22-Jul-09	0.255	U	NS	0.255	U	0.511	U	NS	0.051	U
	9-Oct-09	NS	1.72	NS	NS	0.051	U	NS	0.102	U	0.051
	15-Jan-10	0.051	U	NS	0.061	0.051	U	NS	0.051	U	0.051
	21-Apr-10	NS	0.051	U	NS	NS	0.255	U	0.256	U	0.051
	16-Jul-10	0.051	U	NS	1.98	0.051	U	NS	0.386	U	0.051
	15-Oct-10	NS	0.051	U	NS	NS	0.051	U	NS	0.051	U
	26-Jan-11	0.511	U	0.051	U	NS	0.051	U	0.255	U	0.255
	28-Feb-11	NS	NS	0.511	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.051	U	NS	NS	0.051	U	NS	0.051	U
	26-Jul-11	0.17	U	NS	0.17	U	0.051	U	0.256	U	0.256
	28-Oct-11	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U
	23-Jan-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U
	13-Apr-12	NS	0.13	U	NS	NS	0.13	U	NS	0.13	U
Vinyl chloride*	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.64
	23-Jun-12	0.26	U	NS	0.26	U	0.26	U	NS	0.26	U
	1-Nov-12	NS	0.026	U	NS	0.026	U	0.026	U	0.026	U
	1-Feb-13	0.065	NS	0.026	U	0.026	U	0.026	U	0.026	U
	29-Apr-13	NS	0.41	NS	NS	0.045	NS	0.026	U	0.026	U
	9-Jul-13	0.038	U	NS	0.026	U	0.085	NS	0.026	U	0.026
	18-Oct-13	NS	0.051	U	NS	NS	0.074	NS	0.051	U	0.051
	9-Jan-14	0.092	NS	0.051	U	0.051	U	NS	0.051	U	0.051
	24-Apr-14	NS	0.026	U	NS	NS	0.026	U	0.026	U	0.026
	1-Aug-14	0.21	NS	0.38	U	0.077	U	NS	NS	0.051	U
12-Sept-14 (resample)	27-Aug-14	NS	NS	NS	NS	NS	0.026	U	NS	NS	NS
	22-Oct-14	NS	0.038	U	NS	NS	0.038	U	0.24	U	0.038
	20-Jan-15	0.093 <sup>v</sup>	NS	0.14 <sup>v</sup>	U	0.026	U	0.072 <sup>v</sup>	NS	0.038 <sup>v</sup>	U
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.029
	22-Apr-15	NS	0.069 <sup>v</sup>	NS	NS	0.060 <sup>v</sup>	NS	0.026	U	0.026	U
	21-Jul-15	0.090 <sup>j</sup>	NS	0.5	U	3	U	NS	0.097 <sup>j</sup>	NS	0.096 <sup>t,o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.1	U	0.1
	29-Oct-15	NS	0.13 <sup>j</sup>	NS	NS	0.1	U	NS	0.2	U	NS
	4-Dec-15 resample	NS	0.14	NS	NS	NS	NS	NS	0.1	U	0.1
	27-Jan-16	0.026	U	NS	0.2	0.026	U	0.064	NS	0.026	U
20-Apr-16	20-Jul-16	NS	0.23	NS	NS	0.072	NS	0.026	U	0.026	U
	21-Oct-16	0.13 <sup>L</sup>	U	NS	0.29 <sup>L</sup>	0.13 <sup>L</sup>	U	NS	0.54 <sup>L</sup>	NS	0.13 <sup>L</sup>
	31-Jan-17	0.11	NS	0.34	NS	NS	0.026	U	NS	0.026	U
	17-Apr-17	NS	0.19	NS	NS	0.026	U	0.038	U	0.038	U
	26-Jul-17	0.026	U	NS	0.3	0.026	U	NS	0.026	U	0.026
	12-Oct-17	NS	0.31	NS	NS	0.026	U	NS	0.077	U	0.073
	10-Jan-18	0.19	NS	0.24	NS	0.026	U	NS	0.32	NS	0.026
	11-Apr-18	NS	0.051	U	NS	NS	0.51 <sup>D</sup>	U	NS	0.051	U
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.51 <sup>D</sup>
	27-Jul-18	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U
24-Oct-18	16-Jan-19	NS	0.26	U	NS	0.26	U	NS	0.26	U	0.26
	12-Apr-19	NS	0.35	NS	NS	0.051	U	NS	0.33	NS	0.051
	29-Jul-19	0.077	U	NS	0.077	U	0.051	U	0.064	U	0.051
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	<0.077
	29-Oct-19	NS	0.051	U	NS	NS	0.051	U	NS	0.051	U
									0.26 <sup>D</sup>	U	0.26 <sup>D</sup>
									0.26 <sup>D</sup>	U	0.26 <sup>D</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds**

**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.55	NS	NS	NS	0.63	NS	NS	1.04	18.3	NS
	27-Mar-08	NS	0.893	NS	NS	0.389	NS	NS	NS	2.17	1.33
	25-Apr-08	NS	NS	0.815	NS	NS	0.97	NS	2.54	NS	1.81
	29-May-08	NS	NS	NS	5	NS	NS	7.58	10.1	3.34	NS
	27-Jun-08	12.6	NS	NS	NS	1.5	NS	NS	NS	1.91	2.33
	31-Jul-08	NS	2.4	NS	NS	NS	NS	NS	2.08	NS	1.55
	28-Aug-08	NS	NS	2.33	NS	NS	1.44	NS	2.13	1.94	NS
	30-Sep-08	NS	NS	NS	4.3	U	NS	4.3	U	4.3	U
	27-Oct-08	41.6	NS	NS	NS	4.3	U	NS	4.3	U	4.3
	25-Nov-08	NS	4.7	NS	NS	4.3	U	NS	8.5	8.9	NS
	18-Dec-08	NS	NS	4.3	U	NS	4.3	U	NS	4.3	U
	21-Jan-09	NS	NS	NS	4.3	U	NS	4.3	U	NS	4.3
	25-Feb-09	37.6	NS	NS	NS	4.3	U	NS	8	9.3	NS
	26-Mar-09	NS	1.35	NS	NS	1.74	U	NS	NS	2.59	3.56
	29-Apr-09	NS	NS	0.468	NS	NS	0.516	NS	0.933	NS	1.06
	22-Jul-09	25.6	NS	25.6	1.74	U	NS	NS	165	3.52	NS
	9-Oct-09	NS	1.62	NS	NS	1.63	NS	0.915	36.2	1.74	NS
	15-Jan-10	18.4	NS	1.52	1.48	NS	1.76	NS	NS	2.35	2.65
	21-Apr-10	NS	0.703	NS	NS	3.28	NS	4.58	4.34	6.22	NS
	16-Jul-10	21.8	NS	7.01	6.36	NS	4.82	NS	NS	4.95	4.91
	15-Oct-10	NS	1.81	NS	NS	2.18	NS	1.7	1.88	3.4	NS
	26-Jan-11	3.08	4.24	NS	4.37	NS	3.06	NS	3.17	11.5	13.6
	28-Feb-11	NS	NS	1.74	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.694	NS	NS	0.707	NS	0.889	1.15	1.09	NS
	26-Jul-11	9.99	NS	3.96	1.02	NS	0.999	NS	NS	0.956	1.26
	28-Oct-11	NS	4.3	U	NS	4.3	U	4.3	U	9.8	4.3
	23-Jan-12	7.9	NS	2	1.3	NS	2	NS	NS	4.4	14
	13-Apr-12	NS	0.87	U	NS	0.87	U	0.87	U	0.87	3.6
p/m-Xylene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.3
	23-Jun-12	12	NS	1.1	0.87	U	NS	NS	NS	1.7	1.1
	1-Nov-12	NS	2.1	NS	NS	2.4	NS	3.3	2.9	3.6	5.3
	1-Feb-13	3.4	NS	0.44	0.38	NS	0.59	NS	NS	1.5	1.4
	29-Apr-13	NS	1	NS	NS	1.2	NS	1.2	1.5	1.9	NS
	9-Jul-13	12	NS	1.9	1.8	NS	1.7	NS	NS	3.2	0.70
	18-Oct-13	NS	5.0	NS	NS	5.6	NS	6.3	8.0	4.7	NS
	9-Jan-14	8.6	NS	7.2	9.3	NS	9.7	NS	NS	23	22.00
	24-Apr-14	NS	0.17	U	NS	0.17	U	0.17	U	0.28	0.17
	1-Aug-14	4.8	NS	2.8/3.0	1.8/2.1	NS	NS	NS	NS	1.5	2.4/2.8
	27-Aug-14	NS	NS	NS	NS	NS	3.6	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	1.3	NS	U
	22-Oct-14	NS	0.26	U	NS	0.26	U	0.30	0.5	0.26	0.92
	20-Jan-15	1.1	NS	0.21	0.30	NS	0.20	NS	NS	0.7	0.90
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.1	NS
	22-Apr-15	NS	0.71	NS	NS	0.40	NS	0.8	0.66/0.76	1.3	1.6
	21-Jul-15	1.5	NS	1.7 <sup>j</sup>	9	U	NS	1.9	NS	1.8 <sup>o</sup>	2.3 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.71	NS	NS
	29-Oct-15	NS	0.29 <sup>j</sup>	NS	NS	0.47 <sup>j</sup>	NS	0.73	0.90	0.8	1
4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.4	NS	0.51	0.64	NS	0.64	NS	NS	2.5	2.7
	20-Apr-16	NS	1	NS	NS	1.5	NS	2.1	1.4	2.7	2.5
	20-Jul-16	16	NS	1.4	0.91	NS	1.3	NS	NS	9.3	3.2
	21-Oct-16	NS	0.43	NS	NS	1.1	NS	0.77	2	4.1	1.7
	31-Jan-17	2	NS	0.5	0.55	NS	0.45	NS	NS	3.3	1.9
	17-Apr-17	NS	0.26	U	NS	0.27	NS	0.27	0.26	0.57	0.49
	26-Jul-17	1.6	NS	0.93	0.74	NS	1.4	NS	NS	1.3	0.96
	12-Oct-17	NS	0.58	NS	NS	0.68	NS	0.83	1	0.89	0.96
	10-Jan-18	1.4	NS	0.33	0.62	NS	0.53	NS	NS	3.4	1.3
	11-Apr-18	NS	0.35	NS	NS	1.7	U	1.7	U	0.97	1.7
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jul-18	0.87	U	0.87	U	0.87	U	0.87	U	0.87	U
	24-Oct-18	NS	0.87	U	NS	0.87	U	2	0.87	1.6	1.3
	16-Jan-19	1.5	NS	0.24	0.35	NS	0.42	NS	NS	0.88	1.1
	12-Apr-19	NS	0.3	NS	NS	0.36	NS	0.28	0.52	0.6	1.2
	29-Jul-19	17	NS	17	21	NS	25	NS	NS	12	13
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	4
	29-Oct-19	NS	2.4	NS	NS	1.8	NS	0.64	2.6	4.4 <sup>p</sup>	6.1 <sup>D</sup>

**Summary of Subslab Air Sampling Data**  
**Alvarez School**  
**Volatile Organic Compounds**  
**February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.2	NS	NS	NS	0.23	NS	NS	0.48	7.73	NS
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	0.844	0.478	
	25-Apr-08	NS	NS	0.37	NS	NS	0.406	NS	0.735	NS	0.62
	29-May-08	NS	NS	NS	1.48	NS	NS	2.26	2.84	1.02	NS
	27-Jun-08	4.12	NS	NS	NS	0.55	NS	NS	NS	0.672	0.794
	31-Jul-08	NS	0.835	NS	NS	NS	NS	NS	0.748	NS	0.564
	28-Aug-08	NS	NS	0.804	NS	NS	0.511	NS	0.797	0.725	NS
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2
	27-Oct-08	9.8	NS	NS	NS	2.2	U	NS	NS	2.2	4
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U
	21-Jan-09	NS	NS	NS	U	NS	NS	2.2	U	NS	2.2
	25-Feb-09	8.9	NS	NS	NS	2.2	U	NS	NS	3.2	NS
	26-Mar-09	NS	0.486	NS	NS	0.868	U	NS	NS	0.922	1.28
	29-Apr-09	NS	NS	0.174	NS	NS	0.208	NS	0.369	NS	0.499
	22-Jul-09	5.34	NS	5.34	0.868	U	NS	NS	72.7	1.27	NS
	9-Oct-09	NS	0.542	NS	NS	0.586	NS	0.343	18.1	0.629	0.616
	15-Jan-10	4.51	NS	0.49	0.49	NS	0.56	NS	0.833	0.846	NS
	21-Apr-10	NS	0.256	NS	NS	1.17	NS	1.56	1.41	1.24	NS
	16-Jul-10	5.07	NS	2.84	2.63	NS	2.1	NS	1.88	2.05	NS
	15-Oct-10	NS	0.672	NS	NS	0.837	NS	0.659	0.729	1.22	1.14
	26-Jan-11	1.08	1.5	NS	1.54	NS	1.11	NS	1.15	4.32	5.16
	28-Feb-11	NS	NS	0.868	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.286	NS	NS	0.286	NS	0.369	0.456	0.451	0.551
	26-Jul-11	1.87	NS	1.45	0.334	NS	0.434	U	NS	0.365	NS
	28-Oct-11	NS	2.2	U	NS	2.2	U	NS	2.2	U	2.2
	23-Jan-12	2.3	NS	0.76	0.54	NS	0.79	NS	NS	1.7	4.6
	13-Apr-12	NS	0.43	U	NS	0.43	U	NS	0.43	U	0.43
o-Xylene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	2.2	U
	23-Jun-12	3	NS	0.43	U	0.43	U	NS	NS	0.44	NS
	1-Nov-12	NS	0.72	NS	NS	0.85	NS	1.1	1.1	1.3	1.8
	1-Feb-13	1	NS	0.19	0.17	NS	0.24	NS	NS	0.64	0.52
	29-Apr-13	NS	0.43	NS	NS	0.46	NS	0.41	0.52	0.065	0.86
	9-Jul-13	3.2	NS	0.86	0.90	NS	0.84	NS	NS	1.3	0.28
	18-Oct-13	NS	1.7	NS	NS	1.9	NS	2.1	2.9	1.4	NS
	9-Jan-14	3.4	NS	3.0	4.00	NS	4.1	NS	NS	9.8	9.6
	24-Apr-14	NS	0.087	U	NS	0.087	U	NS	0.087	U	0.087
	1-Aug-14	1.9	NS	1.6/1.8	1.10	NS	NS	NS	NS	0.79	1.2/1.6
	27-Aug-14	NS	NS	NS	NS	NS	1.3	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.52	NS	U
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.2	0.13	U	0.35
	20-Jan-15	0.29	NS	0.087	U	0.10	NS	NS	NS	0.23	0.34
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.36	NS
	22-Apr-15	NS	0.26	NS	NS	0.13	NS	0.25	0.22/0.25	0.38	0.54
	21-Jul-15	0.48	NS	0.59 <sup>j</sup>	4	U	NS	NS	NS	0.54 <sup>o</sup>	0.73 <sup>o</sup>
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	1.3	NS	NS
	29-Oct-15	NS	0.16 <sup>j</sup>	NS	NS	0.21 <sup>j</sup>	NS	0.34 <sup>j</sup>	0.28	0.32	0.44
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.51	NS	0.13	0.17	NS	0.17	NS	NS	0.63	0.84
	20-Apr-16	NS	0.36	NS	NS	0.52	NS	0.77	0.49	0.92	0.78
	20-Jul-16	3.4 <sup>w</sup>	NS	0.84 <sup>w</sup>	0.43 <sup>FW</sup>	U	0.6 <sup>w</sup>	W	NS	2.7 <sup>w</sup>	1.3 <sup>v</sup>
	21-Oct-16	NS	0.18	NS	NS	0.38	NS	0.27	0.72	1.3	0.62
	31-Jan-17	0.88	NS	0.31	0.32	NS	0.27	NS	NS	1.7	1.2
	17-Apr-17	NS	0.13	U	NS	0.13	U	0.13	U	0.25	NS
	26-Jul-17	0.45	NS	0.28	0.25	NS	0.46	NS	NS	0.41	0.34
	12-Oct-17	NS	0.36	NS	NS	0.44	NS	0.52	0.56	0.46	0.42
	10-Jan-18	0.44	NS	0.12	0.2	NS	0.2	NS	NS	1.2	0.53
	11-Apr-18	NS	0.13	NS	NS	0.87	U	0.87	U	0.35	0.87
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.16	NS
	27-Jul-18	0.43	U	0.43	U	0.43	U	0.43	U	0.43	U
	24-Oct-18	NS	0.43	NS	NS	0.43	U	0.43	U	0.63	0.57
	16-Jan-19	0.44	NS	0.089	0.13	NS	0.16	NS	NS	0.31	0.38
	12-Apr-19	NS	0.11	NS	NS	0.12	NS	0.11	U	0.25	NS
	29-Jul-19	6.7	NS	6.9	8	NS	10	NS	NS	4.6	5.3
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	1.7	NS
	29-Oct-19	NS	1.2	NS	NS	0.96	NS	0.32	1.2	1.8 <sup>b</sup>	2.8 <sup>b</sup>

**Summary of Subslab Air Sampling Data**

Alvarez School

**Volatile Organic Compounds****February 2008 - October 2019**

Volatile Organic Compounds via TO-15	MP-1 Sample Date	MP-2 Qual	MP-3 Qual	MP-4 Qual	MP-5 Qual	MP-6 Qual	MP-7 Qual	MP-8 Qual	IMP-1 Qual	IMP-2 Qual	IMP-3 Qual	IMP-4 Qual
*												
* Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.												
<sup>M</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.												
<sup>L</sup> Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.												
<sup>V</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.												
<sup>W</sup> Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.												
<sup>E</sup> Reported result is estimated due to value over calibration range												
<sup>J</sup> Estimated result as the result was between the MDL and the RDL.												
<sup>O</sup> One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraints.												
<sup>D</sup> Elevated method reporting limits due to diluted matrices. Con-test internal standards failed and samples were re-pressurized and diluted.												

NOTES:  
All data presented in micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).  
Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.  
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.  
NS = Not sampled.

## **APPENDIX D**

### **Rooftop Emission Analytical Summary**

## Sub Slab Depressurization System Emissions Calculations

Alvarez School

Sample Date: 29 July 2019

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)		
	Measured Flow Speed (fpm):	2312	Measured Flow Rate (cfm):	113.5	Measured Flow Speed (fpm):	1992	Measured Flow Rate (cfm):	97.8	Measured Flow Speed (fpm):	2201	Measured Flow Rate (cfm):	108.0	Hourly Emission	Daily Emission	Yearly Emission
	Concentration (ug/m³)	Hourly Emission	Daily Emission	Yearly Emission	Concentration (ug/m³)	Hourly Emission	Daily Emission	Yearly Emission	Concentration (ug/m³)	Hourly Emission	Daily Emission	Yearly Emission	(lbs/hour)	(lbs/day)	(lbs/year)
Acetone	33	1.40E-05	3.36E-04	1.23E-01	34	1.24E-05	2.98E-04	1.09E-01	30	1.21E-05	2.91E-04	1.06E-01	3.85E-05	9.25E-04	3.38E-01
Acrylonitrile	0.12	U	5.09E-08	1.22E-06	4.46E-04	0.12	U	4.39E-04	1.05E-06	3.84E-04	0.12	U	4.85E-08	1.16E-04	4.25E-04
Benzene	0.21		8.91E-08	2.14E-06	7.80E-04	0.095		3.47E-08	8.33E-07	3.04E-04	0.16		6.46E-08	1.55E-06	5.66E-04
Bromodichloromethane	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.09		3.55E-08	8.53E-07	3.11E-04
Bromoform	0.05		1.95E-08	4.68E-07	1.71E-04	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05
2-Butanone	1.6		6.79E-07	1.63E-05	5.95E-03	1.2		4.39E-07	1.05E-05	3.84E-03	1.2		4.85E-07	1.16E-05	4.25E-03
n-Butylbenzene	0.058	U	2.46E-08	5.91E-07	2.16E-04	0.058	U	2.12E-08	5.09E-07	1.86E-04	0.058	U	2.34E-08	5.62E-07	2.05E-04
sec-Butylbenzene	0.046	U	1.95E-08	4.68E-07	1.71E-04	0.046	U	1.68E-08	4.04E-07	1.47E-04	0.046	U	1.86E-08	4.46E-07	1.63E-04
Carbon Tetrachloride	0.097		4.12E-08	9.88E-07	3.60E-04	0.071		2.60E-08	6.23E-07	2.27E-04	0.15		6.06E-08	1.45E-06	5.31E-04
Chlorobenzene	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05
Chloroethane	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05
Chloroform	0.12		5.09E-08	1.22E-06	4.46E-04	0.47		1.72E-07	4.12E-06	1.50E-03	0.21		8.48E-08	2.04E-06	7.43E-04
Chloromethane	0.04	U	1.70E-08	4.07E-07	1.49E-04	0.04	U	1.46E-08	3.51E-07	1.28E-04	0.04	U	1.62E-08	3.88E-07	1.42E-04
Dibromochloromethane	0.042		1.78E-08	4.28E-07	1.56E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.098		3.96E-08	9.50E-07	3.47E-04
1,2-Dibromoethane	0.044	U	1.87E-08	4.48E-07	1.64E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.1		4.04E-08	9.69E-07	3.54E-04
1,2-Dichlorobenzene	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05
1,3-Dichlorobenzene	0.8		3.39E-07	8.15E-06	2.97E-03	0.2		6.58E-08	1.58E-06	5.76E-04	0.4		1.58E-07	3.78E-06	1.38E-03
1,4-Dichlorobenzene	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05
Dichlorodifluoromethane	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.02	U	8.08E-09	1.94E-07	7.08E-05
1,1-Dichloroethane	0.046		1.95E-08	4.68E-07	1.71E-04	0.01		3.66E-09	8.77E-08	3.20E-05	0.092		3.72E-08	8.92E-07	3.25E-04
1,2-Dichloroethane	0.010	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.010	U	4.04E-09	9.69E-07	3.54E-05
1,1-Dichloroethene	0.038		1.61E-08	3.87E-07	1.41E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.082		3.31E-08	7.95E-07	2.90E-04
cis-1,2-Dichloroethene	0.056		2.38E-08	5.70E-07	2.08E-04	0.03		9.50E-09	2.28E-07	8.33E-05	0.086		3.47E-08	8.34E-07	3.04E-04
trans-1,2-Dichloroethene	0.041		1.74E-08	4.17E-07	1.52E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.093		3.76E-08	9.01E-07	3.29E-04
1,2-Dichloropropane	0.040		1.70E-08	4.07E-07	1.49E-04	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.750		3.03E-07	7.27E-06	2.65E-03
cis-1,3-Dichloropropene	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.051	U	2.06E-08	4.94E-07	1.80E-04
trans-1,3-Dichloropropene	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.051		2.06E-08	4.94E-07	1.80E-04
Ethylbenzene	0.62		2.63E-07	6.31E-06	2.30E-03	0.65		2.38E-07	5.70E-06	2.08E-03	0.02	U	8.08E-09	1.94E-07	7.08E-05
Isopropylbenzene	0.051	U	2.16E-08	5.19E-07	1.90E-04	0.051	U	1.86E-08	4.47E-07	1.63E-04	0.2	U	8.08E-08	1.94E-06	7.08E-04
p-Isopropyltoluene	0.046	U	1.95E-08	4.68E-07	1.71E-04	0.046	U	1.68E-08	4.04E-07	1.47E-04	0.28		1.13E-07	2.71E-06	9.91E-04
Methyl tert butyl ether	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.25		1.01E-07	2.42E-06	8.85E-04
Methylene chloride	0.2		8.49E-08	2.04E-06	7.43E-04	0.2	U	7.31E-08	1.75E-06	6.40E-04	0.0	U	1.45E-08	3.49E-07	1.27E-04
4-Methyl-2-pentanone	0.24	L	1.02E-07	2.44E-06	8.92E-04	0.095	L	3.47E-08	8.33E-07	3.04E-04	0.01	U,L	4.04E-09	9.69E-08	3.54E-05
Styrene	0.17		7.21E-08	1.73E-07	6.32E-04	0.082		3.00E-08	7.19E-07	2.63E-04	6.7		2.71E-06	6.49E-05	2.37E-02
1,1,1,2-Tetrachloroethane	0.036	U	1.53E-08	3.67E-07	1.34E-04	0.036	U	1.32E-08	3.16E-07	1.15E-04	0.44		1.78E-07	4.27E-06	1.56E-03
1,1,2,2-Tetrachloroethane	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.15		6.06E-08	1.45E-06	5.31E-04
Tetrachloroethene	3.2		1.36E-06	3.26E-05	1.19E-02	1.2		4.39E-07	1.05E-05	3.84E-03	0.01	U	4.04E-09	9.69E-08	3.54E-05
Toluene	0.43		1.82E-07	4.38E-06	1.60E-03	0.22		8.04E-08	1.93E-06	7.04E-04	4.8		1.94E-06	4.65E-05	1.70E-02
1,1,1-Trichloroethane	0.2		8.49E-08	2.04E-06	7.43E-04	0.058		2.12E-08	5.09E-07	1.86E-04	0.96		3.88E-07	9.31E-06	3.40E-03
1,1,2-Trichloroethane	0.01	U	4.24E-09	1.02E-07	3.72E-05	0.01	U	3.66E-09	8.77E-08	3.20E-05	0.85		3.43E-07	8.24E-06	3.01E-03
Trichloroethylene	9.3		3.95E-06	9.47E-05	3.46E-02	8.8		3.22E-06	7.72E-05	2.82E-02	0.28		1.13E-07	2.71E-06	9.91E-04
Trichlorofluoroethane	3.4		1.44E-06	3.46E-05	1.26E-02	5.6		2.05E-06	4.91E-05	1.79E-02	0.02	U	8.08E-09	1.94E-07	7.08E-05
1,2,4-Trimethylbenzene	0.57		2.42E-07	5.80E-06	2.12E-03	0.53		1.21E-07	2.90E-06	1.06E-03	3.3		1.33E-06	3.20E-05	1.17E-02
1,3,5-Trimethylbenzene	0.17		7.21E-08	1.73E-06	6.32E-04	0.091		3.33E-08	7.98E-07	2.91E-04	1.4		5.65E-07	1.36E-05	4.95E-03
Vinyl chloride	0.02	U	8.49E-09	2.04E-07	7.43E-05	0.02	U	7.31E-09	1.75E-07	6.40E-05	0.077	U	3.11E-08	7.46E-07	2.72E-04
p,m-Xylene	2.9		1.23E-06	2.95E-05	1.08E-02	3.2		1.17E-06	2.81E-05	1.02E-02	0.29		1.17E-07	2.81E-06	1.03E-03
o-Xylene	1.2		5.09E-07	1.22E-05	4.46E-03	1.3		4.75E-07	1.14E-05	4.16E-03	0.14		5.65E-08	1.36E-06	4.95E-04
Total VOCs	5.94E+01		2.52E-05	6.05E-04	2.21E-01	5.85E+01		2.14E-05	5.14E-04	1.87E-01	5.42E+01		2.19E-05	5.25E-04	2.20E-01
RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *	10	100			20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable	10	100		20,000 (Individual VOCs) 50,000 (Total VOCs)	Not Applicable	10	100		20,000 (Individual VOCs) 50,000 (Total VOCs)
* RIDEM Air Pollution Control Regulation No. 9 [August 1971, Amended April 2004].															

Where samples were analyzed with multiple dilution factors, the highest reported value is shown

## **APPENDIX E**

### **Laboratory Analytical Reports**



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

November 11, 2019

Frank Postma  
EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886

Project Location: Providence, RI  
Client Job Number:  
Project Number: 1506607  
Laboratory Work Order Number: 19J1970

Enclosed are results of analyses for samples received by the laboratory on October 31, 2019. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Kaitlyn".

Kaitlyn A. Feliciano  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	33
QC Data	34
Air Toxics by EPA Compendium Methods	34
B245269	34
Flag/Qualifier Summary	37
Certifications	38
Chain of Custody/Sample Receipt	40



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886  
ATTN: Frank Postma

REPORT DATE: 11/11/2019

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506607

#### **ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 19J1970

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gym	19J1970-01	Indoor air		EPA TO-15	
Cafeteria	19J1970-02	Indoor air		EPA TO-15	
Elevator Hallway	19J1970-03	Indoor air		EPA TO-15	
Room 118	19J1970-04	Indoor air		EPA TO-15	
Room 110	19J1970-05	Indoor air		EPA TO-15	
Room 145	19J1970-06	Indoor air		EPA TO-15	
IMP-1	19J1970-07	Sub Slab		EPA TO-15	
IMP-2	19J1970-08	Sub Slab		EPA TO-15	
IMP-3	19J1970-09	Sub Slab		EPA TO-15	
MP-2	19J1970-10	Sub Slab		EPA TO-15	
MP-5	19J1970-11	Sub Slab		EPA TO-15	
MW-7	19J1970-12	Sub Slab		EPA TO-15	
MP-8	19J1970-13	Sub Slab		EPA TO-15	
Ambient Outdoor	19J1970-14	Sub Slab		EPA TO-15	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

#### EPA TO-15

##### **Qualifications:**

###### **L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

###### **1,1,1,2-Tetrachloroethane**

19J1970-01[Gym], 19J1970-02[Cafeteria], 19J1970-03[Elevator Hallway], 19J1970-04[Room 118], 19J1970-05[Room 110], 19J1970-06[Room 145], 19J1970-07[IMP-1], 19J1970-08[IMP-2], 19J1970-09[IMP-3], 19J1970-10[MP-2], 19J1970-11[MP-5], 19J1970-12[MW-7], 19J1970-13[MP-8], 19J1970-14[Ambient Outdoor], B245269-BLK1, B245269-BS1

###### **Chloroethane**

19J1970-01[Gym], 19J1970-02[Cafeteria], 19J1970-03[Elevator Hallway], 19J1970-04[Room 118], 19J1970-05[Room 110], 19J1970-06[Room 145], 19J1970-07[IMP-1], 19J1970-08[IMP-2], 19J1970-09[IMP-3], 19J1970-10[MP-2], 19J1970-11[MP-5], 19J1970-12[MW-7], 19J1970-13[MP-8], 19J1970-14[Ambient Outdoor], B245269-BLK1, B245269-BS1

###### **RL-12**

Elevated reporting limit due to matrix interference.

##### **Analyte & Samples(s) Qualified:**

19J1970-07[IMP-1], 19J1970-08[IMP-2], 19J1970-09[IMP-3]

#### EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Lisa A. Worthington  
Technical Representative

**ANALYTICAL RESULTS**

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Gym**Sample ID:** 19J1970-01

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:13

Sample Description/Location:

Sub Description/Location:

Canister ID: 2025

Canister Size: 6 liter

Flow Controller ID: 4202

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -31

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	4.6	0.80		11	1.9		0.4	11/5/19 18:46	BRF
Acrylonitrile	ND	0.12		ND	0.25		0.4	11/5/19 18:46	BRF
Benzene	0.083	0.020		0.26	0.064		0.4	11/5/19 18:46	BRF
Bromodichloromethane	ND	0.010		ND	0.067		0.4	11/5/19 18:46	BRF
Bromoform	ND	0.020		ND	0.21		0.4	11/5/19 18:46	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	11/5/19 18:46	BRF
n-Butylbenzene	ND	0.058		ND	0.32		0.4	11/5/19 18:46	BRF
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	11/5/19 18:46	BRF
Carbon Tetrachloride	0.073	0.010		0.46	0.063		0.4	11/5/19 18:46	BRF
Chlorobenzene	ND	0.020		ND	0.092		0.4	11/5/19 18:46	BRF
Chloroethane	ND	0.020	L-03	ND	0.053		0.4	11/5/19 18:46	BRF
Chloroform	0.022	0.010		0.11	0.049		0.4	11/5/19 18:46	BRF
Chloromethane	0.45	0.040		0.94	0.083		0.4	11/5/19 18:46	BRF
Dibromochloromethane	ND	0.010		ND	0.085		0.4	11/5/19 18:46	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	11/5/19 18:46	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	11/5/19 18:46	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	11/5/19 18:46	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	11/5/19 18:46	BRF
Dichlorodifluoromethane (Freon 12)	0.29	0.020		1.4	0.099		0.4	11/5/19 18:46	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	11/5/19 18:46	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	11/5/19 18:46	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	11/5/19 18:46	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	11/5/19 18:46	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	11/5/19 18:46	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	11/5/19 18:46	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	11/5/19 18:46	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	11/5/19 18:46	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	11/5/19 18:46	BRF
Ethylbenzene	0.026	0.020		0.11	0.087		0.4	11/5/19 18:46	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	11/5/19 18:46	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	11/5/19 18:46	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	11/5/19 18:46	BRF
Methylene Chloride	ND	0.20		ND	0.69		0.4	11/5/19 18:46	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	11/5/19 18:46	BRF
Styrene	ND	0.020		ND	0.085		0.4	11/5/19 18:46	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25		0.4	11/5/19 18:46	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	11/5/19 18:46	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Gym

**Sample ID:** 19J1970-01

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:13

Sample Description/Location:

Sub Description/Location:

Canister ID: 2025

Canister Size: 6 liter

Flow Controller ID: 4202

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -31

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.030	0.020		0.20	0.14	0.4	11/5/19 18:46	BRF
Toluene	0.17	0.020		0.64	0.075	0.4	11/5/19 18:46	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 18:46	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 18:46	BRF
Trichloroethylene	0.015	0.010		0.080	0.054	0.4	11/5/19 18:46	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080		1.4	0.45	0.4	11/5/19 18:46	BRF
1,2,4-Trimethylbenzene	0.028	0.020		0.14	0.098	0.4	11/5/19 18:46	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 18:46	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 18:46	BRF
m&p-Xylene	0.092	0.040		0.40	0.17	0.4	11/5/19 18:46	BRF
o-Xylene	0.034	0.020		0.15	0.087	0.4	11/5/19 18:46	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/5/19 18:46
4-Bromofluorobenzene (2)	105	70-130	11/5/19 18:46



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI  
 Date Received: 10/31/2019  
**Field Sample #:** Cafeteria  
**Sample ID:** 19J1970-02  
 Sample Matrix: Indoor air  
 Sampled: 10/29/2019 11:10

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1720  
 Canister Size: 6 liter  
 Flow Controller ID: 4304  
 Sample Type: 30 min

**Work Order:** 19J1970  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): -4  
 Receipt Vacuum(in Hg): -3.5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	3.6	0.80		8.5	1.9	0.4	11/5/19 19:25	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 19:25	BRF
Benzene	0.093	0.020		0.30	0.064	0.4	11/5/19 19:25	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 19:25	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 19:25	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 19:25	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 19:25	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 19:25	BRF
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	11/5/19 19:25	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 19:25	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 19:25	BRF
Chloroform	0.028	0.010		0.14	0.049	0.4	11/5/19 19:25	BRF
Chloromethane	0.52	0.040		1.1	0.083	0.4	11/5/19 19:25	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 19:25	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 19:25	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 19:25	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 19:25	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 19:25	BRF
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	11/5/19 19:25	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 19:25	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 19:25	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 19:25	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 19:25	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 19:25	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 19:25	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 19:25	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 19:25	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 19:25	BRF
Ethylbenzene	0.026	0.020		0.11	0.087	0.4	11/5/19 19:25	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 19:25	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 19:25	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 19:25	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 19:25	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 19:25	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 19:25	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 19:25	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 19:25	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Cafeteria

**Sample ID:** 19J1970-02

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:10

Sample Description/Location:

Sub Description/Location:

Canister ID: 1720

Canister Size: 6 liter

Flow Controller ID: 4304

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.030	0.020		0.20	0.14	0.4	11/5/19 19:25	BRF
Toluene	0.19	0.020		0.72	0.075	0.4	11/5/19 19:25	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 19:25	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 19:25	BRF
Trichloroethylene	0.016	0.010		0.088	0.054	0.4	11/5/19 19:25	BRF
Trichlorofluoromethane (Freon 11)	0.25	0.080		1.4	0.45	0.4	11/5/19 19:25	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 19:25	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 19:25	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 19:25	BRF
m&p-Xylene	0.085	0.040		0.37	0.17	0.4	11/5/19 19:25	BRF
o-Xylene	0.032	0.020		0.14	0.087	0.4	11/5/19 19:25	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/5/19 19:25
4-Bromofluorobenzene (2)	106	70-130	11/5/19 19:25



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Elevator Hallway

**Sample ID:** 19J1970-03

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:06

Sample Description/Location:

Sub Description/Location:

Canister ID: 1066

Canister Size: 6 liter

Flow Controller ID: 4203

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -2.5

Receipt Vacuum(in Hg): -2.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	4.9	0.80		12	1.9	0.4	11/5/19 20:03	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 20:03	BRF
Benzene	0.096	0.020		0.31	0.064	0.4	11/5/19 20:03	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 20:03	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 20:03	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 20:03	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 20:03	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 20:03	BRF
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	11/5/19 20:03	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 20:03	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 20:03	BRF
Chloroform	0.050	0.010		0.24	0.049	0.4	11/5/19 20:03	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/5/19 20:03	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 20:03	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 20:03	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 20:03	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 20:03	BRF
1,4-Dichlorobenzene	0.033	0.020		0.20	0.12	0.4	11/5/19 20:03	BRF
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	11/5/19 20:03	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 20:03	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 20:03	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 20:03	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 20:03	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 20:03	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 20:03	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 20:03	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 20:03	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 20:03	BRF
Ethylbenzene	0.030	0.020		0.13	0.087	0.4	11/5/19 20:03	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 20:03	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 20:03	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 20:03	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 20:03	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 20:03	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 20:03	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 20:03	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 20:03	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Elevator Hallway

**Sample ID:** 19J1970-03

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:06

Sample Description/Location:

Sub Description/Location:

Canister ID: 1066

Canister Size: 6 liter

Flow Controller ID: 4203

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -2.5

Receipt Vacuum(in Hg): -2.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.029	0.020		0.20	0.14	0.4	11/5/19 20:03	BRF
Toluene	0.21	0.020		0.78	0.075	0.4	11/5/19 20:03	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 20:03	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 20:03	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/5/19 20:03	BRF
Trichlorofluoromethane (Freon 11)	0.25	0.080		1.4	0.45	0.4	11/5/19 20:03	BRF
1,2,4-Trimethylbenzene	0.030	0.020		0.15	0.098	0.4	11/5/19 20:03	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 20:03	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 20:03	BRF
m&p-Xylene	0.094	0.040		0.41	0.17	0.4	11/5/19 20:03	BRF
o-Xylene	0.036	0.020		0.16	0.087	0.4	11/5/19 20:03	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	11/5/19 20:03
4-Bromofluorobenzene (2)	104	70-130	11/5/19 20:03

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
Date Received: 10/31/2019  
**Field Sample #:** Room 118  
**Sample ID:** 19J1970-04  
Sample Matrix: Indoor air  
Sampled: 10/29/2019 11:27

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 2488  
Canister Size: 6 liter  
Flow Controller ID: 4207  
Sample Type: 30 min

**Work Order:** 19J1970  
Initial Vacuum(in Hg): -29  
Final Vacuum(in Hg): -1  
Receipt Vacuum(in Hg): -1.2  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.9	0.80		14	1.9	0.4	11/5/19 20:40	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 20:40	BRF
Benzene	0.096	0.020		0.31	0.064	0.4	11/5/19 20:40	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 20:40	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 20:40	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 20:40	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 20:40	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 20:40	BRF
Carbon Tetrachloride	0.072	0.010		0.45	0.063	0.4	11/5/19 20:40	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 20:40	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 20:40	BRF
Chloroform	0.039	0.010		0.19	0.049	0.4	11/5/19 20:40	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/5/19 20:40	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 20:40	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 20:40	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 20:40	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 20:40	BRF
1,4-Dichlorobenzene	0.036	0.020		0.22	0.12	0.4	11/5/19 20:40	BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	11/5/19 20:40	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 20:40	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 20:40	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 20:40	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 20:40	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 20:40	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 20:40	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 20:40	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 20:40	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 20:40	BRF
Ethylbenzene	0.030	0.020		0.13	0.087	0.4	11/5/19 20:40	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 20:40	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 20:40	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 20:40	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 20:40	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 20:40	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 20:40	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 20:40	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 20:40	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #: Room 118**

**Sample ID: 19J1970-04**

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:27

Sample Description/Location:

Sub Description/Location:

Canister ID: 2488

Canister Size: 6 liter

Flow Controller ID: 4207

Sample Type: 30 min

**Work Order: 19J1970**

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -1

Receipt Vacuum(in Hg): -1.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.034	0.020		0.23	0.14	0.4	11/5/19 20:40	BRF
Toluene	0.21	0.020		0.79	0.075	0.4	11/5/19 20:40	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 20:40	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 20:40	BRF
Trichloroethylene	0.016	0.010		0.084	0.054	0.4	11/5/19 20:40	BRF
Trichlorofluoromethane (Freon 11)	0.25	0.080		1.4	0.45	0.4	11/5/19 20:40	BRF
1,2,4-Trimethylbenzene	0.030	0.020		0.15	0.098	0.4	11/5/19 20:40	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 20:40	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 20:40	BRF
m&p-Xylene	0.098	0.040		0.43	0.17	0.4	11/5/19 20:40	BRF
o-Xylene	0.039	0.020		0.17	0.087	0.4	11/5/19 20:40	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	11/5/19 20:40
4-Bromofluorobenzene (2)	104	70-130	11/5/19 20:40



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI  
 Date Received: 10/31/2019  
**Field Sample #:** Room 110  
**Sample ID:** 19J1970-05  
 Sample Matrix: Indoor air  
 Sampled: 10/29/2019 11:30

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2002  
 Canister Size: 6 liter  
 Flow Controller ID: 4290  
 Sample Type: 30 min

**Work Order:** 19J1970  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -1.2  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	14	0.80		33	1.9	0.4	11/5/19 21:17	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 21:17	BRF
Benzene	0.10	0.020		0.32	0.064	0.4	11/5/19 21:17	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 21:17	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 21:17	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 21:17	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 21:17	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 21:17	BRF
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	11/5/19 21:17	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 21:17	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 21:17	BRF
Chloroform	0.041	0.010		0.20	0.049	0.4	11/5/19 21:17	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/5/19 21:17	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 21:17	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 21:17	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 21:17	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 21:17	BRF
1,4-Dichlorobenzene	0.24	0.020		1.5	0.12	0.4	11/5/19 21:17	BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	11/5/19 21:17	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 21:17	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 21:17	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 21:17	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 21:17	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 21:17	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 21:17	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 21:17	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 21:17	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 21:17	BRF
Ethylbenzene	0.032	0.020		0.14	0.087	0.4	11/5/19 21:17	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 21:17	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 21:17	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 21:17	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 21:17	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 21:17	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 21:17	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 21:17	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 21:17	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #: Room 110**

**Sample ID: 19J1970-05**

Sample Matrix: Indoor air

Sampled: 10/29/2019 11:30

Sample Description/Location:

Sub Description/Location:

Canister ID: 2002

Canister Size: 6 liter

Flow Controller ID: 4290

Sample Type: 30 min

**Work Order: 19J1970**

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -1.2

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.042	0.020		0.28	0.14	0.4	11/5/19 21:17	BRF
Toluene	0.21	0.020		0.80	0.075	0.4	11/5/19 21:17	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 21:17	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 21:17	BRF
Trichloroethylene	0.015	0.010		0.080	0.054	0.4	11/5/19 21:17	BRF
Trichlorofluoromethane (Freon 11)	0.27	0.080		1.5	0.45	0.4	11/5/19 21:17	BRF
1,2,4-Trimethylbenzene	0.038	0.020		0.19	0.098	0.4	11/5/19 21:17	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 21:17	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 21:17	BRF
m&p-Xylene	0.098	0.040		0.43	0.17	0.4	11/5/19 21:17	BRF
o-Xylene	0.042	0.020		0.18	0.087	0.4	11/5/19 21:17	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/5/19 21:17
4-Bromofluorobenzene (2)	106	70-130	11/5/19 21:17



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #: Room 145**

**Sample ID: 19J1970-06**

Sample Matrix: Indoor air

Sampled: 10/29/2019 12:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 2072

Canister Size: 6 liter

Flow Controller ID: 4298

Sample Type: 30 min

**Work Order: 19J1970**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -3.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	2.0	0.80		4.8	1.9	0.4	11/5/19 21:56	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 21:56	BRF
Benzene	0.11	0.020		0.34	0.064	0.4	11/5/19 21:56	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 21:56	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 21:56	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 21:56	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 21:56	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 21:56	BRF
Carbon Tetrachloride	0.072	0.010		0.45	0.063	0.4	11/5/19 21:56	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 21:56	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 21:56	BRF
Chloroform	0.021	0.010		0.10	0.049	0.4	11/5/19 21:56	BRF
Chloromethane	0.48	0.040		0.99	0.083	0.4	11/5/19 21:56	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 21:56	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 21:56	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 21:56	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 21:56	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 21:56	BRF
Dichlorodifluoromethane (Freon 12)	0.28	0.020		1.4	0.099	0.4	11/5/19 21:56	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 21:56	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 21:56	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 21:56	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 21:56	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 21:56	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 21:56	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 21:56	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 21:56	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 21:56	BRF
Ethylbenzene	0.032	0.020		0.14	0.087	0.4	11/5/19 21:56	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 21:56	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 21:56	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 21:56	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 21:56	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 21:56	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 21:56	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 21:56	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 21:56	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #: Room 145**

**Sample ID: 19J1970-06**

Sample Matrix: Indoor air

Sampled: 10/29/2019 12:15

Sample Description/Location:

Sub Description/Location:

Canister ID: 2072

Canister Size: 6 liter

Flow Controller ID: 4298

Sample Type: 30 min

**Work Order: 19J1970**

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -3.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Tetrachloroethylene	ND	0.020		ND	0.14		0.4	11/5/19 21:56	BRF
Toluene	0.27	0.020		1.0	0.075		0.4	11/5/19 21:56	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055		0.4	11/5/19 21:56	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055		0.4	11/5/19 21:56	BRF
Trichloroethylene	ND	0.010		ND	0.054		0.4	11/5/19 21:56	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080		1.4	0.45		0.4	11/5/19 21:56	BRF
1,2,4-Trimethylbenzene	0.035	0.020		0.17	0.098		0.4	11/5/19 21:56	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098		0.4	11/5/19 21:56	BRF
Vinyl Chloride	ND	0.020		ND	0.051		0.4	11/5/19 21:56	BRF
m&p-Xylene	0.10	0.040		0.44	0.17		0.4	11/5/19 21:56	BRF
o-Xylene	0.039	0.020		0.17	0.087		0.4	11/5/19 21:56	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	11/5/19 21:56
4-Bromofluorobenzene (2)	104	70-130	11/5/19 21:56

**ANALYTICAL RESULTS**

Project Location: Providence, RI  
Date Received: 10/31/2019  
**Field Sample #:** IMP-1  
**Sample ID:** 19J1970-07  
Sample Matrix: Sub Slab  
Sampled: 10/29/2019 11:30

Sample Description/Location:  
Sub Description/Location:  
Canister ID: 1508  
Canister Size: 6 liter  
Flow Controller ID: 4195  
Sample Type: 30 min

**Work Order:** 19J1970  
Initial Vacuum(in Hg): -30  
Final Vacuum(in Hg): 0  
Receipt Vacuum(in Hg): +0.1  
Flow Controller Type: Fixed-Orifice  
Flow Controller Calibration  
RPD Pre and Post-Sampling:

**EPA TO-15**

Sample Flags: RL-12

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	15	4.0		35	9.5	2	11/6/19 11:37	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	11/6/19 11:37	BRF
Benzene	0.13	0.10		0.42	0.32	2	11/6/19 11:37	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	11/6/19 11:37	BRF
Bromoform	ND	0.10		ND	1.0	2	11/6/19 11:37	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	11/6/19 11:37	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	11/6/19 11:37	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	11/6/19 11:37	BRF
Carbon Tetrachloride	0.068	0.050		0.43	0.31	2	11/6/19 11:37	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	11/6/19 11:37	BRF
Chloroethane	ND	0.10	L-03	ND	0.26	2	11/6/19 11:37	BRF
Chloroform	ND	0.050		ND	0.24	2	11/6/19 11:37	BRF
Chloromethane	0.54	0.20		1.1	0.41	2	11/6/19 11:37	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	11/6/19 11:37	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	11/6/19 11:37	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	11/6/19 11:37	BRF
1,3-Dichlorobenzene	0.43	0.10		2.6	0.60	2	11/6/19 11:37	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	11/6/19 11:37	BRF
Dichlorodifluoromethane (Freon 12)	0.52	0.10		2.6	0.49	2	11/6/19 11:37	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	11/6/19 11:37	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	11/6/19 11:37	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 11:37	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 11:37	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 11:37	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	11/6/19 11:37	BRF
1,3-Dichloropropane	ND	0.27		ND	1.2	2	11/6/19 11:37	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	11/6/19 11:37	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	11/6/19 11:37	BRF
Ethylbenzene	0.24	0.10		1.1	0.43	2	11/6/19 11:37	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	11/6/19 11:37	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	11/6/19 11:37	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	11/6/19 11:37	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	11/6/19 11:37	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	11/6/19 11:37	BRF
Styrene	ND	0.10		ND	0.43	2	11/6/19 11:37	BRF
1,1,1,2-Tetrachloroethane	ND	0.18	L-03	ND	1.2	2	11/6/19 11:37	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	11/6/19 11:37	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** IMP-1

**Sample ID:** 19J1970-07

Sample Matrix: Sub Slab

Sampled: 10/29/2019 11:30

Sample Description/Location:

Sub Description/Location:

Canister ID: 1508

Canister Size: 6 liter

Flow Controller ID: 4195

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): +0.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Sample Flags: RL-12

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.10		ND	0.68	2	11/6/19 11:37	BRF
Toluene	0.72	0.10		2.7	0.38	2	11/6/19 11:37	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	11/6/19 11:37	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	11/6/19 11:37	BRF
Trichloroethylene	ND	0.050		ND	0.27	2	11/6/19 11:37	BRF
Trichlorofluoromethane (Freon 11)	ND	0.40		ND	2.2	2	11/6/19 11:37	BRF
1,2,4-Trimethylbenzene	0.45	0.10		2.2	0.49	2	11/6/19 11:37	BRF
1,3,5-Trimethylbenzene	0.11	0.10		0.55	0.49	2	11/6/19 11:37	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	11/6/19 11:37	BRF
m&p-Xylene	1.0	0.20		4.4	0.87	2	11/6/19 11:37	BRF
o-Xylene	0.42	0.10		1.8	0.43	2	11/6/19 11:37	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/6/19 11:37
4-Bromofluorobenzene (2)	106	70-130	11/6/19 11:37



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI  
 Date Received: 10/31/2019  
**Field Sample #:** IMP-2  
**Sample ID:** 19J1970-08  
 Sample Matrix: Sub Slab  
 Sampled: 10/29/2019 12:22

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 1821  
 Canister Size: 6 liter  
 Flow Controller ID: 4077  
 Sample Type: 30 min

**Work Order:** 19J1970  
 Initial Vacuum(in Hg): -28  
 Final Vacuum(in Hg): -2.5  
 Receipt Vacuum(in Hg): -9.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Sample Flags: RL-12

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	10	4.0		24	9.5	2	11/6/19 10:39	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	11/6/19 10:39	BRF
Benzene	0.17	0.10		0.54	0.32	2	11/6/19 10:39	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	11/6/19 10:39	BRF
Bromoform	ND	0.10		ND	1.0	2	11/6/19 10:39	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	11/6/19 10:39	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	11/6/19 10:39	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	11/6/19 10:39	BRF
Carbon Tetrachloride	0.080	0.050		0.50	0.31	2	11/6/19 10:39	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	11/6/19 10:39	BRF
Chloroethane	ND	0.10	L-03	ND	0.26	2	11/6/19 10:39	BRF
Chloroform	ND	0.050		ND	0.24	2	11/6/19 10:39	BRF
Chloromethane	ND	0.20		ND	0.41	2	11/6/19 10:39	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	11/6/19 10:39	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	11/6/19 10:39	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	11/6/19 10:39	BRF
1,3-Dichlorobenzene	0.67	0.10		4.1	0.60	2	11/6/19 10:39	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	11/6/19 10:39	BRF
Dichlorodifluoromethane (Freon 12)	0.68	0.10		3.4	0.49	2	11/6/19 10:39	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	11/6/19 10:39	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	11/6/19 10:39	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 10:39	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 10:39	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 10:39	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	11/6/19 10:39	BRF
1,3-Dichloropropane	ND	0.27		ND	1.2	2	11/6/19 10:39	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	11/6/19 10:39	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	11/6/19 10:39	BRF
Ethylbenzene	0.36	0.10		1.6	0.43	2	11/6/19 10:39	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	11/6/19 10:39	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	11/6/19 10:39	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	11/6/19 10:39	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	11/6/19 10:39	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	11/6/19 10:39	BRF
Styrene	ND	0.10		ND	0.43	2	11/6/19 10:39	BRF
1,1,1,2-Tetrachloroethane	ND	0.18	L-03	ND	1.2	2	11/6/19 10:39	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	11/6/19 10:39	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** IMP-2

**Sample ID:** 19J1970-08

Sample Matrix: Sub Slab

Sampled: 10/29/2019 12:22

Sample Description/Location:

Sub Description/Location:

Canister ID: 1821

Canister Size: 6 liter

Flow Controller ID: 4077

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -2.5

Receipt Vacuum(in Hg): -9.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Sample Flags: RL-12

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	1.0	0.10		7.0	0.68	2	11/6/19 10:39	BRF
Toluene	1.2	0.10		4.5	0.38	2	11/6/19 10:39	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	11/6/19 10:39	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	11/6/19 10:39	BRF
Trichloroethylene	4.3	0.050		23	0.27	2	11/6/19 10:39	BRF
Trichlorofluoromethane (Freon 11)	0.69	0.40		3.9	2.2	2	11/6/19 10:39	BRF
1,2,4-Trimethylbenzene	0.55	0.10		2.7	0.49	2	11/6/19 10:39	BRF
1,3,5-Trimethylbenzene	0.15	0.10		0.73	0.49	2	11/6/19 10:39	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	11/6/19 10:39	BRF
m&p-Xylene	1.4	0.20		6.1	0.87	2	11/6/19 10:39	BRF
o-Xylene	0.64	0.10		2.8	0.43	2	11/6/19 10:39	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/6/19 10:39
4-Bromofluorobenzene (2)	106	70-130	11/6/19 10:39



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI  
 Date Received: 10/31/2019  
**Field Sample #:** IMP-3  
**Sample ID:** 19J1970-09  
 Sample Matrix: Sub Slab  
 Sampled: 10/29/2019 11:21

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2145  
 Canister Size: 6 liter  
 Flow Controller ID: 4192  
 Sample Type: 30 min

**Work Order:** 19J1970  
 Initial Vacuum(in Hg): -29  
 Final Vacuum(in Hg): -3  
 Receipt Vacuum(in Hg): -3.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Sample Flags: RL-12

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	12	4.0		29	9.5	2	11/6/19 11:08	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	11/6/19 11:08	BRF
Benzene	0.15	0.10		0.47	0.32	2	11/6/19 11:08	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	11/6/19 11:08	BRF
Bromoform	ND	0.10		ND	1.0	2	11/6/19 11:08	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	11/6/19 11:08	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	11/6/19 11:08	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	11/6/19 11:08	BRF
Carbon Tetrachloride	0.070	0.050		0.44	0.31	2	11/6/19 11:08	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	11/6/19 11:08	BRF
Chloroethane	ND	0.10	L-03	ND	0.26	2	11/6/19 11:08	BRF
Chloroform	ND	0.050		ND	0.24	2	11/6/19 11:08	BRF
Chloromethane	ND	0.20		ND	0.41	2	11/6/19 11:08	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	11/6/19 11:08	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	11/6/19 11:08	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	11/6/19 11:08	BRF
1,3-Dichlorobenzene	0.45	0.10		2.7	0.60	2	11/6/19 11:08	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	11/6/19 11:08	BRF
Dichlorodifluoromethane (Freon 12)	0.57	0.10		2.8	0.49	2	11/6/19 11:08	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	11/6/19 11:08	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	11/6/19 11:08	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 11:08	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 11:08	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	11/6/19 11:08	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	11/6/19 11:08	BRF
1,3-Dichloropropane	ND	0.27		ND	1.2	2	11/6/19 11:08	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	11/6/19 11:08	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	11/6/19 11:08	BRF
Ethylbenzene	0.22	0.10		0.97	0.43	2	11/6/19 11:08	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	11/6/19 11:08	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	11/6/19 11:08	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	11/6/19 11:08	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	11/6/19 11:08	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	11/6/19 11:08	BRF
Styrene	0.85	0.10		3.6	0.43	2	11/6/19 11:08	BRF
1,1,1,2-Tetrachloroethane	ND	0.18	L-03	ND	1.2	2	11/6/19 11:08	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	11/6/19 11:08	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** IMP-3

**Sample ID:** 19J1970-09

Sample Matrix: Sub Slab

Sampled: 10/29/2019 11:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 2145

Canister Size: 6 liter

Flow Controller ID: 4192

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -3.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Sample Flags: RL-12

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.10		ND	0.68	2	11/6/19 11:08	BRF
Toluene	0.71	0.10		2.7	0.38	2	11/6/19 11:08	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	11/6/19 11:08	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	11/6/19 11:08	BRF
Trichloroethylene	0.20	0.050		1.1	0.27	2	11/6/19 11:08	BRF
Trichlorofluoromethane (Freon 11)	ND	0.40		ND	2.2	2	11/6/19 11:08	BRF
1,2,4-Trimethylbenzene	0.40	0.10		2.0	0.49	2	11/6/19 11:08	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	11/6/19 11:08	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	11/6/19 11:08	BRF
m&p-Xylene	0.92	0.20		4.0	0.87	2	11/6/19 11:08	BRF
o-Xylene	0.38	0.10		1.7	0.43	2	11/6/19 11:08	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/6/19 11:08
4-Bromofluorobenzene (2)	106	70-130	11/6/19 11:08



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** MP-2

**Sample ID:** 19J1970-10

Sample Matrix: Sub Slab

Sampled: 10/29/2019 14:05

Sample Description/Location:

Sub Description/Location:

Canister ID: 2137

Canister Size: 6 liter

Flow Controller ID: 4070

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -2.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	4.1	0.80		9.8	1.9	0.4	11/6/19 1:55	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/6/19 1:55	BRF
Benzene	0.090	0.020		0.29	0.064	0.4	11/6/19 1:55	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/6/19 1:55	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/6/19 1:55	BRF
2-Butanone (MEK)	3.0	0.80		9.0	2.4	0.4	11/6/19 1:55	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/6/19 1:55	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/6/19 1:55	BRF
Carbon Tetrachloride	ND	0.010		ND	0.063	0.4	11/6/19 1:55	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/6/19 1:55	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/6/19 1:55	BRF
Chloroform	ND	0.010		ND	0.049	0.4	11/6/19 1:55	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/6/19 1:55	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/6/19 1:55	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/6/19 1:55	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/6/19 1:55	BRF
1,3-Dichlorobenzene	0.17	0.020		1.0	0.12	0.4	11/6/19 1:55	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/6/19 1:55	BRF
Dichlorodifluoromethane (Freon 12)	0.30	0.020		1.5	0.099	0.4	11/6/19 1:55	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/6/19 1:55	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/6/19 1:55	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 1:55	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 1:55	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 1:55	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/6/19 1:55	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/6/19 1:55	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/6/19 1:55	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/6/19 1:55	BRF
Ethylbenzene	0.15	0.020		0.64	0.087	0.4	11/6/19 1:55	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/6/19 1:55	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/6/19 1:55	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/6/19 1:55	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/6/19 1:55	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/6/19 1:55	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/6/19 1:55	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/6/19 1:55	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/6/19 1:55	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** MP-2

**Sample ID:** 19J1970-10

Sample Matrix: Sub Slab

Sampled: 10/29/2019 14:05

Sample Description/Location:

Sub Description/Location:

Canister ID: 2137

Canister Size: 6 liter

Flow Controller ID: 4070

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -2.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed	Analyst
Tetrachloroethylene	3.1	0.020		21	0.14	0.4	11/6/19 1:55 BRF
Toluene	0.78	0.020		3.0	0.075	0.4	11/6/19 1:55 BRF
1,1,1-Trichloroethane	0.040	0.010		0.22	0.055	0.4	11/6/19 1:55 BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/6/19 1:55 BRF
Trichloroethylene	0.90	0.010		4.8	0.054	0.4	11/6/19 1:55 BRF
Trichlorofluoromethane (Freon 11)	0.64	0.080		3.6	0.45	0.4	11/6/19 1:55 BRF
1,2,4-Trimethylbenzene	0.38	0.020		1.9	0.098	0.4	11/6/19 1:55 BRF
1,3,5-Trimethylbenzene	0.082	0.020		0.40	0.098	0.4	11/6/19 1:55 BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/6/19 1:55 BRF
m&p-Xylene	0.56	0.040		2.4	0.17	0.4	11/6/19 1:55 BRF
o-Xylene	0.27	0.020		1.2	0.087	0.4	11/6/19 1:55 BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	107	70-130	11/6/19 1:55
4-Bromofluorobenzene (2)	110	70-130	11/6/19 1:55



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### ANALYTICAL RESULTS

Project Location: Providence, RI  
 Date Received: 10/31/2019  
**Field Sample #:** MP-5  
**Sample ID:** 19J1970-11  
 Sample Matrix: Sub Slab  
 Sampled: 10/29/2019 13:54

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2043  
 Canister Size: 6 liter  
 Flow Controller ID: 4093  
 Sample Type: 30 min

**Work Order:** 19J1970  
 Initial Vacuum(in Hg): -30  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): -0.5  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.1	0.80		12	1.9	0.4	11/6/19 2:59	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/6/19 2:59	BRF
Benzene	0.086	0.020		0.28	0.064	0.4	11/6/19 2:59	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/6/19 2:59	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/6/19 2:59	BRF
2-Butanone (MEK)	1.4	0.80		4.2	2.4	0.4	11/6/19 2:59	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/6/19 2:59	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/6/19 2:59	BRF
Carbon Tetrachloride	0.078	0.010		0.49	0.063	0.4	11/6/19 2:59	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/6/19 2:59	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/6/19 2:59	BRF
Chloroform	0.068	0.010		0.33	0.049	0.4	11/6/19 2:59	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/6/19 2:59	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/6/19 2:59	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/6/19 2:59	BRF
1,2-Dichlorobenzene	0.039	0.020		0.23	0.12	0.4	11/6/19 2:59	BRF
1,3-Dichlorobenzene	0.24	0.020		1.4	0.12	0.4	11/6/19 2:59	BRF
1,4-Dichlorobenzene	0.049	0.020		0.29	0.12	0.4	11/6/19 2:59	BRF
Dichlorodifluoromethane (Freon 12)	0.36	0.020		1.8	0.099	0.4	11/6/19 2:59	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/6/19 2:59	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/6/19 2:59	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 2:59	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 2:59	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 2:59	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/6/19 2:59	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/6/19 2:59	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/6/19 2:59	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/6/19 2:59	BRF
Ethylbenzene	0.11	0.020		0.48	0.087	0.4	11/6/19 2:59	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/6/19 2:59	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/6/19 2:59	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/6/19 2:59	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/6/19 2:59	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/6/19 2:59	BRF
Styrene	0.044	0.020		0.19	0.085	0.4	11/6/19 2:59	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/6/19 2:59	BRF
1,1,2,2-Tetrachloroethane	0.032	0.010		0.22	0.069	0.4	11/6/19 2:59	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** MP-5

**Sample ID:** 19J1970-11

Sample Matrix: Sub Slab

Sampled: 10/29/2019 13:54

Sample Description/Location:

Sub Description/Location:

Canister ID: 2043

Canister Size: 6 liter

Flow Controller ID: 4093

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): -0.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed	Analyst
Tetrachloroethylene	1.1	0.020		7.2	0.14	0.4	11/6/19 2:59 BRF
Toluene	0.24	0.020		0.89	0.075	0.4	11/6/19 2:59 BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/6/19 2:59 BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/6/19 2:59 BRF
Trichloroethylene	6.2	0.010		33	0.054	0.4	11/6/19 2:59 BRF
Trichlorofluoromethane (Freon 11)	0.99	0.080		5.6	0.45	0.4	11/6/19 2:59 BRF
1,2,4-Trimethylbenzene	0.31	0.020		1.5	0.098	0.4	11/6/19 2:59 BRF
1,3,5-Trimethylbenzene	0.095	0.020		0.47	0.098	0.4	11/6/19 2:59 BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/6/19 2:59 BRF
m&p-Xylene	0.41	0.040		1.8	0.17	0.4	11/6/19 2:59 BRF
o-Xylene	0.22	0.020		0.96	0.087	0.4	11/6/19 2:59 BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/6/19 2:59
4-Bromofluorobenzene (2)	105	70-130	11/6/19 2:59



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI  
 Date Received: 10/31/2019  
**Field Sample #:** MW-7  
**Sample ID:** 19J1970-12  
 Sample Matrix: Sub Slab  
 Sampled: 10/29/2019 13:37

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID: 2455  
 Canister Size: 6 liter  
 Flow Controller ID: 4200  
 Sample Type: 30 min

**Work Order:** 19J1970  
 Initial Vacuum(in Hg): -24  
 Final Vacuum(in Hg): 0  
 Receipt Vacuum(in Hg): +0.9  
 Flow Controller Type: Fixed-Orifice  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	2.5	0.80		6.0	1.9	0.4	11/6/19 3:36	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/6/19 3:36	BRF
Benzene	0.077	0.020		0.25	0.064	0.4	11/6/19 3:36	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/6/19 3:36	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/6/19 3:36	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/6/19 3:36	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/6/19 3:36	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/6/19 3:36	BRF
Carbon Tetrachloride	0.073	0.010		0.46	0.063	0.4	11/6/19 3:36	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/6/19 3:36	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/6/19 3:36	BRF
Chloroform	0.030	0.010		0.14	0.049	0.4	11/6/19 3:36	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/6/19 3:36	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/6/19 3:36	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/6/19 3:36	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/6/19 3:36	BRF
1,3-Dichlorobenzene	0.036	0.020		0.22	0.12	0.4	11/6/19 3:36	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/6/19 3:36	BRF
Dichlorodifluoromethane (Freon 12)	0.32	0.020		1.6	0.099	0.4	11/6/19 3:36	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/6/19 3:36	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/6/19 3:36	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 3:36	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 3:36	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/6/19 3:36	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/6/19 3:36	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/6/19 3:36	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/6/19 3:36	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/6/19 3:36	BRF
Ethylbenzene	0.047	0.020		0.20	0.087	0.4	11/6/19 3:36	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/6/19 3:36	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/6/19 3:36	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/6/19 3:36	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/6/19 3:36	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/6/19 3:36	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/6/19 3:36	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/6/19 3:36	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/6/19 3:36	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** MW-7

**Sample ID:** 19J1970-12

Sample Matrix: Sub Slab

Sampled: 10/29/2019 13:37

Sample Description/Location:

Sub Description/Location:

Canister ID: 2455

Canister Size: 6 liter

Flow Controller ID: 4200

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -24

Final Vacuum(in Hg): 0

Receipt Vacuum(in Hg): +0.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed	Analyst
Tetrachloroethylene	0.021	0.020		0.14	0.14	0.4	11/6/19 3:36 BRF
Toluene	0.21	0.020		0.79	0.075	0.4	11/6/19 3:36 BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/6/19 3:36 BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/6/19 3:36 BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/6/19 3:36 BRF
Trichlorofluoromethane (Freon 11)	0.31	0.080		1.7	0.45	0.4	11/6/19 3:36 BRF
1,2,4-Trimethylbenzene	0.062	0.020		0.30	0.098	0.4	11/6/19 3:36 BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/6/19 3:36 BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/6/19 3:36 BRF
m&p-Xylene	0.15	0.040		0.64	0.17	0.4	11/6/19 3:36 BRF
o-Xylene	0.074	0.020		0.32	0.087	0.4	11/6/19 3:36 BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	104	70-130	11/6/19 3:36
4-Bromofluorobenzene (2)	107	70-130	11/6/19 3:36



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** MP-8

**Sample ID:** 19J1970-13

Sample Matrix: Sub Slab

Sampled: 10/29/2019 13:59

Sample Description/Location:

Sub Description/Location:

Canister ID: 2461

Canister Size: 6 liter

Flow Controller ID: 4079

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -3.5

Receipt Vacuum(in Hg): -3.6

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.1	0.80		12	1.9	0.4	11/5/19 23:13	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 23:13	BRF
Benzene	0.12	0.020		0.37	0.064	0.4	11/5/19 23:13	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 23:13	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 23:13	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 23:13	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 23:13	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 23:13	BRF
Carbon Tetrachloride	0.071	0.010		0.45	0.063	0.4	11/5/19 23:13	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 23:13	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 23:13	BRF
Chloroform	0.028	0.010		0.13	0.049	0.4	11/5/19 23:13	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	11/5/19 23:13	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 23:13	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 23:13	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 23:13	BRF
1,3-Dichlorobenzene	0.19	0.020		1.1	0.12	0.4	11/5/19 23:13	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 23:13	BRF
Dichlorodifluoromethane (Freon 12)	0.29	0.020		1.5	0.099	0.4	11/5/19 23:13	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 23:13	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 23:13	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 23:13	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 23:13	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 23:13	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 23:13	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 23:13	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 23:13	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 23:13	BRF
Ethylbenzene	0.15	0.020		0.66	0.087	0.4	11/5/19 23:13	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 23:13	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 23:13	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 23:13	BRF
Methylene Chloride	0.52	0.20		1.8	0.69	0.4	11/5/19 23:13	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 23:13	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 23:13	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 23:13	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 23:13	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** MP-8

**Sample ID:** 19J1970-13

Sample Matrix: Sub Slab

Sampled: 10/29/2019 13:59

Sample Description/Location:

Sub Description/Location:

Canister ID: 2461

Canister Size: 6 liter

Flow Controller ID: 4079

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -3.5

Receipt Vacuum(in Hg): -3.6

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.024	0.020		0.16	0.14	0.4	11/5/19 23:13	BRF
Toluene	0.91	0.020		3.4	0.075	0.4	11/5/19 23:13	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 23:13	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 23:13	BRF
Trichloroethylene	0.020	0.010		0.11	0.054	0.4	11/5/19 23:13	BRF
Trichlorofluoromethane (Freon 11)	0.30	0.080		1.7	0.45	0.4	11/5/19 23:13	BRF
1,2,4-Trimethylbenzene	0.34	0.020		1.7	0.098	0.4	11/5/19 23:13	BRF
1,3,5-Trimethylbenzene	0.078	0.020		0.38	0.098	0.4	11/5/19 23:13	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 23:13	BRF
m&p-Xylene	0.60	0.040		2.6	0.17	0.4	11/5/19 23:13	BRF
o-Xylene	0.28	0.020		1.2	0.087	0.4	11/5/19 23:13	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/5/19 23:13
4-Bromofluorobenzene (2)	106	70-130	11/5/19 23:13



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Ambient Outdoor

**Sample ID:** 19J1970-14

Sample Matrix: Sub Slab

Sampled: 10/29/2019 13:47

Sample Description/Location:

Sub Description/Location:

Canister ID: 2134

Canister Size: 6 liter

Flow Controller ID: 4107

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4.5

Receipt Vacuum(in Hg): -4.4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	3.3	0.80		7.9	1.9	0.4	11/5/19 22:36	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 22:36	BRF
Benzene	0.084	0.020		0.27	0.064	0.4	11/5/19 22:36	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 22:36	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 22:36	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 22:36	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 22:36	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 22:36	BRF
Carbon Tetrachloride	0.075	0.010		0.47	0.063	0.4	11/5/19 22:36	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 22:36	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 22:36	BRF
Chloroform	0.023	0.010		0.11	0.049	0.4	11/5/19 22:36	BRF
Chloromethane	0.49	0.040		1.0	0.083	0.4	11/5/19 22:36	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 22:36	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 22:36	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 22:36	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 22:36	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 22:36	BRF
Dichlorodifluoromethane (Freon 12)	0.29	0.020		1.4	0.099	0.4	11/5/19 22:36	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 22:36	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 22:36	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 22:36	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 22:36	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 22:36	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 22:36	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 22:36	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 22:36	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 22:36	BRF
Ethylbenzene	0.026	0.020		0.11	0.087	0.4	11/5/19 22:36	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 22:36	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 22:36	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 22:36	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 22:36	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	11/5/19 22:36	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 22:36	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 22:36	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 22:36	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 10/31/2019

**Field Sample #:** Ambient Outdoor

**Sample ID:** 19J1970-14

Sample Matrix: Sub Slab

Sampled: 10/29/2019 13:47

Sample Description/Location:

Sub Description/Location:

Canister ID: 2134

Canister Size: 6 liter

Flow Controller ID: 4107

Sample Type: 30 min

**Work Order:** 19J1970

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -4.5

Receipt Vacuum(in Hg): -4.4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.026	0.020		0.18	0.14	0.4	11/5/19 22:36	BRF
Toluene	0.19	0.020		0.72	0.075	0.4	11/5/19 22:36	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 22:36	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 22:36	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/5/19 22:36	BRF
Trichlorofluoromethane (Freon 11)	0.25	0.080		1.4	0.45	0.4	11/5/19 22:36	BRF
1,2,4-Trimethylbenzene	0.040	0.020		0.20	0.098	0.4	11/5/19 22:36	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 22:36	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 22:36	BRF
m&p-Xylene	0.081	0.040		0.35	0.17	0.4	11/5/19 22:36	BRF
o-Xylene	0.034	0.020		0.15	0.087	0.4	11/5/19 22:36	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	11/5/19 22:36
4-Bromofluorobenzene (2)	105	70-130	11/5/19 22:36



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15		Batch	Pressure	Pre	Pre-Dil	Pre-Dil	Default	Actual	Date
Lab Number	[Field ID]		Dilution	Dilution	Initial mL	Final mL	Injection mL	Injection mL	
19J1970-01 [Gym]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-02 [Cafeteria]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-03 [Elevator Hallway]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-04 [Room 118]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-05 [Room 110]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-06 [Room 145]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-07 [IMP-1]		B245269	1	1	N/A	1000	400	200	11/05/19
19J1970-08 [IMP-2]		B245269	1	1	N/A	1000	400	200	11/05/19
19J1970-09 [IMP-3]		B245269	1	1	N/A	1000	400	200	11/05/19
19J1970-10 [MP-2]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-11 [MP-5]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-12 [MW-7]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-13 [MP-8]		B245269	1	1	N/A	1000	400	1000	11/05/19
19J1970-14 [Ambient Outdoor]		B245269	1	1	N/A	1000	400	1000	11/05/19



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	-----------

**Batch B245269 - TO-15 Prep**

<b>Blank (B245269-BLK1)</b>	Prepared & Analyzed: 11/05/19									
Acetone	ND	0.80								
Acrylonitrile	ND	0.12								
Benzene	ND	0.020								
Bromodichloromethane	ND	0.010								
Bromoform	ND	0.020								
2-Butanone (MEK)	ND	0.80								
n-Butylbenzene	ND	0.058								
sec-Butylbenzene	ND	0.046								
Carbon Tetrachloride	ND	0.010								
Chlorobenzene	ND	0.020								
Chloroethane	ND	0.020								L-03
Chloroform	ND	0.010								
Chloromethane	ND	0.040								
Dibromochloromethane	ND	0.010								
1,2-Dibromoethane (EDB)	ND	0.010								
1,2-Dichlorobenzene	ND	0.020								
1,3-Dichlorobenzene	ND	0.020								
1,4-Dichlorobenzene	ND	0.020								
Dichlorodifluoromethane (Freon 12)	ND	0.020								
1,1-Dichloroethane	ND	0.010								
1,2-Dichloroethane	ND	0.010								
1,1-Dichloroethylene	ND	0.010								
cis-1,2-Dichloroethylene	ND	0.010								
trans-1,2-Dichloroethylene	ND	0.010								
1,2-Dichloropropane	ND	0.010								
1,3-Dichloropropane	ND	0.054								
cis-1,3-Dichloropropene	ND	0.010								
trans-1,3-Dichloropropene	ND	0.010								
Ethylbenzene	ND	0.020								
Isopropylbenzene (Cumene)	ND	0.051								
p-Isopropyltoluene (p-Cymene)	ND	0.046								
Methyl tert-Butyl Ether (MTBE)	ND	0.020								
Methylene Chloride	ND	0.20								
4-Methyl-2-pentanone (MIBK)	ND	0.020								
Styrene	ND	0.020								
1,1,1,2-Tetrachloroethane	ND	0.036								L-03
1,1,2,2-Tetrachloroethane	ND	0.010								
Tetrachloroethylene	ND	0.020								
Toluene	ND	0.020								
1,1,1-Trichloroethane	ND	0.010								
1,1,2-Trichloroethane	ND	0.010								
Trichloroethylene	ND	0.010								
Trichlorofluoromethane (Freon 11)	ND	0.080								
1,2,4-Trimethylbenzene	ND	0.020								
1,3,5-Trimethylbenzene	ND	0.020								
Vinyl Chloride	ND	0.020								



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B245269 - TO-15 Prep**

<b>Blank (B245269-BLK1)</b>	Prepared & Analyzed: 11/05/19										
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	8.03		8.00		100	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.28		8.00		104	70-130					

<b>LCS (B245269-BS1)</b>	Prepared & Analyzed: 11/05/19						
Acetone	4.70		5.00		93.9	70-130	
Acrylonitrile	2.02		2.88		70.2	70-130	
Benzene	4.85		5.00		97.0	70-130	
Bromodichloromethane	4.61		5.00		92.1	70-130	
Bromoform	6.05		5.00		121	70-130	
2-Butanone (MEK)	5.23		5.00		105	70-130	
n-Butylbenzene	0.893		1.14		78.3	70-130	
sec-Butylbenzene	0.840		1.14		73.7	70-130	
Carbon Tetrachloride	4.78		5.00		95.6	70-130	
Chlorobenzene	5.18		5.00		104	70-130	
Chloroethane	3.05		5.00		61.0 *	70-130	L-03
Chloroform	6.08		5.00		122	70-130	
Chloromethane	4.95		5.00		99.0	70-130	
Dibromochloromethane	5.52		5.00		110	70-130	
1,2-Dibromoethane (EDB)	5.91		5.00		118	70-130	
1,2-Dichlorobenzene	6.43		5.00		129	70-130	
1,3-Dichlorobenzene	6.28		5.00		126	70-130	
1,4-Dichlorobenzene	6.22		5.00		124	70-130	
Dichlorodifluoromethane (Freon 12)	6.04		5.00		121	70-130	
1,1-Dichloroethane	5.91		5.00		118	70-130	
1,2-Dichloroethane	5.35		5.00		107	70-130	
1,1-Dichloroethylene	3.52		5.00		70.4	70-130	
cis-1,2-Dichloroethylene	5.76		5.00		115	70-130	
trans-1,2-Dichloroethylene	5.81		5.00		116	70-130	
1,2-Dichloropropane	4.67		5.00		93.4	70-130	
1,3-Dichloropropane	0.994		1.35		73.6	70-130	
cis-1,3-Dichloropropene	4.82		5.00		96.3	70-130	
trans-1,3-Dichloropropene	5.15		5.00		103	70-130	
Ethylbenzene	5.28		5.00		106	70-130	
Isopropylbenzene (Cumene)	0.988		1.27		77.8	70-130	
p-Isopropyltoluene (p-Cymene)	0.835		1.14		73.2	70-130	
Methyl tert-Butyl Ether (MTBE)	5.94		5.00		119	70-130	
Methylene Chloride	4.69		5.00		93.8	70-130	
4-Methyl-2-pentanone (MIBK)	4.13		5.00		82.6	70-130	
Styrene	6.14		5.00		123	70-130	
1,1,1,2-Tetrachloroethane	0.614		0.910		67.5 *	70-130	L-03
1,1,2,2-Tetrachloroethane	5.48		5.00		110	70-130	
Tetrachloroethylene	6.18		5.00		124	70-130	
Toluene	5.64		5.00		113	70-130	
1,1,1-Trichloroethane	4.41		5.00		88.2	70-130	
1,1,2-Trichloroethane	5.90		5.00		118	70-130	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	-------	-----------

**Batch B245269 - TO-15 Prep**

<b>LCS (B245269-BS1)</b>						Prepared & Analyzed: 11/05/19					
Trichloroethylene	5.50				5.00		110	70-130			
Trichlorofluoromethane (Freon 11)	4.35				5.00		87.0	70-130			
1,2,4-Trimethylbenzene	5.95				5.00		119	70-130			
1,3,5-Trimethylbenzene	5.66				5.00		113	70-130			
Vinyl Chloride	5.45				5.00		109	70-130			
m&p-Xylene	10.9				10.0		109	70-130			
o-Xylene	5.48				5.00		110	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.08				8.00		101	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.54				8.00		107	70-130			



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
  - ND Not Detected
  - RL Reporting Limit is at the level of quantitation (LOQ)
  - DL Detection Limit is the lower limit of detection determined by the MDL study
  - MCL Maximum Contaminant Level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
- No results have been blank subtracted unless specified in the case narrative section.
- |       |  |
|-------|--|
| L-03  | Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side. |
| RL-12 | Elevated reporting limit due to matrix interference.   |



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY,ME,NH
Acrylonitrile	AIHA,NJ,NY,ME,NH
Benzene	AIHA,FL,NJ,NY,ME,NH,VA
Bromodichloromethane	AIHA,NJ,NY,ME,NH,VA
Bromoform	AIHA,NJ,NY,ME,NH,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,ME,NH,VA
Carbon Tetrachloride	AIHA,FL,NJ,NY,ME,NH,VA
Chlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Chloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Chloroform	AIHA,FL,NJ,NY,ME,NH,VA
Chloromethane	AIHA,FL,NJ,NY,ME,NH,VA
Dibromochloromethane	AIHA,NY,ME,NH
1,2-Dibromoethane (EDB)	AIHA,NJ,NY,ME,NH
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
1,3-Dichlorobenzene	AIHA,NJ,NY,ME,NH
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY,ME,NH
1,1-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,ME,NH,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,ME,NH,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,ME,NH,VA
trans-1,3-Dichloropropene	AIHA,NY,ME,NH
Ethylbenzene	AIHA,FL,NJ,NY,ME,NH,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY,ME,NH
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,ME,NH,VA
Methylene Chloride	AIHA,FL,NJ,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY,ME,NH
Styrene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Toluene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Trichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY,ME,NH
1,2,4-Trimethylbenzene	AIHA,NJ,NY,ME,NH
1,3,5-Trimethylbenzene	AIHA,NJ,NY,ME,NH
Vinyl Chloride	AIHA,FL,NJ,NY,ME,NH,VA
m&p-Xylene	AIHA,FL,NJ,NY,ME,NH,VA
o-Xylene	AIHA,FL,NJ,NY,ME,NH,VA



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2017	100033	03/1/2020
MA	Massachusetts DEP	M-MA100	06/30/2020
CT	Connecticut Department of Public Health	PH-0567	09/30/2021
NY	New York State Department of Health	10899 NELAP	04/1/2020
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2020
RI	Rhode Island Department of Health	LAO00112	12/30/2019
NC	North Carolina Div. of Water Quality	652	12/31/2019
NJ	New Jersey DEP	MA007 NELAP	06/30/2020
FL	Florida Department of Health	E871027 NELAP	06/30/2020
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2020
ME	State of Maine	2011028	06/9/2021
VA	Commonwealth of Virginia	460217	12/14/2019
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2020
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2020
NC-DW	North Carolina Department of Health	25703	07/31/2020
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2020

09/10/00 DR1129 406287 0367 39 Spruce Street  
Page 1 of 2 East Longmeadow, MA 01028

Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com

CHAIN OF CUSTODY RECORD (AIR)  
HTTP://WWW.CONTESTLABS.COM

ANALYSIS REQUESTED									
Please fill out completely, sign, date and retain the yellow copy for your records									
Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply									
For summa canister and flow controller information please refer to Con-Test's Air Media Agreement									
Lab Receipt Pressure									
Final Pressure									
Initial Pressure									
7-Day	<input type="checkbox"/>	10-Day	<input checked="" type="checkbox"/>	"Hg					
1-Day	<input type="checkbox"/>	3-Day	<input type="checkbox"/>						
2-Day	<input type="checkbox"/>	4-Day	<input type="checkbox"/>						
Project Location: Advanced High School									
Project Number: 1506607									
Project Manager: Frank Postma									
Con-Test Quote Name/Number:									
Invoice Recipient: Melanie Sina									
Sampled By: BC/GJ									
Lab Use	Client Use	Collection Data		Duration	Flow Rate	Matrix	Volume		
Con-Test Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Total Minutes Sampled	<input type="checkbox"/> m³/min	<input type="checkbox"/> L/min	<input type="checkbox"/> Liters m³	Code	Summa Can ID
1	Gym	10340	1113	30				SGTA	31-4
2	Cafeteria	1040	1110	30				X	-30-4
3	Elevator Hallway	1034	1106	32				X	-28-25
4	Room 118	1052	1127	35				X	-29-1
5	Room 110	1053	1130	35				X	-28-0
6	Room 145	1145	1215	30				X	-30-2
7	IMP-1	1100	1130	30				X	-30-0
8	IMP-2	1147	1222	35				X	-28-35
9	IMP-3	1051	1121	30				X	-29-3
Comments: *Do Not Analyze Summa can S 2142 and 1962 * Project Specific Analyte List Report also in ug/m³									
Please use the following codes to indicate possible sample concentration within the Conc Code column above: H - High; M - Medium; L - Low; C - Clean; U - Unknown									
Matrix Codes:									
SG = SOIL GAS IA = INDOOR AIR AMB = AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = Other _____									
 <b>con-test</b> <small>ANALYTICAL LABORATORY</small> <a href="http://www.contestlab.com">www.contestlab.com</a>									
Special Requirements									
Reinquished by: (signature)	Date/Time:	10/31/00	11:30	MA MCP Required					
Received by: (signature)	Date/Time:	11/1/00		MCP Certification Form Required					
Received by: (signature)	Date/Time:	11/30/00		CT RCP Required					
Reinquished by: (signature)	Date/Time:	12/31/00		RCP Certification Form Required					
Received by: (signature)	Date/Time:	10/31/00	18:00						
Reinquished by: (signature)	Date/Time:	10/31/00							
Received by: (signature)	Date/Time:	10/31/00							
Project Entity									
Government <input type="checkbox"/> Federal <input type="checkbox"/> City <input checked="" type="checkbox"/>									
Municipality <input type="checkbox"/> 21 J <input checked="" type="checkbox"/> Brownfield <input type="checkbox"/> MBTA <input type="checkbox"/>									
NWRA <input type="checkbox"/> WRTA <input type="checkbox"/> School <input checked="" type="checkbox"/> Other <input type="checkbox"/>									
Chromatogram <input type="checkbox"/> AIHA-LAP, LLC <input type="checkbox"/>									
PCB ONLY <input type="checkbox"/> Soxhlet <input type="checkbox"/> Non Soxhlet <input type="checkbox"/>									



I Have Not Confirmed Sample Container  
Numbers With Lab Staff Before  
Relinquishing Over  
Samples



Doc# 278 Rev 6.2017

**Air Media Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False**

Client	EA					
Received By	Rap	Date	10/3/19	Time	1800	
How were the samples received?	In Cooler	On Ice		No Ice		
	In Box	T	Ambient	Melted Ice		
Were samples within Temperature Compliance? 2-6°C		By Gun #		Actual Temp -		
		By Blank #		Actual Temp -		
Was Custody Seal Intact?	N/A	Were Samples Tampered with?				
Was COC Relinquished?	T	Does Chain Agree With Samples?				
Are there any loose caps/valves on any samples?	F					
COC in ink/ Legible?	T					
Did COC Include all pertinent Information?	Client T	Analysis T	Sampler Name T			
	Project T	ID's T	Collection Dates/Times T			
Are Sample Labels filled out and legible?						
Are there Rushes?	E					
Samples are received within holding time?						
Proper Media Used?	T	Who was notified?				
Are there Trip Blanks?	F	T	Individually Certified Cans? T			
			Is there enough Volume? T			

<b>Containers:</b>	<b>#</b>	<b>Size</b>	<b>Regulator</b>	<b>Duration</b>	<b>Accessories:</b>		
Summa Cans	16	6L	16	30 min	Nut/Ferrule		IC Train
Tedlar Bags					Tubing		
TO-17 Tubes					T-Connector		Shipping Charges
Radiello					Syringe		
Pufs/TO-11s					Tedlar		

**Comments:**

per Client email, cans 1962 + 2142 were faulty

Faulty Equipment claims

Date: 10/29/19

Client: EA Eng

Order #: 1909421

Work Order #: NA

Name of person who did sampling: Britta Chambers

Does Client still want samples analyzed? NO

Barcode Number of Can(s) and/or Reg(s) that had issue:

2142/4067 and 1962/4301

Attachment of the Chain:

Brief description of issue:

For both cans we tried taking off and readjusting the controllers as described in the "summa can helpful hints sheet" you guys included with the delivery last week. The adjustments didn't seem to help; the pressure dropped quickly (within 30 seconds or so) and a hissing noise came out of the can once we opened the valve.

IB/OB & Flow information when sent to client:

In Field Pressures:

Lab Received Pressures:



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

November 11, 2019

Frank Postma  
EA Engineering Science & Tech. - RI  
301 Metro Center Blvd, Suite 102  
Warwick, RI 02886

Project Location: Providence, RI  
Client Job Number:  
Project Number: 1506607  
Laboratory Work Order Number: 19K0128

Enclosed are results of analyses for samples received by the laboratory on November 4, 2019. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Kaitlyn".

Kaitlyn A. Feliciano  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	9
QC Data	10
Air Toxics by EPA Compendium Methods	10
B245269	10
Flag/Qualifier Summary	13
Certifications	14
Chain of Custody/Sample Receipt	16




---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

EA Engineering Science & Tech. - RI  
 301 Metro Center Blvd, Suite 102  
 Warwick, RI 02886  
 ATTN: Frank Postma

REPORT DATE: 11/11/2019

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506607

#### **ANALYTICAL SUMMARY**

---

WORK ORDER NUMBER: 19K0128

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Kitchen Storage	19K0128-01	Indoor air		EPA TO-15	
Room 152	19K0128-02	Indoor air		EPA TO-15	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

#### EPA TO-15

##### **Qualifications:**

###### **L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

##### **Analyte & Samples(s) Qualified:**

###### **1,1,1,2-Tetrachloroethane**

19K0128-01[Kitchen Storage], 19K0128-02[Room 152], B245269-BLK1, B245269-BS1

###### **Chloroethane**

19K0128-01[Kitchen Storage], 19K0128-02[Room 152], B245269-BLK1, B245269-BS1

#### EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Tod E. Kopyscinski".

Tod E. Kopyscinski  
Laboratory Director



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 11/4/2019

**Field Sample #:** Kitchen Storage

**Sample ID:** 19K0128-01

Sample Matrix: Indoor air

Sampled: 11/1/2019 10:42

Sample Description/Location:

Sub Description/Location:

Canister ID: 1304

Canister Size: 6 liter

Flow Controller ID: 4073

Sample Type: 30 min

**Work Order:** 19K0128

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -2.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	8.5	0.80		20	1.9		0.4	11/5/19 17:28	BRF
Acrylonitrile	ND	0.12		ND	0.25		0.4	11/5/19 17:28	BRF
Benzene	0.11	0.020		0.35	0.064		0.4	11/5/19 17:28	BRF
Bromodichloromethane	ND	0.010		ND	0.067		0.4	11/5/19 17:28	BRF
Bromoform	ND	0.020		ND	0.21		0.4	11/5/19 17:28	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	11/5/19 17:28	BRF
n-Butylbenzene	ND	0.058		ND	0.32		0.4	11/5/19 17:28	BRF
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	11/5/19 17:28	BRF
Carbon Tetrachloride	0.068	0.010		0.43	0.063		0.4	11/5/19 17:28	BRF
Chlorobenzene	ND	0.020		ND	0.092		0.4	11/5/19 17:28	BRF
Chloroethane	ND	0.020	L-03	ND	0.053		0.4	11/5/19 17:28	BRF
Chloroform	0.17	0.010		0.81	0.049		0.4	11/5/19 17:28	BRF
Chloromethane	ND	0.040		ND	0.083		0.4	11/5/19 17:28	BRF
Dibromochloromethane	ND	0.010		ND	0.085		0.4	11/5/19 17:28	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	11/5/19 17:28	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	11/5/19 17:28	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	11/5/19 17:28	BRF
1,4-Dichlorobenzene	0.032	0.020		0.19	0.12		0.4	11/5/19 17:28	BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099		0.4	11/5/19 17:28	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	11/5/19 17:28	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	11/5/19 17:28	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	11/5/19 17:28	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	11/5/19 17:28	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	11/5/19 17:28	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	11/5/19 17:28	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	11/5/19 17:28	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	11/5/19 17:28	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	11/5/19 17:28	BRF
Ethylbenzene	0.040	0.020		0.17	0.087		0.4	11/5/19 17:28	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	11/5/19 17:28	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	11/5/19 17:28	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	11/5/19 17:28	BRF
Methylene Chloride	ND	0.20		ND	0.69		0.4	11/5/19 17:28	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082		0.4	11/5/19 17:28	BRF
Styrene	0.14	0.020		0.60	0.085		0.4	11/5/19 17:28	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25		0.4	11/5/19 17:28	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	11/5/19 17:28	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 11/4/2019

**Field Sample #:** Kitchen Storage

**Sample ID:** 19K0128-01

Sample Matrix: Indoor air

Sampled: 11/1/2019 10:42

Sample Description/Location:

Sub Description/Location:

Canister ID: 1304

Canister Size: 6 liter

Flow Controller ID: 4073

Sample Type: 30 min

**Work Order:** 19K0128

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -2.8

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.024	0.020		0.16	0.14	0.4	11/5/19 17:28	BRF
Toluene	0.30	0.020		1.1	0.075	0.4	11/5/19 17:28	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 17:28	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 17:28	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/5/19 17:28	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080		1.5	0.45	0.4	11/5/19 17:28	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 17:28	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	11/5/19 17:28	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 17:28	BRF
m&p-Xylene	0.13	0.040		0.58	0.17	0.4	11/5/19 17:28	BRF
o-Xylene	0.047	0.020		0.20	0.087	0.4	11/5/19 17:28	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/5/19 17:28
4-Bromofluorobenzene (2)	106	70-130	11/5/19 17:28



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 11/4/2019

**Field Sample #: Room 152**

**Sample ID: 19K0128-02**

Sample Matrix: Indoor air

Sampled: 11/1/2019 10:51

Sample Description/Location:

Sub Description/Location:

Canister ID: 1035

Canister Size: 6 liter

Flow Controller ID: 4283

Sample Type: 30 min

**Work Order: 19K0128**

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	12	0.80		28	1.9	0.4	11/5/19 18:07	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	11/5/19 18:07	BRF
Benzene	0.082	0.020		0.26	0.064	0.4	11/5/19 18:07	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	11/5/19 18:07	BRF
Bromoform	ND	0.020		ND	0.21	0.4	11/5/19 18:07	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	11/5/19 18:07	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	11/5/19 18:07	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	11/5/19 18:07	BRF
Carbon Tetrachloride	0.069	0.010		0.43	0.063	0.4	11/5/19 18:07	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	11/5/19 18:07	BRF
Chloroethane	ND	0.020	L-03	ND	0.053	0.4	11/5/19 18:07	BRF
Chloroform	0.037	0.010		0.18	0.049	0.4	11/5/19 18:07	BRF
Chloromethane	0.56	0.040		1.1	0.083	0.4	11/5/19 18:07	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	11/5/19 18:07	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	11/5/19 18:07	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 18:07	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	11/5/19 18:07	BRF
1,4-Dichlorobenzene	0.044	0.020		0.26	0.12	0.4	11/5/19 18:07	BRF
Dichlorodifluoromethane (Freon 12)	0.27	0.020		1.4	0.099	0.4	11/5/19 18:07	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 18:07	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	11/5/19 18:07	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 18:07	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 18:07	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	11/5/19 18:07	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	11/5/19 18:07	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	11/5/19 18:07	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 18:07	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	11/5/19 18:07	BRF
Ethylbenzene	0.049	0.020		0.21	0.087	0.4	11/5/19 18:07	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	11/5/19 18:07	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	11/5/19 18:07	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	11/5/19 18:07	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	11/5/19 18:07	BRF
4-Methyl-2-pentanone (MIBK)	0.095	0.020		0.39	0.082	0.4	11/5/19 18:07	BRF
Styrene	ND	0.020		ND	0.085	0.4	11/5/19 18:07	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	L-03	ND	0.25	0.4	11/5/19 18:07	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	11/5/19 18:07	BRF



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 11/4/2019

**Field Sample #: Room 152**

**Sample ID: 19K0128-02**

Sample Matrix: Indoor air

Sampled: 11/1/2019 10:51

Sample Description/Location:

Sub Description/Location:

Canister ID: 1035

Canister Size: 6 liter

Flow Controller ID: 4283

Sample Type: 30 min

**Work Order: 19K0128**

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

#### EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	11/5/19 18:07	BRF
Toluene	0.31	0.020		1.2	0.075	0.4	11/5/19 18:07	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 18:07	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	11/5/19 18:07	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	11/5/19 18:07	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080		1.4	0.45	0.4	11/5/19 18:07	BRF
1,2,4-Trimethylbenzene	0.087	0.020		0.43	0.098	0.4	11/5/19 18:07	BRF
1,3,5-Trimethylbenzene	0.048	0.020		0.24	0.098	0.4	11/5/19 18:07	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	11/5/19 18:07	BRF
m&p-Xylene	0.20	0.040		0.88	0.17	0.4	11/5/19 18:07	BRF
o-Xylene	0.088	0.020		0.38	0.087	0.4	11/5/19 18:07	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	11/5/19 18:07
4-Bromofluorobenzene (2)	106	70-130	11/5/19 18:07



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

**Prep Method: TO-15 Prep-EPA TO-15**

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
19K0128-01 [Kitchen Storage]	B245269	1	1	N/A	1000	400	1000	11/05/19
19K0128-02 [Room 152]	B245269	1	1	N/A	1000	400	1000	11/05/19



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	-----------

**Batch B245269 - TO-15 Prep**

<b>Blank (B245269-BLK1)</b>	Prepared & Analyzed: 11/05/19									
Acetone	ND	0.80								
Acrylonitrile	ND	0.12								
Benzene	ND	0.020								
Bromodichloromethane	ND	0.010								
Bromoform	ND	0.020								
2-Butanone (MEK)	ND	0.80								
n-Butylbenzene	ND	0.058								
sec-Butylbenzene	ND	0.046								
Carbon Tetrachloride	ND	0.010								
Chlorobenzene	ND	0.020								
Chloroethane	ND	0.020								L-03
Chloroform	ND	0.010								
Chloromethane	ND	0.040								
Dibromochloromethane	ND	0.010								
1,2-Dibromoethane (EDB)	ND	0.010								
1,2-Dichlorobenzene	ND	0.020								
1,3-Dichlorobenzene	ND	0.020								
1,4-Dichlorobenzene	ND	0.020								
Dichlorodifluoromethane (Freon 12)	ND	0.020								
1,1-Dichloroethane	ND	0.010								
1,2-Dichloroethane	ND	0.010								
1,1-Dichloroethylene	ND	0.010								
cis-1,2-Dichloroethylene	ND	0.010								
trans-1,2-Dichloroethylene	ND	0.010								
1,2-Dichloropropane	ND	0.010								
1,3-Dichloropropane	ND	0.054								
cis-1,3-Dichloropropene	ND	0.010								
trans-1,3-Dichloropropene	ND	0.010								
Ethylbenzene	ND	0.020								
Isopropylbenzene (Cumene)	ND	0.051								
p-Isopropyltoluene (p-Cymene)	ND	0.046								
Methyl tert-Butyl Ether (MTBE)	ND	0.020								
Methylene Chloride	ND	0.20								
4-Methyl-2-pentanone (MIBK)	ND	0.020								
Styrene	ND	0.020								
1,1,1,2-Tetrachloroethane	ND	0.036								L-03
1,1,2,2-Tetrachloroethane	ND	0.010								
Tetrachloroethylene	ND	0.020								
Toluene	ND	0.020								
1,1,1-Trichloroethane	ND	0.010								
1,1,2-Trichloroethane	ND	0.010								
Trichloroethylene	ND	0.010								
Trichlorofluoromethane (Freon 11)	ND	0.080								
1,2,4-Trimethylbenzene	ND	0.020								
1,3,5-Trimethylbenzene	ND	0.020								
Vinyl Chloride	ND	0.020								



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL****Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

**Batch B245269 - TO-15 Prep**

<b>Blank (B245269-BLK1)</b>	Prepared & Analyzed: 11/05/19										
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	8.03		8.00		100	70-130					
Surrogate: 4-Bromofluorobenzene (2)	8.28		8.00		104	70-130					

<b>LCS (B245269-BS1)</b>	Prepared & Analyzed: 11/05/19						
Acetone	4.70		5.00		93.9	70-130	
Acrylonitrile	2.02		2.88		70.2	70-130	
Benzene	4.85		5.00		97.0	70-130	
Bromodichloromethane	4.61		5.00		92.1	70-130	
Bromoform	6.05		5.00		121	70-130	
2-Butanone (MEK)	5.23		5.00		105	70-130	
n-Butylbenzene	0.893		1.14		78.3	70-130	
sec-Butylbenzene	0.840		1.14		73.7	70-130	
Carbon Tetrachloride	4.78		5.00		95.6	70-130	
Chlorobenzene	5.18		5.00		104	70-130	
Chloroethane	3.05		5.00		61.0 *	70-130	L-03
Chloroform	6.08		5.00		122	70-130	
Chloromethane	4.95		5.00		99.0	70-130	
Dibromochloromethane	5.52		5.00		110	70-130	
1,2-Dibromoethane (EDB)	5.91		5.00		118	70-130	
1,2-Dichlorobenzene	6.43		5.00		129	70-130	
1,3-Dichlorobenzene	6.28		5.00		126	70-130	
1,4-Dichlorobenzene	6.22		5.00		124	70-130	
Dichlorodifluoromethane (Freon 12)	6.04		5.00		121	70-130	
1,1-Dichloroethane	5.91		5.00		118	70-130	
1,2-Dichloroethane	5.35		5.00		107	70-130	
1,1-Dichloroethylene	3.52		5.00		70.4	70-130	
cis-1,2-Dichloroethylene	5.76		5.00		115	70-130	
trans-1,2-Dichloroethylene	5.81		5.00		116	70-130	
1,2-Dichloropropane	4.67		5.00		93.4	70-130	
1,3-Dichloropropane	0.994		1.35		73.6	70-130	
cis-1,3-Dichloropropene	4.82		5.00		96.3	70-130	
trans-1,3-Dichloropropene	5.15		5.00		103	70-130	
Ethylbenzene	5.28		5.00		106	70-130	
Isopropylbenzene (Cumene)	0.988		1.27		77.8	70-130	
p-Isopropyltoluene (p-Cymene)	0.835		1.14		73.2	70-130	
Methyl tert-Butyl Ether (MTBE)	5.94		5.00		119	70-130	
Methylene Chloride	4.69		5.00		93.8	70-130	
4-Methyl-2-pentanone (MIBK)	4.13		5.00		82.6	70-130	
Styrene	6.14		5.00		123	70-130	
1,1,1,2-Tetrachloroethane	0.614		0.910		67.5 *	70-130	L-03
1,1,2,2-Tetrachloroethane	5.48		5.00		110	70-130	
Tetrachloroethylene	6.18		5.00		124	70-130	
Toluene	5.64		5.00		113	70-130	
1,1,1-Trichloroethane	4.41		5.00		88.2	70-130	
1,1,2-Trichloroethane	5.90		5.00		118	70-130	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### QUALITY CONTROL

##### Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	-------	-----------

**Batch B245269 - TO-15 Prep**

<b>LCS (B245269-BS1)</b>						Prepared & Analyzed: 11/05/19					
Trichloroethylene	5.50				5.00		110	70-130			
Trichlorofluoromethane (Freon 11)	4.35				5.00		87.0	70-130			
1,2,4-Trimethylbenzene	5.95				5.00		119	70-130			
1,3,5-Trimethylbenzene	5.66				5.00		113	70-130			
Vinyl Chloride	5.45				5.00		109	70-130			
m&p-Xylene	10.9				10.0		109	70-130			
o-Xylene	5.48				5.00		110	70-130			
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.08				8.00		101	70-130			
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.54				8.00		107	70-130			



---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
  - ND Not Detected
  - RL Reporting Limit is at the level of quantitation (LOQ)
  - DL Detection Limit is the lower limit of detection determined by the MDL study
  - MCL Maximum Contaminant Level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
- No results have been blank subtracted unless specified in the case narrative section.
- L-03 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### CERTIFICATIONS

##### Certified Analyses included in this Report

Analyte	Certifications
<b>EPA TO-15 in Air</b>	
Acetone	AIHA,NY,ME,NH
Acrylonitrile	AIHA,NJ,NY,ME,NH
Benzene	AIHA,FL,NJ,NY,ME,NH,VA
Bromodichloromethane	AIHA,NJ,NY,ME,NH,VA
Bromoform	AIHA,NJ,NY,ME,NH,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,ME,NH,VA
Carbon Tetrachloride	AIHA,FL,NJ,NY,ME,NH,VA
Chlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Chloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Chloroform	AIHA,FL,NJ,NY,ME,NH,VA
Chloromethane	AIHA,FL,NJ,NY,ME,NH,VA
Dibromochloromethane	AIHA,NY,ME,NH
1,2-Dibromoethane (EDB)	AIHA,NJ,NY,ME,NH
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
1,3-Dichlorobenzene	AIHA,NJ,NY,ME,NH
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY,ME,NH
1,1-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,ME,NH,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,ME,NH,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,ME,NH,VA
trans-1,3-Dichloropropene	AIHA,NY,ME,NH
Ethylbenzene	AIHA,FL,NJ,NY,ME,NH,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY,ME,NH
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,ME,NH,VA
Methylene Chloride	AIHA,FL,NJ,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY,ME,NH
Styrene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Toluene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Trichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY,ME,NH
1,2,4-Trimethylbenzene	AIHA,NJ,NY,ME,NH
1,3,5-Trimethylbenzene	AIHA,NJ,NY,ME,NH
Vinyl Chloride	AIHA,FL,NJ,NY,ME,NH,VA
m&p-Xylene	AIHA,FL,NJ,NY,ME,NH,VA
o-Xylene	AIHA,FL,NJ,NY,ME,NH,VA



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2017	100033	03/1/2020
MA	Massachusetts DEP	M-MA100	06/30/2020
CT	Connecticut Department of Public Health	PH-0567	09/30/2021
NY	New York State Department of Health	10899 NELAP	04/1/2020
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2020
RI	Rhode Island Department of Health	LAO00112	12/30/2019
NC	North Carolina Div. of Water Quality	652	12/31/2019
NJ	New Jersey DEP	MA007 NELAP	06/30/2020
FL	Florida Department of Health	E871027 NELAP	06/30/2020
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2020
ME	State of Maine	2011028	06/9/2021
VA	Commonwealth of Virginia	460217	12/14/2019
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2020
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2020
NC-DW	North Carolina Department of Health	25703	07/31/2020
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2020

ANALYSIS REQUESTED									
Please fill out completely, sign, date and retain the yellow copy for your records									
Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply									
For summa canister and flow controller information please refer to Con-Test's Air Media Agreement									
Lab Receipt Pressure									
Final Pressure									
Initial Pressure									
<i>WIS-SI 01</i>									
Con-Test Work Order#	Client Use	Collection Data	Duration	Flow Rate	Matrix	Volume	Summa Can ID	Flow Controller ID	
Beginning Date/Time	Ending Date/Time	Total Minutes Sampled	Code	Liters/min	Code	Liters/m³			
7-Day	10-Day	<input checked="" type="checkbox"/>							
1-Day	3-Day	<input type="checkbox"/>							
2-Day	4-Day	<input type="checkbox"/>							
Format:	PDF <input type="checkbox"/> EXCEL <input checked="" type="checkbox"/>	please report in $m^3$							
Other:	CLP Like Data Pkg Required:	<input type="checkbox"/>							
Con-Test Quote Name/Number:	Email To: <a href="mailto:postma@east.com">postma@east.com</a>								
Invoice Recipient:	Melanie Dina								
Sampled By:	BC/JFJ								
Comments:									
Please use the following codes to indicate possible sample concentration within the Conic Code column above: H - High; M - Medium; L - Low; C - Clear; U - Unknown									
Matrix Codes: SG = SOIL GAS IA = INDOOR AIR AMB = AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = Other									
Relinquished by: (Signature)	Date/Time:	1/1/19 10:15	Relinquished by: (Signature)	Date/Time:	1/1/19 10:15	Special Requirements	MA MCP Required		
Received by: (Signature)	Date/Time:	1/1/19 10:15	Received by: (Signature)	Date/Time:	1/1/19 10:50		MCP Certification Form Required		
Relinquished by: (Signature)	Date/Time:	1/1/19 10:15	Relinquished by: (Signature)	Date/Time:	1/1/19 10:50		CT RCP Required		
Received by: (Signature)	Date/Time:	1/1/19 10:50	Received by: (Signature)	Date/Time:	1/1/19 10:50		RCP Certification Form Required		
Relinquished by: (Signature)	Date/Time:	1/1/19 10:50	Project Entity	Government <input type="checkbox"/>	Municipality <input type="checkbox"/>	WRTA <input type="checkbox"/>	School <input type="checkbox"/>	Brownfield <input type="checkbox"/>	MBTA <input type="checkbox"/>
Received by: (signature)	Date/Time:		Federal <input type="checkbox"/>	City <input checked="" type="checkbox"/>	Other <input type="checkbox"/>	Other <input type="checkbox"/>	Other <input type="checkbox"/>	Other <input type="checkbox"/>	Other <input type="checkbox"/>
NEPA and AIA-HAP TIC Accredited <input checked="" type="checkbox"/> PCB ONLY <input type="checkbox"/> Soxhlet <input type="checkbox"/> Non Soxhlet									

I Have Not Confirmed Sample Container  
Numbers With Lab Staff Before  
Relinquishing Over  
Samples \_\_\_\_\_



Doc# 278 Rev 6 2017

**Air Media Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False**

Client	EN Engineering				
Received By	RLF	Date	11/4/19	Time	1652
How were the samples received?	In Cooler In Box	On Ice Ambient		No Ice Melted Ice	
Were samples within Temperature Compliance? 2-6°C	NA	By Gun # By Blank #		Actual Temp - Actual Temp -	
Was Custody Seal Intact?	NA			Were Samples Tampered with?	NA
Was COC Relinquished ?	T			Does Chain Agree With Samples?	T
Are there any loose caps/valves on any samples?	F				
COC in ink/ Legible?	T				
Did COC Include all pertinent Information?	Client Project	Analysis ID's	T T	Sampler Name Collection Dates/Times	T T
Are Sample Labels filled out and legible?	(No) ✓ T				
Are there Rushes?	F				
Who was notified?					
Samples are received within holding time?	T				
Proper Media Used?	T				
Are there Trip Blanks?	F				
Individually Certified Cans?	T(2)				
Is there enough Volume?	T				

Containers	#	Size	Regulator	Duration	Accessories		
Summa Cans	2	16L	2	30 min	Nut/Ferrule		IC Train
Tedlar Bags					Tubing		
TO-17 Tubes					T-Connector		Shipping Charges
Radiello					Syringe		
Pufs/TO-11s					Tedlar		

**Comments:**

**APPENDIX F**

**Laboratory MRL Correspondence**



39 Spruce Street  
East Longmeadow, MA 01089

November 22, 2019

Frank Postma  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: RIDEM – Approved Action Level – Work Order 19J1970

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Samples 19J1970-01 through -06 and -10 through -14

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

Samples 19J1970-07 through -09

Bromodichloromethane	1,2-Dichloroethane
1,1,2,2-Tetrachloroethane	Methylene chloride
1,1,1,2-Tetrachloroethane	Vinyl chloride
1,2-Dibromoethane	1,2-Dichloroethane
Bromoform	

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski". The signature is fluid and cursive, with "Tod" and "Kopyscinski" being the most distinct parts.

Tod Kopyscinski  
Laboratory Director



39 Spruce Street  
East Longmeadow, MA 01089

November 22, 2019

Frank Postma  
EA Engineering Science & Technology  
2350 Post Road  
Warwick, RI 02886  
RE: RIDEM – Approved Action Level – Work Order 19K0128

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Bromodichloromethane  
1,1,2,2-Tetrachloroethane  
1,1,1,2-Tetrachloroethane  
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink, appearing to read "Tod Kopyscinski". The signature is fluid and cursive, with some loops and variations in line thickness.

Tod Kopyscinski  
Laboratory Director