

June 21, 2005  
Project 101960

Mr. Joseph T. Martella, II  
Rhode Island Department of Environmental Management  
Office of Waste Management  
235 Promenade Street  
Providence, RI 02908-5767

**Re: Monthly Status Report-May 2005  
Former Gorham Manufacturing Facility  
333 Adelaide Avenue, Providence, RI  
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this monthly status report on behalf of Textron, Inc. (Textron). This status report is for the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern being treated, using an in-situ application of sodium permanganate, to achieve the site-specific remedial goal of 7,700 micrograms per liter (ug/L).

A revised RAWP was prepared by Shaw dated June 11, 2004 providing a final plan for the follow-on injection of sodium permanganate as part of the remediation of PCE contaminated groundwater. The Revised RAWP was approved by RIDEM in a letter dated July 27, 2004. The follow-on permanganate injections were started on September 28 and finished on October 4, 2004. Approximately 24,400 pounds of oxidant as sodium permanganate was applied to the treatment zone (Figure 2). This status report describes activities conducted in accordance with the approved Revised RAWP dated June 11, 2004.

## **FIELD ACTIVITIES**

The following field activities were conducted in May 9 and 10, 2005:

### Monitoring Activities

Field parameters were measured in treatment area wells on May 9 and 10, 2005. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation measurements were also collected. These results are presented in Tables 1 and 2.

### Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260), chloride (EPA Method 300.0 Part A), and chemical oxygen demand (COD) (EPA Method 410.4) on May 9 and 10, 2005 from all 21 monitoring wells within the treatment area. Groundwater samples were also collected from five of the injection wells (04IN03, 04IN04, 04IS01, 04IS02, and 04IS04) for VOC analysis only. One duplicate sample was also collected. Four samples collected from the injection wells (04IN04, 04IS01, 04IS02, and 04IS04) exhibited the presence of permanganate (visual observation and measured with a colorimeter). These four samples were preserved with sodium thiosulfate. Groundwater samples were shipped to STL Westfield laboratory in Westfield, MA for analysis.

## **SUMMARY OF ANALYTICAL DATA**

A summary of the analytical data is contained in Table 3. The laboratory analytical report is attached to this report. The PCE concentration results for wells MW-101S, MW-201D, MW-202D and S, and 04IN03 are currently above the treatment goal of 7,700 ug/L.

## **FUTURE ACTIVITIES**


Field parameter measurements and groundwater sampling in the treatment area will continue on a quarterly basis. The samples collected in May 2005 constitute the second round of quarterly sampling. The next quarterly sampling event is scheduled to be conducted in August 2005.

Mr. Joseph T. Martella, II  
June 21, 2005  
Page 3 of 4

If you have any questions, please contact Ed Van Doren at (978) 691-2130.

Sincerely,

**SHAW ENVIRONMENTAL, INC.**



Edward P. Van Doren, PE, LSP  
Project Manager

Attachments

cc: Craig Roy, RIDEM OWR  
Greg Simpson, Textron  
Dave McCabe, Textron  
Jamieson Schiff, Textron  
Thomas Dellar, City of Providence  
Karriem Van Leesten, City of Providence  
Amelie Mailloux, Stop & Shop

Mr. Joseph T. Martella, II  
June 21, 2005  
Page 4 of 4

### CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Monthly Status Report dated June 21, 2005, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren, PE, LSP  
Project Manager

6/23/05

Date:

We, Textron, Inc., as the party responsible for submittal of this Monthly Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.



Gregory L. Simpson  
Project Manager

06/21/05

Date:

**TABLE 1**  
**Groundwater Field Parameters**  
**May 2005**

**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

<b>Location</b>	<b>Date</b>	<b>pH</b>	<b>Temperature (C°)</b>	<b>ORP (mv)</b>	<b>Specific Conductivity (ms/cm)</b>
MW-101D	5/9/2005	5.24	14.8	253.4	0.021
MW-101S	5/9/2005	5.88	14.54	6.1	0.954
MW-112	5/10/2005	5.05	14.5	344.1	0.381
MW-116D	5/10/2005	4.54	14.25	351.2	0.445
MW-116S	5/10/2005	4.97	15.48	276.8	0.189
MW-201D	5/9/2005	6.92	14.34	-22.3	2.512
MW-201S	5/9/2005	6.36	14.29	173.9	1.739
MW-202D	5/9/2005	5.54	14.5	331.5	0.882
MW-202S	5/9/2005	5.55	14.79	198.9	0.877
MW-203D	5/10/2005	5.67	14.33	269.1	0.61
MW-203S	5/10/2005	5.54	14.66	238.7	0.696
MW-204D	5/9/2005	6.42	14.11	211.5	1.098
MW-204S	5/9/2005	6.31	14.33	117.6	0.058
MW-205S	5/10/2005	6.01	15.02	12.8	0.516
MW-206D	5/9/2005	5.65	14.29	228.9	0.435
MW-206S	5/9/2005	6.4	13.86	241.2	1.338
MW-207D	5/9/2005	5.83	14.26	283.9	1.081
MW-207S	5/9/2005	5.79	14.56	160.4	0.024
MW-208D	5/9/2005	5.15	14.36	320.8	0.854
MW-208S	5/9/2005	5.42	14.22	184.7	0.881
MW-209D	5/10/2005	5.43	14.9	403	0.198
04IN03	5/10/2005	4.45	14.99	404.2	1.005

**Notes:**

C° = degrees Celsius

mv = millivolts

ms/cm = milliseimens per centimeter

ORP = oxidation-reduction potential

**TABLE 2**  
**Water Table Elevations**  
**May 2005**

**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

<b>Location</b>	<b>Date</b>	<b>Reference Elevation (Feet)</b>	<b>Depth to Water (Feet)</b>	<b>Groundwater Elevation (Feet)</b>
MW-101D	5/9/2005	98.91	23.86	75.05
MW-101S	5/9/2005	98.90	23.91	74.99
MW-112	5/9/2005	100.63	25.49	75.14
MW-116D	5/9/2005	98.92	23.74	75.18
MW-116S	5/9/2005	99.40	24.18	75.22
MW-201D	5/9/2005	98.80	23.77	75.03
MW-201S	5/9/2005	98.75	23.74	75.01
MW-202D	5/9/2005	98.17	22.23	75.94
MW-202S	5/9/2005	98.06	23.13	74.93
MW-203D	5/9/2005	98.91	23.79	75.12
MW-203S	5/9/2005	98.92	23.84	75.08
MW-204D	5/9/2005	98.88	23.98	74.90
MW-204S	5/9/2005	98.84	23.92	74.92
MW-205	5/9/2005	99.47	24.41	75.06
MW-206D	5/9/2005	98.71	23.75	74.96
MW-206S	5/9/2005	98.55	23.58	74.97
MW-207D	5/9/2005	98.18	23.28	74.90
MW-207S	5/9/2005	98.28	23.35	74.93
MW-208D	5/9/2005	99.68	24.75	74.93
MW-208S	5/9/2005	99.50	24.56	74.94
MW-209D	5/9/2005	100.47	25.29	75.18

**Note:**

Groundwater elevations are based on an arbitrary reference datum established for the site.

**TABLE 3**  
**Volatile Organic Compounds (VOCs), Chloride, and Chemical Oxygen Demand (COD) in Groundwater**  
**May 2005**

**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

CONSTITUENT (ug/L)	MW-101D 5/9/2005 Primary	MW-101S 5/9/2005 Primary	MW-101S 5/9/2005 Duplicate 1	MW-112 5/10/2005 Primary	MW-116D 5/10/2005 Primary	MW-116S 5/10/2005 Primary	MW-201D 5/9/2005 Primary	MW-201S 5/9/2005 Primary	MW-202D 5/9/2005 Primary	MW-202S 5/9/2005 Primary	MW-203D 5/10/2005 Primary	MW-203S 5/10/2005 Primary	MW-204D 5/9/2005 Primary	MW-204S 5/9/2005 Primary
1,1,1-Trichloroethane	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	5.8J	<1000	<1000	<5.0	3.8	33	1.2
1,1-Dichloroethane	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	<2.0	22	<1.0
1,2,4-Trimethylbenzene	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	2.6	<20	<1.0
1,3,5-Trimethylbenzene	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	1.1J	<20	<1.0
Benzene	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	<2.0	<20	<1.0
Chloroform	<50	<1000	<1000	1.4J	1.1	<1.0	<200	<10	<1000	<1000	<5.0	<2.0	<20	<1.0
cis-1,2-Dichloroethene	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	<2.0	<20	0.82J
m/p-xylene	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	1.4J	<20	<1.0
Methyltert-butylether	<50	<1000	<1000	4.5	29	2	<200	16	<1000	<1000	3.2J	5.1	<20	<1.0
o-Xylene	<50	<1000	<1000	<2.0	<1.0	<1.0	<200	<10	<1000	<1000	<5.0	1.1J	<20	<1.0
Tetrachloroethene	1500	60000	55000	76	<1.0	1.8	9500	770	34000	51000	200	66	1700	16
Trichloroethene	<50	<1000	<1000	24	1.1	<1.0	550	190	<1000	<1000	65	120	200	1.9
COD (mg/L)	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
Chloride (mg/L)	11	210	210	110	130	39	270	370	230	250	170	170	80	1.4

**Notes:**

ug/L = microgram per liter

mg/L = milligram per liter

< = compound was not detected. Value indicated is the method reporting limit.

J = estimated result value.

NA = compound not analyzed for.

COD = chemical oxygen demand

**TABLE 3**  
**Volatile Organic Compounds (VOCs), Chloride, and Chemical Oxygen Demand (COD) in Groundwater**  
**May 2005**

**Former Gorham Manufacturing Facility**  
**Providence, Rhode Island**

CONSTITUENT (ug/L)	MW-205 5/10/2005 Primary	MW-206D 5/9/2005 Primary	MW-206S 5/9/2005 Primary	MW-207D 5/9/2005 Primary	MW-207S 5/9/2005 Primary	MW-208D 5/9/2005 Primary	MW-208S 5/9/2005 Primary	MW-209D 5/10/2005 Primary	04IN03 5/10/2005 Primary	04IN04 5/10/2005 Primary	04IS01 5/10/2005 Primary	04IS02 5/10/2005 Primary	04IS04 5/10/2005 Primary
1,1,1-Trichloroethane	<5.0	<5.0	8.8	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
1,1-Dichloroethane	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
1,2,4-Trimethylbenzene	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
1,3,5-Trimethylbenzene	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
Benzene	<5.0	<5.0	<5.0	<100	<25	7.1J	<10	<10	<1000	<100	<20	<5.0	<10
Chloroform	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
cis-1,2-Dichloroethene	67	3.0J	<5.0	<100	<25	130	82	<10	<1000	<100	<20	<5.0	89
m/p-xylene	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
Methyltert-butylether	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
o-Xylene	<5.0	<5.0	<5.0	<100	<25	<10	<10	<10	<1000	<100	<20	<5.0	<10
Tetrachloroethene	290	430	94	5400	1200	240	530	540	57000	2300	1600	150	350
Trichloroethene	47	120	210	<100	<25	10	11	56	<1000	<100	95	<5.0	22
COD (mg/L)	<20	<20	<20	<20	<20	27	23	<20	NA	NA	NA	NA	NA
Chloride (mg/L)	230	33	330	240	37	460	290	140	NA	NA	NA	NA	NA

**Notes:**

ug/L = microgram per liter

mg/L = milligram per liter

< = compound was not detect


J = estimated result value.

NA = compound not analyzed

COD = chemical oxygen dem








DATE	6/21/05
DWN	J.O.D.
APP	
REV	
PROJECT NO.	101980

**FIGURE 2**  
 TEXTRON PROVIDENCE  
 333 ADELAIDE AVENUE  
 PROVIDENCE, RHODE ISLAND  
**INJECTION WELL LOCATIONS**



**LEGEND**

- EXISTING MONITORING WELL
- EXISTING SOIL BORING
- PROPOSED INJECTION WELL

S A M P L E I N F O R M A T I O N

Date: 06/01/2005

Job Number.: 225410  
 Customer...: Shaw E&I Inc.  
 Attn.....: Edward Van Doren

Project Number.....: 20002662  
 Customer Project ID....: TEXTRON GORHAM  
 Project Description....: Textron Gorham

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
225410-1	MW206D	Water	05/09/2005	07:30	05/11/2005	19:00
225410-2	MW206S	Water	05/09/2005	08:00	05/11/2005	19:00
225410-3	MW204D	Water	05/09/2005	08:30	05/11/2005	19:00
225410-4	MW204S	Water	05/09/2005	09:00	05/11/2005	19:00
225410-5	MW207D	Water	05/09/2005	10:00	05/11/2005	19:00
225410-6	MW207S	Water	05/09/2005	10:30	05/11/2005	19:00
225410-7	MW208D	Water	05/09/2005	11:30	05/11/2005	19:00
225410-8	MW208S	Water	05/09/2005	12:00	05/11/2005	19:00
225410-9	Trip Blank 1	Lab Water	04/26/2005	20:20	05/11/2005	19:00
225410-10	MW202D	Water	05/09/2005	13:00	05/11/2005	19:00
225410-11	MW202S	Water	05/09/2005	13:30	05/11/2005	19:00
225410-12	MW101D	Water	05/09/2005	14:30	05/11/2005	19:00
225410-13	MW101S	Water	05/09/2005	15:00	05/11/2005	19:00
225410-14	MW201D	Water	05/09/2005	15:30	05/11/2005	19:00
225410-15	MW201S	Water	05/09/2005	16:00	05/11/2005	19:00
225410-16	MW205	Water	05/10/2005	09:30	05/11/2005	19:00
225410-17	MW203D	Water	05/10/2005	10:30	05/11/2005	19:00
225410-18	MW203S	Water	05/10/2005	11:00	05/11/2005	19:00
225410-19	MW112	Water	05/10/2005	11:30	05/11/2005	19:00
225410-20	MW116D	Water	05/10/2005	12:00	05/11/2005	19:00
225410-21	MW116S	Water	05/10/2005	12:30	05/11/2005	19:00
225410-22	MW209D	Water	05/10/2005	13:00	05/11/2005	19:00
225410-23	041S02	Water	05/10/2005	14:00	05/11/2005	19:00
225410-24	041S04	Water	05/10/2005	13:30	05/11/2005	19:00
225410-25	041N04	Water	05/10/2005	14:30	05/11/2005	19:00
225410-26	041N03	Water	05/10/2005	15:00	05/11/2005	19:00

S A M P L E I N F O R M A T I O N

Date:

Job Number.: 225410  
 Customer...: Shaw E&I Inc.  
 Attn.....: Edward Van Doren

Project Number.....: 20002662  
 Customer Project ID...: TEXTRON GORHAM  
 Project Description....: Textron Gorham

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
225410-27	041S01	Water	05/10/2005	15:30	05/11/2005	19:00
225410-28	MW101SD	Water	05/09/2005	16:15	05/11/2005	19:00

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW206D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 07:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-1  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	33		1.0	mg/L	05/25/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1,1-Trichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1,2-Trichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1-Dichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1-Dichloroethene	ND	U	5.0	ug/L	05/18/05	caox
	1,1-Dichloropropene	ND	U	5.0	ug/L	05/18/05	caox
	1,2,3-Trichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2,3-Trichloropropane	ND	U	15	ug/L	05/18/05	caox
	1,2,4-Trichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2,4-Trimethylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	25	ug/L	05/18/05	caox
	1,2-Dibromoethane (EDB)	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dichloropropane	ND	U	5.0	ug/L	05/18/05	caox
	1,3,5-Trimethylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,3-Dichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,3-Dichloropropane	ND	U	5.0	ug/L	05/18/05	caox
	1,4-Dichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	2,2-Dichloropropane	ND	U	5.0	ug/L	05/18/05	caox
	2-Butanone (MEK)	ND	U	50	ug/L	05/18/05	caox
	2-Chlorotoluene	ND	U	5.0	ug/L	05/18/05	caox
	2-Hexanone (MNBK)	ND	U	50	ug/L	05/18/05	caox
	4-Chlorotoluene	ND	U	5.0	ug/L	05/18/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	50	ug/L	05/18/05	caox
	Acetone	ND	U	250	ug/L	05/18/05	caox
	Benzene	ND	U	5.0	ug/L	05/18/05	caox
	Bromobenzene	ND	U	5.0	ug/L	05/18/05	caox
	Bromochloromethane	ND	U	5.0	ug/L	05/18/05	caox
	Bromodichloromethane	ND	U	5.0	ug/L	05/18/05	caox
	Bromofom	ND	U	5.0	ug/L	05/18/05	caox
	Bromomethane	ND	U	10	ug/L	05/18/05	caox
	Carbon tetrachloride	ND	U	5.0	ug/L	05/18/05	caox
	Chlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	Chloroethane	ND	U	10	ug/L	05/18/05	caox
	Chloroform	ND	U	5.0	ug/L	05/18/05	caox
	Chloromethane	ND	U	10	ug/L	05/18/05	caox
	Dibromochloromethane	ND	U	5.0	ug/L	05/18/05	caox
	Dibromomethane	ND	U	5.0	ug/L	05/18/05	caox
	Ethylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	Hexachlorobutadiene	ND	U	3.0	ug/L	05/18/05	caox
	Isopropylbenzene	ND	U	5.0	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW206D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 07:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-1  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	5.0	ug/L	05/18/05	caox
	Methylene chloride	ND	U	10	ug/L	05/18/05	caox
	Naphthalene	ND	U	25	ug/L	05/18/05	caox
	Styrene	ND	U	5.0	ug/L	05/18/05	caox
	Tetrachloroethene	430		5.0	ug/L	05/18/05	caox
	Toluene	ND	U	5.0	ug/L	05/18/05	caox
	Trichloroethene (TCE)	120		5.0	ug/L	05/18/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	5.0	ug/L	05/18/05	caox
	Vinyl chloride	ND	U	5.0	ug/L	05/18/05	caox
	cis-1,2-Dichloroethene	3.0	J	5.0	ug/L	05/18/05	caox
	cis-1,3-Dichloropropene	ND	U	2.5	ug/L	05/18/05	caox
	m&p-Xylenes	ND	U	5.0	ug/L	05/18/05	caox
	n-Butylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	n-Propylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	o-Xylene	ND	U	5.0	ug/L	05/18/05	caox
	p-Isopropyltoluene	ND	U	5.0	ug/L	05/18/05	caox
	sec-Butylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	tert-Butylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	trans-1,2-Dichloroethene	ND	U	5.0	ug/L	05/18/05	caox
	trans-1,3-Dichloropropene	ND	U	2.5	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW206S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 08:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-2  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	330		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1,1-Trichloroethane	8.8		5.0	ug/L	05/18/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1,2-Trichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1-Dichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,1-Dichloroethene	ND	U	5.0	ug/L	05/18/05	caox
	1,1-Dichloropropene	ND	U	5.0	ug/L	05/18/05	caox
	1,2,3-Trichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2,3-Trichloropropane	ND	U	15	ug/L	05/18/05	caox
	1,2,4-Trichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2,4-Trimethylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	25	ug/L	05/18/05	caox
	1,2-Dibromoethane (EDB)	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dichloroethane	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dichloropropane	ND	U	5.0	ug/L	05/18/05	caox
	1,3,5-Trimethylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,3-Dichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	1,3-Dichloropropane	ND	U	5.0	ug/L	05/18/05	caox
	1,4-Dichlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	2,2-Dichloropropane	ND	U	5.0	ug/L	05/18/05	caox
	2-Butanone (MEK)	ND	U	50	ug/L	05/18/05	caox
	2-Chlorotoluene	ND	U	5.0	ug/L	05/18/05	caox
	2-Hexanone (MNBK)	ND	U	50	ug/L	05/18/05	caox
	4-Chlorotoluene	ND	U	5.0	ug/L	05/18/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	50	ug/L	05/18/05	caox
	Acetone	ND	U	250	ug/L	05/18/05	caox
	Benzene	ND	U	5.0	ug/L	05/18/05	caox
	Bromobenzene	ND	U	5.0	ug/L	05/18/05	caox
	Bromochloromethane	ND	U	5.0	ug/L	05/18/05	caox
	Bromodichloromethane	ND	U	5.0	ug/L	05/18/05	caox
	Bromofom	ND	U	5.0	ug/L	05/18/05	caox
	Bromomethane	ND	U	10	ug/L	05/18/05	caox
	Carbon tetrachloride	ND	U	5.0	ug/L	05/18/05	caox
	Chlorobenzene	ND	U	5.0	ug/L	05/18/05	caox
	Chloroethane	ND	U	10	ug/L	05/18/05	caox
	Chloroform	ND	U	5.0	ug/L	05/18/05	caox
	Chloromethane	ND	U	10	ug/L	05/18/05	caox
	Dibromochloromethane	ND	U	5.0	ug/L	05/18/05	caox
	Dibromomethane	ND	U	5.0	ug/L	05/18/05	caox
	Ethylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	Hexachlorobutadiene	ND	U	3.0	ug/L	05/18/05	caox
	Isopropylbenzene	ND	U	5.0	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW206S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 08:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-2  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	5.0	ug/L	05/18/05	caox
	Methylene chloride	ND	U	10	ug/L	05/18/05	caox
	Naphthalene	ND	U	25	ug/L	05/18/05	caox
	Styrene	ND	U	5.0	ug/L	05/18/05	caox
	Tetrachloroethene	94		5.0	ug/L	05/18/05	caox
	Toluene	ND	U	5.0	ug/L	05/18/05	caox
	Trichloroethene (TCE)	210		5.0	ug/L	05/18/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	5.0	ug/L	05/18/05	caox
	Vinyl chloride	ND	U	5.0	ug/L	05/18/05	caox
	cis-1,2-Dichloroethene	ND	U	5.0	ug/L	05/18/05	caox
	cis-1,3-Dichloropropene	ND	U	2.5	ug/L	05/18/05	caox
	m&p-Xylenes	ND	U	5.0	ug/L	05/18/05	caox
	n-Butylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	n-Propylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	o-Xylene	ND	U	5.0	ug/L	05/18/05	caox
	p-Isopropyltoluene	ND	U	5.0	ug/L	05/18/05	caox
	sec-Butylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	tert-Butylbenzene	ND	U	5.0	ug/L	05/18/05	caox
	trans-1,2-Dichloroethene	ND	U	5.0	ug/L	05/18/05	caox
	trans-1,3-Dichloropropene	ND	U	2.5	ug/L	05/18/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW204D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 08:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-3  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	80		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	20	ug/L	05/18/05	caox
	1,1,1-Trichloroethane	33		20	ug/L	05/18/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	20	ug/L	05/18/05	caox
	1,1,2-Trichloroethane	ND	U	20	ug/L	05/18/05	caox
	1,1-Dichloroethane	22		20	ug/L	05/18/05	caox
	1,1-Dichloroethene	ND	U	20	ug/L	05/18/05	caox
	1,1-Dichloropropene	ND	U	20	ug/L	05/18/05	caox
	1,2,3-Trichlorobenzene	ND	U	20	ug/L	05/18/05	caox
	1,2,3-Trichloropropene	ND	U	60	ug/L	05/18/05	caox
	1,2,4-Trichlorobenzene	ND	U	20	ug/L	05/18/05	caox
	1,2,4-Trimethylbenzene	ND	U	20	ug/L	05/18/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	100	ug/L	05/18/05	caox
	1,2-Dibromoethane (EDB)	ND	U	20	ug/L	05/18/05	caox
	1,2-Dichlorobenzene	ND	U	20	ug/L	05/18/05	caox
	1,2-Dichloroethane	ND	U	20	ug/L	05/18/05	caox
	1,2-Dichloropropane	ND	U	20	ug/L	05/18/05	caox
	1,3,5-Trimethylbenzene	ND	U	20	ug/L	05/18/05	caox
	1,3-Dichlorobenzene	ND	U	20	ug/L	05/18/05	caox
	1,3-Dichloropropene	ND	U	20	ug/L	05/18/05	caox
	1,4-Dichlorobenzene	ND	U	20	ug/L	05/18/05	caox
	2,2-Dichloropropane	ND	U	20	ug/L	05/18/05	caox
	2-Butanone (MEK)	ND	U	200	ug/L	05/18/05	caox
	2-Chlorotoluene	ND	U	20	ug/L	05/18/05	caox
	2-Hexanone (MNBK)	ND	U	200	ug/L	05/18/05	caox
	4-Chlorotoluene	ND	U	20	ug/L	05/18/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	200	ug/L	05/18/05	caox
	Acetone	ND	U	1000	ug/L	05/18/05	caox
	Benzene	ND	U	20	ug/L	05/18/05	caox
	Bromobenzene	ND	U	20	ug/L	05/18/05	caox
	Bromochloromethane	ND	U	20	ug/L	05/18/05	caox
	Bromodichloromethane	ND	U	20	ug/L	05/18/05	caox
	Bromofom	ND	U	20	ug/L	05/18/05	caox
	Bromomethane	ND	U	40	ug/L	05/18/05	caox
	Carbon tetrachloride	ND	U	20	ug/L	05/18/05	caox
	Chlorobenzene	ND	U	20	ug/L	05/18/05	caox
	Chloroethane	ND	U	40	ug/L	05/18/05	caox
	Chloroform	ND	U	20	ug/L	05/18/05	caox
	Chloromethane	ND	U	40	ug/L	05/18/05	caox
	Dibromochloromethane	ND	U	20	ug/L	05/18/05	caox
	Dibromomethane	ND	U	20	ug/L	05/18/05	caox
	Ethylbenzene	ND	U	20	ug/L	05/18/05	caox
	Hexachlorobutadiene	ND	U	12	ug/L	05/18/05	caox
	Isopropylbenzene	ND	U	20	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW204D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 08:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-3  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	20	ug/L	05/18/05	caox
	Methylene chloride	ND	U	40	ug/L	05/18/05	caox
	Naphthalene	ND	U	100	ug/L	05/18/05	caox
	Styrene	ND	U	20	ug/L	05/18/05	caox
	Tetrachloroethene	1700		20	ug/L	05/18/05	caox
	Toluene	ND	U	20	ug/L	05/18/05	caox
	Trichloroethene (TCE)	200		20	ug/L	05/18/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	20	ug/L	05/18/05	caox
	Vinyl chloride	ND	U	20	ug/L	05/18/05	caox
	cis-1,2-Dichloroethene	ND	U	20	ug/L	05/18/05	caox
	cis-1,3-Dichloropropene	ND	U	10	ug/L	05/18/05	caox
	m&p-Xylenes	ND	U	20	ug/L	05/18/05	caox
	n-Butylbenzene	ND	U	20	ug/L	05/18/05	caox
	n-Propylbenzene	ND	U	20	ug/L	05/18/05	caox
	o-Xylene	ND	U	20	ug/L	05/18/05	caox
	p-Isopropyltoluene	ND	U	20	ug/L	05/18/05	caox
	sec-Butylbenzene	ND	U	20	ug/L	05/18/05	caox
	tert-Butylbenzene	ND	U	20	ug/L	05/18/05	caox
	trans-1,2-Dichloroethene	ND	U	20	ug/L	05/18/05	caox
	trans-1,3-Dichloropropene	ND	U	10	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW204S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 09:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-4  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	1.4		1.0	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	1.2		1.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	3.0	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	10	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	1.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	10	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	1.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10	ug/L	05/19/05	caox
	Acetone	ND	U	50	ug/L	05/19/05	caox
	Benzene	ND	U	1.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	1.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Bromofom	ND	U	1.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	2.0	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	1.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	2.0	ug/L	05/19/05	caox
	Chloroform	ND	U	1.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	1.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	0.60	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	1.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW204S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 09:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-4  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	1.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	2.0	ug/L	05/19/05	caox
	Naphthalene	ND	U	5.0	ug/L	05/19/05	caox
	Styrene	ND	U	1.0	ug/L	05/19/05	caox
	Tetrachloroethene	16		1.0	ug/L	05/19/05	caox
	Toluene	ND	U	1.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	1.9		1.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	1.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	0.82	J	1.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	0.50	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	1.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	o-Xylene	ND	U	1.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	1.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	0.50	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW207D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 10:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-5  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	240		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	100	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	100	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	100	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	100	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	100	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	100	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	100	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	100	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	300	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	100	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	100	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	500	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	100	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	100	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	100	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	100	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	100	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	100	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	100	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	100	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	100	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	1000	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	100	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	1000	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	100	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	1000	ug/L	05/19/05	caox
	Acetone	ND	U	5000	ug/L	05/19/05	caox
	Benzene	ND	U	100	ug/L	05/19/05	caox
	Bromobenzene	ND	U	100	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	100	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	100	ug/L	05/19/05	caox
	Bromofom	ND	U	100	ug/L	05/19/05	caox
	Bromomethane	ND	U	200	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	100	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	100	ug/L	05/19/05	caox
	Chloroethane	ND	U	200	ug/L	05/19/05	caox
	Chloroform	ND	U	100	ug/L	05/19/05	caox
	Chloromethane	ND	U	200	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	100	ug/L	05/19/05	caox
	Dibromomethane	ND	U	100	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	100	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	60	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	100	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW207D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 10:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-5  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	100	ug/L	05/19/05	caox
	Methylene chloride	ND	U	200	ug/L	05/19/05	caox
	Naphthalene	ND	U	500	ug/L	05/19/05	caox
	Styrene	ND	U	100	ug/L	05/19/05	caox
	Tetrachloroethene	5400		100	ug/L	05/19/05	caox
	Toluene	ND	U	100	ug/L	05/19/05	caox
	Trichloroethene (TCE)	ND	U	100	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	100	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	100	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	100	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	50	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	100	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	100	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	100	ug/L	05/19/05	caox
	o-Xylene	ND	U	100	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	100	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	100	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	100	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	100	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	50	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW207S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 10:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-6  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	37		1.0	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	25	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	25	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	25	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	25	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	25	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	25	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	25	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	25	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	75	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	25	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	25	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	120	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	25	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	25	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	25	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	25	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	25	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	25	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	25	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	25	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	25	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	250	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	25	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	250	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	25	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	250	ug/L	05/19/05	caox
	Acetone	ND	U	1200	ug/L	05/19/05	caox
	Benzene	ND	U	25	ug/L	05/19/05	caox
	Bromobenzene	ND	U	25	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	25	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	25	ug/L	05/19/05	caox
	Bromofom	ND	U	25	ug/L	05/19/05	caox
	Bromomethane	ND	U	50	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	25	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	25	ug/L	05/19/05	caox
	Chloroethane	ND	U	50	ug/L	05/19/05	caox
	Chloroform	ND	U	25	ug/L	05/19/05	caox
	Chloromethane	ND	U	50	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	25	ug/L	05/19/05	caox
	Dibromomethane	ND	U	25	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	25	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	15	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	25	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW207S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 10:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-6  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	25	ug/L	05/19/05	caox
	Methylene chloride	ND	U	50	ug/L	05/19/05	caox
	Naphthalene	ND	U	120	ug/L	05/19/05	caox
	Styrene	ND	U	25	ug/L	05/19/05	caox
	Tetrachloroethene	1200	U	25	ug/L	05/19/05	caox
	Toluene	ND	U	25	ug/L	05/19/05	caox
	Trichloroethene (TCE)	ND	U	25	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	25	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	25	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	25	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	12	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	25	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	25	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	25	ug/L	05/19/05	caox
	o-Xylene	ND	U	25	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	25	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	25	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	25	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	25	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	12	ug/L	05/19/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW208D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 11:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-7  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	460		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	27		20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	10	ug/L	05/18/05	caox
	1,1,1-Trichloroethane	ND	U	10	ug/L	05/18/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	10	ug/L	05/18/05	caox
	1,1,2-Trichloroethane	ND	U	10	ug/L	05/18/05	caox
	1,1-Dichloroethane	ND	U	10	ug/L	05/18/05	caox
	1,1-Dichloroethene	ND	U	10	ug/L	05/18/05	caox
	1,1-Dichloropropene	ND	U	10	ug/L	05/18/05	caox
	1,2,3-Trichlorobenzene	ND	U	10	ug/L	05/18/05	caox
	1,2,3-Trichloropropane	ND	U	30	ug/L	05/18/05	caox
	1,2,4-Trichlorobenzene	ND	U	10	ug/L	05/18/05	caox
	1,2,4-Trimethylbenzene	ND	U	10	ug/L	05/18/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	50	ug/L	05/18/05	caox
	1,2-Dibromoethane (EDB)	ND	U	10	ug/L	05/18/05	caox
	1,2-Dichlorobenzene	ND	U	10	ug/L	05/18/05	caox
	1,2-Dichloroethane	ND	U	10	ug/L	05/18/05	caox
	1,2-Dichloropropane	ND	U	10	ug/L	05/18/05	caox
	1,3,5-Trimethylbenzene	ND	U	10	ug/L	05/18/05	caox
	1,3-Dichlorobenzene	ND	U	10	ug/L	05/18/05	caox
	1,3-Dichloropropane	ND	U	10	ug/L	05/18/05	caox
	1,4-Dichlorobenzene	ND	U	10	ug/L	05/18/05	caox
	2,2-Dichloropropane	ND	U	10	ug/L	05/18/05	caox
	2-Butanone (MEK)	ND	U	100	ug/L	05/18/05	caox
	2-Chlorotoluene	ND	U	10	ug/L	05/18/05	caox
	2-Hexanone (MNBK)	ND	U	100	ug/L	05/18/05	caox
	4-Chlorotoluene	ND	U	10	ug/L	05/18/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	100	ug/L	05/18/05	caox
	Acetone	ND	U	500	ug/L	05/18/05	caox
	Benzene	7.1	J	10	ug/L	05/18/05	caox
	Bromobenzene	ND	U	10	ug/L	05/18/05	caox
	Bromochloromethane	ND	U	10	ug/L	05/18/05	caox
	Bromodichloromethane	ND	U	10	ug/L	05/18/05	caox
	Bromofom	ND	U	10	ug/L	05/18/05	caox
	Bromomethane	ND	U	20	ug/L	05/18/05	caox
	Carbon tetrachloride	ND	U	10	ug/L	05/18/05	caox
	Chlorobenzene	ND	U	10	ug/L	05/18/05	caox
	Chloroethane	ND	U	20	ug/L	05/18/05	caox
	Chloroform	ND	U	10	ug/L	05/18/05	caox
	Chloromethane	ND	U	20	ug/L	05/18/05	caox
	Dibromochloromethane	ND	U	10	ug/L	05/18/05	caox
	Dibromomethane	ND	U	10	ug/L	05/18/05	caox
	Ethylbenzene	ND	U	10	ug/L	05/18/05	caox
	Hexachlorobutadiene	ND	U	6.0	ug/L	05/18/05	caox
	Isopropylbenzene	ND	U	10	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW208D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 11:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-7  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	10	ug/L	05/18/05	caox
	Methylene chloride	ND	U	20	ug/L	05/18/05	caox
	Naphthalene	ND	U	50	ug/L	05/18/05	caox
	Styrene	ND	U	10	ug/L	05/18/05	caox
	Tetrachloroethene	240		10	ug/L	05/18/05	caox
	Toluene	ND	U	10	ug/L	05/18/05	caox
	Trichloroethene (TCE)	10		10	ug/L	05/18/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	10	ug/L	05/18/05	caox
	Vinyl chloride	ND	U	10	ug/L	05/18/05	caox
	cis-1,2-Dichloroethene	130		10	ug/L	05/18/05	caox
	cis-1,3-Dichloropropene	ND	U	5.0	ug/L	05/18/05	caox
	m&p-Xylenes	ND	U	10	ug/L	05/18/05	caox
	n-Butylbenzene	ND	U	10	ug/L	05/18/05	caox
	n-Propylbenzene	ND	U	10	ug/L	05/18/05	caox
	o-Xylene	ND	U	10	ug/L	05/18/05	caox
	p-Isopropyltoluene	ND	U	10	ug/L	05/18/05	caox
	sec-Butylbenzene	ND	U	10	ug/L	05/18/05	caox
	tert-Butylbenzene	ND	U	10	ug/L	05/18/05	caox
	trans-1,2-Dichloroethene	ND	U	10	ug/L	05/18/05	caox
	trans-1,3-Dichloropropene	ND	U	5.0	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW208S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 12:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-8  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	290		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	23		20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	10	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	30	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	10	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	50	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	10	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	100	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	10	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	100	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	10	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	100	ug/L	05/19/05	caox
	Acetone	ND	U	500	ug/L	05/19/05	caox
	Benzene	ND	U	10	ug/L	05/19/05	caox
	Bromobenzene	ND	U	10	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	10	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	10	ug/L	05/19/05	caox
	Bromofom	ND	U	10	ug/L	05/19/05	caox
	Bromomethane	ND	U	20	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	10	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	10	ug/L	05/19/05	caox
	Chloroethane	ND	U	20	ug/L	05/19/05	caox
	Chloroform	ND	U	10	ug/L	05/19/05	caox
	Chloromethane	ND	U	20	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	10	ug/L	05/19/05	caox
	Dibromomethane	ND	U	10	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	10	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	6.0	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	10	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW208S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 12:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-8  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	10	ug/L	05/19/05	caox
	Methylene chloride	ND	U	20	ug/L	05/19/05	caox
	Naphthalene	ND	U	50	ug/L	05/19/05	caox
	Styrene	ND	U	10	ug/L	05/19/05	caox
	Tetrachloroethene	530		10	ug/L	05/19/05	caox
	Toluene	ND	U	10	ug/L	05/19/05	caox
	Trichloroethene (TCE)	11		10	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	10	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	10	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	82		10	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	10	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	10	ug/L	05/19/05	caox
	o-Xylene	ND	U	10	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	10	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: Trip Blank 1  
 Date Sampled.....: 04/26/2005  
 Time Sampled.....: 20:20  
 Sample Matrix.....: Lab Water

Laboratory Sample ID: 225410-9  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1.0	ug/L	05/18/05	caox
	1,1,1-Trichloroethane	ND	U	1.0	ug/L	05/18/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1.0	ug/L	05/18/05	caox
	1,1,2-Trichloroethane	ND	U	1.0	ug/L	05/18/05	caox
	1,1-Dichloroethane	ND	U	1.0	ug/L	05/18/05	caox
	1,1-Dichloroethene	ND	U	1.0	ug/L	05/18/05	caox
	1,1-Dichloropropene	ND	U	1.0	ug/L	05/18/05	caox
	1,2,3-Trichlorobenzene	ND	U	1.0	ug/L	05/18/05	caox
	1,2,3-Trichloropropane	ND	U	3.0	ug/L	05/18/05	caox
	1,2,4-Trichlorobenzene	ND	U	1.0	ug/L	05/18/05	caox
	1,2,4-Trimethylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5.0	ug/L	05/18/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1.0	ug/L	05/18/05	caox
	1,2-Dichlorobenzene	ND	U	1.0	ug/L	05/18/05	caox
	1,2-Dichloroethane	ND	U	1.0	ug/L	05/18/05	caox
	1,2-Dichloropropane	ND	U	1.0	ug/L	05/18/05	caox
	1,3,5-Trimethylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	1,3-Dichlorobenzene	ND	U	1.0	ug/L	05/18/05	caox
	1,3-Dichloropropane	ND	U	1.0	ug/L	05/18/05	caox
	1,4-Dichlorobenzene	ND	U	1.0	ug/L	05/18/05	caox
	2,2-Dichloropropane	ND	U	1.0	ug/L	05/18/05	caox
	2-Butanone (MEK)	ND	U	10	ug/L	05/18/05	caox
	2-Chlorotoluene	ND	U	1.0	ug/L	05/18/05	caox
	2-Hexanone (MNBK)	ND	U	10	ug/L	05/18/05	caox
	4-Chlorotoluene	ND	U	1.0	ug/L	05/18/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10	ug/L	05/18/05	caox
	Acetone	ND	U	50	ug/L	05/18/05	caox
	Benzene	ND	U	1.0	ug/L	05/18/05	caox
	Bromobenzene	ND	U	1.0	ug/L	05/18/05	caox
	Bromochloromethane	ND	U	1.0	ug/L	05/18/05	caox
	Bromodichloromethane	ND	U	1.0	ug/L	05/18/05	caox
	Bromoform	ND	U	1.0	ug/L	05/18/05	caox
	Bromomethane	ND	U	2.0	ug/L	05/18/05	caox
	Carbon tetrachloride	ND	U	1.0	ug/L	05/18/05	caox
	Chlorobenzene	ND	U	1.0	ug/L	05/18/05	caox
	Chloroethane	ND	U	2.0	ug/L	05/18/05	caox
	Chloroform	ND	U	1.0	ug/L	05/18/05	caox
	Chloromethane	ND	U	2.0	ug/L	05/18/05	caox
	Dibromochloromethane	ND	U	1.0	ug/L	05/18/05	caox
	Dibromomethane	ND	U	1.0	ug/L	05/18/05	caox
	Ethylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	Hexachlorobutadiene	ND	U	0.60	ug/L	05/18/05	caox
	Isopropylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	Methyl-tert-butyl-ether (MTBE)	ND	U	1.0	ug/L	05/18/05	caox
	Methylene chloride	ND	U	2.0	ug/L	05/18/05	caox
	Naphthalene	ND	U	5.0	ug/L	05/18/05	caox
	Styrene	ND	U	1.0	ug/L	05/18/05	caox
	Tetrachloroethene	ND	U	1.0	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: Trip Blank 1  
 Date Sampled.....: 04/26/2005  
 Time Sampled.....: 20:20  
 Sample Matrix.....: Lab Water

Laboratory Sample ID: 225410-9  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Toluene	ND	U	1.0	ug/L	05/18/05	caox
	Trichloroethene (TCE)	ND	U	1.0	ug/L	05/18/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1.0	ug/L	05/18/05	caox
	Vinyl chloride	ND	U	1.0	ug/L	05/18/05	caox
	cis-1,2-Dichloroethene	ND	U	1.0	ug/L	05/18/05	caox
	cis-1,3-Dichloropropene	ND	U	0.50	ug/L	05/18/05	caox
	m&p-Xylenes	ND	U	1.0	ug/L	05/18/05	caox
	n-Butylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	n-Propylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	o-Xylene	ND	U	1.0	ug/L	05/18/05	caox
	p-Isopropyltoluene	ND	U	1.0	ug/L	05/18/05	caox
	sec-Butylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	tert-Butylbenzene	ND	U	1.0	ug/L	05/18/05	caox
	trans-1,2-Dichloroethene	ND	U	1.0	ug/L	05/18/05	caox
	trans-1,3-Dichloropropene	ND	U	0.50	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW202D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 13:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-10  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	230		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1000	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	1000	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1000	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	1000	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	1000	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	1000	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	1000	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	1000	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	3000	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	1000	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	1000	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5000	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1000	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	1000	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	1000	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	1000	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	1000	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	1000	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	1000	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	1000	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	1000	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	10000	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	1000	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	10000	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	1000	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10000	ug/L	05/19/05	caox
	Acetone	ND	U	50000	ug/L	05/19/05	caox
	Benzene	ND	U	1000	ug/L	05/19/05	caox
	Bromobenzene	ND	U	1000	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	1000	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	1000	ug/L	05/19/05	caox
	Bromofom	ND	U	1000	ug/L	05/19/05	caox
	Bromomethane	ND	U	2000	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	1000	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	1000	ug/L	05/19/05	caox
	Chloroethane	ND	U	2000	ug/L	05/19/05	caox
	Chloroform	ND	U	1000	ug/L	05/19/05	caox
	Chloromethane	ND	U	2000	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	1000	ug/L	05/19/05	caox
	Dibromomethane	ND	U	1000	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	1000	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	600	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	1000	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW202D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 13:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-10  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	1000	ug/L	05/19/05	caox
	Methylene chloride	ND	U	2000	ug/L	05/19/05	caox
	Naphthalene	ND	U	5000	ug/L	05/19/05	caox
	Styrene	ND	U	1000	ug/L	05/19/05	caox
	Tetrachloroethene	34000	U	1000	ug/L	05/19/05	caox
	Toluene	ND	U	1000	ug/L	05/19/05	caox
	Trichloroethene (TCE)	ND	U	1000	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1000	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	1000	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	1000	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	500	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	1000	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	1000	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	1000	ug/L	05/19/05	caox
	o-Xylene	ND	U	1000	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	1000	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	1000	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	1000	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	1000	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	500	ug/L	05/19/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW202S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 13:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-11  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	250		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1000	ug/L	05/18/05	caox
	1,1,1-Trichloroethane	ND	U	1000	ug/L	05/18/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1000	ug/L	05/18/05	caox
	1,1,2-Trichloroethane	ND	U	1000	ug/L	05/18/05	caox
	1,1-Dichloroethane	ND	U	1000	ug/L	05/18/05	caox
	1,1-Dichloroethene	ND	U	1000	ug/L	05/18/05	caox
	1,1-Dichloropropene	ND	U	1000	ug/L	05/18/05	caox
	1,2,3-Trichlorobenzene	ND	U	1000	ug/L	05/18/05	caox
	1,2,3-Trichloropropane	ND	U	3000	ug/L	05/18/05	caox
	1,2,4-Trichlorobenzene	ND	U	1000	ug/L	05/18/05	caox
	1,2,4-Trimethylbenzene	ND	U	1000	ug/L	05/18/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5000	ug/L	05/18/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1000	ug/L	05/18/05	caox
	1,2-Dichlorobenzene	ND	U	1000	ug/L	05/18/05	caox
	1,2-Dichloroethane	ND	U	1000	ug/L	05/18/05	caox
	1,2-Dichloropropane	ND	U	1000	ug/L	05/18/05	caox
	1,3,5-Trimethylbenzene	ND	U	1000	ug/L	05/18/05	caox
	1,3-Dichlorobenzene	ND	U	1000	ug/L	05/18/05	caox
	1,3-Dichloropropane	ND	U	1000	ug/L	05/18/05	caox
	1,4-Dichlorobenzene	ND	U	1000	ug/L	05/18/05	caox
	2,2-Dichloropropane	ND	U	1000	ug/L	05/18/05	caox
	2-Butanone (MEK)	ND	U	10000	ug/L	05/18/05	caox
	2-Chlorotoluene	ND	U	1000	ug/L	05/18/05	caox
	2-Hexanone (MNBK)	ND	U	10000	ug/L	05/18/05	caox
	4-Chlorotoluene	ND	U	1000	ug/L	05/18/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10000	ug/L	05/18/05	caox
	Acetone	ND	U	50000	ug/L	05/18/05	caox
	Benzene	ND	U	1000	ug/L	05/18/05	caox
	Bromobenzene	ND	U	1000	ug/L	05/18/05	caox
	Bromochloromethane	ND	U	1000	ug/L	05/18/05	caox
	Bromodichloromethane	ND	U	1000	ug/L	05/18/05	caox
	Bromofom	ND	U	1000	ug/L	05/18/05	caox
	Bromomethane	ND	U	2000	ug/L	05/18/05	caox
	Carbon tetrachloride	ND	U	1000	ug/L	05/18/05	caox
	Chlorobenzene	ND	U	1000	ug/L	05/18/05	caox
	Chloroethane	ND	U	2000	ug/L	05/18/05	caox
	Chloroform	ND	U	1000	ug/L	05/18/05	caox
	Chloromethane	ND	U	2000	ug/L	05/18/05	caox
	Dibromochloromethane	ND	U	1000	ug/L	05/18/05	caox
	Dibromomethane	ND	U	1000	ug/L	05/18/05	caox
	Ethylbenzene	ND	U	1000	ug/L	05/18/05	caox
	Hexachlorobutadiene	ND	U	600	ug/L	05/18/05	caox
	Isopropylbenzene	ND	U	1000	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW202S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 13:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-11  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	1000	ug/L	05/18/05	caox
	Methylene chloride	ND	U	2000	ug/L	05/18/05	caox
	Naphthalene	ND	U	5000	ug/L	05/18/05	caox
	Styrene	ND	U	1000	ug/L	05/18/05	caox
	Tetrachloroethene	51000		1000	ug/L	05/18/05	caox
	Toluene	ND	U	1000	ug/L	05/18/05	caox
	Trichloroethene (TCE)	ND	U	1000	ug/L	05/18/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1000	ug/L	05/18/05	caox
	Vinyl chloride	ND	U	1000	ug/L	05/18/05	caox
	cis-1,2-Dichloroethene	ND	U	1000	ug/L	05/18/05	caox
	cis-1,3-Dichloropropene	ND	U	500	ug/L	05/18/05	caox
	m&p-Xylenes	ND	U	1000	ug/L	05/18/05	caox
	n-Butylbenzene	ND	U	1000	ug/L	05/18/05	caox
	n-Propylbenzene	ND	U	1000	ug/L	05/18/05	caox
	o-Xylene	ND	U	1000	ug/L	05/18/05	caox
	p-Isopropyltoluene	ND	U	1000	ug/L	05/18/05	caox
	sec-Butylbenzene	ND	U	1000	ug/L	05/18/05	caox
	tert-Butylbenzene	ND	U	1000	ug/L	05/18/05	caox
	trans-1,2-Dichloroethene	ND	U	1000	ug/L	05/18/05	caox
	trans-1,3-Dichloropropene	ND	U	500	ug/L	05/18/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW101D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 14:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-12  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	11		1.0	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	50	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	50	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	50	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	50	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	50	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	50	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	50	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	50	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	150	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	50	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	50	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	250	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	50	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	50	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	50	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	50	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	50	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	50	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	50	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	50	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	50	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	500	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	50	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	500	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	50	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	500	ug/L	05/19/05	caox
	Acetone	ND	U	2500	ug/L	05/19/05	caox
	Benzene	ND	U	50	ug/L	05/19/05	caox
	Bromobenzene	ND	U	50	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	50	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	50	ug/L	05/19/05	caox
	Bromofom	ND	U	50	ug/L	05/19/05	caox
	Bromomethane	ND	U	100	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	50	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	50	ug/L	05/19/05	caox
	Chloroethane	ND	U	100	ug/L	05/19/05	caox
	Chloroform	ND	U	50	ug/L	05/19/05	caox
	Chloromethane	ND	U	100	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	50	ug/L	05/19/05	caox
	Dibromomethane	ND	U	50	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	50	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	30	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	50	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW101D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 14:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-12  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	50	ug/L	05/19/05	caox
	Methylene chloride	ND	U	100	ug/L	05/19/05	caox
	Naphthalene	ND	U	250	ug/L	05/19/05	caox
	Styrene	ND	U	50	ug/L	05/19/05	caox
	Tetrachloroethene	1500		50	ug/L	05/19/05	caox
	Toluene	ND	U	50	ug/L	05/19/05	caox
	Trichloroethene (TCE)	ND	U	50	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	50	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	50	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	50	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	25	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	50	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	50	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	50	ug/L	05/19/05	caox
	o-Xylene	ND	U	50	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	50	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	50	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	50	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	50	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	25	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW101S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 15:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-13  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	210		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	1000	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	3000	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5000	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	10000	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	1000	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	10000	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	1000	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10000	ug/L	05/20/05	caox
	Acetone	ND	U	50000	ug/L	05/20/05	caox
	Benzene	ND	U	1000	ug/L	05/20/05	caox
	Bromobenzene	ND	U	1000	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	1000	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	1000	ug/L	05/20/05	caox
	Bromofom	ND	U	1000	ug/L	05/20/05	caox
	Bromomethane	ND	U	2000	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	1000	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	Chloroethane	ND	U	2000	ug/L	05/20/05	caox
	Chloroform	ND	U	1000	ug/L	05/20/05	caox
	Chloromethane	ND	U	2000	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	1000	ug/L	05/20/05	caox
	Dibromomethane	ND	U	1000	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	600	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	1000	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW101S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 15:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-13  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	1000	ug/L	05/20/05	caox
	Methylene chloride	ND	U	2000	ug/L	05/20/05	caox
	Naphthalene	ND	U	5000	ug/L	05/20/05	caox
	Styrene	ND	U	1000	ug/L	05/20/05	caox
	Tetrachloroethene	60000		1000	ug/L	05/20/05	caox
	Toluene	ND	U	1000	ug/L	05/20/05	caox
	Trichloroethene (TCE)	ND	U	1000	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1000	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	1000	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	500	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	1000	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	1000	ug/L	05/20/05	caox
	o-Xylene	ND	U	1000	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	1000	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	500	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW201D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 15:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-14  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	270		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	200	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	200	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	200	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	200	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	200	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	200	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	200	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	200	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	600	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	200	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	200	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	200	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	200	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	200	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	200	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	200	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	200	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	200	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	200	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	200	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	2000	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	200	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	2000	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	200	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	2000	ug/L	05/20/05	caox
	Acetone	ND	U	10000	ug/L	05/20/05	caox
	Benzene	ND	U	200	ug/L	05/20/05	caox
	Bromobenzene	ND	U	200	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	200	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	200	ug/L	05/20/05	caox
	Bromofom	ND	U	200	ug/L	05/20/05	caox
	Bromomethane	ND	U	400	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	200	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	200	ug/L	05/20/05	caox
	Chloroethane	ND	U	400	ug/L	05/20/05	caox
	Chloroform	ND	U	200	ug/L	05/20/05	caox
	Chloromethane	ND	U	400	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	200	ug/L	05/20/05	caox
	Dibromomethane	ND	U	200	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	200	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	120	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	200	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW201D  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 15:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-14  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	200	ug/L	05/20/05	caox
	Methylene chloride	ND	U	400	ug/L	05/20/05	caox
	Naphthalene	ND	U	1000	ug/L	05/20/05	caox
	Styrene	ND	U	200	ug/L	05/20/05	caox
	Tetrachloroethene	9500		200	ug/L	05/20/05	caox
	Toluene	ND	U	200	ug/L	05/20/05	caox
	Trichloroethene (TCE)	550		200	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	200	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	200	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	200	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	100	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	200	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	200	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	200	ug/L	05/20/05	caox
	o-Xylene	ND	U	200	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	200	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	200	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	200	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	200	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	100	ug/L	05/20/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW201S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 16:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-15  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	370		10	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	5.8	J	10	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	10	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2,3-Trichloropropene	ND	U	30	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	10	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	50	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	10	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,3-Dichloropropene	ND	U	10	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	100	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	10	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	100	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	10	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	100	ug/L	05/19/05	caox
	Acetone	ND	U	500	ug/L	05/19/05	caox
	Benzene	ND	U	10	ug/L	05/19/05	caox
	Bromobenzene	ND	U	10	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	10	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	10	ug/L	05/19/05	caox
	Bromofom	ND	U	10	ug/L	05/19/05	caox
	Bromomethane	ND	U	20	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	10	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	10	ug/L	05/19/05	caox
	Chloroethane	ND	U	20	ug/L	05/19/05	caox
	Chloroform	ND	U	10	ug/L	05/19/05	caox
	Chloromethane	ND	U	20	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	10	ug/L	05/19/05	caox
	Dibromomethane	ND	U	10	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	10	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	6.0	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	10	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW201S  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 16:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-15  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	16		10	ug/L	05/19/05	caox
	Methylene chloride	ND	U	20	ug/L	05/19/05	caox
	Naphthalene	ND	U	50	ug/L	05/19/05	caox
	Styrene	ND	U	10	ug/L	05/19/05	caox
	Tetrachloroethene	770		10	ug/L	05/19/05	caox
	Toluene	ND	U	10	ug/L	05/19/05	caox
	Trichloroethene (TCE)	190		10	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	10	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	10	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	10	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	10	ug/L	05/19/05	caox
	o-Xylene	ND	U	10	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	10	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW205  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 09:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-16  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	230		20	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	5.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	15	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	25	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	5.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	5.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	5.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	50	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	5.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	50	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	5.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	50	ug/L	05/19/05	caox
	Acetone	ND	U	250	ug/L	05/19/05	caox
	Benzene	ND	U	5.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	5.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	5.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	5.0	ug/L	05/19/05	caox
	Bromofom	ND	U	5.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	10	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	5.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	10	ug/L	05/19/05	caox
	Chloroform	ND	U	5.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	10	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	5.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	5.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	3.0	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	5.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW205  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 09:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-16  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	5.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	10	ug/L	05/19/05	caox
	Naphthalene	ND	U	25	ug/L	05/19/05	caox
	Styrene	ND	U	5.0	ug/L	05/19/05	caox
	Tetrachloroethene	290		5.0	ug/L	05/19/05	caox
	Toluene	ND	U	5.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	47		5.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	5.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	5.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	67		5.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	2.5	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	5.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	o-Xylene	ND	U	5.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	5.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	5.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	2.5	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW203D  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 10:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-17  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	170		20	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	5.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	15	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	25	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	5.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	5.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	5.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	50	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	5.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	50	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	5.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	50	ug/L	05/19/05	caox
	Acetone	ND	U	250	ug/L	05/19/05	caox
	Benzene	ND	U	5.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	5.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	5.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	5.0	ug/L	05/19/05	caox
	Bromofom	ND	U	5.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	10	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	5.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	5.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	10	ug/L	05/19/05	caox
	Chloroform	ND	U	5.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	10	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	5.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	5.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	3.0	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	5.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW203D  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 10:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-17  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	3.2	J	5.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	10	ug/L	05/19/05	caox
	Naphthalene	ND	U	25	ug/L	05/19/05	caox
	Styrene	ND	U	5.0	ug/L	05/19/05	caox
	Tetrachloroethene	200	U	5.0	ug/L	05/19/05	caox
	Toluene	ND	U	5.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	65	U	5.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	5.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	5.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	5.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	2.5	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	5.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	o-Xylene	ND	U	5.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	5.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	5.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	5.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	2.5	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW203S  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 11:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-18  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	170		20	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	3.8		2.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	2.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	2.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	6.0	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	2.6		2.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	10	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	2.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	1.1	J	2.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	2.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	2.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	20	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	2.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	20	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	2.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	20	ug/L	05/19/05	caox
	Acetone	ND	U	100	ug/L	05/19/05	caox
	Benzene	ND	U	2.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	2.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Bromofom	ND	U	2.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	4.0	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	2.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	4.0	ug/L	05/19/05	caox
	Chloroform	ND	U	2.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	4.0	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	2.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	1.2	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	2.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW203S  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 11:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-18  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	5.1		2.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	4.0	ug/L	05/19/05	caox
	Naphthalene	ND	U	10	ug/L	05/19/05	caox
	Styrene	ND	U	2.0	ug/L	05/19/05	caox
	Tetrachloroethene	66		2.0	ug/L	05/19/05	caox
	Toluene	ND	U	2.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	120		2.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	2.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	2.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	2.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox
	m&p-Xylenes	1.4	J	2.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	o-Xylene	1.1	J	2.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	2.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	2.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW112  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 11:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-19  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	110		20	mg/L	05/26/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	2.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	2.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	6.0	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	10	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	2.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	2.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	2.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	2.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	20	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	2.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	20	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	2.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	20	ug/L	05/19/05	caox
	Acetone	ND	U	100	ug/L	05/19/05	caox
	Benzene	ND	U	2.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	2.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Bromofom	ND	U	2.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	4.0	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	2.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	2.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	4.0	ug/L	05/19/05	caox
	Chloroform	1.4	J	2.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	4.0	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	2.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	1.2	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	2.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW112  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 11:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-19  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	4.5		2.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	4.0	ug/L	05/19/05	caox
	Naphthalene	ND	U	10	ug/L	05/19/05	caox
	Styrene	ND	U	2.0	ug/L	05/19/05	caox
	Tetrachloroethene	76		2.0	ug/L	05/19/05	caox
	Toluene	ND	U	2.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	24		2.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	2.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	2.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	2.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	2.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	o-Xylene	ND	U	2.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	2.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	2.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	2.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW116D  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 12:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-20  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	130		20	mg/L	05/27/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	3.0	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	10	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	1.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	10	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	1.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10	ug/L	05/19/05	caox
	Acetone	ND	U	50	ug/L	05/19/05	caox
	Benzene	ND	U	1.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	1.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Bromofom	ND	U	1.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	2.0	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	1.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	2.0	ug/L	05/19/05	caox
	Chloroform	1.1	U	1.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	1.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	0.60	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	1.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW116D  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 12:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-20  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	29		1.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	2.0	ug/L	05/19/05	caox
	Naphthalene	ND	U	5.0	ug/L	05/19/05	caox
	Styrene	ND	U	1.0	ug/L	05/19/05	caox
	Tetrachloroethene	ND	U	1.0	ug/L	05/19/05	caox
	Toluene	ND	U	1.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	1.1		1.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	1.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	0.50	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	1.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	o-Xylene	ND	U	1.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	1.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	0.50	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW116S  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 12:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-21  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	39		1.0	mg/L	05/28/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	3.0	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5.0	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	1.0	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	1.0	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	10	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	1.0	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	10	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	1.0	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10	ug/L	05/19/05	caox
	Acetone	ND	U	50	ug/L	05/19/05	caox
	Benzene	ND	U	1.0	ug/L	05/19/05	caox
	Bromobenzene	ND	U	1.0	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Bromofom	ND	U	1.0	ug/L	05/19/05	caox
	Bromomethane	ND	U	2.0	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	1.0	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	1.0	ug/L	05/19/05	caox
	Chloroethane	ND	U	2.0	ug/L	05/19/05	caox
	Chloroform	ND	U	1.0	ug/L	05/19/05	caox
	Chloromethane	ND	U	2.0	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	1.0	ug/L	05/19/05	caox
	Dibromomethane	ND	U	1.0	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	0.60	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	1.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW116S  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 12:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-21  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	2.0		1.0	ug/L	05/19/05	caox
	Methylene chloride	ND	U	2.0	ug/L	05/19/05	caox
	Naphthalene	ND	U	5.0	ug/L	05/19/05	caox
	Styrene	ND	U	1.0	ug/L	05/19/05	caox
	Tetrachloroethene	1.8		1.0	ug/L	05/19/05	caox
	Toluene	ND	U	1.0	ug/L	05/19/05	caox
	Trichloroethene (TCE)	ND	U	1.0	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1.0	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	1.0	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	0.50	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	1.0	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	o-Xylene	ND	U	1.0	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	1.0	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	1.0	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	1.0	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	0.50	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW209D  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 13:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-22  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	140		20	mg/L	05/28/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,1-Trichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1,2-Trichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	1,1-Dichloropropene	ND	U	10	ug/L	05/19/05	caox
	1,2,3-Trichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2,3-Trichloropropane	ND	U	30	ug/L	05/19/05	caox
	1,2,4-Trichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2,4-Trimethylbenzene	ND	U	10	ug/L	05/19/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	50	ug/L	05/19/05	caox
	1,2-Dibromoethane (EDB)	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichloroethane	ND	U	10	ug/L	05/19/05	caox
	1,2-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	1,3,5-Trimethylbenzene	ND	U	10	ug/L	05/19/05	caox
	1,3-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	1,3-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	1,4-Dichlorobenzene	ND	U	10	ug/L	05/19/05	caox
	2,2-Dichloropropane	ND	U	10	ug/L	05/19/05	caox
	2-Butanone (MEK)	ND	U	100	ug/L	05/19/05	caox
	2-Chlorotoluene	ND	U	10	ug/L	05/19/05	caox
	2-Hexanone (MNBK)	ND	U	100	ug/L	05/19/05	caox
	4-Chlorotoluene	ND	U	10	ug/L	05/19/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	100	ug/L	05/19/05	caox
	Acetone	ND	U	500	ug/L	05/19/05	caox
	Benzene	ND	U	10	ug/L	05/19/05	caox
	Bromobenzene	ND	U	10	ug/L	05/19/05	caox
	Bromochloromethane	ND	U	10	ug/L	05/19/05	caox
	Bromodichloromethane	ND	U	10	ug/L	05/19/05	caox
	Bromofom	ND	U	10	ug/L	05/19/05	caox
	Bromomethane	ND	U	20	ug/L	05/19/05	caox
	Carbon tetrachloride	ND	U	10	ug/L	05/19/05	caox
	Chlorobenzene	ND	U	10	ug/L	05/19/05	caox
	Chloroethane	ND	U	20	ug/L	05/19/05	caox
	Chloroform	ND	U	10	ug/L	05/19/05	caox
	Chloromethane	ND	U	20	ug/L	05/19/05	caox
	Dibromochloromethane	ND	U	10	ug/L	05/19/05	caox
	Dibromomethane	ND	U	10	ug/L	05/19/05	caox
	Ethylbenzene	ND	U	10	ug/L	05/19/05	caox
	Hexachlorobutadiene	ND	U	6.0	ug/L	05/19/05	caox
	Isopropylbenzene	ND	U	10	ug/L	05/19/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW209D  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 13:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-22  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	10	ug/L	05/19/05	caox
	Methylene chloride	ND	U	20	ug/L	05/19/05	caox
	Naphthalene	ND	U	50	ug/L	05/19/05	caox
	Styrene	ND	U	10	ug/L	05/19/05	caox
	Tetrachloroethene	540		10	ug/L	05/19/05	caox
	Toluene	ND	U	10	ug/L	05/19/05	caox
	Trichloroethene (TCE)	56		10	ug/L	05/19/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	10	ug/L	05/19/05	caox
	Vinyl chloride	ND	U	10	ug/L	05/19/05	caox
	cis-1,2-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	cis-1,3-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox
	m&p-Xylenes	ND	U	10	ug/L	05/19/05	caox
	n-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	n-Propylbenzene	ND	U	10	ug/L	05/19/05	caox
	o-Xylene	ND	U	10	ug/L	05/19/05	caox
	p-Isopropyltoluene	ND	U	10	ug/L	05/19/05	caox
	sec-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	tert-Butylbenzene	ND	U	10	ug/L	05/19/05	caox
	trans-1,2-Dichloroethene	ND	U	10	ug/L	05/19/05	caox
	trans-1,3-Dichloropropene	ND	U	5.0	ug/L	05/19/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041S02  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 14:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-23  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	5.0	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	5.0	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	5.0	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	5.0	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	5.0	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	5.0	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	5.0	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	5.0	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	15	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	5.0	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	25	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	5.0	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	5.0	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	5.0	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	5.0	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	5.0	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	5.0	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	5.0	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	5.0	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	50	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	5.0	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	50	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	5.0	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	50	ug/L	05/20/05	caox
	Acetone	ND	U	250	ug/L	05/20/05	caox
	Benzene	ND	U	5.0	ug/L	05/20/05	caox
	Bromobenzene	ND	U	5.0	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	5.0	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	5.0	ug/L	05/20/05	caox
	Bromoform	ND	U	5.0	ug/L	05/20/05	caox
	Bromomethane	ND	U	10	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	5.0	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	5.0	ug/L	05/20/05	caox
	Chloroethane	ND	U	10	ug/L	05/20/05	caox
	Chloroform	ND	U	5.0	ug/L	05/20/05	caox
	Chloromethane	ND	U	10	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	5.0	ug/L	05/20/05	caox
	Dibromomethane	ND	U	5.0	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	3.0	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	Methyl-tert-butyl-ether (MTBE)	ND	U	5.0	ug/L	05/20/05	caox
	Methylene chloride	ND	U	10	ug/L	05/20/05	caox
	Naphthalene	ND	U	25	ug/L	05/20/05	caox
	Styrene	ND	U	5.0	ug/L	05/20/05	caox
	Tetrachloroethene	150	U	5.0	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041S02  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 14:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-23  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Toluene	ND	U	5.0	ug/L	05/20/05	caox
	Trichloroethene (TCE)	ND	U	5.0	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	5.0	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	5.0	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	5.0	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	2.5	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	5.0	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	o-Xylene	ND	U	5.0	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	5.0	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	5.0	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	5.0	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	2.5	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041S04  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 13:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-24  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	10	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	10	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	10	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	10	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	10	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	10	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	10	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	10	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	30	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	10	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	10	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	50	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	10	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	10	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	10	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	10	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	10	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	10	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	10	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	10	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	10	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	100	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	10	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	100	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	10	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	100	ug/L	05/20/05	caox
	Acetone	ND	U	500	ug/L	05/20/05	caox
	Benzene	ND	U	10	ug/L	05/20/05	caox
	Bromobenzene	ND	U	10	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	10	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	10	ug/L	05/20/05	caox
	Bromoform	ND	U	10	ug/L	05/20/05	caox
	Bromomethane	ND	U	20	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	10	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	10	ug/L	05/20/05	caox
	Chloroethane	ND	U	20	ug/L	05/20/05	caox
	Chloroform	ND	U	10	ug/L	05/20/05	caox
	Chloromethane	ND	U	20	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	10	ug/L	05/20/05	caox
	Dibromomethane	ND	U	10	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	10	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	6.0	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	10	ug/L	05/20/05	caox
	Methyl-tert-butyl-ether (MTBE)	ND	U	10	ug/L	05/20/05	caox
	Methylene chloride	ND	U	20	ug/L	05/20/05	caox
	Naphthalene	ND	U	50	ug/L	05/20/05	caox
	Styrene	ND	U	10	ug/L	05/20/05	caox
	Tetrachloroethene	350		10	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041S04  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 13:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-24  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Toluene	ND	U	10	ug/L	05/20/05	caox
	Trichloroethene (TCE)	22		10	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	10	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	10	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	89		10	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	5.0	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	10	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	10	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	10	ug/L	05/20/05	caox
	o-Xylene	ND	U	10	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	10	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	10	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	10	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	10	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	5.0	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041N04  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 14:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-25  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	100	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	100	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	100	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	100	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	100	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	100	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	100	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	100	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	300	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	100	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	100	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	500	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	100	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	100	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	100	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	100	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	100	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	100	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	100	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	100	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	100	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	1000	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	100	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	1000	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	100	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	1000	ug/L	05/20/05	caox
	Acetone	ND	U	5000	ug/L	05/20/05	caox
	Benzene	ND	U	100	ug/L	05/20/05	caox
	Bromobenzene	ND	U	100	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	100	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	100	ug/L	05/20/05	caox
	Bromoform	ND	U	100	ug/L	05/20/05	caox
	Bromomethane	ND	U	200	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	100	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	100	ug/L	05/20/05	caox
	Chloroethane	ND	U	200	ug/L	05/20/05	caox
	Chloroform	ND	U	100	ug/L	05/20/05	caox
	Chloromethane	ND	U	200	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	100	ug/L	05/20/05	caox
	Dibromomethane	ND	U	100	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	100	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	60	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	100	ug/L	05/20/05	caox
	Methyl-tert-butyl-ether (MTBE)	ND	U	100	ug/L	05/20/05	caox
	Methylene chloride	ND	U	200	ug/L	05/20/05	caox
	Naphthalene	ND	U	500	ug/L	05/20/05	caox
	Styrene	ND	U	100	ug/L	05/20/05	caox
	Tetrachloroethene	2300	U	100	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041N04  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 14:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-25  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Toluene	ND	U	100	ug/L	05/20/05	caox
	Trichloroethene (TCE)	ND	U	100	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	100	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	100	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	100	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	50	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	100	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	100	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	100	ug/L	05/20/05	caox
	o-Xylene	ND	U	100	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	100	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	100	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	100	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	100	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	50	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041N03  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 15:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-26  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	1000	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	3000	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5000	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	10000	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	1000	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	10000	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	1000	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10000	ug/L	05/20/05	caox
	Acetone	ND	U	50000	ug/L	05/20/05	caox
	Benzene	ND	U	1000	ug/L	05/20/05	caox
	Bromobenzene	ND	U	1000	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	1000	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	1000	ug/L	05/20/05	caox
	Bromoform	ND	U	1000	ug/L	05/20/05	caox
	Bromomethane	ND	U	2000	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	1000	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	Chloroethane	ND	U	2000	ug/L	05/20/05	caox
	Chloroform	ND	U	1000	ug/L	05/20/05	caox
	Chloromethane	ND	U	2000	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	1000	ug/L	05/20/05	caox
	Dibromomethane	ND	U	1000	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	600	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	1000	ug/L	05/20/05	caox
	Methyl-tert-butyl-ether (MTBE)	ND	U	1000	ug/L	05/20/05	caox
	Methylene chloride	ND	U	2000	ug/L	05/20/05	caox
	Naphthalene	ND	U	5000	ug/L	05/20/05	caox
	Styrene	ND	U	1000	ug/L	05/20/05	caox
	Tetrachloroethene	57000	U	1000	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041N03  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 15:00  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-26  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Toluene	ND	U	1000	ug/L	05/20/05	caox
	Trichloroethene (TCE)	ND	U	1000	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1000	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	1000	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	500	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	1000	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	1000	ug/L	05/20/05	caox
	o-Xylene	ND	U	1000	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	1000	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	500	ug/L	05/20/05	caox

\* In Description = Dry Wgt.



L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041S01  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 15:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-27  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	20	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	20	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	20	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	20	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	20	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	20	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	20	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	20	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	60	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	20	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	20	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	100	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	20	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	20	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	20	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	20	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	20	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	20	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	20	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	20	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	20	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	200	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	20	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	200	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	20	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	200	ug/L	05/20/05	caox
	Acetone	ND	U	1000	ug/L	05/20/05	caox
	Benzene	ND	U	20	ug/L	05/20/05	caox
	Bromobenzene	ND	U	20	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	20	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	20	ug/L	05/20/05	caox
	Bromoform	ND	U	20	ug/L	05/20/05	caox
	Bromomethane	ND	U	40	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	20	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	20	ug/L	05/20/05	caox
	Chloroethane	ND	U	40	ug/L	05/20/05	caox
	Chloroform	ND	U	20	ug/L	05/20/05	caox
	Chloromethane	ND	U	40	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	20	ug/L	05/20/05	caox
	Dibromomethane	ND	U	20	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	20	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	12	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	20	ug/L	05/20/05	caox
	Methyl-tert-butyl-ether (MTBE)	ND	U	20	ug/L	05/20/05	caox
	Methylene chloride	ND	U	40	ug/L	05/20/05	caox
	Naphthalene	ND	U	100	ug/L	05/20/05	caox
	Styrene	ND	U	20	ug/L	05/20/05	caox
	Tetrachloroethene	1600	U	20	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTIRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: 041S01  
 Date Sampled.....: 05/10/2005  
 Time Sampled.....: 15:30  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-27  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Toluene	ND	U	20	ug/L	05/20/05	caox
	Trichloroethene (TCE)	95		20	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	20	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	20	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	20	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	10	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	20	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	20	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	20	ug/L	05/20/05	caox
	o-Xylene	ND	U	20	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	20	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	20	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	20	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	20	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	10	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW101SD  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 16:15  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-28  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
EPA300.0 PartA	Chloride	210		20	mg/L	05/27/05	rwe
EPA 410.4	Chemical Oxygen Demand (COD)	ND	U	20	mg/L	05/23/05	kmm
SW846 8260B	Volatile Organics						
	1,1,1,2-Tetrachloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,1-Trichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,2,2-Tetrachloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1,2-Trichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	1,1-Dichloropropene	ND	U	1000	ug/L	05/20/05	caox
	1,2,3-Trichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2,3-Trichloropropane	ND	U	3000	ug/L	05/20/05	caox
	1,2,4-Trichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2,4-Trimethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dibromo-3-chloropropane (DBCP)	ND	U	5000	ug/L	05/20/05	caox
	1,2-Dibromoethane (EDB)	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichloroethane	ND	U	1000	ug/L	05/20/05	caox
	1,2-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	1,3,5-Trimethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	1,3-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	1,3-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	1,4-Dichlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	2,2-Dichloropropane	ND	U	1000	ug/L	05/20/05	caox
	2-Butanone (MEK)	ND	U	10000	ug/L	05/20/05	caox
	2-Chlorotoluene	ND	U	1000	ug/L	05/20/05	caox
	2-Hexanone (MNBK)	ND	U	10000	ug/L	05/20/05	caox
	4-Chlorotoluene	ND	U	1000	ug/L	05/20/05	caox
	4-Methyl-2-pentanone (MIBK)	ND	U	10000	ug/L	05/20/05	caox
	Acetone	ND	U	50000	ug/L	05/20/05	caox
	Benzene	ND	U	1000	ug/L	05/20/05	caox
	Bromobenzene	ND	U	1000	ug/L	05/20/05	caox
	Bromochloromethane	ND	U	1000	ug/L	05/20/05	caox
	Bromodichloromethane	ND	U	1000	ug/L	05/20/05	caox
	Bromofom	ND	U	1000	ug/L	05/20/05	caox
	Bromomethane	ND	U	2000	ug/L	05/20/05	caox
	Carbon tetrachloride	ND	U	1000	ug/L	05/20/05	caox
	Chlorobenzene	ND	U	1000	ug/L	05/20/05	caox
	Chloroethane	ND	U	2000	ug/L	05/20/05	caox
	Chloroform	ND	U	1000	ug/L	05/20/05	caox
	Chloromethane	ND	U	2000	ug/L	05/20/05	caox
	Dibromochloromethane	ND	U	1000	ug/L	05/20/05	caox
	Dibromomethane	ND	U	1000	ug/L	05/20/05	caox
	Ethylbenzene	ND	U	1000	ug/L	05/20/05	caox
	Hexachlorobutadiene	ND	U	600	ug/L	05/20/05	caox
	Isopropylbenzene	ND	U	1000	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y   T E S T   R E S U L T S

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Customer Sample ID: MW101SD  
 Date Sampled.....: 05/09/2005  
 Time Sampled.....: 16:15  
 Sample Matrix.....: Water

Laboratory Sample ID: 225410-28  
 Date Received.....: 05/11/2005  
 Time Received.....: 19:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	REPORTING LIMIT	UNITS	DATE	TECH
	Methyl-tert-butyl-ether (MTBE)	ND	U	1000	ug/L	05/20/05	caox
	Methylene chloride	ND	U	2000	ug/L	05/20/05	caox
	Naphthalene	ND	U	5000	ug/L	05/20/05	caox
	Styrene	ND	U	1000	ug/L	05/20/05	caox
	Tetrachloroethene	55000		1000	ug/L	05/20/05	caox
	Toluene	ND	U	1000	ug/L	05/20/05	caox
	Trichloroethene (TCE)	ND	U	1000	ug/L	05/20/05	caox
	Trichlorofluoromethane (Freon 11)	ND	U	1000	ug/L	05/20/05	caox
	Vinyl chloride	ND	U	1000	ug/L	05/20/05	caox
	cis-1,2-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	cis-1,3-Dichloropropene	ND	U	500	ug/L	05/20/05	caox
	m&p-Xylenes	ND	U	1000	ug/L	05/20/05	caox
	n-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	n-Propylbenzene	ND	U	1000	ug/L	05/20/05	caox
	o-Xylene	ND	U	1000	ug/L	05/20/05	caox
	p-Isopropyltoluene	ND	U	1000	ug/L	05/20/05	caox
	sec-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	tert-Butylbenzene	ND	U	1000	ug/L	05/20/05	caox
	trans-1,2-Dichloroethene	ND	U	1000	ug/L	05/20/05	caox
	trans-1,3-Dichloropropene	ND	U	500	ug/L	05/20/05	caox

\* In Description = Dry Wgt.

L A B O R A T O R Y    C H R O N I C L E

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Lab ID	Client ID	Date Recvd	Sample Date	METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED	DILUTION
Lab ID: 225410-1	Client ID: MW206D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44581			05/25/2005	0000				
SW846 8260B	Volatile Organics	1	44273			05/18/2005	1617				5
Lab ID: 225410-2	Client ID: MW206S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44757			05/26/2005	0000				10
SW846 8260B	Volatile Organics	1	44273			05/18/2005	1644				5
Lab ID: 225410-3	Client ID: MW204D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44757			05/26/2005	0000				10
SW846 8260B	Volatile Organics	1	44273			05/18/2005	1712				20
Lab ID: 225410-4	Client ID: MW204S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44757			05/26/2005	0000				
SW846 8260B	Volatile Organics	1	44246			05/19/2005	2012				1
Lab ID: 225410-5	Client ID: MW207D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44757			05/26/2005	0000				10
SW846 8260B	Volatile Organics	1	44246			05/19/2005	1944				100
Lab ID: 225410-6	Client ID: MW207S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44757			05/26/2005	0000				
SW846 8260B	Volatile Organics	1	44246			05/19/2005	1917				25
Lab ID: 225410-7	Client ID: MW208D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44757			05/26/2005	0000				10
SW846 8260B	Volatile Organics	1	44273			05/18/2005	1902				10
Lab ID: 225410-8	Client ID: MW208S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000				10
SW846 8260B	Volatile Organics	1	44246			05/19/2005	1849				10
Lab ID: 225410-9	Client ID: Trip Blank 1	Date Recvd: 05/11/2005	Sample Date: 04/26/2005								
SW846 8260B	Volatile Organics	1	44273			05/18/2005	1549				1
Lab ID: 225410-10	Client ID: MW202D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000				10
SW846 8260B	Volatile Organics	1	44246			05/19/2005	1822				1000

L A B O R A T O R Y   C H R O N I C L E

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Lab ID	Client ID	Date Recvd	Sample Date	Method	Description	Run#	Batch#	Prep BT	#(S)	Date/Time Analyzed	Dilution
Lab ID: 225410-11	Client ID: MW202S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			10	
SW846 8260B	Volatile Organics	1	44273			05/18/2005	2024			1000	
Lab ID: 225410-12	Client ID: MW101D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000				
SW846 8260B	Volatile Organics	1	44246			05/19/2005	1754			50	
Lab ID: 225410-13	Client ID: MW101S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			10	
SW846 8260B	Volatile Organics	1	44368			05/20/2005	1728			1000	
Lab ID: 225410-14	Client ID: MW201D	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			10	
SW846 8260B	Volatile Organics	1	44368			05/20/2005	1700			200	
Lab ID: 225410-15	Client ID: MW201S	Date Recvd: 05/11/2005	Sample Date: 05/09/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			10	
SW846 8260B	Volatile Organics	1	44246			05/19/2005	2039			10	
Lab ID: 225410-16	Client ID: MW205	Date Recvd: 05/11/2005	Sample Date: 05/10/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			20	
SW846 8260B	Volatile Organics	1	44246			05/19/2005	2107			5	
Lab ID: 225410-17	Client ID: MW203D	Date Recvd: 05/11/2005	Sample Date: 05/10/2005								
EPA 410.4	Chemical Oxygen Demand	1	44352			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			20	
SW846 8260B	Volatile Organics	1	44246			05/19/2005	2134			5	
Lab ID: 225410-18	Client ID: MW203S	Date Recvd: 05/11/2005	Sample Date: 05/10/2005								
EPA 410.4	Chemical Oxygen Demand	1	44354			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44758			05/26/2005	0000			20	
SW846 8260B	Volatile Organics	1	44246			05/19/2005	2202			2	
Lab ID: 225410-19	Client ID: MW112	Date Recvd: 05/11/2005	Sample Date: 05/10/2005								
EPA 410.4	Chemical Oxygen Demand	1	44354			05/23/2005	0000				
EPA300.0 PartA	Ion Chromatography Analysis	1	44759			05/26/2005	0000			20	
SW846 8260B	Volatile Organics	1	44246			05/19/2005	2229			2	
Lab ID: 225410-20	Client ID: MW116D	Date Recvd: 05/11/2005	Sample Date: 05/10/2005								
EPA 410.4	Chemical Oxygen Demand	1	44354			05/23/2005	0000				

L A B O R A T O R Y    C H R O N I C L E

Job Number: 225410

Date: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Lab ID	Client ID	Date Recvd	Sample Date	METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #	DATE/TIME ANALYZED	DILUTION
225410-20	MW116D	05/11/2005	05/10/2005	EPA300.0 PartA	Ion Chromatography Analysis	1	44759		05/27/2005 0000	20
				SW846 8260B	Volatile Organics	1	44246		05/19/2005 2257	1
225410-21	MW116S	05/11/2005	05/10/2005	EPA 410.4	Chemical Oxygen Demand	1	44354		05/23/2005 0000	
				EPA300.0 PartA	Ion Chromatography Analysis	1	44761		05/28/2005 0000	
				SW846 8260B	Volatile Organics	1	44246		05/19/2005 2324	1
225410-22	MW209D	05/11/2005	05/10/2005	EPA 410.4	Chemical Oxygen Demand	1	44354		05/23/2005 0000	
				EPA300.0 PartA	Ion Chromatography Analysis	1	44761		05/28/2005 0000	20
				SW846 8260B	Volatile Organics	1	44246		05/19/2005 2352	10
225410-23	041S02	05/11/2005	05/10/2005	SW846 8260B	Volatile Organics	1	44246		05/20/2005 0019	5
225410-24	041S04	05/11/2005	05/10/2005	SW846 8260B	Volatile Organics	1	44246		05/20/2005 0047	10
225410-25	041N04	05/11/2005	05/10/2005	SW846 8260B	Volatile Organics	1	44368		05/20/2005 1755	100
225410-26	041N03	05/11/2005	05/10/2005	SW846 8260B	Volatile Organics	1	44368		05/20/2005 1633	1000
225410-27	041S01	05/11/2005	05/10/2005	SW846 8260B	Volatile Organics	1	44368		05/20/2005 1605	20
225410-28	MW101SD	05/11/2005	05/09/2005	EPA 410.4	Chemical Oxygen Demand	1	44354		05/23/2005 0000	
				EPA300.0 PartA	Ion Chromatography Analysis	1	44761		05/27/2005 0000	20
				SW846 8260B	Volatile Organics	1	44368		05/20/2005 1538	1000

S U R R O G A T E   R E C O V E R I E S   R E P O R T

Job Number.: 225410

Report Date.: 06/01/2005

CUSTOMER: Shaw E&I Inc.

PROJECT: TEXTRON GORHAM

ATTN: Edward Van Doren

Method.....: Volatile Organics  
Batch(s).....: 44246 44273 44368

Method Code...: 8260  
Test Matrix...: Water

Prep Batch....:  
Equipment Code: VHPMS1

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCD			05/18/2005	106.5	101.2	103.9	103.5
LCD			05/19/2005	106.9	99.3	104.7	104.6
LCD			05/20/2005	107.0	102.3	104.8	103.7
LCS			05/18/2005	107.7	100.6	104.5	103.7
LCS			05/19/2005	106.3	100.6	104.2	103.3
LCS			05/20/2005	107.8	102.5	104.5	103.8
MB			05/18/2005	103.6	96.8	103.8	102.5
MB			05/19/2005	102.8	97.6	104.5	103.7
MB			05/20/2005	105.2	100.2	105.0	102.8
225410- 1		MW206D	05/18/2005	102.5	98.8	103.8	103.5
225410- 2		MW206S	05/18/2005	103.1	97.9	104.2	102.8
225410- 3		MW204D	05/18/2005	102.5	97.8	104.2	102.5
225410- 4		MW204S	05/19/2005	103.4	99.0	104.8	102.9
225410- 5		MW207D	05/19/2005	104.0	99.2	104.2	103.0
225410- 6		MW207S	05/19/2005	103.8	99.2	104.8	102.0
225410- 7		MW208D	05/18/2005	105.5	99.2	105.6	102.6
225410- 8		MW208S	05/19/2005	103.5	98.8	105.8	103.5
225410- 9		Trip Blank 1	05/18/2005	99.7	98.8	104.6	103.5
225410- 10		MW202D	05/19/2005	104.1	97.8	104.4	103.1
225410- 11		MW202S	05/18/2005	105.8	99.0	105.0	102.8
225410- 12		MW101D	05/19/2005	104.3	97.0	104.2	103.9
225410- 13		MW101S	05/20/2005	106.0	98.6	106.0	104.2
225410- 14		MW201D	05/20/2005	106.2	98.7	106.0	104.3
225410- 15		MW201S	05/19/2005	105.0	99.0	104.8	102.6
225410- 16		MW205	05/19/2005	104.0	98.8	104.7	103.0
225410- 17		MW203D	05/19/2005	104.2	99.7	104.5	103.0
225410- 18		MW203S	05/19/2005	103.8	100.0	105.7	103.5
225410- 19		MW112	05/19/2005	103.0	99.2	104.7	102.2
225410- 20		MW116D	05/19/2005	103.2	98.8	104.3	102.2
225410- 21		MW116S	05/19/2005	103.6	99.5	104.2	103.0
225410- 22		MW209D	05/19/2005	104.2	100.0	104.5	102.7
225410- 23		041S02	05/20/2005	104.8	100.6	105.3	102.4
225410- 24		041S04	05/20/2005	104.5	100.5	104.5	103.2
225410- 25		041N04	05/20/2005	105.2	99.0	105.2	103.1
225410- 26		041N03	05/20/2005	106.3	98.8	106.0	103.3
225410- 27		041S01	05/20/2005	105.5	100.7	105.2	102.8
225410- 28		MW101SD	05/20/2005	103.8	99.2	105.0	103.3

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	70.0 - 130.
BRFLBE	4-Bromofluorobenzene (surr)	70.0 - 130.
DBRFLM	Dibromofluoromethane (surr)	70.0 - 130.
TOLD8	Toluene-d8 (surr)	70.0 - 130.



Q U A L I T Y   A S S U R A N C E   M E T H O D S

R E F E R E N C E S   A N D   N O T E S

Report Date: 06/01/2005

STL WESTFIELD is part of Severn Trent Laboratories, Inc. Visit us at [www.stl-inc.com](http://www.stl-inc.com).

LABORATORY CERTIFICATIONS:

MADEP MA014, NY NELAC 10843, NJ NELAC MA008 (TOX), FL NELAC E87912 (TOX), CT DPH 0494, NY DOH 10843, NH DES 253901-A, VT DECWSD, RI DOH 57.

LOCATION:

STL Westfield: 53 Southampton Rd, Westfield, MA 01085. Phone: (413) 572-4000 Fax: (413) 572-3707

STL Service Center: 148 Rangeway Rd. N. Billerica, MA 01862. Phone: (978) 667-1400 Fax: (978) 667-7871

DATA REPORTING QUALIFIERS AND TERMINOLOGY:

A number of data qualifiers are widely used within the environmental testing industry and may be utilized in our data reports. The majority of the qualifiers have evolved from the EPA Contract Laboratory Program (CLP).

REPORT COMMENTS:

All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Soil, sediment and sludge sample results are reported on a "dry weight" basis.

Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert.ID# 10843.

According to 40CFR Part 136.3, pH, Total Residual Chlorine and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field analyses, they were not analyzed immediately, but as soon as possible on laboratory receipt.

Analytical result(s) reported as "ND" and/or "U", indicates the analyte was analyzed for but "Not Detected." Analytical result(s) reported as "TNTC" indicates that the microbiological test was "Too Numerous To Count."

GLOSSARY OF QUALIFIERS:

Inorganic Qualifiers (Q-column):

- U Indicates that the analyte was analyzed for but not detected.
- E Indicates an estimated value due to the presence of interference. When applied to GFAA analysis, indicates the one-point method of addition recovered between 40-85 percent.
- B Indicates an estimated result value. The result was measured between the reporting limit and the method detection limit (MDL).
- H Indicates the compound/element was found in both the sample and its associated laboratory blank. Indicates possible/probable blank contamination.

Organic Qualifiers (Q-column):

- U Indicates that the compound was analyzed for but not detected.
- J Indicates an estimated result value. This qualifier is used when mass spectral data indicated the presence of a compound that meets the identification criteria and the result is less than the specified quantitation limit, but greater than the method detection limit (MDL).
- B Indicates that the compound was found in both the sample and its associated laboratory blank. Indicates possible/probable blank contamination and warns the data user to exercise caution when applying the results to this compound.
- D Indicates all compounds identified in an analysis at a secondary dilution factor.
- E Indicates that the compound in an analysis has exceeded the instrument linear calibration range.

Q U A L I T Y   A S S U R A N C E   M E T H O D S

R E F E R E N C E S   A N D   N O T E S

Report Date: 06/01/2005

GLOSSARY OF TERMS:

-----  
Surrogates (Surrogate Standards): An organic compound, which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but are not normally found in environmental samples. For semi-volatiles and pesticides/Arochlors, surrogate compounds are added to every blank, sample, matrix spike, matrix spiked duplicate, matrix spike blank (LCS), and standard. These compounds are used to evaluate analytical efficiency by measuring recovery. Poor surrogate recovery may indicate a problem with the sample composition.

Internal Standard: An organic compound, which is similar to the target analyte(s) in chemical composition and behavior in the analytical process. For GC/MS semi-volatiles and volatiles, internal standards are added to every blank, sample, matrix spike, matrix spike duplicate, matrix spike blank (LCS), and standard. Internal standard responses outside of established limits will adversely affect the quantitation and final concentration of target compounds.

Matrix Spike (MS): An aliquot of a sample (water or soil) fortified (spiked) with known quantities of specific compounds (target analytes) and subjected to the entire analytical procedure in order to indicate the appropriateness of the method for matrix interference by measuring recovery. The spiking occurs prior to sample preparation and analysis. Poor spike recovery may indicate a problem with the sample composition.

Laboratory Control Sample (LCS): An aliquot of analyte-free reagent water or sand fortified (spiked) with known quantities of specific compounds (target analytes) and subjected to the entire analytical procedure in order to indicate the appropriateness of the method efficiency.

Blank: An artificial sample of analyte-free water or solvent, designed to monitor the introduction of contaminants into the analytical process.

Method Detection Limit (MDL): The minimum concentration of an analyte or compound that can be measured and reported with 99% confidence that the result concentration is greater than zero.

Petroleum Hydrocarbon Comments:

-----  
The following comments are specific to Diesel Range Organics (DRO), by GC/FID:

Results for DRO are based on chromatographable portions of the petroleum product. The Carbon Range refers to the approximate chromatographic region covered by the specified petroleum product in straight-chain carbon units between C9-C36.

Quantitation is based on the average response factors for a series of hydrocarbons standards. The sample result from the DRO fraction is independent of the target compound assignment.

Samples yielding chromatographic patterns that do not agree with any of the method targets are reported as "unmatched".