



**Shaw**<sup>®</sup> Shaw Environmental, Inc.

---

A World of **Solutions**<sup>™</sup>

March 6, 2008  
Project 101960

Mr. Joseph T. Martella, II  
Rhode Island Department of Environmental Management  
Office of Waste Management  
235 Promenade Street  
Providence, RI 02908-5767

**Re: Status Report: February 2008 Activities  
Former Gorham Manufacturing Facility  
333 Adelaide Avenue, Providence, RI  
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

## **FIELD ACTIVITIES**

The following field activities were conducted on February 7, 2008:

### Monitoring Activities

Field parameters were measured in treatment area wells and compliance wells on February 7, 2008. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation and light non-aqueous phase liquid (LNAPL) thickness measurements were also collected. Field parameters were not measured at monitoring well, MW-216S due to the detection of a sheen in the well. The sheen in MW-216S did not have an appreciable thickness. A residual petroleum-like product was detected in monitoring well MW-221S at a thickness of approximately 1 inch (monitoring wells MW-220S and MW-221S were only gauged for water level and product thickness). Field parameter results are presented in Tables 1 and 2.

### Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on February 7, 2008 from 22 monitoring wells within and around the treatment area, including compliance wells. One duplicate sample was also collected for VOC analysis. One sample was collected from monitoring well CW-6 and a duplicate sample (CW-6 DUP) for total petroleum hydrocarbons (TPH) (EPA Method 8015 B). Samples were collected from monitoring wells MW-109D and GZA-3 and one duplicate sample (GZA-3 DUP) for lead analysis via EPA Method SW-846. Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

## **SUMMARY OF ANALYTICAL DATA**

A summary of all the analytical data associated with the groundwater sampling conducted in February 2008 is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix A of this report. The PCE concentrations found in wells MW-202S and MW-202D are currently above the treatment goal of 7,700 ug/L. Due to high levels of precipitation in the days prior to groundwater sampling and snow melt the PCE concentrations in MW-101S and MW-101D may have been significantly reduced due to infiltration of surface water into these wells.

A summary of the compliance well results is contained in Table 4. The results for the compliance wells indicate that exceedances occurred for wells MW-112 (PCE), MW-218D (PCE, and 1,1-dichloroethene), and well MW-218S (PCE). Note that for wells MW-218S and MW-218D these samples were diluted by the laboratory prior to analysis

Mr. Joseph T. Martella, II  
March 6, 2008  
Page 3 of 4

resulting in laboratory reporting limits being higher than the compliance standard for 1,1-dichloroethene and vinyl chloride.

## **FUTURE ACTIVITIES**

Field parameter measurements, groundwater elevation measurements, and groundwater sampling will continue on a quarterly basis. Compliance well sampling will continue on a semi-annual basis. The next quarterly sampling event is scheduled to be conducted in May 2008. The next semi-annual compliance well sampling event is scheduled for August 2008.

If you have any questions, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

**SHAW ENVIRONMENTAL, INC.**



Edward P. Van Doren, PE, LSP  
Project Manager

### Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

### Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – Groundwater Analytical Result

Table 4 – Compliance Wells Analytical Results

### Appendices:


Appendix A – Laboratory Analytical Report

cc: Craig Roy, RIDEM OWR  
Greg Simpson, Textron  
Jamieson Schiff, Textron  
Dave Heislein, MACTEC  
Thomas Dellar, City of Providence  
Jeff Morgan, Stop & Shop  
Ronald Ruth, Sherin and Lodgen

**CERTIFICATIONS**

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated March 6, 2008, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren, PE, LSP  
Project Manager

3/10/08

Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.


Certification on behalf of Textron Inc.





Gregory L. Simpson  
Project Manager

3/7/08



Date:



**LEGEND**  
 **MW-101S** MONITORING WELL






File: N:\dwg\Gorham\smtgf-02.dwg Layout: SP User: James.O'Donnell Mar 07, 2008 - 10:14am




DATE 3/7/08  
 DWN J.O'D.  
 APP \_\_\_\_\_  
 REV \_\_\_\_\_  
 PROJECT NO. 101960

**FIGURE 1**  
**TEXTRON PROVIDENCE**  
**333 ADELAIDE AVENUE**  
**PROVIDENCE, RHODE ISLAND**  
**SITE PLAN**

File: N:\dwg\Gorham\smgtf-01.dwg User: James.O'Donnell Mar 07, 2008 - 10:08am  
Layout: Inj\_well



LEGEND	
	MW-101S MONITORING WELL
	SB-2 SOIL BORING
	04IS01 INJECTION WELL



DATE	3/7/08
DWN	J.O'D.
APP	E.P.V.
REV	
PROJECT NO.	101960

**FIGURE 2**  
TEXTRON PROVIDENCE  
333 ADELAIDE AVENUE  
PROVIDENCE, RHODE ISLAND  
**INJECTION WELL LOCATIONS**

**Table 1**  
**Summary Field Parameters**  
**February 2008**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

WELL ID	DATE	pH	Temperature (deg.c)	Conductivity (ms/cm)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (mv)
MW-101D	2/7/2008	6.37	15.03	0.049	1.28	164.1
MW-101S	2/7/2008	6.16	12.98	0.148	3.26	207.3
MW-112	2/7/2008	6.08	14.87	0.455	2.45	188.3
MW-116D	2/7/2008	6.60	12.79	0.149	3.40	281.7
MW-116S	2/7/2008	6.16	11.98	0.172	4.33	264.0
MW-201D	2/7/2008	6.48	15.44	2.833	0.33	214.8
MW-202D	2/7/2008	5.97	14.71	0.321	1.88	201.7
MW-202S	2/7/2008	5.76	16.10	0.339	2.93	210.3
MW-207D	2/7/2008	6.19	13.20	0.707	2.93	183.2
MW-207S	2/7/2008	5.98	14.19	0.753	4.16	202.7
MW-209D	2/7/2008	6.03	15.44	0.532	1.07	186.5
MW-216D	2/7/2008	6.60	14.98	0.268	1.07	156.4
MW-216S	2/7/2008	NA	NA	NA	NA	NA
MW-217D	2/7/2008	6.05	15.23	0.296	0.90	102.9
MW-217S	2/7/2008	6.03	15.05	0.637	1.26	204.1
MW-218D	2/7/2008	6.09	15.57	0.462	1.30	173.1
MW-218S	2/7/2008	5.99	14.88	0.491	2.76	175.3

Notes:  
C° = degrees Celsius  
ms/cm = microsiemens per centimeter  
mg/l = milligrams per liter  
mV = milli volts  
NA = Not measured due to the presence of an LNAPL sheen in the well.

**Table 2**  
**Groundwater Elevations**  
**February 2008**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
CW-01	2/7/2008	99.52	25.57	--	73.95
CW-02	2/7/2008	98.86	24.75	--	74.11
CW-06	2/7/2008	99.52	24.65	--	74.87
GZA-3	2/7/2008	NA	17.20	--	NA
MW-101D	2/7/2008	98.91	24.75	--	74.16
MW-101S	2/7/2008	98.90	21.35	--	77.55
MW-109D	2/7/2008	NA	18.88	--	NA
MW-112	2/7/2008	100.63	26.42	--	74.21
MW-116D	2/7/2008	98.92	24.74	--	74.18
MW-116S	2/7/2008	99.40	25.22	--	74.18
MW-201D	2/7/2008	98.80	24.80	--	74.00
MW-202D	2/7/2008	98.17	24.07	--	74.10
MW-202S	2/7/2008	98.06	23.95	--	74.11
MW-207D	2/7/2008	98.18	24.11	--	74.07
MW-207S	2/7/2008	98.28	24.20	--	74.08
MW-209D	2/7/2008	99.90	26.21	--	73.69
MW-216D	2/7/2008	98.69	25.40	--	73.29
MW-216S	2/7/2008	99.58	25.38	<0.01	74.20
MW-217D	2/7/2008	98.65	24.80	--	73.85
MW-217S	2/7/2008	98.71	24.80	--	73.91
MW-218D	2/7/2008	99.67	25.51	--	74.16
MW-218S	2/7/2008	99.61	25.49	--	74.12
MW-220S	2/7/2008	99.41	25.3	--	74.11
MW-221S	2/7/2008	98.92	25.38	0.08	73.60
Notes: Groundwater elevations are based on an arbitrary reference datum established for the site. NA - Datum not available					



**Table 3**  
**Groundwater Analytical Results**  
**February 2008**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

CONSTITUENT	CW-01 2/7/2008 Primary	CW-02 2/7/2008 Primary	CW-06 2/7/2008 Primary	CW-06 2/7/2008 Duplicate 1	GZA-3 2/7/2008 Primary	GZA-3 2/7/2008 Duplicate 1	MW-101D 2/7/2008 Primary	MW-101S 2/7/2008 Primary	MW-101S 2/7/2008 Duplicate 1	MW-109D 2/7/2008 Primary	MW-112 2/7/2008 Primary
<b>VOCs (ug/l)</b>											
1,1-Dichloroethane	<40	<2	---	---	2.6	---	<20	<20	<20	<2	<2
1,1-Dichloroethene	180	<1	---	---	<1	---	<10	<10	<10	<1	<1
1,2,4-Trimethylbenzene	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
1,3,5-Trimethylbenzene	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
Bromodichloromethane	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
Chloroform	<40	<2	---	---	<2	---	<20	<20	<20	<2	7.7
cis-1,2-Dichloroethene	460	<2	---	---	20	---	<20	<20	<20	<2	<2
Ethylbenzene	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
m/p-xylene	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
Methyltert-butylether	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
Naphthalene	<100	<5	---	---	<5	---	<50	<50	<50	<5	<5
o-Xylene	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
Tetrachloroethene	<40	<2	---	---	<2	---	2100	630	630	<2	760
Toluene	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
Trichloroethene	5700	<2	---	---	2.5	---	<20	<20	<20	<2	4.5
Vinyl chloride	<40	<2	---	---	8.6	---	<20	<20	<20	<2	<2
Xylene (total)	<40	<2	---	---	<2	---	<20	<20	<20	<2	<2
<b>TPH (mg/l)</b>											
Unidentified TPH	---	---	10	10	---	---	---	---	---	---	---
<b>Metals 6010B (ug/l)</b>											
Dissolved Lead	---	---	---	---	<12	<12	---	---	---	<12	---
<b>Notes:</b> < = Less than the laboratory reporting limit ug/l = Micro grams per liter, parts per billion mg/l = Milligrams per liter, parts per million TPH = Total Petroleum Hydrocarbons --- = Not analyzed for.											

**Table 3**  
**Groundwater Analytical Results**  
**February 2008**  
Former Gorham Manufacturing Facility  
Providence, Rhode Island

CONSTITUENT	MW-116D 2/7/2008 Primary	MW-116S 2/7/2008 Primary	MW-201D 2/7/2008 Primary	MW-202D 2/7/2008 Primary	MW-202S 2/7/2008 Primary	MW-207D 2/7/2008 Primary	MW-207S 2/7/2008 Primary	MW-209D 2/7/2008 Primary	MW-216D 2/7/2008 Primary	MW-216S 2/7/2008 Primary	MW-217D 2/7/2008 Primary	MW-217S 2/7/2008 Primary	MW-218D 2/7/2008 Primary	MW-218S 2/7/2008 Primary
<b>VOCs (ug/l)</b>														
1,1-Dichloroethane	<2	<2	<200	<400	<400	<2	<40	<2	<2	2.1	<2	<2	<20	<20
1,1-Dichloroethene	<1	<1	<100	<200	<200	<1	<20	<1	<1	<1	<1	<1	22	<10
1,2,4-Trimethylbenzene	<2	<2	<200	<400	<400	<2	<40	<2	<2	11	<2	<2	<20	<20
1,3,5-Trimethylbenzene	<2	<2	<200	<400	<400	<2	<40	<2	<2	8.4	<2	<2	<20	<20
Bromodichloromethane	3.1	2.9	<200	<400	<400	<2	<40	<2	<2	<2	<2	<2	<20	<20
Chloroform	35	28	<200	<400	<400	<2	<40	<2	<2	<2	<2	<2	<20	<20
cis-1,2-Dichloroethene	<2	<2	<200	<400	<400	19	<40	2.3	<2	58	42	25	<20	87
Ethylbenzene	<2	<2	<200	<400	<400	<2	<40	<2	<2	2.2	<2	<2	<20	<20
m/p-xylene	<2	<2	<200	<400	<400	<2	<40	<2	<2	5.8	<2	<2	<20	<20
Methyltert-butylether	<2	<2	<200	<400	<400	<2	<40	2.5	<2	<2	<2	<2	<20	<20
Naphthalene	<5	<5	<500	<1000	<1000	<5	<100	<5	<5	21	<5	<5	<50	<50
o-Xylene	<2	<2	<200	<400	<400	<2	<40	<2	<2	8.3	<2	<2	<20	<20
Tetrachloroethene	<2	<2	7000	9500	25000	1600	1300	74	<2	<2	<2	7.8	1400	170
Toluene	<2	<2	<200	<400	<400	<2	<40	<2	<2	2.7	<2	<2	<20	<20
Trichloroethene	<2	<2	870	<400	<400	76	73	24	<2	<2	23	<2	580	<20
Vinyl chloride	<2	<2	<200	<400	<400	<2	<40	<2	<2	<2	<2	<2	<20	<20
Xylene (total)	<2	<2	<200	<400	<400	<2	<40	<2	<2	14	<2	<2	<20	<20
<b>TPH (mg/l)</b>														
Unidentified TPH	---	---	---	---	---	---	---	---	---	---	---	---	---	---
<b>Metals 6010B (ug/l)</b>														
Dissolved Lead	---	---	---	---	---	---	---	---	---	---	---	---	---	---
<b>Notes:</b> < = Less than the laboratory reporting limit ug/l = Micro grams per liter, parts per billion mg/l = Milligrams per liter, parts per million TPH = Total Petroleum Hydrocarbons --- = Not analyzed for.														

**Table 4**  
**Compliance Wells Analytical Results**  
**February 2008**  
**Former Gorham**  
**Manufacturing Facility**  
**Providence, Rhode Island**

<b>Mashapaug Pond Compliance Wells</b>				
<b>Sample ID</b>	<b>GZA-3</b>	<b>GZA-3</b>	<b>MW-109D</b>	<b>Compliance</b>
<b>Date Collected</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>Standard<sup>1</sup></b>
<b>CONSTITUENT</b>		<b>Duplicate</b>		
<b>Metals (mg/L)</b>				
Lead	<0.012	<0.012	<0.012	0.03
<b>VOCs (ug/L)</b>				
1,1-Dichloroethane	2.6	NA	<2	50,000
cis-1,2-Dichloroethene	20	NA	<2	50,000
Tetrachloroethene	<2	NA	<2	5,000
Trichloroethene	2.5	NA	<2	20,000
Vinyl chloride	8.6	NA	<2	1,200

<b>TPH Remediation Area Well</b>			
<b>Sample ID</b>	<b>CW-6</b>	<b>CW-6</b>	<b>Compliance</b>
<b>Date Collected</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>Standard<sup>1</sup></b>
<b>CONSTITUENT</b>		<b>Duplicate</b>	
TPH (mg/L)	10	10	20

<b>Sewer Interceptor Area Wells</b>			
<b>Sample ID</b>	<b>CW-1</b>	<b>CW-2</b>	<b>Compliance</b>
<b>Date Collected</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>Standard<sup>2</sup></b>
<b>CONSTITUENT</b>			
<b>VOCs (ug/L)</b>			
1,1-Dichloroethene	180	<1	23,000
cis-1,2-Dichloroethene	460	<2	69,000
Trichloroethene	5,700	<2	87,000

<b>Adelaide Avenue Wells</b>					
<b>Sample ID</b>	<b>MW-112</b>	<b>MW-209D</b>	<b>MW-218D</b>	<b>MW-218S</b>	<b>Compliance</b>
<b>Date Collected</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>2/7/2008</b>	<b>Standard<sup>3</sup></b>
<b>CONSTITUENT</b>					
<b>VOCs (ug/L)</b>					
cis-1,2-Dichloroethene	<2	2.3	<20	87	2,400
1,1-Dichloroethene	<1	<2	22	<10	7
Chloroform	7.7	<2	<20	<20	1,900
Methyl tert-butyl ether	<2	2.5	<20	<20	5,000
Tetrachloroethene	760	74	1400	170	150
Trichloroethene	4.5	24	250	<20	540
Vinyl chloride	<2	<2	<20	<20	2

**Notes:**

1. These Site specific compliance standards were taken from the approved RAWP dated April 1, 2001 and/or the RIDEM Remediation Regulations.
2. These compliance standards taken from Table 5 - Upper Concentration Limits for GB Groundwater, RIDEM Remediation Regulations.
3. These compliance standards taken from Table 4 -GB Groundwater Objectives of the RIDEM Remediation Regulations or in the case of vinyl chloride the compliance standard was taken from Table 3 of the Remediation Regulations and for chloroform the compliance standard was calculated from the algorithm in Appendix F of the Remediation Regulations (calculations attached as Appendix C of Status Report dated September 18, 2007).

mg/L - milligrams per liter

ug/L - micrograms per liter

< - compound was not detected below the laboratory reporting limit, concentration shown is the reporting limit.

VOCs - volatile organic compounds

TPH - total petroleum hydrocarbons

NA - Indicates that the analysis was not performed.



February 25, 2008

**ANALYTICAL TEST RESULTS**

Ed VanDoren  
SHAW E & I, Inc.  
11 Northeastern Boulevard  
Salem, NH 030791953  
TEL: (603) 870-4530  
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0802026

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 26 samples on 2/8/08 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 108 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart  
Vice President

**State Certifications:** NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

*Hard copy of the State Certification is available upon request.*

**CLIENT:** SHAW E & I, Inc.  
**Project:** 130274 Textron Gorham  
**Lab Order:** 0802026  
**Date Received:** 2/8/08

**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0802026-01A	MW-207S	2/7/08	10:30 AM
0802026-02A	MW-207D	2/7/08	10:03 AM
0802026-03A	MW-202S	2/7/08	10:10 AM
0802026-04A	MW-202D	2/7/08	10:14 AM
0802026-05A	MW-101D	2/7/08	10:18 AM
0802026-06A	MW-101S	2/7/08	10:23 AM
0802026-07A	MW-101S DUP	2/7/08	10:25 AM
0802026-08A	CW-1	2/7/08	11:03 AM
0802026-09A	CW-2	2/7/08	11:35 AM
0802026-10A	MW-209D	2/7/08	1:00 PM
0802026-11A	MW-116S	2/7/08	2:30 PM
0802026-12A	MW-116D	2/7/08	1:52 PM
0802026-13A	MW-216S	2/7/08	11:40 AM
0802026-14A	MW-217S	2/7/08	1:30 PM
0802026-15A	MW-216D	2/7/08	12:20 PM
0802026-16A	MW-217D	2/7/08	1:40 PM
0802026-17A	MW-112	2/7/08	2:00 PM
0802026-18A	MW-218D	2/7/08	12:00 PM
0802026-19A	MW-201D	2/7/08	10:00 AM
0802026-20A	MW-218S	2/7/08	11:00 AM
0802026-21A	Trip Blank	2/7/08	12:00 AM
0802026-22A	MW-109D	2/7/08	1:15 PM
0802026-22B	MW-109D	2/7/08	1:15 PM
0802026-23A	GZA-3	2/7/08	1:20 PM
0802026-23B	GZA-3	2/7/08	1:20 PM
0802026-24A	GZA-3 DUP	2/7/08	1:25 PM
0802026-25A	CW-6	2/7/08	2:20 PM
0802026-26A	CW-6 DUP	2/7/08	2:20 PM

# AMRO Environmental Laboratories Corp.

21-Feb-08

## DATES REPORT

Lab Order: 0802026

Client: SHAW E & I, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0802026-01A	MW-207S	2/7/08 10:30:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	2/7/08	2/15/08	R39305	
0802026-02A	MW-207D	2/7/08 10:03:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/14/08	R39283	
0802026-03A	MW-202S	2/7/08 10:10:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/15/08	R39305	
0802026-04A	MW-202D	2/7/08 10:14:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/15/08	R39305	
0802026-05A	MW-101D	2/7/08 10:18:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/19/08	R39334	
0802026-06A	MW-101S	2/7/08 10:23:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/19/08	R39334	
0802026-07A	MW-101S DUP	2/7/08 10:25:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/19/08	R39334	
0802026-08A	CW-1	2/7/08 11:03:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/15/08	R39305	
0802026-09A	CW-2	2/7/08 11:35:00 AM		EPA 8260B VOLATILES by GC/MS		2/8/08	2/15/08	R39302	
0802026-10A	MW-209D	2/7/08 1:00:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/19/08	R39334	
0802026-11A	MW-116S	2/7/08 2:30:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	2/14/08	R39283	

**AMRO Environmental Laboratories Corp.**

21-Feb-08

**DATES REPORT**

Lab Order: 0802026  
 Client: SHAW E & I, Inc.  
 Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0802026-12A	MW-116D	2/7/08 1:52:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	2/7/08	R39283	2/14/08	
0802026-13A	MW-216S	2/7/08 11:40:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39283	2/14/08	
0802026-14A	MW-217S	2/7/08 1:30:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39283	2/14/08	
0802026-15A	MW-216D	2/7/08 12:20:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39283	2/14/08	
0802026-16A	MW-217D	2/7/08 1:40:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39283	2/14/08	
0802026-17A	MW-112	2/7/08 2:00:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39283	2/14/08	
0802026-18A	MW-218D	2/7/08 12:00:00 PM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39305	2/15/08	
0802026-19A	MW-201D	2/7/08 10:00:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39305	2/15/08	
0802026-20A	MW-218S	2/7/08 11:00:00 AM		EPA 8260B VOLATILES by GC/MS		2/7/08	R39334	2/19/08	
0802026-21A	Trip Blank	2/7/08	Trip Blank	EPA 8260B VOLATILES by GC/MS		2/7/08	R39305	2/15/08	
0802026-22A	MW-109D	2/7/08 1:15:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS		2/7/08	R39302	2/15/08	

**AMRO Environmental Laboratories Corp.**

21-Feb-08

**DATES REPORT**

Lab Order: 0802026  
 Client: SHAW E & I, Inc.  
 Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Analysis Date Batch ID	TCLP Date
0802026-22B	MW-109D	2/7/08 1:15:00 PM	Groundwater	EPA 6010B ICP METALS, DISSOLVED EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	2/13/08	2/13/08 18106	
0802026-23A	GZA-3	2/7/08 1:20:00 PM		EPA 8260B VOLATILES by GC/MS EPA 5030B	2/7/08	2/15/08 R39305	
0802026-23B				EPA 6010B ICP METALS, DISSOLVED EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	2/13/08	2/13/08 18106	
0802026-24A	GZA-3 DUP	2/7/08 1:25:00 PM		EPA 6010B ICP METALS, DISSOLVED	2/13/08	2/13/08 18106	
0802026-25A	CW-6	2/7/08 2:20:00 PM		TPH by GC/FID (modified 8015B) AQPREP SEP FUNNEL: FING	2/12/08	2/13/08 18104	
0802026-26A	CW-6 DUP			TPH by GC/FID (modified 8015B)	2/12/08	2/13/08 18104	



56661

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed Vandoren	Samplers (Signature): <i>[Signature]</i>	AMRO Project No.: 0802026
P.O.#: 157431	Results Needed by:	Total # of Cont & Size	Requested Analyses	Remarks	
QUOTE #:	Standard TAT	Matrix	Requested Analyses		
	Seal Intact? Yes No N/A				
Sample ID:	Date/Time Sampled				
MW-207S	2/7/08 1030	GW			
MW-207D	2/7/08 1003				
MW-207S	2/7/08 1010				
MW-202D	2/7/08 1014				
MW-101B	2/7/08 1018				
MW-101S	2/7/08 1023				
MW-101S DUP	2/7/08 1025				
CW-1	2/7/08 1103				
CW-2	2/7/08 1135				
MW-209D	2/7/8 1300				
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed Vandoren					
Shaw Environmental, Inc.					
11 Northeastern Blvd.					
Salem, NH 03079-1953					
PHONE #: 603-870-4530 FAX #: 603-870-4501					
E-mail: Edward.Vandoren@Shawgrp.com					
Relinquished By: <i>[Signature]</i>	Date/Time: 2/18/08 0600	Received By: <i>[Signature]</i>			
Relinquished By: <i>[Signature]</i>	Date/Time: 2/18/08 1240	Received By: <i>[Signature]</i>			
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.					
White: Lab Copy Yellow: Client Copy					
SHEET OF					
AMROCOC2004_Rev.3 08/18/04					

AMRO Environmental Laboratories Corporation  
 111 Herrick Street  
 Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

Office: (603) 424-2022  
 Fax: (603) 429-8496  
 web: www.amrolabs.com

56987

Project No.: 130 274	Project Name: Test from GONHAM	Project State: RI	Project Manager: Ed Van Doren	Samplers (Signature): Dan Kelly	AMRO Project No.: 0802026	
P.O.#: 157 431	Results Needed by: STD TAT	Matrix	REQUESTED ANALYSES			Remarks
QUOTE #:	Seal Intact? Yes No N/A	Date/Time Sampled	Total # of Cont. & Size	Comp.	Grab	
MW-109 D	2/7/08 1315	GW	1-500ml	X	X	
GZA-3	2/7/08 1320	GW	2-400ml	X	X	
GZA-3 DUP	2/7/08 1325	GW	2-400ml	X	X	
MW-116 S	2/7/8 1430	GW	2-400ml	✓	✓	
MW 116 D	2/7/8 1352	GW	2-400ml	✓	✓	
MW-216 S	2/7/8 1140	GW	2-400ml	✓	✓	
MW-217 S	2/7/8 1330	GW	2-400ml	✓	✓	
MW-216 D	2/7/8 1200	GW	2-400ml	✓	✓	
MW-217 D	2/7/8 1340	GW	2-400ml	✓	✓	
MW-112	2/7/8 1400	GW	2-400ml	✓	✓	

Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other

Send Results To: Ed Van Doren  
 Shaw Environmental Inc  
 11 Northheaven Blvd  
 Salem NH 03079-1953

PHONE #: 603-870-4530 FAX #: 603-870-4501  
 E-mail: Edward.VanDoren@ShawEnv.com

PRIORITY TURNAROUND TIME AUTHORIZATION  
 Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER

METALS 8 RCRA  13 PP  23 TAL  14 MCP   
 Method: 6010  200.7  Other Metals:

Dissolved Metals Field Filtered? YES  NO

MCP Presumptive Certainty Required? YES  NO

MCP Methods Needed: YES  NO

AMRO report package level needed:

EDD required:

Required Reporting Limits:  
 S-1  GW-1   
 S-2  GW-2   
 S-3  GW-3   
 Other:

Received By: *William S. ...*  
 Date/Time: 2/8/08 0600  
 Samples arriving after 12:00 noon will be tracked and billed as received on the following day.

AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.

KNOWN SITE CONTAMINATION:

White: Lab Copy Yellow: Client Copy

19 2013

Project No.: 130274	Project Name: DEPTON CORP	Project State:	Project Manager: ED VAN DOREN	AMRO Project No.: 0802026
P.O.#: 157431	Results Needed by:	Total # of Cont. & Size	Requested Analyses	Remarks
QUOTE #:	Seal Intact? Yes No N/A	Matrix	Requested Analyses	Remarks
Sample ID:	Date/Time Sampled	Grab	Requested Analyses	Remarks
MW-218D	2/7/18 1200	GW	✓	
MW-201D	2/7/18 1000	GW	✓	
MW-218S	2/7/18 1100	GW	✓	
CW-6	2/7/18 1420	GW	✓	
CW-6 Dup	2/7/18 1420	GW	✓	
TRIP BANK	BY LAB		✓	

**Requested Analyses:** METALS  8 RCRA  13 PP  23 TAL  14 MCP  
 Method: 6010  200.7  Other Metals:

**Other Metals:** 6010  200.7  Other Metals:

**Required Reporting Limits:** S-1  GW-1   
 S-2  GW-2   
 S-3  GW-3   
 Other:

**Requested Analyses:** TPA  
 EPA 8260B (VOCs)  
 DISSOLVED LEAD

**Preservative:** Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O-Other

**PRIORITY TURNAROUND TIME AUTHORIZATION**  
 Before submitting samples for expedited TAT, you must have a coded AUTHORIZATION NUMBER

**AUTHORIZATION No.:** 603-870-4530 **BY:** Ed Van Doren

**PHONE #:** 603-870-4530 **FAX #:** 603-870-9501

**E-mail:** *Ed Van Doren*

**Received By:** *Ed Van Doren* **Date/Time:** 2/18/18 0600  
 2/18/18 1200  
 2/18/18 1400

**Received By:** *Ed Van Doren* **Date/Time:** 2/18/18 0600

**Received By:** *Ed Van Doren* **Date/Time:** 2/18/18 1200

**Received By:** *Ed Van Doren* **Date/Time:** 2/18/18 1400

**Received By:** *Ed Van Doren* **Date/Time:** 2/18/18 1400

**AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.**

**KNOWN SITE CONTAMINATION:**

White: Lab Copy Yellow: Client Copy

*Ed Van Doren*

Client: <u>SHAW</u>	AMRO ID: <u>0902026</u>
Project Name: <u>130274 TEXTRON GORHAM</u>	Date Rec.: <u>2-8-08</u>
Ship via: (circle one) Fed Ex., UPS, <u>AMRO Courier</u>	Date Due: <u>2-15-08</u>
Hand Del., Other Courier, Other:	

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. <span style="float:right">TEMP = <u>40</u></span> Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input type="checkbox"/> neither <input type="checkbox"/>				
8. Were samples received the same day they were sampled? Is client temperature 4°C ± 2°C? <b>If no obtain authorization from the client for the analyses.</b> Client authorization from: _____ Date: _____ Obtained by: _____	✓	✓		
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			

19. VPH and VOA Soils only:

Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)

Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk

If M or SB:

Does preservative cover the soil? If NO then client must be faxed.

Does preservation level come close to the fill line on the vial? If NO then client must be faxed.

Were vials provided by AMRO? If NO then weights MUST be obtained from client

Was dry weight aliquot provided? If NO then fax client and inform the VOA lab ASAP.

20. Subcontracted Samples:

What samples sent: \_\_\_\_\_

Where sent: \_\_\_\_\_

Date: \_\_\_\_\_

Analysis: \_\_\_\_\_

TAT: \_\_\_\_\_

21. Information entered into:

Internal Tracking Log?

Dry Weight Log?

Client Log?

Composite Log?

Filtration Log?

Received By: <u>CC</u>	Date: <u>2-8-08</u>	Logged in By: <u>CC</u>	Date: <u>2-11-08</u>
Labeled By: <u>CC</u>	Date: <u>2-11-08</u>	Checked By: <u>MG</u>	Date: <u>2-11-08</u>

Please Circle if:  
Sample= Soil  
Sample= Waste

AMRO ID: 0802026

Sample ID	Analysis	Volume Sample	Preserv. Listed	Initial pH*	Acceptable? Y or N	List Preserv. Added by AMRO	Solution ID # of Preserv.	Volume Preservative Added	Final adjusted pH	Final adjusted pH (after 16 hours)
01A-720A	VOC	240ML	HCL	-	-					
21A (TB)	VOC	140ML	HCL	-	-					
22A, 23A	VOC	240ML	HCL	-	-					
22B, 23B, 24A	METALS	500ML	HNO3	2.2	Y					
25A, 26A	TPH	2-140ML	H2SO4	2.2	Y					

\* = if the laboratory preserves the drinking water sample (s) for EPA Method 200 series, sample (s) should be held at least 16 hours prior to analysis

pH Checked By: CC Date: 2-8-08 pH adjusted By: \_\_\_\_\_ Date: \_\_\_\_\_  
pH Checked By: \_\_\_\_\_ Date: \_\_\_\_\_ pH adjusted (16hrs) By: \_\_\_\_\_ Date: \_\_\_\_\_

**CLIENT:** SHAW E & I, Inc.  
**Project:** 130274 Textron Gorham  
**Lab Order:** 0802026

**CASE NARRATIVE**

GC/MS VOLATILES:

1. The surrogate 1,2-Dichloroethane-d4 recovered slightly above the laboratory control limit in sample MW-116S (0802026-11).

2. A Laboratory Control Sample (LCS) was performed on 02/14/08 (Batch ID: R39283).

2.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.

3. A Laboratory Control Sample (LCS) nd Laboratory Control Sample Duplicate (LCSD) were performed on 02/15/08 (Batch ID: R39302).

3.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.

4. A Laboratory Control Sample (LCS) was performed on 02/15/08 (Batch ID: R39305).

4.1 The % Recovery for 3 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

5. A Laboratory Control Sample (LCS) nd Laboratory Control Sample Duplicate (LCSD) were performed on 02/19/08 (Batch ID: R39334).

5.1 The % Recovery for 4 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

5.2 The % Recovery for 2 analytes out of 67 analytes in the LCSD was outside the laboratory control limits.

5.3 The % RPD for 1 analyte out of 67 analytes was outside the laboratory control limits.

6. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample CW-2 (0802026-09) (Batch ID: R39283).

6.1 The % Recovery for 5 analytes out of 67 analytes in the MS was outside the laboratory control limits.

6.2 The % Recovery for 6 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

---

**CLIENT:** SHAW E & I, Inc.  
**Project:** 130274 Textron Gorham  
**Lab Order:** 0802026

---

**CASE NARRATIVE**

7. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-209D (0802026-10) (Batch ID: R39334).

7.1 The % Recovery for 3 analytes out of 67 analytes in the MS was outside the laboratory control limits.

7.2 The % Recovery for 2 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

7.3 The % RPD for 6 analytes out of 67 analytes was outside the laboratory control limits.

**TPH GC/FID:**

1. No QC deviations were observed.

**METALS:**

1. No QC deviations were observed.

## DATA COMMENT PAGE

### Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

### Micro Data Qualifiers

TNTC Too numerous to count

### Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

#### Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.



**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-01A

**Client Sample ID:** MW-207S  
**Collection Date:** 2/7/08 10:30:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	100		µg/L	20	2/15/08 4:11:00 PM
Chloromethane	ND	100		µg/L	20	2/15/08 4:11:00 PM
Vinyl chloride	ND	40		µg/L	20	2/15/08 4:11:00 PM
Chloroethane	ND	100		µg/L	20	2/15/08 4:11:00 PM
Bromomethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Trichlorofluoromethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Diethyl ether	ND	100		µg/L	20	2/15/08 4:11:00 PM
Acetone	ND	200		µg/L	20	2/15/08 4:11:00 PM
1,1-Dichloroethene	ND	20		µg/L	20	2/15/08 4:11:00 PM
Carbon disulfide	ND	40		µg/L	20	2/15/08 4:11:00 PM
Methylene chloride	ND	100		µg/L	20	2/15/08 4:11:00 PM
Methyl tert-butyl ether	ND	40		µg/L	20	2/15/08 4:11:00 PM
trans-1,2-Dichloroethene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,1-Dichloroethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
2-Butanone	ND	200		µg/L	20	2/15/08 4:11:00 PM
2,2-Dichloropropane	ND	40		µg/L	20	2/15/08 4:11:00 PM
cis-1,2-Dichloroethene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Chloroform	ND	40		µg/L	20	2/15/08 4:11:00 PM
Tetrahydrofuran	ND	200		µg/L	20	2/15/08 4:11:00 PM
Bromochloromethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,1,1-Trichloroethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,1-Dichloropropene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Carbon tetrachloride	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,2-Dichloroethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Benzene	ND	20		µg/L	20	2/15/08 4:11:00 PM
Trichloroethene	73	40		µg/L	20	2/15/08 4:11:00 PM
1,2-Dichloropropane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Bromodichloromethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Dibromomethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
4-Methyl-2-pentanone	ND	200		µg/L	20	2/15/08 4:11:00 PM
cis-1,3-Dichloropropene	ND	20		µg/L	20	2/15/08 4:11:00 PM
Toluene	ND	40		µg/L	20	2/15/08 4:11:00 PM
trans-1,3-Dichloropropene	ND	20		µg/L	20	2/15/08 4:11:00 PM
1,1,2-Trichloroethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,2-Dibromoethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
2-Hexanone	ND	200		µg/L	20	2/15/08 4:11:00 PM
1,3-Dichloropropane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Tetrachloroethene	1,300	40		µg/L	20	2/15/08 4:11:00 PM
Dibromochloromethane	ND	40		µg/L	20	2/15/08 4:11:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0802026  
 Project: 130274 Textron Gorham  
 Lab ID: 0802026-01A

Client Sample ID: MW-207S  
 Collection Date: 2/7/08 10:30:00 AM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Ethylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
m,p-Xylene	ND	40		µg/L	20	2/15/08 4:11:00 PM
o-Xylene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Styrene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Bromoform	ND	40		µg/L	20	2/15/08 4:11:00 PM
Isopropylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,2,3-Trichloropropane	ND	40		µg/L	20	2/15/08 4:11:00 PM
Bromobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
n-Propylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
2-Chlorotoluene	ND	40		µg/L	20	2/15/08 4:11:00 PM
4-Chlorotoluene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
tert-Butylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
sec-Butylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
4-Isopropyltoluene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,3-Dichlorobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,4-Dichlorobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
n-Butylbenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,2-Dichlorobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	2/15/08 4:11:00 PM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Hexachlorobutadiene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Naphthalene	ND	100		µg/L	20	2/15/08 4:11:00 PM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	2/15/08 4:11:00 PM
Surr: Dibromofluoromethane	104	85-116		%REC	20	2/15/08 4:11:00 PM
Surr: 1,2-Dichloroethane-d4	110	77-127		%REC	20	2/15/08 4:11:00 PM
Surr: Toluene-d8	103	86-114		%REC	20	2/15/08 4:11:00 PM
Surr: 4-Bromofluorobenzene	93.3	79-117		%REC	20	2/15/08 4:11:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0802026  
 Project: 130274 Textron Gorham  
 Lab ID: 0802026-02A

Client Sample ID: MW-207D  
 Collection Date: 2/7/08 10:03:00 AM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
Acetone	ND	10		µg/L	1	2/14/08 1:26:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 1:26:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 1:26:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
cis-1,2-Dichloroethene	19	2.0		µg/L	1	2/14/08 1:26:00 PM
Chloroform	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 1:26:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 1:26:00 PM
Trichloroethene	76	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 1:26:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 1:26:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 1:26:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 1:26:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Tetrachloroethene	1,600	40		µg/L	20	2/15/08 2:27:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-02A

**Client Sample ID:** MW-207D  
**Collection Date:** 2/7/08 10:03:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 1:26:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 1:26:00 PM
Surr: Dibromofluoromethane	104	85-116		%REC	1	2/14/08 1:26:00 PM
Surr: 1,2-Dichloroethane-d4	123	77-127		%REC	1	2/14/08 1:26:00 PM
Surr: Toluene-d8	99.4	86-114		%REC	1	2/14/08 1:26:00 PM
Surr: 4-Bromofluorobenzene	99.0	79-117		%REC	1	2/14/08 1:26:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-03A

**Client Sample ID:** MW-202S  
**Collection Date:** 2/7/08 10:10:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
Chloromethane	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
Vinyl chloride	ND	400		µg/L	200	2/15/08 4:45:00 PM
Chloroethane	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
Bromomethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Trichlorofluoromethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Diethyl ether	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
Acetone	ND	2,000		µg/L	200	2/15/08 4:45:00 PM
1,1-Dichloroethene	ND	200		µg/L	200	2/15/08 4:45:00 PM
Carbon disulfide	ND	400		µg/L	200	2/15/08 4:45:00 PM
Methylene chloride	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
Methyl tert-butyl ether	ND	400		µg/L	200	2/15/08 4:45:00 PM
trans-1,2-Dichloroethene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,1-Dichloroethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
2-Butanone	ND	2,000		µg/L	200	2/15/08 4:45:00 PM
2,2-Dichloropropane	ND	400		µg/L	200	2/15/08 4:45:00 PM
cis-1,2-Dichloroethene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Chloroform	ND	400		µg/L	200	2/15/08 4:45:00 PM
Tetrahydrofuran	ND	2,000		µg/L	200	2/15/08 4:45:00 PM
Bromochloromethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,1,1-Trichloroethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,1-Dichloropropene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Carbon tetrachloride	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2-Dichloroethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Benzene	ND	200		µg/L	200	2/15/08 4:45:00 PM
Trichloroethene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2-Dichloropropane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Bromodichloromethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Dibromomethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
4-Methyl-2-pentanone	ND	2,000		µg/L	200	2/15/08 4:45:00 PM
cis-1,3-Dichloropropene	ND	200		µg/L	200	2/15/08 4:45:00 PM
Toluene	ND	400		µg/L	200	2/15/08 4:45:00 PM
trans-1,3-Dichloropropene	ND	200		µg/L	200	2/15/08 4:45:00 PM
1,1,2-Trichloroethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2-Dibromoethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
2-Hexanone	ND	2,000		µg/L	200	2/15/08 4:45:00 PM
1,3-Dichloropropane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Tetrachloroethene	25,000	400		µg/L	200	2/15/08 4:45:00 PM
Dibromochloromethane	ND	400		µg/L	200	2/15/08 4:45:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-03A

**Client Sample ID:** MW-202S  
**Collection Date:** 2/7/08 10:10:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,1,1,2-Tetrachloroethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Ethylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
m,p-Xylene	ND	400		µg/L	200	2/15/08 4:45:00 PM
o-Xylene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Styrene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Bromoform	ND	400		µg/L	200	2/15/08 4:45:00 PM
Isopropylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,1,2,2-Tetrachloroethane	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2,3-Trichloropropane	ND	400		µg/L	200	2/15/08 4:45:00 PM
Bromobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
n-Propylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
2-Chlorotoluene	ND	400		µg/L	200	2/15/08 4:45:00 PM
4-Chlorotoluene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,3,5-Trimethylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
tert-Butylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2,4-Trimethylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
sec-Butylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
4-Isopropyltoluene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,3-Dichlorobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,4-Dichlorobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
n-Butylbenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2-Dichlorobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
1,2-Dibromo-3-chloropropane	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
1,2,4-Trichlorobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Hexachlorobutadiene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Naphthalene	ND	1,000		µg/L	200	2/15/08 4:45:00 PM
1,2,3-Trichlorobenzene	ND	400		µg/L	200	2/15/08 4:45:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	200	2/15/08 4:45:00 PM
Surr: 1,2-Dichloroethane-d4	109	77-127		%REC	200	2/15/08 4:45:00 PM
Surr: Toluene-d8	96.3	86-114		%REC	200	2/15/08 4:45:00 PM
Surr: 4-Bromofluorobenzene	103	79-117		%REC	200	2/15/08 4:45:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

CLIENT: SHAW E & I, Inc.  
 Lab Order: 0802026  
 Project: 130274 Textron Gorham  
 Lab ID: 0802026-04A

Client Sample ID: MW-202D  
 Collection Date: 2/7/08 10:14:00 AM  
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
Chloromethane	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
Vinyl chloride	ND	400		µg/L	200	2/15/08 5:19:00 PM
Chloroethane	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
Bromomethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Trichlorofluoromethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Diethyl ether	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
Acetone	ND	2,000		µg/L	200	2/15/08 5:19:00 PM
1,1-Dichloroethene	ND	200		µg/L	200	2/15/08 5:19:00 PM
Carbon disulfide	ND	400		µg/L	200	2/15/08 5:19:00 PM
Methylene chloride	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
Methyl tert-butyl ether	ND	400		µg/L	200	2/15/08 5:19:00 PM
trans-1,2-Dichloroethene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,1-Dichloroethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
2-Butanone	ND	2,000		µg/L	200	2/15/08 5:19:00 PM
2,2-Dichloropropane	ND	400		µg/L	200	2/15/08 5:19:00 PM
cis-1,2-Dichloroethene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Chloroform	ND	400		µg/L	200	2/15/08 5:19:00 PM
Tetrahydrofuran	ND	2,000		µg/L	200	2/15/08 5:19:00 PM
Bromochloromethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,1,1-Trichloroethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,1-Dichloropropene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Carbon tetrachloride	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2-Dichloroethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Benzene	ND	200		µg/L	200	2/15/08 5:19:00 PM
Trichloroethene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2-Dichloropropane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Bromodichloromethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Dibromomethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
4-Methyl-2-pentanone	ND	2,000		µg/L	200	2/15/08 5:19:00 PM
cis-1,3-Dichloropropene	ND	200		µg/L	200	2/15/08 5:19:00 PM
Toluene	ND	400		µg/L	200	2/15/08 5:19:00 PM
trans-1,3-Dichloropropene	ND	200		µg/L	200	2/15/08 5:19:00 PM
1,1,2-Trichloroethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2-Dibromoethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
2-Hexanone	ND	2,000		µg/L	200	2/15/08 5:19:00 PM
1,3-Dichloropropane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Tetrachloroethene	9,500	400		µg/L	200	2/15/08 5:19:00 PM
Dibromochloromethane	ND	400		µg/L	200	2/15/08 5:19:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-04A

**Client Sample ID:** MW-202D  
**Collection Date:** 2/7/08 10:14:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,1,1,2-Tetrachloroethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Ethylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
m,p-Xylene	ND	400		µg/L	200	2/15/08 5:19:00 PM
o-Xylene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Styrene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Bromoform	ND	400		µg/L	200	2/15/08 5:19:00 PM
Isopropylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,1,2,2-Tetrachloroethane	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2,3-Trichloropropane	ND	400		µg/L	200	2/15/08 5:19:00 PM
Bromobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
n-Propylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
2-Chlorotoluene	ND	400		µg/L	200	2/15/08 5:19:00 PM
4-Chlorotoluene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,3,5-Trimethylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
tert-Butylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2,4-Trimethylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
sec-Butylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
4-Isopropyltoluene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,3-Dichlorobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,4-Dichlorobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
n-Butylbenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2-Dichlorobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
1,2-Dibromo-3-chloropropane	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
1,2,4-Trichlorobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Hexachlorobutadiene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Naphthalene	ND	1,000		µg/L	200	2/15/08 5:19:00 PM
1,2,3-Trichlorobenzene	ND	400		µg/L	200	2/15/08 5:19:00 PM
Surr: Dibromofluoromethane	99.6	85-116		%REC	200	2/15/08 5:19:00 PM
Surr: 1,2-Dichloroethane-d4	107	77-127		%REC	200	2/15/08 5:19:00 PM
Surr: Toluene-d8	99.9	86-114		%REC	200	2/15/08 5:19:00 PM
Surr: 4-Bromofluorobenzene	100	79-117		%REC	200	2/15/08 5:19:00 PM



# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-05A

**Client Sample ID:** MW-101D  
**Collection Date:** 2/7/08 10:18:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	2/19/08 4:08:00 PM
Chloromethane	ND	50		µg/L	10	2/19/08 4:08:00 PM
Vinyl chloride	ND	20		µg/L	10	2/19/08 4:08:00 PM
Chloroethane	ND	50		µg/L	10	2/19/08 4:08:00 PM
Bromomethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Diethyl ether	ND	50		µg/L	10	2/19/08 4:08:00 PM
Acetone	ND	100		µg/L	10	2/19/08 4:08:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	2/19/08 4:08:00 PM
Carbon disulfide	ND	20		µg/L	10	2/19/08 4:08:00 PM
Methylene chloride	ND	50		µg/L	10	2/19/08 4:08:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/19/08 4:08:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
2-Butanone	ND	100		µg/L	10	2/19/08 4:08:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/19/08 4:08:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Chloroform	ND	20		µg/L	10	2/19/08 4:08:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/19/08 4:08:00 PM
Bromochloromethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Benzene	ND	10		µg/L	10	2/19/08 4:08:00 PM
Trichloroethene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Dibromomethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/19/08 4:08:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 4:08:00 PM
Toluene	ND	20		µg/L	10	2/19/08 4:08:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 4:08:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
2-Hexanone	ND	100		µg/L	10	2/19/08 4:08:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Tetrachloroethene	2,100	20		µg/L	10	2/19/08 4:08:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/19/08 4:08:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-05A

**Client Sample ID:** MW-101D  
**Collection Date:** 2/7/08 10:18:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Ethylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
m,p-Xylene	ND	20		µg/L	10	2/19/08 4:08:00 PM
o-Xylene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Styrene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Bromoform	ND	20		µg/L	10	2/19/08 4:08:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/19/08 4:08:00 PM
Bromobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/19/08 4:08:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/19/08 4:08:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Naphthalene	ND	50		µg/L	10	2/19/08 4:08:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/19/08 4:08:00 PM
Surr: Dibromofluoromethane	110	85-116		%REC	10	2/19/08 4:08:00 PM
Surr: 1,2-Dichloroethane-d4	121	77-127		%REC	10	2/19/08 4:08:00 PM
Surr: Toluene-d8	104	86-114		%REC	10	2/19/08 4:08:00 PM
Surr: 4-Bromofluorobenzene	94.6	79-117		%REC	10	2/19/08 4:08:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-06A

**Client Sample ID:** MW-101S  
**Collection Date:** 2/7/08 10:23:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	2/19/08 4:42:00 PM
Chloromethane	ND	50		µg/L	10	2/19/08 4:42:00 PM
Vinyl chloride	ND	20		µg/L	10	2/19/08 4:42:00 PM
Chloroethane	ND	50		µg/L	10	2/19/08 4:42:00 PM
Bromomethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Diethyl ether	ND	50		µg/L	10	2/19/08 4:42:00 PM
Acetone	ND	100		µg/L	10	2/19/08 4:42:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	2/19/08 4:42:00 PM
Carbon disulfide	ND	20		µg/L	10	2/19/08 4:42:00 PM
Methylene chloride	ND	50		µg/L	10	2/19/08 4:42:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/19/08 4:42:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
2-Butanone	ND	100		µg/L	10	2/19/08 4:42:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/19/08 4:42:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Chloroform	ND	20		µg/L	10	2/19/08 4:42:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/19/08 4:42:00 PM
Bromochloromethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Benzene	ND	10		µg/L	10	2/19/08 4:42:00 PM
Trichloroethene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Dibromomethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/19/08 4:42:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 4:42:00 PM
Toluene	ND	20		µg/L	10	2/19/08 4:42:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 4:42:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
2-Hexanone	ND	100		µg/L	10	2/19/08 4:42:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Tetrachloroethene	630	20		µg/L	10	2/19/08 4:42:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/19/08 4:42:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-06A

**Client Sample ID:** MW-101S  
**Collection Date:** 2/7/08 10:23:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Ethylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
m,p-Xylene	ND	20		µg/L	10	2/19/08 4:42:00 PM
o-Xylene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Styrene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Bromoform	ND	20		µg/L	10	2/19/08 4:42:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/19/08 4:42:00 PM
Bromobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/19/08 4:42:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/19/08 4:42:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Naphthalene	ND	50		µg/L	10	2/19/08 4:42:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/19/08 4:42:00 PM
Surr: Dibromofluoromethane	99.5	85-116		%REC	10	2/19/08 4:42:00 PM
Surr: 1,2-Dichloroethane-d4	1.15	77-127		%REC	10	2/19/08 4:42:00 PM
Surr: Toluene-d8	101	86-114		%REC	10	2/19/08 4:42:00 PM
Surr: 4-Bromofluorobenzene	94.4	79-117		%REC	10	2/19/08 4:42:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-07A

**Client Sample ID:** MW-101S DUP  
**Collection Date:** 2/7/08 10:25:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	2/19/08 5:16:00 PM
Chloromethane	ND	50		µg/L	10	2/19/08 5:16:00 PM
Vinyl chloride	ND	20		µg/L	10	2/19/08 5:16:00 PM
Chloroethane	ND	50		µg/L	10	2/19/08 5:16:00 PM
Bromomethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Diethyl ether	ND	50		µg/L	10	2/19/08 5:16:00 PM
Acetone	ND	100		µg/L	10	2/19/08 5:16:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	2/19/08 5:16:00 PM
Carbon disulfide	ND	20		µg/L	10	2/19/08 5:16:00 PM
Methylene chloride	ND	50		µg/L	10	2/19/08 5:16:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/19/08 5:16:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
2-Butanone	ND	100		µg/L	10	2/19/08 5:16:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/19/08 5:16:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Chloroform	ND	20		µg/L	10	2/19/08 5:16:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/19/08 5:16:00 PM
Bromochloromethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Benzene	ND	10		µg/L	10	2/19/08 5:16:00 PM
Trichloroethene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Dibromomethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/19/08 5:16:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 5:16:00 PM
Toluene	ND	20		µg/L	10	2/19/08 5:16:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 5:16:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
2-Hexanone	ND	100		µg/L	10	2/19/08 5:16:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Tetrachloroethene	630	20		µg/L	10	2/19/08 5:16:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/19/08 5:16:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-07A

**Client Sample ID:** MW-101S DUP  
**Collection Date:** 2/7/08 10:25:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Ethylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
m,p-Xylene	ND	20		µg/L	10	2/19/08 5:16:00 PM
o-Xylene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Styrene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Bromoform	ND	20		µg/L	10	2/19/08 5:16:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/19/08 5:16:00 PM
Bromobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/19/08 5:16:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/19/08 5:16:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Naphthalene	ND	50		µg/L	10	2/19/08 5:16:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/19/08 5:16:00 PM
Surr: Dibromofluoromethane	104	85-116		%REC	10	2/19/08 5:16:00 PM
Surr: 1,2-Dichloroethane-d4	115	77-127		%REC	10	2/19/08 5:16:00 PM
Surr: Toluene-d8	95.4	86-114		%REC	10	2/19/08 5:16:00 PM
Surr: 4-Bromofluorobenzene	96.1	79-117		%REC	10	2/19/08 5:16:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-08A

**Client Sample ID:** CW-1  
**Collection Date:** 2/7/08 11:03:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	100		µg/L	20	2/15/08 7:36:00 PM
Chloromethane	ND	100		µg/L	20	2/15/08 7:36:00 PM
Vinyl chloride	ND	40		µg/L	20	2/15/08 7:36:00 PM
Chloroethane	ND	100		µg/L	20	2/15/08 7:36:00 PM
Bromomethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Trichlorofluoromethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Diethyl ether	ND	100		µg/L	20	2/15/08 7:36:00 PM
Acetone	ND	200		µg/L	20	2/15/08 7:36:00 PM
1,1-Dichloroethene	180	20		µg/L	20	2/15/08 7:36:00 PM
Carbon disulfide	ND	40		µg/L	20	2/15/08 7:36:00 PM
Methylene chloride	ND	100		µg/L	20	2/15/08 7:36:00 PM
Methyl tert-butyl ether	ND	40		µg/L	20	2/15/08 7:36:00 PM
trans-1,2-Dichloroethene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,1-Dichloroethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
2-Butanone	ND	200		µg/L	20	2/15/08 7:36:00 PM
2,2-Dichloropropane	ND	40		µg/L	20	2/15/08 7:36:00 PM
cis-1,2-Dichloroethene	460	40		µg/L	20	2/15/08 7:36:00 PM
Chloroform	ND	40		µg/L	20	2/15/08 7:36:00 PM
Tetrahydrofuran	ND	200		µg/L	20	2/15/08 7:36:00 PM
Bromochloromethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,1,1-Trichloroethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,1-Dichloropropene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Carbon tetrachloride	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,2-Dichloroethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Benzene	ND	20		µg/L	20	2/15/08 7:36:00 PM
Trichloroethene	5,700	40		µg/L	20	2/15/08 7:36:00 PM
1,2-Dichloropropane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Bromodichloromethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Dibromomethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
4-Methyl-2-pentanone	ND	200		µg/L	20	2/15/08 7:36:00 PM
cis-1,3-Dichloropropene	ND	20		µg/L	20	2/15/08 7:36:00 PM
Toluene	ND	40		µg/L	20	2/15/08 7:36:00 PM
trans-1,3-Dichloropropene	ND	20		µg/L	20	2/15/08 7:36:00 PM
1,1,2-Trichloroethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,2-Dibromoethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
2-Hexanone	ND	200		µg/L	20	2/15/08 7:36:00 PM
1,3-Dichloropropane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Tetrachloroethene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Dibromochloromethane	ND	40		µg/L	20	2/15/08 7:36:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-08A

**Client Sample ID:** CW-1  
**Collection Date:** 2/7/08 11:03:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Ethylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
m,p-Xylene	ND	40		µg/L	20	2/15/08 7:36:00 PM
o-Xylene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Styrene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Bromoform	ND	40		µg/L	20	2/15/08 7:36:00 PM
Isopropylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,2,3-Trichloropropane	ND	40		µg/L	20	2/15/08 7:36:00 PM
Bromobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
n-Propylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
2-Chlorotoluene	ND	40		µg/L	20	2/15/08 7:36:00 PM
4-Chlorotoluene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
tert-Butylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
sec-Butylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
4-Isopropyltoluene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,3-Dichlorobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,4-Dichlorobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
n-Butylbenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,2-Dichlorobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	2/15/08 7:36:00 PM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Hexachlorobutadiene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Naphthalene	ND	100		µg/L	20	2/15/08 7:36:00 PM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	2/15/08 7:36:00 PM
Surr: Dibromofluoromethane	106	85-116		%REC	20	2/15/08 7:36:00 PM
Surr: 1,2-Dichloroethane-d4	107	77-127		%REC	20	2/15/08 7:36:00 PM
Surr: Toluene-d8	101	86-114		%REC	20	2/15/08 7:36:00 PM
Surr: 4-Bromofluorobenzene	97.0	79-117		%REC	20	2/15/08 7:36:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.

**Client Sample ID:** CW-2

**Lab Order:** 0802026

**Collection Date:** 2/7/08 11:35:00 AM

**Project:** 130274 Textron Gorham

**Matrix:** GROUNDWATER

**Lab ID:** 0802026-09A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
Chloromethane	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Chloroethane	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
Bromomethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
Acetone	ND	10		µg/L	1	2/15/08 12:37:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/15/08 12:37:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
2-Butanone	ND	10		µg/L	1	2/15/08 12:37:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Chloroform	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/15/08 12:37:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Benzene	ND	1.0		µg/L	1	2/15/08 12:37:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/15/08 12:37:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 12:37:00 PM
Toluene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 12:37:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
2-Hexanone	ND	10		µg/L	1	2/15/08 12:37:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-09A

**Client Sample ID:** CW-2  
**Collection Date:** 2/7/08 11:35:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
o-Xylene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Styrene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Bromoform	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Naphthalene	ND	5.0		µg/L	1	2/15/08 12:37:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 12:37:00 PM
Surr: Dibromofluoromethane	101	85-116		%REC	1	2/15/08 12:37:00 PM
Surr: 1,2-Dichloroethane-d4	116	77-127		%REC	1	2/15/08 12:37:00 PM
Surr: Toluene-d8	99.0	86-114		%REC	1	2/15/08 12:37:00 PM
Surr: 4-Bromofluorobenzene	98.4	79-117		%REC	1	2/15/08 12:37:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-10A

**Client Sample ID:** MW-209D  
**Collection Date:** 2/7/08 1:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
Chloromethane	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Chloroethane	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
Bromomethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
Acetone	ND	10		µg/L	1	2/19/08 3:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/19/08 3:34:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
Methyl tert-butyl ether	2.5	2.0		µg/L	1	2/19/08 3:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
2-Butanone	ND	10		µg/L	1	2/19/08 3:34:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
cis-1,2-Dichloroethene	2.3	2.0		µg/L	1	2/19/08 3:34:00 PM
Chloroform	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/19/08 3:34:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Benzene	ND	1.0		µg/L	1	2/19/08 3:34:00 PM
Trichloroethene	24	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/19/08 3:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/19/08 3:34:00 PM
Toluene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/19/08 3:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
2-Hexanone	ND	10		µg/L	1	2/19/08 3:34:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Tetrachloroethene	74	2.0		µg/L	1	2/19/08 3:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-10A

**Client Sample ID:** MW-209D  
**Collection Date:** 2/7/08 1:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
o-Xylene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Styrene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Bromoform	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Naphthalene	ND	5.0		µg/L	1	2/19/08 3:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/19/08 3:34:00 PM
Surr: Dibromofluoromethane	114	85-116		%REC	1	2/19/08 3:34:00 PM
Surr: 1,2-Dichloroethane-d4	119	77-127		%REC	1	2/19/08 3:34:00 PM
Surr: Toluene-d8	109	86-114		%REC	1	2/19/08 3:34:00 PM
Surr: 4-Bromofluorobenzene	94.0	79-117		%REC	1	2/19/08 3:34:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-11A

**Client Sample ID:** MW-116S  
**Collection Date:** 2/7/08 2:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
Acetone	ND	10		µg/L	1	2/14/08 2:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 2:34:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 2:34:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Chloroform	28	2.0		µg/L	1	2/14/08 2:34:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 2:34:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 2:34:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Bromodichloromethane	2.9	2.0		µg/L	1	2/14/08 2:34:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 2:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 2:34:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 2:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 2:34:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-11A

**Client Sample ID:** MW-116S  
**Collection Date:** 2/7/08 2:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 2:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 2:34:00 PM
Surr: Dibromofluoromethane	106	85-116		%REC	1	2/14/08 2:34:00 PM
Surr: 1,2-Dichloroethane-d4	127	77-127	S	%REC	1	2/14/08 2:34:00 PM
Surr: Toluene-d8	98.3	86-114		%REC	1	2/14/08 2:34:00 PM
Surr: 4-Bromofluorobenzene	95.7	79-117		%REC	1	2/14/08 2:34:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-12A

**Client Sample ID:** MW-116D  
**Collection Date:** 2/7/08 1:52:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
Acetone	ND	10		µg/L	1	2/14/08 3:08:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 3:08:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 3:08:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Chloroform	35	2.0		µg/L	1	2/14/08 3:08:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 3:08:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 3:08:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Bromodichloromethane	3.1	2.0		µg/L	1	2/14/08 3:08:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 3:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 3:08:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 3:08:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 3:08:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-12A

**Client Sample ID:** MW-116D  
**Collection Date:** 2/7/08 1:52:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 3:08:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:08:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	1	2/14/08 3:08:00 PM
Surr: 1,2-Dichloroethane-d4	124	77-127		%REC	1	2/14/08 3:08:00 PM
Surr: Toluene-d8	101	86-114		%REC	1	2/14/08 3:08:00 PM
Surr: 4-Bromofluorobenzene	97.9	79-117		%REC	1	2/14/08 3:08:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-13A

**Client Sample ID:** MW-216S  
**Collection Date:** 2/7/08 11:40:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 3:43:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 3:43:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 3:43:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 3:43:00 PM
Acetone	ND	10		µg/L	1	2/14/08 3:43:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 3:43:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 3:43:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,1-Dichloroethane	2.1	2.0		µg/L	1	2/14/08 3:43:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 3:43:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
cis-1,2-Dichloroethene	58	2.0		µg/L	1	2/14/08 3:43:00 PM
Chloroform	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 3:43:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 3:43:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 3:43:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 3:43:00 PM
Toluene	2.7	2.0		µg/L	1	2/14/08 3:43:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 3:43:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 3:43:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-13A

**Client Sample ID:** MW-216S  
**Collection Date:** 2/7/08 11:40:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Ethylbenzene	2.2	2.0		µg/L	1	2/14/08 3:43:00 PM
m,p-Xylene	5.8	2.0		µg/L	1	2/14/08 3:43:00 PM
o-Xylene	8.3	2.0		µg/L	1	2/14/08 3:43:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,3,5-Trimethylbenzene	8.4	2.0		µg/L	1	2/14/08 3:43:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2,4-Trimethylbenzene	11	2.0		µg/L	1	2/14/08 3:43:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 3:43:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Naphthalene	21	5.0		µg/L	1	2/14/08 3:43:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 3:43:00 PM
Surr: Dibromofluoromethane	105	85-116		%REC	1	2/14/08 3:43:00 PM
Surr: 1,2-Dichloroethane-d4	123	77-127		%REC	1	2/14/08 3:43:00 PM
Surr: Toluene-d8	101	86-114		%REC	1	2/14/08 3:43:00 PM
Surr: 4-Bromofluorobenzene	101	79-117		%REC	1	2/14/08 3:43:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-14A

**Client Sample ID:** MW-217S  
**Collection Date:** 2/7/08 1:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
Acetone	ND	10		µg/L	1	2/14/08 4:17:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 4:17:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 4:17:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
cis-1,2-Dichloroethene	25	2.0		µg/L	1	2/14/08 4:17:00 PM
Chloroform	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 4:17:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 4:17:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 4:17:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 4:17:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 4:17:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 4:17:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Tetrachloroethene	7.8	2.0		µg/L	1	2/14/08 4:17:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-14A

**Client Sample ID:** MW-217S  
**Collection Date:** 2/7/08 1:30:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 4:17:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:17:00 PM
Surr: Dibromofluoromethane	92.5	85-116		%REC	1	2/14/08 4:17:00 PM
Surr: 1,2-Dichloroethane-d4	99.8	77-127		%REC	1	2/14/08 4:17:00 PM
Surr: Toluene-d8	97.8	86-114		%REC	1	2/14/08 4:17:00 PM
Surr: 4-Bromofluorobenzene	98.4	79-117		%REC	1	2/14/08 4:17:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-15A

**Client Sample ID:** MW-216D  
**Collection Date:** 2/7/08 12:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
Acetone	ND	10		µg/L	1	2/14/08 4:51:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 4:51:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 4:51:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Chloroform	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 4:51:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 4:51:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 4:51:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 4:51:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 4:51:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 4:51:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-15A

**Client Sample ID:** MW-216D  
**Collection Date:** 2/7/08 12:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 4:51:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 4:51:00 PM
Surr: Dibromofluoromethane	92.0	85-116		%REC	1	2/14/08 4:51:00 PM
Surr: 1,2-Dichloroethane-d4	100	77-127		%REC	1	2/14/08 4:51:00 PM
Surr: Toluene-d8	96.7	86-114		%REC	1	2/14/08 4:51:00 PM
Surr: 4-Bromofluorobenzene	101	79-117		%REC	1	2/14/08 4:51:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-16A

**Client Sample ID:** MW-217D  
**Collection Date:** 2/7/08 1:40:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
Acetone	ND	10		µg/L	1	2/14/08 5:25:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 5:25:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 5:25:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
cis-1,2-Dichloroethene	42	2.0		µg/L	1	2/14/08 5:25:00 PM
Chloroform	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 5:25:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 5:25:00 PM
Trichloroethene	23	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 5:25:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 5:25:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 5:25:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 5:25:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-16A

**Client Sample ID:** MW-217D  
**Collection Date:** 2/7/08 1:40:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 5:25:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:25:00 PM
Surr: Dibromofluoromethane	92.5	85-116		%REC	1	2/14/08 5:25:00 PM
Surr: 1,2-Dichloroethane-d4	97.2	77-127		%REC	1	2/14/08 5:25:00 PM
Surr: Toluene-d8	96.4	86-114		%REC	1	2/14/08 5:25:00 PM
Surr: 4-Bromofluorobenzene	99.1	79-117		%REC	1	2/14/08 5:25:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-17A

**Client Sample ID:** MW-112  
**Collection Date:** 2/7/08 2:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
Chloromethane	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Chloroethane	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
Bromomethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
Acetone	ND	10		µg/L	1	2/14/08 5:59:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/14/08 5:59:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
2-Butanone	ND	10		µg/L	1	2/14/08 5:59:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Chloroform	7.7	2.0		µg/L	1	2/14/08 5:59:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/14/08 5:59:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Benzene	ND	1.0		µg/L	1	2/14/08 5:59:00 PM
Trichloroethene	4.5	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/14/08 5:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 5:59:00 PM
Toluene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/14/08 5:59:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
2-Hexanone	ND	10		µg/L	1	2/14/08 5:59:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Tetrachloroethene	760	20		µg/L	10	2/15/08 3:02:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-17A

**Client Sample ID:** MW-112  
**Collection Date:** 2/7/08 2:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
o-Xylene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Styrene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Bromoform	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Naphthalene	ND	5.0		µg/L	1	2/14/08 5:59:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/14/08 5:59:00 PM
Surr: Dibromofluoromethane	95.4	85-116		%REC	1	2/14/08 5:59:00 PM
Surr: 1,2-Dichloroethane-d4	101	77-127		%REC	1	2/14/08 5:59:00 PM
Surr: Toluene-d8	96.9	86-114		%REC	1	2/14/08 5:59:00 PM
Surr: 4-Bromofluorobenzene	99.0	79-117		%REC	1	2/14/08 5:59:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-18A

**Client Sample ID:** MW-218D  
**Collection Date:** 2/7/08 12:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	50		µg/L	10	2/15/08 8:44:00 PM
Chloromethane	ND	50		µg/L	10	2/15/08 8:44:00 PM
Vinyl chloride	ND	20		µg/L	10	2/15/08 8:44:00 PM
Chloroethane	ND	50		µg/L	10	2/15/08 8:44:00 PM
Bromomethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Diethyl ether	ND	50		µg/L	10	2/15/08 8:44:00 PM
Acetone	ND	100		µg/L	10	2/15/08 8:44:00 PM
1,1-Dichloroethene	22	10		µg/L	10	2/15/08 8:44:00 PM
Carbon disulfide	ND	20		µg/L	10	2/15/08 8:44:00 PM
Methylene chloride	ND	50		µg/L	10	2/15/08 8:44:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/15/08 8:44:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
2-Butanone	ND	100		µg/L	10	2/15/08 8:44:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/15/08 8:44:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Chloroform	ND	20		µg/L	10	2/15/08 8:44:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/15/08 8:44:00 PM
Bromochloromethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Benzene	ND	10		µg/L	10	2/15/08 8:44:00 PM
Trichloroethene	580	20		µg/L	10	2/15/08 8:44:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Dibromomethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/15/08 8:44:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/15/08 8:44:00 PM
Toluene	ND	20		µg/L	10	2/15/08 8:44:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/15/08 8:44:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
2-Hexanone	ND	100		µg/L	10	2/15/08 8:44:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Tetrachloroethene	1,400	20		µg/L	10	2/15/08 8:44:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/15/08 8:44:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-18A

**Client Sample ID:** MW-218D  
**Collection Date:** 2/7/08 12:00:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Ethylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
m,p-Xylene	ND	20		µg/L	10	2/15/08 8:44:00 PM
o-Xylene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Styrene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Bromoform	ND	20		µg/L	10	2/15/08 8:44:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/15/08 8:44:00 PM
Bromobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/15/08 8:44:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/15/08 8:44:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Naphthalene	ND	50		µg/L	10	2/15/08 8:44:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/15/08 8:44:00 PM
Surr: Dibromofluoromethane	111	85-116		%REC	10	2/15/08 8:44:00 PM
Surr: 1,2-Dichloroethane-d4	115	77-127		%REC	10	2/15/08 8:44:00 PM
Surr: Toluene-d8	106	86-114		%REC	10	2/15/08 8:44:00 PM
Surr: 4-Bromofluorobenzene	98.4	79-117		%REC	10	2/15/08 8:44:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-19A

**Client Sample ID:** MW-201D  
**Collection Date:** 2/7/08 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				<b>Analyst: SK</b>
Dichlorodifluoromethane	ND	500		µg/L	100	2/15/08 9:18:00 PM
Chloromethane	ND	500		µg/L	100	2/15/08 9:18:00 PM
Vinyl chloride	ND	200		µg/L	100	2/15/08 9:18:00 PM
Chloroethane	ND	500		µg/L	100	2/15/08 9:18:00 PM
Bromomethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Diethyl ether	ND	500		µg/L	100	2/15/08 9:18:00 PM
Acetone	ND	1,000		µg/L	100	2/15/08 9:18:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	2/15/08 9:18:00 PM
Carbon disulfide	ND	200		µg/L	100	2/15/08 9:18:00 PM
Methylene chloride	ND	500		µg/L	100	2/15/08 9:18:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	2/15/08 9:18:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
2-Butanone	ND	1,000		µg/L	100	2/15/08 9:18:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	2/15/08 9:18:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Chloroform	ND	200		µg/L	100	2/15/08 9:18:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	2/15/08 9:18:00 PM
Bromochloromethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Carbon tetrachloride	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Benzene	ND	100		µg/L	100	2/15/08 9:18:00 PM
Trichloroethene	870	200		µg/L	100	2/15/08 9:18:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Bromodichloromethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Dibromomethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	2/15/08 9:18:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	2/15/08 9:18:00 PM
Toluene	ND	200		µg/L	100	2/15/08 9:18:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	2/15/08 9:18:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
2-Hexanone	ND	1,000		µg/L	100	2/15/08 9:18:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Tetrachloroethene	7,000	200		µg/L	100	2/15/08 9:18:00 PM
Dibromochloromethane	ND	200		µg/L	100	2/15/08 9:18:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-19A

**Client Sample ID:** MW-201D  
**Collection Date:** 2/7/08 10:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Ethylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
m,p-Xylene	ND	200		µg/L	100	2/15/08 9:18:00 PM
o-Xylene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Styrene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Bromoform	ND	200		µg/L	100	2/15/08 9:18:00 PM
Isopropylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	2/15/08 9:18:00 PM
Bromobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
n-Propylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
2-Chlorotoluene	ND	200		µg/L	100	2/15/08 9:18:00 PM
4-Chlorotoluene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
tert-Butylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
sec-Butylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
n-Butylbenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	2/15/08 9:18:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Naphthalene	ND	500		µg/L	100	2/15/08 9:18:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	2/15/08 9:18:00 PM
Surr: Dibromofluoromethane	100	85-116		%REC	100	2/15/08 9:18:00 PM
Surr: 1,2-Dichloroethane-d4	108	77-127		%REC	100	2/15/08 9:18:00 PM
Surr: Toluene-d8	99.4	86-114		%REC	100	2/15/08 9:18:00 PM
Surr: 4-Bromofluorobenzene	97.9	79-117		%REC	100	2/15/08 9:18:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-20A

**Client Sample ID:** MW-218S  
**Collection Date:** 2/7/08 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>						
		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	2/19/08 5:51:00 PM
Chloromethane	ND	50		µg/L	10	2/19/08 5:51:00 PM
Vinyl chloride	ND	20		µg/L	10	2/19/08 5:51:00 PM
Chloroethane	ND	50		µg/L	10	2/19/08 5:51:00 PM
Bromomethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Diethyl ether	ND	50		µg/L	10	2/19/08 5:51:00 PM
Acetone	ND	100		µg/L	10	2/19/08 5:51:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	2/19/08 5:51:00 PM
Carbon disulfide	ND	20		µg/L	10	2/19/08 5:51:00 PM
Methylene chloride	ND	50		µg/L	10	2/19/08 5:51:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/19/08 5:51:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
2-Butanone	ND	100		µg/L	10	2/19/08 5:51:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/19/08 5:51:00 PM
cis-1,2-Dichloroethene	87	20		µg/L	10	2/19/08 5:51:00 PM
Chloroform	ND	20		µg/L	10	2/19/08 5:51:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/19/08 5:51:00 PM
Bromochloromethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/19/08 5:51:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Benzene	ND	10		µg/L	10	2/19/08 5:51:00 PM
Trichloroethene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Dibromomethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/19/08 5:51:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 5:51:00 PM
Toluene	ND	20		µg/L	10	2/19/08 5:51:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/19/08 5:51:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
2-Hexanone	ND	100		µg/L	10	2/19/08 5:51:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Tetrachloroethene	170	20		µg/L	10	2/19/08 5:51:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/19/08 5:51:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-20A

**Client Sample ID:** MW-218S  
**Collection Date:** 2/7/08 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Ethylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
m,p-Xylene	ND	20		µg/L	10	2/19/08 5:51:00 PM
o-Xylene	ND	20		µg/L	10	2/19/08 5:51:00 PM
Styrene	ND	20		µg/L	10	2/19/08 5:51:00 PM
Bromoform	ND	20		µg/L	10	2/19/08 5:51:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/19/08 5:51:00 PM
Bromobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/19/08 5:51:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/19/08 5:51:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/19/08 5:51:00 PM
Naphthalene	ND	50		µg/L	10	2/19/08 5:51:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/19/08 5:51:00 PM
Surr: Dibromofluoromethane	95.0	85-116		%REC	10	2/19/08 5:51:00 PM
Surr: 1,2-Dichloroethane-d4	110	77-127		%REC	10	2/19/08 5:51:00 PM
Surr: Toluene-d8	95.5	86-114		%REC	10	2/19/08 5:51:00 PM
Surr: 4-Bromofluorobenzene	95.3	79-117		%REC	10	2/19/08 5:51:00 PM



**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-21A

**Client Sample ID:** Trip Blank  
**Collection Date:** 2/7/08  
**Matrix:** TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
Chloromethane	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Chloroethane	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
Bromomethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
Acetone	ND	10		µg/L	1	2/15/08 1:53:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/15/08 1:53:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
2-Butanone	ND	10		µg/L	1	2/15/08 1:53:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Chloroform	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/15/08 1:53:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Benzene	ND	1.0		µg/L	1	2/15/08 1:53:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/15/08 1:53:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 1:53:00 PM
Toluene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 1:53:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
2-Hexanone	ND	10		µg/L	1	2/15/08 1:53:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-21A

**Client Sample ID:** Trip Blank  
**Collection Date:** 2/7/08  
**Matrix:** TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
o-Xylene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Styrene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Bromoform	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Naphthalene	ND	5.0		µg/L	1	2/15/08 1:53:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:53:00 PM
Surr: Dibromofluoromethane	108	85-116		%REC	1	2/15/08 1:53:00 PM
Surr: 1,2-Dichloroethane-d4	116	77-127		%REC	1	2/15/08 1:53:00 PM
Surr: Toluene-d8	104	86-114		%REC	1	2/15/08 1:53:00 PM
Surr: 4-Bromofluorobenzene	96.9	79-117		%REC	1	2/15/08 1:53:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-22A

**Client Sample ID:** MW-109D  
**Collection Date:** 2/7/08 1:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
Chloromethane	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Chloroethane	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
Bromomethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
Acetone	ND	10		µg/L	1	2/15/08 1:11:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/15/08 1:11:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
2-Butanone	ND	10		µg/L	1	2/15/08 1:11:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Chloroform	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/15/08 1:11:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Benzene	ND	1.0		µg/L	1	2/15/08 1:11:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/15/08 1:11:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 1:11:00 PM
Toluene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 1:11:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
2-Hexanone	ND	10		µg/L	1	2/15/08 1:11:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-22A

**Client Sample ID:** MW-109D  
**Collection Date:** 2/7/08 1:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
o-Xylene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Styrene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Bromoform	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Naphthalene	ND	5.0		µg/L	1	2/15/08 1:11:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 1:11:00 PM
Surr: Dibromofluoromethane	98.6	85-116		%REC	1	2/15/08 1:11:00 PM
Surr: 1,2-Dichloroethane-d4	120	77-127		%REC	1	2/15/08 1:11:00 PM
Surr: Toluene-d8	96.9	86-114		%REC	1	2/15/08 1:11:00 PM
Surr: 4-Bromofluorobenzene	98.0	79-117		%REC	1	2/15/08 1:11:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-23A

**Client Sample ID:** GZA-3  
**Collection Date:** 2/7/08 1:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA 8260B VOLATILES BY GC/MS</b>		<b>SW8260B</b>		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
Chloromethane	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
Vinyl chloride	8.6	2.0		µg/L	1	2/15/08 3:36:00 PM
Chloroethane	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
Bromomethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
Acetone	ND	10		µg/L	1	2/15/08 3:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/15/08 3:36:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,1-Dichloroethane	2.6	2.0		µg/L	1	2/15/08 3:36:00 PM
2-Butanone	ND	10		µg/L	1	2/15/08 3:36:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
cis-1,2-Dichloroethene	20	2.0		µg/L	1	2/15/08 3:36:00 PM
Chloroform	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/15/08 3:36:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Benzene	ND	1.0		µg/L	1	2/15/08 3:36:00 PM
Trichloroethene	2.5	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/15/08 3:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 3:36:00 PM
Toluene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/15/08 3:36:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
2-Hexanone	ND	10		µg/L	1	2/15/08 3:36:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Lab Order:** 0802026  
**Project:** 130274 Textron Gorham  
**Lab ID:** 0802026-23A

**Client Sample ID:** GZA-3  
**Collection Date:** 2/7/08 1:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
o-Xylene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Styrene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Bromoform	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Naphthalene	ND	5.0		µg/L	1	2/15/08 3:36:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/15/08 3:36:00 PM
Surr: Dibromofluoromethane	99.0	85-116		%REC	1	2/15/08 3:36:00 PM
Surr: 1,2-Dichloroethane-d4	110	77-127		%REC	1	2/15/08 3:36:00 PM
Surr: Toluene-d8	102	86-114		%REC	1	2/15/08 3:36:00 PM
Surr: 4-Bromofluorobenzene	98.2	79-117		%REC	1	2/15/08 3:36:00 PM

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID mb-02/14/08 Batch ID: R39283 Test Code: SW8260B Units: µg/L Analysis Date 2/14/08 10:35:00 AM Prep Date 2/14/08  
Client ID: Run ID: V-3\_080214A SeqNo: 657274

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L								
Chloromethane	ND	5.0	µg/L								
Vinyl chloride	ND	2.0	µg/L								
Chloroethane	ND	5.0	µg/L								
Bromomethane	ND	2.0	µg/L								
Trichlorofluoromethane	ND	2.0	µg/L								
Diethyl ether	ND	5.0	µg/L								
Acetone	ND	10	µg/L								
1,1-Dichloroethene	ND	1.0	µg/L								
Carbon disulfide	ND	2.0	µg/L								
Methylene chloride	ND	5.0	µg/L								
Methyl tert-butyl ether	ND	2.0	µg/L								
trans-1,2-Dichloroethene	ND	2.0	µg/L								
1,1-Dichloroethane	ND	2.0	µg/L								
2-Butanone	ND	10	µg/L								
2,2-Dichloropropane	ND	2.0	µg/L								
cis-1,2-Dichloroethene	ND	2.0	µg/L								
Chloroform	ND	2.0	µg/L								
Tetrahydrofuran	ND	10	µg/L								
Bromochloromethane	ND	2.0	µg/L								
1,1,1-Trichloroethane	ND	2.0	µg/L								
1,1-Dichloropropene	ND	2.0	µg/L								
Carbon tetrachloride	ND	2.0	µg/L								
1,2-Dichloroethane	ND	2.0	µg/L								
Benzene	ND	1.0	µg/L								

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit  
J - Analyte detected below quantitation limits  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
R - RPD outside accepted recovery limits  
B - Analyte detected in the associated Method Blank  
NA - Not applicable where J values or ND results occur



AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

**CLIENT:** SHAW E & I, Inc.

**Work Order:** 0802026

**Project:** 130274 Textron Gorham

Analyte	Reporting Limit	Concentration	Recovery	Acceptance	Recovery Limits	Concentration	Recovery	Acceptance	Recovery Limits
sec-Butylbenzene	ND	2.0	µg/L						
4-Isopropyltoluene	ND	2.0	µg/L						
1,3-Dichlorobenzene	ND	2.0	µg/L						
1,4-Dichlorobenzene	ND	2.0	µg/L						
n-Butylbenzene	ND	2.0	µg/L						
1,2-Dichlorobenzene	ND	2.0	µg/L						
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L						
1,2,4-Trichlorobenzene	ND	2.0	µg/L						
Hexachlorobutadiene	ND	2.0	µg/L						
Naphthalene	ND	5.0	µg/L						
1,2,3-Trichlorobenzene	ND	2.0	µg/L						
Surr: Dibromofluoromethane	25.31	2.0	µg/L	25	0	101	85	116	0
Surr: 1,2-Dichloroethane-d4	30.09	2.0	µg/L	25	0	120	77	127	0
Surr: Toluene-d8	24.46	2.0	µg/L	25	0	97.8	86	114	0
Surr: 4-Bromofluorobenzene	24.17	2.0	µg/L	25	0	96.7	79	117	0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

**QC SUMMARY REPORT**  
 Method Blank

Sample ID MB-02/15/08 Batch ID: R39302 Test Code: SW8260B Units: µg/L Analysis Date 2/15/08 11:30:00 AM Prep Date 2/15/08  
 Client ID: Run ID: V-3\_080215A SeqNo: 657496

Analyte	QC Sample		QC Spike Original Sample		Original Sample		%RPD	RPDLimit	Qua
	Result	RL	Units	Amount	Result	%REC			
Dichlorodifluoromethane	ND	5.0	µg/L						
Chloromethane	ND	5.0	µg/L						
Vinyl chloride	ND	2.0	µg/L						
Chloroethane	ND	5.0	µg/L						
Bromomethane	ND	2.0	µg/L						
Trichlorofluoromethane	ND	2.0	µg/L						
Diethyl ether	ND	5.0	µg/L						
Acetone	ND	10	µg/L						
1,1-Dichloroethene	ND	1.0	µg/L						
Carbon disulfide	ND	2.0	µg/L						
Methylene chloride	ND	5.0	µg/L						
Methyl tert-butyl ether	ND	2.0	µg/L						
trans-1,2-Dichloroethene	ND	2.0	µg/L						
1,1-Dichloroethane	ND	2.0	µg/L						
2-Butanone	ND	10	µg/L						
2,2-Dichloropropane	ND	2.0	µg/L						
cis-1,2-Dichloroethene	ND	2.0	µg/L						
Chloroform	ND	2.0	µg/L						
Tetrahydrofuran	ND	10	µg/L						
Bromochloromethane	ND	2.0	µg/L						
1,1,1-Trichloroethane	ND	2.0	µg/L						
1,1-Dichloropropene	ND	2.0	µg/L						
Carbon tetrachloride	ND	2.0	µg/L						
1,2-Dichloroethane	ND	2.0	µg/L						
Benzene	ND	1.0	µg/L						

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

## QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Result	Unit
Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit  
 S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0	µg/L	
4-Isopropyltoluene	ND	2.0	µg/L	
1,3-Dichlorobenzene	ND	2.0	µg/L	
1,4-Dichlorobenzene	ND	2.0	µg/L	
n-Butylbenzene	ND	2.0	µg/L	
1,2-Dichlorobenzene	ND	2.0	µg/L	
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L	
1,2,4-Trichlorobenzene	ND	2.0	µg/L	
Hexachlorobutadiene	ND	2.0	µg/L	
Naphthalene	ND	5.0	µg/L	
1,2,3-Trichlorobenzene	ND	2.0	µg/L	
Surr: Dibromofluoromethane	24.49	2.0	µg/L	25
Surr: 1,2-Dichloroethane-d4	27.05	2.0	µg/L	25
Surr: Toluene-d8	24.49	2.0	µg/L	25
Surr: 4-Bromofluorobenzene	24.46	2.0	µg/L	25
				85
				98
				0
				116
				77
				108
				0
				86
				98
				114
				79
				117
				0
				0
				0
				0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID mb-02/15/08 Batch ID: R39305 Test Code: SW8260B Units: µg/L Analysis Date 2/15/08 1:18:00 PM Prep Date 2/15/08  
Client ID: Run ID: V-1\_080215A SeqNo: 657567

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample		Original Sample	%RPD	RPDLimit	Qua
					Result	%REC				
Dichlorodifluoromethane	ND	5.0	µg/L							
Chloromethane	ND	5.0	µg/L							
Vinyl chloride	ND	2.0	µg/L							
Chloroethane	ND	5.0	µg/L							
Bromomethane	ND	2.0	µg/L							
Trichlorofluoromethane	ND	2.0	µg/L							
Diethyl ether	ND	5.0	µg/L							
Acetone	ND	10	µg/L							
1,1-Dichloroethene	ND	1.0	µg/L							
Carbon disulfide	ND	2.0	µg/L							
Methylene chloride	ND	5.0	µg/L							
Methyl tert-butyl ether	ND	2.0	µg/L							
trans-1,2-Dichloroethene	ND	2.0	µg/L							
1,1-Dichloroethane	ND	2.0	µg/L							
2-Butanone	ND	10	µg/L							
2,2-Dichloropropane	ND	2.0	µg/L							
cis-1,2-Dichloroethene	ND	2.0	µg/L							
Chloroform	ND	2.0	µg/L							
Tetrahydrofuran	ND	10	µg/L							
Bromochloromethane	ND	2.0	µg/L							
1,1,1-Trichloroethane	ND	2.0	µg/L							
1,1-Dichloropropene	ND	2.0	µg/L							
Carbon tetrachloride	ND	2.0	µg/L							
1,2-Dichloroethane	ND	2.0	µg/L							
Benzene	ND	1.0	µg/L							

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0802026  
**Project:** 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance Criteria	Result
sec-Butylbenzene	ND	2.0	µg/L		
4-Isopropyltoluene	ND	2.0	µg/L		
1,3-Dichlorobenzene	ND	2.0	µg/L		
1,4-Dichlorobenzene	ND	2.0	µg/L		
n-Butylbenzene	ND	2.0	µg/L		
1,2-Dichlorobenzene	ND	2.0	µg/L		
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L		
1,2,4-Trichlorobenzene	ND	2.0	µg/L		
Hexachlorobutadiene	ND	2.0	µg/L		
Naphthalene	ND	5.0	µg/L		
1,2,3-Trichlorobenzene	ND	2.0	µg/L		
Surr: Dibromofluoromethane	25.45	2.0	µg/L	25	0 102 85 116 0
Surr: 1,2-Dichloroethane-d4	28.48	2.0	µg/L	25	0 114 77 127 0
Surr: Toluene-d8	26.58	2.0	µg/L	25	0 106 86 114 0
Surr: 4-Bromofluorobenzene	25.27	2.0	µg/L	25	0 101 79 117 0

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID mb-02/19/08 Batch ID: R39334 Test Code: SW8260B Units: µg/L Analysis Date 2/19/08 2:25:00 PM Prep Date 2/19/08  
Client ID: Run ID: V-1\_080219A SeqNo: 658017

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

QC SUMMARY REPORT  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

Compound	Concentration (µg/L)	Reporting Limit	Recovery	Acceptance Limit	Result
sec-Butylbenzene	2.0	ND	0	100	0
4-Isopropyltoluene	2.0	ND	0	123	0
1,3-Dichlorobenzene	2.0	ND	0	102	0
1,4-Dichlorobenzene	2.0	ND	0	99	0
n-Butylbenzene	2.0	ND	0	116	0
1,2-Dichlorobenzene	2.0	ND	0	127	0
1,2-Dibromo-3-chloropropane	5.0	ND	0	86	0
1,2,4-Trichlorobenzene	2.0	ND	0	79	0
Hexachlorobutadiene	2.0	ND	0	114	0
Naphthalene	5.0	ND	0	117	0
1,2,3-Trichlorobenzene	2.0	ND	0	116	0
Surr: Dibromofluoromethane	25.03	25.03	25	85	0
Surr: 1,2-Dichloroethane-d4	30.81	30.81	25	77	0
Surr: Toluene-d8	25.59	25.59	25	86	0
Surr: 4-Bromofluorobenzene	24.74	24.74	25	79	0

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

Sample ID Icsf-02/14/08 Batch ID: R39283 Test Code: SW8260B Units: µg/L Analysis Date 2/14/08 9:27:00 AM Prep Date 2/14/08  
 Client ID: Run ID: V-3\_080214A SeqNo: 657275

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	9.47	5.0	µg/L	20	0	47.4	10	150	0			
Chloromethane	10.63	5.0	µg/L	20	0	53.2	37	150	0			
Vinyl chloride	15.73	2.0	µg/L	20	0	78.7	48	150	0			
Chloroethane	16.63	5.0	µg/L	20	0	83.2	54	142	0			
Bromomethane	16.64	2.0	µg/L	20	0	83.2	51	137	0			
Trichlorofluoromethane	23.62	2.0	µg/L	20	0	118	62	141	0			
Diethyl ether	18.93	5.0	µg/L	20	0	94.6	68	134	0			
Acetone	17.7	10	µg/L	20	0	88.5	9	150	0			
1,1-Dichloroethene	21.64	1.0	µg/L	20	0	108	68	146	0			
Carbon disulfide	21.57	2.0	µg/L	20	0	108	52	131	0			
Methylene chloride	19.94	5.0	µg/L	20	0	99.7	67	138	0			
Methyl tert-butyl ether	22.58	2.0	µg/L	20	0	113	63	139	0			
trans-1,2-Dichloroethene	20.57	2.0	µg/L	20	0	103	81	126	0			
1,1-Dichloroethane	20.61	2.0	µg/L	20	0	103	78	124	0			
2-Butanone	18.61	10	µg/L	20	0	93	41	150	0			
2,2-Dichloropropane	24.13	2.0	µg/L	20	0	121	71	150	0			
cis-1,2-Dichloroethene	20.21	2.0	µg/L	20	0	101	78	121	0			
Chloroform	21.86	2.0	µg/L	20	0	109	82	123	0			
Tetrahydrofuran	17.19	10	µg/L	20	0	86	51	146	0			
Bromochloromethane	19.52	2.0	µg/L	20	0	97.6	77	131	0			
1,1,1-Trichloroethane	26.06	2.0	µg/L	20	0	130	81	127	0			S
1,1-Dichloropropene	22.41	2.0	µg/L	20	0	112	76	119	0			
Carbon tetrachloride	24.12	2.0	µg/L	20	0	121	76	129	0			
1,2-Dichloroethane	24.65	2.0	µg/L	20	0	123	76	127	0			
Benzene	19.15	1.0	µg/L	20	0	95.8	81	118	0			

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT:	SHAW E & I, Inc.	Work Order:	0802026	Project:	130274 Textron Gorham	21.92	2.0	µg/L	20	0	110	81	119	0
Trichloroethene		18.49	2.0	µg/L	20	0	92.5	79	120	0	0	120	0	
1,2-Dichloropropane		21.32	2.0	µg/L	20	0	107	77	131	0	0	131	0	
Bromodichloromethane		21.02	2.0	µg/L	20	0	105	76	128	0	0	128	0	
Dibromomethane		18.89	10	µg/L	20	0	94.4	51	141	0	0	141	0	
4-Methyl-2-pentanone		20.73	1.0	µg/L	20	0	104	76	120	0	0	120	0	
cis-1,3-Dichloropropene		20.5	2.0	µg/L	20	0	103	83	119	0	0	119	0	
Toluene		20.47	1.0	µg/L	20	0	102	66	128	0	0	128	0	
trans-1,3-Dichloropropene		18.76	2.0	µg/L	20	0	93.8	74	123	0	0	123	0	
1,1,2-Trichloroethane		21.04	2.0	µg/L	20	0	105	72	128	0	0	128	0	
1,2-Dibromoethane		15.9	10	µg/L	20	0	79.5	31	148	0	0	148	0	
2-Hexanone		19.43	2.0	µg/L	20	0	97.2	76	122	0	0	122	0	
1,3-Dichloropropane		21.72	2.0	µg/L	20	0	109	81	124	0	0	124	0	
Tetrachloroethene		21.52	2.0	µg/L	20	0	108	63	126	0	0	126	0	
Dibromochloromethane		20.78	2.0	µg/L	20	0	104	84	113	0	0	113	0	
Chlorobenzene		22.55	2.0	µg/L	20	0	113	73	124	0	0	124	0	
1,1,1,2-Tetrachloroethane		21.81	2.0	µg/L	20	0	109	83	118	0	0	118	0	
Ethylbenzene		42.39	2.0	µg/L	40	0	106	85	116	0	0	116	0	
m,p-Xylene		21.48	2.0	µg/L	20	0	107	84	115	0	0	115	0	
o-Xylene		23.24	2.0	µg/L	20	0	116	81	118	0	0	118	0	
Styrene		19.27	2.0	µg/L	20	0	96.4	55	126	0	0	126	0	
Bromoform		21.71	2.0	µg/L	20	0	109	77	125	0	0	125	0	
Isopropylbenzene		17.04	2.0	µg/L	20	0	85.2	62	134	0	0	134	0	
1,1,2,2-Tetrachloroethane		19.43	2.0	µg/L	20	0	97.2	62	132	0	0	132	0	
1,2,3-Trichloropropane		20.73	2.0	µg/L	20	0	104	78	119	0	0	119	0	
Bromobenzene		20.87	2.0	µg/L	20	0	104	77	127	0	0	127	0	
n-Propylbenzene		20.46	2.0	µg/L	20	0	102	78	118	0	0	118	0	
2-Chlorotoluene		20.77	2.0	µg/L	20	0	104	77	119	0	0	119	0	
4-Chlorotoluene		22.77	2.0	µg/L	20	0	114	80	120	0	0	120	0	
1,3,5-Trimethylbenzene		22.7	2.0	µg/L	20	0	114	81	120	0	0	120	0	
tert-Butylbenzene		23.16	2.0	µg/L	20	0	116	80	118	0	0	118	0	
1,2,4-Trimethylbenzene														

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Analyte	Concentration (µg/L)	Recovery (%)	Acceptance Criteria (µg/L)	Recovery (%)	Acceptance Criteria (µg/L)	Recovery (%)	Acceptance Criteria (µg/L)	Recovery (%)	Acceptance Criteria (µg/L)
sec-Butylbenzene	22.32	20	2.0	0	112	82	123	0	
4-Isopropyltoluene	24.55	20	2.0	0	123	80	126	0	
1,3-Dichlorobenzene	21.34	20	2.0	0	107	84	115	0	
1,4-Dichlorobenzene	21.26	20	2.0	0	106	79	117	0	
n-Butylbenzene	23.61	20	2.0	0	118	76	128	0	
1,2-Dichlorobenzene	21.68	20	2.0	0	108	81	117	0	
1,2-Dibromo-3-chloropropane	18.6	20	5.0	0	93	47	136	0	
1,2,4-Trichlorobenzene	23.32	20	2.0	0	117	73	126	0	
Hexachlorobutadiene	21.57	20	2.0	0	108	77	134	0	
Naphthalene	19.82	20	5.0	0	99.1	58	138	0	
1,2,3-Trichlorobenzene	23.82	20	2.0	0	119	76	124	0	
Surr: Dibromofluoromethane	25.95	25	2.0	0	104	85	116	0	
Surr: 1,2-Dichloroethane-d4	29.8	25	2.0	0	119	77	127	0	
Surr: Toluene-d8	25.42	25	2.0	0	102	86	114	0	
Surr: 4-Bromofluorobenzene	25.54	25	2.0	0	102	79	117	0	

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

**QC SUMMARY REPORT**  
 Laboratory Control Spike - Full List

Sample ID: lcsf-02/15/08 Batch ID: R39302 Test Code: SW8260B Units: µg/L Analysis Date: 2/15/08 9:48:00 AM Prep Date: 2/15/08  
 Client ID: Run ID: V-3\_080215A SeqNo: 657497

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	15.73	5.0	µg/L	20	0	78.7	10	150	0			
Chloromethane	16.65	5.0	µg/L	20	0	83.3	37	150	0			
Vinyl chloride	20.06	2.0	µg/L	20	0	100	48	150	0			
Chloroethane	17.8	5.0	µg/L	20	0	89	54	142	0			
Bromomethane	17.96	2.0	µg/L	20	0	89.8	51	137	0			
Trichlorofluoromethane	22.41	2.0	µg/L	20	0	112	62	141	0			
Diethyl ether	17.78	5.0	µg/L	20	0	88.9	68	134	0			
Acetone	16.43	10	µg/L	20	0	82.2	9	150	0			
1,1-Dichloroethene	19.32	1.0	µg/L	20	0	96.6	68	146	0			
Carbon disulfide	19.41	2.0	µg/L	20	0	97	52	131	0			
Methylene chloride	18.58	5.0	µg/L	20	0	92.9	67	138	0			
Methyl tert-butyl ether	20.75	2.0	µg/L	20	0	104	63	139	0			
trans-1,2-Dichloroethene	19.05	2.0	µg/L	20	0	95.2	81	126	0			
1,1-Dichloroethane	19	2.0	µg/L	20	0	95	78	124	0			
2-Butanone	16.2	10	µg/L	20	0	81	41	150	0			
2,2-Dichloropropane	22.39	2.0	µg/L	20	0	112	71	150	0			
cis-1,2-Dichloroethene	18.35	2.0	µg/L	20	0	91.8	78	121	0			
Chloroform	19.62	2.0	µg/L	20	0	98.1	82	123	0			
Tetrahydrofuran	15.55	10	µg/L	20	0	77.8	51	146	0			
Bromochloromethane	18.15	2.0	µg/L	20	0	90.8	77	131	0			
1,1,1-Trichloroethane	22.62	2.0	µg/L	20	0	113	81	127	0			
1,1-Dichloropropene	20.72	2.0	µg/L	20	0	104	76	119	0			
Carbon tetrachloride	19.89	2.0	µg/L	20	0	99.4	76	129	0			
1,2-Dichloroethane	20.68	2.0	µg/L	20	0	103	76	127	0			
Benzene	19.16	1.0	µg/L	20	0	95.8	81	118	0			

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0802026  
**Project:** 130274 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Recovery (%)	Acceptance
Trichloroethene	20.78	2.0	µg/L	20	0	104	81	119	0
1,2-Dichloropropane	18.53	2.0	µg/L	20	0	92.6	79	120	0
Bromodichloromethane	19.3	2.0	µg/L	20	0	96.5	77	131	0
Dibromomethane	19.32	2.0	µg/L	20	0	96.6	76	128	0
4-Methyl-2-pentanone	17.43	10	µg/L	20	0	87.2	51	141	0
cis-1,3-Dichloropropene	19.91	1.0	µg/L	20	0	99.6	76	120	0
Toluene	19.82	2.0	µg/L	20	0	99.1	83	119	0
trans-1,3-Dichloropropene	19.37	1.0	µg/L	20	0	96.8	66	128	0
1,1,2-Trichloroethane	17.14	2.0	µg/L	20	0	85.7	74	123	0
1,2-Dibromoethane	19.78	2.0	µg/L	20	0	98.9	72	128	0
2-Hexanone	15.84	10	µg/L	20	0	79.2	31	148	0
1,3-Dichloropropane	18.6	2.0	µg/L	20	0	93	76	122	0
Tetrachloroethene	21.02	2.0	µg/L	20	0	105	81	124	0
Dibromochloromethane	20.13	2.0	µg/L	20	0	101	63	126	0
Chlorobenzene	20.55	2.0	µg/L	20	0	103	84	113	0
1,1,1,2-Tetrachloroethane	22.1	2.0	µg/L	20	0	110	73	124	0
Ethylbenzene	21.54	2.0	µg/L	20	0	108	83	118	0
m,p-Xylene	41.9	2.0	µg/L	40	0	105	85	116	0
o-Xylene	22.33	2.0	µg/L	20	0	112	84	115	0
Styrene	23	2.0	µg/L	20	0	115	81	118	0
Bromoform	17.73	2.0	µg/L	20	0	88.6	55	126	0
Isopropylbenzene	21.67	2.0	µg/L	20	0	108	77	125	0
1,1,2,2-Tetrachloroethane	16.79	2.0	µg/L	20	0	84	62	134	0
1,2,3-Trichloropropane	17.71	2.0	µg/L	20	0	88.6	62	132	0
Bromobenzene	20.93	2.0	µg/L	20	0	105	78	119	0
n-Propylbenzene	21.59	2.0	µg/L	20	0	108	77	127	0
2-Chlorotoluene	19.92	2.0	µg/L	20	0	99.6	78	118	0
4-Chlorotoluene	20.3	2.0	µg/L	20	0	102	77	119	0
1,3,5-Trimethylbenzene	22.82	2.0	µg/L	20	0	114	80	120	0
tert-Butylbenzene	23.13	2.0	µg/L	20	0	116	81	120	0
1,2,4-Trimethylbenzene	23.61	2.0	µg/L	20	0	118	80	118	0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT:	SHAW E & I, Inc.										
Work Order:	0802026										
Project:	130274 Textron Gorham										
sec-Butylbenzene	23.08	2.0	µg/L	20	0	115	82	123	0		
4-Isopropyltoluene	24.96	2.0	µg/L	20	0	125	80	126	0		
1,3-Dichlorobenzene	21.37	2.0	µg/L	20	0	107	84	115	0		
1,4-Dichlorobenzene	20.89	2.0	µg/L	20	0	104	79	117	0		
n-Butylbenzene	24.49	2.0	µg/L	20	0	122	76	128	0		
1,2-Dichlorobenzene	22.03	2.0	µg/L	20	0	110	81	117	0		
1,2-Dibromo-3-chloropropane	18.02	5.0	µg/L	20	0	90.1	47	136	0		
1,2,4-Trichlorobenzene	23.73	2.0	µg/L	20	0	119	73	126	0		
Hexachlorobutadiene	21.01	2.0	µg/L	20	0	105	77	134	0		
Naphthalene	20.19	5.0	µg/L	20	0	101	58	138	0		
1,2,3-Trichlorobenzene	23.53	2.0	µg/L	20	0	118	76	124	0		
Surr: Dibromofluoromethane	24.5	2.0	µg/L	25	0	98	85	116	0		
Surr: 1,2-Dichloroethane-d4	25.23	2.0	µg/L	25	0	101	77	127	0		
Surr: Toluene-d8	24.7	2.0	µg/L	25	0	98.8	86	114	0		
Surr: 4-Bromofluorobenzene	25.51	2.0	µg/L	25	0	102	79	117	0		

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID Icsdf-02/15/08 Batch ID: R39302 Test Code: SW8260B Units: µg/L Analysis Date 2/15/08 10:22:00 AM Prep Date 2/15/08  
Client ID: Run ID: V-3\_080215A QC Spike Amount Original Sample Result %REC %RPD HighLimit LowLimit Original Sample or MS Result %RPD RPDLimit Qua

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	15.44	5.0	µg/L	20	0	77.2	10	150	15.73	1.86	25	25
Chloromethane	16.08	5.0	µg/L	20	0	80.4	37	150	16.65	3.48	25	25
Vinyl chloride	18.94	2.0	µg/L	20	0	94.7	48	150	20.06	5.74	25	25
Chloroethane	17.62	5.0	µg/L	20	0	88.1	54	142	17.8	1.02	25	25
Bromomethane	16.78	2.0	µg/L	20	0	83.9	51	137	17.96	6.79	25	25
Trichlorofluoromethane	22.17	2.0	µg/L	20	0	111	62	141	22.41	1.08	25	25
Acetone	16.16	10	µg/L	20	0	80.8	9	150	16.43	1.66	25	25
1,1-Dichloroethene	18.57	1.0	µg/L	20	0	92.8	68	146	19.32	3.96	25	25
Carbon disulfide	18.51	2.0	µg/L	20	0	92.6	52	131	19.41	4.75	25	25
Methylene chloride	18.21	5.0	µg/L	20	0	91	67	138	18.58	2.01	25	25
Methyl tert-butyl ether	21.1	2.0	µg/L	20	0	106	63	139	20.75	1.67	25	25
trans-1,2-Dichloroethene	18.48	2.0	µg/L	20	0	92.4	81	126	19.05	3.04	25	25
1,1-Dichloroethane	18.45	2.0	µg/L	20	0	92.2	78	124	19	2.94	25	25
2-Butanone	16.68	10	µg/L	20	0	83.4	41	150	16.2	2.92	25	25
2,2-Dichloropropane	22.08	2.0	µg/L	20	0	110	71	150	22.39	1.39	25	25
cis-1,2-Dichloroethene	18.67	2.0	µg/L	20	0	93.4	78	121	18.35	1.73	25	25
Chloroform	19.68	2.0	µg/L	20	0	98.4	82	123	19.62	0.305	25	25
Bromochloromethane	18.83	2.0	µg/L	20	0	94.2	77	131	18.15	3.68	25	25
1,1,1-Trichloroethane	21.73	2.0	µg/L	20	0	109	81	127	22.62	4.01	25	25
1,1-Dichloropropene	19.48	2.0	µg/L	20	0	97.4	76	119	20.72	6.17	25	25
Carbon tetrachloride	19.56	2.0	µg/L	20	0	97.8	76	129	19.89	1.67	25	25
1,2-Dichloroethane	21.5	2.0	µg/L	20	0	108	76	127	20.68	3.89	25	25
Benzene	18.3	1.0	µg/L	20	0	91.5	81	118	19.16	4.59	25	25
Trichloroethene	19.86	2.0	µg/L	20	0	99.3	81	119	20.78	4.53	25	25
1,2-Dichloropropane	17.9	2.0	µg/L	20	0	89.5	79	120	18.53	3.46	25	25

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Compound	19.42	18.86	18.66	19.47	19.04	19.43	17.51	19.66	16.2	18.29	20.79	20.34	20.1	21.93	20.61	40.33	20.93	22.09	17.52	21.12	16.91	18.34	20.71	20.06	20.18	20.25	22.77	21.82	22.68	21.63	24.41		
Bromodichloromethane	2.0	2.0	10	2.0	2.0	2.0	2.0	2.0	10	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0		
Dibromomethane	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
4-Methyl-2-pentanone	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	40	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
cis-1,3-Dichloropropene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Toluene	97.1	94.3	93.3	97.4	95.2	97.2	87.6	98.3	81	91.4	104	102	100	110	103	101	105	110	87.6	106	84.6	91.7	104	100	101	101	114	109	113	108	122		
trans-1,3-Dichloropropene	131	128	141	120	119	128	123	128	148	122	124	126	113	124	118	116	115	118	126	134	132	132	119	127	118	119	120	120	118	123	126		
1,1,2-Trichloroethane	19.3	19.32	17.43	19.91	19.82	19.37	17.14	19.78	15.84	18.6	21.02	20.13	20.55	22.1	21.54	41.9	22.33	23	17.73	21.67	16.79	17.71	20.93	21.59	19.92	20.3	22.82	23.13	23.61	23.08	24.96		
1,2-Dibromoethane	0.62	2.41	6.82	2.23	4.01	0.309	2.14	0.609	2.25	1.68	1.1	1.04	2.21	0.772	4.41	3.82	6.47	4.04	1.19	2.57	0.712	3.5	1.06	7.35	1.3	0.247	0.219	5.83	4.02	6.49	2.23		
2-Hexanone	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
1,3-Dichloropropane																																	
Tetrachloroethene																																	
Dibromochloromethane																																	
Chlorobenzene																																	
1,1,1,2-Tetrachloroethane																																	
Ethylbenzene																																	
m,p-Xylene																																	
o-Xylene																																	
Styrene																																	
Bromoform																																	
Isopropylbenzene																																	
1,1,2,2-Tetrachloroethane																																	
1,2,3-Trichloropropane																																	
Bromobenzene																																	
n-Propylbenzene																																	
2-Chlorotoluene																																	
4-Chlorotoluene																																	
1,3,5-Trimethylbenzene																																	
tert-Butylbenzene																																	
1,2,4-Trimethylbenzene																																	
sec-Butylbenzene																																	
4-Isopropyltoluene																																	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc. **QC SUMMARY REPORT**  
 Work Order: 0802026  
 Project: 130274 Textron Gorham Laboratory Control Spike Duplicate - Full List

Compound	Concentration (µg/L)	Reporting Limit	Recovery (%)	Accepted Recovery Limits	Method	Lab ID	Concentration (µg/L)	Reporting Limit	Recovery (%)	Accepted Recovery Limits	Method	Lab ID
1,3-Dichlorobenzene	20.95	2.0	105	0	20	84	21.37	2.0	105	0	20	115
1,4-Dichlorobenzene	21.08	2.0	105	0	20	79	20.89	2.0	105	0	20	117
n-Butylbenzene	23.54	2.0	118	0	20	76	24.49	2.0	118	0	20	128
1,2-Dichlorobenzene	21.65	2.0	108	0	20	81	22.03	2.0	108	0	20	117
1,2-Dibromo-3-chloropropane	19.57	5.0	97.8	0	20	47	18.02	5.0	97.8	0	20	136
1,2,4-Trichlorobenzene	24.04	2.0	120	0	20	73	23.73	2.0	120	0	20	126
Hexachlorobutadiene	21.72	2.0	109	0	20	77	21.01	2.0	109	0	20	134
Naphthalene	20.25	5.0	101	0	20	58	20.19	5.0	101	0	20	138
1,2,3-Trichlorobenzene	24	2.0	120	0	20	76	23.53	2.0	120	0	20	124
Surr: Dibromofluoromethane	23.93	2.0	95.7	0	25	85	0	2.0	95.7	0	25	116
Surr: 1,2-Dichloroethane-d4	26.13	2.0	105	0	25	77	0	2.0	105	0	25	127
Surr: Toluene-d8	24.53	2.0	98.1	0	25	86	0	2.0	98.1	0	25	114
Surr: 4-Bromofluorobenzene	25.45	2.0	102	0	25	79	0	2.0	102	0	25	117

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID Icsf-02/15/08 Batch ID: R39305 Test Code: SW8260B Units: µg/L Analysis Date 2/15/08 12:10:00 PM Prep Date 2/15/08  
Client ID: Run ID: V-1\_080215A SeqNo: 657568

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	18.07	5.0	µg/L	20	0	90.4	10	150	0	0	0	
Chloromethane	18.25	5.0	µg/L	20	0	91.2	37	150	0	0	0	
Vinyl chloride	20.7	2.0	µg/L	20	0	104	48	150	0	0	0	
Chloroethane	20.48	5.0	µg/L	20	0	102	54	142	0	0	0	
Bromomethane	21.45	2.0	µg/L	20	0	107	51	137	0	0	0	
Trichlorofluoromethane	23.8	2.0	µg/L	20	0	119	62	141	0	0	0	
Diethyl ether	23.64	5.0	µg/L	20	0	118	68	134	0	0	0	
Acetone	20.23	10	µg/L	20	0	101	9	150	0	0	0	
1,1-Dichloroethene	20.72	1.0	µg/L	20	0	104	68	146	0	0	0	
Carbon disulfide	19.48	2.0	µg/L	20	0	97.4	52	131	0	0	0	
Methylene chloride	20.43	5.0	µg/L	20	0	102	67	138	0	0	0	
Methyl tert-butyl ether	23.68	2.0	µg/L	20	0	118	63	139	0	0	0	
trans-1,2-Dichloroethene	23.05	2.0	µg/L	20	0	115	81	126	0	0	0	
1,1-Dichloroethane	22.43	2.0	µg/L	20	0	112	78	124	0	0	0	
2-Butanone	18.8	10	µg/L	20	0	94	41	150	0	0	0	
2,2-Dichloropropane	26	2.0	µg/L	20	0	130	71	150	0	0	0	
cis-1,2-Dichloroethene	22.13	2.0	µg/L	20	0	111	78	121	0	0	0	
Chloroform	22.71	2.0	µg/L	20	0	114	82	123	0	0	0	
Tetrahydrofuran	25.91	10	µg/L	20	0	130	51	146	0	0	0	
Bromochloromethane	22.07	2.0	µg/L	20	0	110	77	131	0	0	0	
1,1,1-Trichloroethane	24.14	2.0	µg/L	20	0	121	81	127	0	0	0	
1,1-Dichloropropene	22.43	2.0	µg/L	20	0	112	76	119	0	0	0	
Carbon tetrachloride	21.84	2.0	µg/L	20	0	109	76	129	0	0	0	
1,2-Dichloroethane	24.38	2.0	µg/L	20	0	122	76	127	0	0	0	
Benzene	23.37	1.0	µg/L	20	0	117	81	118	0	0	0	

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0802026  
**Project:** 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
Trichloroethene	23.99	2.0	81	0	S
1,2-Dichloropropane	22.69	2.0	79	0	
Bromodichloromethane	21.1	2.0	77	0	
Dibromomethane	25.27	2.0	76	0	
4-Methyl-2-pentanone	23.27	10	51	0	
cis-1,3-Dichloropropene	23.35	1.0	76	0	
Toluene	21.86	2.0	83	0	
trans-1,3-Dichloropropene	21.62	1.0	66	0	
1,1,2-Trichloroethane	22.65	2.0	74	0	
1,2-Dibromoethane	25.84	2.0	72	0	S
2-Hexanone	18.12	10	31	0	
1,3-Dichloropropane	21.89	2.0	76	0	
Tetrachloroethene	21.42	2.0	81	0	
Dibromochloromethane	19.33	2.0	63	0	
Chlorobenzene	20.31	2.0	84	0	
1,1,1,2-Tetrachloroethane	22.13	2.0	73	0	
Ethylbenzene	21.83	2.0	83	0	
m,p-Xylene	42.39	2.0	85	0	
o-Xylene	20.21	2.0	84	0	
Styrene	20.45	2.0	81	0	
Bromoform	18.93	2.0	55	0	
Isopropylbenzene	21.97	2.0	77	0	
1,1,2,2-Tetrachloroethane	22.68	2.0	62	0	
1,2,3-Trichloropropane	23.07	2.0	62	0	
Bromobenzene	22.14	2.0	78	0	
n-Propylbenzene	21.12	2.0	77	0	
2-Chlorotoluene	21.49	2.0	78	0	
4-Chlorotoluene	21.75	2.0	77	0	
1,3,5-Trimethylbenzene	20.37	2.0	80	0	
tert-Butylbenzene	21.84	2.0	81	0	
1,2,4-Trimethylbenzene	22.21	2.0	80	0	

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

Compound	Concentration (µg/L)	Recovery (%)	Accepted Limits (%)	Recovery (%)	Accepted Limits (%)	Sample ID
sec-Butylbenzene	21.93	2.0	20	0	110	123
4-Isopropyltoluene	21.3	2.0	20	0	106	126
1,3-Dichlorobenzene	22.56	2.0	20	0	113	115
1,4-Dichlorobenzene	22.6	2.0	20	0	113	117
n-Butylbenzene	20.7	2.0	20	0	104	128
1,2-Dichlorobenzene	22.24	2.0	20	0	111	117
1,2-Dibromo-3-chloropropane	20.67	5.0	20	0	103	136
1,2,4-Trichlorobenzene	24.36	2.0	20	0	122	126
Hexachlorobutadiene	20.88	2.0	20	0	104	134
Naphthalene	25.49	5.0	20	0	127	138
1,2,3-Trichlorobenzene	29.99	2.0	20	0	150	124
Surr: Dibromofluoromethane	25.97	2.0	25	0	104	116
Surr: 1,2-Dichloroethane-d4	28.68	2.0	25	0	115	127
Surr: Toluene-d8	26.47	2.0	25	0	106	114
Surr: 4-Bromofluorobenzene	25.36	2.0	25	0	101	117

S

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

Sample ID: Icsf-02/19/08      Batch ID: R39334      Test Code: SW8260B      Units: µg/L      Analysis Date: 2/19/08 12:41:00 PM      Prep Date: 2/19/08  
 Client ID:      Run ID: V-1\_080219A      SeqNo: 658018

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	17.65	5.0	µg/L	20	0	88.2	10	150	0	0		
Chloromethane	15.64	5.0	µg/L	20	0	78.2	37	150	0	0		
Vinyl chloride	18.36	2.0	µg/L	20	0	91.8	48	150	0	0		
Chloroethane	18.18	5.0	µg/L	20	0	90.9	54	142	0	0		
Bromomethane	18.3	2.0	µg/L	20	0	91.5	51	137	0	0		
Trichlorofluoromethane	23.16	2.0	µg/L	20	0	116	62	141	0	0		
Diethyl ether	23.32	5.0	µg/L	20	0	117	68	134	0	0		
Acetone	19.36	10	µg/L	20	0	96.8	9	150	0	0		
1,1-Dichloroethene	23.11	1.0	µg/L	20	0	116	68	146	0	0		
Carbon disulfide	19.25	2.0	µg/L	20	0	96.2	52	131	0	0		
Methylene chloride	19.55	5.0	µg/L	20	0	97.8	67	138	0	0		
Methyl tert-butyl ether	21.79	2.0	µg/L	20	0	109	63	139	0	0		
trans-1,2-Dichloroethene	22.62	2.0	µg/L	20	0	113	81	126	0	0		
1,1-Dichloroethane	22.22	2.0	µg/L	20	0	111	78	124	0	0		
2-Butanone	17.8	10	µg/L	20	0	89	41	150	0	0		
2,2-Dichloropropane	25.37	2.0	µg/L	20	0	127	71	150	0	0		
cis-1,2-Dichloroethene	21.28	2.0	µg/L	20	0	106	78	121	0	0		
Chloroform	22.32	2.0	µg/L	20	0	112	82	123	0	0		
Tetrahydrofuran	29.23	10	µg/L	20	0	146	51	146	0	0		
Bromochloromethane	20.78	2.0	µg/L	20	0	104	77	131	0	0		
1,1,1-Trichloroethane	25.29	2.0	µg/L	20	0	126	81	127	0	0		
1,1-Dichloropropene	21.6	2.0	µg/L	20	0	108	76	119	0	0		
Carbon tetrachloride	24.7	2.0	µg/L	20	0	124	76	129	0	0		
1,2-Dichloroethane	24.35	2.0	µg/L	20	0	122	76	127	0	0		
Benzene	20.93	1.0	µg/L	20	0	105	81	118	0	0		S

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

## QC SUMMARY REPORT

Laboratory Control Spike - Full List

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

Compound	Concentration (µg/L)	Reporting Limit	Recovery (%)	Accepted Recovery Limits (%)	Method	Notes
Trichloroethene	24.16	2.0	0	0	121	81
1,2-Dichloropropane	21.88	2.0	0	0	109	79
Bromodichloromethane	20.64	2.0	0	0	103	77
Dibromomethane	23.91	2.0	0	0	120	76
4-Methyl-2-pentanone	26.43	10	0	0	132	51
cis-1,3-Dichloropropene	22.43	1.0	0	0	112	76
Toluene	21.41	2.0	0	0	107	83
trans-1,3-Dichloropropene	21.18	1.0	0	0	106	66
1,1,2-Trichloroethane	19.91	2.0	0	0	99.6	74
1,2-Dibromoethane	21.64	2.0	0	0	108	72
2-Hexanone	19.81	10	0	0	99	31
1,3-Dichloropropane	22.1	2.0	0	0	110	76
Tetrachloroethene	23.03	2.0	0	0	115	81
Dibromochloromethane	19.59	2.0	0	0	98	63
Chlorobenzene	19.52	2.0	0	0	97.6	84
1,1,1,2-Tetrachloroethane	22.31	2.0	0	0	112	73
Ethylbenzene	21.37	2.0	0	0	107	83
m,p-Xylene	41.65	2.0	0	0	104	85
o-Xylene	19.14	2.0	0	0	95.7	84
Styrene	18.62	2.0	0	0	93.1	81
Bromoform	19.93	2.0	0	0	99.7	55
Isopropylbenzene	20.29	2.0	0	0	101	77
1,1,2,2-Tetrachloroethane	21.41	2.0	0	0	107	62
1,2,3-Trichloropropane	23.27	2.0	0	0	116	62
Bromobenzene	21.09	2.0	0	0	105	78
n-Propylbenzene	18.33	2.0	0	0	91.7	77
2-Chlorotoluene	21	2.0	0	0	105	78
4-Chlorotoluene	20.82	2.0	0	0	104	77
1,3,5-Trimethylbenzene	19.96	2.0	0	0	99.8	80
tert-Butylbenzene	21.36	2.0	0	0	107	81
1,2,4-Trimethylbenzene	21.34	2.0	0	0	107	80

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike - Full List

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0802026  
**Project:** 130274 Textron Gorham

Compound	Concentration (µg/L)	Volume (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	20.01	20	82	0	123
4-Isopropyltoluene	21.65	20	80	0	126
1,3-Dichlorobenzene	21.87	20	84	0	115
1,4-Dichlorobenzene	22.93	20	79	0	117
n-Butylbenzene	20.37	20	76	0	128
1,2-Dichlorobenzene	21.4	20	81	0	117
1,2-Dibromo-3-chloropropane	24.82	20	47	0	136
1,2,4-Trichlorobenzene	25.61	20	73	0	126
Hexachlorobutadiene	22.46	20	77	0	134
Naphthalene	27.05	20	58	0	138
1,2,3-Trichlorobenzene	27.24	20	76	0	124
Surr: Dibromofluoromethane	27.37	25	85	0	116
Surr: 1,2-Dichloroethane-d4	29.93	25	77	0	127
Surr: Toluene-d8	25.82	25	86	0	114
Surr: 4-Bromofluorobenzene	26.81	25	79	0	117

S S

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID Icsdf-02/19/08 Batch ID: R39334 Test Code: SW8260B Units: µg/L Analysis Date 2/19/08 1:15:00 PM Prep Date 2/19/08  
Client ID: Run ID: V-1\_080219A SeqNo: 658019

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	17.51	5.0	µg/L	20	0	87.6	10	150	17.65	0.796	25	
Chloromethane	16.95	5.0	µg/L	20	0	84.8	37	150	15.64	8.04	25	
Vinyl chloride	17.09	2.0	µg/L	20	0	85.4	48	150	18.36	7.17	25	
Chloroethane	16.35	5.0	µg/L	20	0	81.8	54	142	18.18	10.6	25	
Bromomethane	17.8	2.0	µg/L	20	0	89	51	137	18.3	2.77	25	
Trichlorofluoromethane	22.48	2.0	µg/L	20	0	112	62	141	23.16	2.98	25	
Acetone	27.15	10	µg/L	20	0	136	9	150	19.36	33.5	25	
1,1-Dichloroethene	21.28	1.0	µg/L	20	0	106	68	146	23.11	8.25	25	
Carbon disulfide	18.91	2.0	µg/L	20	0	94.6	52	131	19.25	1.78	25	
Methylene chloride	20.46	5.0	µg/L	20	0	102	67	138	19.55	4.55	25	
Methyl tert-butyl ether	24.73	2.0	µg/L	20	0	124	63	139	21.79	12.6	25	
trans-1,2-Dichloroethene	21.21	2.0	µg/L	20	0	106	81	126	22.62	6.43	25	
1,1-Dichloroethane	22.21	2.0	µg/L	20	0	111	78	124	22.22	0.045	25	
2-Butanone	21.73	10	µg/L	20	0	109	41	150	17.8	19.9	25	
2,2-Dichloropropane	24.52	2.0	µg/L	20	0	123	71	150	25.37	3.41	25	
cis-1,2-Dichloroethene	20.96	2.0	µg/L	20	0	105	78	121	21.28	1.52	25	
Chloroform	21.72	2.0	µg/L	20	0	109	82	123	22.32	2.72	25	
Bromochloromethane	20.25	2.0	µg/L	20	0	101	77	131	20.78	2.58	25	
1,1,1-Trichloroethane	23.63	2.0	µg/L	20	0	118	81	127	25.29	6.79	25	
1,1-Dichloropropene	22.2	2.0	µg/L	20	0	111	76	119	21.6	2.74	25	
Carbon tetrachloride	23.3	2.0	µg/L	20	0	116	76	129	24.7	5.83	25	
1,2-Dichloroethane	24.02	2.0	µg/L	20	0	120	76	127	24.35	1.36	25	
Benzene	21.01	1.0	µg/L	20	0	105	81	118	20.93	0.381	25	
Trichloroethene	23.27	2.0	µg/L	20	0	116	81	119	24.16	3.75	25	
1,2-Dichloropropane	19.5	2.0	µg/L	20	0	97.5	79	120	21.88	11.5	25	

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Analyte	Concentration (µg/L)	Recovery (%)	Accepted Limits (%)	Reported Limit	Qualifiers					
Bromodichloromethane	20.42	2.0	20	0	102	77	131	20.64	1.07	25
Dibromomethane	23.71	2.0	20	0	119	76	128	23.91	0.84	25
4-Methyl-2-pentanone	26.05	1.0	20	0	130	51	141	26.43	1.45	25
cis-1,3-Dichloropropene	22.74	1.0	20	0	114	76	120	22.43	1.37	25
Toluene	20.42	2.0	20	0	102	83	119	21.41	4.73	25
trans-1,3-Dichloropropene	21.42	1.0	20	0	107	66	128	21.18	1.13	25
1,1,2-Trichloroethane	20.3	2.0	20	0	102	74	123	19.91	1.94	25
1,2-Dibromoethane	22.69	2.0	20	0	113	72	128	21.64	4.74	25
2-Hexanone	21.31	1.0	20	0	107	31	148	19.81	7.3	25
1,3-Dichloropropane	20.85	2.0	20	0	104	76	122	22.1	5.82	25
Tetrachloroethene	18.92	2.0	20	0	94.6	81	124	23.03	19.6	25
Dibromochloromethane	17.55	2.0	20	0	87.8	63	126	19.59	11	25
Chlorobenzene	18.33	2.0	20	0	91.7	84	113	19.52	6.29	25
1,1,1,2-Tetrachloroethane	20.54	2.0	20	0	103	73	124	22.31	8.26	25
Ethylbenzene	19.76	2.0	20	0	98.8	83	118	21.37	7.83	25
m,p-Xylene	40.34	2.0	40	0	101	85	116	41.65	3.2	25
o-Xylene	17.72	2.0	20	0	88.6	84	115	19.14	7.7	25
Styrene	17.9	2.0	20	0	89.5	81	118	18.62	3.94	25
Bromoform	18.88	2.0	20	0	94.4	55	126	19.93	5.41	25
Isopropylbenzene	18.95	2.0	20	0	94.8	77	125	20.29	6.83	25
1,1,2,2-Tetrachloroethane	20.78	2.0	20	0	104	62	134	21.41	2.99	25
1,2,3-Trichloropropane	21.32	2.0	20	0	107	62	132	23.27	8.75	25
Bromobenzene	20.62	2.0	20	0	103	78	119	21.09	2.25	25
n-Propylbenzene	16.71	2.0	20	0	83.6	77	127	18.33	9.25	25
2-Chlorotoluene	20.98	2.0	20	0	105	78	118	21	0.0953	25
4-Chlorotoluene	20.22	2.0	20	0	101	77	119	20.82	2.92	25
1,3,5-Trimethylbenzene	19.45	2.0	20	0	97.3	80	120	19.96	2.59	25
tert-Butylbenzene	20.72	2.0	20	0	104	81	120	21.36	3.04	25
1,2,4-Trimethylbenzene	20.67	2.0	20	0	103	80	118	21.34	3.19	25
sec-Butylbenzene	17.63	2.0	20	0	88.2	82	123	20.01	12.6	25
4-Isopropyltoluene	20.42	2.0	20	0	102	80	126	21.65	5.85	25

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Analyte	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Recovery Status	Method	Sample Size	Concentration (µg/L)	Recovery (%)	Accepted Recovery Limits (%)	Recovery Status	Method	Sample Size
1,3-Dichlorobenzene	20.92	2.0	0	105	84	20	115	21.87	4.44	25	25	25
1,4-Dichlorobenzene	22.25	2.0	0	111	79	20	117	22.93	3.01	25	25	25
n-Butylbenzene	18.1	2.0	0	90.5	76	20	128	20.37	11.8	25	25	25
1,2-Dichlorobenzene	21.29	2.0	0	106	81	20	117	21.4	0.515	25	25	25
1,2-Dibromo-3-chloropropane	25.46	5.0	0	127	47	20	136	24.82	2.55	25	25	25
1,2,4-Trichlorobenzene	25.61	2.0	0	128	73	20	126	25.61	0	25	25	25
Hexachlorobutadiene	20.48	2.0	0	102	77	20	134	22.46	9.22	25	25	25
Naphthalene	26.34	5.0	0	132	58	20	138	27.05	2.66	25	25	25
1,2,3-Trichlorobenzene	26.82	2.0	0	134	76	20	124	27.24	1.55	25	25	25
Surr: Dibromofluoromethane	28.1	2.0	0	112	85	25	116	0	0	0	0	0
Surr: 1,2-Dichloroethane-d4	30.63	2.0	0	123	77	25	127	0	0	0	0	0
Surr: Toluene-d8	26.34	2.0	0	105	86	25	114	0	0	0	0	0
Surr: 4-Bromofluorobenzene	25.61	2.0	0	102	79	25	117	0	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Matrix Spike - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID 0802026-09Amsf Batch ID: R39283 Test Code: SW8260B Units: µg/L Analysis Date 2/14/08 7:06:00 PM Prep Date 2/7/08  
Client ID: CW-2 Run ID: V-3\_080214A SeqNo: 657272

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	43.45	25	µg/L	100	0	43.5	16	150	0			
Chloromethane	60.1	25	µg/L	100	0	60.1	35	150	0			
Vinyl chloride	82.6	10	µg/L	100	0	82.6	49	150	0			
Chloroethane	83.3	25	µg/L	100	0	83.3	58	147	0			
Bromomethane	72.95	10	µg/L	100	0	73	49	142	0			
Trichlorofluoromethane	106	10	µg/L	100	0.89	105	57	149	0			
Diethyl ether	91.55	25	µg/L	100	0	91.6	66	136	0			
Acetone	66.5	50	µg/L	100	0	66.5	16	150	0			
1,1-Dichloroethene	110.4	5.0	µg/L	100	0	110	70	150	0			
Carbon disulfide	110	10	µg/L	100	0	110	47	135	0			
Methylene chloride	96.2	25	µg/L	100	0	96.2	66	142	0			
Methyl tert-butyl ether	100.5	10	µg/L	100	0	101	63	138	0			
trans-1,2-Dichloroethene	99.1	10	µg/L	100	0	99.1	78	135	0			
1,1-Dichloroethane	98.85	10	µg/L	100	0	98.8	76	131	0			
2-Butanone	77.2	50	µg/L	100	0	77.2	51	142	0			
2,2-Dichloropropane	104.8	10	µg/L	100	0	105	60	149	0			
cis-1,2-Dichloroethene	98.3	10	µg/L	100	0	98.3	74	128	0			
Chloroform	101.5	10	µg/L	100	0	101	80	129	0			
Tetrahydrofuran	82.7	50	µg/L	100	0	82.7	53	145	0			
Bromochloromethane	96.55	10	µg/L	100	0	96.6	78	130	0			
1,1,1-Trichloroethane	113.9	10	µg/L	100	0.68	113	77	139	0			
1,1-Dichloropropene	110.2	10	µg/L	100	0	110	74	127	0			
Carbon tetrachloride	109.2	10	µg/L	100	0	109	73	138	0			
1,2-Dichloroethane	99.9	10	µg/L	100	0	99.9	75	130	0			
Benzene	102.4	5.0	µg/L	100	0	102	79	123	0			

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

## QC SUMMARY REPORT

Matrix Spike - Full List

CLIENT:	SHAW E & I, Inc.										
Work Order:	0802026										
Project:	130274 Textron Gorham										
Compound	113.8	10	µg/L	100	1.7	112	79	126	0	0	0
Trichloroethene	113.8	10	µg/L	100	1.7	112	79	126	0	0	0
1,2-Dichloropropane	99.75	10	µg/L	100	0	99.8	76	125	0	0	0
Bromodichloromethane	97.15	10	µg/L	100	0	97.2	69	119	0	0	0
Dibromomethane	96.9	10	µg/L	100	0	96.9	76	127	0	0	0
4-Methyl-2-pentanone	81	50	µg/L	100	0	81	53	141	0	0	0
cis-1,3-Dichloropropene	102.4	5.0	µg/L	100	0	102	70	119	0	0	0
Toluene	104.1	10	µg/L	100	0	104	82	124	0	0	0
trans-1,3-Dichloropropene	94.25	5.0	µg/L	100	0	94.2	64	124	0	0	0
1,1,2-Trichloroethane	90.45	10	µg/L	100	0	90.4	73	127	0	0	0
1,2-Dibromoethane	98.25	10	µg/L	100	0	98.2	73	127	0	0	0
2-Hexanone	83.4	50	µg/L	100	0	83.4	37	145	0	0	0
1,3-Dichloropropane	95.7	10	µg/L	100	0	95.7	76	123	0	0	0
Tetrachloroethene	116.9	10	µg/L	100	0	117	82	129	0	0	0
Dibromochloromethane	101.5	10	µg/L	100	0	102	59	125	0	0	0
Chlorobenzene	108.1	10	µg/L	100	0	108	80	120	0	0	0
1,1,1,2-Tetrachloroethane	110.7	10	µg/L	100	0	111	72	124	0	0	0
Ethylbenzene	113.4	10	µg/L	100	0	113	83	123	0	0	0
m,p-Xylene	225.8	10	µg/L	200	0	113	84	121	0	0	0
o-Xylene	110.7	10	µg/L	100	0	111	83	119	0	0	0
Styrene	119.6	10	µg/L	100	0	120	80	122	0	0	0
Bromoform	86.55	10	µg/L	100	0	86.6	54	119	0	0	0
Isopropylbenzene	126.8	10	µg/L	100	0	127	75	131	0	0	0
1,1,2,2-Tetrachloroethane	92.75	10	µg/L	100	0	92.8	61	139	0	0	0
1,2,3-Trichloropropane	93.45	10	µg/L	100	0	93.4	66	130	0	0	0
Bromobenzene	112.8	10	µg/L	100	0	113	77	124	0	0	0
n-Propylbenzene	122.6	10	µg/L	100	0	123	76	131	0	0	0
2-Chlorotoluene	114.6	10	µg/L	100	0	115	78	125	0	0	0
4-Chlorotoluene	110.3	10	µg/L	100	0	110	75	124	0	0	0
1,3,5-Trimethylbenzene	126.7	10	µg/L	100	0	127	79	124	0	0	S
tert-Butylbenzene	123.7	10	µg/L	100	0	124	79	126	0	0	0
1,2,4-Trimethylbenzene	126.4	10	µg/L	100	0	126	77	124	0	0	S

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike - Full List

Compound	Concentration (µg/L)	Volume (µL)	Recovery (%)	Acceptance	Matrix Spike	Concentration (µg/L)	Volume (µL)	Recovery (%)	Acceptance
sec-Butylbenzene	130.6	10	100	0	131	82	128	0	S
4-Isopropyltoluene	134.4	10	100	0	134	77	128	0	S
1,3-Dichlorobenzene	116.8	10	100	0	117	80	122	0	
1,4-Dichlorobenzene	113.2	10	100	0	113	78	123	0	
n-Butylbenzene	134.4	10	100	0	134	74	130	0	S
1,2-Dichlorobenzene	117.5	10	100	0	118	78	121	0	
1,2-Dibromo-3-chloropropane	85.7	25	100	0	85.7	50	127	0	
1,2,4-Trichlorobenzene	120.9	10	100	0	121	67	128	0	
Hexachlorobutadiene	111	10	100	0	111	74	134	0	
Naphthalene	101.5	25	100	0	102	57	131	0	
1,2,3-Trichlorobenzene	118.4	10	100	0	118	64	131	0	
Surr: Dibromofluoromethane	117	10	125	0	93.6	85	116	0	
Surr: 1,2-Dichloroethane-d4	118.3	10	125	0	94.6	77	127	0	
Surr: Toluene-d8	123.6	10	125	0	98.9	86	114	0	
Surr: 4-Bromofluorobenzene	125.4	10	125	0	100	79	117	0	

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank  
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID 0802026-09Amsdf Batch ID: R39283 Test Code: SW8260B Units: µg/L Analysis Date 2/14/08 7:40:00 PM Prep Date 2/7/08  
Client ID: CW-2 Run ID: V-3\_080214A SeqNo: 657273

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	44	25	µg/L	100	0	44	16	150	43.45	1.26	20	
Chloromethane	61.35	25	µg/L	100	0	61.4	35	150	60.1	2.06	20	
Vinyl chloride	84.15	10	µg/L	100	0	84.2	49	150	82.6	1.86	20	
Chloroethane	85.05	25	µg/L	100	0	85	58	147	83.3	2.08	20	
Bromomethane	78.35	10	µg/L	100	0	78.4	49	142	72.95	7.14	20	
Trichlorofluoromethane	104.6	10	µg/L	100	0.89	104	57	149	106	1.33	20	
Diethyl ether	92.8	25	µg/L	100	0	92.8	66	136	91.55	1.36	20	
Acetone	80.25	50	µg/L	100	0	80.2	16	150	66.5	18.7	20	
1,1-Dichloroethene	112.2	5.0	µg/L	100	0	112	70	150	110.4	1.62	20	
Carbon disulfide	110.6	10	µg/L	100	0	111	47	135	110	0.589	20	
Methylene chloride	98.7	25	µg/L	100	0	98.7	66	142	96.2	2.57	20	
Methyl tert-butyl ether	107.8	10	µg/L	100	0	108	63	138	100.5	6.96	20	
trans-1,2-Dichloroethene	102.7	10	µg/L	100	0	103	78	135	99.1	3.57	20	
1,1-Dichloroethane	101.4	10	µg/L	100	0	101	76	131	98.85	2.5	20	
2-Butanone	79.25	50	µg/L	100	0	79.2	51	142	77.2	2.62	20	
2,2-Dichloropropane	107	10	µg/L	100	0	107	60	149	104.8	2.12	20	
cis-1,2-Dichloroethene	100.2	10	µg/L	100	0	100	74	128	98.3	1.96	20	
Chloroform	100.7	10	µg/L	100	0	101	80	129	101.5	0.742	20	
Tetrahydrofuran	89.8	50	µg/L	100	0	89.8	53	145	82.7	8.23	20	
Bromochloromethane	97.7	10	µg/L	100	0	97.7	78	130	96.55	1.18	20	
1,1,1-Trichloroethane	115.8	10	µg/L	100	0.68	115	77	139	113.9	1.7	20	
1,1-Dichloropropene	114.6	10	µg/L	100	0	115	74	127	110.2	3.91	20	
Carbon tetrachloride	108.7	10	µg/L	100	0	109	73	138	109.2	0.505	20	
1,2-Dichloroethane	100.4	10	µg/L	100	0	100	75	130	99.9	0.499	20	
Benzene	103.2	5.0	µg/L	100	0	103	79	123	102.4	0.875	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Matrix Spike Duplicate - Full List

Trichloroethene	112.4	10	µg/L	100	1.7	111	79	126	113.8	1.15	20
1,2-Dichloropropane	99.45	10	µg/L	100	0	99.4	76	125	99.75	0.301	20
Bromodichloromethane	97.55	10	µg/L	100	0	97.6	69	119	97.15	0.411	20
Dibromomethane	98.8	10	µg/L	100	0	98.8	76	127	96.9	1.94	20
4-Methyl-2-pentanone	93.25	50	µg/L	100	0	93.2	53	141	81	14.1	20
cis-1,3-Dichloropropene	102.9	5.0	µg/L	100	0	103	70	119	102.4	0.487	20
Toluene	105	10	µg/L	100	0	105	82	124	104.1	0.908	20
trans-1,3-Dichloropropene	98.2	5.0	µg/L	100	0	98.2	64	124	94.25	4.1	20
1,1,2-Trichloroethane	93.25	10	µg/L	100	0	93.2	73	127	90.45	3.05	20
1,2-Dibromoethane	101.6	10	µg/L	100	0	102	73	127	98.25	3.35	20
2-Hexanone	87.95	50	µg/L	100	0	88	37	145	83.4	5.31	20
1,3-Dichloropropane	95.05	10	µg/L	100	0	95	76	123	95.7	0.682	20
Tetrachloroethene	119	10	µg/L	100	0	119	82	129	116.9	1.74	20
Dibromochloromethane	101	10	µg/L	100	0	101	59	125	101.5	0.444	20
Chlorobenzene	107.8	10	µg/L	100	0	108	80	120	108.1	0.324	20
1,1,1,2-Tetrachloroethane	112.1	10	µg/L	100	0	112	72	124	110.7	1.26	20
Ethylbenzene	116	10	µg/L	100	0	116	83	123	113.4	2.27	20
m,p-Xylene	223.4	10	µg/L	200	0	112	84	121	225.8	1.09	20
o-Xylene	112.4	10	µg/L	100	0	112	83	119	110.7	1.52	20
Styrene	120.4	10	µg/L	100	0	120	80	122	119.6	0.708	20
Bromoform	87.4	10	µg/L	100	0	87.4	54	119	86.55	0.977	20
Isopropylbenzene	127.4	10	µg/L	100	0	127	75	131	126.8	0.472	20
1,1,2,2-Tetrachloroethane	92.4	10	µg/L	100	0	92.4	61	139	92.75	0.378	20
1,2,3-Trichloropropane	94.3	10	µg/L	100	0	94.3	66	130	93.45	0.905	20
Bromobenzene	111.9	10	µg/L	100	0	112	77	124	112.8	0.801	20
n-Propylbenzene	121.6	10	µg/L	100	0	122	76	131	122.6	0.86	20
2-Chlorotoluene	113.4	10	µg/L	100	0	113	78	125	114.6	1.05	20
4-Chlorotoluene	110.2	10	µg/L	100	0	110	75	124	110.3	0.0907	20
1,3,5-Trimethylbenzene	127.5	10	µg/L	100	0	128	79	124	126.7	0.629	20
tert-Butylbenzene	123	10	µg/L	100	0	123	79	126	123.7	0.527	20
1,2,4-Trimethylbenzene	127.1	10	µg/L	100	0	127	77	124	126.4	0.552	20

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Matrix Spike Duplicate - Full List

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

Chemical Name	Concentration (µg/L)	Volume (mL)	Recovery (%)	Acceptance	Concentration (µg/L)	Volume (mL)	Recovery (%)	Acceptance	Concentration (µg/L)	Volume (mL)	Recovery (%)	Acceptance
sec-Butylbenzene	131.2	10	100	0	131	82	128	130.6	0.497	20	S	S
4-Isopropyltoluene	135.4	10	100	0	135	77	128	134.4	0.741	20	S	S
1,3-Dichlorobenzene	115.4	10	100	0	115	80	122	116.8	1.16	20	S	S
1,4-Dichlorobenzene	111.6	10	100	0	112	78	123	113.2	1.42	20	S	S
n-Butylbenzene	135.6	10	100	0	136	74	130	134.4	0.926	20	S	S
1,2-Dichlorobenzene	118.2	10	100	0	118	78	121	117.5	0.594	20	S	S
1,2-Dibromo-3-chloropropane	92.35	25	100	0	92.4	50	127	85.7	7.47	20	S	S
1,2,4-Trichlorobenzene	128.4	10	100	0	128	67	128	120.9	5.98	20	S	S
Hexachlorobutadiene	113.6	10	100	0	114	74	134	111	2.32	20	S	S
Naphthalene	107	25	100	0	107	57	131	101.5	5.32	20	S	S
1,2,3-Trichlorobenzene	126.5	10	100	0	127	64	131	118.4	6.66	20	S	S
Surr: Dibromofluoromethane	117.4	10	125	0	93.9	85	116	0	0	0	S	S
Surr: 1,2-Dichloroethane-d4	118.2	10	125	0	94.5	77	127	0	0	0	S	S
Surr: Toluene-d8	124.4	10	125	0	99.5	86	114	0	0	0	S	S
Surr: 4-Bromofluorobenzene	125.2	10	125	0	100	79	117	0	0	0	S	S

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

## QC SUMMARY REPORT

Sample Matrix Spike

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

Sample ID: MW-209D      Batch ID: R39334      Test Code: SW8260B      Units: µg/L      Analysis Date: 2/19/08 10:24:00 PM      Prep Date: 2/7/08  
 Client ID: MW-209D      Run ID: V-1\_080219A      SeqNo: 658012

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	95.5	25	µg/L	100	0	95.5	16	150	0			
Chloromethane	75.3	25	µg/L	100	0	75.3	35	150	0			
Vinyl chloride	84.7	10	µg/L	100	0	84.7	49	150	0			
Chloroethane	89.25	25	µg/L	100	0	89.2	58	147	0			
Bromomethane	91.1	10	µg/L	100	0	91.1	49	142	0			
Trichlorofluoromethane	120.3	10	µg/L	100	0	120	57	149	0			
Diethyl ether	83.85	25	µg/L	100	0	83.8	66	136	0			
Acetone	31.6	50	µg/L	100	0	31.6	16	150	0			J
1,1-Dichloroethene	103.4	5.0	µg/L	100	0	103	70	150	0			
Carbon disulfide	88.65	10	µg/L	100	0	88.6	47	135	0			
Methylene chloride	96.35	25	µg/L	100	0	96.4	66	142	0			
Methyl tert-butyl ether	103.6	10	µg/L	100	2.54	101	63	138	0			
trans-1,2-Dichloroethene	105	10	µg/L	100	0	105	78	135	0			
1,1-Dichloroethane	106.6	10	µg/L	100	0	107	76	131	0			
2-Butanone	48.85	50	µg/L	100	0	48.9	51	142	0			JS
2,2-Dichloropropane	128	10	µg/L	100	0	128	60	149	0			
cis-1,2-Dichloroethene	96.9	10	µg/L	100	2.26	94.6	74	128	0			
Chloroform	110.3	10	µg/L	100	0	110	80	129	0			
Tetrahydrofuran	82.1	50	µg/L	100	0	82.1	53	145	0			
Bromochloromethane	97.55	10	µg/L	100	0	97.6	78	130	0			
1,1,1-Trichloroethane	117.9	10	µg/L	100	0	118	77	139	0			
1,1-Dichloropropene	110.9	10	µg/L	100	0	111	74	127	0			
Carbon tetrachloride	117.2	10	µg/L	100	0	117	73	138	0			
1,2-Dichloroethane	124.4	10	µg/L	100	0	124	75	130	0			
Benzene	103.8	5.0	µg/L	100	0	104	79	123	0			

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

# AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

## QC SUMMARY REPORT

Sample Matrix Spike

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Recovery Limits	Spikes	Matrix	Spike
Trichloroethene	128.5	10	100	24.23	104	79	126
1,2-Dichloropropane	93.55	10	100	0	93.6	76	125
Bromodichloromethane	98.35	10	100	0	98.4	69	119
Dibromomethane	110.4	10	100	0	110	76	127
4-Methyl-2-pentanone	97	50	100	0	97	53	141
cis-1,3-Dichloropropene	98.2	5.0	100	0	98.2	70	119
Toluene	101.5	10	100	0	101	82	124
trans-1,3-Dichloropropene	91.9	5.0	100	0	91.9	64	124
1,1,2-Trichloroethane	98.05	10	100	0	98	73	127
1,2-Dibromoethane	92.5	10	100	0	92.5	73	127
2-Hexanone	82.25	50	100	0	82.2	37	145
1,3-Dichloropropane	96.65	10	100	0	96.7	76	123
Tetrachloroethene	137.6	10	100	73.96	63.7	82	129
Dibromochloromethane	92.85	10	100	0	92.8	59	125
Chlorobenzene	99.85	10	100	0	99.8	80	120
1,1,1,2-Tetrachloroethane	110.6	10	100	0	111	72	124
Ethylbenzene	108.2	10	100	0	108	83	123
m,p-Xylene	199.4	10	200	0	99.7	84	121
o-Xylene	93.4	10	100	0	93.4	83	119
Styrene	90.7	10	100	0	90.7	80	122
Bromoform	77.9	10	100	0	77.9	54	119
Isopropylbenzene	107.2	10	100	0	107	75	131
1,1,2,2-Tetrachloroethane	76.9	10	100	0	76.9	61	139
1,2,3-Trichloropropane	94.8	10	100	0	94.8	66	130
Bromobenzene	96.9	10	100	0	96.9	77	124
n-Propylbenzene	104.6	10	100	0	105	76	131
2-Chlorotoluene	105	10	100	0	105	78	125
4-Chlorotoluene	102.6	10	100	0	103	75	124
1,3,5-Trimethylbenzene	102.8	10	100	0	103	79	124
tert-Butylbenzene	108	10	100	0	108	79	126
1,2,4-Trimethylbenzene	107.2	10	100	0	107	77	124

S

Qualifiers: ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Sample Matrix Spike

CLIENT: SHAW E & I, Inc.

Work Order: 0802026

Project: 130274 Textron Gorham

Compound	Concentration (µg/L)	Volume (mL)	Recovery (%)	Concentration (µg/L)	Volume (mL)	Recovery (%)	Concentration (µg/L)	Volume (mL)	Recovery (%)	Concentration (µg/L)	Volume (mL)	Recovery (%)
sec-Butylbenzene	107.6	10	100	0	108	82	128	0				
4-Isopropyltoluene	100.2	10	100	0	100	77	128	0				
1,3-Dichlorobenzene	100.7	10	100	0	101	80	122	0				
1,4-Dichlorobenzene	105.5	10	100	0	106	78	123	0				
n-Butylbenzene	98	10	100	0	98	74	130	0				
1,2-Dichlorobenzene	100.2	10	100	0	100	78	121	0				
1,2-Dibromo-3-chloropropane	83.2	25	100	0	83.2	50	127	0				
1,2,4-Trichlorobenzene	86.4	10	100	0	86.4	67	128	0				
Hexachlorobutadiene	98.65	10	100	0	98.6	74	134	0				
Naphthalene	67.4	25	100	0	67.4	57	131	0				
1,2,3-Trichlorobenzene	60.6	10	100	0	60.6	64	131	0				
Surr: Dibromofluoromethane	129.4	10	125	0	104	85	116	0				
Surr: 1,2-Dichloroethane-d4	150.6	10	125	0	120	77	127	0				
Surr: Toluene-d8	124.8	10	125	0	99.8	86	114	0				
Surr: 4-Bromofluorobenzene	125.9	10	125	0	101	79	117	0				

S

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Sample Matrix Spike Duplicate

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID: 0802026-10Amsd Batch ID: R39334 Test Code: SW8260B Units: µg/L Analysis Date: 2/19/08 10:58:00 PM Prep Date: 2/7/08  
Client ID: MW-209D Run ID: V-1\_080219A SeqNo: 658013

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	91.85	25	µg/L	100	0	91.8	16	150	95.5	3.9	20	
Chloromethane	78.5	25	µg/L	100	0	78.5	35	150	75.3	4.16	20	
Vinyl chloride	91.7	10	µg/L	100	0	91.7	49	150	84.7	7.94	20	
Chloroethane	84.1	25	µg/L	100	0	84.1	58	147	89.25	5.94	20	
Bromomethane	98.7	10	µg/L	100	0	98.7	49	142	91.1	8.01	20	
Trichlorofluoromethane	122.5	10	µg/L	100	0	122	57	149	120.3	1.85	20	
Diethyl ether	93.15	25	µg/L	100	0	93.2	66	136	83.85	10.5	20	
Acetone	47.75	50	µg/L	100	0	47.8	16	150	31.6	40.7	20	JR
1,1-Dichloroethene	103.2	5.0	µg/L	100	0	103	70	150	103.4	0.242	20	
Carbon disulfide	92	10	µg/L	100	0	92	47	135	88.65	3.71	20	
Methylene chloride	95.25	25	µg/L	100	0	95.2	66	142	96.35	1.15	20	
Methyl tert-butyl ether	108	10	µg/L	100	2.54	105	63	138	103.6	4.11	20	
trans-1,2-Dichloroethene	105.8	10	µg/L	100	0	106	78	135	105	0.759	20	
1,1-Dichloroethane	108.1	10	µg/L	100	0	108	76	131	106.6	1.35	20	
2-Butanone	45.7	50	µg/L	100	0	45.7	51	142	48.85	6.66	20	JS
2,2-Dichloropropane	128.4	10	µg/L	100	0	128	60	149	128	0.351	20	
cis-1,2-Dichloroethene	104.3	10	µg/L	100	2.26	102	74	128	96.9	7.36	20	
Chloroform	105.2	10	µg/L	100	0	105	80	129	110.3	4.73	20	
Tetrahydrofuran	82	50	µg/L	100	0	82	53	145	82.1	0.122	20	
Bromochloromethane	102.4	10	µg/L	100	0	102	78	130	97.55	4.9	20	
1,1,1-Trichloroethane	124.8	10	µg/L	100	0	125	77	139	117.9	5.69	20	
1,1-Dichloropropene	115	10	µg/L	100	0	115	74	127	110.9	3.63	20	
Carbon tetrachloride	125.4	10	µg/L	100	0	125	73	138	117.2	6.84	20	
1,2-Dichloroethane	113	10	µg/L	100	0	113	75	130	124.4	9.56	20	
Benzene	104.8	5.0	µg/L	100	0	105	79	123	103.8	1.05	20	

**Qualifiers:** ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

**QC SUMMARY REPORT**  
Sample Matrix Spike Duplicate

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Compound	132.2	99.65	100.5	110.1	77.6	110.2	106.5	99.2	85.35	97.15	63.45	106.5	139.7	88.8	96.45	106	107.4	204.2	89.85	90.9	81.85	110	91.65	96.85	101.4	108.4	109.7	106	99.2	106.6	105.8						
Trichloroethene	10	10	10	10	50	5.0	10	5.0	10	10	50	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10						
1,2-Dichloropropane	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100					
Bromodichloromethane	24.23	0	0	0	0	0	0	0	0	0	0	0	73.96	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Dibromomethane	108	99.6	101	110	77.6	110	106	99.2	85.4	97.2	63.4	106	65.7	88.8	96.5	106	107	102	89.8	90.9	81.8	110	91.7	96.8	101	108	110	106	99.2	107	106						
4-Methyl-2-pentanone	126	125	119	127	141	119	124	124	127	127	145	123	129	125	120	124	123	121	119	122	119	131	139	130	124	131	125	124	124	126	124	120					
cis-1,3-Dichloropropene	128.5	93.55	98.35	110.4	97	98.2	101.5	91.9	98.05	92.5	82.25	96.65	137.6	92.85	99.85	110.6	108.2	199.4	93.4	90.7	77.9	107.2	76.9	94.8	96.9	104.6	105	102.6	102.8	108	107.2	2.8					
1,1,2-Trichloroethane	2.8	6.31	2.16	0.227	22.2	11.5	4.86	7.64	13.8	4.9	25.8	9.65	1.48	4.46	3.46	4.16	0.789	2.43	3.87	0.22	4.95	2.62	17.5	2.14	4.49	3.57	4.38	3.16	3.61	1.35	1.41						
1,2-Dibromoethane	R																																				
2-Hexanone	R																																				
1,3-Dichloropropane	S																																				
Tetrachloroethene																																					
Dibromochloromethane																																					
Chlorobenzene																																					
1,1,1,2-Tetrachloroethane																																					
Ethylbenzene																																					
m,p-Xylene																																					
o-Xylene																																					
Styrene																																					
Bromoform																																					
Isopropylbenzene																																					
1,1,2,2-Tetrachloroethane																																					
1,2,3-Trichloropropane																																					
Bromobenzene																																					
n-Propylbenzene																																					
2-Chlorotoluene																																					
4-Chlorotoluene																																					
1,3,5-Trimethylbenzene																																					
tert-Butylbenzene																																					
1,2,4-Trimethylbenzene																																					

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 20-Feb-08

CLIENT: SHAW E & I, Inc.  
 Work Order: 0802026  
 Project: 130274 Textron Gorham

**QC SUMMARY REPORT**  
 Sample Matrix Spike Duplicate

Compound	10	10	100	0	110	82	128	107.6	2.11	20
sec-Butylbenzene	109.9	10	100	0	110	82	128	107.6	2.11	20
4-Isopropyltoluene	103.4	10	100	0	103	77	128	100.2	3.05	20
1,3-Dichlorobenzene	104.2	10	100	0	104	80	122	100.7	3.42	20
1,4-Dichlorobenzene	105.5	10	100	0	106	78	123	105.5	0	20
n-Butylbenzene	101.8	10	100	0	102	74	130	98	3.8	20
1,2-Dichlorobenzene	104.2	10	100	0	104	78	121	100.2	3.92	20
1,2-Dibromo-3-chloropropane	67.75	25	100	0	67.8	50	127	83.2	20.5	20
1,2,4-Trichlorobenzene	98	10	100	0	98	67	128	86.4	12.6	20
Hexachlorobutadiene	106.9	10	100	0	107	74	134	98.65	8.03	20
Naphthalene	97.75	25	100	0	97.8	57	131	67.4	36.8	20
1,2,3-Trichlorobenzene	114.8	10	100	0	115	64	131	60.6	61.8	20
Surr: Dibromofluoromethane	133.4	10	125	0	107	85	116	0	0	0
Surr: 1,2-Dichloroethane-d4	152.6	10	125	0	122	77	127	0	0	0
Surr: Toluene-d8	124.2	10	125	0	99.4	86	114	0	0	0
Surr: 4-Bromofluorobenzene	126.1	10	125	0	101	79	117	0	0	0

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.



**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Client Sample ID:</b>	CW-6
<b>Lab Order:</b>	0802026	<b>Tag Number:</b>	
<b>Project:</b>	130274 Textron Gorham	<b>Collection Date:</b>	2/7/08 2:20:00 PM
<b>Lab ID:</b>	0802026-25A	<b>Matrix:</b>	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>TPH BY GC/FID (MODIFIED 8015B)</b>						
		<b>SW8015B</b>				Analyst: FQ
Gasoline	ND	0.051		mg/L	1	2/13/08 6:52:00 PM
Mineral Spirits	ND	0.051		mg/L	1	2/13/08 6:52:00 PM
Kerosene	ND	0.051		mg/L	1	2/13/08 6:52:00 PM
Diesel Fuel/Fuel Oil #2	ND	0.051		mg/L	1	2/13/08 6:52:00 PM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	2/13/08 6:52:00 PM
Unidentified Hydrocarbons	10	0.20		mg/L	1	2/13/08 6:52:00 PM
Surr: o-Terphenyl	81.6	31-131		%REC	1	2/13/08 6:52:00 PM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

**Qualifiers:**

ND - Not-Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

# AMRO Environmental Laboratories Corp.

Date: 21-Feb-08

<b>CLIENT:</b>	SHAW E & I, Inc.	<b>Client Sample ID:</b>	CW-6 DUP
<b>Lab Order:</b>	0802026	<b>Tag Number:</b>	
<b>Project:</b>	130274 Textron Gorham	<b>Collection Date:</b>	2/7/08 2:20:00 PM
<b>Lab ID:</b>	0802026-26A	<b>Matrix:</b>	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>TPH BY GC/FID (MODIFIED 8015B)</b>						
		<b>SW8015B</b>				<b>Analyst: FQ</b>
Gasoline	ND	0.053		mg/L	1	2/13/08 7:28:00 PM
Mineral Spirits	ND	0.053		mg/L	1	2/13/08 7:28:00 PM
Kerosene	ND	0.053		mg/L	1	2/13/08 7:28:00 PM
Diesel Fuel/Fuel Oil #2	ND	0.053		mg/L	1	2/13/08 7:28:00 PM
Motor Oil/Hydraulic Oil	ND	0.11		mg/L	1	2/13/08 7:28:00 PM
Unidentified Hydrocarbons	10	0.21		mg/L	1	2/13/08 7:28:00 PM
Surr: o-Terphenyl	78.5	31-131		%REC	1	2/13/08 7:28:00 PM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

**Qualifiers:**

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

AMRO Environmental Laboratories Corp.

Date: 25-Feb-08

**QC SUMMARY REPORT**  
Method Blank

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0802026  
**Project:** 130274 Textron Gorham

**Sample ID:** MB-18104    **Batch ID:** 18104    **Test Code:** SW8015B    **Units:** mg/L    **Analysis Date:** 2/13/2008 5:04:00 PM    **Prep Date:** 2/12/2008  
**Client ID:**    **Run ID:** GC-FING1\_080213A    **SeqNo:** 657340

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Gasoline	ND	0.050	mg/L									
Mineral Spirits	ND	0.050	mg/L									
Kerosene	ND	0.050	mg/L									
Diesel Fuel/Fuel Oil #2	ND	0.050	mg/L									
Motor Oil/Hydraulic Oil	ND	0.10	mg/L									
Unidentified Hydrocarbons	ND	0.20	mg/L									
Surr: o-Terphenyl	0.08628	0	mg/L	0.1	0	86.3	31	131	0			

**Qualifiers:** ND - Not Detected at the Reporting Limit    S - Spike Recovery outside accepted recovery limits    B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits    R - RPD outside accepted recovery limits    NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 25-Feb-08

AMRO Environmental Laboratories Corp.

**QC SUMMARY REPORT**  
Laboratory Control Spike

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID: LCS-18104 Batch ID: 18104 Test Code: SW8015B Units: mg/L Analysis Date: 2/13/2008 5:40:00 PM Prep Date: 2/12/2008  
Client ID: Run ID: GC-FING1\_080213A SeqNo: 657341

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Diesel Fuel/Fuel Oil #2	1.574	0.050	mg/L	2	0	78.7	42	119	0			
Surr: o-Terphenyl	0.08057	0	mg/L	0.1	0	80.6	31	131	0			

Sample ID: LCSD-18104 Batch ID: 18104 Test Code: SW8015B Units: mg/L Analysis Date: 2/13/2008 6:16:00 PM Prep Date: 2/12/2008  
Client ID: Run ID: GC-FING1\_080213A SeqNo: 657342

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Diesel Fuel/Fuel Oil #2	1.652	0.050	mg/L	2	0	82.6	42	119	1.574	4.8	40	
Surr: o-Terphenyl	0.08556	0	mg/L	0.1	0	85.6	31	131	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur  
RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

**AMRO Environmental Laboratories Corp.**

Date: 21-Feb-08

**CLIENT:** SHAW E & I, Inc.  
**Project:** 130274 Textron Gorham

**Lab Order:** 0802026

**Lab ID:** 0802026-22

**Collection Date:** 2/7/08 1:15:00 PM

**Collection Time:**

**Client Sample ID:** MW-109D

**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	12.0		µg/L	1	2/13/08 8:37:08 PM
------	----	------	--	------	---	--------------------

**Lab ID:** 0802026-23

**Collection Date:** 2/7/08 1:20:00 PM

**Collection Time:**

**Client Sample ID:** GZA-3

**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	12.0		µg/L	1	2/13/08 8:43:19 PM
------	----	------	--	------	---	--------------------

**Lab ID:** 0802026-24

**Collection Date:** 2/7/08 1:25:00 PM

**Collection Time:**

**Client Sample ID:** GZA-3 DUP

**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	12.0		µg/L	1	2/13/08 8:49:42 PM
------	----	------	--	------	---	--------------------

AMRO Environmental Laboratories Corp.

Date: 18-Feb-08

**QC SUMMARY REPORT**  
Method Blank

CLIENT: SHAW E & I, Inc.  
Work Order: 0802026  
Project: 130274 Textron Gorham

Sample ID: MB-18106 Batch ID: 18106 Test Code: SW6010B Units: µg/L Analysis Date: 2/13/2008 6:34:20 PM Prep Date: 2/13/2008  
Client ID: Run ID: ICP-OPTIMA\_080213A SeqNo: 657057

Analyte	QC Sample Result	RL	Units	Amount	QC Spike Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	ND	12	µg/L									

**Qualifiers:** ND - Not Detected at the Reporting Limit      S - Spike Recovery outside accepted recovery limits      B - Analyte detected in the associated Method Blank  
 J - Analyte detected below quantitation limits      R - RPD outside accepted recovery limits      NA - Not applicable where J values or ND results occur  
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 18-Feb-08

**QC SUMMARY REPORT**  
Laboratory Control Spike

**CLIENT:** SHAW E & I, Inc.  
**Work Order:** 0802026  
**Project:** 130274 Textron Gorham

**Sample ID:** LCS-18106    **Batch ID:** 18106    **Test Code:** SW6010B    **Units:** µg/L    **Analysis Date:** 2/13/2008 6:38:44 PM    **Prep Date:** 2/13/2008  
**Client ID:**    **Run ID:** ICP-OPTIMA\_080213A    **SeqNo:** 657058

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	1982	12	µg/L	1998	0	99.2	80	120	0			

**Sample ID:** LCSD-18106    **Batch ID:** 18106    **Test Code:** SW6010B    **Units:** µg/L    **Analysis Date:** 2/13/2008 6:44:35 PM    **Prep Date:** 2/13/2008  
**Client ID:**    **Run ID:** ICP-OPTIMA\_080213A    **SeqNo:** 657059

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	1989	12	µg/L	1998	0	99.5	80	120	1982	0.352	20	

**Qualifiers:** ND - Not Detected at the Reporting Limit    S - Spike Recovery outside accepted recovery limits    B - Analyte detected in the associated Method Blank  
J - Analyte detected below quantitation limits    R - RPD outside accepted recovery limits    NA - Not applicable where J values or ND results occur  
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.