



**GROUNDWATER & LANDFILL GAS MONITORING REPORT NO. 11  
THE FORMER PORTSMOUTH LANDFILL  
PARK AVENUE  
PORTSMOUTH, RI 02871**

**ATC PROJECT NO. 3010000238**

PREPARED FOR:

AP ENTERPRISE LLC  
28 TEAL DRIVE  
WAKEFIELD, RHODE ISLAND 02879

PREPARED BY:

ATC GROUP SERVICES LLC  
400 RESERVOIR AVENUE, SUITE 3D  
PROVIDENCE, RHODE ISLAND 02907

FEBRUARY 12, 2020

# TABLE OF CONTENTS

<b>1.0 INTRODUCTION</b> .....	<b>1</b>
1.1 Site Location and Description.....	1
<b>2.0 FIELD ACTIVITIES</b> .....	<b>1</b>
2.1 Monitoring Well Gauging and Area Groundwater Flow.....	1
2.2 Groundwater Sampling and Analysis .....	1
2.3 Groundwater Analytical Results .....	2
2.4 Soil Gas Point Installation .....	2
2.5 Soil Gas Monitoring.....	2
<b>3.0 CONCLUSIONS</b> .....	<b>3</b>

## **Tables**

Table 1	Water Level Measurements Data
Table 2	Summary of Groundwater Analytical Results
Table 3	Summary of Soil Gas Monitoring Data

## **Figures**

Figure 1	Site Locus Map
Figure 2	Site Plan with Groundwater Contour Map

## **Appendices**

Appendix A	Groundwater Laboratory Analytical Results
------------	---

## 1.0 INTRODUCTION

ATC Group Services LLC (ATC) was retained by AP Enterprise to install four (4) groundwater monitoring wells and a total of eleven (11) landfill gas monitoring points, and to conduct quarterly groundwater and landfill gas monitoring at the former Portsmouth Landfill located on Park Avenue in Portsmouth, Rhode Island (the Site). The objective of this work is to support the Rhode Island Department of Environmental Management (RIDEM) approved Site Monitoring Plan as prepared by Tim O'Connor & Company LLC. This is the eleventh quarterly report prepared by ATC.

### 1.1 Site Location and Description

The entrance to the former Portsmouth Landfill is located 500 feet west-northwest of the intersection formed by Boyds Lane and Park Avenue. The property is identified by the Portsmouth Tax Assessor as Plat 20 Lots 1, 2 & 13 and Plat 25 Lot 2 (the Site). The Site encompasses approximately 15.02 acres. The ground surface is generally level, with downward slopes along the landfill margins. A Site Locus Map and a Site Plan are included as **Figures 1 and 2** respectively.

On April 25, 2017, four soil borings were completed as groundwater monitoring wells MW-1, MW-2, MW-3 and MW-4. The four groundwater monitoring wells were constructed using two-inch diameter polyvinyl chloride (PVC) riser and 10 to 15 feet of machine-slotted 0.01 inch well screen. The well screens were placed to intercept the groundwater table. Groundwater monitoring well locations are depicted on **Figure 2**.

## 2.0 FIELD ACTIVITIES

The following activities were conducted to evaluate the potential presence of contamination in soil gas and groundwater as a result of historic landfill activities.

### 2.1 Monitoring Well Gauging and Area Groundwater Flow

On January 15, 2020, ATC gauged depth to groundwater in the four groundwater monitoring wells using a Solinst electronic oil/water interface probe. Depth to groundwater was measured from the top of the PVC well risers and ranged from 6.45 feet below top of casing in MW-1 to 13.50 feet below top of casing in MW-3. Non-aqueous phase liquids were not detected on the groundwater surface, or in the bottom of the wells. Based upon the groundwater elevation data, the groundwater gradient is generally toward the west. A Water Level Gauging Sheet is provided as **Table 1**. Groundwater Contours are included on **Figure 2**.

### 2.2 Groundwater Sampling and Analysis

On January 15, 2020, ATC completed the eleventh quarterly groundwater sampling round. The groundwater samples were obtained using the USEPA's Low Stress Purging and Sampling Procedure (EQA SOP-GW-001). ATC used a variable speed low-flow peristaltic pump to control the rate of purging and limit the drawdown. Disposable polyethylene tubing was used at each well. Field parameters were recorded during sampling using a YSI Pro Series with flow-through cell and LaMotte turbidity meter. Field parameters included pH, water temperature, specific conductance, oxidation reduction potential (ORP) and dissolved oxygen. The groundwater samples were collected upon parameter stabilization, and contained in laboratory grade pre-

preserved sample containers. The samples were chilled in a cooler and transported under Chain of Custody to ESS Laboratory, a Rhode Island certified laboratory. ESS analyzed the samples for volatile organic compounds (VOCs) by EPA Method 8260, and total metals by EPA Methods 6010 and 7010.

### 2.3 Groundwater Analytical Results

No VOCs or metals were reported in excess of the RIDEM GA Groundwater Objectives, in the groundwater samples obtained on January 15, 2020. Previously, lead exceedances have been reported in groundwater samples from well MW-3. A cadmium exceedance was previously recorded in groundwater from MW-4. The groundwater analytical data is summarized on **Table 2**. The laboratory analytical report is included in **Appendix A**.

### 2.4 Soil Gas Point Installation

Four permanent SGPs (SG-1, SG-2, SG-3 and SG-4) were installed in April of 2017. Each of the four SGPs were installed in the unsaturated zone, using a Geoprobe brand 21" stainless soil gas implant. The depth of placement was determined by the existing depth to groundwater at each location, which ranged from approximately four to ten feet below grade. Each SGP was backfilled with uniform grade, silica sand to approximately one foot above the screen section. Approximately one foot of bentonite was placed above each SGP to seal it from surface water intrusion. Each SGP was connected to 3/8" by 1/4" tubing that was brought to the ground surface. At the ground surface, the SGP tubing was protected by a two-inch, by five-foot lockable standpipe cemented at grade.

At the request of RIDEM, AP Enterprise directed ATC to install an additional seven permanent soil gas points (SGPs) along the Site boundary, near monitoring point SG-3. SG-3 is the only SGP to have exceeded methane's lower explosive limit (LEL) of 5% and the RIDEM limit of 25% of the LEL (1.25%). On April 13, 2018, ATC installed seven peripheral SGPs (SG-5, SG-6, SG-7, SG-8, SG-9, SG-10 and SG-11), located every 50 feet along the edge of the Site boundary near SG-3. The seven SGPs were installed in the vadose zone to a depth of 2.5 feet below grade using a slam bar and 1/4 inch OD polyethylene tubing terminating with an AMS slotted stainless steel soil gas point. The SGPs were secured at grade with a small concrete pad.

The eleven (11) peripheral SGPs are positioned to monitor for potential landfill gas migration away from the solid waste mound. These points are positioned between the landfill mound boundary and the nearby habitable structures. SGP locations are shown on **Figure 2**.

### 2.5 Soil Gas Monitoring

On January 15, 2020, ATC conducted the eleventh quarterly round of landfill gas monitoring. Soil gas methane, hydrogen sulfide, oxygen and carbon dioxide concentrations were measured at the monitoring points using a Landtech Gem 5000 Landfill Gas Analyzer. Additionally, ambient temperature, barometric pressure, wind speed and wind direction were measured and recorded. SGPs are depicted on **Figure 2**. The soil gas monitoring results are summarized on **Table 3**.

Methane was detected in monitoring point SG-3 at a concentration of 3.0%, which is less than the methane lower and upper explosive limits of 5% and 15%. Soil gas obtained from SG-3 has exceeded the lower explosive limit in previous monitoring events. The seven fence-line perimeter

monitoring points located near SG-3 (SG-5 through SG-11) were “non-detect” for methane. All of the remaining monitored soil gas points were also “non-detect” for methane. Therefore, the measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.

Hydrogen sulfide was detected at monitoring point SG-3 only, at 1.1% (similar to previous concentrations at SG-3). The soil gas point carbon dioxide concentrations ranged from less than 0.2% to a maximum of 14.4% at location SG-3. The oxygen concentrations ranged from atmospheric (approximately 20.9%) down to 0.2% at SG-3. The soil gas monitoring results are summarized in **Table 3**.

### **3.0 CONCLUSIONS**

ATC has performed the eleventh quarterly groundwater and landfill gas monitoring on January 15, 2020, at the former Portsmouth town landfill on Park Avenue in Portsmouth, Rhode Island. Based upon the scope of work and sampling activities completed, ATC concludes the following:

- No VOCs or metals were reported in excess of the RIDEM GA Groundwater Objectives, in the groundwater samples obtained on January 15, 2020.
- Methane was detected in monitoring point SG-3 at a concentration of 3.0%, which is less than the methane lower and upper explosive limits of 5% and 15%. SG-3 methane concentrations monitored from May 2017 to present have ranged from 3.0% to 16.0%. The seven fence-line perimeter monitoring points located near SG-3 (SG-5 through SG-11) were “non-detect” for methane on January 15, 2020. All of the remaining monitored soil gas points were also “non-detect” for methane. Therefore, the measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.
- Hydrogen sulfide was detected at monitoring point SG-3 at 1.1%. Soil gas carbon dioxide concentrations at the monitoring points ranged from non-detected to 4.8% at SG-3. The soil gas oxygen concentrations ranged from atmospheric (approximately 21.2%) down to 15.2% at SG-10.

## **TABLES**



**TABLE 1**

**WATER LEVEL MEASUREMENTS**

<i>Location:</i>	Portsmouth Landfill, Park Ave.	<i>ATC #:</i>	3010000238
<i>Client:</i>	AP Enterprise LLC	<i>Date:</i>	1/15/2020
<i>Instrument:</i>	ORS Interface Probe	<i>Gauged By:</i>	AK
<i>Checked By:</i>	SG		

WELL #	M.P. ELEVATIONS	DEPTH TO PRODUCT	DEPTH TO WATER	PRODUCT THICKNESS	EQUIVALENT HD ELEV.
MW-1	8.84	---	6.45	0.00	2.39
MW-2	16.25	---	13.32	0.00	2.93
MW-3	16.40	---	13.50	0.00	2.90
MW-4	14.09	---	11.70	0.00	2.39

**NOTES:**

Height of PVC; MW-1: 3.21, MW-2: 4.01, MW-3: 3.27, MW-4: 2.97

Survey completed by DiPrete Engineering (6/15/17)

Table 2

**Groundwater Analytical Results  
Former Portsmouth Town Landfill  
Park Avenue, Portsmouth, Rhode Island**

Well ID	Date	Antimony	Arsenic	Barium	Cadmium	Copper	Lead	Nickel	Selenium	Zinc	1,4-Dichlorobenzene	Chlorobenzene	Chloroform	Dichlorodifluoromethane	Diethyl Ether	Isopropylbenzene	Tetrachloroethene
MW-1	5/31/17	ND (0.025)	ND (0.002)	<b>0.062</b>	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	9/8/17	ND (0.002)	ND (0.002)	<b>0.068</b>	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	<b>0.101</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	<b>0.034</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/13/18	ND (0.0005)	ND (0.005)	<b>0.050</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.010)	<b>0.060</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	<b>0.031</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	10/30/18	ND (0.001)	<b>0.003</b>	<b>0.135</b>	ND (0.0025)	<b>0.030</b>	ND (0.010)	ND (0.025)	ND (0.005)	<b>0.137</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	1/9/19	ND (0.002)	ND (0.002)	<b>0.059</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/12/19	ND (0.001)	ND (0.002)	<b>0.051</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/29/19	ND (0.001)	ND (0.002)	<b>0.085</b>	<b>0.0032</b>	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	<b>0.036</b>	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	10/30/2019	ND (0.001)	ND (0.002)	<b>0.088</b>	ND (0.0025)	ND (0.001)	ND (0.001)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
1/15/2020	ND (0.010)	ND (0.025)	ND (0.25)	ND (0.025)	ND (0.1)	ND (0.1)	ND (0.25)	ND (0.25)	ND (0.25)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	
MW-2	5/31/17	ND (0.025)	ND (0.002)	<b>0.084</b>	ND (0.0025)	ND (0.010)	<b>0.005</b>	ND (0.025)	ND (0.005)	<b>0.044</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	9/8/17	ND (0.002)	ND (0.002)	<b>0.177</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	<b>0.0012</b>	ND (0.0010)	ND (0.0020)	ND (0.0010)	<b>0.0034</b>	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	<b>0.187</b>	ND (0.0025)	ND (0.010)	<b>0.014</b>	ND (0.025)	ND (0.025)	<b>0.089</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/13/18	ND (0.0005)	ND (0.010)	<b>0.094</b>	ND (0.0025)	<b>0.017</b>	ND (0.010)	ND (0.025)	ND (0.025)	<b>0.051</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.002)	<b>0.119</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	<b>0.060</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	<b>0.0012</b>	ND (0.0010)
	10/30/18	ND (0.001)	ND (0.002)	<b>0.141</b>	ND (0.0025)	ND (0.010)	<b>0.011</b>	ND (0.025)	ND (0.025)	<b>0.051</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	1/9/19	ND (0.002)	<b>0.003</b>	<b>0.070</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/12/2019	ND (0.001)	ND (0.002)	<b>0.069</b>	ND (0.0025)	ND (0.010)	<b>0.015</b>	ND (0.025)	ND (0.025)	<b>0.071</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/29/19	ND (0.001)	ND (0.002)	<b>0.088</b>	0.0025	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	<b>0.041</b>	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	10/30/2019	ND (0.001)	<b>0.003</b>	<b>0.082</b>	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	<b>0.076</b>	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	<b>0.0014</b>	ND (0.001)
1/15/2020	ND (0.001)	<b>0.004</b>	<b>0.093</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	
MW-3	5/31/17	ND (0.025)	ND (0.002)	<b>0.681</b>	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	<b>0.035</b>	<b>0.0011</b>	<b>0.0040</b>	ND (0.0010)	ND (0.0020)	<b>0.0011</b>	<b>0.0240</b>	ND (0.0010)
	9/8/17	ND (0.002)	ND (0.002)	<b>0.606</b>	ND (0.0025)	ND (0.010)	<b>0.027</b>	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	<b>0.0026</b>	ND (0.0010)	ND (0.0020)	<b>0.0014</b>	<b>0.0025</b>	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	<b>1.01</b>	ND (0.0025)	ND (0.010)	<b>0.025</b>	ND (0.025)	ND (0.025)	ND (0.025)	<b>0.0010</b>	<b>0.0029</b>	ND (0.0010)	<b>0.0073</b>	<b>0.0017</b>	<b>0.0191</b>	ND (0.0010)
	4/13/18	ND (0.0005)	ND (0.006)	<b>0.460</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	<b>0.029</b>	ND (0.025)	<b>0.0012</b>	<b>0.0082</b>	ND (0.0010)	<b>0.0051</b>	ND (0.0010)	<b>0.0117</b>	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.010)	<b>0.654</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	<b>0.0036</b>	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	10/30/18	ND (0.001)	ND (0.002)	<b>0.607</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	<b>0.027</b>	ND (0.0010)	<b>0.0024</b>	ND (0.0010)	ND (0.0020)	<b>0.0012</b>	<b>0.0020</b>	ND (0.0010)
	1/9/19	ND (0.002)	ND (0.002)	<b>0.519</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	<b>0.0013</b>	<b>0.0053</b>	ND (0.0010)	<b>0.0068</b>	ND (0.0010)	<b>0.0050</b>	ND (0.0010)
	4/12/2019	ND (0.001)	ND (0.002)	<b>0.506</b>	ND (0.0025)	ND (0.010)	<b>0.016</b>	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	<b>0.0044</b>	ND (0.0010)	ND (0.0020)	ND (0.0010)	<b>0.0013</b>	ND (0.0010)
	7/29/19	ND (0.001)	ND (0.002)	<b>0.482</b>	<b>0.0027</b>	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	<b>0.030</b>	<b>0.0010</b>	<b>0.0037</b>	ND (0.001)	ND (0.002)	ND (0.001)	<b>0.0011</b>	ND (0.001)
	10/30/2019	ND (0.001)	<b>0.004</b>	<b>0.470</b>	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	<b>0.043</b>	ND (0.001)	<b>0.0036</b>	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
1/15/2020	ND (0.001)	ND (0.002)	<b>0.561</b>	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	<b>0.0033</b>	ND (0.001)	ND (0.001)	<b>0.0011</b>	<b>0.0036</b>	ND (0.0010)	
MW-4	5/31/17	ND (0.025)	ND (0.002)	<b>0.050</b>	<b>0.0043</b>	<b>0.057</b>	ND (0.002)	<b>0.042</b>	ND (0.005)	<b>1.53</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	9/8/2017	ND (0.002)	ND (0.002)	<b>0.030</b>	<b>0.0025</b>	<b>0.021</b>	ND (0.002)	ND (0.025)	ND (0.005)	<b>0.562</b>	ND (0.0010)	ND (0.0010)	<b>0.0014</b>	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	12/21/17	ND (0.002)	ND (0.002)	<b>0.040</b>	ND (0.0025)	<b>0.017</b>	ND (0.010)	ND (0.025)	ND (0.025)	<b>0.264</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/13/18	ND (0.002)	ND (0.005)	<b>0.0490</b>	<b>0.0036</b>	<b>0.043</b>	ND (0.010)	<b>0.055</b>	ND (0.025)	<b>1.90</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/31/18	ND (0.0005)	ND (0.010)	<b>0.032</b>	ND (0.0025)	<b>0.031</b>	ND (0.010)	ND (0.025)	ND (0.025)	<b>0.806</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	10/30/18	ND (0.001)	ND (0.002)	<b>0.070</b>	<b>0.0044</b>	<b>0.052</b>	ND (0.010)	<b>0.036</b>	ND (0.005)	<b>1.50</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	1/9/19	ND (0.002)	ND (0.002)	<b>0.060</b>	<b>0.0030</b>	<b>0.062</b>	ND (0.010)	<b>0.059</b>	ND (0.005)	<b>1.88</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/12/2019	ND (0.001)	ND (0.002)	<b>0.047</b>	ND (0.0025)	<b>0.034</b>	ND (0.010)	<b>0.038</b>	ND (0.025)	<b>1.34</b>	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	7/29/19	ND (0.001)	ND (0.002)	<b>0.057</b>	<b>0.0063</b>	<b>0.052</b>	ND (0.01)	<b>0.046</b>	ND (0.005)	<b>1.53</b>	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
	10/30/2019	ND (0.001)	ND (0.002)	<b>0.470</b>	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	<b>0.043</b>	ND (0.001)	<b>0.0036</b>	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)
1/15/2020	ND (0.001)	ND (0.002)	<b>0.069</b>	<b>0.0040</b>	<b>0.069</b>	ND (0.010)	<b>0.070</b>	ND (0.025)	<b>2.41</b>	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	<b>0.0014</b>	
<b>RIDEM GA Groundwater Objectives</b>		<b>0.006</b>	<b>0.01</b>	<b>2</b>	<b>0.005</b>	<b>NS</b>	<b>0.015</b>	<b>0.1</b>	<b>0.05</b>	<b>NS</b>	<b>0.075</b>	<b>0.1</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>0.005</b>

Notes: All units in mg/L = milligrams per liter unless otherwise noted  
 NS = No Standard  
 NA = Not Available or Not Analyzed  
 ND = not detected above method detection limit  
 Highlighted Exceeds RIDEM GA Groundwater Objective



Table 3

**Soil Gas Monitoring Data  
Former Portsmouth Landfill  
Park Avenue, Portsmouth, RI**

Location	Date	Ambient					Soil Gas						
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	CO2 (%)	
SG-1	5/30/2017	54	30.24	4	SE	0.0	20.5	0	20.5	0	0	0	
	9/8/2017	72	30.03	5	S	0.0	19.2	0	19.1	0	0	0	
	12/21/2017	32	30.24	8	NW	0.2	21.6	0	21.2	0	0	0	
	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	21.6	0	0	0	
	7/31/2018	85	30.14	1	S	0.0	19.4	0	19.4	0	0	0	
	10/30/2018	50	29.97	8	SSE	0.0	20.9	0	20.8	0	0	0.1	
	1/9/2019	43	29.38	5	S	0.0	20.8	0	20.8	0	0	0.1	
	4/12/2019	49	30.10	6	NW	0.0	21.3						
	4/25/2019	54	29.86	3	N	0.0	20.9						
	7/29/2019	87	30.01	4	SE	0.0	21.9						
	10/30/2019	64	30.36	0	---	0.0	20.2						
	1/15/2020	44	30.17	6	S	0.0	21.2						
	No flow, obstructed well												
Well protector knocked over, laying on ground. Tubing appeared intact but no flow.													
Well protector repaired. No flow in tubing.													
SG-2	5/30/2017	56	30.22	6	SE	0.0	20.6	0	20.6	0	0	0	
	9/8/2017	72	30.03	8	S	0.0	19.4	0	19.3	0	0	0	
	12/21/2017	32	30.24	10	NW	0.0	21.6	0	21.4	0	0	0	
	4/13/2018	72	30.03	8	S	0.0	19.4	0	19.3	0	0	0	
	7/31/2018	85	30.15	12	SW	0.0	19.8	0	19.7	0	0	0.1	
	10/30/2018	50	29.95	8	SE	0.0	21.1	0	20.9	0	0	0.1	
	1/9/2019	43	29.34	10	S	0.0	21.2	0	21.2	0	0	0	
	4/12/2019	49	30.10	7	NE	0.0	21.2	0	21.2	0	0	0.2	
	7/29/2019	99	30.04	3	S	0.0	21.8	0.1	21.6	0	0	0.2	
	10/30/2019	67	30.36	0	---	0.0	20.2	0	20.6	0	0	0.1	
	1/15/2020	45	30.14	5	S	0.0	21.3	0	21.2	0	0	0	
	SG-3	5/30/2017	56	30.22	6	SE	0.0	20.4	9.7	1.3	0	>100	12.5
		9/8/2017	73	30.04	4	SE	0.0	19.7	4.1	11.7	0	87	5.0
12/21/2017		32	30.24	10	NW	0.0	21.6	4.6	7.8	0	90	9.0	
4/13/2018		73	30.04	4	SE	0.0	19.7	4.1	11.7	0	87	5.0	
7/31/2018		85	30.16	12	SW	0.0	19.7	7.7	5.2	2	>100	10.4	
10/30/2018		51	29.95	10	SSE	0.0	21.8	13.5	0.2	4	>100	2.0	
1/9/2019		42	29.33	12	S	0.0	21.3	16.0	0.0	4	>100	11.7	
4/12/2019		50	30.10	6	N	0.0	20.9	3.6	0.1	1	21	11.1	
7/29/2019		109	30.05	2	S	0.0	21.6	15.4	0.6	4	99	11.9	
10/30/2019		67	30.36	0	---	0.0	20.9	10.7	0.2	4	>100	14.4	
1/15/2020		45	30.13	2	S	0.0	21.2	3.0	12.4	1.1	58	4.8	
SG-4		5/30/2017	56	30.20	8	SE	0.0	20.1	0	19.6	0	0	0.2
		9/8/2017	73	30.05	6	SE	0.0	19.2	0	18.5	0	0	0.4
	12/21/2017	32	30.24	6	NW	0.0	21.6	0	21.0	0	0	0.5	
	4/13/2018	73	30.05	6	SE	0.0	19.2	0	18.5	0	0	0.4	
	7/31/2018	85	30.13	1	S	0.0	19.7	0	19.3	0	0	0.4	
	10/30/2018	55	29.96	14	SSE	0.0	21.7	0	18.8	0	0	15.3	
	1/9/2019	43	29.34	10	S	0.0	21.6	0	18.7	0	0	2.1	
	4/12/2019	47	30.10	5	N	0.0	20.7	0	19.9	0	0	1.4	
	7/29/2019	104	30.03	0	SE	0.0	21.3	0	20.3	0	0	0.9	
	10/30/2019	67	30.37	0	---	0.0	21.0	0	18.7	0	0	1.2	
	1/15/2020	44	30.12	2	S	0.0	21.2	0	20.6	0	0	1.3	
	SG-5	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.1	0	0	0.7
		7/31/2018	85	30.16	12	SW	0.0	19.9	0	17.0	0	0	3.3
10/30/2018		51	29.96	7	SE	0.0	21.4	0	13.5	0	0	6.5	
1/9/2019		42	29.33	10	S	0.0	21.2	0	17.0	0	0	3.9	
4/12/2019		46	30.20	9	N	0.0	21.2	0	19.4	1	0	2.7	
7/29/2019		101	30.04	5	S	0.0	21.9	0.7	0.6	0	6	14.5	
10/30/2019		67	30.37	0	---	0.0	20.2	0	7.2	0	0	9.4	
1/15/2020		44	30.13	5	S	0.0	21.2	0	19.8	0	0	2.2	
SG-6		4/13/2018	45	29.92	6	SSW	0.0	21.9	0	18.2	0	0	2.6
		7/31/2018	85	30.16	12	SW	0.0	19.9	0	10.3	0	0	8.6
		10/30/2018	51	29.95	7	SSE	0.0	21.5	0	15.3	0	0	6.0
		1/9/2019	42	29.33	15	S	0.0	21.1	0	15.9	0	0	5.0
		4/12/2019	48	30.20	7	NE	0.0	21.1	0	17.2	1	0	3.4
	7/29/2019	88	30.04	4	S	0.0	21.9						
	10/30/2019	67	30.34	0	---	0.0	20.6	0	7.4	0	0	10.9	
	1/15/2020	44	30.13	5	S	0.0	21.2	0	18.1	0	0	2.9	
	SG-7	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	17.6	0	0	3.3
		7/31/2018	85	30.16	12	SW	0.0	19.8	0	12.3	0	0	7.9
		10/30/2018	52	29.95	9	SSE	0.0	21.4	0	21.6	0	0	0.1
		1/9/2019	42	29.34	12	S	0.0	21.2	0	20.0	0	0	3.0
		4/12/2019	48	30.20	7	N	0.0	20.9	0	21.2	0	0	0.2
7/29/2019		88	30.04	4	S	0.0	21.9						
10/30/2019		67	30.37	0	---	0.0	20.7	0	20.9	0	0	0.1	
1/15/2020		44	30.12	2	S	0.0	21.2	0	21.0	0	0	0.1	
SG-8		4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.7	0	0	0.8
		7/31/2018	85	30.16	12	SW	0.0	19.2	0	18.1	0	0	1.1
		10/30/2018	52	29.95	9	SE	0.0	21.9	0	20.1	0	0	1.7
		1/9/2019	41	29.34	10	S	0.0	21.2	0	19.5	0	0	1.0
		4/12/2019	50	30.30	6	N	0.0	20.8	0	19.9	0	0	1.3
	7/29/2019	88	30.04	4	S	0.0	21.9	0	20.6	0	0	1.2	
	10/30/2019	67	30.37	0	---	0.0	21.0	0	19.4	0	0	1.2	
	1/15/2020	45	30.13	2	S	0.0	21.2	0	20.6	0	0	1.0	
	SG-9	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	14.9	0	0	5.4
		7/31/2018	85	30.16	12	SW	0.0	19.2	0	13.7	0	0	5.2
		10/30/2018	54	29.94	12	SSE	0.0	21.7	0	13.0	0	0	7.4
		1/9/2019	41	29.33	10	S	0.0	21.3	0	14.4	0	0	4.8
		4/12/2019	50	30.30	5	N	0.0	20.8	0	15.1	0	0	4.8
7/29/2019		102	30.04	1	S	0.0	21.5	0	13.6	0	0	5.4	
10/30/2019		67	30.80	0	---	0.0	20.9	0	10.5	0	0	9.1	
1/15/2020		45	30.13	0	---	0.0	21.2	0	19.5	0	0	2.0	
SG-10		4/13/2018	45	29.92	6	SSW	0.0	21.9	0	19.4	0	0	2.2
		7/31/2018	85	30.16	12	SW	0.0	19.3	0	12.9	1	0	5.9
		10/30/2018	53	29.94	14	SE	0.0	21.8	0	5.2	0	0	12.8
		1/9/2019	41	29.33	12	S	0.0	21.3	0	19.0	0	0	5.1
		4/12/2019	49	30.30	4	NE	0.0	20.8	0	14.3	0	0	5.6
	7/29/2019	102	30.40	1	S	0.0	21.4	0.1	6	0	0	11.8	
	10/30/2019	67	30.37	0	---	0.0	20.9	0	8.7	0	0	10.3	
	1/15/2020	45	30.13	2	S	0.0	21.2	0	15.2	0	0	3.5	
	SG-11	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.1	0	0	1.4
		7/31/2018	85	30.16	12	SW	0.0	19.6	0	16.3	0	0	1.8
		10/30/2018	53	29.94	14	SE	0.0	21.6	0	19.1	0	0	2.1
		1/9/2019	41	29.33	10	S	0.0	21.2	0	18.9	0	0	1.2
		4/12/2019	49	30.30	4	N	0.0	20.6	0	19.8	0	0	1.7
7/29/2019		88	30.04	4	S	0.0	21.9	0	20.9	0	0	1.2	
10/30/2019		67	30.37	0	---	0.0	20.9	0	18.1	0	0	2.8	
1/15/2020		45	30.13	2	S	0.0	21.2	0	18.7	0	0	1.5	

Lower explosive limit (LEL) of methane (CH4) is 5%  
Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor

## FIGURES




# RIDEM Environmental Resource Map




July 7, 2017

Figure 1: Site Locus Map

1:18,056



Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS



**Purpose of Plan**

THE PURPOSE OF THIS PLAN IS TO SHOW THE PROGRESS OF COMPLETION OF THE FINAL CAPPING, AND ULTIMATELY THE CONDITION.

Progress Tracking 6/30/16  
 (THIS NOTE TO BE REMOVED FOR FINAL RECORD PLAN)  
 CAP PER RAWP PLAN DATED 12/23/13 = ±14.0 AC  
 ANTICIPATED CAP = ±13.7 AC  
 FULLY CAPPED AS OF 6/30/16 = ±3.9 AC  
 PARTIALLY CAPPED = ±9.4 AC  
 REMAINING TO BE CAPPED = ±0.5 AC

- FULLY CAPPED AS OF 6/30/16 = ±3.9 AC
- PARTIALLY CAPPED = ±9.4 AC
- REMAINING TO BE CAPPED = ±0.5 AC

**Legend**

RAWP 2' CONTOUR	---
RAWP BOUNDARY	---
FINAL CAP 2' CONTOUR	---
FINAL CAP BOUNDARY	---
EXISTING GROUND 10' CONTOUR	---
EXISTING GROUND 2' CONTOUR	---
PHASE 1 MONITORING WELL	<span style="color: red;">⊕</span> MW-1
PHASE 1 SOIL GAS POINT	<span style="color: blue;">▲</span> SG-1
SUPPLEMENTAL SOIL GAS POINT	<span style="color: orange;">▲</span> SG5
GROUNDWATER ELEVATION [FEET]	1.80'
GROUNDWATER ELEVATION CONTOUR	2.4'

**General Notes**

- THE SITE IS LOCATED ON THE TOWN OF PORTSMOUTH ASSESSOR'S PLAT 20 LOTS 1, 2, & 13, AND ASSESSOR'S PLAT 25 LOT 2.
- THE OWNER OF AP 20 LOTS 1, 2 & 13 AND AP 25 LOT 2 IS:  
 AP ENTERPRISES LLC  
 28 TEAL DRIVE  
 WAKEFIELD, RI 02879
- DATUM OF SURVEY: RI STATE PLANE, NAD-83 HORIZONTAL, NAVD'88 VERTICAL.
- REMEDIAL CAP CONSTRUCTION COMPLETED PER "PROPOSED CAP/EROSION CONTROL PLAN" BY DIPRETE ENGINEERING, INC. DATED APRIL 3, 2014.
- EXISTING FEATURES ARE A COMPILATION OF AERIAL PHOTOGRAPHY, PLANS OF RECORD BY OTHERS, AND ON THE GROUND SURVEY BY DIPRETE ENGINEERING, INC.
- THIS PLAN DEPICTS PRE-REMEDIAL TOPOGRAPHY OUTSIDE CAP AREA AS SHOWN ON "BOUNDARY & TOPOGRAPHIC SURVEY PLAN - ISLAND PARK" BY WATERMAN ENGINEERING CO. DATED 05/01/07 AND CONVERTED FROM DATUM NGVD29 TO DATUM NGVD88.
- COASTAL FEATURE AND WETLANDS FLAGS / LINES SHOWN PER "GRADING PLAN, ISLAND PARK, AP 20 LOTS 1, 2 & 13 - AP 25 LOT 2, PORTSMOUTH, RHODE ISLAND" BY WATERMAN ENGINEERING, DATED 01/04/2010. FLAGGING BY VANASSE HANGEN BRUSTLIN, INC. AND LOCATED BY FIELD SURVEY BY WATERMAN ENGINEERING.

**Monitoring Notes**

- PHASE 1 MONITORING WELLS AND SOIL AND GAS POINTS INSTALLED 04/25/2017.
- SUPPLEMENTAL SOIL GAS POINTS INSTALLED ON 04/13/2018
- WATER TABLE ELEVATIONS OBTAINED 07/31/2018

The base map for this figure was developed from a Diprete Engineering plan entitled "Landfill Monitoring Plan, Former Portsmouth Landfill, revised 07-18-2017."

0 Approximate Feet 180

NAME/ADDRESS:

Prepared for  
**AP Enterprise LLC**  
 28 Teal Drive, Wakefield, RI 02879

DRAWING TITLE:  
**Groundwater Elevation Contours**  
 January 15, 2020  
 Former Portsmouth Landfill

**ATLAS ATC** 400 Reservoir Avenue, Suite 3D  
 Providence, RI 0290  
 (401) 714-0306

DRAWN BY:	SG	FIGURE NO.	<b>2</b>
CHECKED BY:	AK		
PROJECT NO.	3010000238		
DATE:	2/7/20		

## **APPENDIX A**





*CERTIFICATE OF ANALYSIS*

Stephen Gautie  
ATC Group Services  
400 Reservoir Ave Ste 2C  
Providence, RI 02907

**RE: Former Portsmouth Landfill (3010000238)**  
**ESS Laboratory Work Order Number: 20A0408**

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.

Laurel Stoddard  
Laboratory Director

**REVIEWED**

*By ESS Laboratory at 3:10 pm, Jan 23, 2020*

**Analytical Summary**

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**SAMPLE RECEIPT**

The following samples were received on January 16, 2020 for the analyses specified on the enclosed Chain of Custody Record.

<b>Lab Number</b>	<b>Sample Name</b>	<b>Matrix</b>	<b>Analysis</b>
20A0408-01	MW-1	Ground Water	6010C, 6020A, 7010, 8260B
20A0408-02	MW-2	Ground Water	6010C, 6020A, 7010, 8260B
20A0408-03	MW-3	Ground Water	6010C, 6020A, 7010, 8260B
20A0408-04	MW-4	Ground Water	6010C, 6020A, 7010, 8260B
20A0408-05	Trip Blank	Aqueous	8260B



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**PROJECT NARRATIVE**

**Total Metals**

20A0408-01 [Elevated Method Reporting Limits due to sample matrix \(EL\).](#)

**No other observations noted.**

**End of Project Narrative.**

**DATA USABILITY LINKS**

*To ensure you are viewing the most current version of the documents below, please clear your internet cookies for [www.ESSLaboratory.com](http://www.ESSLaboratory.com). Consult your IT Support personnel for information on how to clear your internet cookies.*

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)





*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**CURRENT SW-846 METHODOLOGY VERSIONS**

**Analytical Methods**

- 1010A - Flashpoint
- 6010C - ICP
- 6020A - ICP MS
- 7010 - Graphite Furnace
- 7196A - Hexavalent Chromium
- 7470A - Aqueous Mercury
- 7471B - Solid Mercury
- 8011 - EDB/DBCP/TCP
- 8015C - GRO/DRO
- 8081B - Pesticides
- 8082A - PCB
- 8100M - TPH
- 8151A - Herbicides
- 8260B - VOA
- 8270D - SVOA
- 8270D SIM - SVOA Low Level
- 9014 - Cyanide
- 9038 - Sulfate
- 9040C - Aqueous pH
- 9045D - Solid pH (Corrosivity)
- 9050A - Specific Conductance
- 9056A - Anions (IC)
- 9060A - TOC
- 9095B - Paint Filter
- MADEP 04-1.1 - EPH
- MADEP 18-2.1 - VPH

**Prep Methods**

- 3005A - Aqueous ICP Digestion
- 3020A - Aqueous Graphite Furnace / ICP MS Digestion
- 3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
- 3060A - Solid Hexavalent Chromium Digestion
- 3510C - Separatory Funnel Extraction
- 3520C - Liquid / Liquid Extraction
- 3540C - Manual Soxhlet Extraction
- 3541 - Automated Soxhlet Extraction
- 3546 - Microwave Extraction
- 3580A - Waste Dilution
- 5030B - Aqueous Purge and Trap
- 5030C - Aqueous Purge and Trap
- 5035A - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-1  
Date Sampled: 01/15/20 10:35  
Percent Solids: N/A

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-01  
Sample Matrix: Ground Water  
Units: mg/L

Extraction Method: 3005A/200.7

**Total Metals**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Antimony	ND (0.010)		6020A		1	KJK	01/17/20 14:31	5	25	CA01563
Arsenic	ND (0.025)		7010		1	KJK	01/17/20 20:06	5	25	CA01563
Barium	ND (0.250)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Beryllium	ND (0.0050)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Cadmium	ND (0.0250)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Chromium	ND (0.100)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Cobalt	ND (0.100)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Copper	ND (0.100)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Lead	ND (0.100)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Nickel	ND (0.250)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Selenium	ND (0.250)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Silver	ND (0.050)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Thallium	ND (0.005)		6020A		1	KJK	01/17/20 14:31	5	25	CA01563
Vanadium	ND (0.100)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563
Zinc	ND (0.250)		6010C		1	KJK	01/16/20 21:11	5	25	CA01563



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-1  
Date Sampled: 01/15/20 10:35  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-01  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,1-Dichloroethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,1-Dichloroethene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,1-Dichloropropene	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2-Dibromoethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2-Dichloroethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,2-Dichloropropane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,3-Dichloropropane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1,4-Dioxane - Screen	ND (0.500)		8260B		1	01/20/20 15:57	D0A0054	DA02037
1-Chlorohexane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
2,2-Dichloropropane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
2-Butanone	ND (0.0100)		8260B		1	01/20/20 15:57	D0A0054	DA02037
2-Chlorotoluene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
2-Hexanone	ND (0.0100)		8260B		1	01/20/20 15:57	D0A0054	DA02037
4-Chlorotoluene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
4-Isopropyltoluene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Acetone	ND (0.0100)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Benzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Bromobenzene	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-1  
Date Sampled: 01/15/20 10:35  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-01  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Bromochloromethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Bromodichloromethane	ND (0.0006)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Bromoform	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Bromomethane	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Carbon Disulfide	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Carbon Tetrachloride	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Chlorobenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Chloroethane	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Chloroform	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Chloromethane	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Dibromochloromethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Dibromomethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Dichlorodifluoromethane	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Diethyl Ether	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Di-isopropyl ether	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Ethylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Hexachlorobutadiene	ND (0.0006)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Hexachloroethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Isopropylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Methylene Chloride	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Naphthalene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
n-Butylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
n-Propylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
sec-Butylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Styrene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
tert-Butylbenzene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Tetrachloroethene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-1  
Date Sampled: 01/15/20 10:35  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-01  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Tetrahydrofuran	ND (0.0050)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Toluene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Trichloroethene	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Trichlorofluoromethane	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Vinyl Acetate	ND (0.0050)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Vinyl Chloride	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Xylene O	ND (0.0010)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Xylene P,M	ND (0.0020)		8260B		1	01/20/20 15:57	D0A0054	DA02037
Xylenes (Total)	ND (0.00200)		8260B		1	01/20/20 15:57		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>115 %</i>		<i>70-130</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>91 %</i>		<i>70-130</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>105 %</i>		<i>70-130</i>
<i>Surrogate: Toluene-d8</i>	<i>100 %</i>		<i>70-130</i>



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-2  
Date Sampled: 01/15/20 11:30  
Percent Solids: N/A

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-02  
Sample Matrix: Ground Water  
Units: mg/L

Extraction Method: 3005A/200.7

**Total Metals**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Antimony	ND (0.001)		6020A		1	KJK	01/17/20 14:36	50	25	CA01563
Arsenic	<b>0.004</b> (0.002)		7010		1	KJK	01/17/20 20:12	50	25	CA01563
Barium	<b>0.093</b> (0.025)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Beryllium	ND (0.0005)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Cadmium	ND (0.0025)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Chromium	ND (0.010)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Cobalt	ND (0.010)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Copper	ND (0.010)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Lead	ND (0.010)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Nickel	ND (0.025)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Selenium	ND (0.025)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Silver	ND (0.005)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Thallium	ND (0.0005)		6020A		1	KJK	01/17/20 14:36	50	25	CA01563
Vanadium	ND (0.010)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563
Zinc	ND (0.025)		6010C		1	KJK	01/16/20 21:15	50	25	CA01563



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-2  
Date Sampled: 01/15/20 11:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-02  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,1-Dichloroethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,1-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,1-Dichloropropene	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2-Dibromoethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2-Dichloroethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,2-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,3-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1,4-Dioxane - Screen	ND (0.500)		8260B		1	01/17/20 16:18	D0A0023	DA01733
1-Chlorohexane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
2,2-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
2-Butanone	ND (0.0100)		8260B		1	01/17/20 16:18	D0A0023	DA01733
2-Chlorotoluene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
2-Hexanone	ND (0.0100)		8260B		1	01/17/20 16:18	D0A0023	DA01733
4-Chlorotoluene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
4-Isopropyltoluene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Acetone	ND (0.0100)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Benzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Bromobenzene	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-2  
Date Sampled: 01/15/20 11:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-02  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Bromochloromethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Bromodichloromethane	ND (0.0006)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Bromoform	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Bromomethane	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Carbon Disulfide	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Carbon Tetrachloride	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Chlorobenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Chloroethane	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Chloroform	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Chloromethane	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Dibromochloromethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Dibromomethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Dichlorodifluoromethane	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Diethyl Ether	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Di-isopropyl ether	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Ethylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Hexachlorobutadiene	ND (0.0006)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Hexachloroethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Isopropylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Methylene Chloride	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Naphthalene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
n-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
n-Propylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
sec-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Styrene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
tert-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Tetrachloroethene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733





*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-2  
Date Sampled: 01/15/20 11:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-02  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Tetrahydrofuran	ND (0.0050)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Toluene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Trichloroethene	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Trichlorofluoromethane	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Vinyl Acetate	ND (0.0050)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Vinyl Chloride	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Xylene O	ND (0.0010)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Xylene P,M	ND (0.0020)		8260B		1	01/17/20 16:18	D0A0023	DA01733
Xylenes (Total)	ND (0.00200)		8260B		1	01/17/20 16:18		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>111 %</i>		<i>70-130</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>89 %</i>		<i>70-130</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>102 %</i>		<i>70-130</i>
<i>Surrogate: Toluene-d8</i>	<i>101 %</i>		<i>70-130</i>



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-3  
Date Sampled: 01/15/20 13:30  
Percent Solids: N/A

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-03  
Sample Matrix: Ground Water  
Units: mg/L

Extraction Method: 3005A/200.7

**Total Metals**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Antimony	ND (0.001)		6020A		1	KJK	01/17/20 14:41	50	25	CA01563
Arsenic	ND (0.002)		7010		1	KJK	01/17/20 20:17	50	25	CA01563
<b>Barium</b>	<b>0.561</b> (0.025)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Beryllium	ND (0.0005)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Cadmium	ND (0.0025)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Chromium	ND (0.010)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Cobalt	ND (0.010)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Copper	ND (0.010)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Lead	ND (0.010)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Nickel	ND (0.025)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Selenium	ND (0.025)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Silver	ND (0.005)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Thallium	ND (0.0005)		6020A		1	KJK	01/17/20 14:41	50	25	CA01563
Vanadium	ND (0.010)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563
Zinc	ND (0.025)		6010C		1	KJK	01/16/20 21:32	50	25	CA01563



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-3  
Date Sampled: 01/15/20 13:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-03  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,1-Dichloroethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,1-Dichloroethene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,1-Dichloropropene	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2-Dibromoethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2-Dichloroethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,2-Dichloropropane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,3-Dichloropropane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1,4-Dioxane - Screen	ND (0.500)		8260B		1	01/20/20 16:23	D0A0054	DA02037
1-Chlorohexane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
2,2-Dichloropropane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
2-Butanone	ND (0.0100)		8260B		1	01/20/20 16:23	D0A0054	DA02037
2-Chlorotoluene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
2-Hexanone	ND (0.0100)		8260B		1	01/20/20 16:23	D0A0054	DA02037
4-Chlorotoluene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
4-Isopropyltoluene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Acetone	ND (0.0100)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Benzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Bromobenzene	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-3  
Date Sampled: 01/15/20 13:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-03  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Bromochloromethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Bromodichloromethane	ND (0.0006)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Bromoform	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Bromomethane	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Carbon Disulfide	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Carbon Tetrachloride	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
<b>Chlorobenzene</b>	<b>0.0033</b> (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Chloroethane	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Chloroform	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Chloromethane	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Dibromochloromethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Dibromomethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Dichlorodifluoromethane	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
<b>Diethyl Ether</b>	<b>0.0011</b> (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Di-isopropyl ether	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Ethylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Hexachlorobutadiene	ND (0.0006)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Hexachloroethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
<b>Isopropylbenzene</b>	<b>0.0036</b> (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Methylene Chloride	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Naphthalene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
n-Butylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
n-Propylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
sec-Butylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Styrene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
tert-Butylbenzene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Tetrachloroethene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-3  
Date Sampled: 01/15/20 13:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-03  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Tetrahydrofuran	ND (0.0050)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Toluene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Trichloroethene	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Trichlorofluoromethane	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Vinyl Acetate	ND (0.0050)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Vinyl Chloride	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Xylene O	ND (0.0010)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Xylene P,M	ND (0.0020)		8260B		1	01/20/20 16:23	D0A0054	DA02037
Xylenes (Total)	ND (0.00200)		8260B		1	01/20/20 16:23		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>113 %</i>		<i>70-130</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>98 %</i>		<i>70-130</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>105 %</i>		<i>70-130</i>
<i>Surrogate: Toluene-d8</i>	<i>102 %</i>		<i>70-130</i>



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-4  
Date Sampled: 01/15/20 14:30  
Percent Solids: N/A

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-04  
Sample Matrix: Ground Water  
Units: mg/L

Extraction Method: 3005A/200.7

**Total Metals**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Antimony	ND (0.001)		6020A		1	KJK	01/17/20 14:46	50	25	CA01563
Arsenic	ND (0.002)		7010		1	KJK	01/17/20 20:23	50	25	CA01563
<b>Barium</b>	<b>0.069</b> (0.025)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Beryllium	ND (0.0005)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
<b>Cadmium</b>	<b>0.0040</b> (0.0025)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Chromium	ND (0.010)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Cobalt	ND (0.010)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
<b>Copper</b>	<b>0.069</b> (0.010)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Lead	ND (0.010)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
<b>Nickel</b>	<b>0.070</b> (0.025)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Selenium	ND (0.025)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Silver	ND (0.005)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
Thallium	ND (0.0005)		6020A		1	KJK	01/17/20 14:46	50	25	CA01563
Vanadium	ND (0.010)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563
<b>Zinc</b>	<b>2.41</b> (0.025)		6010C		1	KJK	01/16/20 21:37	50	25	CA01563



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-4  
Date Sampled: 01/15/20 14:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-04  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,1-Dichloroethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,1-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,1-Dichloropropene	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2-Dibromoethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2-Dichloroethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,2-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,3-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1,4-Dioxane - Screen	ND (0.500)		8260B		1	01/17/20 17:09	D0A0023	DA01733
1-Chlorohexane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
2,2-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
2-Butanone	ND (0.0100)		8260B		1	01/17/20 17:09	D0A0023	DA01733
2-Chlorotoluene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
2-Hexanone	ND (0.0100)		8260B		1	01/17/20 17:09	D0A0023	DA01733
4-Chlorotoluene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
4-Isopropyltoluene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Acetone	ND (0.0100)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Benzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Bromobenzene	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-4  
Date Sampled: 01/15/20 14:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-04  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Bromochloromethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Bromodichloromethane	ND (0.0006)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Bromoform	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Bromomethane	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Carbon Disulfide	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Carbon Tetrachloride	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Chlorobenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Chloroethane	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Chloroform	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Chloromethane	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Dibromochloromethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Dibromomethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Dichlorodifluoromethane	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Diethyl Ether	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Di-isopropyl ether	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Ethylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Hexachlorobutadiene	ND (0.0006)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Hexachloroethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Isopropylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Methylene Chloride	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Naphthalene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
n-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
n-Propylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
sec-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Styrene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
tert-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
<b>Tetrachloroethene</b>	<b>0.0014</b> (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733





*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: MW-4  
Date Sampled: 01/15/20 14:30  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-04  
Sample Matrix: Ground Water  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Tetrahydrofuran	ND (0.0050)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Toluene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Trichloroethene	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Trichlorofluoromethane	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Vinyl Acetate	ND (0.0050)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Vinyl Chloride	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Xylene O	ND (0.0010)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Xylene P,M	ND (0.0020)		8260B		1	01/17/20 17:09	D0A0023	DA01733
Xylenes (Total)	ND (0.00200)		8260B		1	01/17/20 17:09		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>110 %</i>		<i>70-130</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>91 %</i>		<i>70-130</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>101 %</i>		<i>70-130</i>
<i>Surrogate: Toluene-d8</i>	<i>103 %</i>		<i>70-130</i>



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: Trip Blank  
Date Sampled: 01/15/20 00:00  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-05  
Sample Matrix: Aqueous  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,1-Dichloroethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,1-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,1-Dichloropropene	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2-Dibromoethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2-Dichloroethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,2-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,3-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1,4-Dioxane - Screen	ND (0.500)		8260B		1	01/17/20 14:35	D0A0023	DA01733
1-Chlorohexane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
2,2-Dichloropropane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
2-Butanone	ND (0.0100)		8260B		1	01/17/20 14:35	D0A0023	DA01733
2-Chlorotoluene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
2-Hexanone	ND (0.0100)		8260B		1	01/17/20 14:35	D0A0023	DA01733
4-Chlorotoluene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
4-Isopropyltoluene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Acetone	ND (0.0100)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Benzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Bromobenzene	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: Trip Blank  
Date Sampled: 01/15/20 00:00  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-05  
Sample Matrix: Aqueous  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Bromochloromethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Bromodichloromethane	ND (0.0006)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Bromoform	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Bromomethane	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Carbon Disulfide	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Carbon Tetrachloride	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Chlorobenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Chloroethane	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Chloroform	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Chloromethane	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Dibromochloromethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Dibromomethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Dichlorodifluoromethane	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Diethyl Ether	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Di-isopropyl ether	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Ethylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Hexachlorobutadiene	ND (0.0006)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Hexachloroethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Isopropylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Methylene Chloride	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Naphthalene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
n-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
n-Propylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
sec-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Styrene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
tert-Butylbenzene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Tetrachloroethene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill  
Client Sample ID: Trip Blank  
Date Sampled: 01/15/20 00:00  
Percent Solids: N/A  
Initial Volume: 5  
Final Volume: 5  
Extraction Method: 5030B

ESS Laboratory Work Order: 20A0408  
ESS Laboratory Sample ID: 20A0408-05  
Sample Matrix: Aqueous  
Units: mg/L  
Analyst: MD

**8260B Volatile Organic Compounds**

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
Tetrahydrofuran	ND (0.0050)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Toluene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Trichloroethene	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Trichlorofluoromethane	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Vinyl Acetate	ND (0.0050)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Vinyl Chloride	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Xylene O	ND (0.0010)		8260B		1	01/17/20 14:35	D0A0023	DA01733
Xylene P,M	ND (0.0020)		8260B		1	01/17/20 14:35	D0A0023	DA01733

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>108 %</i>		<i>70-130</i>
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>89 %</i>		<i>70-130</i>
<i>Surrogate: Dibromofluoromethane</i>	<i>101 %</i>		<i>70-130</i>
<i>Surrogate: Toluene-d8</i>	<i>102 %</i>		<i>70-130</i>



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**Total Metals**

**Batch CA01563 - 3005A/200.7**

**Blank**

Barium	ND	0.025	mg/L							
Beryllium	ND	0.0005	mg/L							
Cadmium	ND	0.0025	mg/L							
Chromium	ND	0.010	mg/L							
Cobalt	ND	0.010	mg/L							
Copper	ND	0.010	mg/L							
Lead	ND	0.010	mg/L							
Nickel	ND	0.025	mg/L							
Selenium	ND	0.025	mg/L							
Silver	ND	0.005	mg/L							
Vanadium	ND	0.010	mg/L							
Zinc	ND	0.025	mg/L							

**Blank**

Antimony	ND	0.001	mg/L							
Thallium	ND	0.0005	mg/L							

**Blank**

Arsenic	ND	0.002	mg/L							
---------	----	-------	------	--	--	--	--	--	--	--

**LCS**

Barium	0.253	0.025	mg/L	0.2500	101	80-120				
Beryllium	0.0252	0.0005	mg/L	0.02500	101	80-120				
Cadmium	0.121	0.0025	mg/L	0.1250	97	80-120				
Chromium	0.251	0.010	mg/L	0.2500	100	80-120				
Cobalt	0.251	0.010	mg/L	0.2500	101	80-120				
Copper	0.278	0.010	mg/L	0.2500	111	80-120				
Lead	0.255	0.010	mg/L	0.2500	102	80-120				
Nickel	0.254	0.025	mg/L	0.2500	101	80-120				
Selenium	0.505	0.025	mg/L	0.5000	101	80-120				
Silver	0.130	0.005	mg/L	0.1250	104	80-120				
Vanadium	0.254	0.010	mg/L	0.2500	102	80-120				
Zinc	0.253	0.025	mg/L	0.2500	101	80-120				

**LCS**

Antimony	0.259	0.005	mg/L	0.2500	104	80-120				
Thallium	0.250	0.002	mg/L	0.2500	100	80-120				

**LCS**

Arsenic	0.228	0.062	mg/L	0.2500	91	80-120				
---------	-------	-------	------	--------	----	--------	--	--	--	--

**LCS Dup**

Barium	0.252	0.025	mg/L	0.2500	101	80-120	0.1	20		
Beryllium	0.0251	0.0005	mg/L	0.02500	100	80-120	0.4	20		
Cadmium	0.122	0.0025	mg/L	0.1250	98	80-120	0.5	20		
Chromium	0.251	0.010	mg/L	0.2500	101	80-120	0.2	20		
Cobalt	0.251	0.010	mg/L	0.2500	101	80-120	0.05	20		
Copper	0.266	0.010	mg/L	0.2500	106	80-120	4	20		
Lead	0.255	0.010	mg/L	0.2500	102	80-120	0.1	20		



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**Total Metals**

**Batch CA01563 - 3005A/200.7**

Nickel	0.253	0.025	mg/L	0.2500		101	80-120	0.3	20	
Selenium	0.513	0.025	mg/L	0.5000		103	80-120	1	20	
Silver	0.130	0.005	mg/L	0.1250		104	80-120	0.04	20	
Vanadium	0.254	0.010	mg/L	0.2500		102	80-120	0.09	20	
Zinc	0.249	0.025	mg/L	0.2500		100	80-120	1	20	

**LCS Dup**

Antimony	0.264	0.005	mg/L	0.2500		105	80-120	2	20	
Thallium	0.250	0.002	mg/L	0.2500		100	80-120	0.03	20	

**LCS Dup**

Arsenic	0.223	0.062	mg/L	0.2500		89	80-120	2	20	
---------	-------	-------	------	--------	--	----	--------	---	----	--

**8260B Volatile Organic Compounds**

**Batch DA01733 - 5030B**

**Blank**

1,1,1,2-Tetrachloroethane	ND	0.0010	mg/L							
1,1,1-Trichloroethane	ND	0.0010	mg/L							
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L							
1,1,2-Trichloroethane	ND	0.0010	mg/L							
1,1-Dichloroethane	ND	0.0010	mg/L							
1,1-Dichloroethene	ND	0.0010	mg/L							
1,1-Dichloropropene	ND	0.0020	mg/L							
1,2,3-Trichlorobenzene	ND	0.0010	mg/L							
1,2,3-Trichloropropane	ND	0.0010	mg/L							
1,2,4-Trichlorobenzene	ND	0.0010	mg/L							
1,2,4-Trimethylbenzene	ND	0.0010	mg/L							
1,2-Dibromo-3-Chloropropane	ND	0.0050	mg/L							
1,2-Dibromoethane	ND	0.0010	mg/L							
1,2-Dichlorobenzene	ND	0.0010	mg/L							
1,2-Dichloroethane	ND	0.0010	mg/L							
1,2-Dichloropropane	ND	0.0010	mg/L							
1,3,5-Trimethylbenzene	ND	0.0010	mg/L							
1,3-Dichlorobenzene	ND	0.0010	mg/L							
1,3-Dichloropropane	ND	0.0010	mg/L							
1,4-Dichlorobenzene	ND	0.0010	mg/L							
1,4-Dioxane - Screen	ND	0.500	mg/L							
1-Chlorohexane	ND	0.0010	mg/L							
2,2-Dichloropropane	ND	0.0010	mg/L							
2-Butanone	ND	0.0100	mg/L							
2-Chlorotoluene	ND	0.0010	mg/L							
2-Hexanone	ND	0.0100	mg/L							
4-Chlorotoluene	ND	0.0010	mg/L							
4-Isopropyltoluene	ND	0.0010	mg/L							
4-Methyl-2-Pentanone	ND	0.0250	mg/L							
Acetone	ND	0.0100	mg/L							



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA01733 - 5030B**

Benzene	ND	0.0010	mg/L							
Bromobenzene	ND	0.0020	mg/L							
Bromochloromethane	ND	0.0010	mg/L							
Bromodichloromethane	ND	0.0006	mg/L							
Bromoform	ND	0.0010	mg/L							
Bromomethane	ND	0.0020	mg/L							
Carbon Disulfide	ND	0.0010	mg/L							
Carbon Tetrachloride	ND	0.0010	mg/L							
Chlorobenzene	ND	0.0010	mg/L							
Chloroethane	ND	0.0020	mg/L							
Chloroform	ND	0.0010	mg/L							
Chloromethane	ND	0.0020	mg/L							
cis-1,2-Dichloroethene	ND	0.0010	mg/L							
cis-1,3-Dichloropropene	ND	0.0004	mg/L							
Dibromochloromethane	ND	0.0010	mg/L							
Dibromomethane	ND	0.0010	mg/L							
Dichlorodifluoromethane	ND	0.0020	mg/L							
Diethyl Ether	ND	0.0010	mg/L							
Di-isopropyl ether	ND	0.0010	mg/L							
Ethyl tertiary-butyl ether	ND	0.0010	mg/L							
Ethylbenzene	ND	0.0010	mg/L							
Hexachlorobutadiene	ND	0.0006	mg/L							
Hexachloroethane	ND	0.0010	mg/L							
Isopropylbenzene	ND	0.0010	mg/L							
Methyl tert-Butyl Ether	ND	0.0010	mg/L							
Methylene Chloride	ND	0.0020	mg/L							
Naphthalene	ND	0.0010	mg/L							
n-Butylbenzene	ND	0.0010	mg/L							
n-Propylbenzene	ND	0.0010	mg/L							
sec-Butylbenzene	ND	0.0010	mg/L							
Styrene	ND	0.0010	mg/L							
tert-Butylbenzene	ND	0.0010	mg/L							
Tertiary-amyl methyl ether	ND	0.0010	mg/L							
Tetrachloroethene	ND	0.0010	mg/L							
Tetrahydrofuran	ND	0.0050	mg/L							
Toluene	ND	0.0010	mg/L							
trans-1,2-Dichloroethene	ND	0.0010	mg/L							
trans-1,3-Dichloropropene	ND	0.0004	mg/L							
Trichloroethene	ND	0.0010	mg/L							
Trichlorofluoromethane	ND	0.0010	mg/L							
Vinyl Acetate	ND	0.0050	mg/L							
Vinyl Chloride	ND	0.0010	mg/L							
Xylene O	ND	0.0010	mg/L							
Xylene P,M	ND	0.0020	mg/L							
Surrogate: 1,2-Dichloroethane-d4	0.0276		mg/L	0.02500		111	70-130			



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA01733 - 5030B**

Surrogate: 4-Bromofluorobenzene	0.0225		mg/L	0.02500		90	70-130			
Surrogate: Dibromofluoromethane	0.0258		mg/L	0.02500		103	70-130			
Surrogate: Toluene-d8	0.0249		mg/L	0.02500		99	70-130			

**LCS**

1,1,1,2-Tetrachloroethane	10.1		ug/L	10.00		101	70-130			
1,1,1-Trichloroethane	9.99		ug/L	10.00		100	70-130			
1,1,2,2-Tetrachloroethane	9.51		ug/L	10.00		95	70-130			
1,1,2-Trichloroethane	9.14		ug/L	10.00		91	70-130			
1,1-Dichloroethane	9.58		ug/L	10.00		96	70-130			
1,1-Dichloroethene	9.36		ug/L	10.00		94	70-130			
1,1-Dichloropropene	9.53		ug/L	10.00		95	70-130			
1,2,3-Trichlorobenzene	10.6		ug/L	10.00		106	70-130			
1,2,3-Trichloropropane	10.0		ug/L	10.00		100	70-130			
1,2,4-Trichlorobenzene	10.1		ug/L	10.00		101	70-130			
1,2,4-Trimethylbenzene	10.5		ug/L	10.00		105	70-130			
1,2-Dibromo-3-Chloropropane	10.1		ug/L	10.00		101	70-130			
1,2-Dibromoethane	9.77		ug/L	10.00		98	70-130			
1,2-Dichlorobenzene	9.73		ug/L	10.00		97	70-130			
1,2-Dichloroethane	10.0		ug/L	10.00		100	70-130			
1,2-Dichloropropane	9.12		ug/L	10.00		91	70-130			
1,3,5-Trimethylbenzene	10.3		ug/L	10.00		103	70-130			
1,3-Dichlorobenzene	9.94		ug/L	10.00		99	70-130			
1,3-Dichloropropane	10.0		ug/L	10.00		100	70-130			
1,4-Dichlorobenzene	9.80		ug/L	10.00		98	70-130			
1,4-Dioxane - Screen	200		ug/L	200.0		100	0-332			
1-Chlorohexane	8.92		ug/L	10.00		89	70-130			
2,2-Dichloropropane	10.4		ug/L	10.00		104	70-130			
2-Butanone	51.6		ug/L	50.00		103	70-130			
2-Chlorotoluene	9.63		ug/L	10.00		96	70-130			
2-Hexanone	49.0		ug/L	50.00		98	70-130			
4-Chlorotoluene	10.2		ug/L	10.00		102	70-130			
4-Isopropyltoluene	9.96		ug/L	10.00		100	70-130			
4-Methyl-2-Pentanone	48.7		ug/L	50.00		97	70-130			
Acetone	47.1		ug/L	50.00		94	70-130			
Benzene	9.34		ug/L	10.00		93	70-130			
Bromobenzene	9.53		ug/L	10.00		95	70-130			
Bromochloromethane	9.60		ug/L	10.00		96	70-130			
Bromodichloromethane	9.80		ug/L	10.00		98	70-130			
Bromoform	9.99		ug/L	10.00		100	70-130			
Bromomethane	8.48		ug/L	10.00		85	70-130			
Carbon Disulfide	9.48		ug/L	10.00		95	70-130			
Carbon Tetrachloride	10.6		ug/L	10.00		106	70-130			
Chlorobenzene	9.59		ug/L	10.00		96	70-130			
Chloroethane	9.24		ug/L	10.00		92	70-130			





*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA01733 - 5030B**

Chloroform	9.89		ug/L	10.00		99	70-130			
Chloromethane	11.5		ug/L	10.00		115	70-130			
cis-1,2-Dichloroethene	8.99		ug/L	10.00		90	70-130			
cis-1,3-Dichloropropene	9.56		ug/L	10.00		96	70-130			
Dibromochloromethane	10.6		ug/L	10.00		106	70-130			
Dibromomethane	9.61		ug/L	10.00		96	70-130			
Dichlorodifluoromethane	8.79		ug/L	10.00		88	70-130			
Diethyl Ether	8.91		ug/L	10.00		89	70-130			
Di-isopropyl ether	10.0		ug/L	10.00		100	70-130			
Ethyl tertiary-butyl ether	9.67		ug/L	10.00		97	70-130			
Ethylbenzene	9.52		ug/L	10.00		95	70-130			
Hexachlorobutadiene	10.2		ug/L	10.00		102	70-130			
Hexachloroethane	10.8		ug/L	10.00		108	70-130			
Isopropylbenzene	9.49		ug/L	10.00		95	70-130			
Methyl tert-Butyl Ether	10.3		ug/L	10.00		103	70-130			
Methylene Chloride	9.59		ug/L	10.00		96	70-130			
Naphthalene	9.64		ug/L	10.00		96	70-130			
n-Butylbenzene	10.1		ug/L	10.00		101	70-130			
n-Propylbenzene	9.63		ug/L	10.00		96	70-130			
sec-Butylbenzene	9.80		ug/L	10.00		98	70-130			
Styrene	8.90		ug/L	10.00		89	70-130			
tert-Butylbenzene	9.66		ug/L	10.00		97	70-130			
Tertiary-amyl methyl ether	10.1		ug/L	10.00		101	70-130			
Tetrachloroethene	7.91		ug/L	10.00		79	70-130			
Tetrahydrofuran	9.28		ug/L	10.00		93	70-130			
Toluene	9.06		ug/L	10.00		91	70-130			
trans-1,2-Dichloroethene	9.13		ug/L	10.00		91	70-130			
trans-1,3-Dichloropropene	9.47		ug/L	10.00		95	70-130			
Trichloroethene	8.98		ug/L	10.00		90	70-130			
Trichlorofluoromethane	10.5		ug/L	10.00		105	70-130			
Vinyl Acetate	10.4		ug/L	10.00		104	70-130			
Vinyl Chloride	8.62		ug/L	10.00		86	70-130			
Xylene O	9.50		ug/L	10.00		95	70-130			
Xylene P,M	20.0		ug/L	20.00		100	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.0262		mg/L	0.02500		105	70-130			
Surrogate: 4-Bromofluorobenzene	0.0254		mg/L	0.02500		102	70-130			
Surrogate: Dibromofluoromethane	0.0254		mg/L	0.02500		102	70-130			
Surrogate: Toluene-d8	0.0242		mg/L	0.02500		97	70-130			

**LCS Dup**

1,1,1,2-Tetrachloroethane	10.8		ug/L	10.00		108	70-130	6	25	
1,1,1-Trichloroethane	10.2		ug/L	10.00		102	70-130	2	25	
1,1,2,2-Tetrachloroethane	9.43		ug/L	10.00		94	70-130	0.8	25	
1,1,2-Trichloroethane	9.09		ug/L	10.00		91	70-130	0.5	25	
1,1-Dichloroethane	9.78		ug/L	10.00		98	70-130	2	25	
1,1-Dichloroethene	9.91		ug/L	10.00		99	70-130	6	25	



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA01733 - 5030B**

1,1-Dichloropropene	9.73		ug/L	10.00		97	70-130	2	25	
1,2,3-Trichlorobenzene	10.5		ug/L	10.00		105	70-130	0.6	25	
1,2,3-Trichloropropane	9.68		ug/L	10.00		97	70-130	3	25	
1,2,4-Trichlorobenzene	9.89		ug/L	10.00		99	70-130	2	25	
1,2,4-Trimethylbenzene	10.5		ug/L	10.00		105	70-130	0.5	25	
1,2-Dibromo-3-Chloropropane	10.1		ug/L	10.00		101	70-130	0.3	25	
1,2-Dibromoethane	9.81		ug/L	10.00		98	70-130	0.4	25	
1,2-Dichlorobenzene	9.91		ug/L	10.00		99	70-130	2	25	
1,2-Dichloroethane	9.92		ug/L	10.00		99	70-130	0.8	25	
1,2-Dichloropropane	9.31		ug/L	10.00		93	70-130	2	25	
1,3,5-Trimethylbenzene	10.4		ug/L	10.00		104	70-130	0.7	25	
1,3-Dichlorobenzene	9.80		ug/L	10.00		98	70-130	1	25	
1,3-Dichloropropane	9.79		ug/L	10.00		98	70-130	3	25	
1,4-Dichlorobenzene	9.70		ug/L	10.00		97	70-130	1	25	
1,4-Dioxane - Screen	201		ug/L	200.0		100	0-332	0.5	200	
1-Chlorohexane	9.41		ug/L	10.00		94	70-130	5	25	
2,2-Dichloropropane	10.5		ug/L	10.00		105	70-130	2	25	
2-Butanone	51.9		ug/L	50.00		104	70-130	0.7	25	
2-Chlorotoluene	9.82		ug/L	10.00		98	70-130	2	25	
2-Hexanone	48.0		ug/L	50.00		96	70-130	2	25	
4-Chlorotoluene	10.0		ug/L	10.00		100	70-130	1	25	
4-Isopropyltoluene	10.1		ug/L	10.00		101	70-130	1	25	
4-Methyl-2-Pentanone	48.7		ug/L	50.00		97	70-130	0	25	
Acetone	47.7		ug/L	50.00		95	70-130	1	25	
Benzene	9.48		ug/L	10.00		95	70-130	1	25	
Bromobenzene	9.54		ug/L	10.00		95	70-130	0.1	25	
Bromochloromethane	9.63		ug/L	10.00		96	70-130	0.3	25	
Bromodichloromethane	9.88		ug/L	10.00		99	70-130	0.8	25	
Bromoform	10.2		ug/L	10.00		102	70-130	2	25	
Bromomethane	8.36		ug/L	10.00		84	70-130	1	25	
Carbon Disulfide	9.96		ug/L	10.00		100	70-130	5	25	
Carbon Tetrachloride	10.7		ug/L	10.00		107	70-130	0.2	25	
Chlorobenzene	9.69		ug/L	10.00		97	70-130	1	25	
Chloroethane	9.44		ug/L	10.00		94	70-130	2	25	
Chloroform	10.0		ug/L	10.00		100	70-130	1	25	
Chloromethane	11.4		ug/L	10.00		114	70-130	1	25	
cis-1,2-Dichloroethene	9.33		ug/L	10.00		93	70-130	4	25	
cis-1,3-Dichloropropene	9.59		ug/L	10.00		96	70-130	0.3	25	
Dibromochloromethane	10.4		ug/L	10.00		104	70-130	2	25	
Dibromomethane	9.63		ug/L	10.00		96	70-130	0.2	25	
Dichlorodifluoromethane	8.58		ug/L	10.00		86	70-130	2	25	
Diethyl Ether	9.24		ug/L	10.00		92	70-130	4	25	
Di-isopropyl ether	10.5		ug/L	10.00		105	70-130	4	25	
Ethyl tertiary-butyl ether	9.80		ug/L	10.00		98	70-130	1	25	
Ethylbenzene	9.72		ug/L	10.00		97	70-130	2	25	



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA01733 - 5030B**

Hexachlorobutadiene	9.89		ug/L	10.00		99	70-130	3	25	
Hexachloroethane	10.4		ug/L	10.00		104	70-130	4	25	
Isopropylbenzene	9.58		ug/L	10.00		96	70-130	0.9	25	
Methyl tert-Butyl Ether	10.3		ug/L	10.00		103	70-130	0.1	25	
Methylene Chloride	9.95		ug/L	10.00		100	70-130	4	25	
Naphthalene	9.18		ug/L	10.00		92	70-130	5	25	
n-Butylbenzene	10.1		ug/L	10.00		101	70-130	0.4	25	
n-Propylbenzene	9.76		ug/L	10.00		98	70-130	1	25	
sec-Butylbenzene	9.72		ug/L	10.00		97	70-130	0.8	25	
Styrene	9.18		ug/L	10.00		92	70-130	3	25	
tert-Butylbenzene	9.91		ug/L	10.00		99	70-130	3	25	
Tertiary-amyl methyl ether	10.2		ug/L	10.00		102	70-130	2	25	
Tetrachloroethene	8.24		ug/L	10.00		82	70-130	4	25	
Tetrahydrofuran	8.27		ug/L	10.00		83	70-130	12	25	
Toluene	9.39		ug/L	10.00		94	70-130	4	25	
trans-1,2-Dichloroethene	9.50		ug/L	10.00		95	70-130	4	25	
trans-1,3-Dichloropropene	9.24		ug/L	10.00		92	70-130	2	25	
Trichloroethene	9.51		ug/L	10.00		95	70-130	6	25	
Trichlorofluoromethane	11.1		ug/L	10.00		111	70-130	6	25	
Vinyl Acetate	10.2		ug/L	10.00		102	70-130	2	25	
Vinyl Chloride	8.49		ug/L	10.00		85	70-130	2	25	
Xylene O	10.1		ug/L	10.00		101	70-130	6	25	
Xylene P,M	20.0		ug/L	20.00		100	70-130	0.2	25	
Surrogate: 1,2-Dichloroethane-d4	0.0257		mg/L	0.02500		103	70-130			
Surrogate: 4-Bromofluorobenzene	0.0251		mg/L	0.02500		100	70-130			
Surrogate: Dibromofluoromethane	0.0250		mg/L	0.02500		100	70-130			
Surrogate: Toluene-d8	0.0244		mg/L	0.02500		98	70-130			

**Batch DA02037 - 5030B**

<b>Blank</b>										
1,1,1,2-Tetrachloroethane	ND	0.0010	mg/L							
1,1,1-Trichloroethane	ND	0.0010	mg/L							
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L							
1,1,2-Trichloroethane	ND	0.0010	mg/L							
1,1-Dichloroethane	ND	0.0010	mg/L							
1,1-Dichloroethene	ND	0.0010	mg/L							
1,1-Dichloropropene	ND	0.0020	mg/L							
1,2,3-Trichlorobenzene	ND	0.0010	mg/L							
1,2,3-Trichloropropane	ND	0.0010	mg/L							
1,2,4-Trichlorobenzene	ND	0.0010	mg/L							
1,2,4-Trimethylbenzene	ND	0.0010	mg/L							
1,2-Dibromo-3-Chloropropane	ND	0.0050	mg/L							
1,2-Dibromoethane	ND	0.0010	mg/L							
1,2-Dichlorobenzene	ND	0.0010	mg/L							
1,2-Dichloroethane	ND	0.0010	mg/L							
1,2-Dichloropropane	ND	0.0010	mg/L							



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA02037 - 5030B**

1,3,5-Trimethylbenzene	ND	0.0010	mg/L							
1,3-Dichlorobenzene	ND	0.0010	mg/L							
1,3-Dichloropropane	ND	0.0010	mg/L							
1,4-Dichlorobenzene	ND	0.0010	mg/L							
1,4-Dioxane - Screen	ND	0.500	mg/L							
1-Chlorohexane	ND	0.0010	mg/L							
2,2-Dichloropropane	ND	0.0010	mg/L							
2-Butanone	ND	0.0100	mg/L							
2-Chlorotoluene	ND	0.0010	mg/L							
2-Hexanone	ND	0.0100	mg/L							
4-Chlorotoluene	ND	0.0010	mg/L							
4-Isopropyltoluene	ND	0.0010	mg/L							
4-Methyl-2-Pentanone	ND	0.0250	mg/L							
Acetone	ND	0.0100	mg/L							
Benzene	ND	0.0010	mg/L							
Bromobenzene	ND	0.0020	mg/L							
Bromochloromethane	ND	0.0010	mg/L							
Bromodichloromethane	ND	0.0006	mg/L							
Bromoform	ND	0.0010	mg/L							
Bromomethane	ND	0.0020	mg/L							
Carbon Disulfide	ND	0.0010	mg/L							
Carbon Tetrachloride	ND	0.0010	mg/L							
Chlorobenzene	ND	0.0010	mg/L							
Chloroethane	ND	0.0020	mg/L							
Chloroform	ND	0.0010	mg/L							
Chloromethane	ND	0.0020	mg/L							
cis-1,2-Dichloroethene	ND	0.0010	mg/L							
cis-1,3-Dichloropropene	ND	0.0004	mg/L							
Dibromochloromethane	ND	0.0010	mg/L							
Dibromomethane	ND	0.0010	mg/L							
Dichlorodifluoromethane	ND	0.0020	mg/L							
Diethyl Ether	ND	0.0010	mg/L							
Di-isopropyl ether	ND	0.0010	mg/L							
Ethyl tertiary-butyl ether	ND	0.0010	mg/L							
Ethylbenzene	ND	0.0010	mg/L							
Hexachlorobutadiene	ND	0.0006	mg/L							
Hexachloroethane	ND	0.0010	mg/L							
Isopropylbenzene	ND	0.0010	mg/L							
Methyl tert-Butyl Ether	ND	0.0010	mg/L							
Methylene Chloride	ND	0.0020	mg/L							
Naphthalene	ND	0.0010	mg/L							
n-Butylbenzene	ND	0.0010	mg/L							
n-Propylbenzene	ND	0.0010	mg/L							
sec-Butylbenzene	ND	0.0010	mg/L							
Styrene	ND	0.0010	mg/L							



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA02037 - 5030B**

tert-Butylbenzene	ND	0.0010	mg/L							
Tertiary-amyl methyl ether	ND	0.0010	mg/L							
Tetrachloroethene	ND	0.0010	mg/L							
Tetrahydrofuran	ND	0.0050	mg/L							
Toluene	ND	0.0010	mg/L							
trans-1,2-Dichloroethene	ND	0.0010	mg/L							
trans-1,3-Dichloropropene	ND	0.0004	mg/L							
Trichloroethene	ND	0.0010	mg/L							
Trichlorofluoromethane	ND	0.0010	mg/L							
Vinyl Acetate	ND	0.0050	mg/L							
Vinyl Chloride	ND	0.0010	mg/L							
Xylene O	ND	0.0010	mg/L							
Xylene P,M	ND	0.0020	mg/L							
Surrogate: 1,2-Dichloroethane-d4	0.0284		mg/L	0.02500		114	70-130			
Surrogate: 4-Bromofluorobenzene	0.0229		mg/L	0.02500		92	70-130			
Surrogate: Dibromofluoromethane	0.0261		mg/L	0.02500		105	70-130			
Surrogate: Toluene-d8	0.0250		mg/L	0.02500		100	70-130			

**LCS**

1,1,1,2-Tetrachloroethane	10.8		ug/L	10.00		108	70-130			
1,1,1-Trichloroethane	10.4		ug/L	10.00		104	70-130			
1,1,2,2-Tetrachloroethane	9.32		ug/L	10.00		93	70-130			
1,1,2-Trichloroethane	8.84		ug/L	10.00		88	70-130			
1,1-Dichloroethane	9.94		ug/L	10.00		99	70-130			
1,1-Dichloroethene	9.77		ug/L	10.00		98	70-130			
1,1-Dichloropropene	9.47		ug/L	10.00		95	70-130			
1,2,3-Trichlorobenzene	10.7		ug/L	10.00		107	70-130			
1,2,3-Trichloropropane	9.81		ug/L	10.00		98	70-130			
1,2,4-Trichlorobenzene	10.0		ug/L	10.00		100	70-130			
1,2,4-Trimethylbenzene	10.1		ug/L	10.00		101	70-130			
1,2-Dibromo-3-Chloropropane	9.96		ug/L	10.00		100	70-130			
1,2-Dibromoethane	9.58		ug/L	10.00		96	70-130			
1,2-Dichlorobenzene	9.44		ug/L	10.00		94	70-130			
1,2-Dichloroethane	10.2		ug/L	10.00		102	70-130			
1,2-Dichloropropane	8.95		ug/L	10.00		90	70-130			
1,3,5-Trimethylbenzene	9.97		ug/L	10.00		100	70-130			
1,3-Dichlorobenzene	9.61		ug/L	10.00		96	70-130			
1,3-Dichloropropane	9.94		ug/L	10.00		99	70-130			
1,4-Dichlorobenzene	9.76		ug/L	10.00		98	70-130			
1,4-Dioxane - Screen	198		ug/L	200.0		99	0-332			
1-Chlorohexane	8.87		ug/L	10.00		89	70-130			
2,2-Dichloropropane	10.9		ug/L	10.00		109	70-130			
2-Butanone	51.9		ug/L	50.00		104	70-130			
2-Chlorotoluene	9.47		ug/L	10.00		95	70-130			
2-Hexanone	48.7		ug/L	50.00		97	70-130			
4-Chlorotoluene	9.75		ug/L	10.00		98	70-130			



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

**Batch DA02037 - 5030B**

4-Isopropyltoluene	9.60		ug/L	10.00		96	70-130			
4-Methyl-2-Pentanone	47.5		ug/L	50.00		95	70-130			
Acetone	47.1		ug/L	50.00		94	70-130			
Benzene	9.21		ug/L	10.00		92	70-130			
Bromobenzene	9.27		ug/L	10.00		93	70-130			
Bromochloromethane	9.51		ug/L	10.00		95	70-130			
Bromodichloromethane	10.4		ug/L	10.00		104	70-130			
Bromoform	10.7		ug/L	10.00		107	70-130			
Bromomethane	8.10		ug/L	10.00		81	70-130			
Carbon Disulfide	9.74		ug/L	10.00		97	70-130			
Carbon Tetrachloride	11.2		ug/L	10.00		112	70-130			
Chlorobenzene	9.41		ug/L	10.00		94	70-130			
Chloroethane	9.92		ug/L	10.00		99	70-130			
Chloroform	10.3		ug/L	10.00		103	70-130			
Chloromethane	10.9		ug/L	10.00		109	70-130			
cis-1,2-Dichloroethene	9.26		ug/L	10.00		93	70-130			
cis-1,3-Dichloropropene	9.48		ug/L	10.00		95	70-130			
Dibromochloromethane	10.6		ug/L	10.00		106	70-130			
Dibromomethane	9.94		ug/L	10.00		99	70-130			
Dichlorodifluoromethane	8.99		ug/L	10.00		90	70-130			
Diethyl Ether	9.06		ug/L	10.00		91	70-130			
Di-isopropyl ether	10.1		ug/L	10.00		101	70-130			
Ethyl tertiary-butyl ether	9.76		ug/L	10.00		98	70-130			
Ethylbenzene	9.42		ug/L	10.00		94	70-130			
Hexachlorobutadiene	9.94		ug/L	10.00		99	70-130			
Hexachloroethane	11.5		ug/L	10.00		115	70-130			
Isopropylbenzene	9.31		ug/L	10.00		93	70-130			
Methyl tert-Butyl Ether	10.2		ug/L	10.00		102	70-130			
Methylene Chloride	10.3		ug/L	10.00		103	70-130			
Naphthalene	9.53		ug/L	10.00		95	70-130			
n-Butylbenzene	10.1		ug/L	10.00		101	70-130			
n-Propylbenzene	9.22		ug/L	10.00		92	70-130			
sec-Butylbenzene	9.53		ug/L	10.00		95	70-130			
Styrene	8.81		ug/L	10.00		88	70-130			
tert-Butylbenzene	9.43		ug/L	10.00		94	70-130			
Tertiary-amyl methyl ether	10.1		ug/L	10.00		101	70-130			
Tetrachloroethene	7.93		ug/L	10.00		79	70-130			
Tetrahydrofuran	8.01		ug/L	10.00		80	70-130			
Toluene	9.14		ug/L	10.00		91	70-130			
trans-1,2-Dichloroethene	9.43		ug/L	10.00		94	70-130			
trans-1,3-Dichloropropene	9.61		ug/L	10.00		96	70-130			
Trichloroethene	9.41		ug/L	10.00		94	70-130			
Trichlorofluoromethane	11.0		ug/L	10.00		110	70-130			
Vinyl Acetate	10.4		ug/L	10.00		104	70-130			
Vinyl Chloride	8.76		ug/L	10.00		88	70-130			



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA02037 - 5030B**

Xylene O	9.84		ug/L	10.00		98	70-130			
Xylene P,M	19.5		ug/L	20.00		98	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.0264		mg/L	0.02500		106	70-130			
Surrogate: 4-Bromofluorobenzene	0.0257		mg/L	0.02500		103	70-130			
Surrogate: Dibromofluoromethane	0.0251		mg/L	0.02500		100	70-130			
Surrogate: Toluene-d8	0.0240		mg/L	0.02500		96	70-130			

**LCS Dup**

1,1,1,2-Tetrachloroethane	10.6		ug/L	10.00		106	70-130	3	25	
1,1,1-Trichloroethane	10.0		ug/L	10.00		100	70-130	4	25	
1,1,2,2-Tetrachloroethane	8.69		ug/L	10.00		87	70-130	7	25	
1,1,2-Trichloroethane	8.72		ug/L	10.00		87	70-130	1	25	
1,1-Dichloroethane	9.52		ug/L	10.00		95	70-130	4	25	
1,1-Dichloroethene	9.41		ug/L	10.00		94	70-130	4	25	
1,1-Dichloropropene	9.25		ug/L	10.00		92	70-130	2	25	
1,2,3-Trichlorobenzene	10.2		ug/L	10.00		102	70-130	5	25	
1,2,3-Trichloropropane	9.50		ug/L	10.00		95	70-130	3	25	
1,2,4-Trichlorobenzene	9.37		ug/L	10.00		94	70-130	7	25	
1,2,4-Trimethylbenzene	9.93		ug/L	10.00		99	70-130	2	25	
1,2-Dibromo-3-Chloropropane	9.24		ug/L	10.00		92	70-130	8	25	
1,2-Dibromoethane	9.71		ug/L	10.00		97	70-130	1	25	
1,2-Dichlorobenzene	9.40		ug/L	10.00		94	70-130	0.4	25	
1,2-Dichloroethane	10.0		ug/L	10.00		100	70-130	1	25	
1,2-Dichloropropane	9.12		ug/L	10.00		91	70-130	2	25	
1,3,5-Trimethylbenzene	9.84		ug/L	10.00		98	70-130	1	25	
1,3-Dichlorobenzene	9.48		ug/L	10.00		95	70-130	1	25	
1,3-Dichloropropane	9.86		ug/L	10.00		99	70-130	0.8	25	
1,4-Dichlorobenzene	9.54		ug/L	10.00		95	70-130	2	25	
1,4-Dioxane - Screen	204		ug/L	200.0		102	0-332	3	200	
1-Chlorohexane	8.69		ug/L	10.00		87	70-130	2	25	
2,2-Dichloropropane	10.5		ug/L	10.00		105	70-130	4	25	
2-Butanone	50.5		ug/L	50.00		101	70-130	3	25	
2-Chlorotoluene	9.18		ug/L	10.00		92	70-130	3	25	
2-Hexanone	46.6		ug/L	50.00		93	70-130	4	25	
4-Chlorotoluene	9.69		ug/L	10.00		97	70-130	0.6	25	
4-Isopropyltoluene	9.58		ug/L	10.00		96	70-130	0.2	25	
4-Methyl-2-Pentanone	45.1		ug/L	50.00		90	70-130	5	25	
Acetone	46.4		ug/L	50.00		93	70-130	2	25	
Benzene	9.17		ug/L	10.00		92	70-130	0.4	25	
Bromobenzene	9.20		ug/L	10.00		92	70-130	0.8	25	
Bromochloromethane	9.10		ug/L	10.00		91	70-130	4	25	
Bromodichloromethane	9.70		ug/L	10.00		97	70-130	7	25	
Bromoform	9.94		ug/L	10.00		99	70-130	7	25	
Bromomethane	7.53		ug/L	10.00		75	70-130	7	25	
Carbon Disulfide	9.45		ug/L	10.00		94	70-130	3	25	
Carbon Tetrachloride	10.8		ug/L	10.00		108	70-130	4	25	



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Quality Control Data**

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

**8260B Volatile Organic Compounds**

**Batch DA02037 - 5030B**

Chlorobenzene	9.42		ug/L	10.00		94	70-130	0.1	25	
Chloroethane	9.47		ug/L	10.00		95	70-130	5	25	
Chloroform	10.1		ug/L	10.00		101	70-130	2	25	
Chloromethane	10.4		ug/L	10.00		104	70-130	5	25	
cis-1,2-Dichloroethene	9.05		ug/L	10.00		90	70-130	2	25	
cis-1,3-Dichloropropene	9.18		ug/L	10.00		92	70-130	3	25	
Dibromochloromethane	10.2		ug/L	10.00		102	70-130	4	25	
Dibromomethane	9.55		ug/L	10.00		96	70-130	4	25	
Dichlorodifluoromethane	8.30		ug/L	10.00		83	70-130	8	25	
Diethyl Ether	8.73		ug/L	10.00		87	70-130	4	25	
Di-isopropyl ether	9.86		ug/L	10.00		99	70-130	3	25	
Ethyl tertiary-butyl ether	9.48		ug/L	10.00		95	70-130	3	25	
Ethylbenzene	9.35		ug/L	10.00		94	70-130	0.7	25	
Hexachlorobutadiene	9.14		ug/L	10.00		91	70-130	8	25	
Hexachloroethane	11.2		ug/L	10.00		112	70-130	2	25	
Isopropylbenzene	9.16		ug/L	10.00		92	70-130	2	25	
Methyl tert-Butyl Ether	10.1		ug/L	10.00		101	70-130	1	25	
Methylene Chloride	9.64		ug/L	10.00		96	70-130	7	25	
Naphthalene	9.24		ug/L	10.00		92	70-130	3	25	
n-Butylbenzene	9.43		ug/L	10.00		94	70-130	7	25	
n-Propylbenzene	9.20		ug/L	10.00		92	70-130	0.2	25	
sec-Butylbenzene	9.29		ug/L	10.00		93	70-130	3	25	
Styrene	8.63		ug/L	10.00		86	70-130	2	25	
tert-Butylbenzene	9.33		ug/L	10.00		93	70-130	1	25	
Tertiary-amyl methyl ether	10.2		ug/L	10.00		102	70-130	0.5	25	
Tetrachloroethene	7.81		ug/L	10.00		78	70-130	2	25	
Tetrahydrofuran	8.10		ug/L	10.00		81	70-130	1	25	
Toluene	8.83		ug/L	10.00		88	70-130	3	25	
trans-1,2-Dichloroethene	9.39		ug/L	10.00		94	70-130	0.4	25	
trans-1,3-Dichloropropene	9.32		ug/L	10.00		93	70-130	3	25	
Trichloroethene	8.85		ug/L	10.00		88	70-130	6	25	
Trichlorofluoromethane	10.3		ug/L	10.00		103	70-130	7	25	
Vinyl Acetate	9.82		ug/L	10.00		98	70-130	5	25	
Vinyl Chloride	8.36		ug/L	10.00		84	70-130	5	25	
Xylene O	9.60		ug/L	10.00		96	70-130	2	25	
Xylene P,M	19.2		ug/L	20.00		96	70-130	1	25	
Surrogate: 1,2-Dichloroethane-d4	0.0261		mg/L	0.02500		105	70-130			
Surrogate: 4-Bromofluorobenzene	0.0253		mg/L	0.02500		101	70-130			
Surrogate: Dibromofluoromethane	0.0250		mg/L	0.02500		100	70-130			
Surrogate: Toluene-d8	0.0243		mg/L	0.02500		97	70-130			





*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**Notes and Definitions**

- U Analyte included in the analysis, but not detected
- EL Elevated Method Reporting Limits due to sample matrix (EL).
- D Diluted.
- ND Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- LOD Limit of Detection
- LOQ Limit of Quantitation
- DL Detection Limit
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- [CALC] Calculated Analyte
- SUB Subcontracted analysis; see attached report
- RL Reporting Limit
- EDL Estimated Detection Limit
- MF Membrane Filtration
- MPN Most Probably Number
- TNTC Too numerous to Count
- CFU Colony Forming Units



*CERTIFICATE OF ANALYSIS*

Client Name: ATC Group Services  
Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20A0408

**ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS**

**ENVIRONMENTAL**

Rhode Island Potable and Non Potable Water: LAI00179

<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750

[http://www.ct.gov/dph/lib/dph/environmental\\_health/environmental\\_laboratories/pdf/OutOfStateCommercialLaboratories.pdf](http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutOfStateCommercialLaboratories.pdf)

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002

<http://www.maine.gov/dhhs/mecdc/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002

<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313

<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006

[http://datamine2.state.nj.us/DEP\\_OPRA/OpraMain/pi\\_main?mode=pi\\_by\\_site&sort\\_order=PI\\_NAMEA&Select+a+Site:=58715](http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site:=58715)

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752

<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory

Division of Thielsch Engineering, Inc.  
 185 Frances Avenue, Cranston RI 02910  
 Tel. (401) 461-7181 Fax (401) 461-4486  
 www.esslaboratory.com

CHAIN OF CUSTODY

ESS Lab # **JGA0405**

Turn Time: 5-Day Rush:  
 Regulatory State: RI GA Groundwater Objectives  
 Is this project for any of the following?:  
 MA-MCP  CT-RCP  RGP  Remediation

Reporting Limits RI GA Groundwater Objectives

Electronic Deliverables  Limit Checker  Excel  Other (Please Specify) → odf

Company Name: ATC Group Services, LLC  
 Contact Person: Stephen Gautie  
 Project #: 3010000238  
 Project Name: Former Portsmouth Landfill  
 Address: 400 Reservoir Ave., Suite 2G 3D  
 City: Providence State: Rhode Island  
 Zip Code: 02907 PO #: 3010000238  
 Telephone Number: (401) 639-4272 FAX Number:  
 Email Address: stephen.gautie@atcgs.com

ESS Lab ID	Collection Date	Collection Time	Sample Type	Sample Matrix	Sample ID	VOC by 8280	Total Sb, As, Ba, Be, Cd, Cr	Total Co, Cu, Pb, Ni, Se, Ag	Total Ti, V, Zn
1	1/15/2020	10:35 am	Grab	Ground Water	MW-1	X	X	X	X
2	↓	11:30 am	Grab	Ground Water	MW-2	X	X	X	X
3	↓	1:30 pm	Grab	Ground Water	MW-3	X	X	X	X
4	↓	2:30 pm	Grab	Ground Water	MW-4	X	X	X	X
					Trip Blank	X			

Container Type: AG-Amber Glass B-BOD Bottle G-Glass P-Poly S-Sterile V-Vial O-Other  
 Preservation Code: 1-Non Preserved 2-HCl 3-H2SO4 4-HNO3 5-NaOH 6-Methanol 7-Na2S2O3 8-ZnAce, NaOH 9-NH4Cl 10-DI H2O 11-Other\*  
 Number of Containers: 13 4\* 4 4

Laboratory Use Only  
 Cooler Present: \_\_\_\_\_  
 Seals Intact: \_\_\_\_\_  
 Cooler Temperature: 28 °C  
 Sampled by: **AK**  
 Comments: Please specify "Other" preservative and containers types in this space  
 \*Total Metals: one container per sample for all listed 15 metals.

Relinquished by: (Signature, Date & Time) <i>Stephen Gautie</i> 3:30 1/15/2020	Received By: (Signature, Date & Time) <i>[Signature]</i>	Relinquished By: (Signature, Date & Time) <i>[Signature]</i> 1/16/20 9:13	Received By: (Signature, Date & Time) <i>[Signature]</i> 1/16/20 5:13
Relinquished by: (Signature, Date & Time) <i>[Signature]</i> 1/16/20 12:15	Received By: (Signature, Date & Time) <i>[Signature]</i> 1/16/20 10:15	Relinquished By: (Signature, Date & Time)	Received By: (Signature, Date & Time)

20A0408

~~170686~~

CONSTITUENTS FOR DETECTION MONITORING (1)

Common name (2)	CAS RN (3)
<b>Inorganic Constituents:</b>	
(1) Antimony.....	(Total)
(2) Arsenic.....	(Total)
(3) Barium.....	(Total)
(4) Beryllium.....	(Total)
(5) Cadmium.....	(Total)
(6) Chromium.....	(Total)
(7) Cobalt.....	(Total)
(8) Copper.....	(Total)
(9) Lead.....	(Total)
(10) Nickel.....	(Total)
(11) Selenium.....	(Total)
(12) Silver.....	(Total)
(13) Thallium.....	(Total)
(14) Vanadium.....	(Total)
(15) Zinc.....	(Total)

8260