



ARCADIS U.S., Inc.  
300 Metro Center Boulevard  
Suite 250  
Warwick  
Rhode Island 02886  
Tel 401.738.3887  
Fax 401.732.1686  
[www.arcadis-us.com](http://www.arcadis-us.com)

Mr. Jeffrey Crawford  
Rhode Island Department of Environmental Management  
Office of Waste Management  
235 Promenade Street  
Providence, RI 02908-5767

ENVIRONMENTAL

Subject:  
September 2014 Quarterly Monitoring Report for Springfield Street School Complex

Dear Mr. Crawford:

Date:  
March 16, 2015

ARCADIS US, Inc. (ARCADIS) conducted quarterly monitoring of soil gas, indoor air, the cap, and the sub-slab ventilation system between September 17, 2014 and September 23, 2014. The monitoring was performed in accordance with the *Long-Term Operation and Maintenance Plan and Site Contingency Plan (O&M Plan)* contained in the *Remedial Action Work Plan* prepared by ATC dated April 2, 1999, revised May 3, 1999 and May 9, 1999. The *Remedial Action Work Plan (RAWP)* was approved by the Rhode Island Department of Environmental Management (RIDEM) in a letter dated June 4, 1999.

Contact:  
Donna H. Pallister, PE

Phone:  
401.738.3887

Email:  
[Donna.pallister@arcadis-us.com](mailto:Donna.pallister@arcadis-us.com)

This work is subject to the Limitations contained in Attachment A. Results of monitoring are provided in the following sections and in the attachments.

Our ref:  
WK012152.0010

## COVER MONITORING

ARCADIS conducted a visual survey of the site on September 17, 2014 for evidence of significant soil cover erosion, or for any areas of settling and depression.

The orange indicator barrier was not observed during the inspection, and there was no evidence of significant settling or cover erosion in need of repair.

## SUB-SLAB VENTILATION SYSTEM

### Field Monitoring

The sub-slab ventilation system was inspected by ARCADIS during the quarterly monitoring on September 17, 2014. The two elementary school blowers and one of the two middle school blowers were operating normally upon arrival. The second middle school blower, middle school back, was not operating normally due to an unknown issue. ARCADIS returned on September 29 with Advance Electrical to

troubleshoot the blower and motor problem. It was determined that the motor and blower would need repair.

Samples of influent and effluent (before and after the carbon canisters) air were collected at each functioning blower and screened for methane, carbon dioxide, oxygen, carbon monoxide, hydrogen sulfide, and organic vapors using a Landtec GEM2000 Plus and a MiniRae 2000. Results of screening are provided on Table 1. Methane, carbon monoxide, hydrogen sulfide and organic vapors were not detected in any of the samples. Carbon dioxide was detected at concentrations of 0.1 to 0.4% at the middle school front blower and both elementary school blowers; all five of the sample concentrations were greater than the RAWP Action Level of 1000 ppm (0.1%).

#### **Soil Gas Laboratory Results**

Sub-slab soil gas samples were collected from the influent to each functioning sub-slab ventilation system. The samples were collected in Tedlar bags and submitted to Con-Test Analytical Laboratories for analysis of volatile organic compounds (VOCs) by EPA method TO-14. Results of the analysis are summarized in Table 2, and the laboratory report is provided in Attachment B.

The Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELs) and CT DEEP Proposed Residential Volatilization Criteria for Soil Vapor are provided in Table 2 for comparison purposes. The OSHA PELs are not directly applicable to soil gas, because it does not represent exposure point concentrations. The PELs are the average concentrations that OSHA allows to be present in a workplace without any respiratory protection or exposure controls. The concentrations detected in soil gas were well below the OSHA PELs and the CT DEEP Proposed Residential Volatilization Criteria.

#### **INDOOR AIR MONITORING**

Indoor air monitoring was conducted on September 18, 2014 using a Landtec GEM 2000 Plus meter (methane, hydrogen sulfide, oxygen), a Mini Rae photoionization detector (organic vapors), and a Fluke 975 Airmeter (carbon dioxide, carbon monoxide). School was in session during the monitoring event. Results of monitoring are provided in the Table 3. Carbon dioxide measurements were made with a Fluke 975 Airmeter indoor air quality meter. The Fluke 975 has a range of 0 to 5,000 ppm, with a resolution of 1 ppm.

The outside temperature on September 18, 2014 was approximately 78.8 °F and ambient carbon dioxide was measured at 395 ppm.

All readings were below the RAWP Action Levels. Methane, carbon monoxide, hydrogen sulfide, and organic vapors were not detected. Carbon dioxide was detected at concentrations between 514 and 848 ppm. As noted below, these readings are within the expected range for indoor air levels of carbon dioxide in an occupied building.

Concentrations of carbon dioxide inside occupied buildings are expected to be higher than the concentrations in outdoor air because the building occupants expel carbon dioxide. Therefore, in indoor air, the concentration of carbon dioxide is typically used as an indicator of the effectiveness of the heating, ventilating, and air conditioning (HVAC) system in circulating outdoor air into the building. The American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) have prepared ASHRAE Standard 62.1-2007 titled *Ventilation for Acceptable Indoor Air Quality*. The purpose of the Standard is to specify minimum ventilation rates and other measures to provide indoor air quality that is acceptable to human occupants and that minimize adverse health effects. A discussion regarding carbon dioxide concentrations in indoor air contained in Informative Appendix C of the Standard states: "... maintaining a steady-state CO<sub>2</sub> concentration in a space of no greater than about 700 ppm above outdoor air levels will indicate that a substantial majority of visitors entering a space will be satisfied with respect to human bioeffluents (body odor)." This is the basis for ASHRAE's recommendations for concentrations of carbon dioxide in indoor air.

The Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) for carbon dioxide in the workplace is 5,000 ppm. All readings were below this concentration.

The control panels for the methane monitors at both schools were inspected on September 18, 2014. The methane monitor control panels had stickers that indicated that the monitors were calibrated by Diamond Technical Services within the month prior to the inspection. Diamond Technical Services calibrates the sensors on a monthly basis.

Calibration Certificates from Diamond Calibration indicate that many of the sensors read above 0 when calibrated to the zero gas. This prevents the sensors from giving a fault alarm if the reading drops below zero due to a sudden temperature change, and still provides a conservative measure of protection because the alarm limit does not change.

## GROUNDWATER MONITORING

The groundwater monitoring wells were sampled by ARCADIS on September 17, 2014. Prior to sampling, the depth to water was gauged, and a volume of water equivalent to approximately three well volumes was removed from the well. Groundwater samples were collected in laboratory prepared sample jars and delivered under chain-of-custody protocol to Contest Laboratory in East Longmeadow, Massachusetts for analysis for volatile organic compounds by EPA method 8260. The laboratory report is provided as Attachment B. Results of analysis of groundwater samples are summarized in Table 4.

The only target analytes detected in any of the wells was chloroform and 1,4 dichlorobenzene. Chloroform was detected in a sample collected from monitoring well MW-6 at a concentration of 4.1 µg/L. 1,4 dichlorobenzene was detected in monitoring well ATC-4 at a concentration 2.0 µg/L. There is no GB groundwater standard for chloroform or 1,4 dichlorobenzene. These compounds have been detected during many previous sampling events in these well at a similar concentrations. No other target analytes were detected in any of the groundwater samples collected on September 17, 2014.

## SOIL GAS MONITORING

Soil gas monitoring was conducted at 29 locations on September 17, 2014. The sampling was conducted by placing an air sampling gripper cap on each well and attaching a piece of tubing. A volume of air equivalent to approximately 3 well volumes was removed from each well using a Sensidyne BDXII air sampling pump. Soil gas was then screened using a Landtec GEM 2000 Plus Landfill Gas Analyzer and a MiniRae Photoionization Detector (PID).

### Soil Gas Field Monitoring Results

Soil gas samples were screened for methane, carbon monoxide, hydrogen sulfide, carbon dioxide, oxygen, and total VOCs. Soil gas survey results are provided in Table 5. Methane, Carbon monoxide, hydrogen sulfide, and total VOCs were not detected in any samples.

Carbon dioxide was detected in soil gas at concentrations ranging from 0.1% to 14.5% during the September monitoring event. The carbon dioxide RAWP action level of 0.1% was exceeded at every monitoring point. The maximum concentration detected during the September 2014 monitoring round was 14.5%, which was higher than the maximum detected during the June 2014 round of 12.6%. This is consistent with the pattern shown during previous rounds of declining carbon dioxide

concentrations in the winter, and increasing concentrations in the summer and early fall. Graphs depicting carbon dioxide, oxygen, and methane concentrations over time for selected representative wells are presented in Attachment C.

The presence of carbon dioxide in soil gas is an indicator of subsurface bacterial activity and does not represent a threat to users of the property. The highest concentration of carbon dioxide was found in well MPL-7, located on the northern end of the property near Hartford Avenue. The monitoring locations on the northern end of the property adjacent to large expanses of paved parking lot, sidewalk, and streets have typically had the highest carbon dioxide concentrations.

#### **VACUUM TESTING**

Vacuum testing was conducted on July 1<sup>st</sup>, 2014 to confirm negative pressure in the soil gas around the occupied buildings. The measurements are performed to assess whether the subslab ventilation system is functioning as designed. The testing confirmed the sub-slab ventilation system is performing as designed. A figure showing the vacuum measurement location and results with contours is attached.

**CONCLUSIONS**

Methane, hydrogen sulfide, carbon monoxide and organic vapor concentrations did not exceed RAWP action levels in any soil gas or indoor air samples in this quarterly round of sampling. Carbon dioxide concentrations exceeded the action level at 27 soil gas locations, sub slab system monitoring points. The detection of carbon dioxide in soil gas is typical of what has been detected during previous monitoring events and appears to be a result of naturally occurring bacterial activity in the subsurface.

If you have any questions or require any additional information, please contact the undersigned at 401-738-3887, extension 25.

Sincerely,

ARCADIS U.S., Inc.

A handwritten signature in black ink, appearing to read "Donna H. Pallister". The signature is fluid and cursive.

Donna H. Pallister, PE, LSP  
Principal Engineer

Copies:

A. Sepe, City of Providence  
Providence Public Building Authority

## Tables

Table 1  
 System Monitoring Notes  
 Springfield Street School Complex  
 Providence, Rhode Island  
 September 17, 2014

<b>Monitoring Location</b>	<b>Methane % by volume Landtec</b>	<b>Carbon Dioxide % by volume</b>	<b>Oxygen % by volume</b>	<b>Carbon Monoxide PPM</b>	<b>Hydrogen Sulfide PPM</b>	<b>Organic Vapors PPM</b>
Elementary School inlet 1	0.0	0.4	20.6	0	0	0.0
Elementary School inlet 2	0.0	0.4	20.6	0	0	0.0
Elementary School Outlet	0.0	0.3	20.6	0	0	0.0
Middle School front shed inlet *	0.0	0.1	20.7	0	0	0.0
Middle School front shed after 2 <sup>nd</sup> carbon *	0.0	0.1	20.8	0	0	0.0
Middle School back shed inlet #	NT	NT	NT	NT	NT	NT
Middle School back shed after 2 <sup>nd</sup> carbon #	NT	NT	NT	NT	NT	NT
<b>Remedial Action Work Plan Action Levels</b>	<b>0.5</b>	<b>1,000 ppm (0.1%)</b>	<b>NA</b>	<b>9 ppm</b>	<b>10 ppm</b>	<b>5 ppm</b>

**Measurements made with:** Landtec GEM2000 Plus, MiniRae 2000

**Sampling date:** September 17, 2014

**Measured by:** Andrew DaSilva

\*- Tested on September 23, 2014

#- Middle school back shed not tested because blower not functioning properly



Table 2  
Soil Gas Samples Collected from System Influent  
Springfield Street School Complex

Parameter	Sample Date	CT DEEP Proposed Residential Volatilization Criteria For Soil Vapor (ug/m3)*	OSHA PEL's (ug/m3)	Middle School Back (ug/m3)	Middle School Front (ug/m3)	Elementary School #1 (ug/m3)	Elementary School # 2 (ug/m3)
Benzene	8/23/2012	3,247	3,000	0.87	1	0.7	0.7
	1/4/2013			0.2	0.26	0.37	0.33
	3/20/2013			ND	0.44	0.57	0.54
	6/6/13 and 6/11/13			2.2	2.2	1.7	0.76
	9/11/2013			0.51	0.47	0.49	0.43
	12/10/2013			0.14	0.12	0.2	0.2
	3/24/2014			0.57	0.63	0.72	0.68
	6/10/14 and 7/01/14			0.42	0.52	0.45	ND
	9/19/14 and 9/23/14			NT	0.53	0.70	0.57
	8/23/2012			6,395	62,900	ND	ND
1/4/2013	ND	ND	ND			ND	
3/20/2013	ND	ND	ND			ND	
6/6/13 and 6/11/13	ND	ND	ND			ND	
9/11/2013	ND	ND	ND			ND	
12/10/2013	ND	ND	ND			ND	
3/24/2014	ND	ND	ND			ND	
6/10/14 and 7/01/14	0.46	0.68	ND			ND	
9/19/14 and 9/23/14	NT	ND	ND			ND	
8/23/2012	22,334	240,000	ND			ND	1.7
1/4/2013			0.26	ND	0.51	0.58	
3/20/2013			ND	ND	0.6	0.6	
6/6/13 and 6/11/13			ND	ND	2.1	1.7	
9/11/2013			1.3	ND	1.9	2.1	
12/10/2013			ND	0.15	0.36	0.39	
3/24/2014			ND	ND	0.76	0.75	
6/10/14 and 7/01/14			0.46	ND	1.9	1.9	
9/19/14 and 9/23/14			NT	ND	2.2	2.2	
8/23/2012			NA	207,000	ND	2	ND
1/4/2013	0.18	0.23			ND	ND	
3/20/2013	ND	ND			ND	ND	
6/6/13 and 6/11/13	ND	1.2			ND	ND	
9/11/2013	ND	ND			ND	ND	
12/10/2013	0.25	ND			ND	ND	
3/24/2014	ND	0.44			ND	ND	
6/10/14 and 7/01/14	1.2	ND			ND	ND	
9/19/14 and 9/23/14	NT	0.89			ND	ND	
8/23/2012	5,805,840	450,000			1.9	ND	1.9
1/4/2013			ND	ND	ND	ND	
3/20/2013			ND	ND	ND	ND	
6/6/13 and 6/11/13			ND	ND	ND	ND	
9/11/2013			ND	ND	ND	ND	
12/10/2013			ND	ND	ND	ND	
3/24/2014			ND	ND	ND	ND	
6/10/14 and 7/01/14			ND	ND	ND	ND	
9/19/14 and 9/23/14			NT	ND	ND	ND	
8/23/2012			NA	4,950,000	7	2.3	11
1/4/2013	2.6	1.7			2.6	3.5	
3/20/2013	3.2	2.6			3	3	
6/6/13 and 6/11/13	5.5	2.5			4.4	3.9	
9/11/2013	10	4.6			3.6	3.9	
12/10/2013	1.2	2.8			1.2	1.2	
3/24/2014	4.4	2.6			3.1	3.1	
6/10/14 and 7/01/14	4.6	6.9			4.1	4.1	
9/19/14 and 9/23/14	NT	38			3.8	3.9	
8/23/2012	4,613	5,000			ND	ND	ND
1/4/2013			ND	ND	ND	ND	
3/20/2013			ND	ND	ND	ND	
6/6/13 and 6/11/13			ND	ND	ND	ND	
9/11/2013			ND	ND	ND	ND	
12/10/2013			ND	ND	ND	ND	
3/24/2014			ND	ND	ND	ND	
6/10/14 and 7/01/14			ND	ND	ND	ND	
9/19/14 and 9/23/14			NT	ND	ND	ND	
8/23/2012			NA	7,000,000	17	0.78	20
1/4/2013	2.7	1.3			1.7	0.83	
3/20/2013	6.4	1.7			1.2	1.2	
6/6/13 and 6/11/13	7.6	ND			1.1	0.98	
9/11/2013	16	6.1			2.0	2.2	
12/10/2013	0.71	2.7			0.33	0.32	
3/24/2014	4.2	1.1			0.75	0.75	
6/10/14 and 7/01/14	5.4	6.1			ND	0.91	
9/19/14 and 9/23/14	NT	24			2.0	2.0	
8/23/2012	7,281,812	435,000			0.49	ND	0.49
1/4/2013			1.2	1.3	1.6	1.0	
3/20/2013			3	2.1	2.4	2.0	
6/6/13 and 6/11/13			0.95	1.2	0.87	0.44	
9/11/2013			ND	ND	ND	ND	
12/10/2013			0.17	0.16	0.19	0.21	
3/24/2014			0.70	0.70	0.77	0.66	
6/10/14 and 7/01/14			0.29	0.52	ND	ND	
9/19/14 and 9/23/14			NT	ND	ND	ND	
8/23/2012			4,237,289	86,750	19	52	18
1/4/2013	5.8	6.8			10	5.9	
3/20/2013	55	33			29	36	
6/6/13 and 6/11/13	38	42			49	24	
9/11/2013	34	32			35	29	
12/10/2013	2.3	2.2			2.4	2.7	
3/24/2014	6.6	5.5			6.6	6.2	
6/10/14 and 7/01/14	6.2	12			11	11	
9/19/14 and 9/23/14	NT	6.7			23	20	
8/23/2012	34,633	456,000			27	6.6	28
1/4/2013			6.8	7.4	7.2	5.3	
3/20/2013			6.8	7.1	9.7	9.2	
6/6/13 and 6/11/13			2.1	1.9	2.3	1.2	
9/11/2013			0.82	0.95	0.89	0.97	
12/10/2013			0.29	0.25	0.3	0.29	
3/24/2014			0.49	0.49	ND	0.48	
6/10/14 and 7/01/14			56	13	5.3	5	
9/19/14 and 9/23/14			NT	4.7	3.5	2.9	
8/23/2012			75,840	678,000	1.4	ND	29
1/4/2013	2.9	3.1			8.6	3.3	
3/20/2013	8.9	5.7			7.7	7.7	
6/6/13 and 6/11/13	2.8	ND			3	8.1	
9/11/2013	8.2	5.5			7.9	7.4	
12/10/2013	1.1	1.4			1.1	1.5	
3/24/2014	3.6	2.3			3.3	2.9	
6/10/14 and 7/01/14	3.2	5.6			3.3	4.2	
9/19/14 and 9/23/14	NT	3.6			100	13	
8/23/2012	2,910,779	750,000			280	150	300
1/4/2013			31	41	44	25	
3/20/2013			45	32	50	48	
6/6/13 and 6/11/13			63	59	71	16	
9/11/2013			3.8	4.3	4.1	3.9	
12/10/2013			4.6	3.4	4	3.9	
3/24/2014			4.5	4.7	4.7	5.3	
6/10/14 and 7/01/14			51	33	13	10	
9/19/14 and 9/23/14			NT	8.3	6.6	5.9	
1,1,1-Trichlorobenzene			9/19/14 and 9/23/14	NA		NT	ND
8/23/2012	38,237	537,000	ND	ND	4.5	0.63	
1/4/2013			1	1.3	3.7	1.3	
3/20/2013			7	3.1	2.9	3.9	
6/6/13 and 6/11/13			ND	ND	ND	3.2	
9/11/2013			2.1	1.4	1.9	1.6	
12/10/2013			ND	0.11	0.12	0.15	
3/24/2014			ND	ND	0.62	0.56	
6/10/14 and 7/01/14			0.35	0.71	0.59	0.54	
9/19/14 and 9/23/14			NT	ND	1.7	0.84	
8/23/2012			NA	5,600,000	8.5	8	17
1/4/2013	1.6	1.1			1.2	0.18	
3/20/2013	3	2.1			2	1.9	
6/6/13 and 6/11/13	4.4	3.4			9.6	6.7	
9/11/2013	10	11			8.3	7.3	
12/10/2013	1.1	1.2			1.1	0.76	
3/24/2014	3.2	2.4			2.8	2.8	
6/10/14 and 7/01/14	4	10			15	8.1	
9/19/14 and 9/23/14	NT	7.3			4.3	6.3	
1,1,2-Trichloro-1,2,2-trifluoromethane(Freon 113)	9/19/14 and 9/23/14	NA				NT	0.89
8/23/2012	NA	125,000	ND	ND	ND	ND	
1/4/2013			ND	ND	ND	ND	
3/20/2013			ND	ND	ND	ND	
6/6/13 and 6/11/13			ND	1	ND	ND	
9/11/2013			ND	ND	0.71	0.63	
12/10/2013			ND	ND	ND	ND	
3/24/2014			ND	0.11	ND	ND	
6/10/14 and 7/01/14			0.35	ND	ND	ND	
9/19/14 and 9/23/14			NT	ND	ND	ND	
8/23/2012			2,215,755 <sup>#</sup>	435,000	1.2	0.9	1.1
1/4/2013	6	6.3			7.1	4.3	
3/20/2013	11	8.7			9.7	8.1	
6/6/13 and 6/11/13	3.2	3.8			2.8	2.2	
9/11/2013	1.1	1.1			1.1	1.1	
12/10/2013	0.9	0.89			0.93	1.1	
3/24/2014	2.9	3.2			3.3	2.9	
6/10/14 and 7/01/14	1.1	2.2			1.6	1.8	
9/19/14 and 9/23/14	NT	1.3			1.2	1.3	
8/23/2012	2,215,755 <sup>#</sup>	435,000			0.45	ND	0.45
1/4/2013			1.3	1.4	1.4	0.88	
3/20/2013			3.5	2.8	3.2	2.7	
6/6/13 and 6/11/13			1.2	1.4	1.1	0.83	
9/11/2013			ND	0.46	0.45	ND	
12/10/2013			0.28	0.3	0.32	0.36	
3/24/2014			1.4	1.4	1.4	1.2	
6/10/14 and 7/01/14			0.66	1.1	0.84	0.83	
9/19/14 and 9/23/14			NT	0.55	0.63	0.74	

Notes:  
 Samples collected in Tedlar bags and analyzed via EPA method TO-14  
 Only detected compounds are listed, see laboratory certificate for complete list of analyses  
 OSHA PEL's = Occupational Safety and Health Administration Permissible Exposure Limits  
 CT DEEP= Connecticut Department of Energy and Environmental Protection  
 ug/m3 = micrograms per cubic meter  
 \* From Appendix F to Sections 22a-133k-1 through 22a-133k-3 of the Regulations of Connecticut State Agencies  
 #- Represents Total Xylenes

**Table 3**  
**Indoor Air Monitoring Results**  
**Springfield Street School Complex**  
**Providence, Rhode Island**  
**September 18, 2014**

<b>Monitoring Location</b>	<b>Methane as % LEL</b>	<b>Carbon Dioxide PPM</b>	<b>Oxygen % by volume</b>	<b>Carbon Monoxide PPM</b>	<b>Hydrogen Sulfide PPM</b>	<b>Organic Vapors PPM</b>
<b>E.S. Front office</b>	0.0	552	20.8	0	0	0.0
<b>E.S. Elevator</b>	0.0	611	21.0	0	0	0.0
<b>E.S. Faculty Work Room</b>	0.0	514	21.0	0	0	0.0
<b>E.S. Gym</b>	0.0	573	20.9	0	0	0.0
<b>E.S. Stairway B</b>	0.0	744	20.9	0	0	0.0
<b>E.S. Stairway C</b>	0.0	572	21.0	0	0	0.0
<b>E.S. Library</b>	0.0	583	21.0	0	0	0.0
<b>E.S. Front Stairs</b>	0.0	533	21.0	0	0	0.0
<b>E.S. Cafeteria</b>	0.0	776	21.0	0	0	0.0
<b>E.S. Hall Near Gym</b>	0.0	565	21.0	0	0	0.0

**Table 3**  
**Indoor Air Monitoring Notes**  
**Springfield Street School Complex**  
**September 10, 2013**

<b>Monitoring Location</b>	<b>Methane as % LEL</b>	<b>Carbon Dioxide PPM</b>	<b>Oxygen % by volume</b>	<b>Carbon Monoxide PPM</b>	<b>Hydrogen Sulfide PPM</b>	<b>Organic Vapors PPM</b>
<b>M.S.</b> Front Office	0.0	623	20.9	0	0	0.0
<b>M.S. Elevator</b>	0.0	758	21.1	0	0	0.0
<b>M.S. Stairway</b> near Elem. School GS-01	0.0	748	21.0	0	0	0.0
<b>M.S. Near</b> sensor #16 in hall outside cafeteria	0.0	812	21.1	0	0	0.0
<b>M.S.</b> Faculty Work Room	0.0	590	21.1	0	0	0.0
<b>M.S.</b> Sensor #15 Outside Gym	0.0	695	21.1	0	0	0.0
<b>M.S. GS-03</b> Across from Boys Bathroom	0.0	848	20.9	0	0	0.0
<b>M.S. Second</b> Floor - Library	0.0	731	21.1	0	0	0.0
<b>M.S. Music</b> Room	0.0	698	21.1	0	0	0.0
<b>M.S. Cafeteria</b>	0.0	801	21.1	0	0	0.0

**Table 3**  
**Indoor Air Monitoring Notes**  
**Springfield Street School Complex**  
**September 10, 2013**

<b>Monitoring Location</b>	<b>Methane as % LEL</b>	<b>Carbon Dioxide PPM</b>	<b>Oxygen % by volume</b>	<b>Carbon Monoxide PPM</b>	<b>Hydrogen Sulfide PPM</b>	<b>Organic Vapors PPM</b>
<b>M.S.</b> Front Hall near sensor #4	0.0	553	21.0	0	0	0.0
<b>M.S.</b> Hallway across from elevator near sensor #9	0.0	656	21.1	0	0	0.0
<b>M.S.</b> Near sensor GS 06 hallway right end	0.0	669	21.1	0	0	0.0
<b>M.S.</b> stairway near Hartford Ave. sensor GS-7	0.0	716	21.0	0	0	0.0
<b>Remedial Action Work Plan Action Levels</b>	0.0	<b>1,000 ppm (0.1%)</b>	<b>NA</b>	<b>9 ppm</b>	<b>5 ppm</b>	<b>5 ppm</b>

**Notes:**

E.S. indicates Elementary School, M.S. indicates Middle School

Measurements made with: MiniRae photoionization detector, Fluke 975 Airmeter, Landtec Gem 2000 Plus

PPM = Parts per million

Outdoor conditions: carbon dioxide = 395 ppm temperature = 78.8 degrees F

**Table 4  
Groundwater Monitoring Results  
Springfield Street School  
Providence, Rhode Island**

Well ID	Detected Compounds	Sampling Dates and Results in ug/L																		RIDEM GB	
		3/1/2010	5/20/2010	8/25/2010	11/19/2010	2/24/2011	6/16/2011	10/3/2011	12/6/2011	3/15/2012	5/29/2012	8/21/2012	12/19/2012	3/21/2013	6/6/2013	9/11/2013	12/10/2013	3/24/2014	6/10/2014	9/19/2014	Groundwater Objective
ATC-1	Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140
	n-butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1600
	Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	MTBE	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5000
	Trichloroethylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	540
	Toluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1700
	1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	Xylenes	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
ATC-2	Chloroform	NS	NS	NS	NS	NS	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	NA
MW-6	Chloroform						ND	2.0	ND	ND	ND	2.2	ND	ND	2.9	2.5	NS	ND	2.1	4.1	NA
	Installed 4/2011																				
ATC-3	Toluene	NS	NS	NS	NS	NS	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	1700
MW-7							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	Installed 4/2011																				
ATC-4	Benzene	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140
	Chlorobenzene	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.4	ND	ND	ND	70
	1,4-dichlorobenzene	ND	ND	ND	1.5	NS	NS	ND	ND	ND	1.9	ND	2.1	1.2	1.7	1.8	2.3	1.6	ND	2.0	NA
	MTBE	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5000
	1,2,4-Trimethylbenzene	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	tert-Amyl Methyl Ether (TAME)	ND	ND	0.5	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	Trichloroethylene	ND	ND	ND	ND	NS	NS	1.1	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	540
ATC-5	MTBE	ND	ND	NS	NS	NS	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	5000
	Chloroform	ND	ND	NS	NS	NS	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	Closed 4/2011	NA
MW-8							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
	Installed 4/2011																				
Sampled By:		ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	ARCADIS	

ND = not detected above method detection limit  
 NS = not sampled  
 NA = No applicable standard published  
 MTBE = Methyl tert-Butyl Ether  
 ug/L = micrograms per liter

**Table 5**  
**Soil Gas Survey Field Notes**  
**Springfield Street School Complex**  
**Providence, Rhode Island**  
**September 17, 2014**

<b>Monitoring Well</b>	<b>Methane % by volume</b>	<b>Carbon Dioxide % by volume</b>	<b>Oxygen % by volume</b>	<b>Carbon Monoxide PPM</b>	<b>Hydrogen Sulfide PPM</b>	<b>Organic Vapors PPM</b>
WB-1	0.0	5.2	14.8	0	0	0.0
WB-2	0.0	0.9	19.9	0	0	0.0
WB-3	0.0	0.2	20.7	0	0	0.0
WB-4	0.0	0.1	21.0	0	0	0.0
WB-5	0.0	0.1	20.9	0	0	0.0
WB-6	0.0	0.2	20.7	0	0	0.0
WB-7 R	0.0	0.4	20.8	0	0	0.0
WB-8	0.0	1.1	19.9	0	0	0.0
WB-12	0.0	2.9	18.7	0	0	0.0
WB-13	0.0	1.2	19.3	0	0	0.0
WB-14	0.0	7.9	10.4	0	0	0.0
WB-15	0.0	8.3	6.8	0	0	0.0
EPL-1	0.0	1.1	19.9	0	0	0.0
EPL-2	0.0	2.6	17.9	0	0	0.0
EPL-3	0.0	4.0	17.0	0	0	0.0
EPL-4	0.0	3.8	16.7	0	0	0.0
EPL-5	0.0	3.6	16.2	0	0	0.0
ENE-1	0.0	7.8	11.6	0	0	0.0

**Table 5**  
**Soil Gas Survey Field Notes**  
**Springfield Street School Complex**  
**Providence, Rhode Island**  
**September 17, 2014**

Monitoring Well	Methane % by volume	Carbon Dioxide % by volume	Oxygen % by volume	Carbon Monoxide PPM	Hydrogen Sulfide PPM	Organic Vapors PPM
MG1	0.0	9.8	8.1	0	0	0.0
MG2	0.0	4.5	15.1	0	0	0.0
MG3	0.0	6.9	6.4	0	0	0.0
MG4	0.0	3.5	14.4	0	0	0.0
MG5	0.0	4.7	13.3	0	0	0.0
MPL2	0.0	11.1	4.6	0	0	0.0
MPL3	0.0	13.2	4.3	0	0	0.0
MPL5	0.0	12.8	4.1	0	0	0.0
MPL6	0.0	13.0	7.9	0	0	0.0
MPL7	0.0	14.5	4.9	0	0	0.0
MPL8	0.0	9.1	9.6	0	0	0.0
<b>Remedial Action Work Plan Action Levels</b>	<b>0.5%</b>	<b>0.1% (1,000 PPM)</b>	<b>NA</b>	<b>9 PPM</b>	<b>5 PPM</b>	<b>5 PPM</b>

**Sampled by:** Andrew DaSilva

**Weather Conditions:** Sunny, approximately 70 degrees F

**Sampling Equipment:** Landtec GEM 2000 Plus, MiniRae 2000 PID

**Figures**





**NOTES:**

THE FOLLOWING MAP IS REFERENCED: ELEMENTARY & MIDDLE SCHOOLS, PROVIDENCE RHODE ISLAND, ISSUED FOR, CITY OF PROVIDENCE, GRADING AND SAMPLING LOCATION PLAN, PREPARED BY NORTHEAST ENGINEERS & CONSULTANTS, INC., DATED MAY 19, 1999, SCALE: 1"=50'.

THIS MAP HAS BEEN DIGITIZED FROM THE ABOVE REFERENCED MAP, AND SCALE IS APPROXIMATE. FOR USE WITH LFR REPORT ONLY.



- LEGEND:**
- PROPERTY LINE
  - FENCELINE
  - STORM DRAIN LINE
  - SANITARY SEWER LINE
  - CONTOUR
  - EPL5 SOIL GAS MONITORING WELL
  - ATC-4 ATC GROUNDWATER MONITORING WELL
  - HVAC UNIT
  - TRANSFORMER
  - CATCH BASIN
  - SVE SHED (LOCATION APPROXIMATE)
  - MW-8 GROUNDWATER MONITORING WELL
  - ATC-2 UNUSABLE WELLS
  - TEMP1 TEMPORARY WELL POINTS
  - 0.008 VACUUM MEASUREMENT (INCHES OF WC)
  - 0.005 VACUUM INFLUENCE CONTOUR



SPRINGFIELD STREET SCHOOL COMPLEX  
SPRINGFIELD STREET  
PROVIDENCE, RHODE ISLAND

**AREA OF VACUUM INFLUENCE**



FIGURE  
**1**



**NOTES:**

THE FOLLOWING MAP IS REFERENCED: ELEMENTARY & MIDDLE SCHOOLS, PROVIDENCE RHODE ISLAND, ISSUED FOR, CITY OF PROVIDENCE, GRADING AND SAMPLING LOCATION PLAN, PREPARED BY NORTHEAST ENGINEERS & CONSULTANTS, INC., DATED MAY 19, 1999, SCALE: 1"=50',

THIS MAP HAS BEEN DIGITIZED FROM THE ABOVE REFERENCED MAP, AND SCALE IS APPROXIMATE, FOR USE WITH LFR REPORT ONLY.

**LEGEND:**

- PROPERTY LINE
- FENCELINE
- STORM DRAIN LINE
- SANITARY SEWER LINE
- CONTOUR
- EPL5 SOIL GAS MONITORING WELL
- ATC-4 ATC GROUNDWATER MONITORING WELL
- HVAC UNIT
- TRANSFORMER
- CATCH BASIN
- SVE SHED (LOCATION APPROXIMATE)
- MW-8 GROUNDWATER MONITORING WELL
- ATC-2 UNUSABLE WELLS



SPRINGFIELD STREET SCHOOL COMPLEX SPRINGFIELD STREET PROVIDENCE, RHODE ISLAND	
<b>SITE PLAN</b>	
	FIGURE <b>2</b>



## **Appendix A**

Limitations and Service  
Constraints

## **LIMITATIONS AND SERVICE CONSTRAINTS**

### **GENERAL REPORTS/DOCUMENT**

The opinions and recommendations presented in this report are based upon the scope of services, information obtained through the performance of the services, and the schedule as agreed upon by ARCADIS and the party for whom this report was originally prepared. This report is an instrument of professional service and was prepared in accordance with the generally accepted standards and level of skill and care under similar conditions and circumstances established by the environmental consulting industry. No representation, warranty, or guarantee, express or implied, is intended or given. To the extent that ARCADIS relied upon any information prepared by other parties not under contract to ARCADIS, ARCADIS makes no representation as to the accuracy or completeness of such information. This report is expressly for the sole and exclusive use of the party for whom this report was originally prepared for a particular purpose. Only the party for whom this report was originally prepared and/or other specifically named parties have the right to make use of and rely upon this report. Reuse of this report or any portion thereof for other than its intended purpose, or if modified, or if used by third parties, shall be at the user's sole risk.

Results of any investigations or testing and any findings presented in this report apply solely to conditions existing at the time when ARCADIS' investigative work was performed. It must be recognized that any such investigative or testing activities are inherently limited and do not represent a conclusive or complete characterization. Conditions in other parts of the project site may vary from those at the locations where data were collected. ARCADIS's ability to interpret investigation results is related to the availability of the data and the extent of the investigation activities. As such, 100% confidence in environmental investigation conclusions cannot reasonably be achieved.

ARCADIS, therefore, does not provide any guarantees, certifications, or warranties regarding any conclusions regarding environmental contamination of any such property. Furthermore, nothing contained in this document shall relieve any other party of its responsibility to abide by contract documents and applicable laws, codes, regulations, or standards.



## **Appendix B**

Laboratory Results

September 26, 2014

Donna Pallister  
Arcadis US, Inc. - Warwick, RI  
300 Metro Center Blvd., Suite 250  
Warwick, RI 02886

Project Location: Springfield St. Providence  
Client Job Number:  
Project Number: WK012152.0007  
Laboratory Work Order Number: 14I0901

Enclosed are results of analyses for samples received by the laboratory on September 19, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Lisa A. Worthington", is displayed on a light gray rectangular background.

Lisa A. Worthington  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
14I0901-01	5
14I0901-02	7
14I0901-03	9
14I0901-04	11
14I0901-05	13
14I0901-06	15
Sample Preparation Information	17
QC Data	18
Volatile Organic Compounds by GC/MS	18
B105810	18
Flag/Qualifier Summary	23
Certifications	24
Chain of Custody/Sample Receipt	26

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Arcadis US, Inc. - Warwick, RI  
300 Metro Center Blvd., Suite 250  
Warwick, RI 02886  
ATTN: Donna Pallister

REPORT DATE: 9/26/2014

PURCHASE ORDER NUMBER: 5131

PROJECT NUMBER: WK012152.0007

### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 14I0901

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Springfield St. Providence

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
MW-7	14I0901-01	Ground Water		SW-846 8260C	
ATC-1	14I0901-02	Ground Water		SW-846 8260C	
MW-8	14I0901-03	Ground Water		SW-846 8260C	
MW-6	14I0901-04	Ground Water		SW-846 8260C	
ATC-4	14I0901-05	Ground Water		SW-846 8260C	
Trip blank	14I0901-06	Trip Blank Water		SW-846 8260C	



## CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

SW-846 8260C

**Qualifications:****L-02**

Laboratory fortified blank/laboratory control sample recovery and duplicate recoveries outside of control limits. Data validation is not affected since all results are "not detected" for associated samples in this batch and bias is on the high side.

**Analyte & Samples(s) Qualified:****Acetone**

B105810-BS1, B105810-BSD1

**Bromoform**

B105810-BS1, B105810-BSD1

**L-07**

Either laboratory fortified blank/laboratory control sample or duplicate recovery is outside of control limits, but the other is within limits. RPD between the two LFB/LCS results is within method specified criteria.

**Analyte & Samples(s) Qualified:****2-Butanone (MEK)**

B105810-BSD1

**2-Hexanone (MBK)**

B105810-BSD1

**Bromochloromethane**

B105810-BSD1

**Hexachlorobutadiene**

B105810-BSD1

**V-16**

Response factor is less than method specified minimum acceptable value. Reduced precision and accuracy may be associated with reported result.

**Analyte & Samples(s) Qualified:****1,4-Dioxane**

14I0901-01[MW-7], 14I0901-02[ATC-1], 14I0901-03[MW-8], 14I0901-04[MW-6], 14I0901-05[ATC-4], 14I0901-06[Trip blank], B105810-BLK1, B105810-BS1, B105810-BSD1

**tert-Butyl Alcohol (TBA)**

14I0901-01[MW-7], 14I0901-02[ATC-1], 14I0901-03[MW-8], 14I0901-04[MW-6], 14I0901-05[ATC-4], 14I0901-06[Trip blank], B105810-BLK1, B105810-BS1, B105810-BSD1

**Tetrahydrofuran**

14I0901-01[MW-7], 14I0901-02[ATC-1], 14I0901-03[MW-8], 14I0901-04[MW-6], 14I0901-05[ATC-4], 14I0901-06[Trip blank], B105810-BLK1, B105810-BS1, B105810-BSD1

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Daren J. Damboragian  
Laboratory Manager

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: MW-7

Sampled: 9/17/2014 08:20

Sample ID: 1410901-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 15:51	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Chloromethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2-Dichloroethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: MW-7

Sampled: 9/17/2014 08:20

Sample ID: 1410901-01

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,4-Dioxane	ND	50	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Tetrahydrofuran	ND	10	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 15:51	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	101	70-130	9/25/14 15:51
Toluene-d8	97.0	70-130	9/25/14 15:51
4-Bromofluorobenzene	92.0	70-130	9/25/14 15:51

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: ATC-1

Sampled: 9/17/2014 09:45

Sample ID: 1410901-02

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 16:18	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Chloromethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2-Dichloroethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: ATC-1

Sampled: 9/17/2014 09:45

Sample ID: 1410901-02

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,4-Dioxane	ND	50	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Tetrahydrofuran	ND	10	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:18	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	105	70-130	9/25/14 16:18
Toluene-d8	96.7	70-130	9/25/14 16:18
4-Bromofluorobenzene	91.6	70-130	9/25/14 16:18

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: MW-8

Sampled: 9/17/2014 11:10

Sample ID: 1410901-03

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 16:44	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Chloromethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2-Dichloroethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: MW-8

Sampled: 9/17/2014 11:10

Sample ID: 1410901-03

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,4-Dioxane	ND	50	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Tetrahydrofuran	ND	10	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 16:44	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	101	70-130	9/25/14 16:44
Toluene-d8	97.4	70-130	9/25/14 16:44
4-Bromofluorobenzene	90.3	70-130	9/25/14 16:44



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: MW-6

Sampled: 9/17/2014 12:00

Sample ID: 1410901-04

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 17:11	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Chloroform	4.1	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Chloromethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2-Dichloroethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: MW-6

Sampled: 9/17/2014 12:00

Sample ID: 1410901-04

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,4-Dioxane	ND	50	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Tetrahydrofuran	ND	10	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:11	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	103	70-130	9/25/14 17:11
Toluene-d8	96.0	70-130	9/25/14 17:11
4-Bromofluorobenzene	90.2	70-130	9/25/14 17:11

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: ATC-4

Sampled: 9/17/2014 13:00

Sample ID: 1410901-05

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 17:37	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Chloromethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,4-Dichlorobenzene	2.0	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2-Dichloroethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: ATC-4

Sampled: 9/17/2014 13:00

Sample ID: 1410901-05

Sample Matrix: Ground Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,4-Dioxane	ND	50	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Tetrahydrofuran	ND	10	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 17:37	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	103	70-130	9/25/14 17:37
Toluene-d8	97.2	70-130	9/25/14 17:37
4-Bromofluorobenzene	94.1	70-130	9/25/14 17:37

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: Trip blank

Sampled: 9/17/2014 00:00

Sample ID: 1410901-06

Sample Matrix: Trip Blank Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Acetone	ND	50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Acrylonitrile	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Benzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Bromobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Bromochloromethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Bromodichloromethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Bromoform	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Bromomethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
2-Butanone (MEK)	ND	20	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
tert-Butyl Alcohol (TBA)	ND	20	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 14:57	EEH
n-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
sec-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
tert-Butylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Carbon Disulfide	ND	4.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Carbon Tetrachloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Chlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Chlorodibromomethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Chloroethane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Chloroform	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Chloromethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
2-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
4-Chlorotoluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2-Dibromoethane (EDB)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Dibromomethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,3-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,4-Dichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1-Dichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2-Dichloroethane	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
cis-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
trans-1,2-Dichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,3-Dichloropropane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
2,2-Dichloropropane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1-Dichloropropene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
cis-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
trans-1,3-Dichloropropene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Diethyl Ether	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Springfield St. Providence

Sample Description:

Work Order: 1410901

Date Received: 9/19/2014

Field Sample #: Trip blank

Sampled: 9/17/2014 00:00

Sample ID: 1410901-06

Sample Matrix: Trip Blank Water

Volatile Organic Compounds by GC/MS

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Diisopropyl Ether (DIPE)	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,4-Dioxane	ND	50	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Ethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Hexachlorobutadiene	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
2-Hexanone (MBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Isopropylbenzene (Cumene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Methylene Chloride	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Naphthalene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
n-Propylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Styrene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Tetrachloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Tetrahydrofuran	ND	10	µg/L	1	V-16	SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Toluene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,3,5-Trichlorobenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1,1-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1,2-Trichloroethane	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Trichloroethylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2,3-Trichloropropane	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,2,4-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
1,3,5-Trimethylbenzene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
Vinyl Chloride	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
m+p Xylene	ND	2.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH
o-Xylene	ND	1.0	µg/L	1		SW-846 8260C	9/25/14	9/25/14 14:57	EEH

Surrogates	% Recovery	Recovery Limits	Flag/Qual
1,2-Dichloroethane-d4	98.0	70-130	9/25/14 14:57
Toluene-d8	98.1	70-130	9/25/14 14:57
4-Bromofluorobenzene	90.9	70-130	9/25/14 14:57

---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

Prep Method: SW-846 5030B-SW-846 8260C

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
14I0901-01 [MW-7]	B105810	5	5.00	09/25/14
14I0901-02 [ATC-1]	B105810	5	5.00	09/25/14
14I0901-03 [MW-8]	B105810	5	5.00	09/25/14
14I0901-04 [MW-6]	B105810	5	5.00	09/25/14
14I0901-05 [ATC-4]	B105810	5	5.00	09/25/14
14I0901-06 [Trip blank]	B105810	5	5.00	09/25/14

---

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B105810 - SW-846 5030B

Blank (B105810-BLK1)

Prepared & Analyzed: 09/25/14

Acetone	ND	50	µg/L							
Acrylonitrile	ND	5.0	µg/L							
tert-Amyl Methyl Ether (TAME)	ND	0.50	µg/L							
Benzene	ND	1.0	µg/L							
Bromobenzene	ND	1.0	µg/L							
Bromochloromethane	ND	1.0	µg/L							
Bromodichloromethane	ND	0.50	µg/L							
Bromoform	ND	1.0	µg/L							
Bromomethane	ND	2.0	µg/L							
2-Butanone (MEK)	ND	20	µg/L							
tert-Butyl Alcohol (TBA)	ND	20	µg/L							V-16
n-Butylbenzene	ND	1.0	µg/L							
sec-Butylbenzene	ND	1.0	µg/L							
tert-Butylbenzene	ND	1.0	µg/L							
tert-Butyl Ethyl Ether (TBEE)	ND	0.50	µg/L							
Carbon Disulfide	ND	4.0	µg/L							
Carbon Tetrachloride	ND	5.0	µg/L							
Chlorobenzene	ND	1.0	µg/L							
Chlorodibromomethane	ND	0.50	µg/L							
Chloroethane	ND	2.0	µg/L							
Chloroform	ND	2.0	µg/L							
Chloromethane	ND	2.0	µg/L							
2-Chlorotoluene	ND	1.0	µg/L							
4-Chlorotoluene	ND	1.0	µg/L							
1,2-Dibromo-3-chloropropane (DBCP)	ND	5.0	µg/L							
1,2-Dibromoethane (EDB)	ND	0.50	µg/L							
Dibromomethane	ND	1.0	µg/L							
1,2-Dichlorobenzene	ND	1.0	µg/L							
1,3-Dichlorobenzene	ND	1.0	µg/L							
1,4-Dichlorobenzene	ND	1.0	µg/L							
trans-1,4-Dichloro-2-butene	ND	2.0	µg/L							
Dichlorodifluoromethane (Freon 12)	ND	2.0	µg/L							
1,1-Dichloroethane	ND	1.0	µg/L							
1,2-Dichloroethane	ND	1.0	µg/L							
1,1-Dichloroethylene	ND	1.0	µg/L							
cis-1,2-Dichloroethylene	ND	1.0	µg/L							
trans-1,2-Dichloroethylene	ND	1.0	µg/L							
1,2-Dichloropropane	ND	1.0	µg/L							
1,3-Dichloropropane	ND	0.50	µg/L							
2,2-Dichloropropane	ND	1.0	µg/L							
1,1-Dichloropropene	ND	2.0	µg/L							
cis-1,3-Dichloropropene	ND	0.50	µg/L							
trans-1,3-Dichloropropene	ND	0.50	µg/L							
Diethyl Ether	ND	2.0	µg/L							
Diisopropyl Ether (DIPE)	ND	0.50	µg/L							
1,4-Dioxane	ND	50	µg/L							V-16
Ethylbenzene	ND	1.0	µg/L							
Hexachlorobutadiene	ND	0.50	µg/L							
2-Hexanone (MBK)	ND	10	µg/L							
Isopropylbenzene (Cumene)	ND	1.0	µg/L							
p-Isopropyltoluene (p-Cymene)	ND	1.0	µg/L							
Methyl tert-Butyl Ether (MTBE)	ND	1.0	µg/L							

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B105810 - SW-846 5030B

Blank (B105810-BLK1)

Prepared & Analyzed: 09/25/14

Methylene Chloride	ND	5.0	µg/L							
4-Methyl-2-pentanone (MIBK)	ND	10	µg/L							
Naphthalene	ND	2.0	µg/L							
n-Propylbenzene	ND	1.0	µg/L							
Styrene	ND	1.0	µg/L							
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L							
1,1,2,2-Tetrachloroethane	ND	0.50	µg/L							
Tetrachloroethylene	ND	1.0	µg/L							
Tetrahydrofuran	ND	10	µg/L							V-16
Toluene	ND	1.0	µg/L							
1,2,3-Trichlorobenzene	ND	5.0	µg/L							
1,2,4-Trichlorobenzene	ND	1.0	µg/L							
1,3,5-Trichlorobenzene	ND	1.0	µg/L							
1,1,1-Trichloroethane	ND	1.0	µg/L							
1,1,2-Trichloroethane	ND	1.0	µg/L							
Trichloroethylene	ND	1.0	µg/L							
Trichlorofluoromethane (Freon 11)	ND	2.0	µg/L							
1,2,3-Trichloropropane	ND	2.0	µg/L							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.0	µg/L							
1,2,4-Trimethylbenzene	ND	1.0	µg/L							
1,3,5-Trimethylbenzene	ND	1.0	µg/L							
Vinyl Chloride	ND	2.0	µg/L							
m+p Xylene	ND	2.0	µg/L							
o-Xylene	ND	1.0	µg/L							
Surrogate: 1,2-Dichloroethane-d4	25.2		µg/L	25.0		101	70-130			
Surrogate: Toluene-d8	24.2		µg/L	25.0		96.8	70-130			
Surrogate: 4-Bromofluorobenzene	23.1		µg/L	25.0		92.4	70-130			

LCS (B105810-BS1)

Prepared & Analyzed: 09/25/14

Acetone	247	50	µg/L	100		247 *	70-160			L-02 †
Acrylonitrile	9.70	5.0	µg/L	10.0		97.0	70-130			
tert-Amyl Methyl Ether (TAME)	10.7	0.50	µg/L	10.0		107	70-130			
Benzene	11.2	1.0	µg/L	10.0		112	70-130			
Bromobenzene	10.0	1.0	µg/L	10.0		100	70-130			
Bromochloromethane	12.6	1.0	µg/L	10.0		126	70-130			
Bromodichloromethane	10.9	0.50	µg/L	10.0		109	70-130			
Bromoform	13.7	1.0	µg/L	10.0		137 *	70-130			L-02
Bromomethane	5.17	2.0	µg/L	10.0		51.7	40-160			†
2-Butanone (MEK)	159	20	µg/L	100		159	40-160			†
tert-Butyl Alcohol (TBA)	89.8	20	µg/L	100		89.8	40-160			V-16 †
n-Butylbenzene	11.8	1.0	µg/L	10.0		118	70-130			
sec-Butylbenzene	10.8	1.0	µg/L	10.0		108	70-130			
tert-Butylbenzene	10.8	1.0	µg/L	10.0		108	70-130			
tert-Butyl Ethyl Ether (TBEE)	11.5	0.50	µg/L	10.0		115	70-130			
Carbon Disulfide	11.0	4.0	µg/L	10.0		110	70-130			
Carbon Tetrachloride	11.4	5.0	µg/L	10.0		114	70-130			
Chlorobenzene	9.68	1.0	µg/L	10.0		96.8	70-130			
Chlorodibromomethane	10.4	0.50	µg/L	10.0		104	70-130			
Chloroethane	9.98	2.0	µg/L	10.0		99.8	70-130			
Chloroform	10.4	2.0	µg/L	10.0		104	70-130			
Chloromethane	7.19	2.0	µg/L	10.0		71.9	40-160			†
2-Chlorotoluene	8.77	1.0	µg/L	10.0		87.7	70-130			



QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B105810 - SW-846 5030B</b>										
<b>LCS (B105810-BS1)</b>										
Prepared & Analyzed: 09/25/14										
4-Chlorotoluene	9.76	1.0	µg/L	10.0		97.6	70-130			
1,2-Dibromo-3-chloropropane (DBCP)	10.7	5.0	µg/L	10.0		107	70-130			
1,2-Dibromoethane (EDB)	10.5	0.50	µg/L	10.0		105	70-130			
Dibromomethane	11.1	1.0	µg/L	10.0		111	70-130			
1,2-Dichlorobenzene	10.2	1.0	µg/L	10.0		102	70-130			
1,3-Dichlorobenzene	10.3	1.0	µg/L	10.0		103	70-130			
1,4-Dichlorobenzene	10.5	1.0	µg/L	10.0		105	70-130			
trans-1,4-Dichloro-2-butene	11.1	2.0	µg/L	10.0		111	70-130			
Dichlorodifluoromethane (Freon 12)	5.28	2.0	µg/L	10.0		52.8	40-160			†
1,1-Dichloroethane	11.6	1.0	µg/L	10.0		116	70-130			
1,2-Dichloroethane	11.2	1.0	µg/L	10.0		112	70-130			
1,1-Dichloroethylene	9.01	1.0	µg/L	10.0		90.1	70-130			
cis-1,2-Dichloroethylene	10.4	1.0	µg/L	10.0		104	70-130			
trans-1,2-Dichloroethylene	11.0	1.0	µg/L	10.0		110	70-130			
1,2-Dichloropropane	11.1	1.0	µg/L	10.0		111	70-130			
1,3-Dichloropropane	11.1	0.50	µg/L	10.0		111	70-130			
2,2-Dichloropropane	11.5	1.0	µg/L	10.0		115	40-130			†
1,1-Dichloropropene	11.2	2.0	µg/L	10.0		112	70-130			
cis-1,3-Dichloropropene	10.7	0.50	µg/L	10.0		107	70-130			
trans-1,3-Dichloropropene	11.7	0.50	µg/L	10.0		117	70-130			
Diethyl Ether	11.1	2.0	µg/L	10.0		111	70-130			
Diisopropyl Ether (DIPE)	11.2	0.50	µg/L	10.0		112	70-130			
1,4-Dioxane	105	50	µg/L	100		105	40-130			V-16 †
Ethylbenzene	10.2	1.0	µg/L	10.0		102	70-130			
Hexachlorobutadiene	12.2	0.50	µg/L	10.0		122	70-130			
2-Hexanone (MBK)	160	10	µg/L	100		160	70-160			†
Isopropylbenzene (Cumene)	9.64	1.0	µg/L	10.0		96.4	70-130			
p-Isopropyltoluene (p-Cymene)	11.5	1.0	µg/L	10.0		115	70-130			
Methyl tert-Butyl Ether (MTBE)	11.4	1.0	µg/L	10.0		114	70-130			
Methylene Chloride	11.1	5.0	µg/L	10.0		111	70-130			
4-Methyl-2-pentanone (MIBK)	114	10	µg/L	100		114	70-160			†
Naphthalene	10.1	2.0	µg/L	10.0		101	40-130			†
n-Propylbenzene	9.87	1.0	µg/L	10.0		98.7	70-130			
Styrene	10.2	1.0	µg/L	10.0		102	70-130			
1,1,1,2-Tetrachloroethane	10.7	1.0	µg/L	10.0		107	70-130			
1,1,2,2-Tetrachloroethane	10.6	0.50	µg/L	10.0		106	70-130			
Tetrachloroethylene	10.5	1.0	µg/L	10.0		105	70-130			
Tetrahydrofuran	12.7	10	µg/L	10.0		127	70-130			V-16
Toluene	10.2	1.0	µg/L	10.0		102	70-130			
1,2,3-Trichlorobenzene	10.2	5.0	µg/L	10.0		102	70-130			
1,2,4-Trichlorobenzene	11.6	1.0	µg/L	10.0		116	70-130			
1,3,5-Trichlorobenzene	12.2	1.0	µg/L	10.0		122	70-130			
1,1,1-Trichloroethane	11.1	1.0	µg/L	10.0		111	70-130			
1,1,2-Trichloroethane	10.6	1.0	µg/L	10.0		106	70-130			
Trichloroethylene	10.5	1.0	µg/L	10.0		105	70-130			
Trichlorofluoromethane (Freon 11)	8.86	2.0	µg/L	10.0		88.6	70-130			
1,2,3-Trichloropropane	10.7	2.0	µg/L	10.0		107	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.85	1.0	µg/L	10.0		98.5	70-130			
1,2,4-Trimethylbenzene	11.4	1.0	µg/L	10.0		114	70-130			
1,3,5-Trimethylbenzene	9.83	1.0	µg/L	10.0		98.3	70-130			
Vinyl Chloride	5.94	2.0	µg/L	10.0		59.4	40-160			†

QUALITY CONTROL

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B105810 - SW-846 5030B

LCS (B105810-BS1)

Prepared & Analyzed: 09/25/14

m+p Xylene	19.8	2.0	µg/L	20.0		99.0	70-130			
o-Xylene	9.85	1.0	µg/L	10.0		98.5	70-130			
Surrogate: 1,2-Dichloroethane-d4	26.3		µg/L	25.0		105	70-130			
Surrogate: Toluene-d8	23.8		µg/L	25.0		95.2	70-130			
Surrogate: 4-Bromofluorobenzene	23.0		µg/L	25.0		92.0	70-130			

LCS Dup (B105810-BSD1)

Prepared & Analyzed: 09/25/14

Acetone	283	50	µg/L	100		283 *	70-160	13.7	25	L-02 †
Acrylonitrile	10.9	5.0	µg/L	10.0		109	70-130	11.3	25	
tert-Amyl Methyl Ether (TAME)	11.7	0.50	µg/L	10.0		117	70-130	9.18	25	
Benzene	11.6	1.0	µg/L	10.0		116	70-130	3.58	25	
Bromobenzene	10.6	1.0	µg/L	10.0		106	70-130	5.05	25	
Bromochloromethane	13.2	1.0	µg/L	10.0		132 *	70-130	4.50	25	L-07
Bromodichloromethane	11.4	0.50	µg/L	10.0		114	70-130	4.65	25	
Bromoform	14.2	1.0	µg/L	10.0		142 *	70-130	3.80	25	L-02
Bromomethane	5.62	2.0	µg/L	10.0		56.2	40-160	8.34	25	†
2-Butanone (MEK)	188	20	µg/L	100		188 *	40-160	16.3	25	L-07 †
tert-Butyl Alcohol (TBA)	100	20	µg/L	100		100	40-160	11.1	25	V-16 †
n-Butylbenzene	12.5	1.0	µg/L	10.0		125	70-130	5.35	25	
sec-Butylbenzene	11.2	1.0	µg/L	10.0		112	70-130	4.19	25	
tert-Butylbenzene	11.4	1.0	µg/L	10.0		114	70-130	4.50	25	
tert-Butyl Ethyl Ether (TBEE)	12.5	0.50	µg/L	10.0		125	70-130	8.09	25	
Carbon Disulfide	11.0	4.0	µg/L	10.0		110	70-130	0.637	25	
Carbon Tetrachloride	11.9	5.0	µg/L	10.0		119	70-130	4.72	25	
Chlorobenzene	10.1	1.0	µg/L	10.0		101	70-130	3.85	25	
Chlorodibromomethane	11.1	0.50	µg/L	10.0		111	70-130	6.13	25	
Chloroethane	10.2	2.0	µg/L	10.0		102	70-130	2.28	25	
Chloroform	11.0	2.0	µg/L	10.0		110	70-130	5.96	25	
Chloromethane	7.11	2.0	µg/L	10.0		71.1	40-160	1.12	25	†
2-Chlorotoluene	9.12	1.0	µg/L	10.0		91.2	70-130	3.91	25	
4-Chlorotoluene	9.75	1.0	µg/L	10.0		97.5	70-130	0.103	25	
1,2-Dibromo-3-chloropropane (DBCP)	12.6	5.0	µg/L	10.0		126	70-130	16.9	25	
1,2-Dibromoethane (EDB)	11.5	0.50	µg/L	10.0		115	70-130	8.63	25	
Dibromomethane	11.8	1.0	µg/L	10.0		118	70-130	5.59	25	
1,2-Dichlorobenzene	10.8	1.0	µg/L	10.0		108	70-130	5.79	25	
1,3-Dichlorobenzene	10.5	1.0	µg/L	10.0		105	70-130	1.82	25	
1,4-Dichlorobenzene	10.9	1.0	µg/L	10.0		109	70-130	3.17	25	
trans-1,4-Dichloro-2-butene	12.8	2.0	µg/L	10.0		128	70-130	14.7	25	
Dichlorodifluoromethane (Freon 12)	5.39	2.0	µg/L	10.0		53.9	40-160	2.06	25	†
1,1-Dichloroethane	11.9	1.0	µg/L	10.0		119	70-130	2.82	25	
1,2-Dichloroethane	11.7	1.0	µg/L	10.0		117	70-130	4.72	25	
1,1-Dichloroethylene	9.57	1.0	µg/L	10.0		95.7	70-130	6.03	25	
cis-1,2-Dichloroethylene	11.4	1.0	µg/L	10.0		114	70-130	8.62	25	
trans-1,2-Dichloroethylene	11.4	1.0	µg/L	10.0		114	70-130	3.38	25	
1,2-Dichloropropane	11.5	1.0	µg/L	10.0		115	70-130	3.54	25	
1,3-Dichloropropane	11.9	0.50	µg/L	10.0		119	70-130	6.94	25	
2,2-Dichloropropane	12.0	1.0	µg/L	10.0		120	40-130	4.50	25	†
1,1-Dichloropropene	11.5	2.0	µg/L	10.0		115	70-130	3.09	25	
cis-1,3-Dichloropropene	11.6	0.50	µg/L	10.0		116	70-130	8.01	25	
trans-1,3-Dichloropropene	13.0	0.50	µg/L	10.0		130	70-130	10.3	25	
Diethyl Ether	11.6	2.0	µg/L	10.0		116	70-130	4.15	25	
Diisopropyl Ether (DIPE)	11.5	0.50	µg/L	10.0		115	70-130	3.09	25	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch B105810 - SW-846 5030B</b>										
<b>LCS Dup (B105810-BSD1)</b>										
Prepared & Analyzed: 09/25/14										
1,4-Dioxane	123	50	µg/L	100		123	40-130	15.8	50	V-16 † ‡
Ethylbenzene	10.5	1.0	µg/L	10.0		105	70-130	3.38	25	
<b>Hexachlorobutadiene</b>	13.4	0.50	µg/L	10.0		<b>134</b> *	70-130	9.55	25	L-07
<b>2-Hexanone (MBK)</b>	195	10	µg/L	100		<b>195</b> *	70-160	20.0	25	L-07 †
Isopropylbenzene (Cumene)	9.93	1.0	µg/L	10.0		99.3	70-130	2.96	25	
p-Isopropyltoluene (p-Cymene)	11.8	1.0	µg/L	10.0		118	70-130	2.92	25	
Methyl tert-Butyl Ether (MTBE)	12.5	1.0	µg/L	10.0		125	70-130	9.18	25	
Methylene Chloride	12.0	5.0	µg/L	10.0		120	70-130	7.81	25	
4-Methyl-2-pentanone (MIBK)	128	10	µg/L	100		128	70-160	11.6	25	†
Naphthalene	12.2	2.0	µg/L	10.0		122	40-130	18.7	25	†
n-Propylbenzene	10.4	1.0	µg/L	10.0		104	70-130	4.75	25	
Styrene	10.6	1.0	µg/L	10.0		106	70-130	3.55	25	
1,1,1,2-Tetrachloroethane	11.3	1.0	µg/L	10.0		113	70-130	5.73	25	
1,1,2,2-Tetrachloroethane	11.4	0.50	µg/L	10.0		114	70-130	6.83	25	
Tetrachloroethylene	10.9	1.0	µg/L	10.0		109	70-130	4.02	25	
Tetrahydrofuran	12.9	10	µg/L	10.0		129	70-130	1.48	25	V-16
Toluene	10.6	1.0	µg/L	10.0		106	70-130	4.05	25	
1,2,3-Trichlorobenzene	12.1	5.0	µg/L	10.0		121	70-130	17.4	25	
1,2,4-Trichlorobenzene	13.0	1.0	µg/L	10.0		130	70-130	11.2	25	
1,3,5-Trichlorobenzene	13.0	1.0	µg/L	10.0		130	70-130	6.68	25	
1,1,1-Trichloroethane	11.5	1.0	µg/L	10.0		115	70-130	3.46	25	
1,1,2-Trichloroethane	11.4	1.0	µg/L	10.0		114	70-130	7.02	25	
Trichloroethylene	11.3	1.0	µg/L	10.0		113	70-130	7.27	25	
Trichlorofluoromethane (Freon 11)	9.14	2.0	µg/L	10.0		91.4	70-130	3.11	25	
1,2,3-Trichloropropane	12.1	2.0	µg/L	10.0		121	70-130	12.0	25	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.4	1.0	µg/L	10.0		104	70-130	5.34	25	
1,2,4-Trimethylbenzene	11.9	1.0	µg/L	10.0		119	70-130	4.13	25	
1,3,5-Trimethylbenzene	10.3	1.0	µg/L	10.0		103	70-130	4.28	25	
Vinyl Chloride	6.24	2.0	µg/L	10.0		62.4	40-160	4.93	25	†
m+p Xylene	20.4	2.0	µg/L	20.0		102	70-130	3.13	25	
o-Xylene	10.1	1.0	µg/L	10.0		101	70-130	2.21	25	
Surrogate: 1,2-Dichloroethane-d4	27.0		µg/L	25.0		108	70-130			
Surrogate: Toluene-d8	23.8		µg/L	25.0		95.4	70-130			
Surrogate: 4-Bromofluorobenzene	23.0		µg/L	25.0		91.8	70-130			

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.  
No results have been blank subtracted unless specified in the case narrative section.
- L-02 Laboratory fortified blank/laboratory control sample recovery and duplicate recoveries outside of control limits. Data validation is not affected since all results are "not detected" for associated samples in this batch and bias is on the high side.
  - L-07 Either laboratory fortified blank/laboratory control sample or duplicate recovery is outside of control limits, but the other is within limits. RPD between the two LFB/LCS results is within method specified criteria.
  - V-16 Response factor is less than method specified minimum acceptable value. Reduced precision and accuracy may be associated with reported result.

**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<i>SW-846 8260C in Water</i>	
Acetone	CT,NY,ME,NH,VA,NJ
Acrylonitrile	CT,NY,ME,NH,VA,NJ
tert-Amyl Methyl Ether (TAME)	NY,ME,NH,VA,NJ
Benzene	CT,NY,ME,NH,VA,NJ
Bromochloromethane	NY,ME,NH,VA,NJ
Bromodichloromethane	CT,NY,ME,NH,VA,NJ
Bromoform	CT,NY,ME,NH,VA,NJ
Bromomethane	CT,NY,ME,NH,VA,NJ
2-Butanone (MEK)	CT,NY,ME,NH,VA,NJ
tert-Butyl Alcohol (TBA)	NY,ME,NH,VA,NJ
n-Butylbenzene	NY,ME,VA,NJ
sec-Butylbenzene	NY,ME,VA,NJ
tert-Butylbenzene	NY,ME,VA,NJ
tert-Butyl Ethyl Ether (TBEE)	NY,ME,NH,VA,NJ
Carbon Disulfide	CT,NY,ME,NH,VA,NJ
Carbon Tetrachloride	CT,NY,ME,NH,VA,NJ
Chlorobenzene	CT,NY,ME,NH,VA,NJ
Chlorodibromomethane	CT,NY,ME,NH,VA,NJ
Chloroethane	CT,NY,ME,NH,VA,NJ
Chloroform	CT,NY,ME,NH,VA,NJ
Chloromethane	CT,NY,ME,NH,VA,NJ
2-Chlorotoluene	NY,ME,NH,VA,NJ
4-Chlorotoluene	NY,ME,NH,VA,NJ
Dibromomethane	NY,ME,NH,VA,NJ
1,2-Dichlorobenzene	CT,NY,ME,NH,VA,NJ
1,3-Dichlorobenzene	CT,NY,ME,NH,VA,NJ
1,4-Dichlorobenzene	CT,NY,ME,NH,VA,NJ
trans-1,4-Dichloro-2-butene	NY,ME,NH,VA,NJ
Dichlorodifluoromethane (Freon 12)	NY,ME,NH,VA,NJ
1,1-Dichloroethane	CT,NY,ME,NH,VA,NJ
1,2-Dichloroethane	CT,NY,ME,NH,VA,NJ
1,1-Dichloroethylene	CT,NY,ME,NH,VA,NJ
cis-1,2-Dichloroethylene	NY,ME,NJ
trans-1,2-Dichloroethylene	CT,NY,ME,NH,VA,NJ
1,2-Dichloropropane	CT,NY,ME,NH,VA,NJ
1,3-Dichloropropane	NY,ME,VA,NJ
2,2-Dichloropropane	NY,ME,NH,VA,NJ
1,1-Dichloropropene	NY,ME,NH,VA,NJ
cis-1,3-Dichloropropene	CT,NY,ME,NH,VA,NJ
trans-1,3-Dichloropropene	CT,NY,ME,NH,VA,NJ
Diisopropyl Ether (DIPE)	NY,ME,NH,VA,NJ
Ethylbenzene	CT,NY,ME,NH,VA,NJ
Hexachlorobutadiene	CT,NY,ME,NH,VA,NJ
2-Hexanone (MBK)	CT,NY,ME,NH,VA,NJ
Isopropylbenzene (Cumene)	NY,ME,VA,NJ
p-Isopropyltoluene (p-Cymene)	CT,NY,ME,NH,VA,NJ
Methyl tert-Butyl Ether (MTBE)	CT,NY,ME,NH,VA,NJ

**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<i>SW-846 8260C in Water</i>	
Methylene Chloride	CT,NY,ME,NH,VA,NJ
4-Methyl-2-pentanone (MIBK)	CT,NY,ME,NH,VA,NJ
Naphthalene	NY,ME,NH,VA,NJ
n-Propylbenzene	CT,NY,ME,NH,VA,NJ
Styrene	CT,NY,ME,NH,VA,NJ
1,1,1,2-Tetrachloroethane	CT,NY,ME,NH,VA,NJ
1,1,2,2-Tetrachloroethane	CT,NY,ME,NH,VA,NJ
Tetrachloroethylene	CT,NY,ME,NH,VA,NJ
Toluene	CT,NY,ME,NH,VA,NJ
1,2,3-Trichlorobenzene	NY,ME,NH,VA,NJ
1,2,4-Trichlorobenzene	CT,NY,ME,NH,VA,NJ
1,3,5-Trichlorobenzene	ME
1,1,1-Trichloroethane	CT,NY,ME,NH,VA,NJ
1,1,2-Trichloroethane	CT,NY,ME,NH,VA,NJ
Trichloroethylene	CT,NY,ME,NH,VA,NJ
Trichlorofluoromethane (Freon 11)	CT,NY,ME,NH,VA,NJ
1,2,3-Trichloropropane	NY,ME,NH,VA,NJ
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NY,VA,NJ
1,2,4-Trimethylbenzene	NY,ME,VA,NJ
1,3,5-Trimethylbenzene	NY,ME,VA,NJ
Vinyl Chloride	CT,NY,ME,NH,VA,NJ
m+p Xylene	CT,NY,ME,NH,VA
o-Xylene	CT,NY,ME,NH,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015



**CON-test**  
ANALYTICAL LABORATORY

Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

**CHAIN OF CUSTODY RECORD**

39 Spruce Street  
East Longmeadow, MA 01028

Company Name: ARCADIS Telephone: 401-738-3887

Address: 300 Metro Center Blvd Project # WK01252.0010

Warwick, RI 02886 Client PO# DATA DELIVERY (check all that apply)

Attention: Donna Pallister  FAX  EMAIL  WEBSITE

Project Location: Springfield St, Providence

Sampled By: A. Dasilva Email: donna.pallister@arcadis-us.com

Project Proposal Provided? (for billing purposes)  
 Yes  No  
proposal date

**Collection**

Beginning Date/Time: 9/17/14 Ending Date/Time: 0820

Format:  PDF  EXCEL  OGIS  
 OTHER

"Enhanced Data Package"

Con-Test Lab ID <small>(laboratory use only)</small>	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Composite	Grab	*Matrix Code	Conc Code	ANALYSIS REQUESTED	
01	MW-7	9/17/14	0820	X	X	GW	C	X	VOC's - 0260 B
02	ATC-1		0945	X	X	GW	C	X	
03	MW-8		1110	X	X	GW	C	X	
04	MW-6		1200	X	X	GW	C	X	
05	ATC-4		1300	X	X	GW	C	X	
010	Top Blank								

Comments: (to ref)

Relinquished by (signature) [Signature] Date/Time: 9/17/14 1735

Received by (signature) [Signature] Date/Time: 9/19/14 12:10

Relinquished by (signature) [Signature] Date/Time: 9/19/14 12:50

Received by (signature) [Signature] Date/Time: 9/19/14 6:00

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. PLEASE BE CAREFUL NOT TO CONTAMINATE THIS DOCUMENT

# of Containers: 3  
\*\* Preservation: A  
\*\*\* Container Code: Y

\*\*\*Cont. Code:  
 Field Filtered  
 Lab to Filter

\*\*\*Cont. Code:  
A=amber glass  
G=glass  
P=plastic  
ST=sterile  
V=vial

S=summary can  
T=tedlar bag  
O=Other

\*\*\*Preservation  
I=Iced  
H=HCL  
M=Methanol  
N=Nitric Acid  
S=Sulfuric Acid  
B=Sodium bisulfate  
X=Na hydroxide  
T=Na thiosulfate  
O=Other

\*Matrix Code:  
GW=groundwater  
WW=wastewater  
DW=drinking water  
A=air  
S=soil/solid  
SL=sludge  
O=other

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:  
H - High, M - Medium, L - Low, C - Clean, U - Unknown


Is your project MCP or RCP?  
 MCP Form Required  
 RCP Form Required  
 MA State DW Form Required PWSID # \_\_\_\_\_

Connecticut:  
NELAC & AIHA-LAP, LLC  
Accredited  
WBE/DBE Certified

AGGREGATED IN AN APPROVED REGIONAL LABORATORY NETWORK  
NELAC & AIHA-LAP, LLC  
Accredited  
WBE/DBE Certified



29 Spruce St.  
 East Longmeadow, MA. 01028  
 P: 413-525-2332  
 F: 413-525-6405  
 www.contestlabs.com



### Sample Receipt Checklist

CLIENT NAME: Accordis RECEIVED BY: MJ DATE: 9/19/14

- 1) Was the chain(s) of custody relinquished and signed?  Yes  No  No CoC Included
- 2) Does the chain agree with the samples?  Yes  No  
 If not, explain: \_\_\_\_\_
- 3) Are all the samples in good condition?  Yes  No  
 If not, explain: \_\_\_\_\_

4) How were the samples received:  
 On Ice  Direct from Sampling  Ambient  In Cooler(s)   
 Were the samples received in Temperature Compliance of (2-6°C)?  Yes  No  N/A  
 Temperature °C by Temp blank \_\_\_\_\_ Temperature °C by Temp gun 60°C

- 5) Are there Dissolved samples for the lab to filter? Yes  No   
 Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_
- 6) Are there any RUSH or SHORT HOLDING TIME samples? Yes  No   
 Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

7) Location where samples are stored: 19  
 Permission to subcontract samples? Yes  No   
 (Walk-in clients only) if not already approved  
 Client Signature: \_\_\_\_\_

- 8) Do all samples have the proper Acid pH: Yes  No  N/A
- 9) Do all samples have the proper Base pH: Yes  No  N/A
- 10) Was the PC notified of any discrepancies with the CoC vs the samples: Yes  No  N/A

### Containers received at Con-Test

	# of containers		# of containers
1 Liter Amber		8 oz amber/clear jar	
500 mL Amber		4 oz amber/clear jar	
250 mL Amber (8oz amber)		2 oz amber/clear jar	
1 Liter Plastic		Plastic Bag / Ziploc	
500 mL Plastic		SOC Kit	
250 mL plastic		Non-ConTest Container	
40 mL Vial - type listed below	<u>18</u>	Perchlorate Kit	
Colisure / bacteria bottle		Flashpoint bottle	
Dissolved Oxygen bottle		Other glass jar	
Encore		Other	

Laboratory Comments:  
 \_\_\_\_\_  
 \_\_\_\_\_

40 mL vials: # HCl 18 # Methanol \_\_\_\_\_  
 # Bisulfate \_\_\_\_\_ # DI Water \_\_\_\_\_  
 # Thiosulfate \_\_\_\_\_ Unpreserved \_\_\_\_\_

Time and Date Frozen: \_\_\_\_\_



**Login Sample Receipt Checklist**

(Rejection Criteria Listing - Using Sample Acceptance Policy)  
Any False statement will be brought to the attention of Client

Question	Answer (True/False)	Comment
	T/F/NA	
1) The cooler's custody seal, if present, is intact.	T	
2) The cooler or samples do not appear to have been compromised or tampered with.	T	
3) Samples were received on ice.	T	
4) Cooler Temperature is acceptable.	T	
5) Cooler Temperature is recorded.	T	
6) COC is filled out in ink and legible.	T	
7) COC is filled out with all pertinent information.	T	
8) Field Sampler's name present on COC.	T	
9) There are no discrepancies between the sample IDs on the container and the COC.	T	
10) Samples are received within Holding Time.	T	
11) Sample containers have legible labels.	T	
12) Containers are not broken or leaking.	T	
13) Air Cassettes are not broken/open.	NA	
14) Sample collection date/times are provided.	T	
15) Appropriate sample containers are used.	T	
16) Proper collection media used.	T	
17) No headspace sample bottles are completely filled.	T	
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T	
19) Trip blanks provided if applicable.	T	
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	T	
21) Samples do not require splitting or compositing.	T	

Doc #277 Rev. 4 August 2013

Who notified of False statements?  
Log-In Technician Initials:

Date/Time:  
Date/Time:

MS 9/19/14

12:50

September 29, 2014

Donna Pallister  
Arcadis US, Inc. - Warwick, RI  
300 Metro Center Blvd., Suite 250  
Warwick, RI 02886

Project Location: Springfield St, Providence  
Client Job Number:  
Project Number: WK012152.0010  
Laboratory Work Order Number: 14I0970

Enclosed are results of analyses for samples received by the laboratory on September 19, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa A. Worthington  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	9
QC Data	10
Air Toxics by EPA Compendium Methods	10
B106034	10
Flag/Qualifier Summary	12
Certifications	13
Chain of Custody/Sample Receipt	15

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Arcadis US, Inc. - Warwick, RI  
300 Metro Center Blvd., Suite 250  
Warwick, RI 02886  
ATTN: Donna Pallister

REPORT DATE: 9/29/2014

PURCHASE ORDER NUMBER:

PROJECT NUMBER: WK012152.0010

**ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 14I0970

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Springfield St, Providence

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
ES #1	14I0970-01	Sub Slab		EPA TO-14A	
ES #2	14I0970-02	Sub Slab		EPA TO-14A	

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Daren J. Damboragian", is written over a light gray rectangular background.

Daren J. Damboragian  
Laboratory Manager

**ANALYTICAL RESULTS**

Project Location: Springfield St, Providence  
 Date Received: 9/19/2014  
**Field Sample #: ES #1**  
**Sample ID: 1410970-01**  
 Sample Matrix: Sub Slab  
 Sampled: 9/17/2014 16:00

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID:  
 Canister Size:  
 Flow Controller ID:  
 Sample Type:

**Work Order: 1410970**  
 Initial Vacuum(in Hg):  
 Final Vacuum(in Hg):  
 Receipt Vacuum(in Hg):  
 Flow Controller Type:  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-14A**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
Benzene	0.22	0.10		0.70	0.32	2	9/26/14 15:50	TPH	
Bromomethane	ND	0.10		ND	0.39	2	9/26/14 15:50	TPH	
Carbon Tetrachloride	ND	0.10		ND	0.63	2	9/26/14 15:50	TPH	
Chlorobenzene	ND	0.10		ND	0.46	2	9/26/14 15:50	TPH	
Chloroethane	ND	0.10		ND	0.26	2	9/26/14 15:50	TPH	
Chloroform	0.44	0.10		2.2	0.49	2	9/26/14 15:50	TPH	
Chloromethane	ND	0.20		ND	0.41	2	9/26/14 15:50	TPH	
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	9/26/14 15:50	TPH	
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	9/26/14 15:50	TPH	
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	9/26/14 15:50	TPH	
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	9/26/14 15:50	TPH	
Dichlorodifluoromethane (Freon 12)	0.77	0.10		3.8	0.49	2	9/26/14 15:50	TPH	
1,1-Dichloroethane	ND	0.10		ND	0.40	2	9/26/14 15:50	TPH	
1,2-Dichloroethane	ND	0.10		ND	0.40	2	9/26/14 15:50	TPH	
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	9/26/14 15:50	TPH	
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	9/26/14 15:50	TPH	
1,2-Dichloropropane	ND	0.10		ND	0.46	2	9/26/14 15:50	TPH	
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	9/26/14 15:50	TPH	
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	9/26/14 15:50	TPH	
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	0.28	0.10		2.0	0.70	2	9/26/14 15:50	TPH	
Ethylbenzene	ND	0.10		ND	0.43	2	9/26/14 15:50	TPH	
Hexachlorobutadiene	ND	0.10		ND	1.1	2	9/26/14 15:50	TPH	
Methylene Chloride	6.6	1.0		23	3.5	2	9/26/14 15:50	TPH	
Styrene	0.82	0.10		3.5	0.43	2	9/26/14 15:50	TPH	
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	9/26/14 15:50	TPH	
Tetrachloroethylene	15	0.10		100	0.68	2	9/26/14 15:50	TPH	
Toluene	1.7	0.10		6.6	0.38	2	9/26/14 15:50	TPH	
1,2,4-Trichlorobenzene	ND	0.10		ND	0.74	2	9/26/14 15:50	TPH	
1,1,1-Trichloroethane	0.12	0.10		0.68	0.55	2	9/26/14 15:50	TPH	
1,1,2-Trichloroethane	ND	0.10		ND	0.55	2	9/26/14 15:50	TPH	
Trichloroethylene	0.32	0.10		1.7	0.54	2	9/26/14 15:50	TPH	
Trichlorofluoromethane (Freon 11)	0.76	0.10		4.3	0.56	2	9/26/14 15:50	TPH	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.10		ND	0.77	2	9/26/14 15:50	TPH	
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	9/26/14 15:50	TPH	
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	9/26/14 15:50	TPH	
Vinyl Chloride	ND	0.10		ND	0.26	2	9/26/14 15:50	TPH	
m&p-Xylene	0.29	0.20		1.2	0.87	2	9/26/14 15:50	TPH	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Springfield St, Providence  
 Date Received: 9/19/2014  
**Field Sample #: ES #1**  
**Sample ID: 1410970-01**  
 Sample Matrix: Sub Slab  
 Sampled: 9/17/2014 16:00

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID:  
 Canister Size:  
 Flow Controller ID:  
 Sample Type:

**Work Order: 1410970**  
 Initial Vacuum(in Hg):  
 Final Vacuum(in Hg):  
 Receipt Vacuum(in Hg):  
 Flow Controller Type:  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-14A**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
o-Xylene	0.15	0.10		0.63	0.43	2	9/26/14	15:50	TPH

Surrogates	% Recovery		% REC Limits		Date/Time	
4-Bromofluorobenzene (1)		127		70-130	9/26/14	15:50

**ANALYTICAL RESULTS**

Project Location: Springfield St, Providence  
 Date Received: 9/19/2014  
**Field Sample #: ES #2**  
**Sample ID: 1410970-02**  
 Sample Matrix: Sub Slab  
 Sampled: 9/17/2014 16:05

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID:  
 Canister Size:  
 Flow Controller ID:  
 Sample Type:

**Work Order: 1410970**  
 Initial Vacuum(in Hg):  
 Final Vacuum(in Hg):  
 Receipt Vacuum(in Hg):  
 Flow Controller Type:  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-14A**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Benzene	0.18	0.10		0.57	0.32	2	9/26/14	5:59	TPH
Bromomethane	ND	0.10		ND	0.39	2	9/26/14	5:59	TPH
Carbon Tetrachloride	ND	0.10		ND	0.63	2	9/26/14	5:59	TPH
Chlorobenzene	ND	0.10		ND	0.46	2	9/26/14	5:59	TPH
Chloroethane	ND	0.10		ND	0.26	2	9/26/14	5:59	TPH
Chloroform	0.45	0.10		2.2	0.49	2	9/26/14	5:59	TPH
Chloromethane	ND	0.20		ND	0.41	2	9/26/14	5:59	TPH
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	9/26/14	5:59	TPH
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	9/26/14	5:59	TPH
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	9/26/14	5:59	TPH
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	9/26/14	5:59	TPH
Dichlorodifluoromethane (Freon 12)	0.78	0.10		3.9	0.49	2	9/26/14	5:59	TPH
1,1-Dichloroethane	ND	0.10		ND	0.40	2	9/26/14	5:59	TPH
1,2-Dichloroethane	ND	0.10		ND	0.40	2	9/26/14	5:59	TPH
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	9/26/14	5:59	TPH
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	9/26/14	5:59	TPH
1,2-Dichloropropane	ND	0.10		ND	0.46	2	9/26/14	5:59	TPH
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	9/26/14	5:59	TPH
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	9/26/14	5:59	TPH
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	0.29	0.10		2.0	0.70	2	9/26/14	5:59	TPH
Ethylbenzene	ND	0.10		ND	0.43	2	9/26/14	5:59	TPH
Hexachlorobutadiene	ND	0.10		ND	1.1	2	9/26/14	5:59	TPH
Methylene Chloride	5.8	1.0		20	3.5	2	9/26/14	5:59	TPH
Styrene	0.67	0.10		2.9	0.43	2	9/26/14	5:59	TPH
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	9/26/14	5:59	TPH
Tetrachloroethylene	1.9	0.10		13	0.68	2	9/26/14	5:59	TPH
Toluene	1.6	0.10		5.9	0.38	2	9/26/14	5:59	TPH
1,2,4-Trichlorobenzene	ND	0.10		ND	0.74	2	9/26/14	5:59	TPH
1,1,1-Trichloroethane	ND	0.10		ND	0.55	2	9/26/14	5:59	TPH
1,1,2-Trichloroethane	ND	0.10		ND	0.55	2	9/26/14	5:59	TPH
Trichloroethylene	0.16	0.10		0.84	0.54	2	9/26/14	5:59	TPH
Trichlorofluoromethane (Freon 11)	1.1	0.10		6.3	0.56	2	9/26/14	5:59	TPH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.10		ND	0.77	2	9/26/14	5:59	TPH
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	9/26/14	5:59	TPH
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	9/26/14	5:59	TPH
Vinyl Chloride	ND	0.10		ND	0.26	2	9/26/14	5:59	TPH
m&p-Xylene	0.31	0.20		1.3	0.87	2	9/26/14	5:59	TPH



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Springfield St, Providence  
 Date Received: 9/19/2014  
**Field Sample #: ES #2**  
**Sample ID: 1410970-02**  
 Sample Matrix: Sub Slab  
 Sampled: 9/17/2014 16:05

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID:  
 Canister Size:  
 Flow Controller ID:  
 Sample Type:

**Work Order: 1410970**  
 Initial Vacuum(in Hg):  
 Final Vacuum(in Hg):  
 Receipt Vacuum(in Hg):  
 Flow Controller Type:  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-14A**

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
o-Xylene	0.17	0.10		0.74	0.43	2	9/26/14	5:59	TPH
Surrogates	% Recovery			% REC Limits					
4-Bromofluorobenzene (1)	127			70-130			9/26/14	5:59	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-14A

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
14I0970-01 [ES #1]	B106034	1	1	N/A	1000	400	200	09/25/14
14I0970-02 [ES #2]	B106034	1	1	N/A	1000	400	200	09/25/14

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	Limits	RPD	Limit	
<b>Batch B106034 - TO-15 Prep</b>											
<b>Blank (B106034-BLK1)</b>											
						Prepared & Analyzed: 09/25/14					
Benzene	ND	0.025									
Bromomethane	ND	0.025									
Carbon Tetrachloride	ND	0.025									
Chlorobenzene	ND	0.025									
Chloroethane	ND	0.025									
Chloroform	ND	0.025									
Chloromethane	ND	0.050									
1,2-Dibromoethane (EDB)	ND	0.025									
1,2-Dichlorobenzene	ND	0.025									
1,3-Dichlorobenzene	ND	0.025									
1,4-Dichlorobenzene	ND	0.025									
Dichlorodifluoromethane (Freon 12)	ND	0.025									
1,1-Dichloroethane	ND	0.025									
1,2-Dichloroethane	ND	0.025									
1,1-Dichloroethylene	ND	0.025									
cis-1,2-Dichloroethylene	ND	0.025									
1,2-Dichloropropane	ND	0.025									
cis-1,3-Dichloropropene	ND	0.025									
trans-1,3-Dichloropropene	ND	0.025									
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	ND	0.025									
Ethylbenzene	ND	0.025									
Hexachlorobutadiene	ND	0.025									
Methylene Chloride	ND	0.25									
Styrene	ND	0.025									
1,1,1,2-Tetrachloroethane	ND	0.025									
Tetrachloroethylene	ND	0.025									
Toluene	ND	0.025									
1,2,4-Trichlorobenzene	ND	0.025									
1,1,1-Trichloroethane	ND	0.025									
1,1,2-Trichloroethane	ND	0.025									
Trichloroethylene	ND	0.025									
Trichlorofluoromethane (Freon 11)	ND	0.025									
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.025									
1,2,4-Trimethylbenzene	ND	0.025									
1,3,5-Trimethylbenzene	ND	0.025									
Vinyl Chloride	ND	0.025									
m&p-Xylene	ND	0.050									
o-Xylene	ND	0.025									
Surrogate: 4-Bromofluorobenzene (1)	9.86				8.00		123		70-130		

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**QUALITY CONTROL**

**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
<b>Batch B106034 - TO-15 Prep</b>											
<b>LCS (B106034-BS1)</b>						Prepared & Analyzed: 09/25/14					
Benzene	4.31				5.00		86.2	70-130			
Bromomethane	4.53				5.00		90.6	70-130			
Carbon Tetrachloride	5.41				5.00		108	70-130			
Chlorobenzene	4.87				5.00		97.3	70-130			
Chloroethane	5.06				5.00		101	70-130			
Chloroform	5.19				5.00		104	70-130			
Chloromethane	4.82				5.00		96.3	70-130			
1,2-Dibromoethane (EDB)	5.41				5.00		108	70-130			
1,2-Dichlorobenzene	5.74				5.00		115	70-130			
1,3-Dichlorobenzene	5.61				5.00		112	70-130			
1,4-Dichlorobenzene	5.58				5.00		112	70-130			
Dichlorodifluoromethane (Freon 12)	5.84				5.00		117	70-130			
1,1-Dichloroethane	4.65				5.00		93.1	70-130			
1,2-Dichloroethane	5.26				5.00		105	70-130			
1,1-Dichloroethylene	4.70				5.00		94.0	70-130			
cis-1,2-Dichloroethylene	4.77				5.00		95.5	70-130			
1,2-Dichloropropane	4.78				5.00		95.5	70-130			
cis-1,3-Dichloropropene	5.07				5.00		101	70-130			
trans-1,3-Dichloropropene	5.30				5.00		106	70-130			
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	4.74				5.00		94.9	70-130			
Ethylbenzene	5.18				5.00		104	70-130			
Hexachlorobutadiene	6.46				5.00		129	70-130			
Methylene Chloride	4.63				5.00		92.5	70-130			
Styrene	4.85				5.00		97.0	70-130			
1,1,2,2-Tetrachloroethane	5.72				5.00		114	70-130			
Tetrachloroethylene	5.85				5.00		117	70-130			
Toluene	4.96				5.00		99.3	70-130			
1,2,4-Trichlorobenzene	6.09				5.00		122	70-130			
1,1,1-Trichloroethane	5.45				5.00		109	70-130			
1,1,2-Trichloroethane	5.44				5.00		109	70-130			
Trichloroethylene	5.18				5.00		104	70-130			
Trichlorofluoromethane (Freon 11)	5.57				5.00		111	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5.12				5.00		102	70-130			
1,2,4-Trimethylbenzene	5.20				5.00		104	70-130			
1,3,5-Trimethylbenzene	5.06				5.00		101	70-130			
Vinyl Chloride	4.67				5.00		93.4	70-130			
m&p-Xylene	11.6				10.0		116	70-130			
o-Xylene	5.37				5.00		107	70-130			
Surrogate: 4-Bromofluorobenzene (1)	10.2				8.00		127	70-130			

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<i>EPA TO-14A in Air</i>	
Benzene	AIHA,FL,NY
Bromomethane	AIHA,FL,NY
Carbon Tetrachloride	AIHA,FL,NY
Chlorobenzene	AIHA,FL,NY
Chloroethane	AIHA,FL,NY
Chloroform	AIHA,FL,NY
Chloromethane	AIHA,FL,NY
1,2-Dibromoethane (EDB)	NY
1,2-Dichlorobenzene	AIHA,FL,NY
1,3-Dichlorobenzene	AIHA,FL,NY
1,4-Dichlorobenzene	AIHA,FL,NY
Dichlorodifluoromethane (Freon 12)	AIHA,FL,NY
1,1-Dichloroethane	AIHA,FL,NY
1,2-Dichloroethane	AIHA,FL,NY
1,1-Dichloroethylene	AIHA,FL,NY
cis-1,2-Dichloroethylene	AIHA,FL,NY
1,2-Dichloropropane	AIHA,FL,NY
cis-1,3-Dichloropropene	AIHA,FL,NY
trans-1,3-Dichloropropene	NY
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	AIHA,FL,NY
Ethylbenzene	AIHA,FL,NY
Hexachlorobutadiene	AIHA,FL,NY
Methylene Chloride	AIHA,FL,NY
Styrene	AIHA,FL,NY
1,1,2,2-Tetrachloroethane	AIHA,FL,NY
Tetrachloroethylene	AIHA,FL,NY
Toluene	AIHA,FL,NY
1,2,4-Trichlorobenzene	AIHA,FL,NY
1,1,1-Trichloroethane	AIHA,FL,NY
1,1,2-Trichloroethane	AIHA,FL,NY
Trichloroethylene	AIHA,FL,NY
Trichlorofluoromethane (Freon 11)	AIHA,FL,NY
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NY
1,2,4-Trimethylbenzene	AIHA,FL,NY
1,3,5-Trimethylbenzene	AIHA,FL,NY
Vinyl Chloride	AIHA,FL,NY
m&p-Xylene	AIHA,FL,NY
o-Xylene	AIHA,FL,NY

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015



Phone: 413-525-2332  
 Fax: 413-525-6405  
 Email: info@contestlabs.com  
 www.contestlabs.com

**CHAIN OF CUSTODY RECORD**  
 14I0970

39 SPRUCE ST, 2ND FLOOR  
 EAST LONGMEADOW, MA 01028

Company Name: ARCAADIS

Address: 300 Metro Center Blvd.

Warwick, RI 02886

Attention: Donna Pallister

Project Location: Springfield St. Providence

Sampled By: A. Pasiva

Telephone: (401) 738-3887

Project # WK012152.0010

Client PO # \_\_\_\_\_

**DATA DELIVERY (check one):**  
 FAX  EMAIL  WEBSITE CLIENT  
 Fax #: \_\_\_\_\_  
 Email: donna.pallister@arcadis-us.com  
 Format:  EXCEL  PDF  GIS KEY

Proposal Provided? (For Billing purposes)  yes  no  
 State Form Required?  yes  no

Field ID	Sample Description	Lab #	Date Sampled		Comp- osite	Grab	*Matrix   Conc.		ANALYSIS REQUESTED	# of conta	**Preserv	-Cont. Code
			Start Date/Time	Stop Date/Time			Code	Code				
	ES # 1	01	9/17/14	1600	X		SS	C	X			
	ES # 2	02	9/17/14	1605	X		SS	C	X			
Laboratory Comments:												
Relinquished by: (signature) _____ Date/Time: 9/17/14 1730												
Received by: (signature) _____ Date/Time: 9/19/14 10:15												
Relinquished by: (signature) _____ Date/Time: 9/19/14 12:50												
Requested by: (signature) _____ Date/Time: 9/19/14 12:50												

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:  
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

**Turnaround \*\***

7-Day  
 10-Day  
 Other \_\_\_\_\_

**RUSH \***

\*24-Hr  \*48-Hr  
 \*72-Hr  \*4-Day

**Detection Limit Requirements**

Regulations? \_\_\_\_\_

Data Enhancement Project/RCP?  Y  N

Special Requirements or DL's: \_\_\_\_\_

**\*Matrix Code:**

GW = groundwater  
 WW = wastewater  
 DW = drinking water  
 A = air  
 S = soil/solid  
 SL = sludge  
 O = other

**\*\*Preservation Codes:**

I = Iced X = Na hydroxide  
 H = HCL T = Na thiosulfate  
 M = Methanol  
 N = Nitric Acid  
 S = Sulfuric Acid  
 B = Sodium bisulfate  
 O = Other

Client \_\_\_\_\_  
 Comments: \_\_\_\_\_

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.



Page 2 of 2

Login Sample Receipt Checklist(Rejection Criteria Listing - Using Sample Acceptance Policy)Any False statement will be brought to the attention of Client

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
		<u>T/F/NA</u>	
1) The cooler's custody seal, if present, is intact.		NA	
2) The cooler or samples do not appear to have been compromised or tampered with.		T	
3) Samples were received on ice.		NA	
4) Cooler Temperature is acceptable.		NA	
5) Cooler Temperature is recorded.		NA	
6) COC is filled out in ink and legible.		T	
7) COC is filled out with all pertinent information.		T	
8) Field Sampler's name present on COC.		T	
9) There are no discrepancies between the sample IDs on the container and the COC.		T	
10) Samples are received within Holding Time.		T	
11) Sample containers have legible labels.		T	
12) Containers are not broken or leaking.		T	
13) Air Cassettes are not broken/open.		NA	
14) Sample collection date/times are provided.		T	
15) Appropriate sample containers are used.		T	
16) Proper collection media used.		T	
17) No headspace sample bottles are completely filled.		NA	
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.		T	
19) Trip blanks provided if applicable.		NA	
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.		NA	
21) Samples do not require splitting or compositing.		T	

Doc #278 Rev. 4 January 2014

Who notified of False statements?  
Log-In Technician Initials: PR

Date/Time:

Date/Time: 9.19.11



39 Spruce St.  
 East Longmeadow, MA.  
 01028  
 P: 413-525-2332  
 F: 413-525-6405

**AIR Only Receipt Checklist**

CLIENT NAME: Arcadis RECEIVED BY: PB DATE: 9.19.14

- 1) Was the chain(s) of custody relinquished and signed?  Yes No
- 2) Does the chain agree with the samples?  Yes No  
 If not, explain:
- 3) Are all the samples in good condition?  Yes No  
 If not, explain:
- 4) Are there any samples "On Hold"? Yes  No Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples? Yes  No  
 Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored: Air Lab

Permission to subcontract samples? Yes No  
 (Walk-in clients only) if not already approved  
 Client Signature: \_\_\_\_\_

7) Number of cans Individually Certified or Batch Certified? None

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
Summa Cans (TO-14/TO-15/APH)		
Tedlar Bags	2	
TO-17 Tubes		
Regulators		
Restrictors		
Hg/Hopcalite Tube (NIOSH 6009)		
(TO-4A/ TO-10A/TO-13) PUFs		
PCB Florisil Tubes (NIOSH 5503)		
Air cassette		
PM 2.5/PM 10		
TO-11A Cartridges		
Other		

Unused Summas/PUF Media:

Unused Regulators:

- 1) Was all media (used & unused) checked into the WASP?
- 2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:

October 2, 2014

Donna Pallister  
Arcadis US, Inc. - Warwick, RI  
300 Metro Center Blvd., Suite 250  
Warwick, RI 02886

Project Location: Springfield St. Providence, RI  
Client Job Number:  
Project Number: WK012152.0010  
Laboratory Work Order Number: 14I1184

Enclosed are results of analyses for samples received by the laboratory on September 25, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa A. Worthington  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
Sample Preparation Information	7
QC Data	8
Air Toxics by EPA Compendium Methods	8
B106064	8
Flag/Qualifier Summary	10
Certifications	11
Chain of Custody/Sample Receipt	13

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Arcadis US, Inc. - Warwick, RI  
300 Metro Center Blvd., Suite 250  
Warwick, RI 02886  
ATTN: Donna Pallister

REPORT DATE: 10/2/2014

PURCHASE ORDER NUMBER: 5131

PROJECT NUMBER: WK012152.0010

**ANALYTICAL SUMMARY**

WORK ORDER NUMBER: 14I1184

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Springfield St. Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
MS Front	14I1184-01	Air		EPA TO-14A	

## CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

## EPA TO-14A

**Qualifications:****A-09**

Holding times and stability of samples taken in tedlar bags have not been determined

**Analyte & Samples(s) Qualified:**

14I1184-01[MS Front]

**L-03**

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

**Analyte & Samples(s) Qualified:****1,2,4-Trichlorobenzene**

14I1184-01[MS Front], B106064-BLK1, B106064-BS1

**Chloromethane**

14I1184-01[MS Front], B106064-BLK1, B106064-BS1

**V-05**

Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

**Analyte & Samples(s) Qualified:****Chloromethane**

14I1184-01[MS Front], B106064-BLK1, B106064-BS1

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Daren J. Damboragian  
Laboratory Manager

**ANALYTICAL RESULTS**

Project Location: Springfield St. Providence, RI  
 Date Received: 9/25/2014  
**Field Sample #: MS Front**  
**Sample ID: 14I1184-01**  
 Sample Matrix: Air  
 Sampled: 9/23/2014 14:30

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID:  
 Canister Size:  
 Flow Controller ID:  
 Sample Type:

**Work Order: 14I1184**  
 Initial Vacuum(in Hg):  
 Final Vacuum(in Hg):  
 Receipt Vacuum(in Hg):  
 Flow Controller Type:  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-14A**

Sample Flags: A-09

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analized		
Benzene	0.17	0.10		0.53	0.32	2	9/27/14	7:56	TPH
Bromomethane	ND	0.10		ND	0.39	2	9/27/14	7:56	TPH
Carbon Tetrachloride	ND	0.10		ND	0.63	2	9/27/14	7:56	TPH
Chlorobenzene	ND	0.10		ND	0.46	2	9/27/14	7:56	TPH
Chloroethane	ND	0.10		ND	0.26	2	9/27/14	7:56	TPH
Chloroform	ND	0.10		ND	0.49	2	9/27/14	7:56	TPH
Chloromethane	0.43	0.20	L-03, V-05	0.89	0.41	2	9/27/14	7:56	TPH
1,2-Dibromoethane (EDB)	ND	0.10		ND	0.77	2	9/27/14	7:56	TPH
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	9/27/14	7:56	TPH
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	9/27/14	7:56	TPH
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	9/27/14	7:56	TPH
Dichlorodifluoromethane (Freon 12)	7.7	0.10		38	0.49	2	9/27/14	7:56	TPH
1,1-Dichloroethane	ND	0.10		ND	0.40	2	9/27/14	7:56	TPH
1,2-Dichloroethane	0.39	0.10		1.6	0.40	2	9/27/14	7:56	TPH
1,1-Dichloroethylene	ND	0.10		ND	0.40	2	9/27/14	7:56	TPH
cis-1,2-Dichloroethylene	ND	0.10		ND	0.40	2	9/27/14	7:56	TPH
1,2-Dichloropropane	ND	0.10		ND	0.46	2	9/27/14	7:56	TPH
cis-1,3-Dichloropropene	ND	0.10		ND	0.45	2	9/27/14	7:56	TPH
trans-1,3-Dichloropropene	ND	0.10		ND	0.45	2	9/27/14	7:56	TPH
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	3.5	0.10		24	0.70	2	9/27/14	7:56	TPH
Ethylbenzene	ND	0.10		ND	0.43	2	9/27/14	7:56	TPH
Hexachlorobutadiene	ND	0.10		ND	1.1	2	9/27/14	7:56	TPH
Methylene Chloride	1.9	1.0		6.7	3.5	2	9/27/14	7:56	TPH
Styrene	1.1	0.10		4.7	0.43	2	9/27/14	7:56	TPH
1,1,2,2-Tetrachloroethane	ND	0.10		ND	0.69	2	9/27/14	7:56	TPH
Tetrachloroethylene	0.52	0.10		3.6	0.68	2	9/27/14	7:56	TPH
Toluene	2.2	0.10		8.3	0.38	2	9/27/14	7:56	TPH
1,2,4-Trichlorobenzene	ND	0.10	L-03	ND	0.74	2	9/27/14	7:56	TPH
1,1,1-Trichloroethane	ND	0.10		ND	0.55	2	9/27/14	7:56	TPH
1,1,2-Trichloroethane	ND	0.10		ND	0.55	2	9/27/14	7:56	TPH
Trichloroethylene	ND	0.10		ND	0.54	2	9/27/14	7:56	TPH
Trichlorofluoromethane (Freon 11)	1.3	0.10		7.3	0.56	2	9/27/14	7:56	TPH
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.12	0.10		0.89	0.77	2	9/27/14	7:56	TPH
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	9/27/14	7:56	TPH
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	9/27/14	7:56	TPH
Vinyl Chloride	ND	0.10		ND	0.26	2	9/27/14	7:56	TPH
m&p-Xylene	0.30	0.20		1.3	0.87	2	9/27/14	7:56	TPH

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**ANALYTICAL RESULTS**

Project Location: Springfield St. Providence, RI  
 Date Received: 9/25/2014  
**Field Sample #: MS Front**  
**Sample ID: 14I1184-01**  
 Sample Matrix: Air  
 Sampled: 9/23/2014 14:30

Sample Description/Location:  
 Sub Description/Location:  
 Canister ID:  
 Canister Size:  
 Flow Controller ID:  
 Sample Type:

**Work Order: 14I1184**  
 Initial Vacuum(in Hg):  
 Final Vacuum(in Hg):  
 Receipt Vacuum(in Hg):  
 Flow Controller Type:  
 Flow Controller Calibration  
 RPD Pre and Post-Sampling:

**EPA TO-14A**

Sample Flags: A-09

Analyte	ppbv		Flag/Qual	ug/m3		Dilution	Date/Time		Analyst
	Results	RL		Results	RL		Analyzed		
o-Xylene	0.13	0.10		0.55	0.43	2	9/27/14	7:56	TPH

Surrogates	% Recovery	% REC Limits	Date/Time
4-Bromofluorobenzene (1)	102	70-130	9/27/14 7:56



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**Sample Extraction Data**

Prep Method: TO-15 Prep-EPA TO-14A

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
1411184-01 [MS Front]	B106064	1.5	1	N/A	1000	400	300	09/26/14

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	%REC	Limits	RPD	Limit	
<b>Batch B106064 - TO-15 Prep</b>											
<b>Blank (B106064-BLK1)</b>											
						Prepared & Analyzed: 09/26/14					
Benzene	ND	0.020									
Bromomethane	ND	0.020									
Carbon Tetrachloride	ND	0.020									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.020									
Chloromethane	ND	0.040									L-03, V-05
1,2-Dibromoethane (EDB)	ND	0.020									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.020									
1,2-Dichloroethane	ND	0.020									
1,1-Dichloroethylene	ND	0.020									
cis-1,2-Dichloroethylene	ND	0.020									
1,2-Dichloropropane	ND	0.020									
cis-1,3-Dichloropropene	ND	0.020									
trans-1,3-Dichloropropene	ND	0.020									
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	ND	0.020									
Ethylbenzene	ND	0.020									
Hexachlorobutadiene	ND	0.020									
Methylene Chloride	ND	0.20									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.020									
Tetrachloroethylene	ND	0.020									
Toluene	ND	0.020									
1,2,4-Trichlorobenzene	ND	0.020									L-03
1,1,1-Trichloroethane	ND	0.020									
1,1,2-Trichloroethane	ND	0.020									
Trichloroethylene	ND	0.020									
Trichlorofluoromethane (Freon 11)	ND	0.020									
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.020									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.020									
m&p-Xylene	ND	0.040									
o-Xylene	ND	0.020									
Surrogate: 4-Bromofluorobenzene (1)	7.91				8.00		98.8	70-130			

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv		ug/m3		Spike Level	Source	%REC	%REC	RPD	RPD	Flag/Qual
	Results	RL	Results	RL	ppbv	Result	Limits	RPD	Limit		
<b>Batch B106064 - TO-15 Prep</b>											
<b>LCS (B106064-BS1)</b>											
Prepared & Analyzed: 09/26/14											
Benzene	3.78				5.00		75.7	70-130			
Bromomethane	4.12				5.00		82.3	70-130			
Carbon Tetrachloride	4.34				5.00		86.8	70-130			
Chlorobenzene	4.30				5.00		86.0	70-130			
Chloroethane	4.10				5.00		82.0	70-130			
Chloroform	4.34				5.00		86.7	70-130			
Chloromethane	3.18				5.00		63.6 *	70-130			L-03, V-05
1,2-Dibromoethane (EDB)	4.02				5.00		80.3	70-130			
1,2-Dichlorobenzene	4.58				5.00		91.7	70-130			
1,3-Dichlorobenzene	4.76				5.00		95.1	70-130			
1,4-Dichlorobenzene	4.72				5.00		94.5	70-130			
Dichlorodifluoromethane (Freon 12)	4.46				5.00		89.3	70-130			
1,1-Dichloroethane	4.11				5.00		82.2	70-130			
1,2-Dichloroethane	4.28				5.00		85.6	70-130			
1,1-Dichloroethylene	4.22				5.00		84.4	70-130			
cis-1,2-Dichloroethylene	4.09				5.00		81.9	70-130			
1,2-Dichloropropane	3.62				5.00		72.4	70-130			
cis-1,3-Dichloropropene	4.10				5.00		82.0	70-130			
trans-1,3-Dichloropropene	4.30				5.00		86.1	70-130			
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	3.77				5.00		75.3	70-130			
Ethylbenzene	4.47				5.00		89.4	70-130			
Hexachlorobutadiene	3.57				5.00		71.4	70-130			
Methylene Chloride	4.09				5.00		81.7	70-130			
Styrene	4.08				5.00		81.6	70-130			
1,1,2,2-Tetrachloroethane	3.87				5.00		77.5	70-130			
Tetrachloroethylene	4.42				5.00		88.5	70-130			
Toluene	4.30				5.00		86.0	70-130			
1,2,4-Trichlorobenzene	3.37				5.00		67.5 *	70-130			L-03
1,1,1-Trichloroethane	4.13				5.00		82.5	70-130			
1,1,2-Trichloroethane	4.00				5.00		80.0	70-130			
Trichloroethylene	3.94				5.00		78.8	70-130			
Trichlorofluoromethane (Freon 11)	4.64				5.00		92.7	70-130			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	4.62				5.00		92.4	70-130			
1,2,4-Trimethylbenzene	4.40				5.00		88.1	70-130			
1,3,5-Trimethylbenzene	4.62				5.00		92.3	70-130			
Vinyl Chloride	3.96				5.00		79.3	70-130			
m&p-Xylene	9.49				10.0		94.9	70-130			
o-Xylene	4.52				5.00		90.5	70-130			
Surrogate: 4-Bromofluorobenzene (1)	8.56				8.00		107	70-130			

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

**FLAG/QUALIFIER SUMMARY**

- \* QC result is outside of established limits.
  - † Wide recovery limits established for difficult compound.
  - ‡ Wide RPD limits established for difficult compound.
  - # Data exceeded client recommended or regulatory level
- Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.  
No results have been blank subtracted unless specified in the case narrative section.
- A-09 Holding times and stability of samples taken in tedlar bags have not been determined
  - L-03 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
  - V-05 Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.

**CERTIFICATIONS**

**Certified Analyses included in this Report**

Analyte	Certifications
<i>EPA TO-14A in Air</i>	
Benzene	AIHA,FL,NY
Bromomethane	AIHA,FL,NY
Carbon Tetrachloride	AIHA,FL,NY
Chlorobenzene	AIHA,FL,NY
Chloroethane	AIHA,FL,NY
Chloroform	AIHA,FL,NY
Chloromethane	AIHA,FL,NY
1,2-Dibromoethane (EDB)	NY
1,2-Dichlorobenzene	AIHA,FL,NY
1,3-Dichlorobenzene	AIHA,FL,NY
1,4-Dichlorobenzene	AIHA,FL,NY
Dichlorodifluoromethane (Freon 12)	AIHA,FL,NY
1,1-Dichloroethane	AIHA,FL,NY
1,2-Dichloroethane	AIHA,FL,NY
1,1-Dichloroethylene	AIHA,FL,NY
cis-1,2-Dichloroethylene	AIHA,FL,NY
1,2-Dichloropropane	AIHA,FL,NY
cis-1,3-Dichloropropene	AIHA,FL,NY
trans-1,3-Dichloropropene	NY
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	AIHA,FL,NY
Ethylbenzene	AIHA,FL,NY
Hexachlorobutadiene	AIHA,FL,NY
Methylene Chloride	AIHA,FL,NY
Styrene	AIHA,FL,NY
1,1,2,2-Tetrachloroethane	AIHA,FL,NY
Tetrachloroethylene	AIHA,FL,NY
Toluene	AIHA,FL,NY
1,2,4-Trichlorobenzene	AIHA,FL,NY
1,1,1-Trichloroethane	AIHA,FL,NY
1,1,2-Trichloroethane	AIHA,FL,NY
Trichloroethylene	AIHA,FL,NY
Trichlorofluoromethane (Freon 11)	AIHA,FL,NY
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NY
1,2,4-Trimethylbenzene	AIHA,FL,NY
1,3,5-Trimethylbenzene	AIHA,FL,NY
Vinyl Chloride	AIHA,FL,NY
m&p-Xylene	AIHA,FL,NY
o-Xylene	AIHA,FL,NY

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015



**con-test**  
ANALYTICAL LABORATORY

Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

**CHAIN OF CUSTODY RECORD**

1411184

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Company Name: ALCAOIS

Address: 300 Metro Center Blvd.  
Warwick RI 02886

Attention: Donna Pallister

Project Location: Springfield St., Providence, RI

Sampled By: A. DaSilva

Telephone: (401) 738-3887

Project # WK012152.0010

Client PO # ---

**DATA DELIVERY (check one):**  
 FAX  EMAIL  WEBSITE CLIENT  
 Fax #: \_\_\_\_\_

Email: anna.pallister@calcedis-us.com  
 Format:  EXCEL  PDF  GIS KEY

Proposal Provided? (For Billing purposes)  
 yes  no

State Form Required?  
 yes  no

Field ID	Sample Description	Lab #	Date Sampled		Composi- site	Grab	*Matrix   Conc. Code   Code	*Matrix Code:	*Preservation Codes:	Client Comments:
			Start Date/Time	Stop Date/Time						
	MS Front	01	9/23/14	1430	X	A	C	X		

Laboratory Comments: \_\_\_\_\_

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:  
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by (signature) \_\_\_\_\_ Date/Time: 9/23/14 1500

Received by (signature) \_\_\_\_\_ Date/Time: 9/23/14 10:00

Relinquished by (signature) \_\_\_\_\_ Date/Time: 9/23/14

Received by (signature) A. DaSilva Date/Time: 9/23/14

**Turnaround \*\***  
 7-Day  
 10-Day  
 Other \_\_\_\_\_

**RUSH \***  
 \*24-Hr  \*48-Hr  
 \*72-Hr  \*4-Day

**Detection Limit Requirements**  
 Regulations? \_\_\_\_\_  
 Data Enhancement Project/RCP?  Y  N  
 Special Requirements or DL's: \_\_\_\_\_

**\*Matrix Code:**  
 GW = groundwater  
 WW = wastewater  
 DW = drinking water  
 A = air  
 S = soil/solid  
 SL = sludge  
 O = other

**\*\*Preservation Codes:**  
 I = Iced  
 H = HCL  
 M = Methanol  
 S = Sulfuric Acid  
 B = Sodium bisulfate  
 X = Na hydroxide  
 T = Na thiosulfate

**\*Require lab approval**

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.



39 Spruce St.  
 East Longmeadow, MA.  
 01028  
 P: 413-525-2332  
 F: 413-525-6405

**AIR Only Receipt Checklist**

CLIENT NAME: ARCADIS RECEIVED BY: KB DATE: 2/25/14

- 1) Was the chain(s) of custody relinquished and signed?  Yes  No
- 2) Does the chain agree with the samples?  
 If not, explain:  Yes  No
- 3) Are all the samples in good condition?  
 If not, explain:  Yes  No
- 4) Are there any samples "On Hold"?  Yes  No Stored where:
- 5) Are there any RUSH or SHORT HOLDING TIME samples?  Yes  No  
 Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Location where samples are stored:  Permission to subcontract samples? Yes  No   
 (Walk-in clients only) if not already approved  
 Client Signature: \_\_\_\_\_

7) Number of cans Individually Certified or Batch Certified? \_\_\_\_\_

Containers received at Con-Test		
	# of Containers	Types (Size, Duration)
<b>Summa Cans (TO-14/TO-15/APH)</b>		
Tedlar Bags	1	
TO-17 Tubes		
<b>Regulators</b>		
<b>Restrictors</b>		
<b>Hg/Hopcalite Tube (NIOSH 6009)</b>		
<b>(TO-4A/ TO-10A/TO-13) PUFs</b>		
<b>PCB Florisil Tubes (NIOSH 5503)</b>		
<b>Air cassette</b>		
<b>PM 2.5/PM 10</b>		
<b>TO-11A Cartridges</b>		
<b>Other</b>		

Unused Summas/PUF Media:

Unused Regulators:

- 1) Was all media (used & unused) checked into the WASP?
- 2) Were all returned summa cans, Restrictors & Regulators and PUF's documented as returned in the Air Lab Inbound/Outbound Excel Spreadsheet?

Laboratory Comments:



Page 2 of 2

**Login Sample Receipt Checklist**  
**(Rejection Criteria Listing - Using Sample Acceptance Policy)**  
**Any False statement will be brought to the attention of Client**

Question	Answer (True/False)	Comment
	T/F/NA	
1) The cooler's custody seal, if present, is intact.	NA	
2) The cooler or samples do not appear to have been compromised or tampered with.	T	
3) Samples were received on ice.	T	
4) Cooler Temperature is acceptable.	T	
5) Cooler Temperature is recorded.	T	
6) COC is filled out in ink and legible.	+	
7) COC is filled out with all pertinent information.	T	
8) Field Sampler's name present on COC.	T	
9) There are no discrepancies between the sample IDs on the container and the COC.	+	
10) Samples are received within Holding Time.	T	
11) Sample containers have legible labels.	+	
12) Containers are not broken or leaking.	+	
13) Air Cassettes are not broken/open.	<del>T</del> NA	
14) Sample collection date/times are provided.	T	
15) Appropriate sample containers are used.	T	
16) Proper collection media used.	T	
17) No headspace sample bottles are completely filled.	NA	
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T	
19) Trip blanks provided if applicable.	NA	
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA	
21) Samples do not require splitting or compositing.	T	

Doc #278 Rev. 4 January 2014

Who notified of False statements?

Log-In Technician Initials: KB

Date/Time:

Date/Time:


2/25/14

16:00


## **Appendix C**

Soil Gas Parameter  
Graphs


Soil Gas Well EPL1  
Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time  
Springfield Street School Complex  
Providence, Rhode Island




Soil Gas Well EPL4  
 Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time  
 Springfield Street School Complex  
 Providence, Rhode Island




Soil Gas Well MPL5  
 Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time  
 Springfield Street School Complex  
 Providence, Rhode Island




Soil Gas Well MG2  
 Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time  
 Springfield Street School Complex  
 Providence, Rhode Island



Soil Gas Well WB1  
 Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time  
 Springfield Street School Complex  
 Providence, Rhode Island



Soil Gas Well WB15  
 Fluctuation in Methane, Oxygen, and Carbon Dioxide Percentages over Time  
 Springfield Street School Complex  
 Providence, Rhode Island





Soil Gas MPL 7  
 Fluctuation in Methane, Oxygen, Carbon Dioxide Percentages over Time  
 Springfield Street School Complex  
 Providence, Rhode Island

