

September 11, 2008
PN: 101960

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Status Report: August 2008 Activities
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this quarterly status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

FIELD ACTIVITIES

The following field activities were conducted on August 20, 2008:

Monitoring Activities

Field parameters were measured in treatment area wells and compliance wells on August 20, 2008. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation and light non-aqueous phase liquid (LNAPL) thickness measurements were also collected. Field parameters were not measured at monitoring well MW-216S due to the detection of an LNAPL sheen in the well. The sheen in MW-216S did not have an appreciable thickness. A residual petroleum-like product was detected in monitoring well MW-221S at a thickness of approximately 6 inches (monitoring wells MW-220S and MW-221S were only gauged for water level and product thickness). Field parameter results are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on August 20, 2008 from 22 monitoring wells within and around the treatment area, including compliance wells. One duplicate sample was also collected for VOC analysis. One sample was collected for total petroleum hydrocarbon (TPH) analysis (modified EPA Method 8015 B) from monitoring well CW-6 and also a duplicate sample (CW-6 DUP). Samples were collected for lead analysis (EPA Method 6010B) from monitoring wells MW-109D and GZA-3 and also one duplicate sample (GZA-3 DUP). Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis.

SUMMARY OF ANALYTICAL DATA

A summary of all the analytical data associated with the groundwater sampling conducted in August 2008 is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix A of this report. The PCE concentrations found in wells MW-101S, MW-101D, MW-202S and MW-202D are currently above the treatment goal of 7,700 ug/L.

A summary of the compliance well results is contained in Table 4. The results for the compliance wells indicate that exceedances occurred for wells MW-112 (PCE), MW-209D (PCE), MW-218D (PCE, and 1,1-dichloroethene), and MW-218S (vinyl chloride). Note that for wells MW-218S and MW-218D these samples were diluted by the laboratory prior to analysis resulting in laboratory reporting limits being higher than the compliance standard for 1,1-dichloroethene and vinyl chloride.


FUTURE ACTIVITIES

Field parameter measurements, groundwater elevation measurements, and groundwater sampling will continue on a quarterly basis. The next quarterly sampling event is scheduled to be conducted in November 2008.

If you have any questions, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

SHAW ENVIRONMENTAL, INC.



Edward P. Van Doren, PE, LSP
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – Groundwater Analytical Result

Table 4 – Compliance Wells Analytical Results

Appendices:

Appendix A – Laboratory Analytical Report

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Jamieson Schiff, Textron
Dave Heislein, MACTEC
Thomas Dellar, City of Providence
Jeff Morgan, Stop & Shop
Ronald Ruth, Sherin and Lodgen

Mr. Joseph T. Martella, II

September 11, 2008

Page 4 of 4

CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated September 11, 2008, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren, PE, LSP
Project Manager

9/22/08

Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.






Gregory L. Simpson
Project Manager


9/17/08

Date:

File: N:\dwg\Gorham\smtgf-01.dwg User: James.O'Donnell Mar 07, 2008 - 10:08am
Layout: Inj_well



LEGEND	
	MW-101S MONITORING WELL
	SB-2 SOIL BORING
	04IS01 INJECTION WELL



DATE	3/7/08
DWN	J.O'D.
APP	E.P.V.
REV	
PROJECT NO.	101960

FIGURE 2
TEXTRON PROVIDENCE
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND
INJECTION WELL LOCATIONS

Table 1
Summary Field Parameters
August 2008
Former Gorham Manufacturing Facility
Providence, Rhode Island

MONITORING WELL ID	DATE	pH	Temperature (C°)	Conductivity (mS/cm)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (mv)
MW-101D	8/20/2008	5.81	15.03	0.050	1.30	13.4
MW-101S	8/20/2008	5.95	15.06	0.669	0.79	99.7
MW-112	8/20/2008	6.03	15.35	0.476	2.30	162.5
MW-116D	8/20/2008	5.41	15.55	0.171	2.99	224.5
MW-116S	8/20/2008	5.53	16.33	0.114	4.35	218.4
MW-201D	8/20/2008	6.19	14.81	2.323	1.80	89.8
MW-202D	8/20/2008	6.08	15.55	0.828	2.25	217.5
MW-202S	8/20/2008	6.19	15.52	0.419	3.56	214.4
MW-207D	8/20/2008	6.09	15.72	1.307	2.02	194.1
MW-207S	8/20/2008	6.24	15.90	1.251	1.80	165.8
MW-209D	8/20/2008	6.70	14.04	0.377	1.79	158.0
MW-216D	8/20/2008	6.55	16.49	0.264	2.48	11.0
MW-216S	8/20/2008	--	--	--	--	--
MW-217D	8/20/2008	6.42	14.15	0.258	1.86	65.8
MW-217S	8/20/2008	6.35	16.83	1.717	0.96	102.6
MW-218D	8/20/2008	6.44	14.34	0.470	2.36	182.4
MW-218S	8/20/2008	5.99	14.54	0.489	1.53	-50.9
Notes:						
C° = degrees Celsius						
mS/cm = millisiemens per centimeter						
mg/l = milligrams per liter						
mV = milli volts						
NA = Not measured due to the presence of an LNAPL sheen in the well.						

**Table 2
Groundwater Elevations
August 2008**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
CW-01	8/20/2008	99.52	26.08	--	73.44
CW-02	8/20/2008	98.86	25.38	--	73.48
CW-06	8/20/2008	99.52	25.01	--	74.51
GZA-3	8/20/2008	NA	18.20	--	NA
MW-101D	8/20/2008	98.91	25.20	--	73.71
MW-101S	8/20/2008	98.90	25.22	--	73.68
MW-109D	8/20/2008	NA	19.57	--	NA
MW-112	8/20/2008	100.63	26.88	--	73.75
MW-116D	8/20/2008	98.92	25.29	--	73.63
MW-116S	8/20/2008	99.40	25.75	--	73.65
MW-201D	8/20/2008	98.80	25.10	--	73.70
MW-202D	8/20/2008	98.17	24.50	--	73.67
MW-202S	8/20/2008	98.06	24.40	--	73.66
MW-209D	8/20/2008	99.90	26.71	--	73.19
MW-216D	8/20/2008	98.69	25.96	--	72.73
MW-216S	8/20/2008	99.58	25.95	--	73.63
MW-217D	8/20/2008	98.65	25.38	--	73.27
MW-217S	8/20/2008	98.71	25.40	--	73.31
MW-218D	8/20/2008	99.67	26.00	--	73.67
MW-218S	8/20/2008	99.61	25.88	--	73.73
MW-220S	8/20/2008	99.41	25.80	--	73.61
MW-221S	8/20/2008	98.92	26.41	0.52	72.99
Notes: Groundwater elevations are based on an arbitrary reference datum established for the site. NA = not available					

Table 3
Groundwater Analytical Results
August 2008
Former Gorham Manufacturing Facility
Providence, Rhode Island

CONSTITUENT	CW-01 8/20/2008 Primary	CW-02 8/20/2008 Primary	CW-06 8/20/2008 Primary	CW-06 8/20/2008 Duplicate 1	GZA-3 8/20/2008 Primary	GZA-3 8/20/2008 Duplicate 1	MW-101D 8/20/2008 Primary	MW-101S 8/20/2008 Primary	MW-101S 8/20/2008 Duplicate 1	MW-109D 8/20/2008 Primary	MW-112 8/20/2008 Primary	MW-116D 8/20/2008 Primary
VOCs (ug/l)												
1,1-Dichloroethane	<40	<2	---	---	2.4	---	<200	<20	<20	<2	<2	<2
1,1-Dichloroethene	130	<1	---	---	<1	---	<100	<10	<10	<1	<1	<1
1,2,4-Trimethylbenzene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
1,3,5-Trimethylbenzene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
4-Isopropyltoluene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
Bromodichloromethane	<40	<2	---	---	<2	---	<200	<20	<20	<2	2.2	<2
Chloroform	<40	<2	---	---	<2	---	<200	<20	<20	<2	22	16
cis-1,2-Dichloroethene	420	<2	---	---	9.2	---	<200	110	110	<2	<2	<2
Ethylbenzene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
m/p-xylene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
Methyltert-butylether	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
Naphthalene	<100	<5	---	---	<5	---	<500	<50	<50	<5	<5	<5
o-Xylene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
Tetrachloroethene	<40	<2	---	---	<2	---	28000	45000	43000	<2	340	2.9
Toluene	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
Trichloroethene	5500	<2	---	---	2.7	---	<200	50	47	<2	3.5	<2
Vinyl chloride	<40	<2	---	---	24	---	<200	24	25	<2	<2	<2
Xylene (total)	<40	<2	---	---	<2	---	<200	<20	<20	<2	<2	<2
TPH (mg/l)												
Unidentified TPH	---	---	13	12	---	---	---	---	---	---	---	---
Metals 6010B (ug/l)												
Dissolved Lead	---	---	---	---	<12	<12	---	---	---	<12	---	---
Notes: < = Less than the laboratory reporting limit ug/l = Micro grams per liter, parts per billion mg/l = Milligrams per liter, parts per million TPH = Total Petroleum Hydrocarbons --- = Not analyzed for.												

Table 3
Groundwater Analytical Results
August 2008
Former Gorham Manufacturing Facility
Providence, Rhode Island

CONSTITUENT	MW-116S 8/20/2008 Primary	MW-201D 8/20/2008 Primary	MW-202D 8/20/2008 Primary	MW-202S 8/20/2008 Primary	MW-207D 8/20/2008 Primary	MW-207S 8/20/2008 Primary	MW-209D 8/20/2008 Primary	MW-216D 8/20/2008 Primary	MW-216S 8/20/2008 Primary	MW-217D 8/20/2008 Primary	MW-217S 8/20/2008 Primary	MW-218D 8/20/2008 Primary	MW-218S 8/20/2008 Primary
VOCs (ug/l)													
1,1-Dichloroethane	<2	<200	<200	<200	<40	<20	<2	<2	2	<2	<2	<20	<20
1,1-Dichloroethene	<1	<100	<100	<100	<20	<10	4	<1	<1	<1	<1	19	<10
1,2,4-Trimethylbenzene	<2	<200	<200	<200	<40	<20	<2	<2	17	<2	3.2	<20	<20
1,3,5-Trimethylbenzene	<2	<200	<200	<200	<40	<20	<2	<2	13	<2	<2	<20	<20
4-Isopropyltoluene	<2	<200	<200	<200	<40	<20	<2	<2	2.2	<2	<2	<20	<20
Bromodichloromethane	<2	<200	<200	<200	<40	<20	<2	<2	<2	<2	<2	<20	<20
Chloroform	<2	<200	<200	<200	<40	<20	<2	<2	<2	<2	<2	<20	<20
cis-1,2-Dichloroethene	<2	<200	<200	<200	<40	<20	10	<2	63	110	55	<20	590
Ethylbenzene	<2	<200	<200	<200	<40	<20	<2	<2	3.2	<2	3.1	<20	<20
m/p-xylene	<2	<200	<200	<200	<40	<20	<2	<2	8.5	<2	2.7	<20	<20
Methyltert-butylether	<2	<200	<200	<200	<40	<20	6.8	<2	<2	<2	<2	<20	<20
Naphthalene	<5	<500	<500	<500	<100	<50	<5	<5	25	<5	19	<50	<50
o-Xylene	<2	<200	<200	<200	<40	<20	<2	<2	10	<2	<2	<20	<20
Tetrachloroethene	<2	5900	31000	9300	4800	2000	690	<2	<2	<2	3.4	1100	100
Toluene	<2	<200	<200	<200	<40	<20	<2	<2	3.2	<2	<2	<20	<20
Trichloroethene	<2	530	<200	<200	140	110	190	2.2	<2	25	<2	450	25
Vinyl chloride	<2	<200	<200	<200	<40	<20	<2	<2	<2	<2	4.9	<20	42
Xylene (total)	<2	<200	<200	<200	<40	<20	<2	<2	19	<2	2.7	<20	<20
TPH (mg/l)													
Unidentified TPH	---	---	---	---	---	---	---	---	---	---	---	---	---
Metals 6010B (ug/l)													
Dissolved Lead	---	---	---	---	---	---	---	---	---	---	---	---	---
Notes: < = Less than the laboratory reporting limit ug/l = Micro grams per liter, parts per billion mg/l = Milligrams per liter, parts per million TPH = Total Petroleum Hydrocarbons --- = Not analyzed for.													

Table 4
Compliance Wells Analytical Results
August 2008
Former Gorham
Manufacturing Facility
Providence, Rhode Island

Mashapaug Pond Compliance Wells				
Sample ID	GZA-3	GZA-3	MW-109D	Compliance
Date Collected	8/20/2008	8/20/2008	8/20/2008	Standard¹
CONSTITUENT		Duplicate		
Metals (mg/L)				
Lead	<0.012	<0.012	<0.012	0.03
VOCs (ug/L)				
1,1-Dichloroethane	2.4	NA	<2	50,000
cis-1,2-Dichloroethene	9.2	NA	<2	50,000
Tetrachloroethene	<2	NA	<2	5,000
Trichloroethene	2.7	NA	<2	20,000
Vinyl chloride	24	NA	<2	1,200

TPH Remediation Area Well			
Sample ID	CW-6	CW-6	Compliance
Date Collected	8/20/2008	8/20/2008	Standard¹
CONSTITUENT		Duplicate	
TPH (mg/L)	13	12	20

Sewer Interceptor Area Wells			
Sample ID	CW-1	CW-2	Compliance
Date Collected	8/20/2008	8/20/2008	Standard²
CONSTITUENT			
VOCs (ug/L)			
1,1-Dichloroethene	130	<1	23,000
cis-1,2-Dichloroethene	420	<2	69,000
Trichloroethene	5,500	<2	87,000

Adelaide Avenue Wells					
Sample ID	MW-112	MW-209D	MW-218D	MW-218S	Compliance
Date Collected	8/20/2008	8/20/2008	8/20/2008	8/20/2008	Standard³
CONSTITUENT					
VOCs (ug/L)					
cis-1,2-Dichloroethene	<2	10	<20	590	2,400
1,1-Dichloroethene	<1	4	19	<10	7
Chloroform	22	<2	<20	<20	1,900
Methyl tert-butyl ether	<2	6.8	<20	<20	5,000
Tetrachloroethene	340	690	1100	100	150
Trichloroethene	3.5	190	450	25	540
Vinyl chloride	<2	<2	<20	42	2

Notes:

1. These Site specific compliance standards were taken from the approved RAWP dated April 1, 2001 and/or the RIDEM Remediation Regulations.
2. These compliance standards taken from Table 5 - Upper Concentration Limits for GB Groundwater, RIDEM Remediation Regulations.
3. These compliance standards taken from Table 4 -GB Groundwater Objectives of the RIDEM Remediation Regulations or in the case of vinyl chloride the compliance standard was taken from Table 3 of the Remediation Regulations and for chloroform the compliance standard was calculated from the algorithm in Appendix F of the Remediation Regulations (calculations attached as Appendix C of Status Report dated September 18, 2007).

mg/L - milligrams per liter

ug/L - micrograms per liter

< - compound was not detected below the laboratory reporting limit, concentration shown is the reporting limit.

VOCs - volatile organic compounds

TPH - total petroleum hydrocarbons

NA - Indicates that the analysis was not performed.



111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

September 08, 2008

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0808067

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 26 samples on 8/21/2008 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 96 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0808067
Date Received: 8/21/2008

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0808067-01A	CW-2	8/20/2008	1:15 PM
0808067-02A	GZA-3	8/20/2008	2:00 PM
0808067-02B	GZA-3	8/20/2008	2:00 PM
0808067-03A	MW-109D	8/20/2008	2:15 PM
0808067-03B	MW-109D	8/20/2008	2:15 PM
0808067-04A	MW-116S	8/20/2008	2:30 PM
0808067-05A	MW-116D	8/20/2008	2:45 PM
0808067-06A	GZA-3 Dup	8/20/2008	2:00 PM
0808067-07A	MW-201D	8/20/2008	11:15 AM
0808067-08A	CW-6	8/20/2008	11:30 AM
0808067-09A	CW-6 Dup	8/20/2008	11:30 AM
0808067-10A	MW-216S	8/20/2008	11:45 AM
0808067-11A	MW-216D	8/20/2008	12:00 PM
0808067-12A	MW-209D	8/20/2008	12:15 PM
0808067-13A	MW-112	8/20/2008	11:20 AM
0808067-14A	MW-217S	8/20/2008	12:30 PM
0808067-15A	MW-217D	8/20/2008	12:45 PM
0808067-16A	CW-1	8/20/2008	1:00 PM
0808067-17A	MW-207S	8/20/2008	8:15 AM
0808067-18A	MW-207D	8/20/2008	8:30 AM
0808067-19A	Trip Blank	8/20/2008	12:00 AM
0808067-20A	MW-202S	8/20/2008	9:00 AM
0808067-21A	MW-202D	8/20/2008	9:30 AM
0808067-22A	MW-101D	8/20/2008	10:00 AM
0808067-23A	MW-101S	8/20/2008	10:30 AM
0808067-24A	MW-101S Dup	8/20/2008	10:30 AM
0808067-25A	MW-218S	8/20/2008	10:45 AM
0808067-26A	MW-218D	8/20/2008	11:00 AM

DATES REPORT

Lab Order: 0808067

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0808067-01A	CW-2	8/20/2008 1:15:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	8/20/2008	8/25/2008	R40761	
0808067-02A	GZA-3	8/20/2008 2:00:00 PM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/25/2008	R40761	
0808067-02B				EPA 6010B ICP METALS, DISSOLVED			8/26/2008		
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA		8/26/2008	18697		
0808067-03A	MW-109D	8/20/2008 2:15:00 PM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/25/2008	R40761	
0808067-03B				EPA 6010B ICP METALS, DISSOLVED			8/26/2008		
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA		8/26/2008	18697		
0808067-04A	MW-116S	8/20/2008 2:30:00 PM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/25/2008	R40761	
0808067-05A	MW-116D	8/20/2008 2:45:00 PM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/25/2008	R40761	
0808067-06A	GZA-3 Dup	8/20/2008 2:00:00 PM		EPA 6010B ICP METALS, DISSOLVED			8/26/2008		
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA		8/26/2008	18697		
0808067-07A	MW-201D	8/20/2008 11:15:00 AM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/28/2008	R40797	
0808067-08A	CW-6	8/20/2008 11:30:00 AM		TPH by GC/FID (modified 8015B)	AQPREP SEP FUNNEL: FING	8/27/2008	8/27/2008	18701	
0808067-09A	CW-6 Dup			TPH by GC/FID (modified 8015B)			8/28/2008		
						8/27/2008	18701		
0808067-10A	MW-216S	8/20/2008 11:45:00 AM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/25/2008	R40761	

AMRO Environmental Laboratories Corp.

04-Sep-08

DATES REPORT

Lab Order: 0808067

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Analysis Date Batch ID	TCLP Date
0808067-11A	MW-216D	8/20/2008 12:00:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS EPA 5030B	8/20/2008	8/27/2008 R40781	
0808067-12A	MW-209D	8/20/2008 12:15:00 PM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/28/2008 R40797	
0808067-13A	MW-112	8/20/2008 11:20:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/27/2008 R40781	
0808067-14A	MW-217S	8/20/2008 12:30:00 PM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/28/2008 R40797	
0808067-15A	MW-217D	8/20/2008 12:45:00 PM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/27/2008 R40781	
0808067-16A	CW-1	8/20/2008 1:00:00 PM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/28/2008 R40797	
0808067-17A	MW-207S	8/20/2008 8:15:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/27/2008 R40781	
0808067-18A	MW-207D	8/20/2008 8:30:00 AM		EPA 8260B VOLATILES by GC/MS	8/20/2008	8/27/2008 R40781	
0808067-19A	Trip Blank	8/20/2008	Trip Blank	EPA 8260B VOLATILES by GC/MS	8/20/2008	8/27/2008 R40781	
0808067-20A	MW-202S	8/20/2008 9:00:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	8/20/2008	8/28/2008 R40797	

DATES REPORT

Lab Order: 0808067

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0808067-21A	MW-202D	8/20/2008 9:30:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	8/20/2008	8/28/2008	R40797	
				EPA 8260B VOLATILES by GC/MS		8/20/2008	9/1/2008	R40805	
0808067-22A	MW-101D	8/20/2008 10:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/28/2008	R40797	
				EPA 8260B VOLATILES by GC/MS		8/20/2008	8/27/2008	R40781	
0808067-23A	MW-101S	8/20/2008 10:30:00 AM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/28/2008	R40797	
				EPA 8260B VOLATILES by GC/MS		8/20/2008	8/27/2008	R40781	
0808067-24A	MW-101S Dup			EPA 8260B VOLATILES by GC/MS		8/20/2008	8/28/2008	R40797	
				EPA 8260B VOLATILES by GC/MS		8/20/2008	8/27/2008	R40781	
0808067-25A	MW-218S	8/20/2008 10:45:00 AM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/28/2008	R40797	
				EPA 8260B VOLATILES by GC/MS		8/20/2008	8/27/2008	R40781	
0808067-26A	MW-218D	8/20/2008 11:00:00 AM		EPA 8260B VOLATILES by GC/MS		8/20/2008	8/28/2008	R40797	
				EPA 8260B VOLATILES by GC/MS		8/20/2008	8/27/2008	R40781	

AMRO Environmental Laboratories Corporation
 111 Herrick Street
 Merrimack, NH 03054

CHAIN-OF-CUSTODY RECORD

Office: (603) 424-2022
 Fax: (603) 429-8496
 web: www.amrolabs.com

1043
 57003

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed VanDoren	Samplers (Signature): <i>[Signature]</i>	AMRO Project No.: 0808067
P.O.#: 157431	Results Needed by:	Matrix	REQUESTED ANALYSES		
QUOTE #:	Standard TAT	GW	Dissolved Lead		
	Seal Intact? Yes No N/A	Comp. Grab	TPH		
Sample ID:	Date/Time Sampled	Total # of Cont. & Size			
C00-2	8/20/08 1315	2 400L			
G2A-3	8/20/08 1400	2 400L			
NW-109D	8/20/08 1415	3 400L			
NW-1165	8/20/08 1420	2 400L			
NW 116D	8/20/08 1445	2 400L			
G2A-3 DUP	8/20/08 1400	1 500L			
Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed VanDoren					
Shaw Environmental, Inc.					
11 Northeastern Blvd.					
SaLem, NH 03079-1953					
PHONE #: 603-870-4530 FAX #: 603-870-4501					
E-mail: Edward.VanDoren@Shawgrp.com					
Retrieved By: <i>[Signature]</i>					
Date/Time: 8/20/08 1445					
Received By: <i>[Signature]</i>					
Date/Time: 8/20/08 0940					
Received By: <i>[Signature]</i>					
Date/Time: 8/20/08 1215					
Received By: <i>[Signature]</i>					
Samples arriving after 12:00 noon will be tracked and billed as received on the following day.					
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.					
White: Lab Copy Yellow: Client Copy					
SHEET 3 OF 3 AMROCC2004, Rev.3 08/18/04					

Required Reporting Limits:
 S-1 GW-1
 S-2 GW-2
 S-3 GW-3
 Other:

MCP Methods Needed:
 YES NO
 AMRO report package level needed:
 YES NO
 EDD required:
 GISKey Format

KNOWN SITE
 CONTAMINATION:

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed VanDoren	AMRO Project No.: 0808067
P.O.#: 157431	Results Needed by:	Matrix	Requested Analytes	Remarks
QUOTE #:	Standard TAT	Comp. Grab		
	Seal Intact? Yes No N/A	Total # of Cont & Size		
Sample ID:	Date/Time Sampled			
MW-201D	8/20/18 1115	2-40A VOC		
CW-6	8/20/18 1130	2-40A VOC		
CW-6 DUP	8/20/18 1130	2-40A VOC		
MW-216S	8/20/18 1145	2-40A VOC		
MW-216D	8/20/18 1200	2-40A VOC		
MW-209D	8/20/18 1215	2-40A VOC		
MW-112	8/20/18 1120	2-40A VOC		
MW-217S	8/20/18 1230	2-40A VOC		
MW-217D	8/20/18 1245	2-40A VOC		
CW-1	8/20/18 1300	2-40A VOC		
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other				
Send Results To: Ed VanDoren				
Shaw Environmental, Inc.				
11 Northeastern Blvd.				
Salem, NH 03079-1953				
PHONE #: 603-870-4530 FAX #: 603-870-4501				
E-mail: Edward.VanDoren@Shawgrp.com				
Relinquished By: <i>Ed VanDoren</i>				
Date/Time: 8/20/18 1145				
Received By: <i>W. Lawson</i>				
Date/Time: 8/20/18 0940				
Received By: <i>W. Lawson</i>				
Date/Time: 8/20/18 1215				
Received By: <i>W. Lawson</i>				
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.				
Samples arriving after 12:00 noon will be tracked and billed as received on the following day.				
White: Lab Copy Yellow: Client Copy				
SHEET 3 OF 3				
AMROCC2004, Rev.3 08/18/04				

57001

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed VanDoren	AMRO Project No.: 0808067
P.O.#: 157431	Results Needed by:	Total # of Cont. & Size	Requested Analyses	Remarks
QUOTE #:	Standard TAT	Matrix	Requested Analyses	
	Seal Intact? Yes No N/A	GW		
Sample ID.:	Date/Time Sampled	Comp.		
MW-207S	8/20/08 8:18 AM	✓	TPH	
MW-207D	8/20/08 8:30 AM	✓	Dissolved Lead	
TRIP BUNK	BY LAB	✓	Voc (EPA 8260B)	
MW-202S	8/20/08 9:00 AM	✓		
MW-202D	8/20/08 9:30 AM	✓		
MW-101D	8/20/08 10:00 AM	✓		
MW-101S	8/20/08 10:30 AM	✓		
MW-101S DCP	8/20/08 10:30 AM	✓		
MW-218S	8/20/08 10:45 AM	✓		
MW-218D	8/20/08 11:00 AM	✓		
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other				
Send Results To: Ed VanDoren Shaw Environmental, Inc. 11 Northeastern Blvd. Salem, NH 03079-1953		METALS 8 RCRA <input type="checkbox"/> 13 PP <input type="checkbox"/> 23 TAL <input type="checkbox"/> 14 MCP <input type="checkbox"/> Method: 6010 <input type="checkbox"/> 200.7 <input type="checkbox"/> Other Metals: Dissolved Lead Dissolved Metals Field Filtered? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
PHONE #: 603-870-4530 E-mail: Edward.VanDoren@Shawgrp.com		MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/> Received By: <i>Ed VanDoren</i>		
Requested By: <i>Ed VanDoren</i>		Required Reporting Limits: S-1 <input type="checkbox"/> GW-1 <input type="checkbox"/> S-2 <input type="checkbox"/> GW-2 <input type="checkbox"/> S-3 <input type="checkbox"/> GW-3 <input type="checkbox"/> Other:		
Date/Time: 8/20/08 11:15		EDD required: GIS Key Format AMRO report package level needed:		
Spike 09:40		AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.		
Spike 11:15		KNOWN SITE CONTAMINATION:		
Samples arriving after 12:00 noon will be traced and billed as received on the following day.		SHEET 3 OF 3 AMROCC2004_Rev.3 08/18/04		

White: Lab Copy Yellow: Client Copy

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0808067

CASE NARRATIVE

GC/MS VOLATILES:

1. The surrogate Toluene-d8 recovered below the laboratory control limits in samples CW-2 (0808067-01A), GZA-3 (0808067-02A), MW-109D (0808067-03A), MW-116S (0808067-04A), MW-116D (0808067-05A), MW-216S (0808067-10A), MW-216D (0808067-11A), MW-209D (0808067-12A), MW-112 (0808067-13A), MW-217D (0808067-15A), MW-207S (0808067-17A) and Trip Blank (0808067-19A).
2. The surrogate Toluene-d8 recovered above the laboratory control limits in samples MW-202S (0808067-20A), MW-202D (0808067-21A) and MW-218S (0808067-25A).
3. The surrogate Toluene-d8 recovered below the laboratory control limits in the method blank mb-08/25/08 (Batch ID: R40761).
4. A Laboratory Control Sample (LCS) was performed on 08/25/08 (Batch ID: R40761).
 - 4.1 The % Recovery for 10 analytes out of 67 analytes in the LCS was outside the laboratory control limits.
 - 4.2 The surrogate Toluene-d8 recovered below the laboratory control limits in the LCS.
5. A Laboratory Control Sample (LCS) was performed on 08/28/08 (Batch ID: R40797).
 - 5.1 The % Recovery for 3 analytes out of 67 analytes in the LCS was outside the laboratory control limits.
6. A Laboratory Control Sample (LCS) was performed on 09/01/08 (Batch ID: R40805).
 - 6.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.
7. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-216D (0808067-11A) (Batch ID: R40781).
 - 7.1 The % Recovery for 2 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

TPH GC/FID:

1. No QC deviations were observed.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0808067

CASE NARRATIVE

METALS:

1. No QC deviations were observed.

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC Too numerous to count

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-01A

Client Sample ID: CW-2
Collection Date: 8/20/2008 1:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
Chloromethane	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Chloroethane	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
Bromomethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
Acetone	ND	10		µg/L	1	8/25/2008 2:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/25/2008 2:36:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
2-Butanone	ND	10		µg/L	1	8/25/2008 2:36:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Chloroform	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/25/2008 2:36:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Benzene	ND	1.0		µg/L	1	8/25/2008 2:36:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/25/2008 2:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 2:36:00 PM
Toluene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 2:36:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
2-Hexanone	ND	10		µg/L	1	8/25/2008 2:36:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-01A

Client Sample ID: CW-2
Collection Date: 8/20/2008 1:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
o-Xylene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Styrene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Bromoform	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Naphthalene	ND	5.0		µg/L	1	8/25/2008 2:36:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 2:36:00 PM
Surr: Dibromofluoromethane	86.0	85-119		%REC	1	8/25/2008 2:36:00 PM
Surr: 1,2-Dichloroethane-d4	88.4	79-131		%REC	1	8/25/2008 2:36:00 PM
Surr: Toluene-d8	88.5	90-110	S	%REC	1	8/25/2008 2:36:00 PM
Surr: 4-Bromofluorobenzene	89.0	76-117		%REC	1	8/25/2008 2:36:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Lab Order: 0808067
 Project: 130274 Textron Gorham
 Lab ID: 0808067-02A

Client Sample ID: GZA-3
 Collection Date: 8/20/2008 2:00:00 PM
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
Chloromethane	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
Vinyl chloride	24	2.0		µg/L	1	8/25/2008 3:11:00 PM
Chloroethane	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
Bromomethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
Acetone	ND	10		µg/L	1	8/25/2008 3:11:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/25/2008 3:11:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,1-Dichloroethane	2.4	2.0		µg/L	1	8/25/2008 3:11:00 PM
2-Butanone	ND	10		µg/L	1	8/25/2008 3:11:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
cis-1,2-Dichloroethene	9.2	2.0		µg/L	1	8/25/2008 3:11:00 PM
Chloroform	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/25/2008 3:11:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Benzene	ND	1.0		µg/L	1	8/25/2008 3:11:00 PM
Trichloroethene	2.7	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/25/2008 3:11:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 3:11:00 PM
Toluene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 3:11:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
2-Hexanone	ND	10		µg/L	1	8/25/2008 3:11:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-02A

Client Sample ID: GZA-3
Collection Date: 8/20/2008 2:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
o-Xylene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Styrene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Bromoform	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Naphthalene	ND	5.0		µg/L	1	8/25/2008 3:11:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:11:00 PM
Surr: Dibromofluoromethane	85.9	85-119		%REC	1	8/25/2008 3:11:00 PM
Surr: 1,2-Dichloroethane-d4	88.6	79-131		%REC	1	8/25/2008 3:11:00 PM
Surr: Toluene-d8	88.1	90-110	S	%REC	1	8/25/2008 3:11:00 PM
Surr: 4-Bromofluorobenzene	91.2	76-117		%REC	1	8/25/2008 3:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-03A

Client Sample ID: MW-109D
Collection Date: 8/20/2008 2:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
Chloromethane	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Chloroethane	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
Bromomethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
Acetone	ND	10		µg/L	1	8/25/2008 3:46:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/25/2008 3:46:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
2-Butanone	ND	10		µg/L	1	8/25/2008 3:46:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Chloroform	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/25/2008 3:46:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Benzene	ND	1.0		µg/L	1	8/25/2008 3:46:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/25/2008 3:46:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 3:46:00 PM
Toluene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 3:46:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
2-Hexanone	ND	10		µg/L	1	8/25/2008 3:46:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-03A

Client Sample ID: MW-109D
Collection Date: 8/20/2008 2:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
o-Xylene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Styrene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Bromoform	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Naphthalene	ND	5.0		µg/L	1	8/25/2008 3:46:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 3:46:00 PM
Surr: Dibromofluoromethane	87.0	85-119		%REC	1	8/25/2008 3:46:00 PM
Surr: 1,2-Dichloroethane-d4	90.7	79-131		%REC	1	8/25/2008 3:46:00 PM
Surr: Toluene-d8	85.7	90-110	S	%REC	1	8/25/2008 3:46:00 PM
Surr: 4-Bromofluorobenzene	93.5	76-117		%REC	1	8/25/2008 3:46:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-04A

Client Sample ID: MW-116S
Collection Date: 8/20/2008 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
Chloromethane	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Chloroethane	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
Bromomethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
Acetone	ND	10		µg/L	1	8/25/2008 4:20:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/25/2008 4:20:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
2-Butanone	ND	10		µg/L	1	8/25/2008 4:20:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Chloroform	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/25/2008 4:20:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Benzene	ND	1.0		µg/L	1	8/25/2008 4:20:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/25/2008 4:20:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 4:20:00 PM
Toluene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 4:20:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
2-Hexanone	ND	10		µg/L	1	8/25/2008 4:20:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-04A

Client Sample ID: MW-116S
Collection Date: 8/20/2008 2:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
o-Xylene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Styrene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Bromoform	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Naphthalene	ND	5.0		µg/L	1	8/25/2008 4:20:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:20:00 PM
Surr: Dibromofluoromethane	86.2	85-119		%REC	1	8/25/2008 4:20:00 PM
Surr: 1,2-Dichloroethane-d4	90.6	79-131		%REC	1	8/25/2008 4:20:00 PM
Surr: Toluene-d8	87.5	90-110	S	%REC	1	8/25/2008 4:20:00 PM
Surr: 4-Bromofluorobenzene	87.8	76-117		%REC	1	8/25/2008 4:20:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-05A

Client Sample ID: MW-116D
Collection Date: 8/20/2008 2:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
Chloromethane	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Chloroethane	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
Bromomethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
Acetone	ND	10		µg/L	1	8/25/2008 4:55:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/25/2008 4:55:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
2-Butanone	ND	10		µg/L	1	8/25/2008 4:55:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Chloroform	16	2.0		µg/L	1	8/25/2008 4:55:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/25/2008 4:55:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Benzene	ND	1.0		µg/L	1	8/25/2008 4:55:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/25/2008 4:55:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 4:55:00 PM
Toluene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 4:55:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
2-Hexanone	ND	10		µg/L	1	8/25/2008 4:55:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Tetrachloroethene	2.9	2.0		µg/L	1	8/25/2008 4:55:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-05A

Client Sample ID: MW-116D
Collection Date: 8/20/2008 2:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
o-Xylene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Styrene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Bromoform	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Naphthalene	ND	5.0		µg/L	1	8/25/2008 4:55:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 4:55:00 PM
Surr: Dibromofluoromethane	85.3	85-119		%REC	1	8/25/2008 4:55:00 PM
Surr: 1,2-Dichloroethane-d4	90.8	79-131		%REC	1	8/25/2008 4:55:00 PM
Surr: Toluene-d8	87.1	90-110	S	%REC	1	8/25/2008 4:55:00 PM
Surr: 4-Bromofluorobenzene	91.6	76-117		%REC	1	8/25/2008 4:55:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-07A

Client Sample ID: MW-201D
Collection Date: 8/20/2008 11:15:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	500		µg/L	100	8/28/2008 1:51:00 PM
Chloromethane	ND	500		µg/L	100	8/28/2008 1:51:00 PM
Vinyl chloride	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Chloroethane	ND	500		µg/L	100	8/28/2008 1:51:00 PM
Bromomethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Diethyl ether	ND	500		µg/L	100	8/28/2008 1:51:00 PM
Acetone	ND	1,000		µg/L	100	8/28/2008 1:51:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	8/28/2008 1:51:00 PM
Carbon disulfide	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Methylene chloride	ND	500		µg/L	100	8/28/2008 1:51:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/28/2008 1:51:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
2-Butanone	ND	1,000		µg/L	100	8/28/2008 1:51:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Chloroform	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/28/2008 1:51:00 PM
Bromochloromethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Benzene	ND	100		µg/L	100	8/28/2008 1:51:00 PM
Trichloroethene	530	200		µg/L	100	8/28/2008 1:51:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Dibromomethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/28/2008 1:51:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 1:51:00 PM
Toluene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 1:51:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/28/2008 1:51:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Tetrachloroethene	5,900	200		µg/L	100	8/28/2008 1:51:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-07A

Client Sample ID: MW-201D
Collection Date: 8/20/2008 11:15:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Ethylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
m,p-Xylene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
o-Xylene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Styrene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Bromoform	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Bromobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/28/2008 1:51:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Naphthalene	ND	500		µg/L	100	8/28/2008 1:51:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 1:51:00 PM
Surr: Dibromofluoromethane	92.4	85-119		%REC	100	8/28/2008 1:51:00 PM
Surr: 1,2-Dichloroethane-d4	108	79-131		%REC	100	8/28/2008 1:51:00 PM
Surr: Toluene-d8	109	90-110		%REC	100	8/28/2008 1:51:00 PM
Surr: 4-Bromofluorobenzene	93.9	76-117		%REC	100	8/28/2008 1:51:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-10A

Client Sample ID: MW-216S
Collection Date: 8/20/2008 11:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/25/2008 5:29:00 PM
Chloromethane	ND	5.0		µg/L	1	8/25/2008 5:29:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Chloroethane	ND	5.0		µg/L	1	8/25/2008 5:29:00 PM
Bromomethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/25/2008 5:29:00 PM
Acetone	ND	10		µg/L	1	8/25/2008 5:29:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/25/2008 5:29:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/25/2008 5:29:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,1-Dichloroethane	2.0	2.0		µg/L	1	8/25/2008 5:29:00 PM
2-Butanone	ND	10		µg/L	1	8/25/2008 5:29:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
cis-1,2-Dichloroethene	63	2.0		µg/L	1	8/25/2008 5:29:00 PM
Chloroform	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/25/2008 5:29:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Benzene	ND	1.0		µg/L	1	8/25/2008 5:29:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/25/2008 5:29:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 5:29:00 PM
Toluene	3.2	2.0		µg/L	1	8/25/2008 5:29:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/25/2008 5:29:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
2-Hexanone	ND	10		µg/L	1	8/25/2008 5:29:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-10A

Client Sample ID: MW-216S
Collection Date: 8/20/2008 11:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Ethylbenzene	3.2	2.0		µg/L	1	8/25/2008 5:29:00 PM
m,p-Xylene	8.5	2.0		µg/L	1	8/25/2008 5:29:00 PM
o-Xylene	10	2.0		µg/L	1	8/25/2008 5:29:00 PM
Styrene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Bromoform	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,3,5-Trimethylbenzene	13	2.0		µg/L	1	8/25/2008 5:29:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2,4-Trimethylbenzene	17	2.0		µg/L	1	8/25/2008 5:29:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
4-Isopropyltoluene	2.2	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/25/2008 5:29:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Naphthalene	25	5.0		µg/L	1	8/25/2008 5:29:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/25/2008 5:29:00 PM
Surr: Dibromofluoromethane	87.8	85-119		%REC	1	8/25/2008 5:29:00 PM
Surr: 1,2-Dichloroethane-d4	92.6	79-131		%REC	1	8/25/2008 5:29:00 PM
Surr: Toluene-d8	87.6	90-110	S	%REC	1	8/25/2008 5:29:00 PM
Surr: 4-Bromofluorobenzene	93.1	76-117		%REC	1	8/25/2008 5:29:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-11A

Client Sample ID: MW-216D
Collection Date: 8/20/2008 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
Chloromethane	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Chloroethane	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
Bromomethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
Acetone	ND	10		µg/L	1	8/27/2008 2:43:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/27/2008 2:43:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
2-Butanone	ND	10		µg/L	1	8/27/2008 2:43:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Chloroform	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/27/2008 2:43:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Benzene	ND	1.0		µg/L	1	8/27/2008 2:43:00 PM
Trichloroethene	2.2	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/27/2008 2:43:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 2:43:00 PM
Toluene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 2:43:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
2-Hexanone	ND	10		µg/L	1	8/27/2008 2:43:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-11A

Client Sample ID: MW-216D
Collection Date: 8/20/2008 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
o-Xylene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Styrene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Bromoform	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Naphthalene	ND	5.0		µg/L	1	8/27/2008 2:43:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 2:43:00 PM
Surr: Dibromofluoromethane	99.5	85-119		%REC	1	8/27/2008 2:43:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	1	8/27/2008 2:43:00 PM
Surr: Toluene-d8	88.2	90-110	S	%REC	1	8/27/2008 2:43:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	1	8/27/2008 2:43:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-12A

Client Sample ID: MW-209D
Collection Date: 8/20/2008 12:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
Chloromethane	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Chloroethane	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
Bromomethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
Acetone	ND	10		µg/L	1	8/27/2008 3:18:00 PM
1,1-Dichloroethene	4.0	1.0		µg/L	1	8/27/2008 3:18:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
Methyl tert-butyl ether	6.8	2.0		µg/L	1	8/27/2008 3:18:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
2-Butanone	ND	10		µg/L	1	8/27/2008 3:18:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
cis-1,2-Dichloroethene	10	2.0		µg/L	1	8/27/2008 3:18:00 PM
Chloroform	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/27/2008 3:18:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Benzene	ND	1.0		µg/L	1	8/27/2008 3:18:00 PM
Trichloroethene	190	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/27/2008 3:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 3:18:00 PM
Toluene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 3:18:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
2-Hexanone	ND	10		µg/L	1	8/27/2008 3:18:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Tetrachloroethene	690	40		µg/L	20	8/28/2008 10:23:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-12A

Client Sample ID: MW-209D
Collection Date: 8/20/2008 12:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
o-Xylene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Styrene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Bromoform	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Naphthalene	ND	5.0		µg/L	1	8/27/2008 3:18:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:18:00 PM
Surr: Dibromofluoromethane	98.9	85-119		%REC	1	8/27/2008 3:18:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	79-131		%REC	1	8/27/2008 3:18:00 PM
Surr: Toluene-d8	88.3	90-110	S	%REC	1	8/27/2008 3:18:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	8/27/2008 3:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-112
Lab Order:	0808067	Collection Date:	8/20/2008 11:20:00 AM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0808067-13A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
Chloromethane	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Chloroethane	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
Bromomethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
Acetone	ND	10		µg/L	1	8/27/2008 3:53:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/27/2008 3:53:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
2-Butanone	ND	10		µg/L	1	8/27/2008 3:53:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Chloroform	22	2.0		µg/L	1	8/27/2008 3:53:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/27/2008 3:53:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Benzene	ND	1.0		µg/L	1	8/27/2008 3:53:00 PM
Trichloroethene	3.5	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Bromodichloromethane	2.2	2.0		µg/L	1	8/27/2008 3:53:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/27/2008 3:53:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 3:53:00 PM
Toluene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 3:53:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
2-Hexanone	ND	10		µg/L	1	8/27/2008 3:53:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Tetrachloroethene	340	20		µg/L	10	8/28/2008 10:58:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-112

Lab Order: 0808067

Collection Date: 8/20/2008 11:20:00 AM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0808067-13A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
o-Xylene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Styrene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Bromoform	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Naphthalene	ND	5.0		µg/L	1	8/27/2008 3:53:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 3:53:00 PM
Surr: Dibromofluoromethane	96.2	85-119		%REC	1	8/27/2008 3:53:00 PM
Surr: 1,2-Dichloroethane-d4	98.8	79-131		%REC	1	8/27/2008 3:53:00 PM
Surr: Toluene-d8	87.2	90-110	S	%REC	1	8/27/2008 3:53:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	8/27/2008 3:53:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Lab Order: 0808067
 Project: 130274 Textron Gorham
 Lab ID: 0808067-14A

Client Sample ID: MW-217S
 Collection Date: 8/20/2008 12:30:00 PM
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/28/2008 9:49:00 AM
Chloromethane	ND	5.0		µg/L	1	8/28/2008 9:49:00 AM
Vinyl chloride	4.9	2.0		µg/L	1	8/28/2008 9:49:00 AM
Chloroethane	ND	5.0		µg/L	1	8/28/2008 9:49:00 AM
Bromomethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Diethyl ether	ND	5.0		µg/L	1	8/28/2008 9:49:00 AM
Acetone	ND	10		µg/L	1	8/28/2008 9:49:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/28/2008 9:49:00 AM
Carbon disulfide	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Methylene chloride	ND	5.0		µg/L	1	8/28/2008 9:49:00 AM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
2-Butanone	ND	10		µg/L	1	8/28/2008 9:49:00 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
cis-1,2-Dichloroethene	55	2.0		µg/L	1	8/28/2008 9:49:00 AM
Chloroform	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Tetrahydrofuran	ND	10		µg/L	1	8/28/2008 9:49:00 AM
Bromochloromethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Carbon tetrachloride	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Benzene	ND	1.0		µg/L	1	8/28/2008 9:49:00 AM
Trichloroethene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Bromodichloromethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Dibromomethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/28/2008 9:49:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/28/2008 9:49:00 AM
Toluene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/28/2008 9:49:00 AM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
2-Hexanone	ND	10		µg/L	1	8/28/2008 9:49:00 AM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Tetrachloroethene	3.4	2.0		µg/L	1	8/28/2008 9:49:00 AM
Dibromochloromethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-14A

Client Sample ID: MW-217S
Collection Date: 8/20/2008 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Ethylbenzene	3.1	2.0		µg/L	1	8/28/2008 9:49:00 AM
m,p-Xylene	2.7	2.0		µg/L	1	8/28/2008 9:49:00 AM
o-Xylene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Styrene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Bromoform	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Isopropylbenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Bromobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
n-Propylbenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
2-Chlorotoluene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
4-Chlorotoluene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
tert-Butylbenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2,4-Trimethylbenzene	3.2	2.0		µg/L	1	8/28/2008 9:49:00 AM
sec-Butylbenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
n-Butylbenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/28/2008 9:49:00 AM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Naphthalene	19	5.0		µg/L	1	8/28/2008 9:49:00 AM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/28/2008 9:49:00 AM
Surr: Dibromofluoromethane	94.8	85-119		%REC	1	8/28/2008 9:49:00 AM
Surr: 1,2-Dichloroethane-d4	105	79-131		%REC	1	8/28/2008 9:49:00 AM
Surr: Toluene-d8	105	90-110		%REC	1	8/28/2008 9:49:00 AM
Surr: 4-Bromofluorobenzene	94.3	76-117		%REC	1	8/28/2008 9:49:00 AM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-217D
Lab Order:	0808067	Collection Date:	8/20/2008 12:45:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0808067-15A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
Chloromethane	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Chloroethane	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
Bromomethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
Acetone	ND	10		µg/L	1	8/27/2008 5:03:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/27/2008 5:03:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
2-Butanone	ND	10		µg/L	1	8/27/2008 5:03:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
cis-1,2-Dichloroethene	110	2.0		µg/L	1	8/27/2008 5:03:00 PM
Chloroform	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/27/2008 5:03:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Benzene	ND	1.0		µg/L	1	8/27/2008 5:03:00 PM
Trichloroethene	25	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/27/2008 5:03:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 5:03:00 PM
Toluene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 5:03:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
2-Hexanone	ND	10		µg/L	1	8/27/2008 5:03:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-15A

Client Sample ID: MW-217D
Collection Date: 8/20/2008 12:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
o-Xylene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Styrene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Bromoform	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Naphthalene	ND	5.0		µg/L	1	8/27/2008 5:03:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 5:03:00 PM
Surr: Dibromofluoromethane	98.2	85-119		%REC	1	8/27/2008 5:03:00 PM
Surr: 1,2-Dichloroethane-d4	98.3	79-131		%REC	1	8/27/2008 5:03:00 PM
Surr: Toluene-d8	89.2	90-110	S	%REC	1	8/27/2008 5:03:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	1	8/27/2008 5:03:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** CW-1
Lab Order: 0808067 **Collection Date:** 8/20/2008 1:00:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0808067-16A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	100		µg/L	20	8/28/2008 11:32:00 AM
Chloromethane	ND	100		µg/L	20	8/28/2008 11:32:00 AM
Vinyl chloride	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Chloroethane	ND	100		µg/L	20	8/28/2008 11:32:00 AM
Bromomethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Trichlorofluoromethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Diethyl ether	ND	100		µg/L	20	8/28/2008 11:32:00 AM
Acetone	ND	200		µg/L	20	8/28/2008 11:32:00 AM
1,1-Dichloroethene	130	20		µg/L	20	8/28/2008 11:32:00 AM
Carbon disulfide	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Methylene chloride	ND	100		µg/L	20	8/28/2008 11:32:00 AM
Methyl tert-butyl ether	ND	40		µg/L	20	8/28/2008 11:32:00 AM
trans-1,2-Dichloroethene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,1-Dichloroethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
2-Butanone	ND	200		µg/L	20	8/28/2008 11:32:00 AM
2,2-Dichloropropane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
cis-1,2-Dichloroethene	420	40		µg/L	20	8/28/2008 11:32:00 AM
Chloroform	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Tetrahydrofuran	ND	200		µg/L	20	8/28/2008 11:32:00 AM
Bromochloromethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,1,1-Trichloroethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,1-Dichloropropene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Carbon tetrachloride	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,2-Dichloroethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Benzene	ND	20		µg/L	20	8/28/2008 11:32:00 AM
Trichloroethene	5,500	40		µg/L	20	8/28/2008 11:32:00 AM
1,2-Dichloropropane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Bromodichloromethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Dibromomethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
4-Methyl-2-pentanone	ND	200		µg/L	20	8/28/2008 11:32:00 AM
cis-1,3-Dichloropropene	ND	20		µg/L	20	8/28/2008 11:32:00 AM
Toluene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
trans-1,3-Dichloropropene	ND	20		µg/L	20	8/28/2008 11:32:00 AM
1,1,2-Trichloroethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,2-Dibromoethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
2-Hexanone	ND	200		µg/L	20	8/28/2008 11:32:00 AM
1,3-Dichloropropane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Tetrachloroethene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Dibromochloromethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-16A

Client Sample ID: CW-1
Collection Date: 8/20/2008 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Ethylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
m,p-Xylene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
o-Xylene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Styrene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Bromoform	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Isopropylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,2,3-Trichloropropane	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Bromobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
n-Propylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
2-Chlorotoluene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
4-Chlorotoluene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
tert-Butylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
sec-Butylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
4-Isopropyltoluene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,3-Dichlorobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,4-Dichlorobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
n-Butylbenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,2-Dichlorobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	8/28/2008 11:32:00 AM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Hexachlorobutadiene	ND	100		µg/L	20	8/28/2008 11:32:00 AM
Naphthalene	ND	100		µg/L	20	8/28/2008 11:32:00 AM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	8/28/2008 11:32:00 AM
Surr: Dibromofluoromethane	98.4	85-119		%REC	20	8/28/2008 11:32:00 AM
Surr: 1,2-Dichloroethane-d4	100	79-131		%REC	20	8/28/2008 11:32:00 AM
Surr: Toluene-d8	108	90-110		%REC	20	8/28/2008 11:32:00 AM
Surr: 4-Bromofluorobenzene	94.6	76-117		%REC	20	8/28/2008 11:32:00 AM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-17A

Client Sample ID: MW-207S
Collection Date: 8/20/2008 8:15:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	8/27/2008 5:37:00 PM
Chloromethane	ND	50		µg/L	10	8/27/2008 5:37:00 PM
Vinyl chloride	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Chloroethane	ND	50		µg/L	10	8/27/2008 5:37:00 PM
Bromomethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Diethyl ether	ND	50		µg/L	10	8/27/2008 5:37:00 PM
Acetone	ND	100		µg/L	10	8/27/2008 5:37:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/27/2008 5:37:00 PM
Carbon disulfide	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Methylene chloride	ND	50		µg/L	10	8/27/2008 5:37:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/27/2008 5:37:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
2-Butanone	ND	100		µg/L	10	8/27/2008 5:37:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Chloroform	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/27/2008 5:37:00 PM
Bromochloromethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Benzene	ND	10		µg/L	10	8/27/2008 5:37:00 PM
Trichloroethene	110	20		µg/L	10	8/27/2008 5:37:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Dibromomethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/27/2008 5:37:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 5:37:00 PM
Toluene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 5:37:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
2-Hexanone	ND	100		µg/L	10	8/27/2008 5:37:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Tetrachloroethene	2,000	20		µg/L	10	8/27/2008 5:37:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-17A

Client Sample ID: MW-207S
Collection Date: 8/20/2008 8:15:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Ethylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
m,p-Xylene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
o-Xylene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Styrene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Bromoform	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Bromobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/27/2008 5:37:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Naphthalene	ND	50		µg/L	10	8/27/2008 5:37:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 5:37:00 PM
Surr: Dibromofluoromethane	96.8	85-119		%REC	10	8/27/2008 5:37:00 PM
Surr: 1,2-Dichloroethane-d4	98.4	79-131		%REC	10	8/27/2008 5:37:00 PM
Surr: Toluene-d8	87.9	90-110	S	%REC	10	8/27/2008 5:37:00 PM
Surr: 4-Bromofluorobenzene	104	76-117		%REC	10	8/27/2008 5:37:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-18A

Client Sample ID: MW-207D
Collection Date: 8/20/2008 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	100		µg/L	20	8/27/2008 9:11:00 PM
Chloromethane	ND	100		µg/L	20	8/27/2008 9:11:00 PM
Vinyl chloride	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Chloroethane	ND	100		µg/L	20	8/27/2008 9:11:00 PM
Bromomethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Trichlorofluoromethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Diethyl ether	ND	100		µg/L	20	8/27/2008 9:11:00 PM
Acetone	ND	200		µg/L	20	8/27/2008 9:11:00 PM
1,1-Dichloroethene	ND	20		µg/L	20	8/27/2008 9:11:00 PM
Carbon disulfide	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Methylene chloride	ND	100		µg/L	20	8/27/2008 9:11:00 PM
Methyl tert-butyl ether	ND	40		µg/L	20	8/27/2008 9:11:00 PM
trans-1,2-Dichloroethene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,1-Dichloroethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
2-Butanone	ND	200		µg/L	20	8/27/2008 9:11:00 PM
2,2-Dichloropropane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
cis-1,2-Dichloroethene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Chloroform	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Tetrahydrofuran	ND	200		µg/L	20	8/27/2008 9:11:00 PM
Bromochloromethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,1,1-Trichloroethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,1-Dichloropropene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Carbon tetrachloride	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,2-Dichloroethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Benzene	ND	20		µg/L	20	8/27/2008 9:11:00 PM
Trichloroethene	140	40		µg/L	20	8/27/2008 9:11:00 PM
1,2-Dichloropropane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Bromodichloromethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Dibromomethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
4-Methyl-2-pentanone	ND	200		µg/L	20	8/27/2008 9:11:00 PM
cis-1,3-Dichloropropene	ND	20		µg/L	20	8/27/2008 9:11:00 PM
Toluene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
trans-1,3-Dichloropropene	ND	20		µg/L	20	8/27/2008 9:11:00 PM
1,1,2-Trichloroethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,2-Dibromoethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
2-Hexanone	ND	200		µg/L	20	8/27/2008 9:11:00 PM
1,3-Dichloropropane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Tetrachloroethene	4,800	40		µg/L	20	8/27/2008 9:11:00 PM
Dibromochloromethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-18A

Client Sample ID: MW-207D
Collection Date: 8/20/2008 8:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Ethylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
m,p-Xylene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
o-Xylene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Styrene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Bromoform	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Isopropylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,2,3-Trichloropropane	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Bromobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
n-Propylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
2-Chlorotoluene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
4-Chlorotoluene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
tert-Butylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
sec-Butylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
4-Isopropyltoluene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,3-Dichlorobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,4-Dichlorobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
n-Butylbenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,2-Dichlorobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	8/27/2008 9:11:00 PM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Hexachlorobutadiene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Naphthalene	ND	100		µg/L	20	8/27/2008 9:11:00 PM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	8/27/2008 9:11:00 PM
Surr: Dibromofluoromethane	109	85-119		%REC	20	8/27/2008 9:11:00 PM
Surr: 1,2-Dichloroethane-d4	113	79-131		%REC	20	8/27/2008 9:11:00 PM
Surr: Toluene-d8	103	90-110		%REC	20	8/27/2008 9:11:00 PM
Surr: 4-Bromofluorobenzene	99.6	76-117		%REC	20	8/27/2008 9:11:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-19A

Client Sample ID: Trip Blank
Collection Date: 8/20/2008
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
Chloromethane	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Chloroethane	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
Bromomethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Diethyl ether	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
Acetone	ND	10		µg/L	1	8/27/2008 1:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/27/2008 1:34:00 PM
Carbon disulfide	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
2-Butanone	ND	10		µg/L	1	8/27/2008 1:34:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Chloroform	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Tetrahydrofuran	ND	10		µg/L	1	8/27/2008 1:34:00 PM
Bromochloromethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Benzene	ND	1.0		µg/L	1	8/27/2008 1:34:00 PM
Trichloroethene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Dibromomethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/27/2008 1:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 1:34:00 PM
Toluene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/27/2008 1:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
2-Hexanone	ND	10		µg/L	1	8/27/2008 1:34:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-19A

Client Sample ID: Trip Blank
Collection Date: 8/20/2008
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Ethylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
m,p-Xylene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
o-Xylene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Styrene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Bromoform	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Bromobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Naphthalene	ND	5.0		µg/L	1	8/27/2008 1:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	8/27/2008 1:34:00 PM
Surr: Dibromofluoromethane	96.6	85-119		%REC	1	8/27/2008 1:34:00 PM
Surr: 1,2-Dichloroethane-d4	97.4	79-131		%REC	1	8/27/2008 1:34:00 PM
Surr: Toluene-d8	87.6	90-110	S	%REC	1	8/27/2008 1:34:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	8/27/2008 1:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-20A

Client Sample ID: MW-202S
Collection Date: 8/20/2008 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	8/28/2008 2:26:00 PM
Chloromethane	ND	500		µg/L	100	8/28/2008 2:26:00 PM
Vinyl chloride	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Chloroethane	ND	500		µg/L	100	8/28/2008 2:26:00 PM
Bromomethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Diethyl ether	ND	500		µg/L	100	8/28/2008 2:26:00 PM
Acetone	ND	1,000		µg/L	100	8/28/2008 2:26:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	8/28/2008 2:26:00 PM
Carbon disulfide	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Methylene chloride	ND	500		µg/L	100	8/28/2008 2:26:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/28/2008 2:26:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
2-Butanone	ND	1,000		µg/L	100	8/28/2008 2:26:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Chloroform	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/28/2008 2:26:00 PM
Bromochloromethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Benzene	ND	100		µg/L	100	8/28/2008 2:26:00 PM
Trichloroethene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Dibromomethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/28/2008 2:26:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 2:26:00 PM
Toluene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 2:26:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/28/2008 2:26:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Tetrachloroethene	9,300	200		µg/L	100	8/28/2008 2:26:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-20A

Client Sample ID: MW-202S
Collection Date: 8/20/2008 9:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Ethylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
m,p-Xylene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
o-Xylene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Styrene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Bromoform	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Bromobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/28/2008 2:26:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Naphthalene	ND	500		µg/L	100	8/28/2008 2:26:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 2:26:00 PM
Surr: Dibromofluoromethane	103	85-119		%REC	100	8/28/2008 2:26:00 PM
Surr: 1,2-Dichloroethane-d4	110	79-131		%REC	100	8/28/2008 2:26:00 PM
Surr: Toluene-d8	115	90-110	S	%REC	100	8/28/2008 2:26:00 PM
Surr: 4-Bromofluorobenzene	95.7	76-117		%REC	100	8/28/2008 2:26:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-21A

Client Sample ID: MW-202D
Collection Date: 8/20/2008 9:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	8/28/2008 3:00:00 PM
Chloromethane	ND	500		µg/L	100	8/28/2008 3:00:00 PM
Vinyl chloride	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Chloroethane	ND	500		µg/L	100	8/28/2008 3:00:00 PM
Bromomethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Diethyl ether	ND	500		µg/L	100	8/28/2008 3:00:00 PM
Acetone	ND	1,000		µg/L	100	8/28/2008 3:00:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	8/28/2008 3:00:00 PM
Carbon disulfide	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Methylene chloride	ND	500		µg/L	100	8/28/2008 3:00:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/28/2008 3:00:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
2-Butanone	ND	1,000		µg/L	100	8/28/2008 3:00:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Chloroform	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/28/2008 3:00:00 PM
Bromochloromethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Benzene	ND	100		µg/L	100	8/28/2008 3:00:00 PM
Trichloroethene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Dibromomethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/28/2008 3:00:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 3:00:00 PM
Toluene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 3:00:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/28/2008 3:00:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Tetrachloroethene	31,000	2,000		µg/L	1000	9/1/2008 2:40:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-202D
Lab Order: 0808067 **Collection Date:** 8/20/2008 9:30:00 AM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0808067-21A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Ethylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
m,p-Xylene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
o-Xylene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Styrene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Bromoform	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Bromobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/28/2008 3:00:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Naphthalene	ND	500		µg/L	100	8/28/2008 3:00:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 3:00:00 PM
Surr: Dibromofluoromethane	103	85-119		%REC	100	8/28/2008 3:00:00 PM
Surr: 1,2-Dichloroethane-d4	116	79-131		%REC	100	8/28/2008 3:00:00 PM
Surr: Toluene-d8	116	90-110	S	%REC	100	8/28/2008 3:00:00 PM
Surr: 4-Bromofluorobenzene	92.3	76-117		%REC	100	8/28/2008 3:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-22A

Client Sample ID: MW-101D
Collection Date: 8/20/2008 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	8/28/2008 3:35:00 PM
Chloromethane	ND	500		µg/L	100	8/28/2008 3:35:00 PM
Vinyl chloride	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Chloroethane	ND	500		µg/L	100	8/28/2008 3:35:00 PM
Bromomethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Diethyl ether	ND	500		µg/L	100	8/28/2008 3:35:00 PM
Acetone	ND	1,000		µg/L	100	8/28/2008 3:35:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	8/28/2008 3:35:00 PM
Carbon disulfide	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Methylene chloride	ND	500		µg/L	100	8/28/2008 3:35:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	8/28/2008 3:35:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
2-Butanone	ND	1,000		µg/L	100	8/28/2008 3:35:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Chloroform	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	8/28/2008 3:35:00 PM
Bromochloromethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Carbon tetrachloride	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Benzene	ND	100		µg/L	100	8/28/2008 3:35:00 PM
Trichloroethene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Bromodichloromethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Dibromomethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	8/28/2008 3:35:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 3:35:00 PM
Toluene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	8/28/2008 3:35:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
2-Hexanone	ND	1,000		µg/L	100	8/28/2008 3:35:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Tetrachloroethene	28,000	2,000		µg/L	1000	9/1/2008 3:15:00 PM
Dibromochloromethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-22A

Client Sample ID: MW-101D
Collection Date: 8/20/2008 10:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Ethylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
m,p-Xylene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
o-Xylene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Styrene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Bromoform	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Isopropylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Bromobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
n-Propylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
2-Chlorotoluene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
4-Chlorotoluene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
tert-Butylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
sec-Butylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
n-Butylbenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	8/28/2008 3:35:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Naphthalene	ND	500		µg/L	100	8/28/2008 3:35:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	8/28/2008 3:35:00 PM
Surr: Dibromofluoromethane	95.1	85-119		%REC	100	8/28/2008 3:35:00 PM
Surr: 1,2-Dichloroethane-d4	107	79-131		%REC	100	8/28/2008 3:35:00 PM
Surr: Toluene-d8	107	90-110		%REC	100	8/28/2008 3:35:00 PM
Surr: 4-Bromofluorobenzene	90.3	76-117		%REC	100	8/28/2008 3:35:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-101S
Lab Order:	0808067	Collection Date:	8/20/2008 10:30:00 AM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0808067-23A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	8/27/2008 6:18:00 PM
Chloromethane	ND	50		µg/L	10	8/27/2008 6:18:00 PM
Vinyl chloride	24	20		µg/L	10	8/27/2008 6:18:00 PM
Chloroethane	ND	50		µg/L	10	8/27/2008 6:18:00 PM
Bromomethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Diethyl ether	ND	50		µg/L	10	8/27/2008 6:18:00 PM
Acetone	ND	100		µg/L	10	8/27/2008 6:18:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/27/2008 6:18:00 PM
Carbon disulfide	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Methylene chloride	ND	50		µg/L	10	8/27/2008 6:18:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/27/2008 6:18:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
2-Butanone	ND	100		µg/L	10	8/27/2008 6:18:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
cis-1,2-Dichloroethene	110	20		µg/L	10	8/27/2008 6:18:00 PM
Chloroform	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/27/2008 6:18:00 PM
Bromochloromethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Benzene	ND	10		µg/L	10	8/27/2008 6:18:00 PM
Trichloroethene	50	20		µg/L	10	8/27/2008 6:18:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Dibromomethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/27/2008 6:18:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 6:18:00 PM
Toluene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 6:18:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
2-Hexanone	ND	100		µg/L	10	8/27/2008 6:18:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Tetrachloroethene	45,000	2,000		µg/L	1000	8/28/2008 12:41:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-23A

Client Sample ID: MW-101S
Collection Date: 8/20/2008 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Ethylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
m,p-Xylene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
o-Xylene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Styrene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Bromoform	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Bromobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/27/2008 6:18:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Naphthalene	ND	50		µg/L	10	8/27/2008 6:18:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 6:18:00 PM
Surr: Dibromofluoromethane	96.6	85-119		%REC	10	8/27/2008 6:18:00 PM
Surr: 1,2-Dichloroethane-d4	99.8	79-131		%REC	10	8/27/2008 6:18:00 PM
Surr: Toluene-d8	91.2	90-110		%REC	10	8/27/2008 6:18:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	10	8/27/2008 6:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-24A

Client Sample ID: MW-101S Dup
Collection Date: 8/20/2008 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	8/27/2008 6:53:00 PM
Chloromethane	ND	50		µg/L	10	8/27/2008 6:53:00 PM
Vinyl chloride	25	20		µg/L	10	8/27/2008 6:53:00 PM
Chloroethane	ND	50		µg/L	10	8/27/2008 6:53:00 PM
Bromomethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Diethyl ether	ND	50		µg/L	10	8/27/2008 6:53:00 PM
Acetone	ND	100		µg/L	10	8/27/2008 6:53:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/27/2008 6:53:00 PM
Carbon disulfide	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Methylene chloride	ND	50		µg/L	10	8/27/2008 6:53:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/27/2008 6:53:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
2-Butanone	ND	100		µg/L	10	8/27/2008 6:53:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
cis-1,2-Dichloroethene	110	20		µg/L	10	8/27/2008 6:53:00 PM
Chloroform	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/27/2008 6:53:00 PM
Bromochloromethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Benzene	ND	10		µg/L	10	8/27/2008 6:53:00 PM
Trichloroethene	47	20		µg/L	10	8/27/2008 6:53:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Dibromomethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/27/2008 6:53:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 6:53:00 PM
Toluene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 6:53:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
2-Hexanone	ND	100		µg/L	10	8/27/2008 6:53:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Tetrachloroethene	43,000	2,000		µg/L	1000	8/28/2008 1:16:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-24A

Client Sample ID: MW-101S Dup
Collection Date: 8/20/2008 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Ethylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
m,p-Xylene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
o-Xylene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Styrene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Bromoform	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Bromobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/27/2008 6:53:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Naphthalene	ND	50		µg/L	10	8/27/2008 6:53:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 6:53:00 PM
Surr: Dibromofluoromethane	97.2	85-119		%REC	10	8/27/2008 6:53:00 PM
Surr: 1,2-Dichloroethane-d4	99.2	79-131		%REC	10	8/27/2008 6:53:00 PM
Surr: Toluene-d8	90.7	90-110		%REC	10	8/27/2008 6:53:00 PM
Surr: 4-Bromofluorobenzene	97.3	76-117		%REC	10	8/27/2008 6:53:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-25A

Client Sample ID: MW-218S
Collection Date: 8/20/2008 10:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	50		µg/L	10	8/28/2008 12:07:00 PM
Chloromethane	ND	50		µg/L	10	8/28/2008 12:07:00 PM
Vinyl chloride	42	20		µg/L	10	8/28/2008 12:07:00 PM
Chloroethane	ND	50		µg/L	10	8/28/2008 12:07:00 PM
Bromomethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Diethyl ether	ND	50		µg/L	10	8/28/2008 12:07:00 PM
Acetone	ND	100		µg/L	10	8/28/2008 12:07:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	8/28/2008 12:07:00 PM
Carbon disulfide	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Methylene chloride	ND	50		µg/L	10	8/28/2008 12:07:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/28/2008 12:07:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
2-Butanone	ND	100		µg/L	10	8/28/2008 12:07:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
cis-1,2-Dichloroethene	590	20		µg/L	10	8/28/2008 12:07:00 PM
Chloroform	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/28/2008 12:07:00 PM
Bromochloromethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Benzene	ND	10		µg/L	10	8/28/2008 12:07:00 PM
Trichloroethene	25	20		µg/L	10	8/28/2008 12:07:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Dibromomethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/28/2008 12:07:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/28/2008 12:07:00 PM
Toluene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/28/2008 12:07:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
2-Hexanone	ND	100		µg/L	10	8/28/2008 12:07:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Tetrachloroethene	100	20		µg/L	10	8/28/2008 12:07:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-25A

Client Sample ID: MW-218S
Collection Date: 8/20/2008 10:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Ethylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
m,p-Xylene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
o-Xylene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Styrene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Bromoform	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Bromobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/28/2008 12:07:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Naphthalene	ND	50		µg/L	10	8/28/2008 12:07:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/28/2008 12:07:00 PM
Surr: Dibromofluoromethane	106	85-119		%REC	10	8/28/2008 12:07:00 PM
Surr: 1,2-Dichloroethane-d4	117	79-131		%REC	10	8/28/2008 12:07:00 PM
Surr: Toluene-d8	117	90-110	S	%REC	10	8/28/2008 12:07:00 PM
Surr: 4-Bromofluorobenzene	94.8	76-117		%REC	10	8/28/2008 12:07:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-26A

Client Sample ID: MW-218D
Collection Date: 8/20/2008 11:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	8/27/2008 8:02:00 PM
Chloromethane	ND	50		µg/L	10	8/27/2008 8:02:00 PM
Vinyl chloride	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Chloroethane	ND	50		µg/L	10	8/27/2008 8:02:00 PM
Bromomethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Diethyl ether	ND	50		µg/L	10	8/27/2008 8:02:00 PM
Acetone	ND	100		µg/L	10	8/27/2008 8:02:00 PM
1,1-Dichloroethene	19	10		µg/L	10	8/27/2008 8:02:00 PM
Carbon disulfide	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Methylene chloride	ND	50		µg/L	10	8/27/2008 8:02:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	8/27/2008 8:02:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
2-Butanone	ND	100		µg/L	10	8/27/2008 8:02:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Chloroform	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Tetrahydrofuran	ND	100		µg/L	10	8/27/2008 8:02:00 PM
Bromochloromethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Carbon tetrachloride	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Benzene	ND	10		µg/L	10	8/27/2008 8:02:00 PM
Trichloroethene	450	20		µg/L	10	8/27/2008 8:02:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Bromodichloromethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Dibromomethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	8/27/2008 8:02:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 8:02:00 PM
Toluene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	8/27/2008 8:02:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
2-Hexanone	ND	100		µg/L	10	8/27/2008 8:02:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Tetrachloroethene	1,100	20		µg/L	10	8/27/2008 8:02:00 PM
Dibromochloromethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0808067
Project: 130274 Textron Gorham
Lab ID: 0808067-26A

Client Sample ID: MW-218D
Collection Date: 8/20/2008 11:00:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Ethylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
m,p-Xylene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
o-Xylene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Styrene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Bromoform	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Isopropylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Bromobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
n-Propylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
2-Chlorotoluene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
4-Chlorotoluene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
tert-Butylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
sec-Butylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
n-Butylbenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	8/27/2008 8:02:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Naphthalene	ND	50		µg/L	10	8/27/2008 8:02:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	8/27/2008 8:02:00 PM
Surr: Dibromofluoromethane	111	85-119		%REC	10	8/27/2008 8:02:00 PM
Surr: 1,2-Dichloroethane-d4	117	79-131		%REC	10	8/27/2008 8:02:00 PM
Surr: Toluene-d8	101	90-110		%REC	10	8/27/2008 8:02:00 PM
Surr: 4-Bromofluorobenzene	100	76-117		%REC	10	8/27/2008 8:02:00 PM

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-08/25/08 Batch ID: R40761 Test Code: SW6260B Units: µg/L Analysis Date: 8/25/2008 11:09:00 AM Prep Date: 8/25/2008
 Client ID: Run ID: V-1_080825A SeqNo: 680931

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 02-Sep-08

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0	µg/L		
4-Isopropyltoluene	ND	2.0	µg/L		
1,3-Dichlorobenzene	ND	2.0	µg/L		
1,4-Dichlorobenzene	ND	2.0	µg/L		
n-Butylbenzene	ND	2.0	µg/L		
1,2-Dichlorobenzene	ND	2.0	µg/L		
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L		
1,2,4-Trichlorobenzene	ND	2.0	µg/L		
Hexachlorobutadiene	ND	2.0	µg/L		
Naphthalene	ND	5.0	µg/L		
1,2,3-Trichlorobenzene	ND	2.0	µg/L		
Surr: Dibromofluoromethane	21.6	2.0	86.4	0	119
Surr: 1,2-Dichloroethane-d4	22.33	2.0	89.3	0	131
Surr: Toluene-d8	21.79	2.0	87.2	0	110
Surr: 4-Bromofluorobenzene	22.6	2.0	90.4	0	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

QC SUMMARY REPORT

Work Order: 0808067

Method Blank

Project: 130274 Textron Gorham

Sample ID: mb-08/27/08 Batch ID: R40781 Test Code: SW8260B Units: µg/L Analysis Date: 8/27/2008 12:59:00 PM Prep Date: 8/27/2008
 Client ID: Run ID: V-1_080827A SeqNo: 681218

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 02-Sep-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration	Recovery	Accepted Limits	Recovery	Accepted Limits
sec-Butylbenzene	ND	2.0	µg/L	0	108	85
4-Isopropyltoluene	ND	2.0	µg/L	0	109	79
1,3-Dichlorobenzene	ND	2.0	µg/L	0	98.6	90
1,4-Dichlorobenzene	ND	2.0	µg/L	0	101	76
n-Butylbenzene	ND	2.0	µg/L	0	101	76
1,2-Dichlorobenzene	ND	2.0	µg/L	0	101	76
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L	0	101	76
1,2,4-Trichlorobenzene	ND	2.0	µg/L	0	101	76
Hexachlorobutadiene	ND	2.0	µg/L	0	101	76
Naphthalene	ND	5.0	µg/L	0	101	76
1,2,3-Trichlorobenzene	ND	2.0	µg/L	0	101	76
Surr: Dibromofluoromethane	26.95	2.0	µg/L	25	108	85
Surr: 1,2-Dichloroethane-d4	27.18	2.0	µg/L	25	109	79
Surr: Toluene-d8	24.65	2.0	µg/L	25	98.6	90
Surr: 4-Bromofluorobenzene	25.25	2.0	µg/L	25	101	76

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-08/28/08 Batch ID: R40797 Test Code: SW8260B Units: µg/L Analysis Date: 8/28/2008 9:14:00 AM Prep Date: 8/28/2008

Client ID: Run ID: V-1_080828A SeqNo: 681365

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0	µg/L		
4-Isopropyltoluene	ND	2.0	µg/L		
1,3-Dichlorobenzene	ND	2.0	µg/L		
1,4-Dichlorobenzene	ND	2.0	µg/L		
n-Butylbenzene	ND	2.0	µg/L		
1,2-Dichlorobenzene	ND	2.0	µg/L		
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L		
1,2,4-Trichlorobenzene	ND	2.0	µg/L		
Hexachlorobutadiene	ND	2.0	µg/L		
Naphthalene	ND	5.0	µg/L		
1,2,3-Trichlorobenzene	ND	2.0	µg/L		
Surr: Dibromofluoromethane	23.66	2.0	µg/L	25	0 94.6 85 119 0
Surr: 1,2-Dichloroethane-d4	25.06	2.0	µg/L	25	0 100 79 131 0
Surr: Toluene-d8	25.97	2.0	µg/L	25	0 104 90 110 0
Surr: 4-Bromofluorobenzene	23.06	2.0	µg/L	25	0 92.2 76 117 0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: mb-09/01/08 **Batch ID:** R40805 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/1/2008 2:06:00 PM **Prep Date:** 9/1/2008
Client ID: **Run ID:** V-1_080901A **SeqNo:** 681577

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

QC SUMMARY REPORT

Work Order: 0808067

Method Blank

Project: 130274 Textron Gorham

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0	0	97.3	85
4-Isopropyltoluene	ND	2.0	0	107	79
1,3-Dichlorobenzene	ND	2.0	0	104	90
1,4-Dichlorobenzene	ND	2.0	0	96.1	76
n-Butylbenzene	ND	2.0	0		
1,2-Dichlorobenzene	ND	2.0	0		
1,2-Dibromo-3-chloropropane	ND	5.0	0		
1,2,4-Trichlorobenzene	ND	2.0	0		
Hexachlorobutadiene	ND	2.0	0		
Naphthalene	ND	5.0	0		
1,2,3-Trichlorobenzene	ND	2.0	0		
Surr: Dibromofluoromethane	24.32	2.0	25	0	119
Surr: 1,2-Dichloroethane-d4	26.71	2.0	25	0	131
Surr: Toluene-d8	25.92	2.0	25	0	110
Surr: 4-Bromofluorobenzene	24.03	2.0	25	0	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-08/25/08 **Batch ID:** R40761 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 8/25/2008 9:59:00 AM **Prep Date:** 8/25/2008
Client ID: **Run ID:** V-1_080825A **SeqNo:** 680932

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	23.38	5.0	µg/L	20	0	117	10	150	0	0	150	0
Chloromethane	20.69	5.0	µg/L	20	0	103	37	150	0	0	150	0
Vinyl chloride	21.48	2.0	µg/L	20	0	107	48	150	0	0	150	0
Chloroethane	20.42	5.0	µg/L	20	0	102	54	142	0	0	142	0
Bromomethane	20.97	2.0	µg/L	20	0	105	51	137	0	0	137	0
Trichlorofluoromethane	18.42	2.0	µg/L	20	0	92.1	62	141	0	0	141	0
Diethyl ether	21.12	5.0	µg/L	20	0	106	68	134	0	0	134	0
Acetone	27.05	10	µg/L	20	0	135	9	150	0	0	150	0
1,1-Dichloroethene	19.79	1.0	µg/L	20	0	99	68	146	0	0	146	0
Carbon disulfide	18.7	2.0	µg/L	20	0	93.5	52	131	0	0	131	0
Methylene chloride	24.89	5.0	µg/L	20	0	124	67	138	0	0	138	0
Methyl tert-butyl ether	19.88	2.0	µg/L	20	0	99.4	63	139	0	0	139	0
trans-1,2-Dichloroethene	19.46	2.0	µg/L	20	0	97.3	81	126	0	0	126	0
1,1-Dichloroethane	18.68	2.0	µg/L	20	0	93.4	78	124	0	0	124	0
2-Butanone	19.51	10	µg/L	20	0	97.6	41	150	0	0	150	0
2,2-Dichloropropane	21.82	2.0	µg/L	20	0	109	71	150	0	0	150	0
cis-1,2-Dichloroethene	18.27	2.0	µg/L	20	0	91.4	78	121	0	0	121	0
Chloroform	17.91	2.0	µg/L	20	0	89.6	82	123	0	0	123	0
Tetrahydrofuran	18.02	10	µg/L	20	0	90.1	51	146	0	0	146	0
Bromochloromethane	16.94	2.0	µg/L	20	0	84.7	77	131	0	0	131	0
1,1,1-Trichloroethane	17.96	2.0	µg/L	20	0	89.8	81	127	0	0	127	0
1,1-Dichloropropene	18.14	2.0	µg/L	20	0	90.7	76	119	0	0	119	0
Carbon tetrachloride	16.51	2.0	µg/L	20	0	82.6	76	129	0	0	129	0
1,2-Dichloroethane	18.68	2.0	µg/L	20	0	93.4	76	127	0	0	127	0
Benzene	21.13	1.0	µg/L	20	0	106	81	118	0	0	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
Trichloroethene	15.51	2.0	77.6	0	S
1,2-Dichloropropane	18.5	2.0	92.5	0	S
Bromodichloromethane	15.11	2.0	75.6	0	
Dibromomethane	17.74	2.0	88.7	0	
4-Methyl-2-pentanone	17.28	10	86.4	0	
cis-1,3-Dichloropropene	16.46	1.0	82.3	0	
Toluene	17.04	2.0	85.2	0	
trans-1,3-Dichloropropene	16.21	1.0	81	0	
1,1,2-Trichloroethane	16.93	2.0	84.6	0	
1,2-Dibromoethane	16.43	2.0	82.2	0	
2-Hexanone	19.29	10	96.5	0	
1,3-Dichloropropane	23.04	2.0	115	0	
Tetrachloroethene	20.88	2.0	104	0	
Dibromochloromethane	17.78	2.0	88.9	0	
Chlorobenzene	23.27	2.0	116	0	S
1,1,1,2-Tetrachloroethane	19.64	2.0	98.2	0	
Ethylbenzene	23.47	2.0	117	0	
m,p-Xylene	40.86	2.0	102	0	
o-Xylene	20.67	2.0	103	0	
Styrene	20.01	2.0	100	0	
Bromoform	15.84	2.0	79.2	0	S
Isopropylbenzene	28.91	2.0	145	0	
1,1,2,2-Tetrachloroethane	24.35	2.0	122	0	
1,2,3-Trichloropropane	25.19	2.0	126	0	S
Bromobenzene	25.52	2.0	128	0	
n-Propylbenzene	25.96	2.0	130	0	S
2-Chlorotoluene	24.85	2.0	124	0	S
4-Chlorotoluene	24	2.0	120	0	S
1,3,5-Trimethylbenzene	24.49	2.0	122	0	S
tert-Butylbenzene	21.77	2.0	109	0	
1,2,4-Trimethylbenzene	24.2	2.0	121	0	S

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Analyte	Concentration (µg/L)	Recovery (%)	Recovery Limit (%)	Spikes	Control Spike
sec-Butylbenzene	21.34	2.0	2.0	0	107
4-Isopropyltoluene	19.87	2.0	2.0	0	99.4
1,3-Dichlorobenzene	22.37	2.0	2.0	0	112
1,4-Dichlorobenzene	23	2.0	2.0	0	115
n-Butylbenzene	18.92	2.0	2.0	0	79
1,2-Dichlorobenzene	19.07	2.0	2.0	0	76
1,2-Dibromo-3-chloropropane	17.38	5.0	5.0	0	81
1,2,4-Trichlorobenzene	21.36	2.0	2.0	0	47
Hexachlorobutadiene	18.07	2.0	2.0	0	73
Naphthalene	18.85	5.0	5.0	0	77
1,2,3-Trichlorobenzene	20.88	2.0	2.0	0	58
Surr: Dibromofluoromethane	22.45	2.0	2.0	0	76
Surr: 1,2-Dichloroethane-d4	22.57	2.0	2.0	0	85
Surr: Toluene-d8	22.06	2.0	2.0	0	79
Surr: 4-Bromofluorobenzene	22.79	2.0	2.0	0	90
				0	88.2
				0	91.2
				0	76
				0	117
				0	123
				0	126
				0	115
				0	117
				0	128
				0	117
				0	136
				0	126
				0	134
				0	138
				0	124
				0	119
				0	131
				0	110
				0	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-08/27/08 **Batch ID:** R40781 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 8/27/2008 11:50:00 AM **Prep Date:** 8/27/2008
Client ID: **Run ID:** V-1_080827A **SeqNo:** 681219

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	22.56	5.0	µg/L	20	0	113	10	150	0	0	0	0
Chloromethane	19.18	5.0	µg/L	20	0	95.9	37	150	0	0	0	0
Vinyl chloride	22.49	2.0	µg/L	20	0	112	48	150	0	0	0	0
Chloroethane	20.1	5.0	µg/L	20	0	100	54	142	0	0	0	0
Bromomethane	18.83	2.0	µg/L	20	0	94.2	51	137	0	0	0	0
Trichlorofluoromethane	22.99	2.0	µg/L	20	0	115	62	141	0	0	0	0
Diethyl ether	20.79	5.0	µg/L	20	0	104	68	134	0	0	0	0
Acetone	24.69	10	µg/L	20	0	123	9	150	0	0	0	0
1,1-Dichloroethene	19.89	1.0	µg/L	20	0	99.4	68	146	0	0	0	0
Carbon disulfide	20.02	2.0	µg/L	20	0	100	52	131	0	0	0	0
Methylene chloride	18.76	5.0	µg/L	20	0	93.8	67	138	0	0	0	0
Methyl tert-butyl ether	19.43	2.0	µg/L	20	0	97.2	63	139	0	0	0	0
trans-1,2-Dichloroethene	21.4	2.0	µg/L	20	0	107	81	126	0	0	0	0
1,1-Dichloroethane	20.13	2.0	µg/L	20	0	101	78	124	0	0	0	0
2-Butanone	25.22	10	µg/L	20	0	126	41	150	0	0	0	0
2,2-Dichloropropane	24.14	2.0	µg/L	20	0	121	71	150	0	0	0	0
cis-1,2-Dichloroethene	19.69	2.0	µg/L	20	0	98.4	78	121	0	0	0	0
Chloroform	21.37	2.0	µg/L	20	0	107	82	123	0	0	0	0
Tetrahydrofuran	19.62	10	µg/L	20	0	98.1	51	146	0	0	0	0
Bromochloromethane	21.47	2.0	µg/L	20	0	107	77	131	0	0	0	0
1,1,1-Trichloroethane	20.49	2.0	µg/L	20	0	102	81	127	0	0	0	0
1,1-Dichloropropene	20.31	2.0	µg/L	20	0	102	76	119	0	0	0	0
Carbon tetrachloride	19.9	2.0	µg/L	20	0	99.5	76	129	0	0	0	0
1,2-Dichloroethane	21.44	2.0	µg/L	20	0	107	76	127	0	0	0	0
Benzene	20.85	1.0	µg/L	20	0	104	81	118	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantization limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 02-Sep-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Recovery Limits	Qualifiers
Trichloroethene	19.57	2.0	97.8	0	81
1,2-Dichloropropane	19.95	2.0	99.8	0	119
Bromodichloromethane	17.83	2.0	89.2	0	120
Dibromomethane	20.93	2.0	105	0	131
4-Methyl-2-pentanone	19.06	10	95.3	0	128
cis-1,3-Dichloropropene	17.81	1.0	89	0	141
Toluene	19.56	2.0	97.8	0	120
trans-1,3-Dichloropropene	17.46	1.0	87.3	0	119
1,1,2-Trichloroethane	20.13	2.0	101	0	128
1,2-Dibromoethane	21.51	2.0	108	0	123
2-Hexanone	17.96	10	89.8	0	128
1,3-Dichloropropane	21.08	2.0	105	0	148
Tetrachloroethene	21.21	2.0	106	0	122
Dibromochloromethane	17.83	2.0	89.2	0	124
Chlorobenzene	21.08	2.0	105	0	126
1,1,1,2-Tetrachloroethane	18.73	2.0	93.6	0	113
Ethylbenzene	20.9	2.0	104	0	124
m,p-Xylene	41.36	2.0	103	0	118
o-Xylene	21.16	2.0	106	0	116
Styrene	21.37	2.0	107	0	115
Bromoform	17.26	2.0	86.3	0	118
Isopropylbenzene	23.79	2.0	119	0	126
1,1,2,2-Tetrachloroethane	22.07	2.0	110	0	125
1,2,3-Trichloropropane	21.15	2.0	106	0	134
Bromobenzene	21.25	2.0	106	0	132
n-Propylbenzene	22.21	2.0	111	0	119
2-Chlorotoluene	20.82	2.0	104	0	127
4-Chlorotoluene	20.27	2.0	101	0	118
1,3,5-Trimethylbenzene	21.45	2.0	107	0	119
tert-Butylbenzene	22.2	2.0	111	0	120
1,2,4-Trimethylbenzene	20.98	2.0	105	0	120
					118

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 02-Sep-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT
Laboratory Control Spike

sec-Butylbenzene	22.25	2.0	µg/L	20	0	111	82	123	0		
4-Isopropyltoluene	21.76	2.0	µg/L	20	0	109	80	126	0		
1,3-Dichlorobenzene	21.37	2.0	µg/L	20	0	107	84	115	0		
1,4-Dichlorobenzene	21.26	2.0	µg/L	20	0	106	79	117	0		
n-Butylbenzene	19.91	2.0	µg/L	20	0	99.6	76	128	0		
1,2-Dichlorobenzene	20.31	2.0	µg/L	20	0	102	81	117	0		
1,2-Dibromo-3-chloropropane	19.79	5.0	µg/L	20	0	99	47	136	0		
1,2,4-Trichlorobenzene	23.46	2.0	µg/L	20	0	117	73	126	0		
Hexachlorobutadiene	22.66	2.0	µg/L	20	0	113	77	134	0		
Naphthalene	23.95	5.0	µg/L	20	0	120	58	138	0		
1,2,3-Trichlorobenzene	22.52	2.0	µg/L	20	0	113	76	124	0		
Surr: Dibromofluoromethane	25.23	2.0	µg/L	25	0	101	85	119	0		
Surr: 1,2-Dichloroethane-d4	25.69	2.0	µg/L	25	0	103	79	131	0		
Surr: Toluene-d8	23.78	2.0	µg/L	25	0	95.1	90	110	0		
Surr: 4-Bromofluorobenzene	25.52	2.0	µg/L	25	0	102	76	117	0		

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 02-Sep-08

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

Sample ID: Ics-08/28/08 Batch ID: R40797 Test Code: SW8260B Units: µg/L Analysis Date: 8/28/2008 8:04:00 AM Prep Date: 8/28/2008
 Client ID: Run ID: V-1_080828A SeqNo: 681366

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	23.74	5.0	µg/L	20	0	119	10	150	0	0	0	0
Chloromethane	24.91	5.0	µg/L	20	0	125	37	150	0	0	0	0
Vinyl chloride	26.77	2.0	µg/L	20	0	134	48	150	0	0	0	0
Chloroethane	23.46	5.0	µg/L	20	0	117	54	142	0	0	0	0
Bromomethane	22.55	2.0	µg/L	20	0	113	51	137	0	0	0	0
Trichlorofluoromethane	24.54	2.0	µg/L	20	0	123	62	141	0	0	0	0
Diethyl ether	23.85	5.0	µg/L	20	0	119	68	134	0	0	0	0
Acetone	29.92	10	µg/L	20	0	150	9	150	0	0	0	0
1,1-Dichloroethene	22.58	1.0	µg/L	20	0	113	68	146	0	0	0	0
Carbon disulfide	22.52	2.0	µg/L	20	0	113	52	131	0	0	0	0
Methylene chloride	23.57	5.0	µg/L	20	0	118	67	138	0	0	0	0
Methyl tert-butyl ether	21.77	2.0	µg/L	20	0	109	63	139	0	0	0	0
trans-1,2-Dichloroethene	22.63	2.0	µg/L	20	0	113	81	126	0	0	0	0
1,1-Dichloroethane	23.87	2.0	µg/L	20	0	119	78	124	0	0	0	0
2-Butanone	27.38	10	µg/L	20	0	137	41	150	0	0	0	0
2,2-Dichloropropane	25.6	2.0	µg/L	20	0	128	71	150	0	0	0	0
cis-1,2-Dichloroethene	21.85	2.0	µg/L	20	0	109	78	121	0	0	0	0
Chloroform	23.32	2.0	µg/L	20	0	117	82	123	0	0	0	0
Tetrahydrofuran	25.22	10	µg/L	20	0	126	51	146	0	0	0	0
Bromochloromethane	20.81	2.0	µg/L	20	0	104	77	131	0	0	0	0
1,1,1-Trichloroethane	21.54	2.0	µg/L	20	0	108	81	127	0	0	0	0
1,1-Dichloropropene	21.83	2.0	µg/L	20	0	109	76	119	0	0	0	0
Carbon tetrachloride	19.56	2.0	µg/L	20	0	97.8	76	129	0	0	0	0
1,2-Dichloroethane	21.86	2.0	µg/L	20	0	109	76	127	0	0	0	0
Benzene	22.86	1.0	µg/L	20	0	114	81	118	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
Trichloroethene	22.49	2.0	112	0	119
1,2-Dichloropropane	24.65	2.0	123	0	120
Bromodichloromethane	20.15	2.0	101	0	131
Dibromomethane	24.17	2.0	121	0	128
4-Methyl-2-pentanone	22.84	10	114	0	141
cis-1,3-Dichloropropene	20.89	1.0	104	0	120
Toluene	23.85	2.0	119	0	119
trans-1,3-Dichloropropene	20.59	1.0	103	0	128
1,1,2-Trichloroethane	23.64	2.0	118	0	123
1,2-Dibromoethane	24.57	2.0	123	0	128
2-Hexanone	23.35	10	117	0	148
1,3-Dichloropropane	22.48	2.0	112	0	122
Tetrachloroethene	20.12	2.0	101	0	124
Dibromochloromethane	16.81	2.0	84	0	126
Chlorobenzene	21.74	2.0	109	0	113
1,1,1,2-Tetrachloroethane	17.93	2.0	89.7	0	124
Ethylbenzene	22.05	2.0	110	0	118
m,p-Xylene	44.22	2.0	111	0	116
o-Xylene	22.01	2.0	110	0	115
Styrene	22.74	2.0	114	0	118
Bromoform	16.3	2.0	81.5	0	126
Isopropylbenzene	25.09	2.0	125	0	125
1,1,2,2-Tetrachloroethane	24.61	2.0	123	0	134
1,2,3-Trichloropropane	24.78	2.0	124	0	132
Bromobenzene	21.65	2.0	108	0	119
n-Propylbenzene	24.05	2.0	120	0	127
2-Chlorotoluene	21.7	2.0	108	0	118
4-Chlorotoluene	22.36	2.0	112	0	119
1,3,5-Trimethylbenzene	22.37	2.0	112	0	120
tert-Butylbenzene	22.62	2.0	113	0	120
1,2,4-Trimethylbenzene	21.97	2.0	110	0	118

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	23.55	2.0	µg/L	20	0	118	82	123
4-Isopropyltoluene	21.88	2.0	µg/L	20	0	109	80	126
1,3-Dichlorobenzene	21.87	2.0	µg/L	20	0	109	84	115
1,4-Dichlorobenzene	21.21	2.0	µg/L	20	0	106	79	117
n-Butylbenzene	21.03	2.0	µg/L	20	0	105	76	128
1,2-Dichlorobenzene	20.49	2.0	µg/L	20	0	102	81	117
1,2-Dibromo-3-chloropropane	21.25	5.0	µg/L	20	0	106	47	136
1,2,4-Trichlorobenzene	22.49	2.0	µg/L	20	0	112	73	126
Hexachlorobutadiene	20.2	2.0	µg/L	20	0	101	77	134
Naphthalene	24.3	5.0	µg/L	20	0	122	58	138
1,2,3-Trichlorobenzene	20.56	2.0	µg/L	20	0	103	76	124
Surr: Dibromofluoromethane	24.77	2.0	µg/L	25	0	99.1	85	119
Surr: 1,2-Dichloroethane-d4	26.17	2.0	µg/L	25	0	105	79	131
Surr: Toluene-d8	26.97	2.0	µg/L	25	0	108	90	110
Surr: 4-Bromofluorobenzene	24.32	2.0	µg/L	25	0	97.3	76	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-09/01/08 **Batch ID:** R40805 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 9/1/2008 12:22:00 PM **Prep Date:** 9/1/2008
Client ID: **Run ID:** V-1_080901A **SeqNo:** 681578

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	20.7	5.0	µg/L	20	0	104	10	150	0	0	150	0
Chloromethane	20.62	5.0	µg/L	20	0	103	37	150	0	0	150	0
Vinyl chloride	20.5	2.0	µg/L	20	0	103	48	150	0	0	150	0
Chloroethane	23.46	5.0	µg/L	20	0	117	54	142	0	0	142	0
Bromomethane	18.62	2.0	µg/L	20	0	93.1	51	137	0	0	137	0
Trichlorofluoromethane	22.46	2.0	µg/L	20	0	112	62	141	0	0	141	0
Diethyl ether	23.15	5.0	µg/L	20	0	116	68	134	0	0	134	0
Acetone	20.96	10	µg/L	20	0	105	9	150	0	0	150	0
1,1-Dichloroethene	18.11	1.0	µg/L	20	0	90.6	68	146	0	0	146	0
Carbon disulfide	18.78	2.0	µg/L	20	0	93.9	52	131	0	0	131	0
Methylene chloride	19.98	5.0	µg/L	20	0	99.9	67	138	0	0	138	0
Methyl tert-butyl ether	20.44	2.0	µg/L	20	0	102	63	139	0	0	139	0
trans-1,2-Dichloroethene	21.01	2.0	µg/L	20	0	105	81	126	0	0	126	0
1,1-Dichloroethane	21.04	2.0	µg/L	20	0	105	78	124	0	0	124	0
2-Butanone	19.95	10	µg/L	20	0	99.8	41	150	0	0	150	0
2,2-Dichloropropane	25.83	2.0	µg/L	20	0	129	71	150	0	0	150	0
cis-1,2-Dichloroethene	20.45	2.0	µg/L	20	0	102	78	121	0	0	121	0
Chloroform	22.28	2.0	µg/L	20	0	111	82	123	0	0	123	0
Tetrahydrofuran	23.26	10	µg/L	20	0	116	51	146	0	0	146	0
Bromochloromethane	20.89	2.0	µg/L	20	0	104	77	131	0	0	131	0
1,1,1-Trichloroethane	20.53	2.0	µg/L	20	0	103	81	127	0	0	127	0
1,1-Dichloropropene	19.54	2.0	µg/L	20	0	97.7	76	119	0	0	119	0
Carbon tetrachloride	19.32	2.0	µg/L	20	0	96.6	76	129	0	0	129	0
1,2-Dichloroethane	23.13	2.0	µg/L	20	0	116	76	127	0	0	127	0
Benzene	20.56	1.0	µg/L	20	0	103	81	118	0	0	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration	Recovery	Acceptance	Spikes	Method	Blank
Trichloroethene	18.33	2.0	91.7	0	81	119	0
1,2-Dichloropropane	21.89	2.0	109	0	79	120	0
Bromodichloromethane	19.01	2.0	95	0	77	131	0
Dibromomethane	22.87	2.0	114	0	76	128	0
4-Methyl-2-pentanone	21.37	10	107	0	51	141	0
cis-1,3-Dichloropropene	19.21	1.0	96	0	76	120	0
Toluene	22.62	2.0	113	0	83	119	0
trans-1,3-Dichloropropene	20.08	1.0	100	0	66	128	0
1,1,2-Trichloroethane	20.02	2.0	100	0	74	123	0
1,2-Dibromoethane	21.32	2.0	107	0	72	128	0
2-Hexanone	19.09	10	95.4	0	31	148	0
1,3-Dichloropropane	22.24	2.0	111	0	76	122	0
Tetrachloroethene	18.58	2.0	92.9	0	81	124	0
Dibromochloromethane	17.37	2.0	86.8	0	63	126	0
Chlorobenzene	21.56	2.0	108	0	84	113	0
1,1,1,2-Tetrachloroethane	18.33	2.0	91.7	0	73	124	0
Ethylbenzene	22.57	2.0	113	0	83	118	0
m,p-Xylene	39.44	2.0	98.6	0	85	116	0
o-Xylene	19.99	2.0	100	0	84	115	0
Styrene	20.47	2.0	102	0	81	118	0
Bromoform	16.37	2.0	81.8	0	55	126	0
Isopropylbenzene	25.19	2.0	126	0	77	125	0
1,1,2,2-Tetrachloroethane	24.97	2.0	125	0	62	134	0
1,2,3-Trichloropropane	22.88	2.0	114	0	62	132	0
Bromobenzene	20.85	2.0	104	0	78	119	0
n-Propylbenzene	23.48	2.0	117	0	77	127	0
2-Chlorotoluene	22.31	2.0	112	0	78	118	0
4-Chlorotoluene	22.78	2.0	114	0	77	119	0
1,3,5-Trimethylbenzene	22.91	2.0	115	0	80	120	0
tert-Butylbenzene	22.26	2.0	111	0	81	120	0
1,2,4-Trimethylbenzene	22.9	2.0	114	0	80	118	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (ug/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Concentration (ug/L)	Recovery (%)	Acceptance
sec-Butylbenzene	23.4	2.0	20	0	117	82	123	0
4-Isopropyltoluene	20.01	2.0	20	0	100	80	126	0
1,3-Dichlorobenzene	22.25	2.0	20	0	111	84	115	0
1,4-Dichlorobenzene	22.76	2.0	20	0	114	79	117	0
n-Butylbenzene	21.36	2.0	20	0	107	76	128	0
1,2-Dichlorobenzene	21.82	2.0	20	0	109	81	117	0
1,2-Dibromo-3-chloropropane	21.58	5.0	20	0	108	47	136	0
1,2,4-Trichlorobenzene	20.9	2.0	20	0	104	73	126	0
Hexachlorobutadiene	18.88	2.0	20	0	94.4	77	134	0
Naphthalene	23.35	5.0	20	0	117	58	138	0
1,2,3-Trichlorobenzene	22.78	2.0	20	0	114	76	124	0
Surr: Dibromofluoromethane	24.01	2.0	25	0	96	85	119	0
Surr: 1,2-Dichloroethane-d4	25.93	2.0	25	0	104	79	131	0
Surr: Toluene-d8	26.28	2.0	25	0	105	90	110	0
Surr: 4-Bromofluorobenzene	24.09	2.0	25	0	96.4	76	117	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: 0808067-11Ams Batch ID: R40781 Test Code: SW8260B Units: µg/L Analysis Date: 8/27/2008 9:45:00 PM Prep Date: 8/20/2008
 Client ID: MW-216D Run ID: V-1_080827A SeqNo: 681147

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	116.6	25	µg/L	100	0	117	16	150	0	0	0	0
Chloromethane	101	25	µg/L	100	0	101	35	150	0	0	0	0
Vinyl chloride	125	10	µg/L	100	0	125	49	150	0	0	0	0
Chloroethane	116.6	25	µg/L	100	0	117	58	147	0	0	0	0
Bromomethane	109.6	10	µg/L	100	0	110	49	142	0	0	0	0
Trichlorofluoromethane	120	10	µg/L	100	1.05	119	57	149	0	0	0	0
Diethyl ether	110.8	25	µg/L	100	0	111	66	136	0	0	0	0
Acetone	117	50	µg/L	100	0	117	16	150	0	0	0	0
1,1-Dichloroethene	108.8	5.0	µg/L	100	0	109	70	150	0	0	0	0
Carbon disulfide	111.6	10	µg/L	100	0	112	47	135	0	0	0	0
Methylene chloride	111.2	25	µg/L	100	0.58	111	66	142	0	0	0	0
Methyl tert-butyl ether	107	10	µg/L	100	1.35	106	63	138	0	0	0	0
trans-1,2-Dichloroethene	116	10	µg/L	100	0	116	78	135	0	0	0	0
1,1-Dichloroethane	113.4	10	µg/L	100	0	113	76	131	0	0	0	0
2-Butanone	124.6	50	µg/L	100	0	125	51	142	0	0	0	0
2,2-Dichloropropane	109	10	µg/L	100	0	109	60	149	0	0	0	0
cis-1,2-Dichloroethene	108.2	10	µg/L	100	0	108	74	128	0	0	0	0
Chloroform	119.5	10	µg/L	100	0	120	80	129	0	0	0	0
Tetrahydrofuran	106.5	50	µg/L	100	0	106	53	145	0	0	0	0
Bromochloromethane	110.6	10	µg/L	100	0	111	78	130	0	0	0	0
1,1,1-Trichloroethane	112.2	10	µg/L	100	0	112	77	139	0	0	0	0
1,1-Dichloropropene	115.1	10	µg/L	100	0	115	74	127	0	0	0	0
Carbon tetrachloride	106.8	10	µg/L	100	0	107	73	138	0	0	0	0
1,2-Dichloroethane	109.6	10	µg/L	100	0	110	75	130	0	0	0	0
Benzene	116.4	5.0	µg/L	100	0	116	79	123	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration	Recovery	Acceptance	Matrix Spike	Concentration	Recovery	Acceptance
Trichloroethene	107.5	10	100	2.24	105	79	126	0
1,2-Dichloropropane	107	10	100	0	107	76	125	0
Bromodichloromethane	95.65	10	100	0	95.7	69	119	0
Dibromomethane	110.7	10	100	0	111	76	127	0
4-Methyl-2-pentanone	101.3	50	100	0	101	53	141	0
cis-1,3-Dichloropropene	93.05	5.0	100	0	93	70	119	0
Toluene	110.2	10	100	0	110	82	124	0
trans-1,3-Dichloropropene	90.95	5.0	100	0	91	64	124	0
1,1,2-Trichloroethane	108.2	10	100	0	108	73	127	0
1,2-Dibromoethane	114.7	10	100	0	115	73	127	0
2-Hexanone	90	50	100	0	90	37	145	0
1,3-Dichloropropane	105.8	10	100	0	106	76	123	0
Tetrachloroethene	104.4	10	100	1	103	82	129	0
Dibromochloromethane	84.55	10	100	0	84.6	59	125	0
Chlorobenzene	105.2	10	100	0	105	80	120	0
1,1,1,2-Tetrachloroethane	91.5	10	100	0	91.5	72	124	0
Ethylbenzene	107.8	10	100	0	108	83	123	0
m,p-Xylene	217	10	200	0	108	84	121	0
o-Xylene	105.8	10	100	0	106	83	119	0
Styrene	107	10	100	0	107	80	122	0
Bromoform	79.3	10	100	0	79.3	54	119	0
Isopropylbenzene	121.1	10	100	0	121	75	131	0
1,1,2,2-Tetrachloroethane	110.1	10	100	0	110	61	139	0
1,2,3-Trichloropropane	105.9	10	100	0	106	66	130	0
Bromobenzene	105.5	10	100	0	106	77	124	0
n-Propylbenzene	115	10	100	0	115	76	131	0
2-Chlorotoluene	104.2	10	100	0	104	78	125	0
4-Chlorotoluene	105.1	10	100	0	105	75	124	0
1,3,5-Trimethylbenzene	108.5	10	100	0	108	79	124	0
tert-Butylbenzene	112	10	100	0	112	79	126	0
1,2,4-Trimethylbenzene	106.8	10	100	0	107	77	124	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0808067
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	114.4	10	100	0	114	82	128	0			
4-Isopropyltoluene	108.8	10	100	0	109	77	128	0			
1,3-Dichlorobenzene	105.6	10	100	0	106	80	122	0			
1,4-Dichlorobenzene	103	10	100	0	103	78	123	0			
n-Butylbenzene	97	10	100	0	97	74	130	0			
1,2-Dichlorobenzene	98.1	10	100	0	98.1	78	121	0			
1,2-Dibromo-3-chloropropane	88.3	25	100	0	88.3	50	127	0			
1,2,4-Trichlorobenzene	108	10	100	0	108	67	128	0			
Hexachlorobutadiene	90.65	10	100	0	90.7	74	134	0			
Naphthalene	104.8	25	100	0	105	57	131	0			
1,2,3-Trichlorobenzene	93.75	10	100	0	93.8	64	131	0			
Surr: Dibromofluoromethane	138	10	125	0	110	85	119	0			
Surr: 1,2-Dichloroethane-d4	139.6	10	125	0	112	79	131	0			
Surr: Toluene-d8	131	10	125	0	105	90	110	0			
Surr: 4-Bromofluorobenzene	125.6	10	125	0	100	76	117	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT
Sample Matrix Spike Duplicate

Sample ID: 0808067-11Amsd Batch ID: R40781 Test Code: SW8260B Units: µg/L Analysis Date: 8/27/2008 10:20:00 PM Prep Date: 8/20/2008
Client ID: MW-216D Run ID: V-1_080827A SeqNo: 681148

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	114.4	25	µg/L	100	0	114	16	150	116.6	1.9	20	
Chloromethane	105.2	25	µg/L	100	0	105	35	150	101	4.08	20	
Vinyl chloride	122.8	10	µg/L	100	0	123	49	150	125	1.82	20	
Chloroethane	106.6	25	µg/L	100	0	107	58	147	116.6	8.96	20	
Bromomethane	98	10	µg/L	100	0	98	49	142	109.6	11.1	20	
Trichlorofluoromethane	115.8	10	µg/L	100	1.05	115	57	149	120	3.61	20	
Diethyl ether	99.3	25	µg/L	100	0	99.3	66	136	110.8	10.9	20	
Acetone	106.2	50	µg/L	100	0	106	16	150	117	9.68	20	
1,1-Dichloroethene	110.3	5.0	µg/L	100	0	110	70	150	108.8	1.32	20	
Carbon disulfide	108.8	10	µg/L	100	0	109	47	135	111.6	2.49	20	
Methylene chloride	104.6	25	µg/L	100	0.58	104	66	142	111.2	6.12	20	
Methyl tert-butyl ether	101.2	10	µg/L	100	1.35	99.8	63	138	107	5.67	20	
trans-1,2-Dichloroethene	110.6	10	µg/L	100	0	111	78	135	116	4.85	20	
1,1-Dichloroethane	108.8	10	µg/L	100	0	109	76	131	113.4	4.14	20	
2-Butanone	117.3	50	µg/L	100	0	117	51	142	124.6	6.04	20	
2,2-Dichloropropane	105.6	10	µg/L	100	0	106	60	149	109	3.12	20	
cis-1,2-Dichloroethene	104.4	10	µg/L	100	0	104	74	128	108.2	3.62	20	
Chloroform	111.9	10	µg/L	100	0	112	80	129	119.5	6.57	20	
Tetrahydrofuran	98.45	50	µg/L	100	0	98.4	53	145	106.5	7.81	20	
Bromochloromethane	98.55	10	µg/L	100	0	98.6	78	130	110.6	11.5	20	
1,1,1-Trichloroethane	108.2	10	µg/L	100	0	108	77	139	112.2	3.72	20	
1,1-Dichloropropene	107.3	10	µg/L	100	0	107	74	127	115.1	7.01	20	
Carbon tetrachloride	100.5	10	µg/L	100	0	101	73	138	106.8	6.03	20	
1,2-Dichloroethane	106	10	µg/L	100	0	106	75	130	109.6	3.43	20	
Benzene	110.5	5.0	µg/L	100	0	110	79	123	116.4	5.16	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Trichloroethene	113.5	10	µg/L	100	2.24	111	79	126	107.5	5.43	20
1,2-Dichloropropane	106.8	10	µg/L	100		107	76	125	107	0.187	20
Bromodichloromethane	92	10	µg/L	100	0	92	69	119	95.65	3.89	20
Dibromomethane	107.3	10	µg/L	100	0	107	76	127	110.7	3.12	20
4-Methyl-2-pentanone	83.65	50	µg/L	100	0	83.6	53	141	101.3	19.1	20
cis-1,3-Dichloropropene	89.9	5.0	µg/L	100	0	89.9	70	119	93.05	3.44	20
Toluene	108	10	µg/L	100	0	108	82	124	110.2	2.06	20
trans-1,3-Dichloropropene	87.95	5.0	µg/L	100	0	88	64	124	90.95	3.35	20
1,1,2-Trichloroethane	102.8	10	µg/L	100	0	103	73	127	108.2	5.12	20
1,2-Dibromoethane	110.8	10	µg/L	100	0	111	73	127	114.7	3.46	20
2-Hexanone	92.15	50	µg/L	100	0	92.2	37	145	90	2.36	20
1,3-Dichloropropane	112.5	10	µg/L	100	0	112	76	123	105.8	6.09	20
Tetrachloroethene	110.8	10	µg/L	100	1	110	82	129	104.4	6	20
Dibromochloromethane	86.25	10	µg/L	100	0	86.2	59	125	84.55	1.99	20
Chlorobenzene	110.7	10	µg/L	100	0	111	80	120	105.2	5.05	20
1,1,1,2-Tetrachloroethane	96.2	10	µg/L	100	0	96.2	72	124	91.5	5.01	20
Ethylbenzene	115	10	µg/L	100	0	115	83	123	107.8	6.42	20
m,p-Xylene	229.6	10	µg/L	200	0	115	84	121	217	5.66	20
o-Xylene	113.9	10	µg/L	100	0	114	83	119	105.8	7.37	20
Styrene	115.2	10	µg/L	100	0	115	80	122	107	7.47	20
Bromoform	78.85	10	µg/L	100	0	78.8	54	119	79.3	0.569	20
Isopropylbenzene	137.7	10	µg/L	100	0	138	75	131	121.1	12.8	20
1,1,2,2-Tetrachloroethane	117.6	10	µg/L	100	0	118	61	139	110.1	6.55	20
1,2,3-Trichloropropane	109.8	10	µg/L	100	0	110	66	130	105.9	3.62	20
Bromobenzene	113.4	10	µg/L	100	0	113	77	124	105.5	7.22	20
n-Propylbenzene	127.4	10	µg/L	100	0	127	76	131	115	10.1	20
2-Chlorotoluene	115.6	10	µg/L	100	0	116	78	125	104.2	10.3	20
4-Chlorotoluene	114.6	10	µg/L	100	0	115	75	124	105.1	8.6	20
1,3,5-Trimethylbenzene	119.9	10	µg/L	100	0	120	79	124	108.5	9.98	20
tert-Butylbenzene	123.7	10	µg/L	100	0	124	79	126	112	9.88	20
1,2,4-Trimethylbenzene	117.3	10	µg/L	100	0	117	77	124	106.8	9.32	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 02-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

	129.7	119.4	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	130	82	128	114.4	12.5	20	S
sec-Butylbenzene	129.7	119.4	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	130	82	128	114.4	12.5	20	S
4-Isopropyltoluene	119.4	119.4	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	119	77	128	108.8	9.29	20	
1,3-Dichlorobenzene	114.7	114.7	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	115	80	122	105.6	8.26	20	
1,4-Dichlorobenzene	113.4	113.4	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	113	78	123	103	9.66	20	
n-Butylbenzene	111.1	111.1	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	111	74	130	97	13.6	20	
1,2-Dichlorobenzene	106.2	106.2	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	106	78	121	98.1	7.88	20	
1,2-Dibromo-3-chloropropane	92.25	92.25	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	25	100	0	92.2	50	127	88.3	4.38	20	
1,2,4-Trichlorobenzene	122.2	122.2	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	122	67	128	108	12.3	20	
Hexachlorobutadiene	105.3	105.3	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	105	74	134	90.65	15	20	
Naphthalene	120.6	120.6	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	25	100	0	121	57	131	104.8	14	20	
1,2,3-Trichlorobenzene	109	109	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	100	0	109	64	131	93.75	15	20	
Surr: Dibromofluoromethane	119.1	119.1	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	125	0	95.2	85	119	0	0	0	
Surr: 1,2-Dichloroethane-d4	123.9	123.9	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	125	0	99.1	79	131	0	0	0	
Surr: Toluene-d8	118.3	118.3	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	125	0	94.6	90	110	0	0	0	
Surr: 4-Bromofluorobenzene	123.4	123.4	114.7	113.4	111.1	106.2	92.25	122.2	105.3	120.6	109	119.1	123.9	118.3	123.4	10	125	0	98.8	76	117	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 08-Sep-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	CW-6
Lab Order:	0808067	Tag Number:	
Project:	130274 Textron Gorham	Collection Date:	8/20/2008 11:30:00 AM
Lab ID:	0808067-08A	Matrix:	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TPH BY GC/FID (MODIFIED 8015B)		SW8015B		Analyst: DL		
Gasoline	ND	0.052		mg/L	1	8/27/2008 11:36:00 PM
Mineral Spirits	ND	0.052		mg/L	1	8/27/2008 11:36:00 PM
Kerosene	ND	0.052		mg/L	1	8/27/2008 11:36:00 PM
Diesel Fuel/Fuel Oil #2	ND	0.052		mg/L	1	8/27/2008 11:36:00 PM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	8/27/2008 11:36:00 PM
Unidentified Hydrocarbons	13	0.21		mg/L	1	8/27/2008 11:36:00 PM
Surr: o-Terphenyl	131	31-131		%REC	1	8/27/2008 11:36:00 PM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

Qualifiers:

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

AMRO Environmental Laboratories Corp.

Date: 08-Sep-08

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	CW-6 Dup
Lab Order:	0808067	Tag Number:	
Project:	130274 Textron Gorham	Collection Date:	8/20/2008 11:30:00 AM
Lab ID:	0808067-09A	Matrix:	GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TPH BY GC/FID (MODIFIED 8015B)						
		SW8015B				Analyst: DL
Gasoline	ND	0.051		mg/L	1	8/28/2008 12:13:00 AM
Mineral Spirits	ND	0.051		mg/L	1	8/28/2008 12:13:00 AM
Kerosene	ND	0.051		mg/L	1	8/28/2008 12:13:00 AM
Diesel Fuel/Fuel Oil #2	ND	0.051		mg/L	1	8/28/2008 12:13:00 AM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	8/28/2008 12:13:00 AM
Unidentified Hydrocarbons	12	0.20		mg/L	1	8/28/2008 12:13:00 AM
Surr: o-Terphenyl	110	31-131		%REC	1	8/28/2008 12:13:00 AM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

Qualifiers:

ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank	E - Value above quantitation range
H - Method prescribed holding time exceeded.	# - See Case Narrative
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.	

AMRO Environmental Laboratories Corp.

Date: 08-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Method Blank

Sample ID: MB-18701 **Batch ID:** 18701 **Test Code:** SW8015B **Units:** mg/L **Analysis Date:** 8/27/2008 9:45:00 PM **Prep Date:** 8/27/2008
Client ID: **Run ID:** GC-FING1_080827A **SeqNo:** 681264

Analyte	QC Sample Result	RL	QC Spike		Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
			Amount	Units								
Gasoline	ND	0.050		mg/L								
Mineral Spirits	ND	0.050		mg/L								
Kerosene	ND	0.050		mg/L								
Diesel Fuel/Fuel Oil #2	ND	0.050		mg/L								
Motor Oil/Hydraulic Oil	ND	0.10		mg/L								
Unidentified Hydrocarbons	ND	0.20		mg/L								
Surr: o-Terphenyl	0.07872	0	0.1	mg/L	0	78.7	31	131	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 08-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0808067

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-18701 Batch ID: 18701 Test Code: SW8015B Units: mg/L Analysis Date: 8/27/2008 10:22:00 PM Prep Date: 8/27/2008
 Client ID: Run ID: GC-FING1_080827A SeqNo: 681265

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Diesel Fuel/Fuel Oil #2	1.476	0.050	mg/L	2	0	73.8	42	119	0			
Surr: o-Terphenyl	0.07939	0	mg/L	0.1	0	79.4	31	131	0			

Sample ID: LCSD-18701 Batch ID: 18701 Test Code: SW8015B Units: mg/L Analysis Date: 8/27/2008 10:59:00 PM Prep Date: 8/27/2008
 Client ID: Run ID: GC-FING1_080827A SeqNo: 681266

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Diesel Fuel/Fuel Oil #2	1.566	0.050	mg/L	2	0	78.3	42	119	1.476	5.9	40	
Surr: o-Terphenyl	0.08424	0	mg/L	0.1	0	84.2	31	131	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 04-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

Lab Order: 0808067

Lab ID: 0808067-02 **Collection Date:** 8/20/2008 2:00:00 PM
Collection Time:
Client Sample ID: GZA-3 **Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846		SW6010B				Analyst: AL
Lead	ND	12.0		µg/L	1	8/26/2008 6:12:39 PM

Lab ID: 0808067-03 **Collection Date:** 8/20/2008 2:15:00 PM
Collection Time:
Client Sample ID: MW-109D **Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846		SW6010B				Analyst: AL
Lead	ND	12.0		µg/L	1	8/26/2008 6:17:53 PM

Lab ID: 0808067-06 **Collection Date:** 8/20/2008 2:00:00 PM
Collection Time:
Client Sample ID: GZA-3 Dup **Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846		SW6010B				Analyst: AL
Lead	ND	12.0		µg/L	1	8/26/2008 6:23:14 PM

AMRO Environmental Laboratories Corp.

Date: 08-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Method Blank

Sample ID: MB-18697 **Batch ID:** 18697 **Test Code:** SW6010B **Units:** µg/L **Analysis Date:** 8/26/2008 5:14:26 PM **Prep Date:** 8/26/2008
Client ID: **Run ID:** ICP-OPTIMA_080826A **SeqNo:** 681024

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	ND	12	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 08-Sep-08

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0808067
Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Laboratory Control Spike

Sample ID: LCS-18697 **Batch ID:** 18697 **Test Code:** SW6010B **Units:** µg/L **Analysis Date:** 8/26/2008 5:17:53 PM **Prep Date:** 8/26/2008
Client ID: **Run ID:** ICP-OPTIMA_080826A **SeqNo:** 681025

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	2043	12	µg/L	1998	0	102	80	120	0			

Sample ID: LCSD-18697 **Batch ID:** 18697 **Test Code:** SW6010B **Units:** µg/L **Analysis Date:** 8/26/2008 5:23:03 PM **Prep Date:** 8/26/2008
Client ID: **Run ID:** ICP-OPTIMA_080826A **SeqNo:** 681026

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	2014	12	µg/L	1998	0	101	80	120	2043	1.42	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.