



Shaw Environmental, Inc.

11 Northeastern Boulevard
Salem, NH 03079-1953
603.870.4500
Fax: 603.870.4501

April 7, 2009
Project 101960

Mr. Joseph T. Martella, II
Rhode Island Department of Environmental Management
Office of Waste Management
235 Promenade Street
Providence, RI 02908-5767

**Re: Status Report: February 2009 Activities
Former Gorham Manufacturing Facility
333 Adelaide Avenue, Providence, RI
Site Remediation Case No. 97-030**

Dear Mr. Martella:

Shaw Environmental, Inc. (Shaw) has prepared this status report on behalf of Textron, Inc. (Textron). This status report is associated with the remediation of tetrachloroethene (PCE) contaminated groundwater at the former Gorham Manufacturing Facility at 333 Adelaide Avenue, Providence, Rhode Island (Figure 1).

PCE is the primary contaminant of concern for groundwater in this area. As discussed in the Remedial Action Work Plan (RAWP) and subsequent revisions, the PCE source area in the vicinity of the former building W is the area of concern with a site-specific remedial goal of 7,700 micrograms per liter (ug/L). This area was treated using in-situ applications of sodium permanganate. Figure 2 shows the most recent treatment area.

This status report describes groundwater monitoring activities conducted in accordance with the proposed groundwater monitoring program submitted to the Rhode Island Department of Environmental Management (RIDEM) in February 2007 (Shaw – Groundwater Monitoring Program letter, dated February 1, 2007).

FIELD ACTIVITIES

The following field activities were conducted on February 25, 2009:

Monitoring Activities

Field parameters were measured in treatment area wells and compliance wells on February 25, 2009. Field measurements included oxidation/reduction potential (ORP), dissolved oxygen (DO), pH, temperature, and specific conductance (SC). Groundwater elevation and light non-aqueous phase liquid (LNAPL) thickness measurements were also collected. There was a slight non-aqueous phase liquid (LNAPL) sheen in the development water collected from well MW-216S and MW-217S. The thickness of LNAPL in these wells was not appreciable. Field parameter results are presented in Tables 1 and 2.

Groundwater Sampling

Groundwater samples were collected for analysis for volatile organic compounds (VOCs) (EPA Method 8260B) on February 25, 2009 from 22 monitoring wells within and around the treatment area, including compliance wells. One duplicate sample was collected from MW-101S (MW-101 Dupe) for VOC analysis. One sample was collected for total petroleum hydrocarbon (TPH) analysis (modified EPA Method 8015 B) from monitoring well CW-6 and also a duplicate sample (CW-6 DUP). Samples were collected for lead analysis (EPA Method 6010B) from monitoring wells MW-109D and GZA-3 and also one duplicate sample (GZA-3 DUP). Groundwater samples were delivered to AMRO Environmental Laboratories Corporation in Merrimack, New Hampshire for analysis

SUMMARY OF ANALYTICAL DATA

A summary of the analytical data associated with the groundwater sampling conducted on February 25, 2009 is contained in Table 3. A copy of the laboratory analytical report is attached as Appendix A of this report. The PCE concentration found in well MW-202S was above the treatment goal of 7,700 ug/L.

A summary of the compliance well results is contained in Table 4. The results for the compliance wells indicate that exceedances occurred for wells MW-209D (PCE), MW-218D (PCE, TCE, and 1,1-dichloroethene), and MW-218S (vinyl chloride). Note that for wells MW-209D and MW-218D, these samples were diluted by the laboratory prior to analysis resulting in laboratory reporting limits being higher than the compliance standard for vinyl chloride and 1,1-dichloroethene. In compliance well MW-112 bromodichloromethane was detected at a concentration of 2.1 ug/L, however this compound is not believed to be site related.

Mr. Joseph T. Martella, II
April 7, 2009
Page 3 of 4

FUTURE ACTIVITIES

The next sampling event is scheduled for August 2009.

If you have any questions regarding this report, please contact Ed Van Doren at (603) 870-4530.

Sincerely,

SHAW ENVIRONMENTAL, INC.



Edward P. Van Doren
Project Manager

Attachments:

Figures

Figure 1 – Site Plan

Figure 2 – Injection Well Locations

Tables

Table 1 – Summary Field Parameters

Table 2 – Groundwater Elevations

Table 3 – VOCs in Groundwater

Table 4 – Compliance Wells Analytical Results

Appendices:

Appendix A – Laboratory Analytical Report

cc: Craig Roy, RIDEM OWR
Greg Simpson, Textron
Jamieson Schiff, Textron
Dave Heislein, MACTEC
Thomas Dellar, City of Providence
Jeff Morgan, Stop & Shop
Ronald Ruth, Sherin and Lodgen

Mr. Joseph T. Martella, II


April 7, 2009

Page 4 of 4

CERTIFICATIONS

The following certifications are provided pursuant to Rule 9.19 of the Remediation Regulations:

I, Edward P. Van Doren, as an authorized representative of Shaw Environmental, Inc. and the person responsible for the preparation of this Status Report dated April 7, 2009, certify that the information contained in this report is complete and accurate to the best of my knowledge.




Edward P. Van Doren
Project Manager

4/22/09

Date:

We, Textron, Inc., as the party responsible for submittal of this Status Report, certify that this report is a complete and accurate representation of the contaminated site and the release, and contains all known facts surrounding the release, to the best of our knowledge.

Certification on behalf of Textron Inc.






Gregory L. Simpson
Project Manager

4/15/09


Date:

File: N:\dwg\Gorham\smtgf-01.dwg User: James.O'Donnell Mar 07, 2008 - 10:08am
Layout: Inj_well



LEGEND

	MW-101S	MONITORING WELL
	SB-2	SOIL BORING
	04IS01	INJECTION WELL



DATE	3/7/08
DWN	J.O'D.
APP	E.P.V.
REV	
PROJECT NO.	101960

FIGURE 2
TEXTRON PROVIDENCE
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND
INJECTION WELL LOCATIONS

**Table 1
Summary Field Parameters
February 2009**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

MONITORING WELL ID	DATE	pH	Temperature (C°)	Conductivity (mS/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mv)
MW-101D	2/25/2009	6.42	14.88	2.553	3.49	-81
MW-101S	2/25/2009	6.02	14.92	3.855	5.53	-68
MW-112	2/25/2009	5.74	14.12	0.232	0.51	97
MW-116D	2/25/2009	5.76	13.86	0.399	2.75	159
MW-116S	2/25/2009	6.17	12.73	0.107	8.90	105
MW-201D	2/25/2009	6.64	14.54	1.449	1.59	-52
MW-202D	2/25/2009	6.03	15.26	0.787	1.21	145
MW-202S	2/25/2009	5.91	15.44	0.628	1.02	119
MW-207D	2/25/2009	6.03	15.07	1.148	2.03	106
MW-207S	2/25/2009	6.15	15.48	0.952	2.56	102
MW-209D	2/25/2009	6.56	13.83	0.348	0.64	123
MW-216D	2/25/2009	6.26	14.50	0.275	0.32	-26
MW-216S	2/25/2009	6.53	14.77	0.610	1.01	-108
MW-217D	2/25/2009	6.60	14.53	0.299	0.34	-99
MW-217S	2/25/2009	6.54	14.82	0.677	1.19	100
MW-218D	2/25/2009	6.26	14.57	0.408	0.47	33
MW-218S	2/25/2009	6.19	15.38	0.575	2.22	-56
Notes: C° = degrees Celsius mS/cm = millisiemens per centimeter mg/L = milligrams per liter mV = milli volts N/A = Not available due to LNAPL in well.						

**Table 2
Groundwater Elevations
February 2009**

**Former Gorham Manufacturing Facility
Providence, Rhode Island**

Well ID	Date	Reference Elevation (Feet)	Depth to Water (Feet)	LNAPL Thickness (Feet)	Groundwater Elevation (Feet)
MW-101D	2/25/2009	98.91	24.37	--	74.54
MW-101S	2/25/2009	98.90	24.39	--	74.51
MW-109D	2/25/2009	NA	18.82	--	NA
MW-112	2/25/2009	100.63	26.04	--	74.59
MW-116D	2/25/2009	98.92	24.31	--	74.61
MW-116S	2/25/2009	99.40	24.71	--	74.69
MW-201D	2/25/2009	98.80	24.27	--	74.53
MW-202D	2/25/2009	98.17	23.65	--	74.52
MW-202S	2/25/2009	98.06	23.57	--	74.49
MW-207D	2/25/2009	98.18	23.73	--	74.45
MW-207S	2/25/2009	98.28	23.74	--	74.54
MW-209D	2/25/2009	99.90	25.77	--	74.13
MW-216D	2/25/2009	98.69	24.95	--	73.74
MW-216S	2/25/2009	99.58	24.94	--	74.64
MW-217D	2/25/2009	98.65	24.43	--	74.22
MW-217S	2/25/2009	98.71	24.50	--	74.21
MW-218D	2/25/2009	99.67	25.11	--	74.56
MW-218S	2/25/2009	99.61	25.03	--	74.58
CW-01	2/25/2009	99.52	25.23	--	74.29
CW-02	2/25/2009	98.86	24.40	--	74.46
CW-06	2/25/2009	99.52	24.58	--	74.94
GZA-3	2/25/2009	NA	17.50	--	NA
Notes: Groundwater elevations are based on an arbitrary reference datum established for the site.					

Table 3
Groundwater Analytical Results
February 2009
Former Gorham Manufacturing Facility
Providence, Rhode Island

CONSTITUENT	CW-01 2/25/2009 Primary	CW-02 2/25/2009 Primary	CW-06 2/25/2009 Primary	CW-06 2/25/2009 Duplicate	GZA-3 2/25/2009 Primary	GZA-3 2/25/2009 Duplicate	MW-101D 2/25/2009 Primary	MW-101S 2/25/2009 Primary	MW-101S 2/25/2009 Duplicate	MW-109D 2/25/2009 Primary	MW-112 2/25/2009 Primary	MW-116D 2/25/2009 Primary	MW-116S 2/25/2009 Primary
VOC (ug/L)													
1,1-Dichloroethene	3.8	<1	---	---	<1	---	<10	<10	<10	<1	<1	<1	<1
1,2,4-Trimethylbenzene	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
1,3,5-Trimethylbenzene	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
Benzene	<1	<1	---	---	<1	---	<10	<10	<10	<1	<1	<1	<1
Bromodichloromethane	<2	<2	---	---	<2	---	<20	<20	<20	<2	2.1	<2	<2
Chloroform	<2	<2	---	---	<2	---	<20	<20	<20	<2	20	3	<2
cis-1,2-Dichloroethene	12	<2	---	---	9.5	---	53	110	160	<2	<2	2.1	<2
Ethylbenzene	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
Methyltert-butylether	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
Naphthalene	<5	<5	---	---	<5	---	<50	<50	<50	<5	<5	<5	<5
Tetrachloroethene	15	8.6	---	---	<2	---	2300	1600	1300	<2	110	4.1	<2
Toluene	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
Trichloroethene	250	3	---	---	4.2	---	<20	31	40	<2	4.5	<2	<2
Vinyl chloride	<2	<2	---	---	13	---	<20	<20	<20	<2	<2	<2	<2
m/p-xylene	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
o-Xylene	<2	<2	---	---	<2	---	<20	<20	<20	<2	<2	<2	<2
TPH (mg/L)													
Unidentified TPH	---	---	11	10	---	---	---	---	---	---	---	---	---
Dissolved Metals (mg/L)													
Lead	---	---	---	---	<12	<12	---	---	---	<12	---	---	---
Notes: < = Less than the laboratory reporting limit ug/L = Micro grams per liter, parts per billion mg/L = Milligrams per liter, parts per million TPH = Total Petroleum Hydrocarbons --- = Not analyzed for.													

Table 3
Groundwater Analytical Results
February 2009
Former Gorham Manufacturing Facility
Providence, Rhode Island

CONSTITUENT	MW-201D 2/25/2009 Primary	MW-202D 2/25/2009 Primary	MW-202S 2/25/2009 Primary	MW-207D 2/25/2009 Primary	MW-207S 2/25/2009 Primary	MW-209D 2/25/2009 Primary	MW-216D 2/25/2009 Primary	MW-216S 2/25/2009 Primary	MW-217D 2/25/2009 Primary	MW-217S 2/25/2009 Primary	MW-218D 2/25/2009 Primary	MW-218S 2/25/2009 Primary
VOC (ug/L)												
1,1-Dichloroethene	<50	<10	<100	<20	<10	<10	<1	<1	<1	<1	14	1
1,2,4-Trimethylbenzene	<100	<20	<200	<40	<20	<20	<2	13	<2	<2	<20	<2
1,3,5-Trimethylbenzene	<100	<20	<200	<40	<20	<20	<2	9.8	<2	<2	<20	<2
Benzene	<50	<10	<100	<20	<10	<10	<1	<1	<1	<1	<10	4.4
Bromodichloromethane	<100	<20	<200	<40	<20	<20	<2	<2	<2	<2	<20	<2
Chloroform	<100	<20	<200	<40	<20	<20	<2	<2	<2	<2	<20	<2
cis-1,2-Dichloroethene	2800	<20	<200	<40	<20	<20	<2	76	17	17	23	550
Ethylbenzene	<100	<20	<200	<40	<20	<20	<2	3	<2	<2	<20	<2
Methyltert-butylether	<100	<20	<200	<40	<20	<20	3.2	<2	<2	<2	<20	<2
Naphthalene	<250	<50	<500	<100	<50	<50	<5	46	<5	<5	<50	<5
Tetrachloroethene	200	330	15000	3600	2000	780	<2	<2	<2	16	840	100
Toluene	<100	<20	<200	<40	<20	<20	<2	3	<2	<2	<20	<2
Trichloroethene	<100	<20	<200	110	88	280	3.9	<2	<2	<2	670	13
Vinyl chloride	<100	<20	<200	<40	<20	<20	<2	<2	<2	3	<20	25
m/p-xylene	<100	<20	<200	<40	<20	<20	<2	7.7	<2	<2	<20	<2
o-Xylene	<100	<20	<200	<40	<20	<20	<2	10	<2	<2	<20	<2
TPH (mg/L)												
Unidentified TPH	---	---	---	---	---	---	---	---	---	---	---	---
Dissolved Metals (mg/L)												
Lead	---	---	---	---	---	---	---	---	---	---	---	---
Notes: < = Less than the laboratory reporting limit ug/l = Micro grams per liter, parts per billion mg/l = Milligrams per liter, parts per million TPH = Total Petroleum Hydrocarbons --- = Not analyzed for.												

Table 4
Compliance Wells Analytical Results
February 2009
Former Gorham
Manufacturing Facility
Providence, Rhode Island

Mashapaug Pond Compliance Wells				
Sample ID	GZA-3	GZA-3	MW-109D	Compliance
Date Collected	2/25/2009	2/25/2009	2/25/2009	Standard¹
CONSTITUENT		Duplicate		
Metals (mg/L)				
Lead	<0.012	<0.012	<0.012	0.03
VOCs (ug/L)				
1,1-Dichloroethane	<2	NA	<2	50,000
cis-1,2-Dichloroethene	9.5	NA	<2	50,000
Tetrachloroethene	<2	NA	<2	5,000
Trichloroethene	4.2	NA	<2	20,000
Vinyl chloride	13	NA	<2	1,200

TPH Remediation Area Well			
Sample ID	CW-6	CW-6	Compliance
Date Collected	2/25/2009	2/25/2009	Standard¹
CONSTITUENT		Duplicate	
TPH (mg/L)	11	10	20

Sewer Interceptor Area Wells			
Sample ID	CW-1	CW-2	Compliance
Date Collected	2/25/2009	2/25/2009	Standard²
CONSTITUENT			
VOCs (ug/L)			
1,1-Dichloroethene	3.8	<1	23,000
cis-1,2-Dichloroethene	12	<2	69,000
Trichloroethene	250	3	87,000

Adelaide Avenue Wells					
Sample ID	MW-112	MW-209D	MW-218D	MW-218S	Compliance
Date Collected	2/25/2009	2/25/2009	2/25/2009	2/25/2009	Standard³
CONSTITUENT					
VOCs (ug/L)					
cis-1,2-Dichloroethene	<2	<20	23	550	2,400
1,1-Dichloroethene	<1	<10	14	1	7
Benzene	<1	<10	<10	4.4	140
Chloroform	20	<20	<20	<2	1,900
Tetrachloroethene	110	780	840	100	150
Trichloroethene	4.5	280	670	13	540
Vinyl chloride	<2	<20	<20	25	2

Notes:

1. These Site specific compliance standards were taken from the approved RAWP dated April 1, 2001 and/or the RIDEM Remediation Regulations.
 2. These compliance standards taken from Table 5 - Upper Concentration Limits for GB Groundwater, RIDEM Remediation Regulations.
 3. These compliance standards taken from Table 4 -GB Groundwater Objectives of the RIDEM Remediation Regulations or in the case of vinyl chloride the compliance standard was taken from Table 3 of the Remediation Regulations and for chloroform the compliance standard was calculated from the algorithm in Appendix F of the Remediation Regulations (calculations attached as Appendix C of Status Report dated September 18, 2007).
- mg/L - milligrams per liter
ug/L - micrograms per liter
< - compound was not detected below the laboratory reporting limit, concentration shown is the reporting limit.
VOCs - volatile organic compounds
TPH - total petroleum hydrocarbons
NA - Indicates that the analysis was not performed.



111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

March 13, 2009

ANALYTICAL TEST RESULTS

Ed VanDoren
Shaw Environmental & Infrastructure, Inc.
11 Northeastern Boulevard
Salem, NH 030791953
TEL: (603) 870-4530
FAX: (603) 870-4501

Subject: 130274 Textron Gorham

Workorder No.: 0902072

Dear Ed VanDoren:

AMRO Environmental Laboratories Corp. received 26 samples on 2/26/2009 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of III pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0902072
Date Received: 2/26/2009

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0902072-01A	MW-201D	2/25/2009	12:15 PM
0902072-02A	CW-1	2/25/2009	12:30 PM
0902072-03A	CW-2	2/25/2009	1:15 PM
0902072-04A	MW-209D	2/25/2009	1:35 PM
0902072-05A	MW-217S	2/25/2009	3:35 PM
0902072-06A	MW-217D	2/25/2009	3:45 PM
0902072-07A	MW-216S	2/25/2009	3:58 PM
0902072-08A	MW-216D	2/25/2009	4:15 PM
0902072-09A	MW-207S	2/25/2009	9:00 AM
0902072-10A	MW-207D	2/25/2009	9:15 AM
0902072-11A	MW-202D	2/25/2009	9:40 AM
0902072-12A	MW-202S	2/25/2009	9:50 AM
0902072-13A	MW-101D	2/25/2009	10:35 AM
0902072-14A	MW-101S	2/25/2009	10:56 AM
0902072-15A	MW-101 Dupe	2/25/2009	10:55 AM
0902072-16A	MW-218S	2/25/2009	11:20 AM
0902072-17A	MW-218D	2/25/2009	11:40 AM
0902072-18A	MW-112	2/25/2009	11:50 AM
0902072-19A	CW-6	2/25/2009	2:31 PM
0902072-20A	CW-6 Dupe	2/25/2009	2:32 PM
0902072-21A	MW-109D	2/25/2009	3:10 PM
0902072-21B	MW-109D	2/25/2009	3:10 PM
0902072-22A	GZA-3	2/25/2009	3:50 PM
0902072-22B	GZA-3	2/25/2009	3:50 PM
0902072-23A	GZA-3 Dupe	2/25/2009	3:51 PM
0902072-24A	Trip Blank	2/25/2009	12:00 AM
0902072-25A	MW-116D	2/25/2009	4:35 PM
0902072-26A	MW-116S	2/25/2009	4:45 PM

AMRO Environmental Laboratories Corp.

09-Mar-09

DATES REPORT

Lab Order: 0902072

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name Preparatory Test Name	Prep Date	Analysis Date Batch ID	TCLP Date
0902072-01A	MW-201D	2/25/2009 12:15:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS EPA 5030B	2/25/2009	2/28/2009 R41842	
0902072-02A	CW-1	2/25/2009 12:30:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/28/2009 R41842	
0902072-03A	CW-2	2/25/2009 1:15:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/27/2009 R41838	
0902072-04A	MW-209D	2/25/2009 1:35:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/28/2009 R41842	
0902072-05A	MW-217S	2/25/2009 3:35:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/27/2009 R41838	
0902072-06A	MW-217D	2/25/2009 3:45:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/27/2009 R41838	
0902072-07A	MW-216S	2/25/2009 3:58:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/27/2009 R41838	
0902072-08A	MW-216D	2/25/2009 4:15:00 PM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/28/2009 R41842	
0902072-09A	MW-207S	2/25/2009 9:00:00 AM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/28/2009 R41842	
0902072-10A	MW-207D	2/25/2009 9:15:00 AM		EPA 8260B VOLATILES by GC/MS	2/25/2009	2/28/2009 R41842	
0902072-11A	MW-202D	2/25/2009 9:40:00 AM		EPA 8260B VOLATILES by GC/MS	2/25/2009	3/4/2009 R41860	
0902072-12A	MW-202S	2/25/2009 9:50:00 AM		EPA 8260B VOLATILES by GC/MS	2/25/2009	3/4/2009 R41860	

AMRO Environmental Laboratories Corp.

09-Mar-09

DATES REPORT

Lab Order: 0902072

Client: Shaw Environmental & Infrastructure, Inc.

Project: 130274 Textron Gorham

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Batch ID	Analysis Date	TCLP Date
0902072-13A	MW-101D	2/25/2009 10:35:00 AM	Groundwater	EPA 8260B VOLATILES by GC/MS	EPA 5030B	2/25/2009	R41874	3/5/2009	
0902072-14A	MW-101S	2/25/2009 10:56:00 AM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41874	3/5/2009	
0902072-15A	MW-101 Dupe	2/25/2009 10:55:00 AM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41874	3/5/2009	
0902072-16A	MW-218S	2/25/2009 11:20:00 AM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41842	2/28/2009	
				EPA 8260B VOLATILES by GC/MS		2/25/2009	R41860	3/4/2009	
0902072-17A	MW-218D	2/25/2009 11:40:00 AM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41860	3/4/2009	
0902072-18A	MW-112	2/25/2009 11:50:00 AM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41874	3/5/2009	
0902072-19A	CW-6	2/25/2009 2:31:00 PM		TPH by GC/FID (modified 8015B)		3/4/2009	19141	3/5/2009	
				AQPREP SEP FUNNEL: FING		3/4/2009	19141	19141	
0902072-20A	CW-6 Dupe	2/25/2009 2:32:00 PM		TPH by GC/FID (modified 8015B)		3/4/2009	19141	3/5/2009	
0902072-21A	MW-109D	2/25/2009 3:10:00 PM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41842	2/28/2009	
				EPA 5030B		2/25/2009	R41842	3/4/2009	
0902072-21B				EPA 6010B ICP METALS, DISSOLVED		3/4/2009	19143	3/4/2009	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA		3/4/2009	19143	3/4/2009	
0902072-22A	GZA-3	2/25/2009 3:50:00 PM		EPA 8260B VOLATILES by GC/MS		2/25/2009	R41842	2/28/2009	
				EPA 5030B		2/25/2009	R41842	2/28/2009	

AMRO Environmental Laboratories Corp.

09-Mar-09

Lab Order: 0902072
Client: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name	Preparatory Test Name	Prep Date	Analysis Date	Batch ID	TCLP Date
0902072-22B	GZA-3	2/25/2009 3:50:00 PM	Groundwater	EPA 6010B ICP METALS, DISSOLVED	EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	3/4/2009	3/4/2009	19143	
0902072-23A	GZA-3 Dupe	2/25/2009 3:51:00 PM		EPA 6010B ICP METALS, DISSOLVED		3/4/2009	3/4/2009	19143	
0902072-24A	Trip Blank	2/25/2009	Trip Blank	EPA 8260B VOLATILES by GC/MS	EPA 5030B	2/25/2009	2/28/2009	R41842	
0902072-25A	MW-116D	2/25/2009 4:35:00 PM	Groundwater	EPA 8260B VOLATILES by GC/MS		2/25/2009	2/28/2009	R41842	
0902072-26A	MW-116S	2/25/2009 4:45:00 PM		EPA 8260B VOLATILES by GC/MS		2/25/2009	2/28/2009	R41842	

Project No.: 130274	Project Name: Textron Gorham	Project State: RI	Project Manager: Ed VanDoren	Samplers (Signature): <i>[Signature]</i>	AMRO Project No.: 0902072
P.O.#: 157431	Results Needed by: Standard TAT	Total # of Cont. & Size	REQUESTED ANALYSES		
QUOTE #:	Seal Intact? Yes No N/A	Matrix	Remarks		
Sample ID:	Date/Time Sampled	GW	EPA 8260B (VOC)		
MW-201D	2/25/09 / 13:15	2/40ml	✓		
CW-1	2/25/09 / 1330		✓		
CW-2	2/25/09 / 1315		✓		
MW-209 D	2/25/09 / 1335		✓		
MW-217 S	2/25/09 / 1535		✓		
MW-217 D	2/25/09 / 1545		✓		
MW-216 S	2/25/09 / 1558		✓		
MW-216 D	2/25/09 / 1615		✓		
Preservative: Cl-HCl, MeOH, N-HN03, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed VanDoren					
Shaw Environmental, Inc.					
11 Northeastern Blvd.					
Saalem, NH 03079-1953					
PHONE #: 603-870-4530 FAX #: 603-870-4501					
E-mail: Edward.Vandoren@Shawgrp.com					
Relinquished By: <i>[Signature]</i>		Date/Time 2/26/09 09:00		Received By: <i>[Signature]</i>	
White: Lab Copy		Yellow: Client Copy		SHEET 1 OF 3	
Please print clearly; legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.					
AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.					
KNOWN SITE CONTAMINATION:					

METALS 8 RCRA 13 PP 23 TAL 14 MCP
 Method: 6010 200.7 Other Metals:
 Dissolved Metals Field Filtered? YES NO
 MCP Presumptive Certainty Required? YES NO
 MCP Methods Needed: YES NO
 AMRO report package level needed:
 EDD required:
 GISKEY Format
 Required Reporting Limits:
 S-1 GW-1
 S-2 GW-2
 S-3 GW-3
 Other:

Project No.: 130274	Project Name: Textron Gorham	Project Manager: Ed VanDoren	Samplers (Signature): <i>[Signature]</i>	AMRO Project No.: 0902012
P.O.#: 157431	Results Needed by:	Project State: RI	REQUESTED ANALYSES	
QUOTE #:	Standard TAT	Matrix	REMARKS	
Sample ID:	Date/Time Sampled	Total # of Cont. & Size	REMARKS	
MW-207 S	2/25/09 / 0900	2/40mL	EPA8260B (VOC)	
MW-207 D	2/25/09 / 0915			
MW-202 D	2/25/09 / 0940			
MW-202 S	2/25/09 / 0950			
MW-101 D	2/25/09 / 1035			
MW-101 S	2/25/09 / 1056			
MW-101 Dura	2/25/09 / 1055			
MW-218 S	2/25/09 / 1120			
MW-218 D	2/25/09 / 1140			
MW-112	2/25/09 / 1150			
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other				
Send Results To: Ed VanDoren				
Shaw Environmental, Inc.				
11 Northeastern Blvd.				
Salem, NH 03079-1953				
PHONE #: 603-870-4530 FAX #: 603-870-4501				
E-mail: Edward.VanDoren@Shawgrp.com				
Relinquished By: <i>[Signature]</i>		Received By: <i>[Signature]</i>		
Date/Time: 2/26/09 9:30 AM		Date/Time: 2/26/09 11:15 AM		
Please print clearly, legibly and completely. Samples can not be logged in and the turnaround time clock will not start until any ambiguities are resolved.				
White: Lab Copy Yellow: Client Copy				
AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.				
KNOWN SITE CONTAMINATION:				
AMROC2004_Rev.3_08/18/04				

METALS 8 RCRA 13 PP 23 TAL 14 MCP
 Method: 6010 200.7 Other Metals:

Dissolved Metals Field Filtered? YES NO
 MCP Presumptive Certainty Required? YES NO
 AMRO report package level needed:

Required Reporting Limits:
 S-1 GW-1
 S-2 GW-2
 S-3 GW-3
 Other:

EDD required:
 GISKEY Format

SHEET 2 OF 3

Project No.: 130274 P.O.#: 157431	Project Name: T&E from Gorham Results Needed by: <i>stch</i>	Project State: RI	Project Manager: Ed Van Doren	Samplers (Signature): <i>[Signature]</i>	AMRO Project No.: 090207
QUOTE #:	Seal Intact? Yes No N/A	Matrix	REQUESTED ANALYSES		
Sample ID.:	Date/Time Sampled	Total # of Cont. & Size	Comp	Grab	Remarks
CW-6	2/25/09 / 1431	GW 1-200	X	X	
CW-6 Dup	2/25/09 / 1432	GW 1-90	X	X	
MW-109D	2/25/09 / 1510	R-4 2-400	X	X	
GZA-3	2/25/09 / 1550	GW 1-500	X	X	
GZA-3 Dup	2/25/09 / 1551	GW 1-500	X	X	
Trip blank	2/25/09	1-400	X	X	
MW-116D	2/24/09 / 1635	2-400	X	X	
MW 116S	2/25/09 / 1645	2-400	X	X	
Preservative: Cl-HCl, MeOH, N-HNO3, S-H2SO4, Na-NaOH, O- Other					
Send Results To: Ed Van Doren Shaw Environmental Inc 11 Northcastles Blvd, Salmon NH 03079 PHONE #: 603-820-4530 FAX #: 603-820-4501 E-mail: Edward.VanDoren@shawcorp.com					
Relinquished By: <i>[Signature]</i> Date/Time: 2/24/09 0800 Received By: <i>[Signature]</i>					
Dissolved Metals Field Filtered? YES <input type="checkbox"/> NO <input type="checkbox"/>					
MCP Presumptive Certainty Required? YES <input type="checkbox"/> NO <input type="checkbox"/>					
MCP Methods Needed: YES <input type="checkbox"/> NO <input type="checkbox"/>					
AMRO report package level needed: YES <input type="checkbox"/> NO <input type="checkbox"/>					
EDD required: YES <input type="checkbox"/> NO <input type="checkbox"/>					
Required Reporting Limits: S-1 <input type="checkbox"/> S-2 <input type="checkbox"/> S-3 <input type="checkbox"/> Other: <input type="checkbox"/>					
KNOWN SITE CONTAMINATION:					
AMRO policy requires notification in writing to the laboratory in cases where the samples were collected from highly contaminated sites.					
SHEET 3 OF 3			AMROCG2004, Rev.3 08/18/04		

Login Account for multiple users

From: VanDoren, Edward [Edward.VanDoren@shawgrp.com]
Sent: Thursday, February 26, 2009 6:31 PM
To: Login Account for multiple users; Lielausis, Peter
Subject: RE: TPH for Textron (AMRO 0902072)

Hi Connie-

Can you please do what you did last time. I'm not sure what it is and I'm not in the office. The last time was in August of 2008.

Thanks
Ed

From: Login Account for multiple users [mailto:login@amrolabs.com]
Sent: Thu 2/26/2009 1:11 PM
To: Lielausis, Peter
Cc: VanDoren, Edward
Subject: TPH for Textron (AMRO 0902072)

Hi Peter -

Can you tell me which TPH you need run for these samples? In the past we have done Fingerprint.

Thanks!

Connie in Receiving

****Internet Email Confidentiality Footer**** Privileged/Confidential Information may be contained in this message. If you are not the addressee indicated in this message (or responsible for delivery of the message to such person), you may not copy or deliver this message to anyone. In such case, you should destroy this message and notify the sender by reply email.

Please advise immediately if you or your employer do not consent to Internet email for messages of this kind. Opinions, conclusions and other information in this message that do not relate to the official business of The Shaw Group Inc. or its subsidiaries shall be understood as neither given nor endorsed by it.

The Shaw Group Inc.

<http://www.shawgrp.com>

Client: SHAW ENVIRONMENTAL, INC AMRO ID: 0902072
 Project Name: TEXTROL GORHAM Date Rec.: 2-26-09
 Ship via: (circle one) Fed Ex., UPS, AMRO Courier Date Due: 3-5-09
 Hand Del., Other Courier, Other:

Items to be Checked Upon Receipt

	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. TEMP = 5.2° Samples rec. with ice <input checked="" type="checkbox"/> ice packs <input type="checkbox"/> neither <input type="checkbox"/>				
8. Were samples received the same day they were sampled? Is client temperature 4°C ± 2°C?	✓	✓		
If no obtain authorization from the client for the analyses. Client authorization from: _____ Date: _____ Obtained by: _____				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			

19. VPH and VOA Soils only:
 Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)
 Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk
 If M or SB:
 Does preservative cover the soil? If NO then client must be faxed.
 Does preservation level come close to the fill line on the vial? If NO then client must be faxed.
 Were vials provided by AMRO? If NO then weights MUST be obtained from client
 Was dry weight aliquot provided? If NO then fax client and inform the VOA lab ASAP.

20. Subcontracted Samples:
 What samples sent: _____
 Where sent: _____
 Date: _____
 Analysis: _____
 TAT: _____

21. Information entered into:
 Internal Tracking Log?
 Dry Weight Log?
 Client Log?
 Composite Log?
 Filtration Log?

Received By: MG Date: 2-26-09 Logged in By: CC Date: 2-26-09
 Labeled By: CC Date: 2-26-09 Checked By: MG Date: 2-27-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0902072

CASE NARRATIVE

GC/MS VOLATILES:

1. A Laboratory Control Sample (LCS) was performed on 02/27/09 (Batch ID: R41838).

1.1 The % Recovery for 5 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

2. A Laboratory Control Sample (LCS) was performed on 02/28/09 (Batch ID: R41842).

2.1 The % Recovery for 13 analytes out of 67 analytes in the LCS was outside the laboratory control limits.

3. A Laboratory Control Sample (LCS) was performed on 03/05/09 (Batch ID: R41874).

3.1 The % Recovery for 1 analyte out of 67 analytes in the LCS was outside the laboratory control limits.

4. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-216S (0902072-08A) (Batch ID: R41842).

4.1 The % Recovery for 5 analytes out of 67 analytes in the MS was outside the laboratory control limits.

4.2 The % Recovery for 8 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

5. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-218S (0902072-16A) (Batch ID: R41860).

5.1 The % Recovery for 6 analytes out of 67 analytes in the MS was outside the laboratory control limits.

5.2 The % Recovery for 4 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

6. A Matrix Spike (MS) and Matrix Spike Duplicate (MSD) were performed on sample MW-112 (0902072-18A) (Batch ID: R41874).

6.1 The % Recovery for 6 analytes out of 67 analytes in the MS was outside the laboratory control limits.

6.2 The % Recovery for 7 analytes out of 67 analytes in the MSD was outside the laboratory control limits.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham
Lab Order: 0902072

CASE NARRATIVE

limits.

TPH GC/FID:

1. No QC deviations were observed.

METALS:

1. No QC deviations were observed.

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC Too numerous to count

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-201D
Lab Order: 0902072 **Collection Date:** 2/25/2009 12:15:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0902072-01A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	250		µg/L	50	2/28/2009 3:57:00 PM
Chloromethane	ND	250		µg/L	50	2/28/2009 3:57:00 PM
Vinyl chloride	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Chloroethane	ND	250		µg/L	50	2/28/2009 3:57:00 PM
Bromomethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Trichlorofluoromethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Diethyl ether	ND	250		µg/L	50	2/28/2009 3:57:00 PM
Acetone	ND	500		µg/L	50	2/28/2009 3:57:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	2/28/2009 3:57:00 PM
Carbon disulfide	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Methylene chloride	ND	250		µg/L	50	2/28/2009 3:57:00 PM
Methyl tert-butyl ether	ND	100		µg/L	50	2/28/2009 3:57:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,1-Dichloroethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
2-Butanone	ND	500		µg/L	50	2/28/2009 3:57:00 PM
2,2-Dichloropropane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
cis-1,2-Dichloroethene	2,800	100		µg/L	50	2/28/2009 3:57:00 PM
Chloroform	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Tetrahydrofuran	ND	500		µg/L	50	2/28/2009 3:57:00 PM
Bromochloromethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,1-Dichloropropene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Carbon tetrachloride	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2-Dichloroethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Benzene	ND	50		µg/L	50	2/28/2009 3:57:00 PM
Trichloroethene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2-Dichloropropane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Bromodichloromethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Dibromomethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	50	2/28/2009 3:57:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	2/28/2009 3:57:00 PM
Toluene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	2/28/2009 3:57:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2-Dibromoethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
2-Hexanone	ND	500		µg/L	50	2/28/2009 3:57:00 PM
1,3-Dichloropropane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Tetrachloroethene	200	100		µg/L	50	2/28/2009 3:57:00 PM
Dibromochloromethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-201D

Lab Order: 0902072

Collection Date: 2/25/2009 12:15:00 PM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-01A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,1,1,2-Tetrachloroethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Ethylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
m,p-Xylene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
o-Xylene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Styrene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Bromoform	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Isopropylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2,3-Trichloropropane	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Bromobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
n-Propylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
2-Chlorotoluene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
4-Chlorotoluene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,3,5-Trimethylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
tert-Butylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2,4-Trimethylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
sec-Butylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
4-Isopropyltoluene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
n-Butylbenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
1,2-Dibromo-3-chloropropane	ND	250		µg/L	50	2/28/2009 3:57:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Hexachlorobutadiene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Naphthalene	ND	250		µg/L	50	2/28/2009 3:57:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	50	2/28/2009 3:57:00 PM
Surr: Dibromofluoromethane	91.8	85-119		%REC	50	2/28/2009 3:57:00 PM
Surr: 1,2-Dichloroethane-d4	122	79-131		%REC	50	2/28/2009 3:57:00 PM
Surr: Toluene-d8	95.5	90-110		%REC	50	2/28/2009 3:57:00 PM
Surr: 4-Bromofluorobenzene	104	76-117		%REC	50	2/28/2009 3:57:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-02A

Client Sample ID: CW-1
Collection Date: 2/25/2009 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 6:45:00 PM
1,1-Dichloroethene	3.8	1.0		µg/L	1	2/28/2009 6:45:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 6:45:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
cis-1,2-Dichloroethene	12	2.0		µg/L	1	2/28/2009 6:45:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 6:45:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 6:45:00 PM
Trichloroethene	250	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 6:45:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 6:45:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 6:45:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 6:45:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Tetrachloroethene	15	2.0		µg/L	1	2/28/2009 6:45:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: CW-1

Lab Order: 0902072

Collection Date: 2/25/2009 12:30:00 PM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-02A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 6:45:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 6:45:00 PM
Surr: Dibromofluoromethane	89.8	85-119		%REC	1	2/28/2009 6:45:00 PM
Surr: 1,2-Dichloroethane-d4	120	79-131		%REC	1	2/28/2009 6:45:00 PM
Surr: Toluene-d8	95.0	90-110		%REC	1	2/28/2009 6:45:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	1	2/28/2009 6:45:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	CW-2
Lab Order:	0902072	Collection Date:	2/25/2009 1:15:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0902072-03A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
Chloromethane	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Chloroethane	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
Bromomethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
Acetone	ND	10		µg/L	1	2/27/2009 7:13:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/27/2009 7:13:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
2-Butanone	ND	10		µg/L	1	2/27/2009 7:13:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Chloroform	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/27/2009 7:13:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Benzene	ND	1.0		µg/L	1	2/27/2009 7:13:00 PM
Trichloroethene	3.0	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/27/2009 7:13:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 7:13:00 PM
Toluene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 7:13:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
2-Hexanone	ND	10		µg/L	1	2/27/2009 7:13:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Tetrachloroethene	8.6	2.0		µg/L	1	2/27/2009 7:13:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-03A

Client Sample ID: CW-2
Collection Date: 2/25/2009 1:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
o-Xylene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Styrene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Bromoform	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Naphthalene	ND	5.0		µg/L	1	2/27/2009 7:13:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:13:00 PM
Surr: Dibromofluoromethane	90.9	85-119		%REC	1	2/27/2009 7:13:00 PM
Surr: 1,2-Dichloroethane-d4	118	79-131		%REC	1	2/27/2009 7:13:00 PM
Surr: Toluene-d8	96.6	90-110		%REC	1	2/27/2009 7:13:00 PM
Surr: 4-Bromofluorobenzene	100	76-117		%REC	1	2/27/2009 7:13:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-209D

Lab Order: 0902072

Collection Date: 2/25/2009 1:35:00 PM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-04A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	2/28/2009 5:04:00 PM
Chloromethane	ND	50		µg/L	10	2/28/2009 5:04:00 PM
Vinyl chloride	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Chloroethane	ND	50		µg/L	10	2/28/2009 5:04:00 PM
Bromomethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Diethyl ether	ND	50		µg/L	10	2/28/2009 5:04:00 PM
Acetone	ND	100		µg/L	10	2/28/2009 5:04:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	2/28/2009 5:04:00 PM
Carbon disulfide	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Methylene chloride	ND	50		µg/L	10	2/28/2009 5:04:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/28/2009 5:04:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
2-Butanone	ND	100		µg/L	10	2/28/2009 5:04:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Chloroform	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/28/2009 5:04:00 PM
Bromochloromethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Benzene	ND	10		µg/L	10	2/28/2009 5:04:00 PM
Trichloroethene	280	20		µg/L	10	2/28/2009 5:04:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Dibromomethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/28/2009 5:04:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/28/2009 5:04:00 PM
Toluene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/28/2009 5:04:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
2-Hexanone	ND	100		µg/L	10	2/28/2009 5:04:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Tetrachloroethene	780	20		µg/L	10	2/28/2009 5:04:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-209D

Lab Order: 0902072

Collection Date: 2/25/2009 1:35:00 PM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-04A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Ethylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
m,p-Xylene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
o-Xylene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Styrene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Bromoform	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Bromobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/28/2009 5:04:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Naphthalene	ND	50		µg/L	10	2/28/2009 5:04:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/28/2009 5:04:00 PM
Surr: Dibromofluoromethane	92.7	85-119		%REC	10	2/28/2009 5:04:00 PM
Surr: 1,2-Dichloroethane-d4	120	79-131		%REC	10	2/28/2009 5:04:00 PM
Surr: Toluene-d8	97.4	90-110		%REC	10	2/28/2009 5:04:00 PM
Surr: 4-Bromofluorobenzene	103	76-117		%REC	10	2/28/2009 5:04:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-217S
Lab Order: 0902072 **Collection Date:** 2/25/2009 3:35:00 PM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0902072-05A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
Chloromethane	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
Vinyl chloride	3.0	2.0		µg/L	1	2/27/2009 7:48:00 PM
Chloroethane	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
Bromomethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
Acetone	ND	10		µg/L	1	2/27/2009 7:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/27/2009 7:48:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
2-Butanone	ND	10		µg/L	1	2/27/2009 7:48:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
cis-1,2-Dichloroethene	17	2.0		µg/L	1	2/27/2009 7:48:00 PM
Chloroform	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/27/2009 7:48:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Benzene	ND	1.0		µg/L	1	2/27/2009 7:48:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/27/2009 7:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 7:48:00 PM
Toluene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 7:48:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
2-Hexanone	ND	10		µg/L	1	2/27/2009 7:48:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Tetrachloroethene	16	2.0		µg/L	1	2/27/2009 7:48:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-05A

Client Sample ID: MW-217S
Collection Date: 2/25/2009 3:35:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
o-Xylene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Styrene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Bromoform	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Naphthalene	ND	5.0		µg/L	1	2/27/2009 7:48:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 7:48:00 PM
Surr: Dibromofluoromethane	95.4	85-119		%REC	1	2/27/2009 7:48:00 PM
Surr: 1,2-Dichloroethane-d4	110	79-131		%REC	1	2/27/2009 7:48:00 PM
Surr: Toluene-d8	96.8	90-110		%REC	1	2/27/2009 7:48:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	2/27/2009 7:48:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-06A

Client Sample ID: MW-217D
Collection Date: 2/25/2009 3:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
Chloromethane	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Chloroethane	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
Bromomethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
Acetone	ND	10		µg/L	1	2/27/2009 8:22:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/27/2009 8:22:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
2-Butanone	ND	10		µg/L	1	2/27/2009 8:22:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
cis-1,2-Dichloroethene	17	2.0		µg/L	1	2/27/2009 8:22:00 PM
Chloroform	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/27/2009 8:22:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Benzene	ND	1.0		µg/L	1	2/27/2009 8:22:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/27/2009 8:22:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 8:22:00 PM
Toluene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 8:22:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
2-Hexanone	ND	10		µg/L	1	2/27/2009 8:22:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-06A

Client Sample ID: MW-217D
Collection Date: 2/25/2009 3:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
o-Xylene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Styrene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Bromoform	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Naphthalene	ND	5.0		µg/L	1	2/27/2009 8:22:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:22:00 PM
Surr: Dibromofluoromethane	90.7	85-119		%REC	1	2/27/2009 8:22:00 PM
Surr: 1,2-Dichloroethane-d4	115	79-131		%REC	1	2/27/2009 8:22:00 PM
Surr: Toluene-d8	96.3	90-110		%REC	1	2/27/2009 8:22:00 PM
Surr: 4-Bromofluorobenzene	105	76-117		%REC	1	2/27/2009 8:22:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Lab Order: 0902072
 Project: 130274 Textron Gorham
 Lab ID: 0902072-07A

Client Sample ID: MW-216S
 Collection Date: 2/25/2009 3:58:00 PM
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/27/2009 8:57:00 PM
Chloromethane	ND	5.0		µg/L	1	2/27/2009 8:57:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Chloroethane	ND	5.0		µg/L	1	2/27/2009 8:57:00 PM
Bromomethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/27/2009 8:57:00 PM
Acetone	ND	10		µg/L	1	2/27/2009 8:57:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/27/2009 8:57:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/27/2009 8:57:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
2-Butanone	ND	10		µg/L	1	2/27/2009 8:57:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
cis-1,2-Dichloroethene	76	2.0		µg/L	1	2/27/2009 8:57:00 PM
Chloroform	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/27/2009 8:57:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Benzene	ND	1.0		µg/L	1	2/27/2009 8:57:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/27/2009 8:57:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 8:57:00 PM
Toluene	3.0	2.0		µg/L	1	2/27/2009 8:57:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/27/2009 8:57:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
2-Hexanone	ND	10		µg/L	1	2/27/2009 8:57:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-07A

Client Sample ID: MW-216S
Collection Date: 2/25/2009 3:58:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Ethylbenzene	3.0	2.0		µg/L	1	2/27/2009 8:57:00 PM
m,p-Xylene	7.7	2.0		µg/L	1	2/27/2009 8:57:00 PM
o-Xylene	10	2.0		µg/L	1	2/27/2009 8:57:00 PM
Styrene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Bromoform	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,3,5-Trimethylbenzene	9.8	2.0		µg/L	1	2/27/2009 8:57:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2,4-Trimethylbenzene	13	2.0		µg/L	1	2/27/2009 8:57:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/27/2009 8:57:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Naphthalene	46	5.0		µg/L	1	2/27/2009 8:57:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/27/2009 8:57:00 PM
Surr: Dibromofluoromethane	91.4	85-119		%REC	1	2/27/2009 8:57:00 PM
Surr: 1,2-Dichloroethane-d4	109	79-131		%REC	1	2/27/2009 8:57:00 PM
Surr: Toluene-d8	98.2	90-110		%REC	1	2/27/2009 8:57:00 PM
Surr: 4-Bromofluorobenzene	104	76-117		%REC	1	2/27/2009 8:57:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.	Client Sample ID: MW-216D
Lab Order: 0902072	Collection Date: 2/25/2009 4:15:00 PM
Project: 130274 Textron Gorham	Matrix: GROUNDWATER
Lab ID: 0902072-08A	

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 12:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/28/2009 12:34:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
Methyl tert-butyl ether	3.2	2.0		µg/L	1	2/28/2009 12:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 12:34:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 12:34:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 12:34:00 PM
Trichloroethene	3.9	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 12:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 12:34:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 12:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 12:34:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-08A

Client Sample ID: MW-216D
Collection Date: 2/25/2009 4:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 12:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:34:00 PM
Surr: Dibromofluoromethane	89.2	85-119		%REC	1	2/28/2009 12:34:00 PM
Surr: 1,2-Dichloroethane-d4	118	79-131		%REC	1	2/28/2009 12:34:00 PM
Surr: Toluene-d8	96.8	90-110		%REC	1	2/28/2009 12:34:00 PM
Surr: 4-Bromofluorobenzene	103	76-117		%REC	1	2/28/2009 12:34:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-207S
Lab Order:	0902072	Collection Date:	2/25/2009 9:00:00 AM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0902072-09A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	2/28/2009 5:38:00 PM
Chloromethane	ND	50		µg/L	10	2/28/2009 5:38:00 PM
Vinyl chloride	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Chloroethane	ND	50		µg/L	10	2/28/2009 5:38:00 PM
Bromomethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Diethyl ether	ND	50		µg/L	10	2/28/2009 5:38:00 PM
Acetone	ND	100		µg/L	10	2/28/2009 5:38:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	2/28/2009 5:38:00 PM
Carbon disulfide	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Methylene chloride	ND	50		µg/L	10	2/28/2009 5:38:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	2/28/2009 5:38:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
2-Butanone	ND	100		µg/L	10	2/28/2009 5:38:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Chloroform	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Tetrahydrofuran	ND	100		µg/L	10	2/28/2009 5:38:00 PM
Bromochloromethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Carbon tetrachloride	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Benzene	ND	10		µg/L	10	2/28/2009 5:38:00 PM
Trichloroethene	88	20		µg/L	10	2/28/2009 5:38:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Bromodichloromethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Dibromomethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	2/28/2009 5:38:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	2/28/2009 5:38:00 PM
Toluene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	2/28/2009 5:38:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
2-Hexanone	ND	100		µg/L	10	2/28/2009 5:38:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Tetrachloroethene	2,000	20		µg/L	10	2/28/2009 5:38:00 PM
Dibromochloromethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-207S

Lab Order: 0902072

Collection Date: 2/25/2009 9:00:00 AM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-09A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Ethylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
m,p-Xylene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
o-Xylene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Styrene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Bromoform	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Isopropylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Bromobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
n-Propylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
2-Chlorotoluene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
4-Chlorotoluene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
tert-Butylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
sec-Butylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
n-Butylbenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	2/28/2009 5:38:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Naphthalene	ND	50		µg/L	10	2/28/2009 5:38:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	2/28/2009 5:38:00 PM
Surr: Dibromofluoromethane	94.0	85-119		%REC	10	2/28/2009 5:38:00 PM
Surr: 1,2-Dichloroethane-d4	123	79-131		%REC	10	2/28/2009 5:38:00 PM
Surr: Toluene-d8	96.3	90-110		%REC	10	2/28/2009 5:38:00 PM
Surr: 4-Bromofluorobenzene	103	76-117		%REC	10	2/28/2009 5:38:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-10A

Client Sample ID: MW-207D
Collection Date: 2/25/2009 9:15:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	100		µg/L	20	2/28/2009 6:12:00 PM
Chloromethane	ND	100		µg/L	20	2/28/2009 6:12:00 PM
Vinyl chloride	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Chloroethane	ND	100		µg/L	20	2/28/2009 6:12:00 PM
Bromomethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Trichlorofluoromethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Diethyl ether	ND	100		µg/L	20	2/28/2009 6:12:00 PM
Acetone	ND	200		µg/L	20	2/28/2009 6:12:00 PM
1,1-Dichloroethene	ND	20		µg/L	20	2/28/2009 6:12:00 PM
Carbon disulfide	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Methylene chloride	ND	100		µg/L	20	2/28/2009 6:12:00 PM
Methyl tert-butyl ether	ND	40		µg/L	20	2/28/2009 6:12:00 PM
trans-1,2-Dichloroethene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,1-Dichloroethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
2-Butanone	ND	200		µg/L	20	2/28/2009 6:12:00 PM
2,2-Dichloropropane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
cis-1,2-Dichloroethene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Chloroform	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Tetrahydrofuran	ND	200		µg/L	20	2/28/2009 6:12:00 PM
Bromochloromethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,1,1-Trichloroethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,1-Dichloropropene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Carbon tetrachloride	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,2-Dichloroethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Benzene	ND	20		µg/L	20	2/28/2009 6:12:00 PM
Trichloroethene	110	40		µg/L	20	2/28/2009 6:12:00 PM
1,2-Dichloropropane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Bromodichloromethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Dibromomethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
4-Methyl-2-pentanone	ND	200		µg/L	20	2/28/2009 6:12:00 PM
cis-1,3-Dichloropropene	ND	20		µg/L	20	2/28/2009 6:12:00 PM
Toluene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
trans-1,3-Dichloropropene	ND	20		µg/L	20	2/28/2009 6:12:00 PM
1,1,2-Trichloroethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,2-Dibromoethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
2-Hexanone	ND	200		µg/L	20	2/28/2009 6:12:00 PM
1,3-Dichloropropane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Tetrachloroethene	3,600	40		µg/L	20	2/28/2009 6:12:00 PM
Dibromochloromethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-10A

Client Sample ID: MW-207D
Collection Date: 2/25/2009 9:15:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,1,1,2-Tetrachloroethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Ethylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
m,p-Xylene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
o-Xylene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Styrene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Bromoform	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Isopropylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,1,2,2-Tetrachloroethane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,2,3-Trichloropropane	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Bromobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
n-Propylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
2-Chlorotoluene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
4-Chlorotoluene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,3,5-Trimethylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
tert-Butylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,2,4-Trimethylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
sec-Butylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
4-Isopropyltoluene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,3-Dichlorobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,4-Dichlorobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
n-Butylbenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,2-Dichlorobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	20	2/28/2009 6:12:00 PM
1,2,4-Trichlorobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Hexachlorobutadiene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Naphthalene	ND	100		µg/L	20	2/28/2009 6:12:00 PM
1,2,3-Trichlorobenzene	ND	40		µg/L	20	2/28/2009 6:12:00 PM
Surr: Dibromofluoromethane	92.6	85-119		%REC	20	2/28/2009 6:12:00 PM
Surr: 1,2-Dichloroethane-d4	122	79-131		%REC	20	2/28/2009 6:12:00 PM
Surr: Toluene-d8	97.6	90-110		%REC	20	2/28/2009 6:12:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	20	2/28/2009 6:12:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-202D
Lab Order:	0902072	Collection Date:	2/25/2009 9:40:00 AM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0902072-11A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	3/4/2009 5:18:00 PM
Chloromethane	ND	50		µg/L	10	3/4/2009 5:18:00 PM
Vinyl chloride	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Chloroethane	ND	50		µg/L	10	3/4/2009 5:18:00 PM
Bromomethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Diethyl ether	ND	50		µg/L	10	3/4/2009 5:18:00 PM
Acetone	ND	100		µg/L	10	3/4/2009 5:18:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	3/4/2009 5:18:00 PM
Carbon disulfide	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Methylene chloride	ND	50		µg/L	10	3/4/2009 5:18:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	3/4/2009 5:18:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
2-Butanone	ND	100		µg/L	10	3/4/2009 5:18:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
cis-1,2-Dichloroethene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Chloroform	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Tetrahydrofuran	ND	100		µg/L	10	3/4/2009 5:18:00 PM
Bromochloromethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Carbon tetrachloride	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Benzene	ND	10		µg/L	10	3/4/2009 5:18:00 PM
Trichloroethene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Bromodichloromethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Dibromomethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	3/4/2009 5:18:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/4/2009 5:18:00 PM
Toluene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/4/2009 5:18:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
2-Hexanone	ND	100		µg/L	10	3/4/2009 5:18:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Tetrachloroethene	330	20		µg/L	10	3/4/2009 5:18:00 PM
Dibromochloromethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-202D

Lab Order: 0902072

Collection Date: 2/25/2009 9:40:00 AM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-11A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Ethylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
m,p-Xylene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
o-Xylene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Styrene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Bromoform	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Isopropylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Bromobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
n-Propylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
2-Chlorotoluene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
4-Chlorotoluene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
tert-Butylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
sec-Butylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
n-Butylbenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	3/4/2009 5:18:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Naphthalene	ND	50		µg/L	10	3/4/2009 5:18:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	3/4/2009 5:18:00 PM
Surr: Dibromofluoromethane	111	85-119		%REC	10	3/4/2009 5:18:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	10	3/4/2009 5:18:00 PM
Surr: Toluene-d8	103	90-110		%REC	10	3/4/2009 5:18:00 PM
Surr: 4-Bromofluorobenzene	90.2	76-117		%REC	10	3/4/2009 5:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-12A

Client Sample ID: MW-202S
Collection Date: 2/25/2009 9:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	500		µg/L	100	3/4/2009 1:54:00 PM
Chloromethane	ND	500		µg/L	100	3/4/2009 1:54:00 PM
Vinyl chloride	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Chloroethane	ND	500		µg/L	100	3/4/2009 1:54:00 PM
Bromomethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Trichlorofluoromethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Diethyl ether	ND	500		µg/L	100	3/4/2009 1:54:00 PM
Acetone	ND	1,000		µg/L	100	3/4/2009 1:54:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	3/4/2009 1:54:00 PM
Carbon disulfide	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Methylene chloride	ND	500		µg/L	100	3/4/2009 1:54:00 PM
Methyl tert-butyl ether	ND	200		µg/L	100	3/4/2009 1:54:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,1-Dichloroethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
2-Butanone	ND	1,000		µg/L	100	3/4/2009 1:54:00 PM
2,2-Dichloropropane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
cis-1,2-Dichloroethene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Chloroform	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Tetrahydrofuran	ND	1,000		µg/L	100	3/4/2009 1:54:00 PM
Bromochloromethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,1-Dichloropropene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Carbon tetrachloride	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2-Dichloroethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Benzene	ND	100		µg/L	100	3/4/2009 1:54:00 PM
Trichloroethene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2-Dichloropropane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Bromodichloromethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Dibromomethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
4-Methyl-2-pentanone	ND	1,000		µg/L	100	3/4/2009 1:54:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	3/4/2009 1:54:00 PM
Toluene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	3/4/2009 1:54:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2-Dibromoethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
2-Hexanone	ND	1,000		µg/L	100	3/4/2009 1:54:00 PM
1,3-Dichloropropane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Tetrachloroethene	15,000	200		µg/L	100	3/4/2009 1:54:00 PM
Dibromochloromethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-202S

Lab Order: 0902072

Collection Date: 2/25/2009 9:50:00 AM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-12A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,1,1,2-Tetrachloroethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Ethylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
m,p-Xylene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
o-Xylene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Styrene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Bromoform	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Isopropylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2,3-Trichloropropane	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Bromobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
n-Propylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
2-Chlorotoluene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
4-Chlorotoluene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,3,5-Trimethylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
tert-Butylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2,4-Trimethylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
sec-Butylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
4-Isopropyltoluene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
n-Butylbenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
1,2-Dibromo-3-chloropropane	ND	500		µg/L	100	3/4/2009 1:54:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Hexachlorobutadiene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Naphthalene	ND	500		µg/L	100	3/4/2009 1:54:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	100	3/4/2009 1:54:00 PM
Surr: Dibromofluoromethane	96.0	85-119		%REC	100	3/4/2009 1:54:00 PM
Surr: 1,2-Dichloroethane-d4	104	79-131		%REC	100	3/4/2009 1:54:00 PM
Surr: Toluene-d8	102	90-110		%REC	100	3/4/2009 1:54:00 PM
Surr: 4-Bromofluorobenzene	97.8	76-117		%REC	100	3/4/2009 1:54:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-13A

Client Sample ID: MW-101D
Collection Date: 2/25/2009 10:35:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	3/5/2009 12:44:00 PM
Chloromethane	ND	50		µg/L	10	3/5/2009 12:44:00 PM
Vinyl chloride	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Chloroethane	ND	50		µg/L	10	3/5/2009 12:44:00 PM
Bromomethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Diethyl ether	ND	50		µg/L	10	3/5/2009 12:44:00 PM
Acetone	ND	100		µg/L	10	3/5/2009 12:44:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	3/5/2009 12:44:00 PM
Carbon disulfide	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Methylene chloride	ND	50		µg/L	10	3/5/2009 12:44:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	3/5/2009 12:44:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
2-Butanone	ND	100		µg/L	10	3/5/2009 12:44:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
cis-1,2-Dichloroethene	53	20		µg/L	10	3/5/2009 12:44:00 PM
Chloroform	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Tetrahydrofuran	ND	100		µg/L	10	3/5/2009 12:44:00 PM
Bromochloromethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Carbon tetrachloride	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Benzene	ND	10		µg/L	10	3/5/2009 12:44:00 PM
Trichloroethene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Bromodichloromethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Dibromomethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	3/5/2009 12:44:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/5/2009 12:44:00 PM
Toluene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/5/2009 12:44:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
2-Hexanone	ND	100		µg/L	10	3/5/2009 12:44:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Tetrachloroethene	2,300	20		µg/L	10	3/5/2009 12:44:00 PM
Dibromochloromethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-101D

Lab Order: 0902072

Collection Date: 2/25/2009 10:35:00 AM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-13A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Ethylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
m,p-Xylene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
o-Xylene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Styrene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Bromoform	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Isopropylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Bromobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
n-Propylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
2-Chlorotoluene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
4-Chlorotoluene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
tert-Butylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
sec-Butylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
n-Butylbenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	3/5/2009 12:44:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Naphthalene	ND	50		µg/L	10	3/5/2009 12:44:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	3/5/2009 12:44:00 PM
Surr: Dibromofluoromethane	99.2	85-119		%REC	10	3/5/2009 12:44:00 PM
Surr: 1,2-Dichloroethane-d4	102	79-131		%REC	10	3/5/2009 12:44:00 PM
Surr: Toluene-d8	101	90-110		%REC	10	3/5/2009 12:44:00 PM
Surr: 4-Bromofluorobenzene	87.0	76-117		%REC	10	3/5/2009 12:44:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc. **Client Sample ID:** MW-101S
Lab Order: 0902072 **Collection Date:** 2/25/2009 10:56:00 AM
Project: 130274 Textron Gorham **Matrix:** GROUNDWATER
Lab ID: 0902072-14A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	3/5/2009 1:18:00 PM
Chloromethane	ND	50		µg/L	10	3/5/2009 1:18:00 PM
Vinyl chloride	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Chloroethane	ND	50		µg/L	10	3/5/2009 1:18:00 PM
Bromomethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Diethyl ether	ND	50		µg/L	10	3/5/2009 1:18:00 PM
Acetone	ND	100		µg/L	10	3/5/2009 1:18:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	3/5/2009 1:18:00 PM
Carbon disulfide	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Methylene chloride	ND	50		µg/L	10	3/5/2009 1:18:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	3/5/2009 1:18:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
2-Butanone	ND	100		µg/L	10	3/5/2009 1:18:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
cis-1,2-Dichloroethene	110	20		µg/L	10	3/5/2009 1:18:00 PM
Chloroform	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Tetrahydrofuran	ND	100		µg/L	10	3/5/2009 1:18:00 PM
Bromochloromethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Carbon tetrachloride	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Benzene	ND	10		µg/L	10	3/5/2009 1:18:00 PM
Trichloroethene	31	20		µg/L	10	3/5/2009 1:18:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Bromodichloromethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Dibromomethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	3/5/2009 1:18:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/5/2009 1:18:00 PM
Toluene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/5/2009 1:18:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
2-Hexanone	ND	100		µg/L	10	3/5/2009 1:18:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Tetrachloroethene	1,600	20		µg/L	10	3/5/2009 1:18:00 PM
Dibromochloromethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-101S

Lab Order: 0902072

Collection Date: 2/25/2009 10:56:00 AM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-14A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Ethylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
m,p-Xylene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
o-Xylene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Styrene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Bromoform	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Isopropylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Bromobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
n-Propylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
2-Chlorotoluene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
4-Chlorotoluene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
tert-Butylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
sec-Butylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
n-Butylbenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	3/5/2009 1:18:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Naphthalene	ND	50		µg/L	10	3/5/2009 1:18:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	3/5/2009 1:18:00 PM
Surr: Dibromofluoromethane	99.7	85-119		%REC	10	3/5/2009 1:18:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	10	3/5/2009 1:18:00 PM
Surr: Toluene-d8	102	90-110		%REC	10	3/5/2009 1:18:00 PM
Surr: 4-Bromofluorobenzene	83.4	76-117		%REC	10	3/5/2009 1:18:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Lab Order: 0902072
 Project: 130274 Textron Gorham
 Lab ID: 0902072-15A

Client Sample ID: MW-101 Dupe
 Collection Date: 2/25/2009 10:55:00 AM
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	3/5/2009 1:52:00 PM
Chloromethane	ND	50		µg/L	10	3/5/2009 1:52:00 PM
Vinyl chloride	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Chloroethane	ND	50		µg/L	10	3/5/2009 1:52:00 PM
Bromomethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Diethyl ether	ND	50		µg/L	10	3/5/2009 1:52:00 PM
Acetone	ND	100		µg/L	10	3/5/2009 1:52:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	3/5/2009 1:52:00 PM
Carbon disulfide	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Methylene chloride	ND	50		µg/L	10	3/5/2009 1:52:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	3/5/2009 1:52:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
2-Butanone	ND	100		µg/L	10	3/5/2009 1:52:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
cis-1,2-Dichloroethene	160	20		µg/L	10	3/5/2009 1:52:00 PM
Chloroform	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Tetrahydrofuran	ND	100		µg/L	10	3/5/2009 1:52:00 PM
Bromochloromethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Carbon tetrachloride	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Benzene	ND	10		µg/L	10	3/5/2009 1:52:00 PM
Trichloroethene	40	20		µg/L	10	3/5/2009 1:52:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Bromodichloromethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Dibromomethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	3/5/2009 1:52:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/5/2009 1:52:00 PM
Toluene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/5/2009 1:52:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
2-Hexanone	ND	100		µg/L	10	3/5/2009 1:52:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Tetrachloroethene	1,300	20		µg/L	10	3/5/2009 1:52:00 PM
Dibromochloromethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-15A

Client Sample ID: MW-101 Dupe
Collection Date: 2/25/2009 10:55:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Ethylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
m,p-Xylene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
o-Xylene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Styrene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Bromoform	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Isopropylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Bromobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
n-Propylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
2-Chlorotoluene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
4-Chlorotoluene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
tert-Butylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
sec-Butylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
n-Butylbenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	3/5/2009 1:52:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Naphthalene	ND	50		µg/L	10	3/5/2009 1:52:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	3/5/2009 1:52:00 PM
Surr: Dibromofluoromethane	109	85-119		%REC	10	3/5/2009 1:52:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	10	3/5/2009 1:52:00 PM
Surr: Toluene-d8	99.7	90-110		%REC	10	3/5/2009 1:52:00 PM
Surr: 4-Bromofluorobenzene	86.4	76-117		%REC	10	3/5/2009 1:52:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-16A

Client Sample ID: MW-218S
Collection Date: 2/25/2009 11:20:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
Vinyl chloride	25	2.0		µg/L	1	2/28/2009 1:08:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 1:08:00 PM
1,1-Dichloroethene	1.0	1.0		µg/L	1	2/28/2009 1:08:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 1:08:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
cis-1,2-Dichloroethene	550	20		µg/L	10	3/4/2009 12:46:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 1:08:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Benzene	4.4	1.0		µg/L	1	2/28/2009 1:08:00 PM
Trichloroethene	13	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 1:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 1:08:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 1:08:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 1:08:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Tetrachloroethene	100	2.0		µg/L	1	2/28/2009 1:08:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-16A

Client Sample ID: MW-218S
Collection Date: 2/25/2009 11:20:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 1:08:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:08:00 PM
Surr: Dibromofluoromethane	89.8	85-119		%REC	1	2/28/2009 1:08:00 PM
Surr: 1,2-Dichloroethane-d4	117	79-131		%REC	1	2/28/2009 1:08:00 PM
Surr: Toluene-d8	96.4	90-110		%REC	1	2/28/2009 1:08:00 PM
Surr: 4-Bromofluorobenzene	103	76-117		%REC	1	2/28/2009 1:08:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	MW-218D
Lab Order:	0902072	Collection Date:	2/25/2009 11:40:00 AM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0902072-17A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	50		µg/L	10	3/4/2009 4:10:00 PM
Chloromethane	ND	50		µg/L	10	3/4/2009 4:10:00 PM
Vinyl chloride	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Chloroethane	ND	50		µg/L	10	3/4/2009 4:10:00 PM
Bromomethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Trichlorofluoromethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Diethyl ether	ND	50		µg/L	10	3/4/2009 4:10:00 PM
Acetone	ND	100		µg/L	10	3/4/2009 4:10:00 PM
1,1-Dichloroethene	14	10		µg/L	10	3/4/2009 4:10:00 PM
Carbon disulfide	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Methylene chloride	ND	50		µg/L	10	3/4/2009 4:10:00 PM
Methyl tert-butyl ether	ND	20		µg/L	10	3/4/2009 4:10:00 PM
trans-1,2-Dichloroethene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,1-Dichloroethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
2-Butanone	ND	100		µg/L	10	3/4/2009 4:10:00 PM
2,2-Dichloropropane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
cis-1,2-Dichloroethene	23	20		µg/L	10	3/4/2009 4:10:00 PM
Chloroform	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Tetrahydrofuran	ND	100		µg/L	10	3/4/2009 4:10:00 PM
Bromochloromethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,1,1-Trichloroethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,1-Dichloropropene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Carbon tetrachloride	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,2-Dichloroethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Benzene	ND	10		µg/L	10	3/4/2009 4:10:00 PM
Trichloroethene	670	20		µg/L	10	3/4/2009 4:10:00 PM
1,2-Dichloropropane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Bromodichloromethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Dibromomethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	3/4/2009 4:10:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/4/2009 4:10:00 PM
Toluene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/4/2009 4:10:00 PM
1,1,2-Trichloroethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,2-Dibromoethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
2-Hexanone	ND	100		µg/L	10	3/4/2009 4:10:00 PM
1,3-Dichloropropane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Tetrachloroethene	840	20		µg/L	10	3/4/2009 4:10:00 PM
Dibromochloromethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-17A

Client Sample ID: MW-218D
Collection Date: 2/25/2009 11:40:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,1,1,2-Tetrachloroethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Ethylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
m,p-Xylene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
o-Xylene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Styrene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Bromoform	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Isopropylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,2,3-Trichloropropane	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Bromobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
n-Propylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
2-Chlorotoluene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
4-Chlorotoluene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,3,5-Trimethylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
tert-Butylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,2,4-Trimethylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
sec-Butylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
4-Isopropyltoluene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,3-Dichlorobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,4-Dichlorobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
n-Butylbenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,2-Dichlorobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	3/4/2009 4:10:00 PM
1,2,4-Trichlorobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Hexachlorobutadiene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Naphthalene	ND	50		µg/L	10	3/4/2009 4:10:00 PM
1,2,3-Trichlorobenzene	ND	20		µg/L	10	3/4/2009 4:10:00 PM
Surr: Dibromofluoromethane	97.4	85-119		%REC	10	3/4/2009 4:10:00 PM
Surr: 1,2-Dichloroethane-d4	98.3	79-131		%REC	10	3/4/2009 4:10:00 PM
Surr: Toluene-d8	102	90-110		%REC	10	3/4/2009 4:10:00 PM
Surr: 4-Bromofluorobenzene	91.2	76-117		%REC	10	3/4/2009 4:10:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-18A

Client Sample ID: MW-112
Collection Date: 2/25/2009 11:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
Chloromethane	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
Vinyl chloride	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Chloroethane	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
Bromomethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Diethyl ether	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
Acetone	ND	10		µg/L	1	3/5/2009 12:10:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2009 12:10:00 PM
Carbon disulfide	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Methylene chloride	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
2-Butanone	ND	10		µg/L	1	3/5/2009 12:10:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Chloroform	20	2.0		µg/L	1	3/5/2009 12:10:00 PM
Tetrahydrofuran	ND	10		µg/L	1	3/5/2009 12:10:00 PM
Bromochloromethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2009 12:10:00 PM
Trichloroethene	4.5	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Bromodichloromethane	2.1	2.0		µg/L	1	3/5/2009 12:10:00 PM
Dibromomethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	3/5/2009 12:10:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2009 12:10:00 PM
Toluene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2009 12:10:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
2-Hexanone	ND	10		µg/L	1	3/5/2009 12:10:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Tetrachloroethene	110	2.0		µg/L	1	3/5/2009 12:10:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-18A

Client Sample ID: MW-112
Collection Date: 2/25/2009 11:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Ethylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
m,p-Xylene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
o-Xylene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Styrene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Bromoform	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Bromobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Naphthalene	ND	5.0		µg/L	1	3/5/2009 12:10:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	3/5/2009 12:10:00 PM
Surr: Dibromofluoromethane	99.5	85-119		%REC	1	3/5/2009 12:10:00 PM
Surr: 1,2-Dichloroethane-d4	101	79-131		%REC	1	3/5/2009 12:10:00 PM
Surr: Toluene-d8	102	90-110		%REC	1	3/5/2009 12:10:00 PM
Surr: 4-Bromofluorobenzene	85.5	76-117		%REC	1	3/5/2009 12:10:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-21A

Client Sample ID: MW-109D
Collection Date: 2/25/2009 3:10:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 1:42:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/28/2009 1:42:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 1:42:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 1:42:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 1:42:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 1:42:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 1:42:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 1:42:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 1:42:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: MW-109D

Lab Order: 0902072

Collection Date: 2/25/2009 3:10:00 PM

Project: 130274 Textron Gorham

Matrix: GROUNDWATER

Lab ID: 0902072-21A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 1:42:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 1:42:00 PM
Surr: Dibromofluoromethane	90.2	85-119		%REC	1	2/28/2009 1:42:00 PM
Surr: 1,2-Dichloroethane-d4	117	79-131		%REC	1	2/28/2009 1:42:00 PM
Surr: Toluene-d8	96.3	90-110		%REC	1	2/28/2009 1:42:00 PM
Surr: 4-Bromofluorobenzene	101	76-117		%REC	1	2/28/2009 1:42:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT:	Shaw Environmental & Infrastructure, Inc.	Client Sample ID:	GZA-3
Lab Order:	0902072	Collection Date:	2/25/2009 3:50:00 PM
Project:	130274 Textron Gorham	Matrix:	GROUNDWATER
Lab ID:	0902072-22A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
Vinyl chloride	13	2.0		µg/L	1	2/28/2009 2:15:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 2:15:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/28/2009 2:15:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 2:15:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
cis-1,2-Dichloroethene	9.5	2.0		µg/L	1	2/28/2009 2:15:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 2:15:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 2:15:00 PM
Trichloroethene	4.2	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 2:15:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 2:15:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 2:15:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 2:15:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-22A

Client Sample ID: GZA-3
Collection Date: 2/25/2009 3:50:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 2:15:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:15:00 PM
Surr: Dibromofluoromethane	90.1	85-119		%REC	1	2/28/2009 2:15:00 PM
Surr: 1,2-Dichloroethane-d4	118	79-131		%REC	1	2/28/2009 2:15:00 PM
Surr: Toluene-d8	96.4	90-110		%REC	1	2/28/2009 2:15:00 PM
Surr: 4-Bromofluorobenzene	103	76-117		%REC	1	2/28/2009 2:15:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Client Sample ID: Trip Blank

Lab Order: 0902072

Collection Date: 2/25/2009

Project: 130274 Textron Gorham

Matrix: TRIP BLANK

Lab ID: 0902072-24A

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B		Analyst: SK		
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 12:00:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/28/2009 12:00:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 12:00:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 12:00:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 12:00:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 12:00:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 12:00:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 12:00:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 12:00:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-24A

Client Sample ID: Trip Blank
Collection Date: 2/25/2009
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 12:00:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 12:00:00 PM
Surr: Dibromofluoromethane	89.8	85-119		%REC	1	2/28/2009 12:00:00 PM
Surr: 1,2-Dichloroethane-d4	118	79-131		%REC	1	2/28/2009 12:00:00 PM
Surr: Toluene-d8	97.4	90-110		%REC	1	2/28/2009 12:00:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	2/28/2009 12:00:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-25A

Client Sample ID: MW-116D
Collection Date: 2/25/2009 4:35:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 2:49:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/28/2009 2:49:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 2:49:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
cis-1,2-Dichloroethene	2.1	2.0		µg/L	1	2/28/2009 2:49:00 PM
Chloroform	3.0	2.0		µg/L	1	2/28/2009 2:49:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 2:49:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 2:49:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 2:49:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 2:49:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 2:49:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 2:49:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Tetrachloroethene	4.1	2.0		µg/L	1	2/28/2009 2:49:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-25A

Client Sample ID: MW-116D
Collection Date: 2/25/2009 4:35:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 2:49:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 2:49:00 PM
Surr: Dibromofluoromethane	91.2	85-119		%REC	1	2/28/2009 2:49:00 PM
Surr: 1,2-Dichloroethane-d4	120	79-131		%REC	1	2/28/2009 2:49:00 PM
Surr: Toluene-d8	97.1	90-110		%REC	1	2/28/2009 2:49:00 PM
Surr: 4-Bromofluorobenzene	102	76-117		%REC	1	2/28/2009 2:49:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-26A

Client Sample ID: MW-116S
Collection Date: 2/25/2009 4:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA 8260B VOLATILES BY GC/MS						
		SW8260B				Analyst: SK
Dichlorodifluoromethane	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
Chloromethane	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
Vinyl chloride	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Chloroethane	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
Bromomethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Diethyl ether	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
Acetone	ND	10		µg/L	1	2/28/2009 3:23:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/28/2009 3:23:00 PM
Carbon disulfide	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Methylene chloride	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
2-Butanone	ND	10		µg/L	1	2/28/2009 3:23:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Chloroform	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Tetrahydrofuran	ND	10		µg/L	1	2/28/2009 3:23:00 PM
Bromochloromethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Benzene	ND	1.0		µg/L	1	2/28/2009 3:23:00 PM
Trichloroethene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Dibromomethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/28/2009 3:23:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 3:23:00 PM
Toluene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/28/2009 3:23:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
2-Hexanone	ND	10		µg/L	1	2/28/2009 3:23:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-26A

Client Sample ID: MW-116S
Collection Date: 2/25/2009 4:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Chlorobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Ethylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
m,p-Xylene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
o-Xylene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Styrene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Bromoform	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Bromobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Naphthalene	ND	5.0		µg/L	1	2/28/2009 3:23:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	2/28/2009 3:23:00 PM
Surr: Dibromofluoromethane	91.8	85-119		%REC	1	2/28/2009 3:23:00 PM
Surr: 1,2-Dichloroethane-d4	119	79-131		%REC	1	2/28/2009 3:23:00 PM
Surr: Toluene-d8	97.3	90-110		%REC	1	2/28/2009 3:23:00 PM
Surr: 4-Bromofluorobenzene	104	76-117		%REC	1	2/28/2009 3:23:00 PM

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID mb-02/27/09 Batch ID: R41838 Test Code: SW8260B Units: µg/L Analysis Date 2/27/09 1:26:00 PM Prep Date 2/27/09
 Client ID: Run ID: V-1_090227A SeqNo: 696377

Analyte	QC Sample		QC Spike Original Sample		Original Sample	
	Result	RL	Units	Amount	Result	HighLimit
Dichlorodifluoromethane	ND	5.0	µg/L			
Chloromethane	ND	5.0	µg/L			
Vinyl chloride	ND	2.0	µg/L			
Chloroethane	ND	5.0	µg/L			
Bromomethane	ND	2.0	µg/L			
Trichlorofluoromethane	ND	2.0	µg/L			
Diethyl ether	ND	5.0	µg/L			
Acetone	ND	10	µg/L			
1,1-Dichloroethene	ND	1.0	µg/L			
Carbon disulfide	ND	2.0	µg/L			
Methylene chloride	ND	5.0	µg/L			
Methyl tert-butyl ether	ND	2.0	µg/L			
trans-1,2-Dichloroethene	ND	2.0	µg/L			
1,1-Dichloroethane	ND	2.0	µg/L			
2-Butanone	ND	10	µg/L			
2,2-Dichloropropane	ND	2.0	µg/L			
cis-1,2-Dichloroethene	ND	2.0	µg/L			
Chloroform	ND	2.0	µg/L			
Tetrahydrofuran	ND	10	µg/L			
Bromochloromethane	ND	2.0	µg/L			
1,1,1-Trichloroethane	ND	2.0	µg/L			
1,1-Dichloropropene	ND	2.0	µg/L			
Carbon tetrachloride	ND	2.0	µg/L			
1,2-Dichloroethane	ND	2.0	µg/L			
Benzene	ND	1.0	µg/L			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0902072
 Project: 130274 Textron Gorham

QC SUMMARY REPORT
 Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance
sec-Butylbenzene	ND	2.0		µg/L
4-Isopropyltoluene	ND	2.0		µg/L
1,3-Dichlorobenzene	ND	2.0		µg/L
1,4-Dichlorobenzene	ND	2.0		µg/L
n-Butylbenzene	ND	2.0		µg/L
1,2-Dichlorobenzene	ND	2.0		µg/L
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L
1,2,4-Trichlorobenzene	ND	2.0		µg/L
Hexachlorobutadiene	ND	2.0		µg/L
Naphthalene	ND	5.0		µg/L
1,2,3-Trichlorobenzene	ND	2.0		µg/L
Surr: Dibromofluoromethane	22.14	2.0	25	0 88.6 119
Surr: 1,2-Dichloroethane-d4	25.55	2.0	25	0 102 79 131
Surr: Toluene-d8	23.5	2.0	25	0 94 90 110
Surr: 4-Bromofluorobenzene	23.96	2.0	25	0 95.8 76 117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID mb-02/28/09 Batch ID: R41842 Test Code: SW8260B Units: µg/L Analysis Date 2/28/09 11:26:00 AM Prep Date 2/28/09
 Client ID: Run ID: V-2_090228A SeqNo: 696420

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

QC SUMMARY REPORT

Work Order: 0902072

Method Blank

Project: 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0			
4-Isopropyltoluene	ND	2.0			
1,3-Dichlorobenzene	ND	2.0			
1,4-Dichlorobenzene	ND	2.0			
n-Butylbenzene	ND	2.0			
1,2-Dichlorobenzene	ND	2.0			
1,2-Dibromo-3-chloropropane	ND	5.0			
1,2,4-Trichlorobenzene	ND	2.0			
Hexachlorobutadiene	ND	2.0			
Naphthalene	ND	5.0			
1,2,3-Trichlorobenzene	ND	2.0			
Surr: Dibromofluoromethane	22.42	2.0	89.7	0	119
Surr: 1,2-Dichloroethane-d4	28.5	2.0	114	0	131
Surr: Toluene-d8	24.25	2.0	97	0	110
Surr: 4-Bromofluorobenzene	26	2.0	104	0	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID mb-03/04/09 **Batch ID:** R41860 **Test Code:** SW8260B **Units:** µg/L **Analysis Date** 3/4/09 11:37:00 AM **Prep Date** 3/4/09
Client ID: **Run ID:** V-3_090304A **SeqNo:** 696616

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT Method Blank

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
sec-Butylbenzene	ND	2.0	0	0	
4-Isopropyltoluene	ND	2.0	0	0	
1,3-Dichlorobenzene	ND	2.0	0	0	
1,4-Dichlorobenzene	ND	2.0	0	0	
n-Butylbenzene	ND	2.0	0	0	
1,2-Dichlorobenzene	ND	2.0	0	0	
1,2-Dibromo-3-chloropropane	ND	5.0	0	0	
1,2,4-Trichlorobenzene	ND	2.0	0	0	
Hexachlorobutadiene	ND	2.0	0	0	
Naphthalene	ND	5.0	0	0	
1,2,3-Trichlorobenzene	ND	2.0	0	0	
Surr: Dibromofluoromethane	23.72	2.0	25	94.9	85
Surr: 1,2-Dichloroethane-d4	24.68	2.0	25	98.7	79
Surr: Toluene-d8	25.6	2.0	25	102	90
Surr: 4-Bromofluorobenzene	24.53	2.0	25	98.1	76

Qualifiers: ND - Not Detected at the Reporting Limit
 S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID mb-03/05/09 Batch ID: R41874 Test Code: SW8260B Units: µg/L Analysis Date 3/5/09 11:01:00 AM Prep Date 3/5/09
 Client ID: Run ID: V-3_090305A SeqNo: 696851

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample	HighLimit	LowLimit	%REC	Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	ND	5.0	µg/L									
Chloromethane	ND	5.0	µg/L									
Vinyl chloride	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Bromomethane	ND	2.0	µg/L									
Trichlorofluoromethane	ND	2.0	µg/L									
Diethyl ether	ND	5.0	µg/L									
Acetone	ND	10	µg/L									
1,1-Dichloroethene	ND	1.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Methylene chloride	ND	5.0	µg/L									
Methyl tert-butyl ether	ND	2.0	µg/L									
trans-1,2-Dichloroethene	ND	2.0	µg/L									
1,1-Dichloroethane	ND	2.0	µg/L									
2-Butanone	ND	10	µg/L									
2,2-Dichloropropane	ND	2.0	µg/L									
cis-1,2-Dichloroethene	ND	2.0	µg/L									
Chloroform	ND	2.0	µg/L									
Tetrahydrofuran	ND	10	µg/L									
Bromochloromethane	ND	2.0	µg/L									
1,1,1-Trichloroethane	ND	2.0	µg/L									
1,1-Dichloropropene	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
1,2-Dichloroethane	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

QC SUMMARY REPORT

Work Order: 0902072

Method Blank

Project: 130274 Textron Gorham

Trichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
Bromodichloromethane	ND	2.0	µg/L
Dibromomethane	ND	2.0	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
Toluene	ND	2.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
1,1,2-Trichloroethane	ND	2.0	µg/L
1,2-Dibromoethane	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
Tetrachloroethene	ND	2.0	µg/L
Dibromochloromethane	ND	2.0	µg/L
Chlorobenzene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
m,p-Xylene	ND	2.0	µg/L
o-Xylene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
Bromoform	ND	2.0	µg/L
Isopropylbenzene	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L
1,2,3-Trichloropropane	ND	2.0	µg/L
Bromobenzene	ND	2.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
2-Chlorotoluene	ND	2.0	µg/L
4-Chlorotoluene	ND	2.0	µg/L
1,3,5-Trimethylbenzene	ND	2.0	µg/L
tert-Butylbenzene	ND	2.0	µg/L
1,2,4-Trimethylbenzene	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID Ics-02/27/09 **Batch ID:** R41838 **Test Code:** SW8260B **Units:** µg/L **Analysis Date** 2/27/09 12:17:00 PM **Prep Date** 2/27/09
Client ID: **Run ID:** V-1_090227A **SeqNo:** 696378

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	19.39	5.0	µg/L	20	0	97	10	150	0			0
Chloromethane	16.67	5.0	µg/L	20	0	83.4	37	150	0			0
Vinyl chloride	19.84	2.0	µg/L	20	0	99.2	48	150	0			0
Chloroethane	15.83	5.0	µg/L	20	0	79.2	54	142	0			0
Bromomethane	16.82	2.0	µg/L	20	0	84.1	51	137	0			0
Trichlorofluoromethane	23.96	2.0	µg/L	20	0	120	62	141	0			0
Diethyl ether	22.26	5.0	µg/L	20	0	111	68	134	0			0
Acetone	20.33	10	µg/L	20	0	102	9	150	0			0
1,1-Dichloroethene	25.03	1.0	µg/L	20	0	125	68	146	0			0
Carbon disulfide	24.35	2.0	µg/L	20	0	122	52	131	0			0
Methylene chloride	20.73	5.0	µg/L	20	0	104	67	138	0			0
Methyl tert-butyl ether	20.97	2.0	µg/L	20	0	105	63	139	0			0
trans-1,2-Dichloroethene	23.52	2.0	µg/L	20	0	118	81	126	0			0
1,1-Dichloroethane	20.58	2.0	µg/L	20	0	103	78	124	0			0
2-Butanone	20.35	10	µg/L	20	0	102	41	150	0			0
2,2-Dichloropropane	23.16	2.0	µg/L	20	0	116	71	150	0			0
cis-1,2-Dichloroethene	21.63	2.0	µg/L	20	0	108	78	121	0			0
Chloroform	19.41	2.0	µg/L	20	0	97	82	123	0			0
Tetrahydrofuran	23.01	10	µg/L	20	0	115	51	146	0			0
Bromochloromethane	22.17	2.0	µg/L	20	0	111	77	131	0			0
1,1,1-Trichloroethane	20.68	2.0	µg/L	20	0	103	81	127	0			0
1,1-Dichloropropene	20.24	2.0	µg/L	20	0	101	76	119	0			0
Carbon tetrachloride	18.1	2.0	µg/L	20	0	90.5	76	129	0			0
1,2-Dichloroethane	20.87	2.0	µg/L	20	0	104	76	127	0			0
Benzene	21.09	1.0	µg/L	20	0	105	81	118	0			0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Notes
Trichloroethene	22.32	2.0	119	0	
1,2-Dichloropropane	18.94	2.0	120	0	
Bromodichloromethane	18.96	2.0	131	0	
Dibromomethane	21.93	2.0	128	0	
4-Methyl-2-pentanone	24.02	10	141	0	
cis-1,3-Dichloropropene	18.2	1.0	120	0	
Toluene	20.45	2.0	119	0	
trans-1,3-Dichloropropene	18.3	1.0	128	0	
1,1,2-Trichloroethane	20.69	2.0	123	0	
1,2-Dibromoethane	21.6	2.0	128	0	
2-Hexanone	16.56	10	148	0	
1,3-Dichloropropane	20.85	2.0	122	0	
Tetrachloroethene	22.99	2.0	124	0	
Dibromochloromethane	19.67	2.0	126	0	
Chlorobenzene	20.99	2.0	113	0	
1,1,1,2-Tetrachloroethane	22.27	2.0	124	0	
Ethylbenzene	21.64	2.0	118	0	
m,p-Xylene	44.61	2.0	116	0	
o-Xylene	22.27	2.0	115	0	
Styrene	21.01	2.0	118	0	
Bromoform	18.88	2.0	126	0	
Isopropylbenzene	25.83	2.0	125	0	
1,1,2,2-Tetrachloroethane	26.37	2.0	134	0	
1,2,3-Trichloropropane	24.48	2.0	132	0	
Bromobenzene	25.96	2.0	119	0	
n-Propylbenzene	24.11	2.0	127	0	
2-Chlorotoluene	22.13	2.0	118	0	
4-Chlorotoluene	21.87	2.0	119	0	
1,3,5-Trimethylbenzene	23	2.0	120	0	
tert-Butylbenzene	23.74	2.0	120	0	
1,2,4-Trimethylbenzene	21.47	2.0	118	0	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Spikes	Recovery (%)	Acceptance	Spikes
sec-Butylbenzene	24.92	2.0	µg/L	20	0	125	82
4-Isopropyltoluene	24.37	2.0	µg/L	20	0	122	80
1,3-Dichlorobenzene	22.08	2.0	µg/L	20	0	110	84
1,4-Dichlorobenzene	21.54	2.0	µg/L	20	0	108	79
n-Butylbenzene	24.83	2.0	µg/L	20	0	124	76
1,2-Dichlorobenzene	21.03	2.0	µg/L	20	0	105	81
1,2-Dibromo-3-chloropropane	20.19	5.0	µg/L	20	0	101	47
1,2,4-Trichlorobenzene	24.83	2.0	µg/L	20	0	124	73
Hexachlorobutadiene	27.87	2.0	µg/L	20	0	139	77
Naphthalene	25.2	5.0	µg/L	20	0	126	58
1,2,3-Trichlorobenzene	29.33	2.0	µg/L	20	0	147	76
Surr: Dibromofluoromethane	21.76	2.0	µg/L	25	0	87	85
Surr: 1,2-Dichloroethane-d4	23.75	2.0	µg/L	25	0	95	79
Surr: Toluene-d8	24.54	2.0	µg/L	25	0	98.2	90
Surr: 4-Bromofluorobenzene	24.35	2.0	µg/L	25	0	97.4	76

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-02/28/09 Batch ID: R41842 Test Code: SW8260B Units: µg/L Analysis Date: 2/28/09 9:45:00 AM Prep Date: 2/28/09
 Client ID: Run ID: V-2_090228A SeqNo: 696421

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	17.83	5.0	µg/L	20	0	89.2	10	150	0	0		
Chloromethane	13.47	5.0	µg/L	20	0	67.4	37	150	0	0		
Vinyl chloride	15.59	2.0	µg/L	20	0	78	48	150	0	0		
Chloroethane	11.85	5.0	µg/L	20	0	59.2	54	142	0	0		
Bromomethane	12.64	2.0	µg/L	20	0	63.2	51	137	0	0		
Trichlorofluoromethane	19.42	2.0	µg/L	20	0	97.1	62	141	0	0		
Diethyl ether	14.49	5.0	µg/L	20	0	72.4	68	134	0	0		
Acetone	15.74	10	µg/L	20	0	78.7	9	150	0	0		
1,1-Dichloroethene	15.89	1.0	µg/L	20	0	79.4	68	146	0	0		
Carbon disulfide	13.89	2.0	µg/L	20	0	69.5	52	131	0	0		S
Methylene chloride	8.5	5.0	µg/L	20	0	42.5	67	138	0	0		S
Methyl tert-butyl ether	12.4	2.0	µg/L	20	0	62	63	139	0	0		
trans-1,2-Dichloroethene	16.65	2.0	µg/L	20	0	83.3	81	126	0	0		
1,1-Dichloroethane	16.72	2.0	µg/L	20	0	83.6	78	124	0	0		
2-Butanone	18.27	10	µg/L	20	0	91.4	41	150	0	0		
2,2-Dichloropropane	15.42	2.0	µg/L	20	0	77.1	71	150	0	0		
cis-1,2-Dichloroethene	16.19	2.0	µg/L	20	0	81	78	121	0	0		
Chloroform	17.98	2.0	µg/L	20	0	89.9	82	123	0	0		
Tetrahydrofuran	18.44	10	µg/L	20	0	92.2	51	146	0	0		
Bromochloromethane	16.56	2.0	µg/L	20	0	82.8	77	131	0	0		
1,1,1-Trichloroethane	20.32	2.0	µg/L	20	0	102	81	127	0	0		
1,1-Dichloropropene	20.49	2.0	µg/L	20	0	102	76	119	0	0		
Carbon tetrachloride	20.28	2.0	µg/L	20	0	101	76	129	0	0		
1,2-Dichloroethane	20.01	2.0	µg/L	20	0	100	76	127	0	0		
Benzene	17.37	1.0	µg/L	20	0	86.8	81	118	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0902072
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (µg/L)	Volume (µg/L)	Recovery (%)	Acceptance	Notes
Trichloroethene	20.67	2.0	103	0	119
1,2-Dichloropropane	17.14	2.0	85.7	0	120
Bromodichloromethane	15.02	2.0	75.1	0	131
Dibromomethane	17.97	2.0	89.8	0	128
4-Methyl-2-pentanone	15.63	10	78.2	0	141
cis-1,3-Dichloropropene	15.08	1.0	75.4	0	120
Toluene	20.2	2.0	101	0	119
trans-1,3-Dichloropropene	14.68	1.0	73.4	0	128
1,1,2-Trichloroethane	18.94	2.0	94.7	0	123
1,2-Dibromoethane	17.8	2.0	89	0	128
2-Hexanone	16.71	10	83.6	0	148
1,3-Dichloropropane	20.94	2.0	105	0	122
Tetrachloroethene	23.37	2.0	117	0	124
Dibromochloromethane	14.55	2.0	72.8	0	126
Chlorobenzene	23.78	2.0	119	0	113
1,1,1,2-Tetrachloroethane	18.24	2.0	91.2	0	124
Ethylbenzene	23.8	2.0	119	0	118
m,p-Xylene	48.74	2.0	122	0	116
o-Xylene	24.04	2.0	120	0	115
Styrene	23.97	2.0	120	0	118
Bromoform	13.46	2.0	67.3	0	126
Isopropylbenzene	26.53	2.0	133	0	125
1,1,2,2-Tetrachloroethane	19.49	2.0	97.5	0	134
1,2,3-Trichloropropane	20.55	2.0	103	0	132
Bromobenzene	22.09	2.0	110	0	119
n-Propylbenzene	23.26	2.0	116	0	127
2-Chlorotoluene	23.01	2.0	115	0	118
4-Chlorotoluene	23.05	2.0	115	0	119
1,3,5-Trimethylbenzene	24.37	2.0	122	0	120
tert-Butylbenzene	23.81	2.0	119	0	120
1,2,4-Trimethylbenzene	23.65	2.0	118	0	118

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	24.34	22.48	22.57	21.96	22.38	21.89	13.9	22.42	24.02	22.12	25.74	22.64	27.07	24.02	23.85	µg/L	20	0	122	82	123	0
sec-Butylbenzene																	20	0	122	82	123	0
4-Isopropyltoluene																	20	0	112	80	126	0
1,3-Dichlorobenzene																	20	0	113	84	115	0
1,4-Dichlorobenzene																	20	0	110	79	117	0
n-Butylbenzene																	20	0	112	76	128	0
1,2-Dichlorobenzene																	20	0	109	81	117	0
1,2-Dibromo-3-chloropropane																	20	0	69.5	47	136	0
1,2,4-Trichlorobenzene																	20	0	112	73	126	0
Hexachlorobutadiene																	20	0	120	77	134	0
Naphthalene																	20	0	111	58	138	0
1,2,3-Trichlorobenzene																	20	0	129	76	124	0
Surr: Dibromofluoromethane																	25	0	90.6	85	119	0
Surr: 1,2-Dichloroethane-d4																	25	0	108	79	131	0
Surr: Toluene-d8																	25	0	96.1	90	110	0
Surr: 4-Bromofluorobenzene																	25	0	95.4	76	117	0

S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: Ics-03/04/09 Batch ID: R41860 Test Code: SW8260B Units: µg/L Analysis Date: 3/4/09 9:55:00 AM Prep Date: 3/4/09
 Client ID: Run ID: V-3_090304A SeqNo: 696617

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	19.8	5.0	µg/L	20	0	99	10	150	0	0	0	0
Chloromethane	18.97	5.0	µg/L	20	0	94.8	37	150	0	0	0	0
Vinyl chloride	20.94	2.0	µg/L	20	0	105	48	150	0	0	0	0
Chloroethane	20.03	5.0	µg/L	20	0	100	54	142	0	0	0	0
Bromomethane	18.99	2.0	µg/L	20	0	95	51	137	0	0	0	0
Trichlorofluoromethane	20.74	2.0	µg/L	20	0	104	62	141	0	0	0	0
Diethyl ether	19.85	5.0	µg/L	20	0	99.2	68	134	0	0	0	0
Acetone	15	10	µg/L	20	0	75	9	150	0	0	0	0
1,1-Dichloroethene	19.66	1.0	µg/L	20	0	98.3	68	146	0	0	0	0
Carbon disulfide	17.59	2.0	µg/L	20	0	88	52	131	0	0	0	0
Methylene chloride	21.91	5.0	µg/L	20	0	110	67	138	0	0	0	0
Methyl tert-butyl ether	19.99	2.0	µg/L	20	0	100	63	139	0	0	0	0
trans-1,2-Dichloroethene	20.14	2.0	µg/L	20	0	101	81	126	0	0	0	0
1,1-Dichloroethane	20.57	2.0	µg/L	20	0	103	78	124	0	0	0	0
2-Butanone	18.9	10	µg/L	20	0	94.5	41	150	0	0	0	0
2,2-Dichloropropane	21.41	2.0	µg/L	20	0	107	71	150	0	0	0	0
cis-1,2-Dichloroethene	19.25	2.0	µg/L	20	0	96.2	78	121	0	0	0	0
Chloroform	19.95	2.0	µg/L	20	0	99.8	82	123	0	0	0	0
Tetrahydrofuran	19.55	10	µg/L	20	0	97.8	51	146	0	0	0	0
Bromochloromethane	22.59	2.0	µg/L	20	0	113	77	131	0	0	0	0
1,1,1-Trichloroethane	20.74	2.0	µg/L	20	0	104	81	127	0	0	0	0
1,1-Dichloropropene	19.77	2.0	µg/L	20	0	98.8	76	119	0	0	0	0
Carbon tetrachloride	18.77	2.0	µg/L	20	0	93.8	76	129	0	0	0	0
1,2-Dichloroethane	20.31	2.0	µg/L	20	0	102	76	127	0	0	0	0
Benzene	20.64	1.0	µg/L	20	0	103	81	118	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Reporting Limit	Concentration	Recovery	Acceptance	Spikes	Pass/Fail
Trichloroethene	19.88	2.0	99.4	0	20	119
1,2-Dichloropropane	21.11	2.0	106	0	20	120
Bromodichloromethane	20.04	2.0	100	0	20	131
Dibromomethane	21.26	2.0	106	0	20	128
4-Methyl-2-pentanone	16.84	10	84.2	0	20	141
cis-1,3-Dichloropropene	20.35	1.0	102	0	20	120
Toluene	20.61	2.0	103	0	20	119
trans-1,3-Dichloropropene	20.07	1.0	100	0	20	128
1,1,2-Trichloroethane	19.59	2.0	98	0	20	123
1,2-Dibromoethane	20.44	2.0	102	0	20	128
2-Hexanone	14.8	10	74	0	20	148
1,3-Dichloropropane	19.98	2.0	99.9	0	20	122
Tetrachloroethene	20.42	2.0	102	0	20	124
Dibromochloromethane	19.66	2.0	98.3	0	20	126
Chlorobenzene	20.36	2.0	102	0	20	113
1,1,1,2-Tetrachloroethane	19.51	2.0	97.6	0	20	124
Ethylbenzene	19.09	2.0	95.4	0	20	118
m,p-Xylene	37.33	2.0	93.3	0	40	116
o-Xylene	19.97	2.0	99.8	0	20	115
Styrene	20.14	2.0	101	0	20	118
Bromoform	19.61	2.0	98	0	20	126
Isopropylbenzene	21.91	2.0	110	0	20	125
1,1,2,2-Tetrachloroethane	19.4	2.0	97	0	20	134
1,2,3-Trichloropropane	18.5	2.0	92.5	0	20	132
Bromobenzene	20.27	2.0	101	0	20	119
n-Propylbenzene	20.42	2.0	102	0	20	127
2-Chlorotoluene	19.74	2.0	98.7	0	20	118
4-Chlorotoluene	19.68	2.0	98.4	0	20	119
1,3,5-Trimethylbenzene	20.02	2.0	100	0	20	120
tert-Butylbenzene	20.54	2.0	103	0	20	120
1,2,4-Trimethylbenzene	19.64	2.0	98.2	0	20	118

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	Concentration (µg/L)	Recovery (%)	Acceptance	Recovery (%)	Acceptance
sec-Butylbenzene	20.31	2.0	µg/L	20	0
4-Isopropyltoluene	20.55	2.0	µg/L	20	0
1,3-Dichlorobenzene	20.49	2.0	µg/L	20	0
1,4-Dichlorobenzene	20.6	2.0	µg/L	20	0
n-Butylbenzene	21.36	2.0	µg/L	20	0
1,2-Dichlorobenzene	19.68	2.0	µg/L	20	0
1,2-Dibromo-3-chloropropane	17.81	5.0	µg/L	20	0
1,2,4-Trichlorobenzene	20.91	2.0	µg/L	20	0
Hexachlorobutadiene	21.11	2.0	µg/L	20	0
Naphthalene	18.73	5.0	µg/L	20	0
1,2,3-Trichlorobenzene	19.83	2.0	µg/L	20	0
Surr: Dibromofluoromethane	26.14	2.0	µg/L	25	0
Surr: 1,2-Dichloroethane-d4	24.92	2.0	µg/L	25	0
Surr: Toluene-d8	25.1	2.0	µg/L	25	0
Surr: 4-Bromofluorobenzene	24.18	2.0	µg/L	25	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID Ics-03/05/09 Batch ID: R41874 Test Code: SW8260B Units: µg/L Analysis Date 3/5/09 9:19:00 AM Prep Date 3/5/09
 Client ID: Run ID: V-3_090305A SeqNo: 696852

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	22.98	5.0	µg/L	20	0	115	10	150	0	0	150	0
Chloromethane	20.37	5.0	µg/L	20	0	102	37	150	0	0	150	0
Vinyl chloride	23.35	2.0	µg/L	20	0	117	48	150	0	0	150	0
Chloroethane	20.01	5.0	µg/L	20	0	100	54	142	0	0	142	0
Bromomethane	18.12	2.0	µg/L	20	0	90.6	51	137	0	0	137	0
Trichlorofluoromethane	23.61	2.0	µg/L	20	0	118	62	141	0	0	141	0
Diethyl ether	19.48	5.0	µg/L	20	0	97.4	68	134	0	0	134	0
Acetone	15.78	10	µg/L	20	0	78.9	9	150	0	0	150	0
1,1-Dichloroethene	22.96	1.0	µg/L	20	0	115	68	146	0	0	146	0
Carbon disulfide	20.08	2.0	µg/L	20	0	100	52	131	0	0	131	0
Methylene chloride	24.57	5.0	µg/L	20	0	123	67	138	0	0	138	0
Methyl tert-butyl ether	19.86	2.0	µg/L	20	0	99.3	63	139	0	0	139	0
trans-1,2-Dichloroethene	22.33	2.0	µg/L	20	0	112	81	126	0	0	126	0
1,1-Dichloroethane	22.43	2.0	µg/L	20	0	112	78	124	0	0	124	0
2-Butanone	18.57	10	µg/L	20	0	92.8	41	150	0	0	150	0
2,2-Dichloropropane	24.02	2.0	µg/L	20	0	120	71	150	0	0	150	0
cis-1,2-Dichloroethene	21.04	2.0	µg/L	20	0	105	78	121	0	0	121	0
Chloroform	22.18	2.0	µg/L	20	0	111	82	123	0	0	123	0
Tetrahydrofuran	17.49	10	µg/L	20	0	87.5	51	146	0	0	146	0
Bromochloromethane	23.46	2.0	µg/L	20	0	117	77	131	0	0	131	0
1,1,1-Trichloroethane	21.76	2.0	µg/L	20	0	109	81	127	0	0	127	0
1,1-Dichloropropene	20.34	2.0	µg/L	20	0	102	76	119	0	0	119	0
Carbon tetrachloride	19.22	2.0	µg/L	20	0	96.1	76	129	0	0	129	0
1,2-Dichloroethane	21.45	2.0	µg/L	20	0	107	76	127	0	0	127	0
Benzene	23.39	1.0	µg/L	20	0	117	81	118	0	0	118	0

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0902072
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	23.09	23.04	21.6	23.07	19.01	21.5	22.86	21.46	21.05	21.68	16.62	22.04	21.03	19.08	21.63	19.96	21.55	40.87	21.36	21.69	17.03	25.25	22.96	21.76	20.51	24.03	22.53	22.88	22.78	22.99	22.23
Trichloroethene	2.0	2.0	2.0	2.0	10	1.0	2.0	1.0	2.0	2.0	10	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
1,2-Dichloropropane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Bromodichloromethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Dibromomethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
4-Methyl-2-pentanone	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
cis-1,3-Dichloropropene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Toluene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
trans-1,3-Dichloropropene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,1,2-Trichloroethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,2-Dibromoethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
2-Hexanone	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,3-Dichloropropane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Tetrachloroethene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Dibromochloromethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Chlorobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,1,1,2-Tetrachloroethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Ethylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
m,p-Xylene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
o-Xylene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Styrene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Bromoform	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Isopropylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,1,2,2-Tetrachloroethane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,2,3-Trichloropropane	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Bromobenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
n-Propylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
2-Chlorotoluene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
4-Chlorotoluene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,3,5-Trimethylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
tert-Butylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
1,2,4-Trimethylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Compound	23.56	23.13	21.2	20.92	25.19	20.1	20.82	19.87	19	19.05	18.75	24.21	24.68	25.35	21.93
sec-Butylbenzene	2.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	5.0	2.0	2.0	2.0	2.0	2.0
4-Isopropyltoluene	20	20	20	20	20	20	20	20	20	20	20	25	25	25	25
1,3-Dichlorobenzene	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1,4-Dichlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
n-Butylbenzene	118	116	106	105	126	100	104	99.4	95	95.2	93.8	96.8	98.7	101	87.7
1,2-Dichlorobenzene	82	80	84	79	76	81	47	73	77	58	76	85	79	90	76
1,2-Dibromo-3-chloropropane	123	126	115	117	128	117	136	126	134	138	124	119	131	110	117
1,2,4-Trichlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hexachlorobutadiene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Naphthalene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,2,3-Trichlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: Dibromofluoromethane	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: 1,2-Dichloroethane-d4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: Toluene-d8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: 4-Bromofluorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: 0902072-08Ams **Batch ID:** R41842 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 2/28/09 7:19:00 PM **Prep Date:** 2/25/09
Client ID: MW-216D **Run ID:** V-2_090228A **SeqNo:** 696418

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	93.75	25	µg/L	100	0	93.8	16	150	0	0		
Chloromethane	73.95	25	µg/L	100	0	74	35	150	0	0		
Vinyl chloride	83.2	10	µg/L	100	0	83.2	49	150	0	0		
Chloroethane	65.75	25	µg/L	100	0	65.8	58	147	0	0		
Bromomethane	65.1	10	µg/L	100	0	65.1	49	142	0	0		
Trichlorofluoromethane	109.2	10	µg/L	100	0.99	108	57	149	0	0		
Diethyl ether	78.2	25	µg/L	100	0	78.2	66	136	0	0		
Acetone	80.2	50	µg/L	100	0	80.2	16	150	0	0		
1,1-Dichloroethene	84.85	5.0	µg/L	100	0	84.8	70	150	0	0		
Carbon disulfide	76	10	µg/L	100	0	76	47	135	0	0		S
Methylene chloride	57.55	25	µg/L	100	0	57.6	66	142	0	0		
Methyl tert-butyl ether	72.6	10	µg/L	100	3.15	69.5	63	138	0	0		
trans-1,2-Dichloroethene	88.9	10	µg/L	100	0	88.9	78	135	0	0		
1,1-Dichloroethane	92.15	10	µg/L	100	0	92.2	76	131	0	0		
2-Butanone	76.8	50	µg/L	100	0	76.8	51	142	0	0		
2,2-Dichloropropane	83.5	10	µg/L	100	0	83.5	60	149	0	0		
cis-1,2-Dichloroethene	86	10	µg/L	100	0	86	74	128	0	0		
Chloroform	98.3	10	µg/L	100	0	98.3	80	129	0	0		
Tetrahydrofuran	86.5	50	µg/L	100	0	86.5	53	145	0	0		
Bromochloromethane	91	10	µg/L	100	0	91	78	130	0	0		
1,1,1-Trichloroethane	109.6	10	µg/L	100	0	110	77	139	0	0		
1,1-Dichloropropene	109.4	10	µg/L	100	0	109	74	127	0	0		
Carbon tetrachloride	105.3	10	µg/L	100	0	105	73	138	0	0		
1,2-Dichloroethane	110.4	10	µg/L	100	0	110	75	130	0	0		
Benzene	95.25	5.0	µg/L	100	0	95.2	79	123	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
 S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration	Recovery	Acceptance	Spike	Matrix	Spike		
Trichloroethene	116.8	10	µg/L	100	3.89	113	79	126	0
1,2-Dichloropropane	92.5	10	µg/L	100	0	92.5	76	125	0
Bromodichloromethane	78.35	10	µg/L	100	0	78.4	69	119	0
Dibromomethane	93.6	10	µg/L	100	0	93.6	76	127	0
4-Methyl-2-pentanone	74.1	50	µg/L	100	0	74.1	53	141	0
cis-1,3-Dichloropropene	75.45	5.0	µg/L	100	0	75.4	70	119	0
Toluene	105.1	10	µg/L	100	0	105	82	124	0
trans-1,3-Dichloropropene	70	5.0	µg/L	100	0	70	64	124	0
1,1,2-Trichloroethane	97.55	10	µg/L	100	0	97.6	73	127	0
1,2-Dibromoethane	90.9	10	µg/L	100	0	90.9	73	127	0
2-Hexanone	80.7	50	µg/L	100	0	80.7	37	145	0
1,3-Dichloropropane	109.4	10	µg/L	100	0	109	76	123	0
Tetrachloroethene	118.8	10	µg/L	100	0	119	82	129	0
Dibromochloromethane	73.55	10	µg/L	100	0	73.6	59	125	0
Chlorobenzene	120	10	µg/L	100	0	120	80	120	0
1,1,1,2-Tetrachloroethane	94.45	10	µg/L	100	0	94.4	72	124	0
Ethylbenzene	122.6	10	µg/L	100	0	123	83	123	0
m,p-Xylene	244	10	µg/L	200	0	122	84	121	0
o-Xylene	121.6	10	µg/L	100	0	122	83	119	0
Styrene	122.3	10	µg/L	100	0	122	80	122	0
Bromoform	65.45	10	µg/L	100	0	65.4	54	119	0
Isopropylbenzene	130.8	10	µg/L	100	0	131	75	131	0
1,1,2,2-Tetrachloroethane	102.6	10	µg/L	100	0	103	61	139	0
1,2,3-Trichloropropane	107.7	10	µg/L	100	0	108	66	130	0
Bromobenzene	111.8	10	µg/L	100	0	112	77	124	0
n-Propylbenzene	116.8	10	µg/L	100	0	117	76	131	0
2-Chlorotoluene	118.2	10	µg/L	100	0	118	78	125	0
4-Chlorotoluene	115.4	10	µg/L	100	0	115	75	124	0
1,3,5-Trimethylbenzene	116	10	µg/L	100	0	116	79	124	0
tert-Butylbenzene	113.6	10	µg/L	100	0	114	79	126	0
1,2,4-Trimethylbenzene	113.6	10	µg/L	100	0	114	77	124	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Recovery Status	Sample Matrix Spike
sec-Butylbenzene	115.8	10	100	0	128
4-Isopropyltoluene	103.5	10	100	0	128
1,3-Dichlorobenzene	112.4	10	100	0	122
1,4-Dichlorobenzene	111	10	100	0	123
n-Butylbenzene	108.4	10	100	0	130
1,2-Dichlorobenzene	108.8	10	100	0	121
1,2-Dibromo-3-chloropropane	58.6	25	100	0	127
1,2,4-Trichlorobenzene	93.3	10	100	0	128
Hexachlorobutadiene	108.2	10	100	0	134
Naphthalene	88.95	25	100	0	131
1,2,3-Trichlorobenzene	106.8	10	100	0	131
Surr: Dibromofluoromethane	114.2	10	125	0	119
Surr: 1,2-Dichloroethane-d4	152.6	10	125	0	131
Surr: Toluene-d8	122.3	10	125	0	110
Surr: 4-Bromofluorobenzene	123.4	10	125	0	117

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID: 0902072-08Amsd **Batch ID:** R41842 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 2/28/09 7:52:00 PM **Prep Date:** 2/25/09
Client ID: MW-216D **Run ID:** V-2_090228A **SeqNo:** 696419

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	95.95	25	µg/L	100	0	96	16	150	93.75	2.32	20	
Chloromethane	76.3	25	µg/L	100	0	76.3	35	150	73.95	3.13	20	
Vinyl chloride	87.7	10	µg/L	100	0	87.7	49	150	83.2	5.27	20	
Chloroethane	67.25	25	µg/L	100	0	67.2	58	147	65.75	2.26	20	
Bromomethane	69	10	µg/L	100	0	69	49	142	65.1	5.82	20	
Trichlorofluoromethane	110.8	10	µg/L	100	0.99	110	57	149	109.2	1.5	20	
Diethyl ether	81.05	25	µg/L	100	0	81	66	136	78.2	3.58	20	
Acetone	79.4	50	µg/L	100	0	79.4	16	150	80.2	1	20	
1,1-Dichloroethene	86.5	5.0	µg/L	100	0	86.5	70	150	84.85	1.93	20	
Carbon disulfide	78.5	10	µg/L	100	0	78.5	47	135	76	3.24	20	
Methylene chloride	57.8	25	µg/L	100	0	57.8	66	142	57.55	0.433	20	S
Methyl tert-butyl ether	73.8	10	µg/L	100	3.15	70.7	63	138	72.6	1.64	20	
trans-1,2-Dichloroethene	89.5	10	µg/L	100	0	89.5	78	135	88.9	0.673	20	
1,1-Dichloroethane	92.7	10	µg/L	100	0	92.7	76	131	92.15	0.595	20	
2-Butanone	73.55	50	µg/L	100	0	73.6	51	142	76.8	4.32	20	
2,2-Dichloropropane	85.4	10	µg/L	100	0	85.4	60	149	83.5	2.25	20	
cis-1,2-Dichloroethene	87.3	10	µg/L	100	0	87.3	74	128	86	1.5	20	
Chloroform	99.8	10	µg/L	100	0	99.8	80	129	98.3	1.51	20	
Tetrahydrofuran	88.6	50	µg/L	100	0	88.6	53	145	86.5	2.4	20	
Bromochloromethane	91.3	10	µg/L	100	0	91.3	78	130	91	0.329	20	
1,1,1-Trichloroethane	113.6	10	µg/L	100	0	114	77	139	109.6	3.49	20	
1,1-Dichloropropene	112.4	10	µg/L	100	0	112	74	127	109.4	2.8	20	
Carbon tetrachloride	107.6	10	µg/L	100	0	108	73	138	105.3	2.16	20	
1,2-Dichloroethane	109.4	10	µg/L	100	0	109	75	130	110.4	0.864	20	
Benzene	96.4	5.0	µg/L	100	0	96.4	79	123	95.25	1.2	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	112	10	µg/L	100	3.89	108	79	126	116.8	4.24	20
Trichloroethene	96.4	10	µg/L	100	0	96.4	76	125	92.5	4.13	20
1,2-Dichloropropane	80.95	10	µg/L	100	0	81	69	119	78.35	3.26	20
Bromodichloromethane	97.45	10	µg/L	100	0	97.5	76	127	93.6	4.03	20
Dibromomethane	75.55	50	µg/L	100	0	75.6	53	141	74.1	1.94	20
4-Methyl-2-pentanone	77.8	5.0	µg/L	100	0	77.8	70	119	75.45	3.07	20
cis-1,3-Dichloropropene	106.4	10	µg/L	100	0	106	82	124	105.1	1.23	20
Toluene	72.9	5.0	µg/L	100	0	72.9	64	124	70	4.06	20
trans-1,3-Dichloropropene	96.6	10	µg/L	100	0	96.6	73	127	97.55	0.979	20
1,1,2-Trichloroethane	93.35	10	µg/L	100	0	93.4	73	127	90.9	2.66	20
1,2-Dibromoethane	83.25	50	µg/L	100	0	83.2	37	145	80.7	3.11	20
2-Hexanone	111.2	10	µg/L	100	0	111	76	123	109.4	1.68	20
1,3-Dichloropropane	120.1	10	µg/L	100	0	120	82	129	118.8	1.13	20
Tetrachloroethene	77.25	10	µg/L	100	0	77.2	59	125	73.55	4.91	20
Dibromochloromethane	122.8	10	µg/L	100	0	123	80	120	120	2.26	20
Chlorobenzene	94.9	10	µg/L	100	0	94.9	72	124	94.45	0.475	20
1,1,1,2-Tetrachloroethane	126.5	10	µg/L	100	0	127	83	123	122.6	3.09	20
Ethylbenzene	247.4	10	µg/L	200	0	124	84	121	244	1.4	20
m,p-Xylene	123.4	10	µg/L	100	0	123	83	119	121.6	1.47	20
o-Xylene	125.4	10	µg/L	100	0	125	80	122	122.3	2.54	20
Styrene	63.5	10	µg/L	100	0	63.5	54	119	65.45	3.02	20
Bromoform	138.1	10	µg/L	100	0	138	75	131	130.8	5.47	20
Isopropylbenzene	105.8	10	µg/L	100	0	106	61	139	102.6	3.02	20
1,1,2,2-Tetrachloroethane	113	10	µg/L	100	0	113	66	130	107.7	4.76	20
1,2,3-Trichloropropane	115.2	10	µg/L	100	0	115	77	124	111.8	2.91	20
Bromobenzene	123.7	10	µg/L	100	0	124	76	131	116.8	5.78	20
n-Propylbenzene	122.7	10	µg/L	100	0	123	78	125	118.2	3.78	20
2-Chlorotoluene	123.5	10	µg/L	100	0	124	75	124	115.4	6.74	20
4-Chlorotoluene	125.4	10	µg/L	100	0	125	79	124	116	7.78	20
1,3,5-Trimethylbenzene	123.1	10	µg/L	100	0	123	79	126	113.6	7.98	20
tert-Butylbenzene	119.7	10	µg/L	100	0	120	77	124	113.6	5.23	20
1,2,4-Trimethylbenzene											

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT
Sample Matrix Spike Duplicate

sec-Butylbenzene	125.2	10	µg/L	100	0	125	82	128	115.8	7.8	20
4-Isopropyltoluene	114.6	10	µg/L	100	0	115	77	128	103.5	10.1	20
1,3-Dichlorobenzene	116.7	10	µg/L	100	0	117	80	122	112.4	3.71	20
1,4-Dichlorobenzene	119.9	10	µg/L	100	0	120	78	123	111	7.71	20
n-Butylbenzene	116.1	10	µg/L	100	0	116	74	130	108.4	6.86	20
1,2-Dichlorobenzene	115.6	10	µg/L	100	0	116	78	121	108.8	6.01	20
1,2-Dibromo-3-chloropropane	68.95	25	µg/L	100	0	69	50	127	58.6	16.2	20
1,2,4-Trichlorobenzene	106	10	µg/L	100	0	106	67	128	93.3	12.8	20
Hexachlorobutadiene	119.8	10	µg/L	100	0	120	74	134	108.2	10.1	20
Naphthalene	103.7	25	µg/L	100	0	104	57	131	88.95	15.3	20
1,2,3-Trichlorobenzene	119.3	10	µg/L	100	0	119	64	131	106.8	11	20
Surr: Dibromofluoromethane	118.6	10	µg/L	125	0	94.9	85	119	0	0	0
Surr: 1,2-Dichloroethane-d4	152.8	10	µg/L	125	0	122	79	131	0	0	0
Surr: Toluene-d8	122.6	10	µg/L	125	0	98	90	110	0	0	0
Surr: 4-Bromofluorobenzene	126	10	µg/L	125	0	101	76	117	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
 S - Spike Recovery outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

QC SUMMARY REPORT

Work Order: 0902072

Sample Matrix Spike

Project: 130274 Textron Gorham

Sample ID 0902072-16Ams Batch ID: R41860 Test Code: SW8260B Units: µg/L Analysis Date 3/4/09 7:12:00 PM Prep Date 2/25/09
 Client ID: MW-218S Run ID: V-3_090304A SeqNo: 696607

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	244.9	50	µg/L	200	0	122	16	150	0	0	150	
Chloromethane	196.5	50	µg/L	200	0	98.2	35	150	0	0	150	
Vinyl chloride	286.3	20	µg/L	200	35.4	125	49	150	0	0	150	
Chloroethane	227.5	50	µg/L	200	0	114	58	147	0	0	147	
Bromomethane	210.6	20	µg/L	200	0	105	49	142	0	0	142	
Trichlorofluoromethane	259.8	20	µg/L	200	0	130	57	149	0	0	149	
Diethyl ether	196.3	50	µg/L	200	0	98.2	66	136	0	0	136	
Acetone	127.6	100	µg/L	200	0	63.8	16	150	0	0	150	
1,1-Dichloroethene	262.7	10	µg/L	200	0	131	70	150	0	0	150	
Carbon disulfide	220.3	20	µg/L	200	0	110	47	135	0	0	135	
Methylene chloride	255.3	50	µg/L	200	11.7	122	66	142	0	0	142	
Methyl tert-butyl ether	214.1	20	µg/L	200	0	107	63	138	0	0	138	
trans-1,2-Dichloroethene	248	20	µg/L	200	0	124	78	135	0	0	135	
1,1-Dichloroethane	244.8	20	µg/L	200	0	122	76	131	0	0	131	
2-Butanone	151	100	µg/L	200	0	75.5	51	142	0	0	142	
2,2-Dichloropropane	237.4	20	µg/L	200	0	119	60	149	0	0	149	
cis-1,2-Dichloroethene	769.4	20	µg/L	200	551.7	109	74	128	0	0	128	
Chloroform	232.3	20	µg/L	200	0	116	80	129	0	0	129	
Tetrahydrofuran	157.7	100	µg/L	200	0	78.8	53	145	0	0	145	
Bromochloromethane	238.1	20	µg/L	200	0	119	78	130	0	0	130	
1,1,1-Trichloroethane	270.8	20	µg/L	200	0	135	77	139	0	0	139	
1,1-Dichloropropene	263.9	20	µg/L	200	0	132	74	127	0	0	127	S
Carbon tetrachloride	231.5	20	µg/L	200	0	116	73	138	0	0	138	
1,2-Dichloroethane	222.7	20	µg/L	200	0	111	75	130	0	0	130	
Benzene	253.7	10	µg/L	200	6.2	124	79	123	0	0	123	S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Sample Concentration	Recovery	Acceptance	Spikes	Matrix	Spike		
Trichloroethene	258.1	20	µg/L	200	16.2	121	79	126	0
1,2-Dichloropropane	241.7	20	µg/L	200	0	121	76	125	0
Bromodichloromethane	223	20	µg/L	200	0	112	69	119	0
Dibromomethane	222.5	20	µg/L	200	0	111	76	127	0
4-Methyl-2-pentanone	159	100	µg/L	200	0	79.5	53	141	0
cis-1,3-Dichloropropene	222	10	µg/L	200	0	111	70	119	0
Toluene	243.9	20	µg/L	200	0	122	82	124	0
trans-1,3-Dichloropropene	214	10	µg/L	200	0	107	64	124	0
1,1,2-Trichloroethane	209.2	20	µg/L	200	0	105	73	127	0
1,2-Dibromoethane	207.7	20	µg/L	200	0	104	73	127	0
2-Hexanone	136.5	100	µg/L	200	0	68.2	37	145	0
1,3-Dichloropropane	217.2	20	µg/L	200	0	109	76	123	0
Tetrachloroethene	317.4	20	µg/L	200	104.4	106	82	129	0
Dibromochloromethane	186.9	20	µg/L	200	0	93.4	59	125	0
Chlorobenzene	227.3	20	µg/L	200	0	114	80	120	0
1,1,1,2-Tetrachloroethane	207.9	20	µg/L	200	0	104	72	124	0
Ethylbenzene	232.5	20	µg/L	200	0	116	83	123	0
m,p-Xylene	444.6	20	µg/L	400	0	111	84	121	0
o-Xylene	229.6	20	µg/L	200	0	115	83	119	0
Styrene	229.9	20	µg/L	200	0	115	80	122	0
Bromoform	155.4	20	µg/L	200	0	77.7	54	119	0
Isopropylbenzene	278.5	20	µg/L	200	0	139	75	131	0
1,1,2,2-Tetrachloroethane	211.5	20	µg/L	200	0	106	61	139	0
1,2,3-Trichloropropane	206.2	20	µg/L	200	0	103	66	130	0
Bromobenzene	218.5	20	µg/L	200	0	109	77	124	0
n-Propylbenzene	266.1	20	µg/L	200	0	133	76	131	0
2-Chlorotoluene	242.1	20	µg/L	200	0	121	78	125	0
4-Chlorotoluene	240.4	20	µg/L	200	0	120	75	124	0
1,3,5-Trimethylbenzene	243.5	20	µg/L	200	0	122	79	124	0
tert-Butylbenzene	247.6	20	µg/L	200	0	124	79	126	0
1,2,4-Trimethylbenzene	236.4	20	µg/L	200	0	118	77	124	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	256.8	245.9	225.5	221.9	269.2	214.8	175.6	198.7	198	178.9	181.8	275.3	237	256.5	220.8	µg/L	200	0	128	82	128	0
sec-Butylbenzene	256.8															20	200	0	128	82	128	0
4-Isopropyltoluene	245.9	245.9														20	200	0	123	77	128	0
1,3-Dichlorobenzene	225.5	225.5	225.5													20	200	6.5	110	80	122	0
1,4-Dichlorobenzene	221.9	221.9	221.9	221.9												20	200	5.3	108	78	123	0
n-Butylbenzene	269.2	269.2			269.2											20	200	0	135	74	130	0
1,2-Dichlorobenzene	214.8	214.8				214.8										20	200	0	107	78	121	0
1,2-Dibromo-3-chloropropane	175.6	175.6				175.6	175.6									50	200	0	87.8	50	127	0
1,2,4-Trichlorobenzene	198.7	198.7					198.7									20	200	0	99.4	67	128	0
Hexachlorobutadiene	198	198					198									20	200	7.2	95.4	74	134	0
Naphthalene	178.9	178.9						178.9								50	200	0	89.4	57	131	0
1,2,3-Trichlorobenzene	181.8	181.8						181.8								20	200	0	90.9	64	131	0
Surr: Dibromofluoromethane	275.3	275.3						275.3								20	250	0	110	85	119	0
Surr: 1,2-Dichloroethane-d4	237	237						237								20	250	0	94.8	79	131	0
Surr: Toluene-d8	256.5	256.5						256.5								20	250	0	103	90	110	0
Surr: 4-Bromofluorobenzene	220.8	220.8						220.8								20	250	0	88.3	76	117	0

S

S

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID: MW-218S Batch ID: R41860 Test Code: SW8260B Units: µg/L Analysis Date: 3/4/09 7:45:00 PM Prep Date: 2/25/09
 Client ID: MW-218S Run ID: V-3_090304A SeqNo: 696608

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	226.6	50	µg/L	200	0	113	16	150	244.9	7.76	20	
Chloromethane	203.5	50	µg/L	200	0	102	35	150	196.5	3.5	20	
Vinyl chloride	271.1	20	µg/L	200	35.4	118	49	150	286.3	5.45	20	
Chloroethane	200.7	50	µg/L	200	0	100	58	147	227.5	12.5	20	
Bromomethane	176.7	20	µg/L	200	0	88.4	49	142	210.6	17.5	20	
Trichlorofluoromethane	239.6	20	µg/L	200	0	120	57	149	259.8	8.09	20	
Diethyl ether	191.9	50	µg/L	200	0	96	66	136	196.3	2.27	20	
Acetone	122.5	100	µg/L	200	0	61.2	16	150	127.6	4.08	20	
1,1-Dichloroethene	240.7	10	µg/L	200	0	120	70	150	262.7	8.74	20	
Carbon disulfide	207.9	20	µg/L	200	0	104	47	135	220.3	5.79	20	
Methylene chloride	234.1	50	µg/L	200	11.7	111	66	142	255.3	8.66	20	
Methyl tert-butyl ether	208.9	20	µg/L	200	0	104	63	138	214.1	2.46	20	
trans-1,2-Dichloroethene	234	20	µg/L	200	0	117	78	135	248	5.81	20	
1,1-Dichloroethane	233.9	20	µg/L	200	0	117	76	131	244.8	4.55	20	
2-Butanone	143.3	100	µg/L	200	0	71.6	51	142	151	5.23	20	
2,2-Dichloropropane	223.4	20	µg/L	200	0	112	60	149	237.4	6.08	20	
cis-1,2-Dichloroethene	753	20	µg/L	200	551.7	101	74	128	769.4	2.15	20	
Chloroform	225.4	20	µg/L	200	0	113	80	129	232.3	3.02	20	
Tetrahydrofuran	142.1	100	µg/L	200	0	71	53	145	157.7	10.4	20	
Bromochloromethane	229.4	20	µg/L	200	0	115	78	130	238.1	3.72	20	
1,1,1-Trichloroethane	260.3	20	µg/L	200	0	130	77	139	270.8	3.95	20	
1,1-Dichloropropene	258.5	20	µg/L	200	0	129	74	127	263.9	2.07	20	S
Carbon tetrachloride	216.6	20	µg/L	200	0	108	73	138	231.5	6.65	20	
1,2-Dichloroethane	213.2	20	µg/L	200	0	107	75	130	222.7	4.36	20	
Benzene	245.6	10	µg/L	200	6.2	120	79	123	253.7	3.24	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	256.7	237.5	215	218.1	152.8	215.2	234.6	205.7	199.6	203.4	129.4	213.7	317	182.8	224.4	203.3	227.7	430.8	225.9	224.9	147.9	276	204.2	201.1	213.9	262.8	237.2	238.9	243.6	246.9	234.3		
Trichloroethene	20	20	20	20	100	10	20	10	20	20	100	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
1,2-Dichloropropane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
Bromodichloromethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
Dibromomethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
4-Methyl-2-pentanone	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
cis-1,3-Dichloropropene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
Toluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
trans-1,3-Dichloropropene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
1,1,2-Trichloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
1,2-Dibromoethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
2-Hexanone	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
1,3-Dichloropropane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
Tetrachloroethene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	
Dibromochloromethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Chlorobenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,1,1,2-Tetrachloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Ethylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
m,p-Xylene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
o-Xylene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Styrene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Bromoform	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Isopropylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,1,2,2-Tetrachloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,2,3-Trichloropropane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Bromobenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
n-Propylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
2-Chlorotoluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
4-Chlorotoluene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,3,5-Trimethylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
tert-Butylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
1,2,4-Trimethylbenzene	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 NA - Not applicable where J values or ND results occur

B - Analyte detected in the associated Method Blank

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	258	20	200	0	129	82	128	256.8	0.466	20	S
sec-Butylbenzene	258	20	200	0	129	82	128	256.8	0.466	20	S
4-Isopropyltoluene	249.4	20	200	0	125	77	128	245.9	1.41	20	
1,3-Dichlorobenzene	222.5	20	200	6.5	108	80	122	225.5	1.34	20	
1,4-Dichlorobenzene	219.6	20	200	5.3	107	78	123	221.9	1.04	20	
n-Butylbenzene	268.6	20	200	0	134	74	130	269.2	0.223	20	S
1,2-Dichlorobenzene	209.7	20	200	0	105	78	121	214.8	2.4	20	
1,2-Dibromo-3-chloropropane	171.7	50	200	0	85.8	50	127	175.6	2.25	20	
1,2,4-Trichlorobenzene	200.3	20	200	0	100	67	128	198.7	0.802	20	
Hexachlorobutadiene	197.3	20	200	7.2	95	74	134	198	0.354	20	
Naphthalene	173.7	50	200	0	86.8	57	131	178.9	2.95	20	
1,2,3-Trichlorobenzene	185	20	200	0	92.5	64	131	181.8	1.74	20	
Surr: Dibromofluoromethane	266.1	20	250	0	106	85	119	0	0	0	
Surr: 1,2-Dichloroethane-d4	242.2	20	250	0	96.9	79	131	0	0	0	
Surr: Toluene-d8	252	20	250	0	101	90	110	0	0	0	
Surr: 4-Bromofluorobenzene	219.3	20	250	0	87.7	76	117	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: MW-112 Batch ID: R41874 Test Code: SW8260B Units: µg/L Analysis Date: 3/5/09 6:58:00 PM Prep Date: 2/25/09
 Client ID: MW-112 Run ID: V-3_090305A SeqNo: 696834

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	122.6	25	µg/L	100	0	123	16	150	0	0		
Chloromethane	111.8	25	µg/L	100	0	112	35	150	0	0		
Vinyl chloride	130.4	10	µg/L	100	0	130	49	150	0	0		
Chloroethane	115.2	25	µg/L	100	0	115	58	147	0	0		
Bromomethane	105.6	10	µg/L	100	0	106	49	142	0	0		
Trichlorofluoromethane	128.6	10	µg/L	100	0	129	57	149	0	0		
Diethyl ether	107.3	25	µg/L	100	0	107	66	136	0	0		
Acetone	79.45	50	µg/L	100	0	79.4	16	150	0	0		
1,1-Dichloroethene	133	5.0	µg/L	100	0	133	70	150	0	0		
Carbon disulfide	109.8	10	µg/L	100	0	110	47	135	0	0		
Methylene chloride	133.2	25	µg/L	100	0.51	133	66	142	0	0		
Methyl tert-butyl ether	108.2	10	µg/L	100	0	108	63	138	0	0		
trans-1,2-Dichloroethene	126.2	10	µg/L	100	0	126	78	135	0	0		
1,1-Dichloroethane	124.8	10	µg/L	100	0	125	76	131	0	0		
2-Butanone	90.15	50	µg/L	100	0	90.2	51	142	0	0		
2,2-Dichloropropane	117.6	10	µg/L	100	0	118	60	149	0	0		
cis-1,2-Dichloroethene	118.2	10	µg/L	100	0.73	117	74	128	0	0		
Chloroform	138.9	10	µg/L	100	20.11	119	80	129	0	0		
Tetrahydrofuran	105.4	50	µg/L	100	0	105	53	145	0	0		
Bromochloromethane	123.2	10	µg/L	100	0	123	78	130	0	0		
1,1,1-Trichloroethane	125.8	10	µg/L	100	0	126	77	139	0	0		
1,1-Dichloropropene	134.5	10	µg/L	100	0	134	74	127	0	0		S
Carbon tetrachloride	111.4	10	µg/L	100	0	111	73	138	0	0		
1,2-Dichloroethane	114.4	10	µg/L	100	0	114	75	130	0	0		
Benzene	127.6	5.0	µg/L	100	0	128	79	123	0	0		S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0902072
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Compound	Reporting Limit	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	Concentration (µg/L)	Recovery (%)	Acceptance	
Trichloroethene	126.4	10	100	µg/L	4.48	122	79	126	0		126	0		126	0		126	0		126	0		S
1,2-Dichloropropane	126.2	10	100	µg/L	0	126	76	125	0		125	0		125	0		125	0		125	0		
Bromodichloromethane	113.4	10	100	µg/L	2.08	111	69	119	0		119	0		119	0		119	0		119	0		
Dibromomethane	116.8	10	100	µg/L	0	117	76	127	0		127	0		127	0		127	0		127	0		
4-Methyl-2-pentanone	95.75	50	100	µg/L	0	95.8	53	141	0		141	0		141	0		141	0		141	0		
cis-1,3-Dichloropropene	113	5.0	100	µg/L	0	113	70	119	0		119	0		119	0		119	0		119	0		
Toluene	120.2	10	100	µg/L	0	120	82	124	0		124	0		124	0		124	0		124	0		
trans-1,3-Dichloropropene	108.5	5.0	100	µg/L	0	108	64	124	0		124	0		124	0		124	0		124	0		
1,1,2-Trichloroethane	107.2	10	100	µg/L	0	107	73	127	0		127	0		127	0		127	0		127	0		
1,2-Dibromoethane	107	10	100	µg/L	0	107	73	127	0		127	0		127	0		127	0		127	0		
2-Hexanone	89.45	50	100	µg/L	0	89.4	37	145	0		145	0		145	0		145	0		145	0		
1,3-Dichloropropane	120	10	100	µg/L	0	120	76	123	0		123	0		123	0		123	0		123	0		
Tetrachloroethene	202.2	10	100	µg/L	105.2	97	82	129	0		129	0		129	0		129	0		129	0		
Dibromochloromethane	98.4	10	100	µg/L	0	98.4	59	125	0		125	0		125	0		125	0		125	0		
Chlorobenzene	114.4	10	100	µg/L	0	114	80	120	0		120	0		120	0		120	0		120	0		
1,1,1,2-Tetrachloroethane	104	10	100	µg/L	0	104	72	124	0		124	0		124	0		124	0		124	0		
Ethylbenzene	118.8	10	100	µg/L	0	119	83	123	0		123	0		123	0		123	0		123	0		
m,p-Xylene	223.6	10	200	µg/L	0	112	84	121	0		121	0		121	0		121	0		121	0		
o-Xylene	115	10	100	µg/L	0	115	83	119	0		119	0		119	0		119	0		119	0		
Styrene	115.2	10	100	µg/L	0	115	80	122	0		122	0		122	0		122	0		122	0		
Bromoform	81.75	10	100	µg/L	0	81.8	54	119	0		119	0		119	0		119	0		119	0		S
Isopropylbenzene	136.2	10	100	µg/L	0	136	75	131	0		131	0		131	0		131	0		131	0		
1,1,2,2-Tetrachloroethane	119.6	10	100	µg/L	0	120	61	139	0		139	0		139	0		139	0		139	0		
1,2,3-Trichloropropane	115.6	10	100	µg/L	0	116	66	130	0		130	0		130	0		130	0		130	0		
Bromobenzene	103.6	10	100	µg/L	0	104	77	124	0		124	0		124	0		124	0		124	0		
n-Propylbenzene	133.2	10	100	µg/L	0	133	76	131	0		131	0		131	0		131	0		131	0		S
2-Chlorotoluene	122.8	10	100	µg/L	0	123	78	125	0		125	0		125	0		125	0		125	0		
4-Chlorotoluene	119.4	10	100	µg/L	0	119	75	124	0		124	0		124	0		124	0		124	0		
1,3,5-Trimethylbenzene	119.8	10	100	µg/L	0	120	79	124	0		124	0		124	0		124	0		124	0		
tert-Butylbenzene	119.4	10	100	µg/L	0	119	79	126	0		126	0		126	0		126	0		126	0		
1,2,4-Trimethylbenzene	116.5	10	100	µg/L	0	116	77	124	0		124	0		124	0		124	0		124	0		

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank
 NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0902072
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Analyte	Concentration (µg/L)	Recovery (%)	Acceptance Criteria	Result	Matrix Spike
sec-Butylbenzene	126.5	100	100	82	128
4-Isopropyltoluene	119.6	100	100	77	128
1,3-Dichlorobenzene	107.2	100	100	80	122
1,4-Dichlorobenzene	106.4	100	100	78	123
n-Butylbenzene	133.2	100	100	74	130
1,2-Dichlorobenzene	102.2	100	100	78	121
1,2-Dibromo-3-chloropropane	101.1	25	100	50	127
1,2,4-Trichlorobenzene	93.55	100	100	67	128
Hexachlorobutadiene	89.35	100	100	74	134
Naphthalene	94.85	25	100	57	131
1,2,3-Trichlorobenzene	88.35	100	100	64	131
Surr: Dibromofluoromethane	134.3	10	125	85	119
Surr: 1,2-Dichloroethane-d4	121.8	10	125	79	131
Surr: Toluene-d8	124.2	10	125	90	110
Surr: 4-Bromofluorobenzene	106.4	10	125	76	117

S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID: 0902072-18Amsd **Batch ID:** R41874 **Test Code:** SW8260B **Units:** µg/L **Analysis Date:** 3/5/09 7:32:00 PM **Prep Date:** 2/25/09
Client ID: MW-112 **Run ID:** V-3_090305A **SeqNo:** 696835

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Dichlorodifluoromethane	116.6	25	µg/L	100	0	117	16	150	122.6	5.02	20	
Chloromethane	107.5	25	µg/L	100	0	108	35	150	111.8	3.88	20	
Vinyl chloride	128.9	10	µg/L	100	0	129	49	150	130.4	1.16	20	
Chloroethane	106.1	25	µg/L	100	0	106	58	147	115.2	8.18	20	
Bromomethane	95.8	10	µg/L	100	0	95.8	49	142	105.6	9.68	20	
Trichlorofluoromethane	121.8	10	µg/L	100	0	122	57	149	128.6	5.35	20	
Diethyl ether	105.8	25	µg/L	100	0	106	66	136	107.3	1.46	20	
Acetone	82.9	50	µg/L	100	0	82.9	16	150	79.45	4.25	20	
1,1-Dichloroethene	129.3	5.0	µg/L	100	0	129	70	150	133	2.82	20	
Carbon disulfide	107.9	10	µg/L	100	0	108	47	135	109.8	1.79	20	
Methylene chloride	130.8	25	µg/L	100	0.51	130	66	142	133.2	1.78	20	
Methyl tert-butyl ether	110.3	10	µg/L	100	0	110	63	138	108.2	1.97	20	
trans-1,2-Dichloroethene	128.4	10	µg/L	100	0	128	78	135	126.2	1.73	20	
1,1-Dichloroethane	124.4	10	µg/L	100	0	124	76	131	124.8	0.401	20	
2-Butanone	92.5	50	µg/L	100	0	92.5	51	142	90.15	2.57	20	
2,2-Dichloropropane	115.6	10	µg/L	100	0	116	60	149	117.6	1.67	20	
cis-1,2-Dichloroethene	117.6	10	µg/L	100	0.73	117	74	128	118.2	0.466	20	
Chloroform	139.5	10	µg/L	100	20.11	119	80	129	138.9	0.431	20	
Tetrahydrofuran	91.1	50	µg/L	100	0	91.1	53	145	105.4	14.6	20	
Bromochloromethane	129.8	10	µg/L	100	0	130	78	130	123.2	5.22	20	
1,1,1-Trichloroethane	131.2	10	µg/L	100	0	131	77	139	125.8	4.2	20	
1,1-Dichloropropene	132.6	10	µg/L	100	0	133	74	127	134.5	1.46	20	S
Carbon tetrachloride	108.6	10	µg/L	100	0	109	73	138	111.4	2.64	20	
1,2-Dichloroethane	114.6	10	µg/L	100	0	115	75	130	114.4	0.175	20	
Benzene	128.5	5.0	µg/L	100	0	128	79	123	127.6	0.703	20	S

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Compound	126.6	127.9	116	117.1	93.45	113.4	119.8	107.8	110.2	108.4	86.55	119.8	203	98.95	115.4	103.4	118	222.7	116.6	115.8	82.25	138	120.3	115.4	106.9	136	121.6	122.6	121.3	121.6	118.2		
Trichloroethene	10	10	10	10	50	5.0	10	5.0	10	10	50	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
1,2-Dichloropropane	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
Bromodichloromethane	4.48	0	2.08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dibromomethane	122	128	114	117	93.4	113	120	108	110	108	86.6	120	97.8	99	115	103	118	111	117	116	116	82.2	138	120	115	107	136	122	123	121	122		
4-Methyl-2-pentanone	79	76	69	76	53	70	82	64	73	73	37	76	82	59	80	72	83	84	83	80	54	75	61	66	77	76	78	75	79	79	77		
cis-1,3-Dichloropropene	126	125	119	127	141	119	124	124	127	127	145	123	129	125	120	124	123	121	119	122	119	131	139	130	124	131	125	124	124	126	124		
Toluene	126.4	126.2	113.4	116.8	95.75	113	120.2	108.5	107.2	107	89.45	120	202.2	98.4	114.4	104	118.8	223.6	115	115.2	81.75	136.2	119.6	115.6	103.6	133.2	122.8	119.4	119.8	119.4	116.5		
trans-1,3-Dichloropropene	0.0791	1.34	2.18	0.257	2.43	0.353	0.375	0.694	2.81	1.39	3.3	0.25	0.37	0.557	0.914	0.675	0.676	0.381	1.43	0.519	0.61	1.31	0.584	0.13	3.14	2.08	2.6	1.16	1.78	1.49			
1,1,2-Trichloroethane	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
1,2-Dibromoethane	S																																
2-Hexanone																																	
1,3-Dichloropropane																																	
Tetrachloroethene																																	
Dibromochloromethane																																	
Chlorobenzene																																	
1,1,1,2-Tetrachloroethane																																	
Ethylbenzene																																	
m,p-Xylene																																	
o-Xylene																																	
Styrene																																	
Bromoform																																	
Isopropylbenzene																																	
1,1,2,2-Tetrachloroethane																																	
1,2,3-Trichloropropane																																	
Bromobenzene																																	
n-Propylbenzene																																	
2-Chlorotoluene																																	
4-Chlorotoluene																																	
1,3,5-Trimethylbenzene																																	
tert-Butylbenzene																																	
1,2,4-Trimethylbenzene																																	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 06-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
 Work Order: 0902072
 Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample Matrix Spike Duplicate	130.1	122	109.9	108.4	137.4	104.2	101.7	96.1	92.9	94.2	90.5	135.9	121.2	127.2	104.8
sec-Butylbenzene	10	10	10	10	10	10	25	10	10	25	10	10	10	10	10
4-Isopropyltoluene	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125
1,3-Dichlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,4-Dichlorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
n-Butylbenzene	130	128	122	123	130	121	127	128	134	131	131	119	131	110	117
1,2-Dichlorobenzene	82	77	80	78	74	78	50	67	74	57	64	85	79	90	76
1,2-Dibromo-3-chloropropane	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1,2,4-Trichlorobenzene	126.5	119.6	107.2	106.4	133.2	102.2	101.1	93.55	89.35	94.85	88.35	0	0	0	0
Hexachlorobutadiene	2.81	1.99	2.44	1.91	3.11	2.03	0.543	2.69	3.9	0.688	2.4	0	0	0	0
Naphthalene	20	20	20	20	20	20	20	20	20	20	20	0	0	0	0
1,2,3-Trichlorobenzene	20	20	20	20	20	20	20	20	20	20	20	0	0	0	0
Surr: Dibromofluoromethane	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: 1,2-Dichloroethane-d4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: Toluene-d8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surr: 4-Bromofluorobenzene	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-19A

Client Sample ID: CW-6
Tag Number:
Collection Date: 2/25/2009 2:31:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TPH BY GC/FID (MODIFIED 8015B)						Analyst: SD
		SW8015B				
Gasoline	ND	0.050		mg/L	1	3/5/2009 5:00:00 AM
Mineral Spirits	ND	0.050		mg/L	1	3/5/2009 5:00:00 AM
Kerosene	ND	0.050		mg/L	1	3/5/2009 5:00:00 AM
Diesel Fuel/Fuel Oil #2	ND	0.050		mg/L	1	3/5/2009 5:00:00 AM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	3/5/2009 5:00:00 AM
Unidentified Hydrocarbons	11	0.10		mg/L	1	3/5/2009 5:00:00 AM
Surr: o-Terphenyl	81.6	31-131		%REC	1	3/5/2009 5:00:00 AM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

- Qualifiers:**
- ND - Not Detected at the Reporting Limit
 - J - Analyte detected below quantitation limits
 - B - Analyte detected in the associated Method Blank
 - H - Method prescribed holding time exceeded.
 - RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 - S - Spike Recovery outside accepted recovery limits
 - R - RPD outside accepted recovery limits
 - E - Value above quantitation range
 - # - See Case Narrative

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Lab Order: 0902072
Project: 130274 Textron Gorham
Lab ID: 0902072-20A

Client Sample ID: CW-6 Dupe
Tag Number:
Collection Date: 2/25/2009 2:32:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TPH BY GC/FID (MODIFIED 8015B)		SW8015B			Analyst: SD	
Gasoline	ND	0.050		mg/L	1	3/5/2009 4:19:00 AM
Mineral Spirits	ND	0.050		mg/L	1	3/5/2009 4:19:00 AM
Kerosene	ND	0.050		mg/L	1	3/5/2009 4:19:00 AM
Diesel Fuel/Fuel Oil #2	ND	0.050		mg/L	1	3/5/2009 4:19:00 AM
Motor Oil/Hydraulic Oil	ND	0.10		mg/L	1	3/5/2009 4:19:00 AM
Unidentified Hydrocarbons	10	0.10		mg/L	1	3/5/2009 4:19:00 AM
Surr: o-Terphenyl	77.7	31-131		%REC	1	3/5/2009 4:19:00 AM

Gasoline cannot be accurately determined by this method. Purge and trap sample introduction into a GC or GCMS is the recommended approach for gasoline. Due to the physical, chemical, and biological processes which affect the chemical composition of fuel mixtures exposed to the environment, the qualitative identity of a hydrocarbon mixture as a fuel product is not always conclusive by this method due to the method's reliance on chromatographic pattern recognition. A result provided for a specific fuel indicates that the mixture present in the sample has a chromatographic pattern similar to the laboratory's reference standard for that fuel mixture under specific GC operating conditions utilized at the time of analysis. A result identified as Unidentified Hydrocarbons is based upon the detector response obtained for the laboratory's Fuel Oil#2 reference standard and includes the entire chromatographic response for the sample between n-Alkanes of carbon numbers C9 to C36.

- Qualifiers:**
- ND - Not Detected at the Reporting Limit
 - J - Analyte detected below quantitation limits
 - B - Analyte detected in the associated Method Blank
 - H - Method prescribed holding time exceeded.
 - RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
 - S - Spike Recovery outside accepted recovery limits
 - R - RPD outside accepted recovery limits
 - E - Value above quantitation range
 - # - See Case Narrative

Date: 13-Mar-09

AMRO Environmental Laboratories Corp.

QC SUMMARY REPORT
Method Blank

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

Sample ID: MB-19141 Batch ID: 19141 Test Code: SW8015B Units: mg/L Analysis Date: 3/5/2009 2:14:00 AM Prep Date: 3/4/2009
Client ID: Run ID: GC-FING1_090304A SeqNo: 696769

Analyte	QC Sample Result	RL	Units	QC Spike Original Sample Amount	Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Gasoline	ND	0.050	mg/L									
Mineral Spirits	ND	0.050	mg/L									
Kerosene	ND	0.050	mg/L									
Diesel Fuel/Fuel Oil #2	ND	0.050	mg/L									
Motor Oil/Hydraulic Oil	ND	0.10	mg/L									
Unidentified Hydrocarbons	ND	0.10	mg/L									
Surr: o-Terphenyl	0.09008	0	mg/L	0.1	0	90.1	31	131	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 13-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-19141 Batch ID: 19141 Test Code: SW8015B Units: mg/L Analysis Date: 3/5/2009 2:55:00 AM Prep Date: 3/4/2009
 Client ID: Run ID: GC-FING1_090304A SeqNo: 696756

Analyte	QC Sample		QC Spike		Original Sample		Original Sample		%RPD	RPDLimit	Que
	Result	RL	Units	Amount	Result	%REC	LowLimit	HighLimit			
Diesel Fuel/Fuel Oil #2	1.595	0.050	mg/L	2	0	79.8	42	119	0		
Surr: o-Terphenyl	0.08776	0	mg/L	0.1	0	87.8	31	131	0		

Sample ID: LCSD-19141 Batch ID: 19141 Test Code: SW8015B Units: mg/L Analysis Date: 3/5/2009 3:37:00 AM Prep Date: 3/4/2009
 Client ID: Run ID: GC-FING1_090304A SeqNo: 696757

Analyte	QC Sample		QC Spike		Original Sample		Original Sample		%RPD	RPDLimit	Que
	Result	RL	Units	Amount	Result	%REC	LowLimit	HighLimit			
Diesel Fuel/Fuel Oil #2	1.564	0.050	mg/L	2	0	78.2	42	119	1.595	1.98	40
Surr: o-Terphenyl	0.08893	0	mg/L	0.1	0	88.9	31	131	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 09-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.
Project: 130274 Textron Gorham

Lab Order: 0902072**Lab ID:** 0902072-21**Collection Date:** 2/25/2009 3:10:00 PM**Collection Time:****Client Sample ID:** MW-109D**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	12.0		µg/L	1	3/4/2009 5:42:19 PM
------	----	------	--	------	---	---------------------

Lab ID: 0902072-22**Collection Date:** 2/25/2009 3:50:00 PM**Collection Time:****Client Sample ID:** GZA-3**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	12.0		µg/L	1	3/4/2009 6:08:45 PM
------	----	------	--	------	---	---------------------

Lab ID: 0902072-23**Collection Date:** 2/25/2009 3:51:00 PM**Collection Time:****Client Sample ID:** GZA-3 Dupe**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP METALS DISSOLVED SW-846

SW6010B

Analyst: AL

Lead	ND	12.0		µg/L	1	3/4/2009 9:59:47 PM
------	----	------	--	------	---	---------------------

Date: 13-Mar-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Method Blank

Sample ID: MB-19143 Batch ID: 19143 Test Code: SW6010B Units: µg/L Analysis Date: 3/4/2009 5:28:30 PM Prep Date: 3/4/2009
Client ID: Run ID: ICP-OPTIMA_090304A SeqNo: 696652

Analyte	QC Sample Result	RL	Units	QC Spike Original Sample Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	ND	12	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 13-Mar-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-19143 Batch ID: 19143 Test Code: SW6010B Units: µg/L Analysis Date: 3/4/2009 5:31:58 PM Prep Date: 3/4/2009
Client ID: Run ID: ICP-OPTIMA_090304A SeqNo: 696653

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	%RPD	RPDLimit	QC
Lead	1888	12	µg/L	1998	0	94.5	80	120			0

Sample ID: LCSD-19143 Batch ID: 19143 Test Code: SW6010B Units: µg/L Analysis Date: 3/4/2009 5:37:08 PM Prep Date: 3/4/2009
Client ID: Run ID: ICP-OPTIMA_090304A SeqNo: 696654

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	%RPD	RPDLimit	QC
Lead	1886	12	µg/L	1998	0	94.4	80	120	0.121	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: 13-Mar-09

CLIENT: Shaw Environmental & Infrastructure, Inc.

Work Order: 0902072

Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: 0902072-21bms Batch ID: 19143 Test Code: SW6010B Units: µg/L Analysis Date: 3/4/2009 5:57:44 PM Prep Date: 3/4/2009
 Client ID: MW-109D Run ID: ICP-OPTIMA_090304A SeqNo: 696658

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Quz
Lead	1859	12	µg/L	1998	0	93.1	75	125	0			

Sample ID: 0902072-21bmsd Batch ID: 19143 Test Code: SW6010B Units: µg/L Analysis Date: 3/4/2009 6:03:14 PM Prep Date: 3/4/2009
 Client ID: MW-109D Run ID: ICP-OPTIMA_090304A SeqNo: 696659

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Quz
Lead	1860	12	µg/L	1998	0	93.1	75	125	1859	0.00813	20	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

Date: 13-Mar-09

AMRO Environmental Laboratories Corp.

CLIENT: Shaw Environmental & Infrastructure, Inc.
Work Order: 0902072
Project: 130274 Textron Gorham

QC SUMMARY REPORT

Sample Duplicate

Sample ID: 0902072-21bd Batch ID: 19143 Test Code: SW6010B Units: µg/L Analysis Date: 3/4/2009 5:52:27 PM Prep Date: 3/4/2009
Client ID: MW-109D Run ID: ICP-OPTIMA_090304A SeqNo: 696657

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Que
Lead	ND	12	µg/L	0	0	0	0	0	0	0	0	20

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits NA - Not applicable where J values or ND results occur
 RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.