

Textron, Inc.
Former Gorham Manufacturing Facility, Providence, RI
Remedial Action Completion Report: Phase II Area – Mashapaug Inner Cove,
Phase III Area – Northeast Upland And Parcel C
Project No.: 3652160001
February 12, 2016



APPENDIX F
WELL ABANDONMENT LOGS AND
INSTALLATION LOG



Well Abandonment Form

Well ID: MW 237 D

Date Abandoned: 9-8-15

Site Address: 333 Adelbridge Ave

Town, State: Providence R.I.

Well Diameter: 1.5" * 6W not caused well diam. too small for tooling.

Well Depth: 40.5'

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER CUT Below
Grade
(steel Pipe)

Abandonment

Material: Grout

Quantity Used: 5613

(in gallons)

Crew Onsite: Jamie

Rich

ARTie



Well Abandonment Form

Well ID: MWBB2

Date Abandoned: 9-8-15

Site Address: 333 Adelaide AVE
Town, State: Providence R.I.

Well Diameter: 2" Water Level 27'5"

Well Depth: 40'

Method of Abandonment (circle one):

REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout

Quantity Used: 10 Gallons
(In gallons)

Crew Onsite: JAMIE HASTINGS
RICH MCMASTER
ARTIE COX



402

Well Abandonment Form

Well ID: MW 240 Date Abandoned: 9-8-15

Site Address: 333 Adelaide Ave
Town, State: Providence RI

Well Diameter: 2" WATER 27.5

Well Depth: 35'

Method of Abandonment (circle one):

- REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout

Quantity Used: 25 Gal.
(In gallons)

Crew Onsite: JAMIE
Rich
ACTIE



Well Abandonment Form

Well ID: MW-C/B-3

Date Abandoned: 9-8-15

Site Address: 333 Adelaide AVE
Town, State: Providence RI.

Well Diameter: 2" WATER 25

Well Depth: 34'

Method of Abandonment (circle one):

REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout

Quantity Used: 25 GAL.
(in gallons)

Crew Onsite: JAMIE
Rich
ARTIE



Well Abandonment Form

Well ID: MW 111D

Date Abandoned: 9-8-15

Site Address: 333 Adelaide Ave
Town, State: Providence R.I.

Well Diameter: 2" water 25'

Well Depth: 80'

Method of Abandonment (circle one):

- REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout

Quantity Used: 30
~~30~~ 615
(In gallons)

Crew Onsite: JAMIE
Rich
Artie



Well Abandonment Form

Well ID: MW242

Date Abandoned: 9-8-15

Site Address: 333 Adelaide AVE
Town, State: Providence R.I.

Well Diameter: 2 1/2" WATER 28"

Well Depth: 72'

Method of Abandonment (circle one):

- REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout

Quantity Used: 30 GALS.
(in gallons)

Crew Onsite: Samie
Rich
Artie



Well Abandonment Form

Well ID: MW 239 Date Abandoned: 9-8-15

Site Address: 333 Adelaide AVE
Town, State: Providence R.I

Well Diameter: 2" WATER 30'

Well Depth: 33'

Method of Abandonment (circle one):

REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: GROUT

Quantity Used: 15 GALS
(In gallons)

Crew Onsite: JAMIE
Rich
ARTIE



Well Abandonment Form

Well ID: MD-ED/B-60

Date Abandoned: 9-8-15

Site Address: 333 Adelaide AVE
Town, State: Providence RI

Well Diameter: 2" Water 21'

Well Depth: 64'

Method of Abandonment (circle one):

REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout

Quantity Used: 25 GALS
(in gallons)

Crew Onsite: SAMIE
Rich
ARTIE



Well Abandonment Form

Well ID: MW-236D

Date Abandoned: 9-8-15

Site Address: 333 Adelaide AVE

Town, State: Providence R.I.

Well Diameter: 1.5" * GW not gauged - well diam. too small for tooling

Well Depth: 35.5

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

cut down below grade
(steel pipe)

Abandonment Material: Grout

Quantity Used: 5 GALS.
(in gallons)

Crew Onsite: JAMIE
Rich
ARTIE



Well Abandonment Form

Well ID: MW-235D

Date Abandoned: 9-8-15

Site Address: 333 Adelaide Ave

Town, State: Providence RI

Well Diameter: 1.5 * GW not gauged - well diam. too small for tooling.

Well Depth: 35'

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER CUT Down Below
Grade
(steel pipe)

Abandonment

Material: Grout

Quantity Used: 5 Gals.

(in gallons)

Crew Onsite: Jamie

Rich

ARTIE



Well Abandonment Form

Well ID: DP-C Date Abandoned: 10/8/15

Site Address: 333 Adelaide Ave.
Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 38' Groundwater Level: 3.5 feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING OVERDRILLED SPLIT CASING OTHER

Abandonment Material: Grout/Bentonite

Quantity Used: 3
(in gallons)

Crew Onsite: Chris H
Alex M
Justin



Well Abandonment Form

Well ID: DP-D

Date Abandoned: 10/8/15

Site Address: 333 Adelaide Ave.

Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 54' Groundwater Level: 3.2 feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

Abandonment

Material: Grout/Bentonite

Quantity Used: 5
(in gallons)

Crew Onsite: Chas H
Alex M
Justin



Well Abandonment Form

Well ID: DP-K

Date Abandoned: 10/3/15

Site Address: 333 Adelaide Ave.

Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 51'

Groundwater Level: 5 feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

Abandonment

Material: Grout/Cementite

Quantity Used: 4

(in gallons)

Crew Onsite: Chris H

Alex M

Justin



Well Abandonment Form

Well ID: DP-L

Date Abandoned: 10/8/15

Site Address: 333 Adelaide Ave.

Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 51'

Groundwater Level: 6' feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

Abandonment

Material: Grout / Bentonite

Quantity Used: 5

(in gallons)

Crew Onsite: Chas H

Alex M

Justin

DRILEX ENVIRONMENTAL

127 HARTWELL ST, SUITE 600, WEST BOYLSTON, MA 01583

TEL 508-835-6724 • FAX 508-835-6734



Well Abandonment Form

Well ID: DP-5

Date Abandoned: 10/8/15

Site Address: 333 Adelaide Ave.

Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 69'

Groundwater Level: 8' feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

Abandonment Material: Grout / Bentonite

Quantity Used: 7
(in gallons)

Crew Onsite: Chris H
Alex M
Justin



Well Abandonment Form

Well ID: DP-M

Date Abandoned: 10/8/05

Site Address: 333 Adelaide Ave.

Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 42'

Groundwater Level: 3 feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

Abandonment

Material: Grout/Bentonite

Quantity Used: 3

(in gallons)

Crew Onsite: Chris H

Alex M

Justin



Well Abandonment Form

Well ID: DP-11

Date Abandoned: 10/8/15

Site Address: 333 Adelaide Ave.

Town, State: Providence, RI

Well Diameter: 1.25"

Well Depth: 59'

Groundwater Level: 3.5 feet b.g.s.

Method of Abandonment (circle one):

REMOVED CASING

OVERDRILLED

SPLIT CASING

OTHER

Abandonment

Material: Grout / Bentonite

Quantity Used: 4.5
(in gallons)


Crew Onsite: Chas H

Alex M

Justin

Client: Charter Environmental	Page 1 of 1	Boring/Well ID: MW-243
Project #: D4167-15-1		Drilled On: 10/8/2015
Site: Textron Facility 333 Adelaide Ave. Providence, RI		Driller: Christopher Hogan
		Inspector: Charter

Elevation	Construction	Feet BGS	Construction Material	Symbol
Northing Easting Top of PVC Top of Casing Ground	Riser	-3 to 1	2" Solid PVC	
	Screen	1 to 11	2" Diameter, 0.020" slotted PVC	
	Concrete	to	Grout	
	Grout	to	Bentonite	
	Seal	0 to 0.5	Silica Sandpack	
	Sandpack	0.5 to 11	Concrete Native Material	



Miscellaneous Data	Sampling Protocol
Drilling Method: H.S.A.	
Drill Rig Model: CME-55	
N/A: Not Applicable	