

From: Jeffrey Crawford
Sent: Tuesday, April 12, 2011 8:03 AM
To: 'Pallister, Donna'; Steve Fischbach
Cc: Reed, Ginny; Tremblay, Stephen; Alan Sepe; Susan Forcier; Kelly Owens; Leo Hellested; Terry Gray
Subject: RE: Location of new wells

Donna-

I have taken a look at the proposed re-location of groundwater monitoring wells MW-5, MW-6 and MW-7. Given that there have not been any exceedances of the Department's GB Groundwater Objectives, which are applicable to this site, the Department concurs with the City's proposal to relocate the previously damaged groundwater monitoring wells and requests that the City proceed with the installation of these new wells. Once the wells have been properly installed and developed, please proceed with obtaining a new round of groundwater monitoring samples, for laboratory analysis, from all of the site groundwater monitoring wells.

Should you have any questions, please feel free to call.

Thank you, Jeff

From: Pallister, Donna [mailto:Donna.Pallister@arcadis-us.com]
Sent: Thursday, March 31, 2011 12:21 PM
To: Steve Fischbach
Cc: Reed, Ginny; Jeffrey Crawford; Tremblay, Stephen; Alan Sepe
Subject: RE: Location of new wells

Steve,

Here's the figure. The proposed new wells are MW-5, MW-6 and MW-7, in green. These locations would be easier to maintain over the long term. No evidence of groundwater contamination has been detected since the first wells were installed during the SIR, so there is no evidence that a source exists that will impact groundwater in the future.

Donna

Donna H. Pallister PE, LSP | Senior Environmental Engineer | donna.pallister@arcadis-us.com

ARCADIS U.S., Inc. | 300 Metro Center Boulevard, Suite 250 | Warwick, RI 02886
T. 401.738.3887 | M. 401.255.9619 | F. 401.732.1686
www.arcadis-us.com

Professional Registration/PE-RI, 5659 | LSP-MA, 7669

ARCADIS, Imagine the result
Please consider the environment before printing this email.

From: Reed, Ginny
Sent: Thursday, March 31, 2011 9:03 AM
To: Steve Fischbach
Cc: Pallister, Donna
Subject: RE: Location of new wells

Mr. Fischbach: Donna is schedule to be in the office tomorrow (Friday) – if she checks her e-mail prior to that I'm sure she will direct me to release the site map to you.

Ginny Reed

From: Steve Fischbach [mailto:steve.fischbach@gmail.com]
Sent: Tuesday, March 29, 2011 5:03 PM
To: Reed, Ginny
Subject: Fwd: Location of new wells

Dear Ms. Reed:

I sent the email below to Donna Pallister. I understand she is away until 4/1 and that you are the person to direct inquiries to in her absence. Can you send me the map and answer the question or must I wait for Donna to return?

Steven Fischbach
Community Lawyer
Rhode Island Legal Services
56 Pine Street--Suite 400
Providence, RI 02903

401-274-2652 X-182
401-453-0310 (fax)
steve.fischbach@gmail.com

----- Forwarded message -----

From: **Steve Fischbach** <steve.fischbach@gmail.com>
Date: Tue, Mar 29, 2011 at 5:00 PM
Subject: Location of new wells
To: "Pallister, Donna" <Donna.Pallister@arcadis-us.com>, Jeffrey Crawford <jeff.crawford@dem.ri.gov>, Susan Forcier <Susan.Forcier@dem.ri.gov>

Donna:

I saw an exchange of emails between you and Jeff Crawford concerning the location of new monitoring wells. However, if you sent an email with a map showing the location of the wells they were not posted on the document repository for the Springfield Street Schools site. Could you send me the map you sent to DEM? Also, are these groundwater wells or soil gas wells?

Steven Fischbach
Community Lawyer
Rhode Island Legal Services
56 Pine Street--Suite 400
Providence, RI 02903

[401-274-2652](tel:401-274-2652) X-182
[401-453-0310](tel:401-453-0310) (fax)
steve.fischbach@gmail.com

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.