

## **Memorandum**



530 Broadway  
Providence  
Rhode Island  
02909  
401-421-4140  
Fax: 401-751-8613  
<http://www.gza.com>

**To:** Joseph Martella, Rhode Island Department of Environmental Management (RIDEM)

**From:** Meg Kilpatrick and Jim Clark, GZA

**CC:** Michele V. Leone, National Grid  
William Howard, National Grid

**Date:** 6/8/2012

**Subject:** Upcoming Site Response Action Report – Weeks of June 11 to 22, 2012  
Former Tidewater Facility  
Pawtucket, Rhode Island  
RIDEM Case No. 95-022

---

On behalf of National Grid, the following summarizes response actions expected to be performed at the above-referenced site during the timeframe from June 11 through 22, 2012.

### SITE ACTIVITIES TO BE PERFORMED

- Complete site observation walk.
- Complete limited emergency earthwork associated with repair of water line located immediately south of the natural gas regulator station. During earthwork activities, air monitoring will be performed by GZA consistent with the RIDEM approved, April 2011 Air Quality Monitoring Program (AQMP) and subsequent May 5, 2011 correspondence. We currently anticipate this limited repair will be completed in one to two days and will involve a minimal amount of soil disturbance (approximately 10 cubic yards). It is anticipated that excavated material will be reused as backfill and no soil will be transported off-site.

The excavation work associated with the regulator station upgrades is complete. Above-ground work associated with the regulator station is complete, except for replacement of one of the buildings within the regulator station fence line. The schedule for this work is currently being evaluated.

Earthwork associated with the proposed electrical substation upgrades is currently anticipated to begin in August 2012. An evaluation regarding the applicability of Air Pollution Control Regulation No. 9 with respect to the excavation work associated with proposed electrical substation upgrades was submitted to RIDEM on February 13, 2012.

Please contact me at 401-421-4140 Ext. 2719 if you have any questions or comments.