



RHODE ISLAND BAYS, RIVERS, & WATERSHEDS COORDINATION TEAM

Kenneth Burke
General Manager
RI Water Resources Board

Kathleen Crawley
Staff Director
RI Water Resources Board

Janet Coit
Director
RI Department of
Environmental Management

Susan Kiernan
Deputy Chief
Office of Water Resources
RI Department of
Environmental Management

Ames Colt
BRWCT Chair

Kevin Flynn
Associate Director
RI Division of Planning

Jared Rhodes
Chief
Statewide Planning Office

Grover Fugate
Executive Director
RI Coastal Resources
Management Council

Jeff Willis
Deputy Director
RI Coastal Resources
Management Council

Veronica Berounsky
Chair
RI Rivers Council

Raymond Marshall
Executive Director
Narragansett Bay
Commission

Thomas Uva
Director, Planning, Policy &
Regulation
Narragansett Bay
Commission

Michael Walker
Senior Project Manager
RI Economic Development
Corporation

Office of the BRWCT Chair
235 Promenade St., Rm. 430
Providence, RI 02908
(401) 222-4700 x7273

coordinationteam.ri.gov

Notice of Meeting

10 am - 12 pm

Wednesday November 26, 2014

Commerce RI
315 Iron Horse Way
Providence, Rhode Island
Narragansett Room

Agenda

- I. CALL TO ORDER & ADMINISTRATION
 - a. Review draft minutes for meetings of July 25 and September 11, 2014
Requested Action: Approve
 - b. Review proposed CY 2015 meeting dates
Requested Action: Approve
- II. RI BAYS, RIVERS, & WATERSHEDS
SYSTEMS-LEVEL PLAN IMPLEMENTATION
 - a. BRWCT Project Updates
Action: Discussion
 - b. BRWCT Chair Activity Updates
Action: Discussion
- III. TRANSITION TO THE RAIMONDO ADMINISTRATION
 - a. Identify key issues in water resources management, sustainability and development for Governor-Elect Raimondo; articulate BRWCT role in addressing these issues on behalf of State; review BRWCT Transition Documentation
Action: Discussion

Ames B. Colt, Chair

Date: 11/17/2014

The meeting place is accessible to the handicapped in conformance with RIGL 42-46-2. Individuals requesting interpreter services for the hearing impaired must notify the Coordination Team Chair at (401) 222-4700 x7273.