



EA Engineering, Science,
and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102
Warwick, Rhode Island 02886
Telephone: 401-736-3440
www.eaest.com

1 September 2022

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

*RE: Quarterly O&M Status Report No. 60
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.10*

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently completed Site activities related to compliance sub-slab vapor and indoor air sampling for the period from June 2022 through August 2022.

If you have any questions or require additional information, please contact me at (401) 287-0370.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC., PBC


Frank B. Postma, LSP, LEP, PG
Project Manager

cc: Superintendent, Prov. Dept. of Public Schools Director, Prov. Dept. of Public Property
A. DeGrace, Prov. Redevelopment Agency Knight Memorial Library Repository
R. Dorr, Neighborhood Resident Principal Biah, Alvarez High School
Rep. Scott Slater

This page intentionally left blank



Quarterly O&M Status Report No. 60

Summarizing Sub-slab Depressurization and Indoor Air Monitoring and Sampling Activities

**Alvarez High School Site
(Formerly Adelaide Avenue High School)
Providence, Rhode Island**

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by:

EA Engineering, Science, and Technology, Inc., PBC
301 Metro Center Blvd., Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.10
September 2022

This page intentionally left blank

TABLE OF CONTENTS

1.	INTRODUCTION AND BACKGROUND	1
2.	SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE	2
2.1	SSD SYSTEM AND RELATED MONITORING.....	2
2.1.1	Sub-Slab Monitoring.....	2
2.1.2	Rooftop Extraction Fans	2
2.1.3	Engineered Cap.....	3
2.2	INDOOR METHANE MONITORING SYSTEM.....	3
2.3	AMBIENT OUTDOOR AND INDOOR AIR SAMPLING	3
2.4	SUB-SLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT.....	4
2.5	SUMMARY OF ROOFTOP VOC EMISSIONS	4
3.	CONCLUSIONS.....	6
4.	FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT	7

FIGURES

- FIGURE 1: SITE LOCATION MAP
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM
FIGURE 3: AS-BUILT SUB-SLAB MONITORING AND SAMPLING PLAN
FIGURE 4: PARCEL C SHOTPUT & DISCUS THROWING FIELD

APPENDICES

- APPENDIX A: O&M FIELD FORMS
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C: SUB-SLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUB-SLAB VAPOR LABORATORY ANALYTICAL REPORTS
APPENDIX F: LABORATORY DETECTION LIMITS CORRESPONDENCE

This page intentionally left blank

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 60 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a sub-slab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and sub-slab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the three-month period from June 2022 through August 2022 (Quarterly Reporting Period No. 60). Please refer to Quarterly O&M Status Reports No. 1 through No. 59 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM AND RELATED MONITORING

The following SSD system performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly indoor air monitoring of vapor-phase constituents and methane (13 June 2022, 28 July 2022, and 11 August 2022) at 8 monitoring locations, as illustrated on the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2.
- Monthly sub-slab monitoring of vacuum pressure, vapor-phase constituents, and methane (13 June 2022, 28 July 2022, and 11 August 2022) at 11 monitoring locations, as illustrated on the As-Built Sub-slab Monitoring and Sampling Locations provided as Figure 3.
- Monthly inspections and monitoring (air velocity and vacuum) of the three rooftop fans to verify proper operation and effluent concentrations.
- Monthly inspections of the electronic monitoring system associated with each of three SSD system extraction fans and the methane sensor system (automatic alarm notification via audible signal and phone notification).
- Monthly inspections of the RIDEM approved engineered cap.
- Quarterly sampling (28 July 2022) of eight indoor air locations, one ambient outdoor air location, six sub-slab points, and three rooftop fans.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

2.1.1 Sub-Slab Monitoring

Vacuum measurements taken at each interior and perimeter sub-slab monitoring/sampling locations ranged from -0.01 to -0.1 in. of water column. Negative measurements confirm that a negative pressure was maintained beneath the building slab due to continuous fan operation. All rooftop fans were observed to be operating correctly during this reporting period; pressure and air velocity recorded at all rooftop fans were within normal ranges.

2.1.2 Rooftop Extraction Fans

The pressure sensors on each rooftop fan are connected to an alarm panel and autodialer system, which is triggered when a change in pressure is detected in the rooftop exhaust fans. The

exhaust fan alarm system is connected to back-up battery packs in the control panel, which have sufficient capacity to operate for multiple days in the event of an electrical outage or power disruption to the system. Negative fan vacuums, fan speeds, and the negative sub-slab pressures observed at the site were within normal ranges and the system is operating properly. The alarm was triggered on 13 June 2022 and EA immediately mobilized to the site. Upon arrival it was discovered that the building had lost power due to a nearby malfunctioning transformer and was not triggered by a change in fan pressure.

2.1.3 Engineered Cap

The engineered cap appeared in good condition. Previously eroded areas of the cap on Parcel B were filled with clean loam and seeded on 7 July 2022. EA will continue to monitor the cap for any future deficiencies.

In April 2020, the City installed two 10-foot (ft) by 20-ft by 4-in thick concrete throwing pads in the southwestern corner of Parcel C on the grassed recreation field between Dr. Jorge Alvarez High School and Mashapaug Pond. The pads were constructed in accordance with the Temporary Parcel C Cap Disturbance Notification letter submitted to RIDEM on 31 March 2020. The concrete pads remain in place as part of the engineered cap and concrete pad inspections have been incorporated into the routine monitoring events. The concrete pads appeared to be in good condition and no cracks or chips were observed. Shotput and discus landing zones also appeared in good condition and no erosion damages to the cap were present. A site plan depicting the location of the shotput and discus throwing pads is included as Figure 4.

Any future landscaping work at Alvarez High School (Parcel B), and/or the shot-put and discus throwing field (Parcel C) must adhere to the Soil Management Plan and the Amended OA to ensure the engineered cap is not damaged and the protective cover soil layer is maintained. EA will continue to inspect the pads on a monthly basis and report findings and routine maintenance in the Quarterly O&M Status Reports.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were monitored by an indoor methane monitoring system equipped with automatic alarm notification via audible signal and phone notification within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. The methane monitoring system was inspected during each monitoring event and the filters were replaced on 28 July 2022. The next filter replacement is scheduled for October 2022.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

Eight indoor air samples and one ambient outdoor air sample were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 28 July 2022. The samples collected in July 2022 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of VOCs via Method TO-15 Selective Ion Monitoring (SIM). Each summa canister

used during this monitoring period was individually certified to ensure that all containers were devoid of residual contamination. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling results.

Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA. Sampling locations for the indoor air samples are illustrated on Figure 3. The 28 July 2022 ambient outdoor air sample was collected upwind (west-southwest) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

No analytes were identified in indoor air above the CT RTACs and RIDEM threshold levels during the 28 July 2022 quarterly sampling event.

The MDLs for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analysis was performed using the method with the lowest available detection levels (SIM procedure). The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected in indoor air at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not considered significant and do not disqualify the dataset. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable.

2.4 SUB-SLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved sub-slab sampling locations are installed at the Site. Six sub-slab samples were collected on the rotating schedule in accordance with the Amended OA and analyzed for VOCs via US EPA Method TO-15 SIM. Two interior sub-slab vapor samples and four exterior sub-slab vapor samples were collected on 28 July 2022. The sub-slab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E. The locations for sub-slab sampling are illustrated on Figure 3.

The sub-slab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period though these variations were within historical ranges and do not constitute an increasing trend.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, and annually in July thereafter (2010 –

2021) indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Additionally, in October 2014 RIDEM conducted roofline and downwind outdoor air sampling to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust, indicating that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. Rooftop fan sampling was conducted on 28 July 2022. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or annual emissions were observed. A summary of historical rooftop fan emission data is summarized in Table 1 below.

Table 1 Annual Rooftop Fan Emissions

Annual Monitoring Date	Total Emissions ^a (lbs/year)
-	RIDEM Threshold: 50,000 ^b
20 July 2012	3.30
9 July 2013	2.33
1 August 2014	2.49
22 October 2014	1.83
21 July 2015	2.01
20 July 2016	2.34
26 July 2017	1.41
27 July 2018	0.652
29 July 2019	2.15
23 July 2020	0.829
21 July 2021	0.388
28 July 2022	1.24

^a Sum of all three rooftop fan emissions; emissions based on measured flow speed and EPA Method TO15-SIM air sample analysis
^b RIDEM Air Pollution Control Regulation No. 9 [Amended April 2004]
 RIDEM = Rhode Island Department of Environmental Management
 lbs/year = pounds of gas per year

All emissions are below the RIDEM Air Pollution Control Regulations. Fluctuations in emissions were observed in the 27 July 2018 and 28 July 2022 samples. One possible explanation for this variability may be fluctuating depths to the groundwater table in the vicinity of the school; as the depth to groundwater increases, soil gas emissions to the extraction system are anticipated to decrease due to reduced pressure from the capillary fringe. Full analytical results of rooftop fan sampling are summarized in Appendix D and Quarterly Monitoring Reports No. 1 – No. 59. The next annual rooftop effluent VOC sampling event is scheduled for October 2022.

3. CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.
- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.
- Previously eroded areas on the engineered cap were repaired in July 2022.
- The concrete pads and throwing areas on Parcel C appeared to be in good condition and no signs of cap degradation or erosion were observed.
- The sub-slab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.
- The use of certified clean summa canisters, as requested by RIDEM, yielded confidence in the samples collected in July 2022. EA will continue to use certified clean canisters in the upcoming sampling events.


4. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from September 2022 to November 2022:

- Continuous monitoring of the operational status of the three rooftop extraction fans;
- Monthly site inspections and monitoring using a calibrated photoionization detector with part-per-billion sensitivity and a Landtec multi-gas meter;
- Collection of air samples from eight indoor locations, one ambient outdoor location, and six sub-slab monitoring points in October 2022;
- The engineered cap on Parcel B as well as the concrete throwing pads on Parcel C will be inspected during the routine monthly sub-slab inspections and reported in future Quarterly O&M reports;
- Any future landscaping projects and erosion repairs by the City must be conducted in accordance with the site specific Soil Management Plan and the Amended OA to prevent damage to the engineered cap.

These activities will be summarized in the next status report (Quarterly Status Report No. 61), expected to be submitted by the end of December 2022.


FIGURES



ALVAREZ HIGH SCHOOL
333 ADELAIDE AVENUE
PROVIDENCE, RHODE ISLAND

FIGURE 1
SITE LOCUS

PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



NOTE: NOT TO SCALE




DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME ALVAREZ LAYOUT
CHECKED BY FRP	PROJECT MGR. FRP	SCALE NTS	DRAWING NO. -	FIGURE 2

INDOOR AIR SAMPLING AND METHANE MONITORING
SYSTEM DIAGRAM – ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT FIGURE 2

LEGEND:


- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- +— SLOTTED 1 INCH PVC PIPING
- ◆ ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- +— SOLID 4 INCH PVC PIPING



DESIGNED BY RGM	DRAWN BY DPA	DATE OCT. 16, 2013	PROJECT NO. 15066.01	FILE NAME FIG 3
CHECKED BY FBP	PROJECT MGR. FBP	SCALE NTS	DRAWING NO. N/A	FIGURE 3

AS-BUILT
SUB SLAB MONITORING AND SAMPLING LOCATIONS
ALVAREZ HIGH SCHOOL
PROVIDENCE, RHODE ISLAND

QUARTERLY STATUS REPORT
FIGURE 3



APPENDIX A

O&M Field Forms



EA Engineering, Science, and Technology, Inc.,
PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 6/7/2022

Performed by: GJ

PID/Methane Calibration? yes (yes/no)

PID Calibration Result: 10.00

Date of last Methane Sensor Filter

Replacement: 4/7/2022

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: Functioning properly

General Status of Methane Monitoring System: Functioning properly

Eng. Cap/Fence Inspection

Performed/Notes: No changes

(take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection					Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)
Gymnasium	NA	NA	0	0	0	0						
Cafeteria	NA	NA	0	0	0	0						
Kitchen Storage Room	NA	NA	108	0	0	0						
Elevator Hallway	NA	NA	0	0	0	0						
Room 145	NA	NA	0	0	0	0						
Room 152	NA	NA	0	0	0	0						
Room 118	NA	NA	0	0	0	0						
Room 110	NA	NA	0	0	0	0						
MP-1	-0.01	NA	15	NA	0	0						
MP-2	-0.04	NA	0	NA	0	0						
MP-3	-0.06	NA	250	NA	0	0						
MP-4	-0.02	NA	0	NA	0	0						
MP-5	-0.01	NA	0	NA	0	0						
MP-6	-0.01	NA	0	NA	0	0						
MP-7	-0.05	NA	0	NA	0	0						
MP-8	-0.06	NA	0	NA	0	0						
IMP-1	-0.05	NA	0	NA	0	0						
IMP-2	-0.02	NA	0	NA	0	0						
IMP-3	-0.01	NA	32	NA	0	0						
Roof-Top Fan 1	-1.7	2341	0	NA	0	0						
Roof-Top Fan 2	-1.5	2148	0	NA	0	0						
Roof-Top Fan 3	-2	1883	0	NA	0	0						
Ambient Outdoor Air	NA	NA	0	NA	0	0						

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.,
PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 7/28/2022

Performed by: GJ, QM, TC

PID/Methane Calibration? Yes (yes/no)

PID Calibration Result: 10.00

Date of last Methane Sensor Filter
Replacement: 7/28/2022

Replaced this O&M Visit? Yes (yes/no)

General Status of SSD System: Functioning properly

General Status of Methane
Monitoring System: Functioning properly

Eng. Cap/Fence Inspection
Performed/Notes: Loam and seed were applied to eroded areas

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0	2148	4098	857	-28	928	-8	
Cafeteria	NA	NA	0	0	0	0	1941	4207	854	-29	927	-2	
Kitchen Storage Room	NA	NA	0	0	0	0	2134	4191	848	-29	921	-3	
Elevator Hallway	NA	NA	0	0	0	0	9018	4072	916	-30	948	-8	
Room 145	NA	NA	0	0	0	0	2195	4186	913	-28.5	945	-8	
Room 152	NA	NA	0	0	0	0	1058	4209	920	-30	952	-5	
Room 118	NA	NA	0	0	0	0	9009	4076	952	-28	1023	-3	
Room 110	NA	NA	0	0	0	0	1181	4172	954	-30	1025	-7	
MP-1	-0.07	NA	0	NA	0	0	2077	4374	1123	-30	1153	-5	
MP-2	-0.07	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-3	-0.01	NA	0	NA	0	0	1649	4068	1110	-29	1143	-3	
MP-4	-0.03	NA	0	NA	0	0	2147	4197	1130	-30	1158	-8	
MP-5	-0.1	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-6	-0.01	NA	0	NA	0	0	1259	4283	1105	-29	1138	-3	
MP-7	0.03	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
MP-8	0.03	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
IMP-1	-0.01	NA	0	NA	0	0	1127	4303	909	-29	929	-11	
IMP-2	-0.01	NA	0	NA	0	0	9014	4298	924	-30	954	-8	
IMP-3	-0.01	NA	0	NA	0	0	NS	NS	NS	NS	NS	NS	
Roof-Top Fan 1	-2.2	2151	0	NA	0	0	1034	4205	1009	-29	1039	-4	
Roof-Top Fan 2	-1.8	2048	0	NA	0	0	1695	4101	1004	-28	1038	-7	
Roof-Top Fan 3	-2.2	1895	0	NA	0	0	9002	4104	937	-30	1011	-7	
Ambient Outdoor Air	NA	NA	0	NA	0	0	1472	4107	1058	-29.5	1133	-3	

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.



EA Engineering, Science, and Technology, Inc.,
PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 8/11/2022

Performed by: Travis C, Quincy M

PID/Methane Calibration? Yes (yes/no)

PID Calibration Result: 10

Date of last Methane Sensor Filter Replacement: 7/28/2022

Replaced this O&M Visit? No (yes/no)

General Status of SSD System: Good

General Status of Methane Monitoring System: Good

Eng. Cap/Fence Inspection

Performed/Notes: _____ (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	0	0	0	0							
Room 152	NA	NA	0	0	0	0							
Room 118	NA	NA	0	0	0	0							
Room 110	NA	NA	0	0	0	0							
MP-1	-0.07	NA	0	NA	0	0							
MP-2	-0.06	NA	0	NA	0	0							
MP-3	-0.01	NA	0	NA	0	0							
MP-4	-0.03	NA	0	NA	0	0							
MP-5	-0.04	NA	0	NA	0	0							
MP-6	-0.02	NA	0	NA	0	0							
MP-7	-0.01	NA	0	NA	0	0							
MP-8	-0.09	NA	0	NA	0	0							
IMP-1	-0.01	NA	0	NA	0	0							
IMP-2	-0.02	NA	0	NA	0	0							
IMP-3	-0.01	NA	0	NA	0	0							
Roof-Top Fan 1	-2	2000	0	NA	0	0							
Roof-Top Fan 2	-1.8	2000	0	NA	0	0							
Roof-Top Fan 3	-2.1	1380	0	NA	0	0							
Ambient Outdoor Air	NA	NA	0	NA	0	0							

NA: not applicable.

NM: not monitored on this date.

NS : not sampled on this date.

* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.

If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Acetone	180.0	8-Feb-08	20.20	8.24	4.75	U	4.75	U	6.87	8.06	4.75	U	4.78							4.750	U		
		27-Mar-08 ²	576.00	186.00	108.00		89.90		24.70	38.30	76.70		47.40							5.870			
		25-Apr-08	61.70	12.90	19.00		12.80		15.10	14.80	18.60		12.50		17.10					6.670			
		29-May-08	19.50	16.00	12.80		16.20		10.90	17.20	13.20		11.60							7.480			
		27-Jun-08	87.90	20.00	20.50		27.70		28.90	29.00	26.00		29.80							19.700			
		31-Jul-08	32.20	17.20	20.80		16.80		23.80	20.00	18.60		23.50							20.000			
		28-Aug-08	33.10	21.10	21.50		25.80		27.00	32.40	29.10		23.80							37.000			
		30-Sep-08	39.40	10.40	7.60		11.20		44.80	29.90	19.60		55.60							6.800			
		27-Oct-08	56.20	23.10	14.90		24.10		15.90	26.50	34.30		25.10							109.000			
		25-Nov-08	21.30	8.20	5.30		14.00		15.60	9.70	6.50		10.00							7.000			
		18-Dec-08	39.30	18.50	16.90		21.50		23.10	41.90	22.00		28.80							40.000			
		21-Jan-09	5.30	2.40	2.40	U	3.60		5.60	5.00	3.30		4.00							2.400	U		
		25-Feb-09	2.40	U	2.90		2.40	U	NS	9.60	5.00		3.80		4.10					2.400	U		
		26-Mar-09	34.40	10.70	8.82		11.30		13.80	12.00	10.50		12.00							9.680			
		29-Apr-09	4.75	U	5.70		7.23		8.24	19.20	9.42		7.57		9.61					7.700			
		22-Jul-09	2.37	U	13.10		18.70		11.70	28.90	29.40		17.10		19.40					11.000			
		9-Oct-09	19.50	10.10	9.22		11.00		15.50	12.00	10.60		11.60							8.570			
		15-Jan-10	11.90	8.16	5.08		6.70		7.32	7.27	5.26		8.11							6.190			
		21-Apr-10	26.70	22.00	23.20		23.20		19.30	19.90	21.80		20.50							4.960			
		16-Jul-10	28.20	16.50	13.80		16.10		36.90	24.90	40.70		16.00							14.300			
		15-Oct-10	32.70	8.18	4.75	U	11.50		7.36	6.01	5.53		6.69							7.630			
		30-Nov-10	NS	13.20	13.00		NS		NS	NS	6.46		NS							NS			
		26-Jan-11	28.50	20.80	11.60		14.90		13.50	33.20	12.60		24.00		21.50		15.90			9.850			
		26-Jan-11**	NS	17.00	15.00		NS		NS	12.00										NS			
		27-Apr-11	6.82	12.80	11.30		14.70		14.60	7.55	12.30		5.93							5.600			
		26-Jul-11	51.80	48.00	22.80		82.20		28.70	7.17	25.40		39.40							8.840			
		28-Oct-11	17.00	12.00	7.40		9.90		11.00	9.70	13.00		15.00							8.000			
		23-Jan-12	15.00	15.00	18.00		18.00		10.00	37.00	19.00		18.00							13.000			
		13-Apr-12	11.00	16.00	11.00		11.00		11.00	21.00	9.10		19.00							24.000			
		2-Jul-12 resample	NS	NS	NS		NS		NS	NS	NS		21.00							9.100			
		20-Jun-12	19.00	22.00	17.00		21.00		20.00	15.00	15.00		22.00							11.000			
		1-Nov-12	12.00	11.00	9.50		16.00		8.30	12.00	13.00		11.00							9.000			
		1-Feb-13	16.00	15.00	12.00		14.00		9.10	39.00	16.00		18.00							8.200			
		29-Apr-13	26.00	23.00	22.00		21.00		28.00	32.00	27.00		35.00							18.000			
		9-Jul-13 RIDEM	NS	NS	NS		NS		18.83	NS	NS		NS							11.710			
		18-Oct-13	34.00	32.00	30.00		42.00		29.00	29.00	46.00		34.00							20.000			
		9-Jan-14	8.90	19.00	16.00		20.00		21.00	24.00	27.00		45.00							8.300			
		24-Apr-14	19.00	12.00	18.00		17.00		17.000 ^m	12.00	16.00		76.000 ^m							6.100			
		1-Aug-14	35.000 ^M	12.000 ^M	29.000 ^M		37.000 ^M		43.000 ^M	38.000 ^M	81.000/62.000 ^M		35.000 ^M							27.000 ^M			
		12-Sept-14 resample																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
		8-Feb-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		27-Mar-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		25-Apr-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		29-May-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		27-Jun-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		31-Jul-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		28-Aug-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
		25-Feb-09	2.200	U	2.200	U	2.200	U	NS		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U
		26-Mar-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		29-Apr-09	1.080	U	1.080	U	2.740	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		22-Jul-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		9-Oct-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		15-Jan-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		21-Apr-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		16-Jul-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		15-Oct-10	1.080	U	0.108	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		30-Nov-10	NS		1.080	U	1.080	U	NS		NS		NS		1.080	U	NS		NS		NS		NS	
		26-Jan-11	1.850	U	1.840	U	1.850	U	0.185	U	1.850	U	1.840	U	1.840	U	1.850	U	1.840	U	1.850	U	1.840	U
		26-Jan-11**	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		27-Apr-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		26-Jul-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.164	U	NS		NS		NS		NS		NS		0.164	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		0.250 L-v	U	NS		NS		NS	
		22-Oct-14	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U	0.370 L	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.290	U	NS		NS	
		22-Apr-15	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U	0.250 L	U
		21-Jul-15	0.100	U	0.100 A	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.100	U	NS		NS		NS	
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		4-Dec-15 resample	NS		0.100	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
		20-Apr-16 ^3	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
		20-Jul-16	0.30	U	0.39	U																		

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Benzene	3.3	8-Feb-08	0.910		0.840		0.730		0.780		0.810		0.800		0.750		0.790		0.790		0.870		
		27-Mar-08	1.420		1.350		1.600		1.420		0.218		2.130		1.730		1.680				0.372		
		25-Apr-08	1.360		1.300		0.638		1.400		1.150		1.270		1.130		1.120				0.413		
		29-May-08	0.370		0.430		0.300		0.400		0.300		0.450		0.410		0.310				0.230		
		27-Jun-08	0.631		0.603		0.666		0.644		0.657		0.604		0.849		0.582				0.726		
		31-Jul-08	0.568		0.477		0.419		0.451		0.528		0.465		0.378		0.390				0.405		
		28-Aug-08	1.190		1.110		1.010		0.953		0.935		1.060		1.060		1.020				1.280		
		30-Sep-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	0.2	1.600	U			1.600	U	
		27-Oct-08	2.100		1.600		1.600		1.600		1.600		1.600		1.600		1.900				3.600		
		25-Nov-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600		1.600	U			1.600	U	
		18-Dec-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600		1.600	U			1.600	U	
		21-Jan-09	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600		1.600	U			1.600	U	
		25-Feb-09	1.600	U	1.600	U	1.600	U	NS		1.600	U	1.600	U	1.600		1.600	U			1.600	U	
		26-Mar-09	2.330		1.840		1.740		1.650		1.540		2.210		0.316		1.880				2.390		
		29-Apr-09	0.594		0.358		0.332		0.332		0.303		0.358		1.460		0.335				0.351		
		22-Jul-09	0.626		0.546		0.642		0.574		0.852		1.560		1.460		1.080				4.330		
		9-Oct-09	1.130		0.954		0.903		0.878		0.919		1.050		1.070		0.996				1.100		
		15-Jan-10	1.670		1.510		1.340		1.460		1.420		1.450		1.540		1.550				1.370		
		21-Apr-10	1.020		1.320		1.080		1.380		1.270		1.210		1.230		1.240				0.335		
		16-Jul-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.485		0.319	U			0.319	U	
		15-Oct-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319		0.319	U			0.319	U	
		30-Nov-10	NS		0.514		0.594		NS		NS		NS		0.412		NS				NS		
		26-Jan-11	2.920		2.890		2.970		3.290		2.940		3.430		2.560		3.660		2.940		2.850		
		26-Jan-11**	NS		3.600		3.800		NS		NS		NS		3.800		NS				NS		
		27-Apr-11	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319		0.319	U			0.319	U	
		26-Jul-11	0.559		0.664		0.319		0.326		0.319		0.319		0.329		0.319				0.319		
		28-Oct-11	0.640		0.500		0.380		0.390		0.410		0.450		0.460		0.430				0.300		
		23-Jan-12	1.300		1.200		1.200		1.200		1.200		1.200		1.200		1.300				1.200		
		13-Apr-12	0.680		0.670		0.590		0.600		0.580		0.650		0.580		0.520				0.220		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.290				0.140		
		20-Jun-12	0.490		0.540		0.410		0.510		0.520		0.440		0.460		0.540				0.740		
		1-Nov-12	1.300		1.000		0.770		1.200		0.990		1.500		1.700		1.300				0.470		
		1-Feb-13	0.470		0.410		0.400		0.420		0.410		0.490		0.500		0.430				0.410		
		29-Apr-13	0.960		0.920		0.900		0.930		0.760		0.710		0.940		0.840				0.300		
		9-Jul-13	0.440		0.420		0.400		0.450		0.450		0.420		0.450		0.440				0.520		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.537		NS		NS		NS				0.597		
		18-Oct-13	0.240		1.000		0.880		0.660		1.100		0.830		0.800		1.000				1.000		
		9-Jan-14	1.400		1.700		0.910		0.860		0.730		0.810		0.960		0.820				0.750		
		24-Apr-14	0.300		0.240		0.300		0.230		0.240		0.210		0.240		0.300				0.210		
		1-Aug-14	0.570		0.360		0.350		0.820		0.740		0.600		0.790		0.550				0.590		
		12-Sep-14 resample	NS		NS		NS		NS		NS		NS		NS		0.410				NS		
		22-Oct-14	0.560		0.340		0.270		U		0.350		0.550		0.250		0.450		0.610		0.420		

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Bromodichloromethane	0.034/0.13	8-Feb-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		27-Mar-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		25-Apr-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		29-May-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		27-Jun-08	0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.130	U	0.231	U	0.134	U	0.134	U	0.134	U	
		31-Jul-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		28-Aug-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		30-Sep-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		27-Oct-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		25-Nov-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		18-Dec-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		21-Jan-09	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		25-Feb-09	0.130	U	0.130	U	0.130	U	NS		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		26-Mar-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		29-Apr-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		22-Jul-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		9-Oct-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		15-Jan-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		21-Apr-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		16-Jul-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		15-Oct-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		30-Nov-10	NS		0.134	U	0.134	U	NS		NS		NS		0.134	U	NS		NS		NS		
		26-Jan-11	0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	
		27-Jan-11**	NS	0.340	U	0.340	U	NS		NS		NS		0.340	U	NS		NS		NS		NS	
		27-Apr-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		26-Jul-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.100	U	0.100	U	0.100	U	
		20-Jun-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	
		1-Nov-12	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	
		1-Feb-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	
		29-Apr-13	0.067	U	0.067	U	0.067	U	0.067														

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual
Bromoform	0.55	8-Feb-08	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		27-Mar-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		25-Apr-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.210	U	0.206	U	0.206	U
		29-May-08	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		27-Jun-08	0.206	U	0.210	U	0.206	U	0.206	U	0.210	U	0.210	U	0.210	U	1.300	U	0.210	U	0.206	U	0.206	U
		31-Jul-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		28-Aug-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		30-Sep-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U
		27-Oct-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U
		25-Nov-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U
		18-Dec-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U
		21-Jan-09	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U
		25-Feb-09	0.410	U	0.410	U	0.410	U	NS		0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U
		26-Mar-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		29-Apr-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		22-Jul-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		9-Oct-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		15-Jan-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		21-Apr-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		16-Jul-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		15-Oct-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		30-Nov-10	NS		0.206	U	0.206	U	NS		NS		NS		NS		0.206	U	0.206	U	NS		NS	
		26-Jan-11	0.353	U	0.351	U	0.352	U	0.352	U	0.353	U	0.351	U	0.351	U	0.353	U	0.351	U	0.351	U	0.351	U
		26-Jan-11**	NS		0.540	U	0.520		NS		NS		NS		0.520	U	NS		NS		NS		NS	
		27-Apr-11	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U
		26-Jul-11	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U
		28-Oct-11	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U
		23-Jan-12	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U
		13-Apr-12	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		1-Nov-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		1-Feb-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		29-Apr-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		9-Jul-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		18-Oct-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		9-Jan-14	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		24-Apr-14	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		1-Aug-14	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		0.210	U	NS		NS		NS	
		22-Oct-14	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U
		20-Jan-15	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.240	U	NS		NS	
		22-Apr-15	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U
		21-Jul-15	0.500	U	0.500 ^A	U	0.500	U	0.500	U	0.500	U	0.600	U	0.500	U	0.700	U	0.500	U	0.600	U	0.600	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		29-Oct-15	0.600	U	0.500	U	0.500	U	0.600	U	0.600	U	0.600	U	0.600	U	0.500	U	0.500	U	0.500	U	0.600	U
		4-Dec-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		27-Jan-16	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U
		20-Apr-16 ³	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U
		20-Jul-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.27	U	0.23	U	0.31	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U			1.470	U	
		27-Mar-08	8.560		6.540		5.650		5.140		3.950		4.440		0.360		5.680				1.470		1.470
		25-Apr-08	2.140		1.470		3.170		1.470		1.470		1.470		1.470		1.470				1.470		1.470
		29-May-08	1.470	U	1.470	U	2.840		2.240		1.470	U	1.470	U	1.470	U	1.470	U			1.470		1.470
		27-Jun-08	7.850		2.520		3.810		3.890		3.050		2.420		2.840		2.340				3.080		3.080
		31-Jul-08	2.080		1.720		3.080		1.650		2.080		2.160		1.470		1.490				1.470		1.470
		30-Sep-08	2.280		1.790		3.980		3.980		1.470	U	1.470	U	1.470	U	1.470	U			1.650		1.650
		30-Sep-08	1.500	U	1.500	U	1.500	U	1.500	U	2.200		1.500	U	1.500	U	6.100				1.500		1.500
		27-Oct-08	1.900		3.200		1.500		3.600		1.500	U	2.000		1.500		2.300				2.800		2.800
		25-Nov-08	2.600		1.500		1.500	U	1.900		1.500	U	1.500	U	2.900		1.500				1.600		1.600
		18-Dec-08	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U			1.500		1.500
		21-Jan-09	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U			1.500		1.500
		25-Feb-09	1.500	U	1.500	U	0.079	U	NS		1.500	U	1.500	U	1.500	U	1.500	U			1.500		1.500
		26-Mar-09	2.410		1.560		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U			1.470		1.470
		29-Apr-09	1.470	U	1.470	U	1.470	U	1.460	U	1.470	U	1.470	U	1.740	U	1.470	U			1.470		1.470
		22-Jul-09	1.470	U	1.470	U	4.750		1.470	U	2.070		21.900		1.740		1.480				4.360		4.360
		9-Oct-09	1.470	U	1.470	U	1.540		1.640		1.470	U	1.470	U	1.470	U	1.470	U			1.470		1.470
		15-Jan-10	6.610		1.470		1.470		1.470		1.470		1.470		1.470		1.470				1.470		1.470
		21-Apr-10	1.850		1.470		2.770		1.590		1.480		1.470		1.470		1.470				1.470		1.470
		16-Jul-10	2.520		1.900		2.100		2.210		3.180		2.800		24.600		1.870				1.630		1.630
		15-Oct-10	4.300		1.470		1.470		1.470		1.470		1.470		1.470		1.470				0.021	I	0.021
		30-Nov-10	NS		1.470		1.470		NS		NS		NS		1.470		NS				NS		NS
		26-Jan-11	2.720		3.190		2.510	U	2.510	U	2.520	U	2.500	U	2.640		2.710		2.500	U	2.500	U	2.500
		26-Jan-11**	NS		2.300		2.100		NS		NS		1.600		NS		NS				NS		NS
		27-Apr-11	1.470	U	1.470	U	2.220		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U			1.470		1.470
		26-Jul-11	1.600		1.470		2.320		1.520		1.470		1.470		1.470		3.010				1.470		1.470
		28-Oct-11	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U			2.400	U	2.400
		23-Jan-12	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U			4.100	U	4.100
		13-Apr-12	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.600	U	3.500	U	3.500	U			4.700	U	4.700
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				3.500	U	3.500
		20-Jun-12	2.600		2.400		3.300		2.700		2.800		2.400		2.400		2.400				2.400		2.400
		1-Nov-12	2.400		2.400		2.400		2.400		2.400		2.400		2.400		2.400				2.400		2.400
		1-Feb-13	2.400		2.400		2.400		2.400		2.400		2.400		2.400		2.400				2.400		2.400
		29-Apr-13	5.100		3.500		3.500		3.800		4.800		3.600		4.100		3.300				4.500		4.500
		9-Jul-13 RIDEM	NS		NS		NS		NS		2.525		NS		NS		NS				1.886		1.886
		18-Oct-13	4.800		4.700		3.500		5.800		2.800		2.800		6.900		3.100				3.200		3.200
		9-Jan-14	2.400		2.400		2.400		2.400		2.400		2.400		2.400		2.300				2.400		2.400
		24-Apr-14	2.400		2.400		2.500		2.400		2.400		2.400		2.400		2.400				2.400		2.400
		1-Aug-14	2.600		2.600		3.100		3.600		5.900		2.600		3.700		2.400			</td			

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date																				
n-Butylbenzene	73.0	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	23.300	U	5.500	U	73.000	U	5.500	U	5.500	U	5.500	U
		27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
		25-Feb-09	5.500	U	5.500	U	6.300	NS			5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		29-Apr-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		30-Nov-10	NS		2.740	U	2.740	U	NS		NS		NS		2.740	U	NS		NS		NS	
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.680	U	4.660	U	4.660	U
		26-Jan-11**	NS																			
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U
		28-Oct-11	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U
		23-Jan-12	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U
		13-Apr-12	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.470	U	0.470	U	0.470	U
		20-Jun-12	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U
		1-Nov-12	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U
		1-Feb-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U
		29-Apr-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U
		9-Jul-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U
		18-Oct-13	0.320	U	0.320	U	0.320	U	0.320	U	0.410	U</td										

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
sec-Butylbenzene	73.0	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	56.600	U			5.500	U
		27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U			5.500	U
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U			5.500	U
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U			5.500	U
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U			5.500	U
		25-Feb-09	5.500	U	5.500	U	5.500	U	NS		5.500	U	5.500	U	5.500	U	5.500	U			5.500	U
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		29-Apr-09	2.740	U	2.740	U	2.460	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		30-Nov-10	NS		2.740	U	2.74	U	NS		NS		NS		2.740	U	NS				NS	
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.680	U	4.660	U	4.660	U
		26-Jan-11**	NS																		NS	
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U			2.740	U
		28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U			0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U			0.440	U
		13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U			0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.380	U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250	U	NS				NS	
		22-Oct-14	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U			0.380	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.380	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.290	U			NS	
		22-Apr-15	0.250	U	0.250^	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U			0.250	U
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		20-Apr-16^	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U			0.37	U
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		17-Apr-17^	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U			0.38	U
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			1.3D	U
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.38	U	0.38	U	0.25	U	0.25	U			0.25	U
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U			0.25	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.500		0.480		0.440		0.450		0.460		0.470		0.470		0.470		0.470		0.470		0.470
		27-Mar-08	0.540		0.541		0.547		0.537		0.580		0.577		0.552		0.586						0.565
		25-Apr-08	0.436		0.439		0.405		0.441		0.448		0.439		0.465		0.450						0.416
		29-May-08	0.470		0.470		0.450		0.470		0.480		0.490		0.520		0.460						0.460
		27-Jun-08	0.544		0.535		0.526		0.534		0.526		0.538		0.555		0.547						0.537
		31-Jul-08	0.526		0.532		0.528		0.554		0.554		0.542		0.564		0.551						0.557
		28-Aug-08	0.552		0.548		0.551		0.545		0.566		0.559		0.556		0.572						0.551
		30-Sep-08	0.489		0.446		0.404		0.497		0.461		0.250		0.491		0.531						0.547
		27-Oct-08	0.370		0.510		0.260		0.450		0.280		0.510		0.270		0.480						0.460
		25-Nov-08	0.400		0.400		0.400		0.440		0.420		0.350		0.370		0.470						0.470
		18-Dec-08	0.350		0.330		0.440		0.410		0.420		0.350		0.340		0.310						0.520
		21-Jan-09	0.490		0.460		0.570		0.460		0.500		0.490		0.570		0.540						0.620
		25-Feb-09	0.360		0.190		0.380		NS		4.000		0.400		0.410		0.400						0.440
		26-Mar-09	0.568		0.592		0.542		0.561		0.584		0.561		0.566		0.542						0.604
		29-Apr-09	0.534		0.522		0.597		0.534		0.528		0.622		0.578		0.559						0.515
		22-Jul-09	0.597		0.591		0.585		0.597		0.585		0.585		0.578		0.585						0.591
		9-Oct-09	0.503		0.566		0.471		0.497		0.471		0.497		0.478		0.484						0.478
		15-Jan-10	0.585		0.603		0.578		0.597		0.585		0.610		0.616		0.610						0.635
		21-Apr-10	0.490		0.547		0.559		0.484		0.126		0.459		0.530		0.490						0.484
		16-Jul-10	0.497		0.503		0.484		0.528		0.465		0.547		0.484		0.484						0.541
		15-Oct-10	0.459		0.427		0.509		0.434		0.440		0.408		0.453		0.446						0.503
		30-Nov-10	NS		0.478		0.559		NS		NS		NS		0.484		NS						NS
		26-Jan-11	0.558		0.502		0.504		0.567		0.472		0.566		0.481		0.558		0.481		0.557		0.481
		26-Jan-11**	NS		0.540		0.500		NS		NS		NS		0.500		NS						NS
		27-Apr-11	0.371		0.358		0.364		0.408		0.352		0.364		0.358		0.358						0.434
		26-Jul-11	0.409		0.442		0.409		0.428		0.402		0.421		0.402		0.421						0.459
		28-Oct-11	0.410		0.380		0.430		0.430		0.420		0.410		0.430		0.430						0.440
		23-Jan-12	0.490		0.490		0.480		0.480		0.470		0.460		0.490		0.460						0.480
		13-Apr-12	0.480		0.490		0.420		0.460		0.450		0.460		0.470		0.460						0.300
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.390				0.400
		20-Jun-12	0.560		0.610		0.520		0.530		0.590		0.500		0.550		0.570						0.490
		1-Nov-12	0.510		0.520		0.480		0.400		0.480		0.490		0.520		0.490						0.530
		1-Feb-13	0.520		0.510		0.520		0.510		0.550		0.510		0.520		0.510						0.540
		29-Apr-13	0.540		0.530		0.530		0.510		0.490		0.470		0.490		0.480						0.500
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.516		NS		NS		NS						0.500
		18-Oct-13	0.450		0.450		0.450		0.440		0.420		0.420		0.440		0.440						0.440
		9-Jan-14	0.400		0.430		0.450		0.450		0.400		0.450		0.430		0.430						0.480
		24-Apr-14	0.430		0.270		0.410		0.430		0.400		0.440		0.350		0.500						0.430
	Carbon tetrachloride	0.5	1-Aug-14	0.570	0.700	0.510		0.460		0.410		0.410		0.440		0.430							0.420
		12-Sept-14 resample	NS		NS		NS		NS		NS		0.470		NS								NS
		22-Oct-14	0.430		0.410		0.430		0.370		0.460		0.460		0.420		0.440						0.410
		20-Jan-15	0.480		0.480		0.330		0.480		0.460		0.450										

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date																				
		8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Jun-08	0.092	U	0.090	U	0.090	U	0.092	U	0.090	U	0.090	U	0.314	U	0.092	U	0.092	U	0.092	U
		31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		30-Sep-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U
		27-Oct-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U
		25-Nov-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U
		18-Dec-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U
		21-Jan-09	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U
		25-Feb-09	2.300	U	2.300	U	2.300	U	NS	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U
		26-Mar-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		29-Apr-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		22-Jul-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		9-Oct-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		15-Jan-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		21-Apr-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		16-Jul-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		15-Oct-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		30-Nov-10	NS		0.092	U	0.092	U	NS	U	NS	U	NS	U	0.092	U	NS	U	NS	U	NS	U
		26-Jan-11	0.157	U	0.156	U	0.157	U	0.157	U	0.156	U	0.156	U	0.156	U	0.156	U	0.156	U	0.156	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS	U	NS	U	0.230	U	NS	U	NS	U	NS	U	NS	U
		27-Apr-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		26-Jul-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		28-Oct-11	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.046	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U
		13-Apr-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.180	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.140	U
		20-Jun-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		1-Nov-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		1-Feb-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		29-Apr-13	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
		9-Jul-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		9-Jul-13 RIDEM	NS		NS		NS		NS													

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
Chloroethane	500.0	8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		27-Mar-08	0.062	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		25-Apr-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		27-Jun-08	0.053	U	0.050	U	0.053	U	0.053	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.053	U
		31-Jul-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		28-Aug-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		30-Sep-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U
		27-Oct-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U
		25-Nov-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U
		18-Dec-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U
		21-Jan-09	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U
		25-Feb-09	1.300	U	1.300	U	1.300	U	NS		1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U
		26-Mar-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		29-Apr-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		22-Jul-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		9-Oct-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		15-Jan-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		21-Apr-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		16-Jul-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		15-Oct-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		30-Nov-10	NS		0.053	U	0.053	U	NS		NS		NS		0.053	U	NS		NS		NS	
		26-Jan-11	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		26-Jan-11**	NS		0.130	U	0.130	U	NS		NS		NS		0.130	U	NS		NS		NS	
		27-Apr-11	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		26-Jul-11	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		28-Oct-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U
		23-Jan-12	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U
		13-Apr-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.072		0.150		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		1-Nov-12	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.061		0.053	U	0.053	U	0.053	U	0.053	U
		1-Feb-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		29-Apr-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U
		9-Jul-13	0.053	U	0.053	U	0.053	U	0.053	U	0.092		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		18-Oct-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		9-Jan-14	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		1-Aug-14	0.053	U	0.053	U	0.053	U	0.079	U	0.053	U	0.062		0.059	U	0.059	U	0.059	U	0.059	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.053	U	NS		NS		NS	
		22-Oct-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.095	U
		20-Jan-15	0.053 ^L	U	0.053 ^L	U	0.053 ^L	U	0.060 ^L		0.053 ^L	U	0.053 ^L	U	0.079 ^L	U	0.053 ^L	U	0.079 ^L	U	0.079 ^L	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
		22-Apr-15	0.053	U	0.053	U	0.110 ^V	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.061	U	0.053	U
		21-Jul-15	0.100	U	0.100 ^A	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U	0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.200	U	NS		NS	
		29-Oct-15	0.200	U	0.100	U	0.100	U	0.200	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U
		4-Dec-15 resample	NS		0.100	U	0.100	U	NS		NS		NS		NS		NS		NS		NS	
		27-Jan-16	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		20-Apr-16 ³	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		20-Jul-16	0.063 ^{V,L}	U	0.082 ^{V,L}	U	0.057 ^{V,L}	U	0.065 ^{V,L}	U	0.063 ^{V,L}	U	0.062 ^{V,L}	U	0.070 ^{V,L}	U	0.059 ^{V,L}	U	0.079 ^{V,L}	U	0.079 ^{V,L}	U
		21-Oct-16	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		31-Jan-17	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U
		17-Apr-17 ⁴	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U
		26-Jul-17	0.053	U	0.053	U	0.053	U														

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Chloroform	0.5	8-Feb-08	0.110		0.110		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U				0.100	U		
		27-Mar-08	0.840		0.690		0.593		0.523		0.410		0.337		0.605		0.503			0.098	U		
		25-Apr-08	0.186		0.210		0.193		0.122		0.125		0.134		0.110		0.130			0.098	U		
		29-May-08	0.110		0.110		0.100		0.110		0.100		0.100		0.100		0.100			0.100	U		
		27-Jun-08	0.238		0.257		0.202		0.207		0.196		0.227		0.098		0.106			0.167			
		31-Jul-08	0.230		0.151		0.136		0.194		0.204		0.227		0.269		0.271			0.098	U		
		28-Aug-08	0.342		0.373		0.298		0.312		0.269		0.602		0.240		0.240			0.295			
		30-Sep-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U		0.490	U		
		27-Oct-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U		0.490	U		
		25-Nov-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		18-Dec-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		21-Jan-09	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		25-Feb-09	0.240	U	0.240	U	0.240	U	NS		0.240	U	0.240	U	0.240	U	0.240	U		0.240	U		
		26-Mar-09	0.236		0.142		0.110		0.115		0.133		0.119		0.098		0.109			0.108			
		29-Apr-09	0.190		0.122		0.098	U	0.102		0.102		0.098	U	0.146		0.098	U		0.098	U		
		22-Jul-09	0.229		0.151		0.166		0.141		0.205		0.180		0.146		0.171			0.439			
		9-Oct-09	0.576		0.098	U	0.283		0.302		0.283		0.307		0.322		0.302			0.171			
		15-Jan-10	0.527		0.473		0.122		0.132		0.112		0.117		0.117		0.180			1.070			
		21-Apr-10	0.156		0.790		0.205		0.771		0.136		0.141		1.460		0.224			0.098	U		
		16-Jul-10	0.317		0.249		0.141		0.161		0.190		0.141		0.258		0.156			0.132			
		15-Oct-10	0.263		0.195		0.098	U	0.102		0.098	U	0.098	U	0.107		0.098	U		0.098			
		30-Nov-10	NS		0.234		0.112		NS		NS		0.098	U	0.098	U	NS			NS			
		26-Jan-11	0.350		0.340		0.166	U	0.241		0.166		0.182		0.166		0.166	U	0.166	U	0.166	U	
		26-Jan-11**	NS		0.380		0.240	U	NS		NS		NS		0.240		NS			NS			
		27-Apr-11	0.098	U	0.220		0.098	U	0.141		0.098	U	0.098	U	0.098	U	0.098	U		0.098	U		
		26-Jul-11	0.230		0.249		0.166		0.986		0.166		0.127		0.244		0.156			0.146			
		28-Oct-11	0.120		0.110		0.085		0.097		0.079		0.082		0.082		0.082			0.049	U		
		23-Jan-12	0.170	U	0.240		0.170	U	0.170		0.170		0.170		0.170		0.170			0.170	U		
		13-Apr-12	0.270		0.420		0.140		0.270		0.130		0.130		0.130		0.280			0.098	U		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.100			0.094			
		20-Jun-12	0.210		0.520		0.140		0.220		0.180		0.140		0.140		0.580			0.110			
		1-Nov-12	0.098		0.140		0.082		0.100		0.088		0.110		0.110		0.100			0.072			
		1-Feb-13	0.390		0.240		0.088		0.120		0.088		0.092		0.092		0.088			0.098			
		29-Apr-13	0.180		0.140		0.140		0.160		0.140		0.120		0.140		0.140			0.082			
		9-Jul-13	0.260		0.240		0.170		0.300		0.310		0.200		0.200		0.200			0.200			
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.217		NS		NS		NS			0.175			
		18-Oct-13	0.098	U	0.300		0.098	U	0.130		0.098	U	0.110		0.110		0.120			0.098	U		
		9-Jan-14	0.120		0.140		0.098	U	0.120		0.098	U	0.120		0.120		0.120			0.140			
		24-Apr-14	0.670		0.160		0.310		0.120		0.098	U	0.120		0.049	U	0.120			0.049	U		
		1-Aug-14	3.400		5.100		1.400		1.200		0.450		0.330		0.870		0.410			6.000			
		12-Sept-14 resample	NS		NS		NS		NS		NS		0.110		NS					NS			
		22-Oct-14	0.073	U	0.073	U	0.073	U	0.190		0.073		0.150		0.073	U	0.073	U		0.160			
		20-Jan-15	0.120		0.120		0.049	U	0.100		0												

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	2.440	U	2.440	U	2.440	U	2.440	U	2.460	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	
		27-Mar-08	2.830		3.070		2.680		2.440		2.830		2.440		2.480		2.440		2.440		2.440		
		25-Apr-08	2.820		2.440		2.440		2.440		2.440		3.000		2.440		3.140		2.440		2.440		
		29-May-08	2.790		3.000		7.100		11.000		2.940		6.280		6.420		2.770		2.440		2.440		
		27-Jun-08	2.650		2.440		2.440		2.830		3.260		2.620		2.440		2.500		2.440		2.440		
		31-Jul-08	3.580		3.880		3.330		4.370		3.440		3.740		2.440		2.440		2.440		2.440		
		28-Aug-08	2.440		3.140		5.310		6.880		3.150		2.440		2.540		2.540		2.440		2.440		
		30-Sep-08	1.400		1.300		1.100		1.400		1.000		1.700		1.600		1.000		1.200		1.000		
		27-Oct-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.200		1.000		1.000		1.000		1.000		
		25-Nov-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	
		18-Dec-08	1.000	U	1.000	U	1.000	U	1.400		1.000		1.000		1.000		1.300		1.000		1.000		
		21-Jan-09	1.000	U	1.000	U	1.000	U	1.500		1.000		1.000		1.400		1.100		1.200		1.000		
		25-Feb-09	1.000	U	1.000	U	1.000	U	NS		1.000		1.000		1.000		1.100		1.000		1.000		
		26-Mar-09	2.490		2.680		2.550		2.920		2.910		2.440		2.440		2.440		2.440		2.440		
		29-Apr-09	2.710		2.910		3.600		3.730		3.130		2.660		3.390		2.960		3.510		2.440		
		22-Jul-09	2.670		2.520		2.660		2.540		2.440		2.780		3.390		3.320		2.440		2.440		
		9-Oct-09	3.450		2.740		2.440		2.440		2.440		2.440		2.440		2.440		2.440		2.440		
		15-Jan-10	3.850		3.690		2.820		3.180		3.240		3.630		3.120		3.750		2.600				
		21-Apr-10	2.550		2.440		2.440		2.440		2.440		2.400		2.520		2.440		2.460				
		16-Jul-10	1.510		1.660		1.050		1.090		1.680		1.110		1.300		1.100		1.510				
		15-Oct-10	1.080		1.080		1.030		1.050		1.030		1.030		1.030		1.030		1.030		1.030		
		30-Nov-10	NS		1.030		1.030		NS		NS		NS		1.030		NS		NS		NS		
		26-Jan-11	1.760	U	1.750	U	1.760	U	1.760	U	1.750	U	1.750	U	1.750	U	1.750	U	1.750	U	1.750	U	
		26-Jan-11**	NS		1.100		1.000		NS		NS		NS		1.000		NS		NS		NS		
		27-Apr-11	1.050		1.660		1.400		2.160		1.440		1.510		1.740		1.460		1.270				
		26-Jul-11	1.160		1.600		1.030		1.120		1.030		1.030		1.030		1.030		1.030				
		28-Oct-11	1.400		1.000		1.300		1.500		1.300		0.960		1.000		1.100		1.300				
		23-Jan-12	1.300		1.100		1.100		1.200		1.400		1.900		1.400		1.500		1.100				
		13-Apr-12	1.300		1.400		1.400		1.500		1.100		1.000		1.000		1.200		0.840				
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.500		1.100				
		20-Jun-12	1.700		0.041		U		0.041		U		0.041		U		1.500		0.041		1.300		
		1-Nov-12	1.100		1.100		0.910		1.200		1.000		1.200		1.100		1.100		0.990				
		1-Feb-13	1.200		1.300		1.200		1.200		1.200		1.400		1.300		1.100		1.100				
		29-Apr-13	1.300		1.300		1.300		1.200		1.800		1.100		1.300		1.300		1.100				
		9-Jul-13	1.100		1.100		0.900		1.100		2.200		1.000		0.980		1.100		1.000				
		9-Jul-13 RIDEM	NS		NS		NS		NS		1.142		NS		NS		NS		1.164				
		18-Oct-13	0.880		1.100		1.200		1.100		1.200		1.200		1.300		1.300		1.100				
		9-Jan-14	0.900		0.950		1.000		1.100		1.000		1.100		1.100		1.200		1.100				
		24-Apr-14	1.100		1.300		1.100		1.100		1.100		1.100		1.400		1.600		0.940				
		1-Aug-14	0.083	U	0.083	U	0.083	U	0.120	U	0.083	U	0.083	U	0.083	U	0.083	U	0.083	U	0.083	U	
		12-Sep-14 resample	NS		NS		NS		NS		NS		NS		1.100 L ^v		NS		NS		NS		
		22-Oct-14	0.780 L ^v		0.810 L ^v		1.10																

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual
Dibromochloromethane	None	8-Feb-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		27-Mar-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		25-Apr-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		29-May-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		27-Jun-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		31-Jul-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		28-Aug-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		30-Sep-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U
		27-Oct-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U
		25-Nov-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U
		18-Dec-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U
		21-Jan-09	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U
		25-Feb-09	4.200	U	4.200	U	4.200	U	NS		4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U
		26-Mar-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		29-Apr-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		22-Jul-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		9-Oct-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		15-Jan-10	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		21-Apr-10	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U
		16-Jul-10	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		15-Oct-10	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		30-Nov-10	NS		0.170	U	0.170	U	0.170	U	NS		NS		NS		0.170	U	0.170	U	NS		NS	
		26-Jan-11	0.291	U	0.289	U	0.290	U	0.290	U	0.291	U	0.289	U	0.289	U	0.291	U	0.289	U	0.290	U	0.289	U
		26-Jan-11**	NS		0.430	U	0.430	U	NS		NS		NS		0.430	U	NS		NS		NS		NS	
		27-Apr-11	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		26-Jul-11	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		28-Oct-11	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U
		23-Jan-12	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U
		13-Apr-12	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.130	U	0.130	U
		20-Jun-12	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		1-Nov-12	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		1-Feb-13	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		29-Apr-13	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		9-Jul-13	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		18-Oct-13	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		9-Jan-14	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		24-Apr-14	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		1-Aug-14	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		0.085	U	NS		NS		NS	
		22-Oct-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U
		20-Jan-15	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.098	U	NS	
		22-Apr-15	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		21-Jul-15	0.400 ^A	U	0.400 ^A	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.500	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		29-Oct-15	0.500	U	0.400	U	0.400	U	0.500	U	0.500	U	0.500	U	0.500	U	0.400	U	0.400	U	0.400	U	0.500	U
		4-Dec-15 resample	NS		0.400	U	0.400	U	NS		NS		NS		NS		NS		NS		NS		NS	
		27-Jan-16	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		20-Apr-16 ³	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U
		20-Jul-16	0.10	U	0.13	U	0.092	U	0.10	U	0.10	U	0.10	U	0.10	U	0.11							

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
1,3-Dichlorobenzene	73.0	8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		27-Mar-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		25-Apr-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		29-May-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		27-Jun-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.0802		0.120	U			0.120	U
		31-Jul-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		28-Aug-08	0.120	U	0.120	U	0.120	U	0.102	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U
		25-Nov-08	3.000	U	3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U
		25-Feb-09	3.000	U	3.000	U	3.000	U	NS		3.000	U	3.000	U	3.000	U	3.000	U			3.000	U
		26-Mar-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		29-Apr-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		22-Jul-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		9-Oct-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		15-Jan-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		21-Apr-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		16-Jul-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		15-Oct-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		30-Nov-10	NS		0.120	U	0.120	U	NS		NS		0.120	U	NS		NS				NS	
		26-Jan-11	0.205	U	0.204	U	0.205	U	0.205	U	0.205	U	0.204	U	0.204	U	0.205	U	0.204	U	0.205	U
		26-Jan-11**	NS		0.300	U	0.300	U	NS		NS		0.300	U	NS		NS				NS	
		27-Apr-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		26-Jul-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		28-Oct-11	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U			0.120	U
		23-Jan-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U			0.210	U
		13-Apr-12	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U			0.240	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.180				0.180	
		20-Jun-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		1-Nov-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		1-Feb-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		29-Apr-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		9-Jul-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		18-Oct-13	0.130		0.120	U	0.120	U	0.120	U	0.150		0.120	U	0.270		0.120				2.400	
		9-Jan-14	0.140		0.310	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		24-Apr-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		1-Aug-14	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		0.120	U	NS		NS				NS	
		22-Oct-14	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U			0.180	U
		20-Jan-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.180	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140				NS	
		22-Apr-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U
		21-Jul-15	0.300	U	0.300 ^A	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U			0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS				NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U			0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS		NS				NS	
		27-Jan-16	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U			0.12	U
		20-Apr-16 ³	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U			0.12	U
		20-Jul-16	0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.14	U	0.24		0.18				0.18	
		21-Oct-16	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U			0.12	U
		31-Jan-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U			0.12	U
		17-Apr-17 ⁴	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U			0.18	U
		26-Jul-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U			0.12	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U			0.120	U	
		27-Mar-08	0.292		0.272		0.206		0.596		0.728		0.793		0.228		0.237				0.120		0.120
		25-Apr-08	0.415		0.287		0.126		0.247		0.261		0.245		0.205		0.220				0.222		0.222
		29-May-08	0.230		0.120		0.120		0.120		0.120		0.120		0.120		0.120				0.120		0.120
		27-Jun-08	0.506		0.176		0.391		0.315		0.130		0.273		1.340		0.582				0.132		0.132
		31-Jul-08	0.309		0.524		0.254		0.323		0.458		0.669		0.272		0.320				0.259		0.259
		28-Aug-08	0.198		0.252		0.216		0.262		0.205		0.211		0.202		0.222				0.213		0.213
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		25-Nov-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		25-Feb-09	3.000	U	3.000	U	3.000	U	NS		3.000	U	3.000	U	3.000	U	3.000	U			3.000	U	
		26-Mar-09	0.149		0.129		0.120		0.120		0.193		0.146		0.204		0.150				0.120		0.120
		29-Apr-09	0.246		0.144		0.180		1.740		0.210		0.168		0.144		0.168				0.366		0.366
		22-Jul-09	0.198		0.120		0.553		0.120		0.174		0.204		0.144		0.270				0.444		0.444
		9-Oct-09	0.360		0.402		0.336		0.360		0.354		0.487		0.324		0.366				0.186		0.186
		15-Jan-10	0.156		0.186		0.120		0.432		0.150		0.198		0.144		0.120				0.138		0.138
		21-Apr-10	0.120	U	0.180		0.120		0.156		0.150		0.156		0.126		0.126				1.200		U
		16-Jul-10	1.580		0.493		0.637		0.306		0.499		0.655		11.400		0.553				0.384		0.384
		15-Oct-10	0.120	U	0.120		0.120		0.120		0.120		0.120		0.120		0.120				0.120		0.120
		30-Nov-10	NS		0.282		0.318		NS		NS		NS		0.120		0.120				NS		NS
		26-Jan-11	0.205	U	0.470		0.205		U	0.205	U	0.316		0.204		0.205		U	0.204	U	0.205	U	0.204
		26-Jan-11**	NS		0.740		0.300		U	NS	NS		NS		0.300		U	NS	NS		NS		NS
		27-Apr-11	0.120	U	0.174		0.120		0.222		0.120		0.120		0.120		0.120		U	0.120	U	0.120	U
		26-Jul-11	0.120	U	0.120		0.120		0.120		0.120		0.120		0.120		0.120		U	0.120	U	0.120	U
		28-Oct-11	0.190		0.180		0.180		U	0.180	U	0.180		0.180		0.180		U	0.180	U	0.180	U	
		23-Jan-12	0.210	U	0.210		0.210		U	0.210	U	0.210		0.210		0.210		U	0.210	U	0.210	U	
		13-Apr-12	0.180	U	0.180		0.180		U	0.180	U	0.180		0.180		0.180		U	0.180	U	0.240	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.180	U	
		20-Jun-12	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		1-Nov-12	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		1-Feb-13	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		29-Apr-13	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		9-Jul-13	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.038	J	NS		NS		NS		NS		0.030	J	
		18-Oct-13	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		9-Jan-14	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		24-Apr-14	0.120	U	0.120		0.120		U	0.120	U	0.120		0.120		0.120		U	0.120	U	0.120	U	
		1-Aug-14	0.120	U	0.120		0.120		U	0.180	U	0.120		0									

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Dichlorodifluoromethane	91.0	27-Mar-08	2.420		2.380		2.280		2.110		2.600		2.560		2.700		2.070		2.070		2.210		
		25-Apr-08	2.060		2.100		2.010		2.170		2.030		1.990		2.080		2.030		1.860		1.560		
		29-May-08	1.700		1.630		1.540		1.760		1.630		1.610		1.780		1.600		1.560		1.560		
		27-Jun-08	2.280		2.280		2.370		2.330		2.240		2.220		2.250		2.250		2.220		2.220		
		31-Jul-08	2.030		2.020		1.970		1.970		1.910		1.920		1.920		1.900		1.850		1.850		
		28-Aug-08	3.600		2.870		2.920		2.870		2.920		2.800		2.800		2.980		2.770		2.770		
		30-Sep-08	2.500		2.700		2.500		U		2.500		U		2.800		2.500		2.500		2.500		
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	3.400	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		18-Dec-08	2.700		2.500		2.500		U		2.500		U		2.500		U		2.500		2.500		
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	3.000	U	2.500	U	2.500	U	2.500	U	
		25-Feb-09	2.500	U	2.500	U	2.500	U	NS		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		26-Mar-09	2.220		2.190		2.120		2.090		2.220		2.180		2.080		2.120		2.130		2.130		
		29-Apr-09	2.500		2.260		2.460		2.320		2.260		2.320		2.380		2.360		2.160		2.160		
		22-Jul-09	3.140		3.120		2.920		3.090		2.780		3.170		2.690		2.960		3.130		3.130		
		9-Oct-09	2.290		2.560		2.300		2.320		2.300		2.280		2.300		2.290		2.210		2.210		
		15-Jan-10	27.800		2.550		2.480		2.590		2.410		2.540		2.450		2.410		2.430		2.430		
		21-Apr-10	2.340		2.320		2.520		2.330		2.330		2.260		2.320		2.330		2.240		2.240		
		16-Jul-10	2.480		2.560		2.430		2.520		3.690		2.480		2.550		2.480		2.740		2.740		
		15-Oct-10	2.460		2.410		2.560		2.400		2.470		2.410		2.450		2.450		2.630		2.630		
		30-Nov-10	NS		2.480		2.550		NS		NS		NS		2.390		NS		NS		NS		
		26-Jan-11	2.680		2.640		2.340		2.660		2.150		2.580		2.370		2.560		2.230		2.480		
		26-Jan-11**	NS		2.800		2.700		NS		NS		NS		2.600		NS		NS		NS		
		27-Apr-11	2.070		2.820		2.200		2.450		2.160		2.210		2.220		2.210		2.460		2.460		
		26-Jul-11	2.290		2.270		2.270		2.360		2.260		2.340		2.250		2.260		2.350		2.350		
		28-Oct-11	2.700		2.400		2.800		2.600		2.800		2.500		2.600		2.800		2.500		2.500		
		23-Jan-12	1.700		1.800		1.600		1.500		2.000		2.000		1.800		1.900		2.000		2.000		
		13-Apr-12	2.100		2.100		2.000		2.000		1.800		1.900		1.700		1.700		1.300		1.300		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		2.700		2.500		
		20-Jun-12	2.500		2.600		2.500		2.400		2.700		2.300		2.500		2.500		2.300		2.300		
		1-Nov-12	2.000		2.200		2.100		2.200		2.000		2.100		2.100		2.000		2.100		2.100		
		1-Feb-13	1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.700		1.600		1.600		
		29-Apr-13	2.400		2.600		2.600		2.400		2.400		2.300		2.400		2.400		2.400		2.400		
		9-Jul-13	0.950		0.980		0.930		0.960		0.990		1.000		0.980		0.970		1.000		1.000		
		18-Oct-13	2.000		2.200		1.900		2.000		1.900		2.000		1.900		2.000		2.000		2.000		
		9-Jan-14	1.400		1.500		1.400		1.400		1.500		1.500		1.500		1.600		1.600		1.600		
		24-Apr-14	2.300		2.400		2.300		2.400		2.800		2.400		2.500		4.100		2.500		2.500		
		1-Aug-14	1.500		1.600		1.500		1.600		1.500		1.600		1.600	2.300/1.500	1.500		1.700		1.700		
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		2.400		NS		NS		NS		
		22-Oct-14	1.400		1.400		1.400		1.500		1.400		1.500		1.400		1.300		1.500		1.500		
		20-Jan-15	1.400		1.500		1.300		1.400		1.500		1.400		1.500								

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds

February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual
1,2-Dichloroethane	0.07/0.08	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		27-Jun-08	0.080	U	0.081	U	0.080	U	0.084	U	0.080	U	0.080	U	0.080	U	0.178	U	0.080	U	0.081	U	0.081	U
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		30-Sep-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.081	U	0.080	U	0.080	U
		27-Oct-08	0.080	U	0.150	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		25-Nov-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		18-Dec-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		21-Jan-09	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		25-Feb-09	0.080	U	0.080	U	0.080	U	NS	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U
		26-Mar-09	0.102	U	0.084	U	0.087	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.089	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.087	U	0.081	U	0.081	U	0.081	U
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		30-Nov-10	NS	U	0.081	U	0.081	U	NS	U	NS	U	NS	U	NS	U	0.081	U	NS	U	NS	U	NS	U
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U
		26-Jan-11**	NS	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U	NS	U	NS	U
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U
		23-Jan-12	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.091	U	0.071	U	0.071	U	0.071	U	0.071	U
		13-Apr-12	0.066	U	0.068	U	0.061	U	0.061	U	0.063	U	0.063	U	0.061	U	0.061	U	0.075	U	0.081	U	0.081	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081	U	0.081	U	0.081	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U
		1-Feb-13	0.076	U	0.084	U	0.083	U	0.086	U	0.089	U	0.089	U	0.079	U	0.099	U	0.099	U	0.099	U	0.110	U
		29-Apr-13	0.094	U	0.099	U	0.099	U	0.096	U	0.160	U	0.099	U	0.091	U	0.091	U	0.092	U	0.092	U	0.084	U
		9-Jul-13	0.058	U	0.060	U	0.047	U	0.052	U	0.081	U	0.049	U	0.053	U	0.047	U	0.047	U	0.047	U	0.047	U
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	NS	U	0.084	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.051	U
		18-Oct-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		9-Jan-14	0.040	U	0.097	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.150	U	0.040	U	0.040	U
		1-Aug-14	0.040	U	0.040	U	0.040	U	0.060	U	0.100	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		22-Oct-14	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		22-Apr-15	0.040	U	0.170 ^	U	0.040	U	0.040	U	0.096	U	0.040	U	0.040	U	0.086	U	0.040	U	0.040	U	0.040	U
		21-Jul-15	0.100 ^	U	0.200 ^	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U
		23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U
		29-Oct-15	0.200	U	0.890	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.430	U	0.200	U	0.200	U	0.200	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1-Dichloroethylene	10.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	
		27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	
		27-Jun-08	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.111	U	0.079	U	0.079	U	0.079	U	0.079	
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	.079	U	0.079	U	0.079	U	0.079	U	0.079	
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		30-Nov-10	NS		0.079	U	0.079	U	NS		NS		0.079	U	0.079	U	NS		NS		NS	
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		0.200	U	NS		NS		NS		NS	
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.040	
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		29-Apr-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.029	U	NS		NS		NS		NS		NS	
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.120	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	
		12-Sept-14 resample	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS	
		22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.098	U	0.059	U	0.040	U	0.059	U	0.059	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		22-Apr-15	0.040	U	0.040	U	0.040	v	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	
		21-Jul-15	0.200	^	U	0.200	^	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS		NS		NS		NS	
		27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	
		20-Apr-16 ³	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U	0.045	U	0.045	
		21-Oct-16	0.040	U	0.040	U	0.044	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	
		1																				

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
		8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Jun-08	0.092	U	0.092	U	0.090	U	0.090	U	0.090	U	0.090	U	0.092	U	0.092	U	0.092	U	0.092	U
		31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		30-Sep-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Oct-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		25-Nov-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		18-Dec-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		21-Jan-09	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		25-Feb-09	0.090	U	0.090	U	0.090	U	NS		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		26-Mar-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		29-Apr-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		22-Jul-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		9-Oct-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		15-Jan-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		21-Apr-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		16-Jul-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		15-Oct-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		30-Nov-10	NS		0.092	U	0.092	U	NS		NS		NS		NS		NS		NS		NS	
		26-Jan-11	0.158	U	0.157	U	0.157	U	0.157	U	0.158	U	0.157	U	0.158	U	0.157	U	0.157	U	0.157	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS		NS		NS	
		27-Apr-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		26-Jul-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		28-Oct-11	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U
		23-Jan-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
		13-Apr-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		1-Nov-12	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
		1-Feb-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		29-Apr-13	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
		9-Jul-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U
		9-Jul-13 RIDEM	NS		NS		NS</															

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
		8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		31-Jul-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		30-Sep-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		25-Feb-09	0.180	U	0.180	U	0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		29-Apr-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		15-Oct-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		30-Nov-10	NS		0.091	U	0.091	U	NS		NS		NS		NS		NS		NS		NS		NS	
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.154	U	0.154	U	0.155	U	0.154	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		NS		NS		NS		NS		NS	
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		28-Oct-11	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		29-Apr-13	0.045	U	0.250	U	0.045	U	0.045	U	0.250	U	0.045	U	0.045	U	0.045	U	0.045	U	0			

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual
trans-1,3-Dichloropropene	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.340	U	0.090	U	0.091	U	0.091	U
		31-Jul-08	0.090	U	0.090	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		27-Oct-08	0.180	U	0.180	U	0.200	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		25-Feb-09	0.180	U	0.180	U	0.180	U	NS	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		29-Apr-09	0.091	U	0.091	U	0.107	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		15-Oct-10	0.091	U	0.092	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		30-Nov-10	NS	U	0.091	U	0.091	U	NS	U	NS	U	NS	U	NS	U	0.091	U	NS	U	NS	U	NS	U
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.154	U	0.155	U	0.154	U	0.154	U
		26-Jan-11**	NS	U	0.230	U	0.230	U	NS	U	NS	U	NS	U	NS	U	0.230	U	NS	U	NS	U	NS	U
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		28-Oct-11	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.045	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		29-Apr-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		9-Jul-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		9-Jul-13 RIDEM	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		18-Oct-13	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		9-Jan-14	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		24-Apr-14	0.045	U	0.045	U	0.045	U	0.040	U	0.091	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		1-Aug-14	0.091	U	0.091	U	0.091	U	0.140	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U
		12-Sept-14 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		22-Oct-14	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U
		20-Jan-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		30-Mar-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		22-Apr-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		21-Jul-15	0.200	U	0.200 ^A	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U	0.300	U	0.300	U
		23-Sept-15 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U
		4-Dec-15 resample	NS	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		27-Jan-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U
		20-Apr-16 ^J	0.045	U	0.045	U	0.045	U</																

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.260		0.230		0.620		0.450		0.250		0.170		0.160		0.180		0.220		0.096		
		27-Mar-08	0.841		0.669		1.020		0.869		0.894		1.000		0.628		0.619		0.087		U		
		25-Apr-08	0.770		0.637		2.200		0.711		0.678		0.712		0.705		0.650		0.090		0.369		
		29-May-08	0.140		0.120		1.310		0.620		0.120		0.160		0.150		0.110		0.255		0.944		
		27-Jun-08	0.555		0.412		1.080		0.987		0.478		0.400		0.802		0.360		0.216		0.200		
		31-Jul-08	0.553		0.449		1.140		0.424		0.426		0.491		0.262		0.216		0.255		0.255		
		28-Aug-08	0.868		1.150		3.010		2.820		0.761		0.854		0.870		0.783		0.944		0.944		
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	15.500	U	2.200	U	2.200	U	
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		25-Feb-09	2.200	U	2.200	U	3.600	NS			2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		26-Mar-09	0.932		0.803		1.120		1.060		0.511		0.648		0.738		0.589		0.727				
		29-Apr-09	0.195		0.234		0.633		0.538		0.195		0.139		0.139		0.152		0.178				
		22-Jul-09	0.442		0.212		1.090		0.291		0.551		0.625		0.807		0.542		1.180				
		9-Oct-09	0.859		0.759		1.090		1.030		0.794		0.681		0.668		0.633		0.746				
		15-Jan-10	0.447		0.334		0.386		0.351		0.321		0.256		0.273		0.252		0.286				
		21-Apr-10	0.468		0.716		1.280		0.612		0.681		0.603		0.542		0.538		0.087		U		
		16-Jul-10	0.334		0.226		0.416		0.408		0.573		0.286		0.872		0.260		0.143				
		15-Oct-10	0.252		0.308		0.412		0.152		0.126		0.087	U	0.200		0.087	U	0.121				
		30-Nov-10	NS		0.217		0.338	NS			NS		NS		0.108		NS		NS				
		26-Jan-11	1.040		1.000		1.100		1.220		1.000		1.100		0.951		1.320		0.988		0.466		
		26-Jan-11**	NS		1.600		1.800		NS		NS		NS		1.800		NS		NS				
		27-Apr-11	0.108		0.139		0.625		0.221		0.837		0.087		0.200		0.087	U	0.091				
		26-Jul-11	0.473		1.020		0.873		0.417		0.300		0.191		0.356		0.178		0.161				
		28-Oct-11	0.600		0.320		0.400		0.230		0.480		0.490		0.490		0.420		0.130				
		23-Jan-12	0.610		0.480		0.470		0.660		0.580		0.500		0.560		0.560		0.540				
		13-Apr-12	0.300		0.250		0.300		0.240		0.250		0.280		0.240		0.200		0.170		U		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U	0.130				
		20-Jun-12	0.490		0.500		0.490		0.560		0.550		0.460		0.530		0.530		0.470				
		1-Nov-12	0.760		0.440		0.330		0.530		0.450		0.730		0.810		0.630		0.130				
		1-Feb-13	0.130		0.087	U	0.087	U	0.087		0.110		0.089		0.190		0.087	U	0.130				
		29-Apr-13	0.760		0.540		0.540		0.540		0.670		0.430		1.600		0.530		0.150				
		9-Jul-13	0.340		0.320		0.310		0.330		0.390		0.310		0.350		0.320		0.310				
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.464		NS		NS		NS		0.330				
		18-Oct-13	0.710		0.096		0.110		0.540		0.770		0.120		1.400		0.900		0.430				
		9-Jan-14	3.100		4.500		0.160		0.170		0.170		0.160		0.570		0.210		0.140				
		24-Apr-14	0.110		0.087		0.096		0.087	U	0.087	U	0.087	U	0.150		0.120		0.087	U			
		1-Aug-14	0.190		0.150		0.360		0.400		0.470		0.200		0.650		0.460		0.280				
		12-Sep-14 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS				
		22-Oct-14	0.160		0.140		0.130		0.130	U													

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		27-Mar-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		25-Apr-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		29-May-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		27-Jun-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		31-Jul-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		28-Aug-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		30-Sep-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	12.700	U	4.900	U	4.900	U	
		27-Oct-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
		25-Nov-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
		18-Dec-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
		21-Jan-09	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
		25-Feb-09	4.900	U	4.900	U	2.460	U	NS		4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	
		26-Mar-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		29-Apr-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		22-Jul-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		9-Oct-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		15-Jan-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		21-Apr-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		16-Jul-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	0.043	I	2.460	U	2.460	U	
		15-Oct-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		30-Nov-10	NS		2.460	U	2.460	U	NS		NS		2.460	U	2.460	U	NS		NS		NS		
		26-Jan-11	4.190	U	4.180	U	4.190	U	4.180	U	4.190	U	4.170	U	4.180	U	4.190	U	4.180	U	4.180	U	
		26-Jan-11**	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		
		27-Apr-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		26-Jul-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250	U	0.250	U	
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.500	U	0.500	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.370	U	0.370	U	
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.051	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.050	J	NS		NS		NS		0.024	J	NS		
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	
		9-Jan-14	0.250</																				

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Methylene chloride	3.0	8-Feb-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		27-Mar-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		25-Apr-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	2.210				1.740	U	
		29-May-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		27-Jun-08	1.740	U	1.740	U	1.740	U	3.210	U	1.740	U	6.940	U	1.740	U	1.740	U			19.000		
		31-Jul-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		28-Aug-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		30-Sep-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		27-Oct-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		25-Nov-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		18-Dec-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		21-Jan-09	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		25-Feb-09	1.700	U	1.700	U	1.700	U	NS		1.700	U	1.700	U	1.700	U	1.700	U			1.700	U	
		26-Mar-09	7.540		1.870		4.010		2.100		1.850		3.230		4.060		1.990				11.600		
		29-Apr-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	0.147	U	1.740	U	1.740	U			1.740	U	
		22-Jul-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		9-Oct-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		15-Jan-10	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		21-Apr-10	5.410		1.740		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U			1.740	U	
		16-Jul-10	18.400		23.300		16.900		13.900		19.900		48.200		46.700		22.200				20.600		
		15-Oct-10	3.470	U	4.440		4.510		3.470		3.470		3.470		5.840		3.470		3.470		3.470	U	
		30-Nov-10	NS		3.570		11.600		NS		NS		NS		5.770		NS				NS		
		26-Jan-11	4.530		2.950		2.960	U	2.960		2.950	U	5.290		2.960		4.880		2.960	U	2.950	U	
		26-Jan-11**	NS		2.500		1.700		NS		NS		1.600		NS						NS		
		27-Apr-11	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	5.040		3.470	U			3.470	U	
		26-Jul-11	3.470	U	5.800		4.240		3.470		3.470		3.470		3.510		10.200				5.380		
		28-Oct-11	1.900		1.900		1.800		1.900		1.000		1.200		5.700		5.500				0.690		
		23-Jan-12	2.500		1.200		2.300		2.200		2.500		6.300		1.900		1.200				1.900		
		13-Apr-12	5.800		4.600		3.100		1.100		1.000		1.700		1.000		50.000				53.000		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		1.000		U				1.000	U	
		20-Jun-12	0.920		1.600		0.880		1.300		1.200		1.400		1.100		1.400				1.700		
		1-Nov-12	0.690	U	1.200		0.750		0.690	U	0.690	U	0.760		1.200		0.690	U			1.200		
		1-Feb-13	0.800		0.690		0.690		0.810		0.810		2.200		0.810		0.760				0.690		
		29-Apr-13	1.400		0.950		0.950		1.200		1.200		1.100		1.400		1.100				1.500		
		9-Jul-13	1.100		0.730		0.990		1.800		0.890		1.300		1.800		0.850				1.200		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.298		NS		NS		NS				0.477		
		18-Oct-13	0.730		0.780		0.690	U	0.760		0.690	U	0.740		0.840		0.690	U			0.710		
		9-Jan-14	0.690	U	0.880		0.690	U	2.000		0.690	U	1.100		1.400		0.810				3.700		
		24-Apr-14	0.690	U	0.690	U	3.000		0.690	U	3.000		0.690	U	260 ^b						0.690		
		1-Aug-14	2.800		1.500		1.300		1.900		4.300		1.800		1.600		2.000				2.200		
		12-Sep-14 resample																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		
		Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	Sample Date	Qual	
4-Methyl-2-pentanone	37.0	8-Feb-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		27-Mar-08	2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		25-Apr-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		29-May-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		27-Jun-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		31-Jul-08	2.050	U	2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		28-Aug-08	2.050	U	2.050	U	2.050	U	2.540	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS	U	2.600	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U
		26-Mar-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		29-Apr-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		22-Jul-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		9-Oct-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		15-Jan-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		21-Apr-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.250	U	2.050	U	2.050	U
		16-Jul-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		15-Oct-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		30-Nov-10	NS	U	2.050	U	2.050	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		26-Jan-11	3.490	U	3.480	U	3.490	U	3.480	U	3.490	U	59.500	U	3.480	U	6.760	U	3.480	U	3.480	U	3.480	U
		27-Jan-11**	NS	U	0.200	U	0.200	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		27-Apr-11	2.050	U	2.050	U	2.050	U	2.050	U	2.930	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		26-Jul-11	11.700	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U
		28-Oct-11	2.100	U	0.490	U	0.840	U	0.560	U	0.800	U	0.930	U	1.500	U	1.200	U	0.390	U	0.390	U	0.390	U
		23-Jan-12	0.140	U	0.140	U	0.210	U	0.190	U	26.000	U	2.900	U	0.230	U	270.000	U	0.540	U	0.540	U	0.540	U
		13-Apr-12	0.120	U	0.120	U	0.200	U	0.120	U	0.150	U	0.230	U	0.120	U	0.140	U	0.120	U	0.120	U	0.120	U
		2-Jul-12 resample	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U
		20-Jun-12	0.230	U	0.082	U	0.460	U	0.250	U	0.320	U	0.270	U	0.190	U	0.320	U	0.120	U	0.120	U	0.120	U
		1-Nov-12	0.082	U	0.260	U	0.180	U	0.420	U	0.500	U	0.650	U	0.082	U	0.220	U	0.170	U	0.170	U	0.170	U
		1-Feb-13	0.093	U	0.100	U	0.120	U	0.082	U	0.190	U	0.280	U	0.082	U	0.082	U	0.095	U	0.095	U	0.095	U
		29-Apr-13	2.900	U	0.290	U	0.290	U	0.420	U	0.510													

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		27-Jun-08	0.137	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.179	U	0.140	U	0.140	U	0.140	U
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		21-Jan-09	0.140	U	0.140	U	5.000		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		25-Feb-09	0.140	U	0.140	U	0.320		NS		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		30-Nov-10	NS		0.137	U	0.137	U	NS		NS		NS		0.137	U	NS		NS		NS	
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.234	U	0.233	U
		26-Jan-11**	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.025	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.2													

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		27-Jun-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		21-Jan-09	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		25-Feb-09	0.140	U	0.140	U	0.140	U	NS		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		30-Nov-10	NS		0.137	U	0.137	U	NS		NS		NS		NS		NS		NS		NS	
		26-Jan-11	0.234	U	0.234	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.234	U	0.233	U
		26-Jan-11**	NS		0.340	U	0.340	U	NS		NS		0.340	U	NS		0.340	U	NS		0.340	U
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		1-Nov-12	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U
		1-Feb-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U
		29-Apr-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U
		9-Jul-13	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U
		9-Jul-13 RIDEM	NS		NS		NS</															

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
Tetrachloroethene*	5.0	8-Feb-08	0.140		0.140	U	0.140	U	0.150	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.350	U	
		27-Mar-08 ²	12.500		6.680		13.300		16.100		26.000		7.730		23.300		4.310		0.153		0.136	U	
		25-Apr-08	0.180		0.254		0.179		0.282		0.231		0.276		0.228		0.298		0.140		0.136	U	
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140		0.140	U	
		27-Jun-08	0.249		0.449		0.397		0.459		0.424		0.274		0.243		0.460		0.246		0.216		
		31-Jul-08	1.030		1.000		0.877		0.880		0.795		0.872		0.252		0.287		0.154		0.445		
		28-Aug-08	0.321		0.367		0.283		0.323		0.274		0.434		0.294		0.282		0.445		0.445		
		30-Sep-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
		27-Oct-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	
		25-Nov-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
		18-Dec-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
		21-Jan-09	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
		25-Feb-09	3.400	U	3.400	U	3.400	U	NS		3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	
		26-Mar-09	1.530		1.210		1.170		0.980		1.080		1.320		1.420		1.890		1.380				
		29-Apr-09	0.136	U	0.136	U	0.697		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	
		22-Jul-09	0.291		0.190		0.224		0.196		0.196		0.196		0.183		0.210				0.535		
		9-Oct-09	2.250		1.550		1.580		1.580		1.380		1.700		2.080		1.960				0.779		
		15-Jan-10	0.359		0.346		0.339		0.373		0.312		3.460		0.346		0.312				2.450		
		21-Apr-10	0.637		0.752		0.440		0.650		0.508		0.447		0.407		0.474				0.562		
		16-Jul-10	0.318		0.420		0.420		0.427		0.501		0.230		0.447		0.474				0.230		
		15-Oct-10	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U	0.136	U			0.142		
		30-Nov-10	NS		0.461		0.291		NS		NS		0.169		NS		NS					NS	
		26-Jan-11	0.636		0.484		0.370		0.566		0.440		0.725		0.346		0.578		0.428		0.426		
		26-Jan-11**	NS		0.580		0.490		U		NS		NS		0.480		NS				NS		
		27-Apr-11	0.142		0.176		0.176		0.352		0.176		0.136		0.149		0.136		U		0.285		
		26-Jul-11	0.529		0.563		0.522		0.631		0.549		0.325		0.739		0.461				0.224		
		28-Oct-11	0.100	U	0.140	U	0.100	U	0.100	U	0.100	U	0.110	U	0.100	U	0.100	U			0.068	U	
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.590		0.320		0.510		0.260		0.410				0.260		
		13-Apr-12	0.150		0.110		0.120		0.250		0.150		0.160		0.190		0.190				0.140		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.190				0.130		
		20-Jun-12	0.390		0.800		0.310		0.370		0.390		0.400		0.410		0.440				0.240		
		1-Nov-12	0.360		0.460		0.400		0.730		0.470		0.770		0.600		0.560				0.120		
		1-Feb-13	0.130		0.095		0.073		0.120		0.090		0.210		0.440		0.092				0.140		
		29-Apr-13	0.610		0.560		0.560		0.630		0.880		0.046		0.650		0.580				0.320		
		9-Jul-13	0.270		0.240		0.230		0.260		0.250		0.320		0.440		0.280				0.280		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.279		NS		NS		NS				0.281		
		18-Oct-13	0.140	U	0.140	U	0.150	U	0.140	U	0.180	U	0.210	U	0.170	U	0.180	U			0.140	U	
		9-Jan-14	0.140		0.190		0.140		0.160		0.190		0.190		0.160		0.520				0.190		
		24-Apr-14	0.068	U	0.068	U	0.068	U	0.068	U	0.140												

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
Toluene	210.0	8-Feb-08	1.240		1.140		1.120		1.150		1.240		0.990		0.910		1.030		1.480				
		27-Mar-08	6.470		4.040		4.520		4.150		5.920		5.570		4.210		4.040		1.560				
		25-Apr-08	4.800		4.000		2.810		3.900		3.790		4.070		4.010		3.660		0.465				
		29-May-08	0.930		0.790		1.650		1.330		0.870		1.060		1.020		0.670		0.320				
		27-Jun-08	3.870		3.060		3.200		3.850		4.110		3.840		4.520		3.020		2.410				
		31-Jul-08	2.760		2.020		2.690		1.990		2.720		2.200		1.680		1.440		1.850				
		28-Aug-08	5.230		5.960		7.800		7.530		5.920		5.640		5.680		5.240		6.050				
		30-Sep-08	1.900	U	1.900		2.500		1.900		U		5.000		1.900	U	2.300		1.900		1.900	U	
		27-Oct-08	6.700		6.300		3.500		6.100		2.300		5.500		3.800		6.600		8.400				
		25-Nov-08	5.500		1.900	U	1.900		2.000		1.900	U	1.900		1.900	U	1.900		1.900	U			
		18-Dec-08	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U			
		21-Jan-09	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U			
		25-Feb-09	1.900	U	1.900	U	1.900	U	NS		1.900	U	1.900	U	1.900	U	1.900	U	1.900	U			
		26-Mar-09	6.110		4.060		3.990		3.540		3.900		4.730		5.870		6.080		5.310				
		29-Apr-09	0.779		0.595		0.079	U	0.704		1.050		0.595		0.614		0.610		0.953				
		22-Jul-09	1.550		1.010		2.540		1.130		3.150		3.410		3.880		7.670		6.850				
		9-Oct-09	4.740		3.690		4.190		3.900		4.500		4.170		4.220		4.090		4.580				
		15-Jan-10	1.920		1.580		1.520		1.690		1.690		1.540		1.620		1.630		2.860				
		21-Apr-10	4.770		8.610		5.220		7.430		4.490		4.140		4.030		3.900		0.414				
		16-Jul-10	2.070		1.210		1.180		1.360		2.250		1.570		3.760		1.330		0.787				
		15-Oct-10	7.230		0.618		0.565		0.715		0.501		0.358		0.565		0.312		0.625				
		30-Nov-10	NS		1.280		1.200		NS		NS		NS		0.825		NS		NS				
		26-Jan-11	5.860		5.970		5.640		6.490		5.840		6.050		5.830		7.230		5.650		4.000		
		26-Jan-11**	NS		7.700		8.400		NS		NS		NS		8.300		NS		NS				
		27-Apr-11	0.764		0.855		1.070		1.070		1.030		0.840		0.783		0.625		0.648				
		26-Jul-11	2.040		3.920		1.590		1.210		1.620		1.060		1.400		0.934		0.652				
		28-Oct-11	6.700		2.800		2.900		1.800		2.500		3.600		5.200		3.100		1.400				
		23-Jan-12	3.200		2.500		0.130		2.700		2.800		3.000		2.700		3.000		3.600				
		13-Apr-12	1.800		1.500		1.300		1.400		1.400		1.500		1.400		1.200		0.320				
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.550		0.550				
		20-Jun-12	2.200		2.500		1.800		2.300		2.300		2.000		2.200		2.400		2.600				
		1-Nov-12	4.300		2.500		1.800		3.000		2.400		4.000		4.600		3.500		0.750				
		1-Feb-13	0.810		0.460		0.430		0.520		0.650		0.780		0.950		0.510		0.460				
		29-Apr-13	3.900		3.100		3.100		3.100		2.700		2.200		5.000		2.600		0.690				
		9-Jul-13	2.300		2.100		1.900		2.300		2.300		2.200		2.500		2.200		2.500				
		18-Oct-13	0.970		0.510		0.470		0.800		1.200		0.670		2.300		1.200		0.660				
		9-Jan-14	12.000		15.000		0.840		0.990		0.830		0.870		1.200		1.100		0.810				
		24-Apr-14	0.770		0.340		0.360		0.330		0.280		0.320		0.590		0.770		0.280				
		1-Aug-14	2.000		1.600		2.800		4.400		9.900		4.200		4.600/5.300		3.500		0.650				
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.930		NS		NS				
		22-Oct-14	1.000		0.820		0.650		0.420		1.400		0.800		0.620		0.710		1.200				
		20-Jan-15	0.890		0.880		0.780		1.100		0.890		1.100		3.500		0.970		1.500				
		30-Mar-15 resample</																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level																					
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
1,1,1-Trichloroethane*	500.0	8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.109	
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		30-Sep-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	
		27-Oct-08	3.400	U	3.400	U	3.400	U	3.140	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	
		25-Nov-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	
		18-Dec-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	
		21-Jan-09	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	
		25-Feb-09	2.700	U	2.700	U	2.700	U	NS		2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	1.090	U	0.109	U	0.109	U	0.109	
		29-Apr-09	0.120	U	0.109	U	0.109	U	0.109	U	0.109	U	0.153	U	0.229	U	0.174		0.227			
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		15-Oct-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		30-Nov-10	NS		0.109	U	0.109	U	NS		NS		NS		0.109	U	0.109	U	NS		NS	
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.180	U	0.185	U	0.185	U	0.186	U	0.185	U	0.185	
		26-Jan-11**	NS		0.270	U	0.270	U	NS		NS		NS		0.270	U	NS		NS		NS	
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.055	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.110	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	
		1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		29-Apr-13	0.110	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		9-Jul-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.041	J	NS		NS		NS		NS		J	
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	
		24-Apr-14	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.160	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.055	U	NS		NS		NS	
		22-Oct-14	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	
		20-Jan-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.063	U	NS		NS	
		22-Apr-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		21-Jul-15	0.300	U	0.300 ^A	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS		NS		NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS		NS		NS		NS	
		27-Jan-16	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		20-Apr-16 ³	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		20-Jul-16	0.065	U	0.085	U	0.059	U	0.067	U	0.065	U	0.064	U	0.072	U	0.061	U	0.081	U	0.081	
		21-Oct-16	0.055	U	0.055	U	0.083	U	0.055	U	0.059	U	0.057	U	0.055	U	0.055	U	0.087	U	0.087	
		31-Jan-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		17-Apr-17 ⁴	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	
		26-Jul-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	
		12-Oct-17	0.055	U	0.055	U	0.055	U	0.055</td													

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level																						
		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
1,1,2-Trichloroethane	2.2	8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U	0.109	U	0.109	U	
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Jun-08	0.109	U	0.109	U	0.109	U	0.110	U	0.110	U	0.110	U	0.302	U	0.109	U	0.110	U	0.110	U	
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		30-Sep-08	0.110	U	0.110	U	0.300	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		27-Oct-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		25-Nov-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		18-Dec-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		21-Jan-09	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		29-Apr-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		15-Oct-10	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		30-Nov-10	NS	0.109	U	0.109	U	NS	U	NS	U	NS	U	0.109	U	NS	U	NS	U	NS	U	NS	U
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.185	U	0.185	U	0.186	U	0.185	U	0.186	U	0.185	U	
		26-Jan-11**	NS	0.270	U	0.270	U	NS	U	NS	U	0.270	U	NS	U	NS	U	NS	U	NS	U	NS	U
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	
		2-Jul-12 resample	NS	NS	NS	NS	NS	NS	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	NS	U	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	
		1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	
		1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	
		29-Apr-13	0.055	U	0.055	U</td																	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.350		0.110	U			0.110	U	
		27-Mar-08	0.239		0.233		0.218		0.226		0.325		0.308		0.217		0.170				0.107	U	
		25-Apr-08	0.107	U	0.164		0.147		0.272		0.151		0.152		0.158		0.229				0.107	U	
		29-May-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110		0.110	U			0.110	U	
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.107	U	0.143		0.195				0.107	U	
		31-Jul-08	0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		28-Aug-08	0.193		0.116		0.107	U	0.107	U	0.146		0.134		0.110		0.107	U			0.838		
		30-Sep-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U	
		27-Oct-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U			0.800	U	
		25-Nov-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		18-Dec-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		21-Jan-09	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U			0.540	U	
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U			0.130		
		26-Mar-09	4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450				6.870		
		29-Apr-09	0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		22-Jul-09	0.177		0.107		0.188		0.123		0.193		0.709		0.140		0.177				0.209		
		9-Oct-09	0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156				0.107	U	
		15-Jan-10	0.107		0.107		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		21-Apr-10	0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456				0.107	U	
		16-Jul-10	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		15-Oct-10	0.107	U	0.107	U	0.107	U	NS		NS		NS		0.109	U	0.107				0.107	U	
		30-Nov-10	NS		0.107		0.107	U	NS		NS		NS		NS		NS				NS		
		26-Jan-11	0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.484		0.467		
		26-Jan-11**	NS		0.570		0.600		NS		NS		NS		0.600		NS				NS		
		27-Apr-11	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U			0.107	U	
		26-Jul-11	0.107		0.107		0.118		0.107		0.107		0.107		0.107		0.107				0.107		
		28-Oct-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U			0.054	U	
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.290		0.190	U	0.190	U	0.190	U	0.190	U			0.190	U	
		13-Apr-12	0.081	U	0.081	U	0.081	U	0.081	U	0.090		0.081		0.081	U	0.081	U			0.110		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS				0.081	U	
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.120		0.110		0.110	U	0.110	U			0.110	U	
		1-Nov-12	0.054	U	0.054	U	0.067		0.054	U	0.054		0.054	U	0.054	U	0.054	U			0.054	U	
		1-Feb-13	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U	
		29-Apr-13	0.120		0.110		0.110		0.110		0.130		0.120		0.110		0.110				0.054	U	
		9-Jul-13	0.160		0.140		0.140		0.150		0.120		0.400		0.280		0.310				0.080		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.119		NS		NS		NS				0.088		
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.390				0.110	U	
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U			0.110	U	
		24-Apr-14	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U			0.054	U	
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.170		1.700		0.110		0.270		0.140				1.100		
		12-Sep-14 resample	NS	</td																			

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
		8-Feb-08	1.140		1.020		1.110		1.010		0.990		1.050		1.040		1.020					1.080		
		27-Mar-08	1.740		1.520		1.540		1.250		2.320		2.120		2.140		1.210					1.380		
		25-Apr-08	1.740		1.660		1.240		1.640		1.480		1.520		1.660		1.500					1.030		
		29-May-08	1.020		0.930		0.870		1.060		0.930		0.930		0.990		0.910					0.880		
		27-Jun-08	1.240		1.220		1.290		1.300		1.160		1.150		1.170		1.160					1.180		
		31-Jul-08	1.080		1.100		1.010		1.010		1.010		1.010		1.000		0.973					0.926		
		28-Aug-08	2.740		3.360		3.470		3.260		3.660		3.420		3.380		3.860					2.310		
		30-Sep-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U			2.800	U		
		27-Oct-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U			2.800	U		
		25-Nov-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U			2.800	U		
		18-Dec-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U			2.800	U		
		21-Jan-09	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U			2.800	U		
		25-Feb-09	2.800	U	2.800	U	2.800	U	NS		2.800	U	2.800	U	2.800	U	2.800	U			2.800	U		
		26-Mar-09	1.220		1.160		1.180		1.140		1.230		1.190		1.120		1.130					1.160		
		29-Apr-09	1.490		1.170		0.051		U		1.270		1.180		1.190		1.270		1.290				1.190	
		22-Jul-09	1.950		1.920		1.62		1.900		1.630		2.050		1.540		1.900					2.120		
		9-Oct-09	1.520		1.830		1.510		0.019		1.620		1.310		1.410		1.430					1.180		
		15-Jan-10	11.900		1.260		1.210		1.290		1.210		1.290		1.220		1.270					1.240		
		21-Apr-10	4.170		3.780		2.540		3.200		3.500		3.400		2.500		3.190					1.260		
		16-Jul-10	1.470		1.470		1.480		1.470		2.160		1.470		1.470		1.470					1.560		
		15-Oct-10	1.410		1.360		1.380		1.350		1.360		1.300		1.320		1.340					1.490		
		30-Nov-10	NS		1.520		1.490		NS		NS		NS		1.340		NS					NS		
		26-Jan-11	1.780		1.960		1.720		1.740		1.620		1.960		1.630		1.950		1.490		1.930		1.780	
		26-Jan-11**	NS		2.300		2.100		NS		NS		NS		2.100		NS					NS		
		27-Apr-11	1.200		1.250		1.110		1.240		1.080		1.140		1.280		1.120					1.250		
		26-Jul-11	1.210		1.210		1.300		1.250		1.220		1.290		1.180		1.170					1.210		
		28-Oct-11	2.500		1.400		1.600		1.600		1.900		1.900		1.900		1.800					1.500		
		23-Jan-12	1.500		1.500		1.500		1.500		1.500		1.400		1.500		1.500					1.400		
		13-Apr-12	2.200		2.000		1.700		2.000		2.300		2.400		2.300		2.400					1.200		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS					1.800		
		20-Jun-12	1.200		1.400		1.300		1.200		1.500		1.100		1.400		1.400					1.100		
		1-Nov-12	1.200		1.200		1.300		1.200		1.200		1.200		1.300		1.200					1.300		
		1-Feb-13	1.600		1.600		1.700		1.600		1.600		1.700		1.600		1.600					1.600		
		29-Apr-13	1.400		1.600		1.600		1.400		1.400		1.300		1.400		1.300					1.400		
		9-Jul-13	1.200		1.200		1.200		1.300		1.300		1.200		1.200		1.200					1.500		
		18-Oct-13	1.100		2.100		1.300		1.800		1.300		1.200		1.900		1.200					1.100		
		9-Jan-14	1.500		2.200		1.800		1.700		1.600		1.600		1.700		1.900					2.000		
		24-Apr-14	1.500		1.700		1.700		1.600		1.800		1.700		1.700		1.700					1.500		
		1-Aug-14	1.900		1.700		0.110		U		1.600		1.900		1.700		1.800					1.500		
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		1.300		NS					NS		
		22-Oct-14	1.500		1.300		1.500		1.500		1.500		1.500		1.500		1.500					1.300		

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.900		0.970		2.520		1.890		0.210		0.210		0.210		0.310		0.210		0.210		
		27-Mar-08	1.330		1.590		3.390		3.240		0.920		1.390		0.828		0.989		0.098		0.098	U	
		25-Apr-08	0.998		1.760		11.700		1.640		0.909		0.839		0.911		0.750		0.098		0.098	U	
		29-May-08	0.300		0.470		8.320		6.680		0.270		0.960		0.690		0.110		0.100		0.100	U	
		27-Jun-08	1.560		0.443		2.120		3.040		0.634		0.246		0.722		0.206		0.175		0.157		
		31-Jul-08	1.650		1.360		1.380		2.080		0.959		1.940		0.207		0.142		0.157		0.354		
		28-Aug-08	0.438		1.430		3.690		5.340		0.642		0.461		0.455		0.464		0.455		0.354		
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.000	U	6.800		2.500	U	2.500	U	9.300		2.500	U	2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	3.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Feb-09	2.500	U	2.500	U	3.900		NS		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		26-Mar-09	0.942		0.859		1.500		1.300		0.526		0.563		0.737		0.564		0.739		0.739		
		29-Apr-09	1.520		0.368		1.340		1.200		0.192		0.098	U	0.108		0.098		0.142		0.142		
		22-Jul-09	1.010		0.216		1.140		0.339		0.594		0.791		0.889		0.673		0.894		0.894		
		9-Oct-09	1.240		1.080		1.250		1.460		0.712		0.796		0.702		0.717		0.069		0.069		
		15-Jan-09	0.609		0.550		0.452		0.521		0.206		0.196		0.216		0.196		0.196		0.196		
		21-Apr-10	0.393		0.845		4.590		0.643		0.570		0.545		0.427	U	0.476		0.098	U	0.098	U	
		16-Jul-10	0.354		0.216		0.388		0.344		0.250		0.138		0.511		0.187		0.108		0.108		
		15-Oct-10	0.319		0.408		0.329		0.211		0.098	U	0.098	U	0.319		0.098		0.098	U	0.098	U	
		30-Nov-10	NS		0.334		0.560		NS		NS		0.098	U	0.098		NS		NS		NS		
		26-Jan-11	1.010		1.120		1.100		1.200		0.780		0.917		0.868		1.030		1.000		0.994		
		26-Jan-11**	NS		1.900		2.100		NS		NS		NS		2.000		NS		NS		NS		
		27-Apr-11	0.138		0.280		2.080		0.255		0.147		0.113		0.172		0.113		0.128		0.128		
		26-Jul-11	0.575		2.160		1.120		0.285		0.236		0.157		0.290		0.177		0.123		0.123		
		28-Oct-11	0.340		0.220		0.300		0.290		0.230		0.260		0.310		0.330		0.098	U	0.098	U	
		23-Jan-12	0.660		0.580		0.580		0.710		0.380		1.000		0.520		0.650		0.470		0.470		
		13-Apr-12	0.400		0.410		0.760		0.480		0.340		0.340		0.290		0.360		0.240		0.240		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150	U	0.150	U	0.150	U	
		20-Jun-12	0.560		1.200		0.910		0.680		0.600		0.470		0.560		0.610		0.310		0.310		
		1-Nov-12	0.720		0.480		0.310		0.300		0.460		0.650		0.750		0.600		0.120		0.120		
		1-Feb-13	0.330		0.180		0.170		0.160		0.150		0.120		0.220		0.160		0.098	U	0.098	U	
		29-Apr-13	0.990		0.540		0.540		0.510		0.700		0.320		0.580		0.440		0.130		0.130		
		9-Jul-13	0.480		0.410		0.280		0.340		0.440		0.230		0.300		0.240		0.190		0.190		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.470		NS		NS		NS		0.230		0.230		
		18-Oct-13	2.600		0.098	U	0.120		2.400		3.200		0.140		3.600		3.200		2.300		2.300		
		9-Jan-14	4.500		8.900		0.220		0.180		0.180		0.180		0.290		0.240		0.120		0.120		
		24-Apr-14	0.120		0.098	U	0.210		0.098	U	0.098	U	0.098	U	0.098	U	0.130		0.098	U	0.098	U	
		1-Aug-14	0.320		0.270		0.630		1.300		1.500		0.220		1.100		1.200		1.200		1.200		
		12-Sep-14 resample																					

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.460		0.450		1.300		0.980		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	
		27-Mar-08	0.535		0.652		1.620		1.530		0.292		0.438		0.256		0.334		0.098		0.098		
		25-Apr-08	0.367		0.816		7.170		0.802		0.342		0.293		0.375		0.280		0.098		0.098		
		29-May-08	0.170		0.220		4.710		4.050		0.140		0.640		0.470		0.100	U	0.100	U	0.100	U	
		27-Jun-08	0.942		0.232		1.100		1.580		0.385		0.102		0.387		0.100	U	0.098	U	0.098	U	
		31-Jul-08	1.040		0.782		0.671		1.360		0.570		1.190		0.098	U	0.098	U	0.098	U	0.098	U	
		28-Aug-08	0.170		0.732		1.950		2.990		0.270		0.181		0.181		0.155		0.100		0.100		
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		25-Feb-09	2.500	U	2.500	U	2.500	U	NS		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	
		26-Mar-09	0.330		0.315		0.678		0.540		0.194		0.185		0.246		0.198		0.238		0.238		
		29-Apr-09	0.098	U	0.192		0.678		0.629		0.098		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		22-Jul-09	0.378		0.098	U	0.427		0.138		0.246		0.270		0.295		0.241		0.241		0.241		
		9-Oct-09	0.550		0.452		0.476		0.599		0.255		0.265		0.221		0.241		0.226		0.226		
		15-Jan-10	0.265		0.260		0.192		0.206		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		21-Apr-10	0.118		0.368		2.100		2.600		0.206		0.187		0.162		0.177		0.098		0.098		
		16-Jul-10	0.113		0.098	U	0.138		0.118		0.098	U	0.098	U	0.147		0.098	U	0.098		0.098		
		15-Oct-10	0.128		0.172		0.123		0.098	U	0.098	U	0.098	U	0.098		0.098	U	0.098		0.098		
		30-Nov-10	NS		0.133		0.177		NS		NS		NS		0.098	U	NS		NS		NS		
		26-Jan-11	0.293		0.326		0.360		0.410		0.260		0.267		0.292		0.302		0.342		0.342		
		26-Jan-11**	NS		0.590		0.700		NS		NS		NS		0.630		NS		NS		NS		
		27-Apr-11	0.098	U	0.128		0.820		0.113		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		26-Jul-11	0.206		0.737		0.393		0.108	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		28-Oct-11	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.098	U	0.098	U	
		23-Jan-12	0.220		0.170	U	0.200		0.230		0.170	U	0.220		0.180		0.180		0.170		0.170		
		13-Apr-12	0.150	U	0.150	U	0.270		0.170		0.150	U	0.150	U	0.150	U	0.150	U	0.270		0.270		
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		0.150		0.150		
		20-Jun-12	0.180		0.450		0.340		0.250		0.220		0.150		0.140		0.200		0.110		0.110		
		1-Nov-12	0.220		0.140		0.098	U	0.120		0.140		0.190		0.220		0.170		0.098		0.098		
		1-Feb-13	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		29-Apr-13	0.250		0.180		0.180		0.180		0.250		0.130		0.190		0.150		0.098		0.098		
		9-Jul-13	0.180		0.150		0.098	U	0.110		0.160		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.143		NS		NS		NS		NS		0.037	J	
		18-Oct-13	0.170		0.098	U	0.098	U	0.180		0.290		0.098	U	0.420		0.280		0.180		0.180		
		9-Jan-14	1.100		2.100		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		24-Apr-14	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	
		1-Aug-14	0.130</td																				

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
			Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual	Room	Qual
Vinyl chloride*	0.1	8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		27-Mar-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.050	U	0.051	U	0.051	U
		25-Apr-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
		27-Jun-08	0.050	U	0.050	U	0.050	U	0.051	U	0.050	U	0.050	U	0.050	U	0.051	U	0.050	U	0.051	U	0.051	U
		31-Jul-08	0.050	U	0.050	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		28-Aug-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		30-Sep-08	0.100	U	0.100	U	0.130	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		27-Oct-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		25-Nov-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		18-Dec-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		21-Jan-09	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		25-Feb-09	0.100	U	0.100	U	0.100	U	NS		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		26-Mar-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		29-Apr-09	0.051	U	0.051	U	1.080	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		22-Jul-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		9-Oct-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		15-Jan-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		21-Apr-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		16-Jul-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		15-Oct-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		30-Nov-10	NS		0.051	U	0.051	U	NS		NS		NS		NS		NS		NS		NS		NS	
		26-Jan-11	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U
		26-Jan-11**	NS		0.130	U	0.130	U	NS		NS		NS		NS		NS		NS		NS		NS	
		27-Apr-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		26-Jul-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		28-Oct-11	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U
		23-Jan-12	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		13-Apr-12	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		20-Jun-12	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		1-Nov-12	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		1-Feb-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		29-Apr-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		9-Jul-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		18-Oct-13	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		9-Jan-14	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		1-Aug-14	0.051	U	0.051	U	0.051	U	0.077	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		22-Oct-14	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U
		20-Jan-15	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		22-Apr-15	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U
		21-Jul-15	0.100 ^A	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U
		4-Dec-15 resample	NS		0.100	U	0.100	U	0.100	U	0.100	U	0.100											

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)		
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual		
p/m-Xylene	220.0	8-Feb-08	0.710		0.660		2.110		1.460		0.550		0.450		0.390		0.420					0.580		
		27-Mar-08	2.460		2.080		3.510		2.960		2.620		2.890		1.810		1.910					0.269		
		25-Apr-08	2.220		1.870		8.240		2.170		1.960		2.080		2.150		1.850					0.205		
		29-May-08	0.350		0.290		5.110		2.260		0.290		0.410		0.340		0.250					0.170	U	
		27-Jun-08	1.060		1.080		3.280		3.000		1.250		0.994		2.160		0.926					0.795		
		31-Jul-08	1.360		1.160		3.330		1.140		1.140		1.370		0.656		0.488					0.656		
		28-Aug-08	2.130		3.220		8.690		8.200		1.910		2.190		2.280		1.960					2.240		
		30-Sep-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	22.000				4.300	U		
		27-Oct-08	4.300	U	4.300	U	4.300	U	5.000		4.300	U	4.300	U	4.300	U	4.300	U			4.700			
		25-Nov-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U			4.300	U		
		18-Dec-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U			4.300	U		
		21-Jan-09	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U			4.300	U		
		25-Feb-09	4.300	U	4.300	U	15.000		NS		4.300	U	4.300	U	4.300	U	4.300	U			4.300	U		
		26-Mar-09	3.080		2.850		4.530		4.340		1.580		1.990		2.340		1.870					2.310		
		29-Apr-09	0.456		0.733		0.534		1.950		0.477		0.308		0.312		0.347					0.442		
		22-Jul-09	0.920		0.577		2.680		0.824		1.560		2.070		2.510		1.720					3.510		
		9-Oct-09	2.610		2.240		3.360		3.190		2.200		2.090		1.960		1.910					2.290		
		15-Jan-10	1.080		0.915		1.040		0.946		0.724		0.603		0.672		0.607					0.672		
		21-Apr-10	1.200		2.000		4.380		1.610		1.800		1.670		1.430		1.350					0.174	U	
		16-Jul-10	0.868		0.568		1.290		1.120		1.290		0.729		1.890		0.694					0.330		
		15-Oct-10	0.642		0.972		1.340		0.408		0.299		0.174		0.468		0.174					0.317		
		30-Nov-10	NS		0.620		1.000		NS		NS		NS		0.230		NS					NS		
		26-Jan-11	2.810		2.600		2.910		3.320		2.590		2.790		2.540		3.450		2.700		1.010		3.480	
		26-Jan-11**	NS		4.300		5.100		NS		NS		NS		4.900		NS					NS		
		27-Apr-11	0.295		0.412		2.030		0.642		3.020		0.260		0.412		0.191					0.256		
		26-Jul-11	1.240		3.650		2.630		3.670		0.799		0.816		0.864		0.486					0.404		
		28-Oct-11	2.400		1.100		1.400		0.750		1.300		1.700		1.900		1.500					0.480		
		23-Jan-12	1.600		1.300		1.300		1.500		1.300		1.400		1.400		1.500					1.500		
		13-Apr-12	0.810		0.690		0.810		0.660		0.670		0.740		0.640		0.520					0.350	U	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.260		U			0.260		
		20-Jun-12	1.200		1.300		1.200		1.400		1.300		1.200		1.400		1.400					0.770		
		1-Nov-12	2.300		1.300		0.960		1.400		1.300		2.100		2.500		1.800					0.340		
		1-Feb-13	0.270		0.210		0.220		0.230		0.220		0.210		0.510		0.210					0.400		
		29-Apr-13	1.700		1.300		1.300		1.300		1.200		0.920		2.400		1.200					0.320		
		9-Jul-13	0.910		0.850		0.810		0.890		0.830		0.770		0.860		0.820					0.650		
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.929		NS		NS		NS					0.669		
		18-Oct-13	2.200		0.270		0.300		1.600		2.300		0.310		4.200		2.700					1.300		
		9-Jan-14	10.000		15.000		0.380		0.400		0.420		0.360		0.820		0.430					0.330		
		24-Apr-14	0.220		0.170		0.250		0.170		0.170		0.170		0.260		0.280					0.170	U	
		1-Aug-14	0.470		0.410		0.980		1.200		1.300		0.550		1.700		1.400					0.990		
		12-Sep-14 resample	NS		NS		NS		NS		NS		NS		0.330		NS					NS		
		22-Oct-14																						

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	
		8-Feb-08	0.280		0.270		0.870		0.610		0.210		0.170		0.150		0.160		0.200		0.200		
		27-Mar-08	0.762		0.718		1.340		1.120		0.920		1.060		0.640		0.668		0.087		0.087	U	
		25-Apr-08	0.824		0.724		3.480		0.821		0.750		0.770		0.786		0.680		0.087		0.087	U	
		29-May-08	0.130		0.120		2.080		1.000		0.110		0.180		0.150		0.090	U	0.090		0.090	U	
		27-Jun-08	0.463		0.393		1.030		1.030		0.485		0.358		0.833		0.339		0.332		0.246		
		31-Jul-08	0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207		0.246		0.832		
		28-Aug-08	0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702		0.200		0.200		
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		25-Feb-09	2.200	U	2.200	U	2.600		NS		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	
		26-Mar-09	1.080		0.798		1.090		1.020		0.551		0.718		0.824		0.651		0.826				
		29-Apr-09	0.143		0.186		0.085	U	0.442		0.165		0.100		0.104		0.108		0.156				
		22-Jul-09	0.347		0.195		0.690		0.247		0.555		0.742		0.911		0.590		1.240				
		9-Oct-09	0.850		0.724		0.954		0.920		0.764		0.764		0.720		0.698		0.759				
		15-Jan-10	0.404		0.321		0.356		0.338		0.273		0.230		0.256		0.230		0.273				
		21-Apr-10	0.425		0.686		1.260		0.577		0.629		0.603		0.564		0.482		0.087	U			
		16-Jul-10	0.273		0.186		0.312		0.304		,503		0.200		0.703		0.230		0.126				
		15-Oct-10	0.186		0.265		0.347	U	0.130		0.139		0.087	U	2.000		0.087	U	0.104				
		30-Nov-10	NS		0.226		0.325		NS		NS		NS		0.091		NS		NS				
		26-Jan-11	1.000		0.981		1.020		1.150		0.948		1.030		0.922		1.270		1.000	3.392	1.280		
		26-Jan-11**	NS		1.600		1.900		NS		NS		NS		1.900		NS		NS				
		27-Apr-11	0.133		0.134		0.616		0.208		0.824		0.091		0.152		0.080	U	0.095				
		26-Jul-11	0.439		1.520		0.643		2.210		0.295		0.395		0.308		0.165		0.139				
		28-Oct-11	0.810		0.360		0.440		0.260		0.450		0.550		0.660		0.470		0.180				
		23-Jan-12	0.630		0.520		0.530		0.620		0.530		0.580		0.580		0.600		0.590				
		13-Apr-12	0.320		0.270		0.320		0.270		0.280		0.300		0.270		0.220		0.200				
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U	0.130		0.130	U	
		20-Jun-12	0.470		0.056		0.430		0.580		0.490		0.460		0.530		0.510		0.280				
		1-Nov-12	0.860		0.480		0.350		0.510		0.480		0.780		0.930		0.710		0.140				
		1-Feb-13	0.110		0.089		0.087	U	0.087		0.092		0.090		0.220		0.087	U	0.140				
		29-Apr-13	0.590		0.460		0.460		0.450		0.450		0.330		0.910		0.430		0.120				
		9-Jul-13	0.350		0.320		0.300		0.350		0.340		0.300		0.330		0.310		0.290				
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.405		NS		NS		NS		0.330				
		18-Oct-13	0.660		0.100		0.100		0.500		0.770		0.110		1.300		0.850		0.460				
		9-Jan-14	4.000		6.100		0.160		0.160		0.160		0.160		0.330		0.190		0.140				
		24-Apr-14	0.087	U	0.087		0.094		0.087	U	0.087		0.087	U	0.099		0.120		0.087	U			
		1-Aug-14	0.200		0.160		0.310		0.700		0.690		0.230		0.940		0.770		0.560				
		12-Sep-14 resample	NS		NS		NS		NS		NS		NS		0.130		NS		NS				
		22-Oct-14	0.220		0.160		0.																

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - July 2022

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Cafeteria	Gymnasium	Elevator Hallway	Room 118	Room 110	Media Center (Rm 145)	Room 152	Room 149	Room 234	Ambient Outdoor (AOA-1)			
			Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual			
^a = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.																
^{**} - Analyzed by Con-Test Analytical Laboratory																
¹ Elevated Data is a result of inadvertent cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detected by the laboratory (MDL = 0.14 ug/m ³).																
² : Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion.																
³ : All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.																
⁴ : All samples collected on 17 April 2017 except for the Kitchen Storage Room, which was collected on 25 April 2017 due to inaccessibility of the room during spring break.																
^A : Summa canister had low pressure upon beginning sample collection, possible interference. Re-sampling effort on 25 April 2008 indicates no exceedances of applicable Acetone and Tetrachloroethylene Action Levels.																
^B : Analyte found in associated blank as well as the sample but not expected to affect data due to sample concentration >10x concentration found in blank.																
^M : Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.																
^L : Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.																
^V : Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.																
^W : Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.																
^J : Estimated result as the result was between the MDL and the RDL.																
^I : Initial calibration verification did not meet standard. Reported value is likely to be biased on the high side.																
^K : Initial calibration did not meet standard and was biased on the low side. Reported result is estimated.																
^D : Elevated method detection limits due to failure of Con-test internal standards. Applies to Ambient Outdoor Air sample.																
NOTES:																
All data presented in micrograms per cubic meter (ug/m ³).																
Two values displayed with a slash indicates dilutions resulting in two different concentrations																
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.																
NS = Not sampled.																
None = No Draft Proposed CT Residential TAC for this compound.																
= exceedance of interim RIDEM-approved action level																

APPENDIX C

Sub-slab Vapor Analytical Summary

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	17.2	NS	NS	NS	4.75	U	NS	NS	5.62	11.4	NS
	27-Mar-08	NS	28.7	NS	NS	NS	NS	NS	NS	NS	217	12.4
	25-Apr-08	NS	NS	188	NS	NS	NS	513	NS	34	NS	33.9
	29-May-08	NS	NS	NS	40.9	NS	NS	NS	92	9.82	16.4	NS
	27-Jun-08	107	NS	NS	NS	145	NS	NS	NS	NS	20.4	9.73
	31-Jul-08	NS	101	NS	NS	NS	NS	NS	NS	14.4	NS	18.1
	28-Aug-08	NS	NS	1130	NS	NS	NS	30.9	NS	46	47.8	NS
	30-Sep-08	NS	NS	NS	32.8	NS	NS	NS	44.1	NS	9.4	12.8
	27-Oct-08	19.6	NS	NS	NS	15	NS	NS	NS	17.9	NS	33.3
	25-Nov-08	NS	148	NS	NS	183	NS	NS	NS	13	24.7	NS
	18-Dec-08	NS	NS	856	NS	NS	NS	10.4	NS	NS	37.2	22
	21-Jan-09	NS	NS	NS	19.1	NS	NS	NS	6.1	2.4	U	4.8
	25-Feb-09	28.6	NS	NS	NS	60.9	NS	NS	NS	9.5	8.3	NS
	26-Mar-09	NS	102	NS	NS	NS	47.5	U	NS	NS	50.6	64.8
	29-Apr-09	NS	NS	1980	NS	NS	NS	23.3	NS	5.15	NS	22.1
	22-Jul-09	58.5	NS	58.5	148	NS	87.8	NS	NS	96	88.1	NS
	9-Oct-09	NS	25.7	NS	NS	49.7	NS	9.2	11100	6.51	NS	16.8
	15-Jan-10	33.6	NS	90.9	22.8	NS	26.3	NS	NS	12.5	11.2	NS
	21-Apr-10	NS	21.9	NS	NS	206	NS	263	2870	72.8	NS	73.4
	16-Jul-10	654	NS	4800	202	NS	11400	NS	NS	8.34	21.1	NS
	15-Oct-10	NS	11.3	NS	NS	26	NS	10.2	18.3	7.03	NS	21.2
	26-Jan-11	114	26.8	NS	54.4	NS	34.4	NS	35.4	25.3	33.3	NS
	28-Feb-11	NS	NS	80.8	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	106	NS	NS	255	NS	220	227	17.8	NS	58.2
	26-Jul-11	76.2	NS	120	154	NS	2730	NS	NS	12.8	23.8	NS
	28-Oct-11	NS	48	U	NS	48	U	48	U	51	NS	48
	23-Jan-12	37	NS	36	19	NS	28	NS	NS	38	29	NS
	13-Apr-12	NS	32	NS	NS	70	NS	32	83	54	NS	43
Acetone	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	48	U
	23-Jun-12	21	NS	30	370	NS	1600	NS	NS	43	21	NS
	1-Nov-12	NS	41	NS	NS	52	NS	75	44	35	NS	43
	1-Feb-13	17	NS	12	25	NS	36	NS	NS	16	12	NS
	29-Apr-13	NS	45	NS	NS	100	NS	68	62	33	NS	43
	9-Jul-13	100	NS	170	130	NS	260	NS	NS	80	15	NS
	18-Oct-13	NS	43	NS	NS	61	NS	47	57	48	NS	42
	9-Jan-14	250	NS	16	25	NS	11	NS	NS	24	33	NS
	24-Apr-14	NS	18	NS	NS	13	NS	41	15	42	24	30
	1-Aug-14	31 ^M	NS	110/99 ^{ME}	NS	NS	NS	NS	NS	31 ^M	57/50 ^{ME}	NS
	27-Aug-14	NS	NS	NS	NS	NS	210 ^E /130	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	15	NS	NS	NS
	22-Oct-14	NS	31	NS	NS	14	5.3	17	3.8	40	19	NS
	20-Jan-15	14	NS	23	23	NS	16	NS	NS	39	72	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	1.9 ^V	U	43	55 ^{L,V} /68	NS	45	NS
	22-Apr-15	NS	87 ^V	NS	NS	NS	NS	NS	42 ^o	NS	49	NS
	21-Jul-15	12	NS	22	20	NS	9.2	NS	NS	42 ^o	11 ^o	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	5.0	NS	NS	NS
	29-Oct-15	NS	4.5	NS	NS	20	NS	11	9.2	11	NS	22
	4-Dec-15 resample	NS	1.9	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	8.4	NS	9.2	7.2	NS	8.6	NS	NS	49	22	NS
	20-Apr-16	NS	7.3	NS	NS	8.4	NS	11	11	35	NS	21
	20-Jul-16	37	NS	56	44	NS	35	NS	NS	70	51	NS
	21-Oct-16	NS	17	NS	NS	25	NS	22	12	29	NS	52
	31-Jan-17	7.4 ^{L,V}	NS ^{L,V}	8.9 ^{L,V}	5.9 ^{L,V}	NS	6.7 ^{L,V}	NS	NS	21 ^{L,V}	20 ^{L,V}	NS
	17-Apr-17	NS	7	NS	NS	17	NS	13	7.5	33	NS	49
	26-Jul-17	19	NS	15	17	NS	11	NS	NS	18	16	NS
	12-Oct-17	NS	32	NS	NS	20	NS	52	29	22	NS	33
	10-Jan-18	39	NS	17	8.1	NS	14	NS	NS	26	NS	28
	11-Apr-18	NS	34	NS	NS	26	NS	36	63	38	NS	40
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	19	NS
	27-Jul-18	73	NS	110	130	NS	77	NS	NS	83	63	NS
	24-Oct-18	NS	13	NS	NS	13	NS	16	21	30	NS	35
	16-Jan-19	33	NS	6.9	6.1	NS	6.8	NS	NS	14	21	NS
	12-Apr-19	NS	8.8	NS	NS	17	NS	9.2	7.7	25	NS	51
	29-Jul-19	130 ^E	NS	92 ^E	130 ^E	NS	110 ^E	NS	NS	72 ^E	65 ^E	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	68	NS
	29-Oct-19	NS	9.8	NS	NS	12	NS	6	12	35 ^D	24 ^D	29 ^D
	21-Jan-20	9.20	NS	5.10	8.40	NS	3.10	NS	NS	9.50	11.00	NS
	22-Apr-20	NS	15	NS	25	NS	38	40	60 ^E	NS	40	NS
	23-Jul-20	150 ^E	NS	260 ^E	130 ^E	NS	210 ^E	NS	NS	120 ^E	92	NS
	29-Oct-20	NS	5.1	NS	11	NS	6.6	7.4	25	NS	25	NS
	19-Jan-21	7.4	NS	8.6	5.7							

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	1.08	U	NS	NS	NS	NS	1.08	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	NS	U	
	27-Mar-08	NS	U	1.08	U	NS	NS	1.08	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08	U	
	25-Apr-08	NS	U	NS	NS	NS	NS	1.08	U	NS	NS	NS	NS	1.08	U	1.08	U	1.08	U	1.08	U	1.08	U	
	29-May-08	NS	U	NS	NS	NS	NS	1.08	U	NS	NS	NS	NS	1.08	U	1.08	U	1.08	U	1.08	U	1.08	U	
	27-Jun-08	1.69	U	NS	NS	NS	NS	1.08	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08	U	
	31-Jul-08	NS	U	1.08	U	NS	NS	NS	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08	U	
	28-Aug-08	NS	U	NS	NS	NS	NS	1.08	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	NS	U	
	30-Sep-08	NS	U	NS	NS	NS	NS	2.2	U	NS	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U	2.2	U	
	27-Oct-08	2.2	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	U	NS	NS	2.2	U	NS	U	2.2	U	
	25-Nov-08	NS	U	2.2	U	NS	NS	NS	U	NS	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U	NS	U	
	18-Dec-08	NS	U	NS	NS	2.2	U	NS	U	NS	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U	2.2	U	
	21-Jan-09	NS	U	NS	NS	NS	U	2.2	U	NS	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	U	2.2	U	
	25-Feb-09	2.2	U	NS	NS	NS	U	NS	U	NS	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	U	NS	U	
	26-Mar-09	NS	U	5.42	U	NS	NS	NS	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	1.08	U	
	29-Apr-09	NS	U	NS	NS	1.08	U	NS	U	NS	NS	NS	NS	1.08	U	NS	NS	1.08	U	NS	U	1.08	U	
	22-Jul-09	5.42	U	NS	5.42	U	10.8	U	NS	5.42	U	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	NS	U	
	9-Oct-09	NS	U	0.051	U	NS	NS	1.08	U	NS	1.08	U	NS	1.08	U	226	U	1.08	U	1.08	U	1.08	U	
	15-Jan-10	1.08	U	NS	NS	1.08	U	1.08	U	NS	1.08	U	NS	1.08	U	1.08	U	1.08	U	1.08	U	1.08	U	
	21-Apr-10	NS	U	1.08	U	NS	NS	5.42	U	NS	NS	5.42	U	5.42	U	1.08	U	1.08	U	1.08	U	1.08	U	
	16-Jul-10	1.08	U	NS	NS	1.08	U	1.08	U	NS	8.19	U	NS	NS	1.08	U	NS	NS	1.08	U	1.08	U	NS	
	15-Oct-10	NS	U	0.108	U	NS	NS	1.08	U	NS	1.08	U	NS	1.08	U	1.08	U	1.08	U	1.08	U	1.08	U	
	26-Jan-11	10.8	U	1.08	U	NS	NS	1.08	U	NS	5.42	U	NS	5.42	U	5.42	U	5.42	U	5.42	U	5.42	U	
	28-Feb-11	NS	U	NS	NS	10.8	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	
	27-Apr-11	NS	U	1.08	U	NS	NS	1.08	U	NS	1.08	U	NS	1.08	U	1.08	U	1.08	U	1.08	U	1.08	U	
	26-Jul-11	3.62	U	NS	NS	3.62	U	1.08	U	NS	5.42	U	NS	5.42	U	NS	NS	1.08	U	1.08	U	1.08	U	
	28-Oct-11	NS	U	6.2	U	NS	1.2	U	NS	6.2	U	NS	6.2	U	6.2	U	6.2	U	6.2	U	6.2	U	6.2	U
	23-Jan-12	1.2	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	NS	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	
	13-Apr-12	NS	U	1.2	U	NS	NS	NS	U	NS	1.2	U	NS	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	
Acrylonitrile	2-Jul-12 (resample)	NS	U	NS	NS	1.2	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	NS	U	NS	NS	6.2	U	
	23-Jun-12	1.2	U	NS	0.25	U	NS	1.2	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	1-Nov-12	NS	U	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	NS	NS	NS	U	NS	NS	0.25	U	
	1-Feb-13	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	NS	0.25	U	NS	NS	0.25	U	
	29-Apr-13	NS	U	0.62	U	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jul-13	0.37	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	
	18-Oct-13	NS	U	0.25	U	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jan-14	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	
	24-Apr-14	NS	U	0.25	U	NS	NS	0.37	U	NS	0.37	U	NS	0.37	U	NS	NS	0.37	U	NS	NS	0.37	U	
	1-Aug-14	0.25	U	NS	0.37	U	NS	0.37	U	NS	0.37	U	NS	0.37	U	NS	NS	0.37	U	NS	NS	0.37	U	
	27-Aug-14	NS	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	
	12-Sept-14 (resample)	NS	U	0.37 ^L	U	NS	NS	0.37 ^L	U</															

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Benzene	8-Feb-08	0.92		NS		0.98	NS	NS	NS	0.54	0.85	NS
	27-Mar-08	NS	0.54	NS	0.584	NS	0.462	NS	NS	0.788	0.635	
	25-Apr-08	NS	NS	NS	0.73	NS	0.745	NS	0.428	NS	0.536	
	29-May-08	NS	NS	NS	0.418	NS	0.468	NS	1.03	1.12	0.61	NS
	27-Jun-08	0.626	NS	NS	NS	NS	NS	NS	NS	0.499	0.399	
	31-Jul-08	NS	NS	NS	NS	NS	NS	NS	NS	0.358	NS	0.265
	28-Aug-08	NS	NS	1.02	NS	NS	NS	0.537	NS	0.815	0.692	NS
	30-Sep-08	NS	NS	1.6	U	NS	NS	NS	1.6	U	1.6	U
	27-Oct-08	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	U
	25-Nov-08	NS	1.6	U	NS	1.6	U	NS	1.6	U	1.6	U
	18-Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	U
	21-Jan-09	NS	NS	NS	NS	NS	NS	NS	1.6	U	NS	U
	25-Feb-09	1.6	U	NS	NS	1.6	U	NS	1.6	U	1.6	U
	26-Mar-09	NS	2.1	NS	NS	2.23	U	NS	NS	NS	0.945	1.48
	29-Apr-09	NS	NS	0.603	NS	NS	0.246	NS	NS	0.223	NS	0.367
	22-Jul-09	1.12	U	NS	56	2.23	U	1.45	NS	4.27	0.629	NS
	9-Oct-09	NS	1.15	NS	NS	0.974	NS	0.431	46.6	U	0.619	0.824
	15-Jan-10	0.763	NS	NS	0.887	0.98	NS	1.26	NS	0.964	NS	NS
	21-Apr-10	NS	0.373	NS	NS	0.16	U	NS	1.6	0.635	NS	1.26
	16-Jul-10	0.332	NS	1.53	0.689	NS	2.41	U	NS	0.319	U	0.319
	15-Oct-10	NS	0.319	U	NS	0.319	U	NS	0.319	U	0.319	U
	26-Jan-11	3.19	U	2.49	NS	2.46	U	1.6	U	1.85	1.9	NS
	28-Feb-11	NS	NS	3.19	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.319	U	NS	0.319	U	NS	0.319	U	0.319	U
	26-Jul-11	1.06	U	NS	1.06	U	0.434	NS	1.6	U	NS	NS
	28-Oct-11	NS	1.6	U	NS	1.6	U	NS	1.6	U	1.6	U
	23-Jan-12	0.84	NS	1.2	0.98	NS	0.81	NS	NS	1.4	1.5	NS
	13-Apr-12	NS	0.32	U	NS	0.32	U	NS	0.32	U	0.32	U
	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS
	23-Jun-12	0.45	NS	0.61	0.88	NS	0.43	NS	NS	0.42	0.4	NS
	1-Nov-12	NS	0.45	NS	NS	0.43	NS	0.49	NS	0.61	1	NS
	1-Feb-13	0.33	NS	0.45	0.47	NS	0.35	NS	NS	0.45	0.46	NS
	29-Apr-13	NS	0.41	NS	NS	0.38	NS	0.41	0.47	0.63	0.67	NS
	9-Jul-13	0.64	NS	0.93	0.76	NS	0.70	NS	NS	0.65	0.42	NS
	18-Oct-13	NS	0.66	NS	NS	0.63	NS	0.86	1.0	0.28	0.92	NS
	9-Jan-14	1.2	NS	1.1	0.97	NS	1.1	NS	NS	1.5	1.5	NS
	24-Apr-14	NS	0.3	NS	NS	0.22	NS	0.32	0.23	0.39	0.34	0.35
	1-Aug-14	0.49	NS	0.79/0.76	0.68/0.69	NS	NS	NS	NS	0.34	0.43	NS
	27-Aug-14	NS	NS	NS	NS	0.69	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	0.21	0.19	0.34	0.43	NS	NS	U
	22-Oct-14	NS	0.28	NS	NS	0.21	0.19	0.34	0.14	0.36	0.32	NS
	20-Jan-15	0.42	NS	0.33	0.45	NS	0.31	NS	NS	0.63	0.46	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.41	NS
	22-Apr-15	NS	0.48	NS	NS	0.35	NS	0.46	0.57/0.60	0.84	NS	0.93
	21-Jul-15	0.35	NS	0.520 ^j	3	U	0.29	NS	NS	0.29 ^v	0.41 ^v	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	0.26 ^v	0.27	0.24	0.23	NS
	29-Oct-15	NS	0.15 ^j	NS	NS	0.19	NS	NS	NS	NS	NS	NS
	4-Dec-15 resample	NS	0.11 ^j	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.32	NS	0.5	0.53	NS	0.43	NS	NS	0.72	0.69	NS
	20-Apr-16	NS	0.21	NS	NS	0.27	NS	0.27	0.32	0.73	0.47	NS
	20-Jul-16	0.32	U	NS	0.7	0.41	NS	0.68	NS	0.43	0.85	NS
	21-Oct-16	NS	0.35	NS	NS	0.84	NS	0.58	1.3	0.39	0.064	U
	31-Jan-17	0.24	NS	0.43	0.37	NS	0.37	NS	NS	0.66	0.49	NS
	17-Apr-17	NS	0.25	NS	NS	0.26	NS	0.24	0.33	0.29	0.39	NS
	26-Jul-17	0.2	NS	0.41	0.36	NS	0.37	NS	NS	0.4	0.5	NS
	12-Oct-17	NS	0.18	NS	NS	0.17	NS	0.23	0.4	0.37	0.32	NS
	10-Jan-18	0.26	NS	0.46	0.46	NS	0.44	NS	NS	0.73	0.35	NS
	11-Apr-18	NS	0.36	NS	NS	0.64	U	0.64	0.64	0.99	0.81	NS
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.3	NS
	27-Jul-18	0.32	U	NS	0.6	0.39	U	0.43	0.32	0.37	0.38	NS
	24-Oct-18	NS	0.32	U	NS	0.32	U	0.32	0.32	0.32	0.47	NS
	16-Jan-19	0.55	NS	0.5	0.64	NS	0.48	NS	1	0.75	NS	
	12-Apr-19	NS	0.44	NS	NS	0.37	NS	0.18	0.71	0.67	0.54	
	29-Jul-19	0.6	NS	0.73	0.88	NS	1.3	NS	NS	0.34	1.1	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	0.58	NS	
	29-Oct-19	NS	0.29	NS	NS	0.28	NS	0.25	0.37	0.42 ^v	0.54 ^v	0.47 ^v
	21-Jan-20	0.20	NS	0.34	0.38	NS	0.35	NS	0.69	0.61	NS	
	22-Apr-20	NS	0.12	NS	NS	0.18	NS	0.064	0.14	0.21	0.21	NS
	23-Jul-20	0.66	NS	0.66	0.49	NS	0.91	NS	NS	0.43	0.13	NS
	29-Oct-20	NS	0.48	NS	NS	0.6	NS	0.35	0.77	0.73	0.064	U

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3							
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual						
Bromodichloromethane	8-Feb-08	0.13	U	NS	NS	NS	NS	0.13	U	NS	NS	0.134	U	NS	NS	0.13	U	0.13	U	0.134	U	0.134	U	NS	U				
	27-Mar-08	NS		0.134	U	NS	NS	NS	U	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134	U	0.134	U				
	25-Apr-08	NS		NS	NS	NS	NS	0.13	U	NS	NS	0.134	U	NS	NS	0.13	U	0.13	U	0.13	U	NS	NS	0.134	U				
	29-May-08	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	0.13	U	0.13	U	0.13	U	NS	NS	0.134	U				
	27-Jun-08	0.209	U	NS	NS	NS	NS	NS	U	NS	NS	0.134	U	NS	NS	NS	U	NS	NS	0.134	U	0.134	U	0.134	U				
	31-Jul-08	NS		0.134	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	0.134	U	NS	NS	0.134	U	0.134	U				
	28-Aug-08	NS		NS	NS	NS	NS	0.52	U	NS	NS	NS	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134	U	NS	U				
	30-Sep-08	NS		NS	NS	NS	NS	1.07	U	NS	NS	NS	U	NS	NS	0.13	U	NS	NS	0.23	U	0.13	U	0.13	U				
	27-Oct-08	0.13	U	NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	0.13	U	NS	NS	0.13	U	0.13	U				
	25-Nov-08	NS		0.13	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	0.13	U	3	NS	NS	NS	NS	U				
	18-Dec-08	NS		NS	NS	NS	NS	0.13	U	NS	NS	NS	U	NS	NS	0.13	U	NS	NS	0.13	U	0.13	U	0.13	U				
	21-Jan-09	NS		NS	NS	NS	NS	0.13	U	NS	NS	NS	U	NS	NS	0.13	U	0.13	U	NS	NS	0.13	U	0.13	U				
	25-Feb-09	0.13	U	NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	0.13	U	0.13	U	NS	NS	0.134	U				
	26-Mar-09	NS		0.67	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	0.134	U	0.134	U	0.134	U				
	29-Apr-09	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	0.134	U	NS	NS	0.134	U	0.134	U				
	22-Jul-09	0.67	U	NS	27.3	U	1.34	U	NS	NS	0.67	U	NS	NS	0.67	U	NS	NS	0.134	U	0.134	U	0.134	U	NS	U			
	9-Oct-09	NS		0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	28	U	0.134	U	0.134	U	0.134	U				
	15-Jan-10	0.134	U	NS	0.134	U	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134	U	0.134	U	NS	U			
	21-Apr-10	NS		0.134	U	NS	NS	NS	U	NS	NS	0.67	U	NS	NS	0.67	U	0.67	U	0.134	U	NS	NS	0.134	U	0.134	U		
	16-Jul-10	0.134	U	NS	0.134	U	0.134	U	NS	NS	1.01	U	NS	NS	NS	U	NS	NS	0.134	U	0.134	U	0.134	U	NS	U			
	15-Oct-10	NS		0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	NS	U		
	26-Jan-11	1.34	U	0.134	U	NS	NS	0.134	U	NS	NS	0.67	U	NS	NS	0.67	U	0.67	U	0.67	U	0.67	U	0.67	U	NS	U		
	28-Feb-11	NS		NS	NS	1.34	U	NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	U										
	27-Apr-11	NS		0.134	U	NS	NS	NS	U	NS	NS	0.134	U	NS	NS	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	NS	U		
	26-Jul-11	0.447	U	NS	0.447	U	0.134	U	NS	NS	0.67	U	NS	NS	0.67	U	NS	NS	0.134	U	0.134	U	0.134	U	0.67	U	NS	U	
	28-Oct-11	NS		3.4	U	NS	0.67	U	NS	NS	3.4	U	NS	NS	3.4	U	NS	NS	3.4	U	NS	NS	3.4	U	3.4	U	NS	U	
	23-Jan-12	0.67	U	NS	0.67	U	0.67	U	NS	NS	0.67	U	NS	NS	0.67	U	NS	NS	0.67	U	0.67	U	0.67	U	0.67	U	NS	U	
	13-Apr-12	NS		0.34	U	NS	NS	NS	U	NS	NS	0.34	U	NS	NS	0.34	U	0.34	U	0.34	U	0.34	U	0.34	U	0.34	U	NS	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	U									
	23-Jun-12	0.67	U	NS	0.67	U	0.67	U	NS	NS	0.67	U	NS	NS	0.67	U	NS	NS	0.67	U	0.67	U	0.67	U	0.67	U	NS	U	
	1-Nov-12	NS		0.067	U	NS	NS	0.067	U	NS	NS	0.067	U	NS	NS	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	NS	U
	1-Feb-13	0.067	U	NS	0.067	U	0.067	U	NS	NS	0.067	U	NS	NS	0.067	U	NS	NS	0.067	U	0.067	U	0.067	U	0.067	U	NS	U	
	29-Apr-13	NS		0.16	U	NS	NS	NS	U	NS	NS	0.067	U	NS	NS	0.067	U	0.67	U	0.067	U	0.067	U	0.067	U	0.067	U	NS	U
	9-Jul-13	0.1	U	NS	0.067	U	0.067	U	NS	NS	0.067	U	NS	NS	0.067	U	NS	NS	0.067	U	0.23	U	NS	NS	NS	U	NS	U	
	18-Oct-13	NS		0.13	U	NS	NS	NS	U	NS	NS	0.13	U	NS	NS	0.13	U	0.13	U	0.13	U	NS							

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
Bromoform	8-Feb-08	0.21	U	NS	NS	NS	NS	0.21	U	NS	NS	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	NS	NS			
	27-Mar-08	NS		0.206	U	NS	NS	NS		NS	0.206	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	25-Apr-08	NS		NS		NS	NS	0.21	U	NS	NS	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	NS	0.206	U		
	29-May-08	NS		NS		NS	NS	NS		NS	0.206	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	27-Jun-08	0.322	U	NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U	
	31-Jul-08	NS		0.206	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U	
	28-Aug-08	NS		NS		NS	NS	0.41	U	NS	NS	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U	0.41	U
	30-Sep-08	NS		NS		NS	NS	NS		NS	0.41	U	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U	
	27-Oct-08	0.41	U	NS	NS	NS	NS	NS		NS	0.41	U	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U	
	25-Nov-08	NS		0.14	U	NS	NS	NS		NS	0.41	U	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U	
	18-Dec-08	NS		NS		NS	NS	0.41	U	NS	NS	NS	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U	
	21-Jan-09	NS		NS		NS	NS	0.41	U	NS	NS	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U		
	25-Feb-09	0.41	U	NS	NS	NS	NS	NS		NS	0.41	U	NS	NS	NS	NS	NS	0.41	U	0.41	U	0.41	U	0.41	U	
	26-Mar-09	NS		1.03	U	NS	NS	NS		NS	2.06	U	NS	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U	
	29-Apr-09	NS		NS		NS	NS	0.206	U	NS	NS	NS	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	22-Jul-09	1.03	U	NS	NS	42	U	2.06	U	NS	1.03	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	9-Oct-09	NS		0.206	U	NS	NS	0.206	U	NS	0.206	U	NS	NS	NS	NS	43.1	U	0.206	U	0.206	U	0.206	U		
	15-Jan-10	0.206	U	NS	NS	0.206	U	0.206	U	NS	0.206	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	21-Apr-10	NS		0.206	U	NS	NS	NS		NS	1.03	U	NS	NS	NS	NS	1.03	U	0.206	U	0.206	U	0.206	U		
	16-Jul-10	0.206	U	NS	NS	0.206	U	0.206	U	NS	1.56	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	15-Oct-10	NS		0.206	U	NS	NS	0.206	U	NS	0.206	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	26-Jan-11	2.06	U	0.206	U	NS	NS	0.206	U	NS	1.03	U	NS	NS	NS	NS	1.03	U	1.03	U	1.03	U	1.03	U		
	28-Feb-11	NS		NS		2.06	U	NS		NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	27-Apr-11	NS		0.206	U	NS	NS	NS		NS	0.206	U	NS	NS	NS	NS	0.206	U	0.206	U	0.206	U	0.206	U		
	26-Jul-11	0.69	U	NS	NS	0.69	U	0.207	U	NS	1.03	U	NS	NS	NS	NS	0.207	U	0.207	U	0.207	U	0.207	U		
	28-Oct-11	NS		5.2	U	NS	NS	NS		NS	5.2	U	NS	NS	NS	NS	5.2	U	5.2	U	5.2	U	5.2	U		
	23-Jan-12	1	U	NS	NS	1	U	NS		NS	1	U	NS	NS	NS	NS	1	U	1	U	1	U	1	U		
	13-Apr-12	NS		1	U	NS	NS	NS		NS	1	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2-Jul-12 (resample)	NS		NS		NS	NS	NS		NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23-Jun-12	1	U	NS	NS	1	U	NS		NS	1	U	NS	NS	NS	NS	1	U	1	U	1	U	1	U		
	1-Nov-12	NS		0.21	U	NS	NS	0.21	U	NS	0.21	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	1-Feb-13	0.21	U	NS	NS	0.21	U	0.21	U	NS	0.21	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	29-Apr-13	NS		0.52	U	NS	NS	0.21	U	NS	0.21	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	9-Jul-13	0.31	U	NS	NS	0.21	U	0.21	U	NS	0.21	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	18-Oct-13	NS		0.21	U	NS	NS	0.21	U	NS	0.21	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	9-Jan-14	0.21	U	NS	NS	0.21	U	0.21	U	NS	0.21	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	24-Apr-14	NS		0.21	U	NS	NS	0.31	U	NS	0.31	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	1-Aug-14	0.21	U	NS	NS	0.31	U	0.31	U	NS	0.31	U	NS	NS	NS	NS	0.21	U	0.21	U	0.21	U	0.21	U		
	27-Aug-14	NS</td																								

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	126	NS	NS	NS	1.47	U	NS	NS	3.08	10.6	NS
	27-Mar-08	NS	226	NS	NS	NS	NS	NS	NS	11.9	3.9	
	25-Apr-08	NS	NS	477	NS	NS	NS	1680	NS	2.24	NS	1.47
	29-May-08	NS	NS	NS	527	NS	NS	NS	591	2.27	3.04	NS
	27-Jun-08	1080	NS	NS	NS	596	NS	NS	NS	6.92	3.64	
	31-Jul-08	NS	1350	NS	NS	NS	NS	NS	NS	12	NS	2.56
	28-Aug-08	NS	NS	8380	NS	NS	NS	102	NS	5.29	9.18	NS
	30-Sep-08	NS	NS	NS	101	NS	NS	NS	194	NS	2	1.5
	27-Oct-08	53.5	NS	NS	NS	30.5	NS	NS	NS	2.4	NS	5.7
	25-Nov-08	NS	802	NS	NS	NS	259	NS	NS	1.8	2.4	NS
	18-Dec-08	NS	NS	5630	NS	NS	NS	8.3	NS	NS	2.6	3.3
	21-Jan-09	NS	NS	NS	209	NS	NS	NS	24	1.5	U	1.5
	25-Feb-09	30	NS	NS	NS	198	NS	NS	NS	1.5	U	1.5
	26-Mar-09	NS	926	NS	NS	NS	29.1	NS	NS	NS	2.66	3.02
	29-Apr-09	NS	NS	12400	NS	NS	NS	38.1	NS	1.47	U	3.06
	22-Jul-09	433	NS	433	410	NS	151	NS	NS	21.6	2.8	NS
	9-Oct-09	NS	289	NS	1.47	U	NS	19.1	22700	2.75	NS	12.6
	15-Jan-10	29.8	NS	826	64.1	NS	38.4	NS	NS	2.64	1.6	NS
	21-Apr-10	NS	6.44	NS	NS	7.37	U	NS	34.6	1840	16.8	NS
	16-Jul-10	5320	NS	21000	441	NS	10400	NS	NS	1.54	2.8	NS
	15-Oct-10	NS	117	NS	44.9	NS	2.85	NS	18.2	1.47	U	1.92
	26-Jan-11	940	22.3	NS	16.5	NS	7.37	U	50.4	7.37	U	7.37
	28-Feb-11	NS	NS	625	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	6.87	NS	NS	171	NS	11.3	15.3	5.38	NS	10.4
	26-Jul-11	690	E	NS	82.9	93.2	NS	11000	NS	NS	2.07	7.37
	28-Oct-11	NS	59	U	NS	59	U	59	U	59	U	59
	23-Jan-12	110	NS	70	12	U	NS	20	NS	12	U	12
	13-Apr-12	NS	16	NS	74	U	NS	12	U	12	U	12
2-Jul-12 (resample)	23-Jun-12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1-Nov-12	75	NS	92	3700	NS	1900	NS	NS	12	U	12
2-Butanone	1-Nov-12	NS	24	NS	44	NS	3.6	12	3.7	NS	NS	4.2
	1-Feb-13	36	NS	4.9	16	NS	20	NS	NS	2.4	2.4	U
	29-Apr-13	NS	170	NS	NS	110	NS	6.1	7	7.2	NS	4.5
	9-Jul-13	98	NS	130	79	NS	370	NS	NS	6.8	2.4	U
	18-Oct-13	NS	91	NS	NS	28	NS	4	52	8.2	NS	6.4
	9-Jan-14	1900	NS	11	26	NS	11	NS	NS	4.2	2.6	NS
	24-Apr-14	NS	32	NS	11	NS	3.2	19	8.1	2.5	3.5	U
	1-Aug-14	38	NS	110/81	110/93	NS	NS	NS	NS	5.8	4.3	NS
	27-Aug-14	NS	NS	NS	NS	12	NS	NS	NS	NS	NS	NS
12-Sept-14 (resample)	22-Oct-14	NS	5.8	NS	16	U	NS	3.9	3.5	U	4.7	U
	20-Jan-15	5.1	NS	3.9	4.3	NS	2.4	NS	NS	7.5	6.2	NS
30-Mar-15 (resample)	22-Apr-15	NS	17 ^v	NS	NS	23 ^v	NS	11	11	19	NS	10
	21-Jul-15	17	NS	55	170	NS	21	NS	NS	20 ^o	2.2 ^o	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	7.9	NS	NS	NS
	29-Oct-15	NS	10	NS	13	NS	11	5.7	2.1	NS	NS	3.1
4-Dec-15 resample	27-Jan-16	2.4	U	NS	2.4	U	NS	NS	NS	12	4.4	NS
	20-Apr-16	NS	21	NS	29	U	NS	34	21	12	NS	4.1
	20-Jul-16	36	NS	37	12	U	NS	46	NS	32	12	U
	21-Oct-16	NS	21	NS	12	NS	NS	3.3	3.3	5.1	NS	8.3
	31-Jan-17	2.4	U	NS	2.4	U	NS	2.4	NS	5	5.6	NS
	17-Apr-17	NS	13	NS	21	NS	4.2	16	8	NS	7	
	26-Jul-17	29	NS	16	6.1	NS	7.3	NS	NS	6.8	3.5	NS
	12-Oct-17	NS	8.3	NS	8.3	NS	7.1	U	5.9	6.7	U	5.9
	10-Jan-18	96 ^e	NS	18	2.4	U	NS	8.1	NS	4.7	NS	3.5
	11-Apr-18	NS	6	NS	24	U	NS	24	U	5.1	NS	24
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	3.5	U
	27-Jul-18	22	NS	24	12	U	NS	12	U	20	12	NS
	24-Oct-18	NS	12	NS	12	U	NS	12	U	12	U	12
	16-Jan-19	41	NS	3	2.4	U	NS	2.4	NS	3.6	3.9	NS
	12-Apr-19	NS	7.3	NS	6.4	NS	3	U	3.5	4.1	NS	4.4
	29-Jul-19	6.4	NS	25	12	NS	11	NS	NS	9.7	3.2	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	210	NS
	29-Oct-19	NS	9	NS	4.2	NS	2.4	U	2.4	12 ^D	12 ^D	U
	21-Jan-20	9.00	NS	2.40	U	NS	2.40	U	NS	2.40	2.40	U
	22-Apr-20	NS	2.4	U	NS	2.4	U	NS	2.4	7.3	NS	2.6
	23-Jul-20	94 ^e	NS	7.1	7	NS	4.7	U	NS	33	11	NS
	29-Oct-20	NS	5.4	NS	3.3	NS	2.4	U	2.4	7.3	NS	2.6
	19-Jan-21	2.6	NS	2.4	U	NS	2.4	U	NS	6.5	3.5 ^f	U
	15-Apr-21	NS	11	NS	2.4	U	NS	2.4	U	4	NS	2.4
	21-Jul-21	4.8	NS	2.4	U	NS	6.8	NS	NS	18	3.8	NS
	20-Oct-21	NS	2.6	NS	2.8	U	NS	2.4	U	5.2	NS	2.4
	9-Feb-22	2.6	NS	2.4	U	NS	2.4	U	NS	2.4	3.1	U
	7-Apr-22	NS	2.4									

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3						
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual					
n-Butylbenzene	8-Feb-08	2.74	U	NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U				
	27-Mar-08	NS		2.74	U	NS	NS	NS		NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U				
	25-Apr-08	NS		NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U				
	29-May-08	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U				
	27-Jun-08	4.27	U	NS	NS	NS	NS	NS		NS	NS	2.74	U	NS	2.74	U												
	31-Jul-08	NS		2.74	U	NS	NS	NS		NS	2.74	U	NS	2.74	U	NS	2.74	U										
	28-Aug-08	NS		NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U				
	30-Sep-08	NS		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	NS	5.5	U	NS	5.5	U				
	27-Oct-08	22.1		NS	NS	NS	NS	NS		5.5	U	NS	NS	NS	NS	12.8	U	NS	5.5	U	NS	5.5	U	NS	5.5	U		
	25-Nov-08	NS		5.5	U	NS	NS	NS		NS	5.5	U	NS	NS	NS	5.5	U	NS	11.5	U	NS	5.5	U	NS	5.5	U		
	18-Dec-08	NS		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	NS	5.5	U	NS	5.5	U	NS	5.5	U	
	21-Jan-09	NS		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	NS	5.5	U	NS	5.5	U	NS	5.5	U	
	25-Feb-09	5.5	U	NS	NS	NS	NS	NS		5.5	U	NS	NS	NS	NS	5.5	U	NS	5.5	U	NS	5.5	U	NS	5.5	U		
	26-Mar-09	NS		13.7	U	NS	NS	NS		NS	27.4	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U
	29-Apr-09	NS		NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	13.7	U	NS	13.7	U	NS	13.7	U	NS	13.7	U	NS	13.7	U	NS	13.7	U		
	9-Oct-09	NS		1.08	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	573	U	2.74	U	NS	2.74	U	NS	2.74	U		
	15-Jan-10	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	
	21-Apr-10	NS		2.74	U	NS	NS	NS		13.7	U	NS	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U		
	16-Jul-10	2.74	U	NS	2.74	U	NS	2.74	U	NS	20.7	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	
	15-Oct-10	NS		2.74	U	NS	NS	NS		2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U		
	26-Jan-11	27.4	U	2.74	U	NS	NS	NS		2.74	U	NS	13.7	U	NS	13.7	U	NS	13.7	U	NS	13.7	U	NS	13.7	U		
	28-Feb-11	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS									
	27-Apr-11	NS		2.745	U	NS	NS	NS		2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U		
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	NS	13.7	U	NS	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U		
	28-Oct-11	NS		7.9	U	NS	1.6	U	1.6	U	7.9	U	NS	7.9	U	7.9	U	7.9	U	7.9	U	7.9	U	7.9	U	7.9	U	
	23-Jan-12	1.6	U	NS	1.6	U	NS	1.6	U	1.6	U	NS	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U		
	13-Apr-12	NS		1.6	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS									
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS									
	23-Jun-12	1.6	U	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	0.44	U	0.35	U	0.38	U	0.32	U	0.32	U	0.32	U	
	1-Nov-12	NS		0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U		
	1-Feb-13	0.32	U	NS	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	
	29-Apr-13	NS		0.79	U	NS	NS	NS		0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	
	9-Jul-13	0.47	U	NS	0.32	U	0.32	U	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U		
	18-Oct-13	NS		0.54	U	NS	NS	NS		NS	0.52	U	NS	0.74	U	0.65	U	0.68	U	0.68	U	0.68	U	0.68	U	0.68	U	
	9-Jan-14	0.32	U	NS	0.32	U	NS	0.32	U	0.32	U	NS	0.32	U	0.32	U	NS											

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual																		
	8-Feb-08	2.74	U	NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U			
	27-Mar-08	NS		2.74	U	NS	NS	NS		NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U			
	25-Apr-08	NS		NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U	U				
	29-May-08	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U	U			
	27-Jun-08	4.27	U	NS	NS	NS	NS	NS		NS	2.74	U	2.74	U	2.74	U	2.74	U									
	31-Jul-08	NS		2.74	U	NS	NS	NS		NS	2.74	U	2.74	U	NS	2.74	U	U									
	28-Aug-08	NS		NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U			
	27-Oct-08	NS		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	NS	5.5	U	U		
	27-Oct-08	5.5	U	NS	NS	NS	NS	NS		NS	5.5	U	NS	5.5	U	NS	5.5	U									
	25-Nov-08	NS		5.5	U	NS	NS	NS		NS	NS	NS	NS	5.5	U	NS	NS	5.5	U	5.5	U	NS	5.5	U	U		
	18-Dec-08	NS		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	NS	5.5	U	5.5	U	5.5	U	5.5	U		
	21-Jan-09	NS		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	5.5	U	NS	NS	5.5	U	NS	5.5	U	NS	5.5	U		
	25-Feb-09	5.5	U	NS	NS	NS	NS	NS		NS	5.5	U	5.5	U	NS	5.5	U	U									
	26-Mar-09	NS		13.7	U	NS	NS	NS		NS	NS	NS	NS	27.4	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	
	29-Apr-09	NS		NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	
	22-Jul-09	13.7	U	NS	NS	13.7	U	27.4	U	NS	NS	13.7	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U	
	9-Oct-09	NS		2.74	U	NS	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	573	U	2.74	U	NS	2.74	U	NS	2.74	U	
	15-Jan-10	2.74	U	NS	NS	2.74	U	2.74	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	U		
	21-Apr-10	NS		2.74	U	NS	NS	NS		13.7	U	NS	13.7	U	13.7	U	13.7	U	2.74	U	NS	2.74	U	2.74	U	2.74	U
	16-Jul-10	2.74	U	NS	NS	2.74	U	2.74	U	NS	NS	20.7	U	2.74	U	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U	U	
	15-Oct-10	NS		2.74	U	NS	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U	U	2.74	U	
	26-Jan-11	27.4	U	2.74	U	NS	NS	27.4	U	NS	NS	13.7	U	NS	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	
	28-Feb-11	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	U									
	27-Apr-11	NS		2.74	U	NS	NS	2.74	U	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	NS	2.74	U	2.74	U	2.74	U
	26-Jul-11	9.17	U	NS	NS	9.17	U	2.74	U	NS	NS	13.7	U	NS	13.7	U	NS	2.74	U	2.74	U	13.7	U	13.7	U	13.7	U
	28-Oct-11	NS		6.3	U	NS	NS	NS		6.3	U	NS	6.3	U	6.3	U	NS	6.3	U	6.3	U	6.3	U	6.3	U	6.3	U
	23-Jan-12	1.3	U	NS	NS	1.3	U	1.3	U	NS	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	
	13-Apr-12	NS		1.3	U	NS	NS	1.3	U	NS	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	U									
	23-Jun-12	1.3	U	NS	NS	1.3	U	1.3	U	NS	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	
	1-Nov-12	NS		0.25	U	NS	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	1-Feb-13	0.25	U	NS	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	29-Apr-13	NS		0.63	U	NS	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jul-13	0.38	U	NS	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	18-Oct-13	NS		0.25	U	NS	NS	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jan-14	0.25	U	NS	NS	0.25	U	0.25	U	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	24-Apr-14	NS		0.25	U	NS	NS																				

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.44	NS	NS	NS	0.46	NS	NS	NS	0.53	0.45	NS
	27-Mar-08	NS	0.539	NS	NS	0.477	NS	NS	NS	0.576	0.576	0.574
	25-Apr-08	NS	NS	0.417	NS	NS	0.448	NS	0.459	NS	0.448	0.448
	29-May-08	NS	NS	NS	0.46	NS	NS	NS	0.46	0.47	0.46	NS
	27-Jun-08	0.478	NS	NS	NS	0.506	NS	NS	NS	0.533	0.533	0.553
	31-Jul-08	NS	0.576	NS	NS	NS	NS	NS	NS	0.548	NS	0.495
	28-Aug-08	NS	NS	0.515	NS	NS	NS	0.549	NS	0.567	0.563	NS
	30-Sep-08	NS	NS	NS	0.511	NS	NS	NS	0.577	NS	0.451	0.469
	27-Oct-08	0.48	NS	NS	NS	0.36	NS	NS	NS	0.41	NS	0.56
	25-Nov-08	NS	0.5	NS	NS	NS	0.42	NS	NS	0.3	0.44	NS
	18-Dec-08	NS	NS	0.23	NS	NS	NS	0.28	NS	NS	0.48	0.46
	21-Jan-09	NS	NS	0.36	NS	NS	NS	0.47	0.27	NS	0.67	
	25-Feb-09	0.39	NS	NS	NS	0.36	NS	NS	0.37	0.36	NS	
	26-Mar-09	NS	0.629	U	NS	NS	1.26	U	NS	NS	0.601	0.565
	29-Apr-09	NS	NS	0.484	NS	NS	NS	0.528	NS	0.522	NS	0.654
	22-Jul-09	0.629	U	NS	25.6	U	1.26	U	NS	NS	0.515	0.503
	9-Oct-09	NS	0.691	NS	NS	0.666	NS	0.465	26.2	U	0.71	0.691
	15-Jan-10	0.427	NS	0.647	0.509	NS	0.541	NS	NS	0.541	0.528	NS
	21-Apr-10	NS	0.126	NS	NS	0.629	U	NS	0.629	U	0.61	0.503
	16-Jul-10	0.459	NS	0.478	0.515	NS	0.95	U	NS	NS	0.559	0.509
	15-Oct-10	NS	0.509	NS	NS	0.434	NS	0.383	0.402	0.421	NS	0.44
	26-Jan-11	1.26	U	0.415	NS	0.415	NS	0.629	U	NS	0.629	U
	28-Feb-11	NS	NS	1.26	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.339	NS	NS	0.339	NS	0.33	0.364	0.339	NS	0.327
	26-Jul-11	0.44	NS	0.42	U	0.409	NS	0.629	U	NS	0.402	0.629
	28-Oct-11	NS	3.1	U	NS	3.1	U	NS	3.1	U	3.1	U
	23-Jan-12	0.63	U	NS	0.63	U	0.63	U	NS	0.63	0.63	U
	13-Apr-12	NS	0.31	U	NS	NS	0.31	U	NS	0.31	U	0.31
Carbon tetrachloride	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	U
	23-Jun-12	0.63	U	NS	0.63	U	0.63	U	NS	NS	0.63	NS
	1-Nov-12	0.63	NS	0.48	NS	0.46	NS	0.46	0.45	0.47	NS	0.43
	1-Feb-13	0.44	NS	0.43	0.39	NS	0.42	NS	NS	0.49	0.5	NS
	29-Apr-13	NS	0.42	NS	NS	0.44	NS	0.42	0.48	0.48	NS	0.46
	9-Jul-13	0.52	NS	0.52	0.46	NS	0.48	NS	NS	0.45	0.47	NS
	18-Oct-13	NS	0.45	NS	NS	0.41	NS	0.4	0.45	0.44	NS	0.47
	9-Jan-14	0.40	NS	0.45	0.40	NS	0.43	NS	NS	0.43	0.43	NS
	24-Apr-14	NS	0.48	NS	NS	0.45	NS	0.42	0.47	0.47	0.47	0.48
	1-Aug-14	0.30	NS	0.44	0.43	NS	NS	NS	NS	0.56	0.43	NS
	27-Aug-14	NS	NS	NS	NS	NS	0.45	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.43	NS	NS	U
	22-Oct-14	NS	0.45	NS	NS	0.42	NS	0.43	0.42	0.45	0.44	NS
	20-Jan-15	0.45	NS	0.49	0.42	NS	0.44	NS	NS	0.48	0.48	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.43	NS
	22-Apr-15	NS	0.28	NS	NS	0.29	NS	0.34	0.34	0.33	NS	0.33
	21-Jul-15	0.270 ^J	NS	1	U	6	U	0.28 ^J	NS	0.25 ^{J,O}	0.24 ^{J,O}	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.29 ^J	NS	NS	NS
	29-Oct-15	NS	0.35	NS	NS	0.29 ^J	NS	0.27 ^J	0.28 ^J	0.27 ^J	NS	0.27 ^J
	4-Dec-15 resample	NS	0.30 ^J	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.57	NS	0.59	0.53	NS	0.56	NS	NS	0.57	0.59	NS
	20-Apr-16	NS	0.65	NS	NS	0.61	NS	0.62	0.65	0.64	NS	0.67
	20-Jul-16	0.42	NS	0.58	0.59	NS	0.64	NS	NS	0.63	0.55	NS
	21-Oct-16	NS	0.49	NS	NS	0.45	NS	0.44	0.46	0.48	NS	0.47
	31-Jan-17	0.41	NS	0.38	0.39	NS	0.4	NS	NS	0.45	0.48	NS
	17-Apr-17	NS	0.49	NS	NS	0.44	NS	0.43	0.49	0.44	NS	0.48
	26-Jul-17	0.4	NS	0.44	0.41	NS	0.4	NS	NS	0.39	0.39	NS
	12-Oct-17	NS	0.38	NS	NS	0.37	NS	0.43	0.62	0.47	NS	0.41
	10-Jan-18	0.34	NS	0.35	0.36	NS	0.35	NS	NS	0.37	NS	0.37
	11-Apr-18	NS	0.49	NS	NS	1.3 ^D	U	1.3 ^D	U	0.55	NS	1.3 ^D
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.45	NS	NS
	27-Jul-18	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31
	24-Oct-18	NS	0.31	NS	NS	0.31	U	0.31	U	0.31	U	0.31
	16-Jan-19	0.4	NS	0.39	0.39	NS	0.4	NS	NS	0.44	0.44	NS
	12-Apr-19	NS	0.47	NS	NS	0.44	NS	0.39	0.42	0.45	NS	0.43
	29-Jul-19	0.37	NS	0.44	0.47	NS	0.49	NS	NS	0.46	1.8	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.094	U
	29-Oct-19	NS	0.063	U	NS	0.49	NS	0.46	0.45	0.43 ^D	0.5 ^D	0.44 ^D
	21-Jan-20	0.42	NS	0.40	0.41	NS	0.40	NS	NS	0.43	0.44	NS

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.09	U	NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	0.092	U	
	27-Mar-08	NS		0.052	U	NS	NS	0.092	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	25-Apr-08	NS		NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	0.092	U	
	29-May-08	NS		NS	NS	NS	NS	0.092	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	27-Jun-08	0.207		NS	NS	NS	NS	0.092	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	31-Jul-08	NS		0.092	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Aug-08	NS		NS	NS	NS	NS	0.092	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	NS	NS	
	30-Sep-08	NS		NS	NS	NS	NS	2.3	U	NS	NS	NS	NS	NS	NS	NS	2.3	U	NS	2.3	U	2.3	U	2.3	U
	27-Oct-08	2.3	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	2.3	U	NS	2.3	U	NS	2.3	U	
	25-Nov-08	NS		2.3	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	2.3	U	NS	2.3	U	NS	2.3	U	
	18-Dec-08	NS		NS	NS	NS	NS	2.3	U	NS	NS	NS	NS	NS	NS	NS	2.3	U	NS	2.3	U	NS	2.3	U	
	21-Jan-09	NS		NS	NS	NS	NS	2.3	U	NS	NS	NS	NS	NS	NS	NS	2.3	U	NS	2.3	U	NS	2.3	U	
	25-Feb-09	2.3	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	2.3	U	NS	2.3	U	NS	2.3	U	
	26-Mar-09	NS		0.46	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-09	NS		NS	NS	NS	NS	0.092	U	NS	NS	NS	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	22-Jul-09	0.46	U	NS	18.8	U	0.92	U	NS	NS	0.46	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Oct-09	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	NS	19.2	U	0.092	U	0.092	U	0.092	U	
	15-Jan-10	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.46	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	21-Apr-10	NS		0.092	U	NS	NS	NS	U	NS	NS	0.695	U	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	16-Jul-10	0.092	U	NS	NS	0.092	U	0.212	U	NS	NS	0.129	U	NS	NS	NS	0.106	U	0.106	U	0.106	U	0.106	U	
	15-Oct-10	NS		0.092	U	NS	NS	NS	U	NS	NS	0.092	U	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jan-11	0.92	U	0.092	U	NS	0.92	U	NS	NS	0.46	U	NS	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	28-Feb-11	NS		NS	NS	NS	0.92	U	NS	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	27-Apr-11	NS		0.092	U	NS	NS	NS	U	NS	NS	0.092	U	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jul-11	0.307	U	NS	0.307	U	0.092	U	NS	NS	0.46	U	NS	NS	NS	NS	0.46	U	NS	0.46	U	0.46	U	0.46	U
	28-Oct-11	NS		2.3	U	NS	0.46	U	NS	NS	0.46	U	NS	NS	NS	NS	0.46	U	NS	0.46	U	NS	0.46	U	
	23-Jan-12	0.46	U	NS	0.46	U	0.46	U	NS	NS	0.46	U	NS	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	13-Apr-12	NS		0.46	U	NS	NS	NS	U	NS	NS	0.46	U	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
Chlorobenzene	2-Jul-12 (resample)	NS		NS	NS	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	23-Jun-12	0.46	U	NS	0.46	U	0.46	U	NS	NS	0.46	U	NS	NS	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	1-Nov-12	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	NS	0.16	U	0.092	U	0.092	U	0.092	U	
	1-Feb-13	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-13	NS		0.12	U	NS	NS	NS	U	NS	NS	0.046	U	NS	NS	NS	0.046	U	0.046	U	0.046	U	0.046	U	
	9-Jul-13	0.18		NS	NS	NS	0.14	U	NS	NS	0.15	U	NS	NS	NS	NS	0.15	U	NS	0.092	U	0.092	U	0.092	U
	18-Oct-13	NS		0.092	U	NS	NS	NS	U	NS	NS	0.092	U	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Jan-14	0.092	U	NS	0.092	U	0.092	U	NS	NS	0.092	U	NS	NS	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	24-Apr-14	NS		0.046	U	NS	NS	NS	U	NS	NS	0.046	U	NS	NS	NS	0.046	U	0.046	U	0.046	U	0.046	U	
	1-Aug-14	0.092	U	NS	0.14	U	0.25	U	NS	NS															

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	0.05	U	NS	NS	NS	NS	0.05	U	NS	NS	NS	NS	NS	NS	0.05	U	0.05	U	0.05	U	NS	U	0.053
	27-Mar-08	NS		0.053	U	NS	NS	NS		NS	0.053	U	NS	NS	NS	NS	0.053	U	0.053	U	0.053	U	0.053	U
	25-Apr-08	NS		NS		NS	NS	0.11		NS	NS	NS	NS	NS	NS	0.1		0.07	U	0.05	U	NS	U	0.053
	29-May-08	NS		NS		NS	NS	NS		NS	0.132	NS	NS	NS	NS	NS	NS	0.053	U	0.053	U	0.053	U	0.053
	27-Jun-08	0.082	U	NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	0.053	U	NS	NS	0.053	U	0.053
	31-Jul-08	NS		0.053	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	0.053	U	NS	NS	0.053	U	0.053
	28-Aug-08	NS		NS		NS	NS	0.053	U	NS	NS	NS	NS	NS	NS	0.153	NS	0.053	U	0.075	NS	NS	NS	U
	30-Sep-08	NS		NS		NS	NS	1.3		NS	NS	NS	NS	NS	NS	NS	1.3	U	NS	1.3	U	1.3	U	1.3
	27-Oct-08	1.3	U	NS	NS	NS	NS	NS		NS	1.3	U	NS	NS	NS	NS	1.3	U	NS	1.3	U	1.6	U	1.6
	25-Nov-08	NS		1.3	U	NS	NS	NS		NS	1.3	U	NS	NS	NS	NS	1.3	U	NS	1.3	U	NS	NS	U
	18-Dec-08	NS		NS		NS	NS	1.3	U	NS	NS	NS	NS	NS	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U
	21-Jan-09	NS		NS		NS	NS	1.3	U	NS	NS	NS	NS	NS	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U
	25-Feb-09	1.3	U	NS	NS	NS	NS	NS		NS	1.3	U	NS	NS	NS	NS	1.3	U	NS	1.3	U	NS	NS	U
	26-Mar-09	NS		0.264	U	NS	NS	NS		NS	0.527	U	NS	NS	NS	NS	0.063	NS	0.053	U	NS	0.1212	NS	0.063
	29-Apr-09	NS		NS		NS	NS	0.137		NS	NS	NS	NS	NS	NS	NS	0.053	U	NS	0.053	U	0.053	U	0.053
	22-Jul-09	0.264	U	NS	10.8		U	0.527		NS	0.277		NS	NS	NS	NS	0.053	U	0.061	NS	NS	NS	NS	NS
	9-Oct-09	NS		0.053	U	NS	0.074	0.066		NS	0.058		NS	0.406	11	U	0.053	U	NS	0.053	U	0.053	NS	U
	15-Jan-10	0.053	U	NS	0.074		NS	NS		NS	0.053		NS	NS	NS	NS	0.053	U	0.053	U	0.053	NS	NS	U
	21-Apr-10	NS		0.074		NS	NS	NS		NS	0.264		NS	0.303	0.303	0.303	0.303	0.053	U	NS	0.116	NS	NS	U
	16-Jul-10	0.1		NS		2.55		0.166		NS	0.398		NS	NS	NS	NS	0.053	U	0.087	NS	NS	NS	NS	U
	15-Oct-10	NS		0.053	U	NS	NS	0.082		NS	0.071		NS	0.053	U	0.053	U	NS	0.053	U	0.053	NS	0.053	U
	26-Jan-11	0.527	U	0.053	U	NS	0.077	0.264		NS	0.264		NS	0.264	U	0.264	U	0.264	U	0.264	U	0.264	NS	U
	28-Feb-11	NS		NS		,527	U	NS		NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	U
	27-Apr-11	NS		0.053	U	NS	NS	NS		NS	0.079		NS	0.082	0.053	U	0.053	U	NS	0.053	U	0.053	NS	U
	26-Jul-11	0.176	U	NS	0.176		U	0.116		NS	0.264		NS	NS	NS	NS	0.053	U	0.264	NS	0.264	NS	NS	U
	28-Oct-11	NS		1.3	U	NS	NS	0.26		U	1.3		U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U
	23-Jan-12	0.26	U	NS	0.26		U	0.26		U	0.26		U	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U	0.26
	13-Apr-12	NS		0.26		NS	NS	NS		NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Chloroethane	2-Jul-12 (resample)	NS		NS		NS	NS	0.26		U	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.26	U	NS	0.26		U	0.26		U	0.26		U	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U	0.26
	1-Nov-12	NS		0.053	U	NS	NS	0.085		NS	0.08		NS	0.053	U	0.053	U	NS	0.053	U	0.053	U	0.053	U
	1-Feb-13	0.082		NS	0.053	U	0.11	NS		NS	0.053		U	NS	NS	NS	NS	0.053	U	0.053	U	0.053	NS	U
	29-Apr-13	NS		0.4		NS	NS	0.11		U	NS		NS	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11
	9-Jul-13	0.11		NS		0.12		0.31		NS	0.091		NS	NS	NS	NS	0.11	U	0.053	U	0.053	U	0.053	U
	18-Oct-13	NS		0.053	U	NS	NS	0.11		NS	0.091		NS	0.091	0.053	U	0.053	U	NS	0.053	U	0.053	U	0.053
	9-Jan-14	0.084		NS	0.053	U	0.11	NS		NS	0.053		U	NS	NS	NS	NS	0.053	U	0.053	U	0.053	U	0.053
	24-Apr-14	NS		0.026	U	NS	NS	0.026		U	NS		NS	0.13	0.026	U	0.026	U	NS	0.026	U	0.026	U	0.026
	1-Aug-14	0.23		NS		0.43		0.53		NS	NS		NS	NS	NS	NS	NS	0.059	U	0.053	U	0.053	U	0.053
	27-Aug-14	NS		NS		NS	NS	NS		NS	0.072		NS</											

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	0.1	U	NS	NS		NS		NS	U	NS		NS		NS		0.12		0.12		NS			
	27-Mar-08	NS		0.098	U	NS	NS		NS		NS	0.125		NS		NS		0.453		0.847				
	25-Apr-08	NS		NS		0.231		NS		NS		NS	0.203		NS		0.134		NS		0.265			
	29-May-08	NS		NS		NS		0.14		NS		NS		NS		0.1		0.11		0.14		NS		
	27-Jun-08	0.263		NS		NS		NS		0.623		NS		NS		NS		NS		0.305		0.395		
	31-Jul-08	NS		0.145		NS		NS		NS		NS		NS		NS		0.13		NS		0.124		
	28-Aug-08	NS		NS		0.098	U	NS		0.49	U	NS		NS		1.2		NS		0.331		0.386		NS
	30-Sep-08	NS		NS		NS		NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	
	27-Oct-08	0.49	U	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U	
	25-Nov-08	NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U	NS		
	18-Dec-08	NS		NS		0.24	U	NS		NS		NS		NS		0.24	U	NS		0.24	U	0.24	U	
	21-Jan-09	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		0.24	U	
	25-Feb-09	0.24	U	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		
	26-Mar-09	NS		0.488	U	NS		NS		NS		1.29		NS		NS		NS		0.265		0.2		
	29-Apr-09	NS		NS		0.098	U	NS		NS		NS		0.136		NS		0.098	U	NS		1.34		
	22-Jul-09	0.488	U	NS		19.9	U	0.976		U	NS	0.488	U	NS		NS		0.429		0.22		NS		
	9-Oct-09	NS		0.205		NS		NS		0.263		NS		0.268		20.4	U	0.317		NS		0.312		
	15-Jan-10	0.176		NS		7.22		0.146		NS		0.19		NS		NS		0.098	U	0.185		NS		
	21-Apr-10	NS		0.098	U	NS		NS		0.488	U	NS		0.488		U	0.488	U	0.22		NS		0.2	
	16-Jul-10	0.361		NS		0.098	U	0.215		NS		0.737	U	NS		NS		0.205	U	0.346		NS		
	15-Oct-10	NS		0.171		NS		NS		0.366		NS		0.654		0.117		0.102		NS		0.166		
	26-Jan-11	2.78		0.122		NS		0.161		NS		0.488	U	NS		0.488	U	0.488	U	0.488	U	NS		
	28-Feb-11	NS		NS		0.976	U	NS		NS		NS		NS		NS		NS		NS		NS		
	27-Apr-11	NS		0.136		NS		NS		0.185		NS		0.117		0.273		0.098	U	NS		0.122		
	26-Jul-11	0.326	U	NS		0.326	U	0.239		NS		1.37		NS		NS		0.244		0.488	U	NS		
	28-Oct-11	NS		2.4	U	NS		NS		2.4	U	NS		2.4		U	2.4	U	2.4	U	2.4	U	U	
	23-Jan-12	0.49	U	NS		0.84		0.49		U	NS	0.49	U	NS		0.24	U	0.24	U	NS		0.84		
	13-Apr-12	NS		0.24	U	NS		NS		0.24	U	NS		0.24		U	0.24	U	NS		1.2	U	0.24	U
Chloroform	2-Jul-12 (resample)	NS		NS		0.49	U	NS		0.49	U	NS		0.49	U	NS		0.49	U	0.58		NS		
	23-Jun-12	0.49	U	NS		0.088		NS		0.28		NS		0.12		0.076		0.092		NS		0.17		
	1-Nov-12	NS		0.14		NS		0.46		0.15		NS		0.19		NS		0.11		0.18		NS		
	1-Feb-13	0.14		NS		0.15		NS		0.19		NS		0.13		0.13		0.16		NS		0.41		
	29-Apr-13	NS		0.34		NS		0.63		0.33		NS		0.27		NS		0.24		0.27		NS		
	9-Jul-13	0.098	U	NS		NS		NS		0.29		NS		0.12		0.11		0.11		NS		0.31		
	18-Oct-13	NS		0.12		NS		0.94		0.18		NS		0.27		NS		0.16		0.25		NS		
	24-Apr-14	NS		0.049	U	NS		NS		0.21		NS		0.11		0.049	U	0.16		0.16		0.32		
	1-Aug-14	1.0		NS		2.7/3.6		0.32		NS		NS		NS		NS		2.1		0.55		NS		
	27-Aug-14	NS		NS		NS		NS		NS		0.19		NS		NS		NS		NS		NS		
12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.12		NS		NS		U	
	22-Oct-14	NS		0.073	U	NS		NS		0.24		0.15		0.16		0.073	U	0.073	U	0.098	U	NS		
	20-Jan-15	0.049	U	NS		1.4		0.14		NS		0.29		NS		NS		0.073	U	0.14	U	NS		
	30-Mar-15 (resample)	NS		NS		0.17 ^v		NS		0.21 ^v		NS		0.13		0.071	U	0.17	U	0.17	U	NS		
	22-Apr-15	NS		0.130 ^j		NS		1	U	5	U	NS		0.21										

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3				
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual			
	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	NS		U		
	27-Mar-08	NS		2.67		NS		NS		NS		3.24		NS		NS		NS		2.44	U	2.44	U	2.44	U	
	25-Apr-08	NS		NS		NS		NS		U	NS	NS		NS		2.44	U	2.44	U	2.44	U	NS		U		
	29-May-08	NS		NS		NS		NS		U	NS	NS		NS		NS		2.44	U	2.44	U	NS		U		
	27-Jun-08	3.8	U	NS		NS		NS		U	NS	NS		NS		NS		NS		2.44	U	2.44	U	2.44	U	
	31-Jul-08	NS		4.64		NS		NS		U	NS	NS		NS		NS		NS		2.44	U	2.44	U	2.44	U	
	28-Aug-08	NS		NS		NS		2.44		U	NS	NS		NS		2.44		U	NS	2.44	U	NS		NS		
	30-Sep-08	NS		NS		NS		1		U	NS	NS		NS		NS		1		U	1	U		1	U	
	27-Oct-08	1	U	NS		NS		NS		U	NS	1		NS		NS		NS		1.1	U	NS		3.5		
	25-Nov-08	NS		1		U	NS	NS		U	NS	1		U	NS	NS		1	U	1	U	NS		NS		
	18-Dec-08	NS		NS		1		U	NS		NS	NS		NS		1		U	NS	1.4		1		U		
	21-Jan-09	NS		NS		NS		1		U	NS	NS		NS		3.1		U	1	NS		1		U		
	25-Feb-09	1		NS		NS		NS		U	NS	1		NS		NS		1		U	1.2		NS		NS	
	26-Mar-09	NS		12.2		U	NS	NS		U	NS	24.4		U	NS	NS		NS		4.58		2.44		U		
	29-Apr-09	NS		NS		22.4		NS		U	NS	NS		NS		19.4		NS		2.44	U	NS		2.44	U	
	22-Jul-09	18.5		NS		497		32		U	NS	41.9		NS		NS		NS		2.44	U	6.29		NS		
	9-Oct-09	NS		2.44		U	NS	2.78		U	NS	2.44		U	NS	509		U	2.44	U	2.44	U	NS		U	
	15-Jan-10	2.44		U	NS		NS	2.44		U	NS	2.44		NS		NS		NS		2.44	U	2.44	U	NS		U
	21-Apr-10	NS		3.25		NS		NS		U	NS	12.2		U	NS	12.2		U	12.2		2.44	U	NS		2.44	U
	16-Jul-10	1.32		NS		62.8		1.48		NS	NS	7.79		U	NS	NS		NS		1.03	U	1.03		U	NS	U
	15-Oct-10	NS		1.03		U	NS	1.03		U	NS	1.03		U	NS	1.03		U	1.03		U	1.03		NS		U
	26-Jan-11	10.3	U	1.03		U	NS	10.3		U	NS	5.16		U	NS	5.16		U	5.16		U	5.16		U	NS	NS
	28-Feb-11	NS		NS		1.23		NS		U	NS	1.03		U	NS	1.03		U	1.18		U	1.03		NS		1.29
	27-Apr-11	NS		NS		3.45		U	1.03	U	NS	5.16		U	NS	NS		NS		1.03	U	5.16		U	NS	NS
	26-Jul-11	3.45		U	NS		NS	1.03		U	NS	1		U	NS	1		U	1	U	1		NS		1.2	
	28-Oct-11	NS		1		U	NS	0.21		U	NS	0.21		U	NS	0.21		U	NS	0.21		U	0.21		U	
	23-Jan-12	0.21	U	NS		0.21		U	NS	0.21		U	NS	0.21		U	0.21		U	1.2		U	0.21		NS	
	13-Apr-12	NS		0.21		U	NS	NS		U	NS	0.21		U	NS	0.21		U	0.21		U	1.2		NS		0.97
Chloromethane	2-Jul-12 (resample)	NS		NS		NS		NS		U	NS	NS		NS		NS		NS		NS		NS		1.1		NS
	23-Jun-12	0.21	U	NS		0.21		U	NS	0.21		U	NS	2.1		NS		NS		0.21	U	0.21		U	NS	1.1
	1-Nov-12	NS		0.041		U	NS	NS		U	NS	0.041		U	NS	0.041		U	0.041		U	0.37		NS		1.1
	1-Feb-13	0.5		NS		1.8		2.1		NS	NS	0.19		NS		NS		NS		0.71		0.72		NS		NS
	29-Apr-13	NS		0.21		U	NS	NS		U	NS	0.083		U	NS	0.083		U	0.083		U	0.73		NS		1.2
	9-Jul-13	0.12	U	NS		0.083		U	0.083	U	NS	NS		U	NS	NS		NS		1.0		0.083		U	NS	NS
	18-Oct-13	NS		0.083		U	NS	NS		U	NS	0.083		U	NS	0.083		U	0.40		NS		1.1		NS	
	9-Jan-14	3.2		NS		1.5		0.083		U	NS	0.053		U	NS	0.053		NS		0.64		0.083		U	NS	NS
	24-Apr-14	NS		4.6		NS		NS		U	NS	4.5		NS		3.5		NS		1.2		0.47		1.0		1.0
	1-Aug-14	0.083	U	NS		0.12		U	0.12	U	NS	NS		NS		NS		NS		0.083		0.083		U	NS	NS
	27-Aug-14	NS		NS		NS		NS		U	NS	1.7		NS		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		1.3		NS		U	NS	0.12		U	0.74		U	0.12		1.30		0.74		1.1		NS
	22-Oct-14	NS		NS		NS		NS		U	NS	0.12		U	0.74		U	0.12		0.69 ^v		1.2 ^v		U	NS	NS
	20-Jan-15	0.08																								

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
	Sample Date	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dibromochloromethane	8-Feb-08	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS
	27-Mar-08	NS		0.096	U	NS	NS	NS	0.096	U	NS
	25-Apr-08	NS		NS	0.096	U	NS	NS	0.096	U	NS
	29-May-08	NS		NS	0.1	U	NS	NS	0.096	U	NS
	27-Jun-08	0.15	U	NS	NS	NS	NS	NS	0.1	U	NS
	31-Jul-08	NS		0.096	U	NS	NS	NS	0.096	U	NS
	28-Aug-08	NS		0.096	U	NS	NS	NS	0.096	U	NS
	30-Sep-08	NS		NS	4.2	U	NS	NS	4.2	U	NS
	27-Oct-08	4.2	U	NS	NS	4.2	U	NS	4.2	U	NS
	25-Nov-08	NS		4.2	U	NS	NS	NS	4.2	U	NS
	18-Dec-08	NS		4.2	U	NS	NS	NS	4.2	U	NS
	21-Jan-09	NS		NS	4.2	U	NS	NS	4.2	U	NS
	25-Feb-09	4.2	U	NS	NS	4.2	U	NS	4.2	U	NS
	26-Mar-09	NS		0.48	U	NS	NS	NS	0.096	U	NS
	29-Apr-09	NS		NS	0.096	U	NS	NS	0.096	U	NS
	22-Jul-09	0.48	U	NS	19.6	U	0.96	U	0.48	U	NS
	9-Oct-09	NS		0.096	U	NS	NS	NS	0.096	U	NS
	15-Jan-10	0.096	U	NS	0.096	U	0.096	U	0.096	U	NS
	21-Apr-10	NS		0.096	U	NS	NS	0.48	U	NS	0.096
	16-Jul-10	0.17	U	NS	0.17	U	0.17	U	1.28	U	NS
	15-Oct-10	NS		0.17	U	NS	NS	0.17	U	0.17	U
	26-Jan-11	1.7	U	0.17	U	NS	0.17	U	0.851	U	NS
	28-Feb-11	NS		NS	1.7	U	NS	NS	NS	U	NS
	27-Apr-11	NS		0.17	U	NS	NS	0.17	U	0.17	U
	26-Jul-11	0.568	U	NS	0.568	U	0.17	U	0.852	U	NS
	28-Oct-11	NS		4.3	U	NS	NS	4.3	U	4.3	U
	23-Jan-12	0.85	U	NS	0.85	U	0.85	U	0.85	U	NS
	13-Apr-12	NS		0.85	U	NS	NS	0.85	U	0.85	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.85	U	NS	0.85	U	0.85	U	0.85	U	0.85
	1-Nov-12	NS		0.085	U	NS	NS	0.085	U	0.085	U
	1-Feb-13	0.17	U	NS	0.17	U	0.17	U	0.17	U	0.17
	29-Apr-13	NS		0.21	U	NS	NS	0.085	U	0.085	U
	9-Jul-13	0.26	U	NS	0.17	U	0.17	U	0.17	U	0.17
	18-Oct-13	NS		0.17	U	NS	NS	0.17	U	0.17	U
	9-Jan-14	0.17	U	NS	0.17	U	0.17	U	0.17	U	0.17
	24-Apr-14	NS		0.085	U	NS	NS	0.085	U	0.085	U
	1-Aug-14	0.17	U	NS	0.26	U	0.26	U	NS	U	0.17
	27-Aug-14	NS		NS	NS	NS	NS	0.085	U	NS	NS
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS	U	NS	NS
	22-Oct-14	NS		0.13	U	NS	NS	0.13	U	0.13	U
	20-Jan-15	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	30-Mar-15 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	NS
	22-Apr-15	NS		0.087	U	NS	NS	0.085	U	0.083	U
	21-Jul-15	0.4	U	NS	2	U	8	U	0.5	U	0.4°
	23-Sept-15 resample	NS		NS	NS	NS	NS	NS	NS	U	NS
	29-Oct-15	NS		0.5	U	NS	NS	0.5	U	0.4	U
	4-Dec-15 resample	NS		0.4	U	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	20-Apr-16	NS		0.085	U	NS	NS	0.085	U	0.085	U
	20-Jul-16	0.43	U	NS	0.43	U	0.43	U	0.43	U	0.43
	21-Oct-16	NS		0.085	U	NS	NS	0.085	U	0.085	U
	31-Jan-17	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	17-Apr-17	NS		0.13 v	U	NS	NS	0.13 v	U	0.13 v	U
	26-Jul-17	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	12-Oct-17	NS		0.085	U	NS	NS	0.085	U	0.26	U
	10-Jan-18	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	11-Apr-18	NS		0.17	U	NS	NS	1.7	U	1.7	U
	23-May-18	NS		NS	NS	NS	NS	NS	NS	NS	NS
	27-Jul-18	0.43	U	NS	0.43	U	0.43	U	0.43	U	0.43
	24-Oct-18	NS		0.43	U	NS	NS	0.43	U	0.43	U
	16-Jan-19	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	12-Apr-19	NS		0.085	U	NS	NS	0.085	U	0.11	U
	29-Jul-19	0.13	U	NS	0.13	U	0.085	U	0.12	U	0.11
	26-Sep-19	NS		NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-19	NS		0.085	U	NS	NS	0.085	U	0.085	U
	21-Jan-20	0.09	U	NS	0.09	U	0.09	U	0.09	U	0.09
	22-Apr-20	NS		0.085	U	NS	NS	0.085	U	0.085	U
	23-Jul-20	0.085	U	NS	0.085	U	0.085	U	0.17	U	0.17
	29-Oct-20	NS		0.085	U	NS	NS	0.085	U	0.085	U
	19-Jan-21	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.13 F
	15-Apr-21	NS		0.085	U	NS	NS	0.085	U	0.085	U
	21-Jul-21	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	20-Oct-21	NS		0.085	U	NS	NS	0.085	U	0.085	U
	9-Feb-22	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085
	7-Apr-22	NS		0.085	U	NS	NS	0.085	U	0.085	U
	28-Jul-22	0.085	U	NS	0.085	U	0.085	U	0.085	U	0.085

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual																
	8-Feb-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS			
	27-Mar-08	NS		0.154	U	NS		NS		NS		0.154		U	NS		NS		0.154	U	0.154	U	0.154	U	
	25-Apr-08	NS		NS		NS		NS		0.15	U	NS		NS		0.154		0.15	U	0.15	U	NS			
	29-May-08	NS		NS		NS		NS		0.154	U	NS		NS		NS		0.15	U	0.15	U	NS			
	27-Jun-08	0.239	U	NS		NS		NS		0.154	U	NS		NS		NS		NS		0.154	U	0.154	U		
	31-Jul-08	NS		0.154	U	NS		NS		0.154	U	NS													
	28-Aug-08	NS		NS		0.154	U	NS		0.15	U	NS		NS		0.154		NS		0.154	U	NS			
	30-Sep-08	NS		NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	0.15	U		
	27-Oct-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U		
	25-Nov-08	NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS			
	18-Dec-08	NS		NS		0.15	U	NS		NS		NS		NS		0.15		NS		0.15	U	0.15	U		
	21-Jan-09	NS		NS		NS		0.15	U	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U		
	25-Feb-09	0.15	U	NS		NS		NS		0.15	U	NS		1.54		U	NS	NS		0.154	U	0.154	U		
	26-Mar-09	NS		0.768	U	NS		0.154		U	NS	0.154	U	0.154	U										
	29-Apr-09	NS		NS		0.154	U	NS		0.154	U	NS		0.154	U										
	22-Jul-09	0.768	U	NS		31.3	U	1.54		U	NS	0.768		U	NS	NS		0.154	U	0.154	U	NS			
	9-Oct-09	NS		0.154	U	NS		NS		0.154	U	NS		0.154		U	32	U	0.154	U	NS		0.154	U	
	15-Jan-10	0.154	U	NS		0.154	U	0.154		U	NS	0.154		U	NS	NS		0.154	U	0.154	U	NS			
	21-Apr-10	NS		0.154	U	NS		NS		0.768	U	NS		0.768		U	0.768		0.154	U	NS		0.154	U	
	16-Jul-10	0.154	U	NS		0.154	U	0.154		U	NS	1.16		U	NS	NS		0.154	U	0.154	U	NS			
	15-Oct-10	NS		0.154	U	NS		NS		0.154	U	NS		0.154		U8	0.154	U	0.154	U	NS		0.154	U	
	26-Jan-11	1.54	U	0.154	U	NS		0.154		U	NS	0.768		U	NS	0.768		U	0.768	U	0.768	U	NS		
	28-Feb-11	NS		NS		1.54	U	NS		NS		NS		NS		NS									
	27-Apr-11	NS		0.154	U	NS		NS		0.154	U	NS		0.154		U	0.154	U	0.154	U	NS		0.154	U	
	26-Jul-11	0.512	U	NS		0.512	U	0.154		U	NS	0.768		U	NS	NS		0.154	U	0.154	U	0.768		U	
	28-Oct-11	NS		3.8	U	NS		NS		3.8	U	NS		3.8		U	3.8	U	3.8	U	NS		3.8	U	
	23-Jan-12	0.77	U	NS		0.77	U	0.77		U	NS	0.77		U	NS	0.77		U	0.77	U	0.77	U	NS		
	13-Apr-12	NS		0.38	U	NS		NS		0.38	U	NS		0.38		U	0.38	U	0.38	U	NS		0.38	U	
2-Jul-12 (resample)	NS		NS		0.77	U	NS		0.77	U	NS		0.77		U	NS	NS		0.77	U	0.77	U	NS		
	23-Jun-12	0.77	U	NS		0.077	U	NS		0.077	U	NS		0.077		U	0.077	U	0.077	U	NS		0.077	U	
	1-Nov-12	NS		0.077	U	NS		0.077	U	0.077	U	NS		0.077		U	0.077	U	0.077	U	NS		0.077	U	
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077		U	0.077	U	0.077	U	NS		0.077	U	
	29-Apr-13	NS		0.19	U	NS		NS		0.077	U	NS		0.077		U	0.077	U	0.077	U	NS		0.077	U	
	9-Jul-13	0.12	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077		U	NS		0.077	U	0.077	U	NS		
	18-Oct-13	NS		0.15	U	NS		NS		0.15	U	NS		0.15		U	0.15	U	0.15	U	NS		0.15	U	
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	0.077	U	NS		0.077		U	0.077	U	0.077	U	0.15	U	NS		
	24-Apr-14	NS		0.077	U	NS		NS		0.077	U	NS		0.077		U	0.077	U	0.077	U	0.077	U	0.23	U	
	1-Aug-14	0.15	U	NS		0.23	U	0.23	U	0.077	U	NS		0.077		U	NS		0.15	U	0.15	U	NS		
	27-Aug-14	NS		0.077		U	NS		NS		NS		NS												
1,2-Dibromoethane	12-Sept-14 (resample)	NS		0.12	U	NS		NS		NS															
	22-Oct-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12		U	0.12	U	0.12	U	0.12	U	0.15	U	
	20-Jan-15	0.077	U	NS		0.077	U	0.077	U	0.077															

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
1,2-Dichlorobenzene	8-Feb-08	0.12	U	NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.55	U	0.12	U	0.12	U		
	27-Mar-08	NS		0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U		
	25-Apr-08	NS		NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U		
	29-May-08	NS		NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U		
	27-Jun-08	0.187	U	NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U		
	31-Jul-08	NS		0.12	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U		
	28-Aug-08	NS		NS	NS	NS	NS	0.12	U	NS	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U		
	30-Sep-08	NS		NS	NS	NS	NS	3	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	3	U	3	U	
	27-Oct-08	3	U	NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	3	U	3	U	
	25-Nov-08	NS		3	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	NS	3	U	NS	
	18-Dec-08	NS		NS	NS	NS	NS	3	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	3	U	3	U	
	21-Jan-09	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	3	U	3	U	
	25-Feb-09	3	U	NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	NS	3	U	NS	
	26-Mar-09	NS		0.601	U	NS	NS	NS	U	NS	NS	1.2	U	NS	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	
	29-Apr-09	NS		NS	NS	NS	NS	0.12	U	NS	NS	NS	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	NS	
	22-Jul-09	0.601	U	NS	24	U	1.2	U	NS	0.601	U	NS	25.1	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	9-Oct-09	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	
	15-Jan-10	0.12	U	NS	0.12	U	0.12	U	NS	0.601	U	NS	0.601	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	21-Apr-10	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U
	16-Jul-10	0.12	U	NS	0.12	U	0.12	U	NS	0.907	U	NS	NS	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	15-Oct-10	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	26-Jan-11	1.2	U	0.12	U	NS	1.2	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	0.601	U	NS	NS
	28-Feb-11	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	
	27-Apr-11	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	26-Jul-11	0.401	U	NS	0.401	U	0.12	U	NS	0.601	U	NS	3	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	28-Oct-11	NS		3	U	NS	NS	NS	U	NS	NS	3	U	NS	3	U	NS	3	U	NS	3	U	NS	3	U
	23-Jan-12	0.6	U	NS	0.6	U	0.1	U	NS	0.6	U	0.6	U	NS	0.6	U	0.6	U	0.6	U	0.6	U	0.6	U	
	13-Apr-12	NS		0.6	U	NS	NS	NS	U	NS	NS	0.6	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	
	23-Jun-12	0.6	U	NS	0.6	U	0.6	U	NS	0.6	U	0.6	U	NS	0.6	U	0.6	U	0.6	U	0.6	U	0.6	U	
	1-Nov-12	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	1-Feb-13	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	
	29-Apr-13	NS		0.3	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	9-Jul-13	0.18	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	
	18-Oct-13	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
	9-Jan-14	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	
	24-Apr-14	NS		0.12	U	NS	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS	0.18	U	0.69	U	NS	0.69	U	NS	0.69	U	NS	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
1,3-Dichlorobenzene	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS	
	27-Mar-08	NS		0.12	U	NS		0.6		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		1.18		NS		NS		NS		3.47		0.62		0.22		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.257		NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.822		NS		NS		NS		NS		NS		NS		0.136		NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		NS		0.12	U	0.12	U	NS		3	U
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	NS		NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		NS		3	U	NS		3	U	3	U
	21-Jan-09	NS		NS		NS		NS		NS		NS		NS		3	U	NS		3	U	3	U
	25-Feb-09	3	U	NS		NS		NS		NS		3	U	NS		NS		3	U	NS		NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24.5		U	1.2	U	NS	0.601	U	NS		NS		0.12	U	0.36		NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12		NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U	NS		0.12	U
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.595		NS		0.685		NS		1.99		NS		0.907	U	NS		0.132		0.162		NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		1.2	U	0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.42		NS		0.156		0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	NS		3	U	3	U	3	U
	23-Jan-12	1.6		NS		1.8		NS		2.3		NS		1.6		NS		1.9		2.7		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	2		0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6		U	NS	0.6	U	NS		6		2.2		0.18		NS	
	1-Nov-12	NS		1.2		NS		NS		2.6		NS		NS		NS		NS		0.12		U	
	1-Feb-13	0.18		NS		0.34		0.56		NS		0.44		NS		NS		0.17		0.12		NS	
	29-Apr-13	NS		1.3		NS		NS		4.5		NS		6.5		6		0.12	U	NS		0.14	
	9-Jul-13	1.3		NS		2.0		3.9		NS		3.8		NS		NS		0.12	U	0.12		NS	
	18-Oct-13	NS		0.52		NS		NS		1.4		NS		2.6		2.2		0.16		NS		0.22	
	9-Jan-14	0.58		NS		0.9		1.1		NS		0.84		NS		NS		3.0		4.1		NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.14		NS		0.12	U	0.12	U	0.1	U	0.12	U	0.18	U
	1-Aug-14	4.2		NS		4.8/6.7		4.9/7.6		NS		NS		NS		NS		3.6		5.1/6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.80		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.82		NS		NS		U	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.2	U	0.12	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.13		NS		NS		0.36		NS		1.5		0.78/0.87		0.12	U	NS		0.17	
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.30 ^J		NS		NS		0.3 ^O	U	0.3 ^O	U	NS	
	23-Sept-15 res																						

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual										
	8-Feb-08	1.56	NS	NS	NS	0.26	NS	NS	NS	9.5	7.91	NS
	27-Mar-08	NS	4.33	NS	NS	8.48	NS	NS	NS	6.28	15.1	
	25-Apr-08	NS	NS	0.347	NS	NS	32.3	NS	17.9	NS	16.3	
	29-May-08	NS	NS	NS	5.5	NS	NS	10	9.41	4.18	NS	
	27-Jun-08	47.3	NS	NS	NS	38.1	NS	NS	NS	40.8	57.9	
	31-Jul-08	NS	2.46	NS	NS	NS	NS	NS	1.84	NS	2.04	
	28-Aug-08	NS	NS	234	NS	NS	214	NS	229	208	NS	
	30-Sep-08	NS	NS	NS	7.2	NS	NS	3	NS	6.8	5.6	
	27-Oct-08	3	U	NS	NS	3	U	NS	3	U	3	U
	25-Nov-08	NS	3	U	NS	NS	3	U	NS	3	U	NS
	18-Dec-08	NS	NS	3	U	NS	NS	4.7	NS	NS	10.3	17.1
	21-Jan-09	NS	NS	NS	3	U	NS	NS	3	U	13.9	NS
	25-Feb-09	3	U	NS	NS	3	U	NS	NS	3	U	NS
	26-Mar-09	NS	5.43	NS	*	NS	4.87	NS	NS	NS	20.6	33
	29-Apr-09	NS	NS	1.2	NS	NS	NS	1.91	NS	4.12	NS	4.25
	22-Jul-09	0.601	U	NS	24.5	U	1.2	U	NS	0.348	0.613	NS
	9-Oct-09	NS	3.31	NS	NS	3.44	NS	2.79	25.1	U	6.95	3.82
	15-Jan-10	0.12	NS	1.06	0.715	NS	0.823	NS	NS	2	1.98	NS
	21-Apr-10	NS	0.12	U	NS	0.601	U	NS	0.601	U	3.27	2.84
	16-Jul-10	1.78	NS	2.3	2.86	NS	1.36	NS	NS	1.63	5.05	NS
	15-Oct-10	NS	0.685	NS	NS	1.75	NS	1.37	1.48	NS	NS	2.47
	26-Jan-11	1.2	U	0.12	U	0.12	U	0.601	U	0.601	U	0.601
	28-Feb-11	NS	NS	1.2	U	NS						
	27-Apr-11	NS	0.985	NS	NS	1.08	NS	0.967	1.14	1.07	NS	1.24
	26-Jul-11	5.45	NS	5.21	0.715	NS	5.26	NS	NS	5.54	4.69	NS
	28-Oct-11	NS	3	U	NS	NS	3	U	3	U	3	U
	23-Jan-12	0.6	U	NS	0.6	U	0.6	U	NS	0.6	0.66	NS
	13-Apr-12	NS	0.6	U	NS	NS	NS	NS	NS	NS	0.6	U
1,4-Dichlorobenzene	2-Jul-12 (resample)	NS	3	NS								
	23-Jun-12	0.6	U	NS	0.6	U	0.6	U	NS	0.6	U	0.6
	1-Nov-12	NS	0.12	U	NS	0.12	U	NS	0.12	U	0.12	U
	1-Feb-13	0.12	U	NS	0.12	U	0.4	NS	0.12	U	0.12	U
	29-Apr-13	NS	0.3	U	NS	NS	0.12	U	NS	0.12	U	0.12
	9-Jul-13	0.18	U	NS	0.14	0.16	NS	0.18	NS	0.18	0.22	NS
	18-Oct-13	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	9-Jan-14	0.12	U	NS	0.12	U	0.12	U	NS	0.14	0.12	U
	24-Apr-14	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	U
	1-Aug-14	0.12	U	NS	0.18	U	0.18	U	NS	0.12	U	0.12
	27-Aug-14	NS	NS	NS	NS	NS	0.12	U	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	0.18	U	NS	U						
	22-Oct-14	NS	0.18	U	NS	0.18	U	0.18	U	0.18	U	0.24
	20-Jan-15	0.12	U	NS	0.120	U	0.12	U	NS	0.18	U	0.13
	30-Mar-15 (resample)	NS	0.14	U								
	22-Apr-15	NS	0.12	U	NS	NS	0.12	U	0.12	U	0.12	NS
	21-Jul-15	0.3	U	NS	1	U	6	U	NS	0.3°	U	0.3°
	23-Sept-15 resample	NS										
	29-Oct-15	NS	0.3	U	NS	NS	0.3	U	NS	0.3	U	0.3
	4-Dec-15 resample	NS	0.3	U	NS							
	27-Jan-16	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.13
	20-Apr-16	NS	0.12	U	NS	NS	0.52	NS	0.12	U	0.12	U
	20-Jul-16	0.60	U	NS	0.60	U	0.60	U	NS	0.60	U	0.60
	21-Oct-16	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	31-Jan-17	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12
	17-Apr-17	NS	0.18	U	NS	NS	0.18	U	NS	0.18	U	0.18
	26-Jul-17	0.12	U	NS	1.8	0.12	U	NS	0.12	U	0.12	U
	12-Oct-17	NS	0.12	U	NS	NS	0.12	U	NS	0.36	U	0.3
	10-Jan-18	0.12	U	NS	0.12	U	0.12	U	NS	0.37	U	0.3
	11-Apr-18	NS	0.12	U	NS	NS	1.2	U	NS	0.12	U	0.12
	23-May-18	NS	1.2									
	27-Jul-18	0.60	U	NS	0.60	U	0.60	U	NS	0.60	U	0.60
	24-Oct-18	NS	0.6	U	NS	NS	0.6	U	0.6	U	0.6	U
	16-Jan-19	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12
	12-Apr-19	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.18
	29-Jul-19	0.18	U	NS	0.18	U	0.12	U	NS	0.18	U	0.18
	26-Sep-19	NS	U	NS								
	29-Oct-19	NS	0.12	U	NS	NS	0.29	NS	0.12	U	0.6°	U
	21-Jan-20	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.12
	22-Apr-20	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	NS
	23-Jul-20	0.12	U	NS	0.12	U	0.12	U	NS	0.24	U	0.24
	29-Oct-20	NS	0.12	U	NS	NS	0.12	U	NS	0.12	U	0.12
	19-Jan-21	0.12	U	NS	0.12	U	0.12	U	NS	0.12	U	0.18°
	15-Apr-21	NS	0.12	U	NS	0.12	U	0.12	U	0.12	U	0.12
	21-Jul-21	0.16	NS	0.12	U	0.12	U	0.23				

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Dichlorodifluoromethane	8-Feb-08	2	NS	NS	NS	2.03	NS	NS	NS	1.92	2	NS
	27-Mar-08	NS	2.29	NS	NS	2.15	NS	NS	NS	2.72	2.72	4.14
	25-Apr-08	NS	NS	2.01	NS	NS	NS	2.11	NS	2.04	NS	2.16
	29-May-08	NS	NS	NS	1.63	NS	NS	NS	1.62	1.68	1.66	NS
	27-Jun-08	2.03	NS	NS	NS	2.52	NS	NS	NS	NS	2.27	2.48
	31-Jul-08	NS	1.9	NS	NS	NS	NS	NS	NS	1.81	NS	1.87
	28-Aug-08	NS	NS	3.13	NS	NS	NS	2.8	NS	2.75	2.88	NS
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	NS	2.5	2.7
	27-Oct-08	2.5	U	NS	NS	2.5	U	NS	NS	2.5	U	2.5
	25-Nov-08	NS	215	NS	NS	NS	11.7	NS	NS	2.5	U	U
	18-Dec-08	NS	NS	25	NS	NS	NS	2.5	NS	NS	2.5	2.5
	21-Jan-09	NS	NS	2.5	U	NS	NS	NS	NS	2.5	U	2.5
	25-Feb-09	2.5	U	NS	NS	19.4	NS	NS	NS	2.5	U	NS
	26-Mar-09	NS	2.55	NS	NS	NS	2.48	NS	NS	NS	2.46	2.41
	29-Apr-09	NS	NS	2.41	NS	NS	NS	3.78	NS	2.26	NS	2.4
	22-Jul-09	2.42	NS	2.42	2.72	NS	2.5	NS	NS	2.37	2.48	NS
	9-Oct-09	NS	2.73	NS	NS	2.77	NS	3.67	51.6	U	2.64	NS
	15-Jan-10	2.5	NS	3.57	2.52	NS	2.61	NS	NS	2.29	2.25	NS
	21-Apr-10	NS	0.568	NS	NS	2.2	NS	2.59	2.2	2.64	NS	2.43
	16-Jul-10	3.36	NS	2.61	2.55	NS	2.98	NS	NS	3.15	3.29	NS
	15-Oct-10	NS	3.13	NS	NS	2.67	NS	2.43	2.41	2.46	NS	2.43
	26-Jan-11	2.47	U	2.2	NS	2.64	NS	1.98	NS	2.57	3.31	3.24
	28-Feb-11	NS	NS	2.47	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	2.18	NS	NS	2.27	NS	2.26	2.5	2.32	NS	2.31
	26-Jul-11	2.41	NS	2.29	2.28	NS	2.08	NS	NS	2.44	2.3	NS
	28-Oct-11	NS	2.7	NS	NS	2.7	NS	2.7	2.7	2.9	NS	3.1
	23-Jan-12	2.5	NS	2.6	2.6	NS	2.7	NS	NS	2.6	2.6	NS
	13-Apr-12	NS	2.5	NS	NS	2.9	NS	2.4	3.2	2.5	NS	2.8
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8	NS
	23-Jun-12	2.6	NS	2.3	2.5	NS	2.3	NS	NS	2.3	2.3	NS
	1-Nov-12	NS	1.8	NS	NS	1.8	NS	2	1.9	2	NS	1.9
	1-Feb-13	1.4	NS	1.4	1.5	NS	1.6	NS	NS	1.6	1.6	NS
	29-Apr-13	NS	2.6	NS	NS	2.3	NS	2.2	2.2	2.3	NS	2.3
	9-Jul-13	1	NS	1.1	0.99	NS	1.1	NS	NS	1.0	1.1	NS
	18-Oct-13	NS	2.0	NS	NS	1.9	NS	1.9	2.2	2.0	NS	2.1
	9-Jan-14	1.5	NS	1.2	1.3	NS	1.4	NS	NS	1.5	1.5	NS
	24-Apr-14	NS	2.7	NS	NS	2.6	NS	2.3	2.6	2.7	2.6	3.1
	1-Aug-14	1.1	NS	2.2/1.5	2.3/1.6	NS	NS	NS	NS	1.6	2.2/1.6	NS
	27-Aug-14	NS	NS	NS	NS	2.9/3.3	NS	NS	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	2.3	NS	NS	NS	U
	22-Oct-14	NS	1.3	NS	NS	1.4	1.4	1.4	1.6	1.4	1.4	NS
	20-Jan-15	0.099	U	NS	1.5	1.4	NS	NS	NS	1.4	1.5	NS
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	22-Apr-15	NS	4.0 ^v	NS	NS	4.1 ^v	NS	1.8	1.7/2.0	1.8	NS	2.0
	21-Jul-15	0.88	NS	1.6	5	U	NS	0.91	NS	0.74 ^o	0.72 ^o	NS
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.93	NS	NS	NS	NS
	29-Oct-15	NS	1	NS	NS	0.89	NS	0.88	0.89	0.83	NS	0.84
4-Dec-15 resample	NS	0.91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2 ^M	NS	2 ^M	2.1 ^M	NS	2.1 ^M	NS	NS	2.2 ^M	2.1 ^M	NS
	20-Apr-16	NS	1.5	NS	NS	1.6	NS	1.5	1.7	1.6	NS	1.7
	20-Jul-16	1.4	NS	1.6	1.6	NS	1.6	NS	NS	1.5	1.5	NS
	21-Oct-16	NS	0.55	NS	NS	0.55	NS	0.58	0.56	0.51	NS	0.51
	31-Jan-17	0.75	NS	0.79	0.8	NS	0.75	NS	NS	0.78	0.86	NS
	17-Apr-17	NS	0.84	NS	NS	0.89	NS	0.91	0.96	0.86	NS	0.93
	26-Jul-17	1.8	NS	1.8	1.8	NS	1.7	NS	NS	1.8	1.8	NS
	12-Oct-17	NS	0.82	NS	NS	0.73	NS	1.3	1.2	1.4	NS	1.2
	10-Jan-18	0.66	NS	0.67	0.65	NS	0.63	NS	NS	0.63	NS	0.63
	11-Apr-18	NS	1.2	NS	NS	2.8	NS	2.7	2.7	1.1	NS	2.7
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.6	NS
	27-Jul-18	1.6	NS	1.7	1.6	NS	1.5	NS	NS	1.4	1.6	NS
	24-Oct-18	NS	1.7	NS	NS	1.2	NS	1.1	1.1	1.3	NS	1.2
	16-Jan-19	0.75	NS	0.78	0.75	NS	0.8	NS	NS	0.79	0.99	NS
	12-Apr-19	NS	0.84 ^{LV}	NS	NS	0.83 ^{LV}	NS	0.86 ^{LV}	0.79	0.8	NS	1.1
	29-Jul-19	0.15	U	0.15	U	0.099	U	0.099	U	0.099	U	0.099
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.5	NS
	29-Oct-19	NS	1.5	NS	NS	1.8	NS	1.6	1.5	2.6 ^D	3.4 ^D	2.8 ^D
	21-Jan-20	2.40	NS	2.40	0.10	U	2.60	NS	NS	0.73	2.50	NS
	22-Apr-20	NS	1.2	NS	NS	1.1	NS	1.1	1.1	1.1	NS	1.3
	23-Jul-20	0.099	U	NS	1.1	1.1	NS	0.2	U	NS	2.6	NS
	29-Oct-20	NS	0.099	U	NS	0.099	U	NS	0.099	U	0.099	0.099
	19-Jan-21	0.91	NS	0.99	0.099	U	0.					

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
1,1-Dichloroethane	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	NS		
	27-Mar-08	NS		0.081	U	NS	NS	NS	U	NS	0.081	U	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U		
	25-Apr-08	NS		NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	NS		
	29-May-08	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	NS		
	27-Jun-08	0.126	U	NS	NS	NS	NS	NS	U	NS	0.081	U	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U		
	31-Jul-08	NS		0.081	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U	
	28-Aug-08	NS		NS	NS	NS	NS	0.081	U	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	NS	NS		
	27-Oct-08	NS		NS	NS	NS	NS	2	U	NS	NS	NS	NS	NS	NS	2	U	NS	2	U	2	U	2	U	
	27-Oct-08	2	U	NS	NS	NS	NS	NS	U	NS	2	U	NS	NS	NS	2	U	NS	2	U	2	U	2	U	
	25-Nov-08	NS		2	U	NS	NS	NS	U	NS	NS	2	U	NS	NS	NS	2	U	NS	2	U	NS	NS	NS	
	18-Dec-08	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	2	U	NS	NS	NS	2	U	NS	2	U	2	U	
	21-Jan-09	NS		NS	NS	NS	NS	2	U	NS	NS	NS	NS	2	U	NS	2	U	2	U	NS	2	U	U	
	25-Feb-09	2	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	2	U	2	U	NS	2	U	U	
	26-Mar-09	NS		0.404	U	NS	NS	0.19	U	NS	NS	0.809	U	NS	NS	0.081	U	NS	0.121	U	NS	0.081	U	0.081	U
	29-Apr-09	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.121	U	NS	NS	NS	0.081	U	0.081	U	
	22-Jul-09	0.404	U	NS	16.5	U	0.801	U	NS	0.404	U	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	NS	NS	NS	
	9-Oct-09	NS		0.081	U	NS	NS	0.081	U	NS	0.081	U	NS	NS	16.9	U	0.081	U	0.081	U	NS	0.081	U	U	
	15-Jan-10	0.137	U	NS	0.081	U	NS	0.801	U	NS	0.081	U	NS	NS	NS	0.081	U	0.081	U	0.081	U	NS	NS	NS	
	21-Apr-10	NS		0.081	U	NS	NS	NS	U	NS	0.404	U	NS	NS	0.404	U	0.404	U	0.081	U	NS	0.081	U	U	
	16-Jul-10	0.081	U	NS	2.48	U	0.081	U	NS	0.611	U	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	NS	NS	NS	
	15-Oct-10	NS		0.081	U	NS	NS	NS	U	NS	0.081	U	NS	NS	0.081	U	0.081	U	0.081	U	NS	0.081	U	U	
	26-Jan-11	0.809	U	0.081	U	NS	0.809	U	NS	7.37	U	NS	NS	NS	NS	0.404	U	0.404	U	0.404	U	NS	NS	NS	
	28-Feb-11	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.081	U	NS	NS	NS	U	NS	0.081	U	NS	NS	0.081	U	0.081	U	0.081	U	NS	0.081	U	U	
	26-Jul-11	0.27	U	NS	0.27	U	0.081	U	NS	0.405	U	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	NS	NS	NS	
	28-Oct-11	NS		2	U	NS	0.27	U	NS	2	U	NS	NS	NS	NS	2	U	2	U	2	U	NS	2	U	
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	NS	U	NS	0.2	U	NS	NS	NS	NS	0.2	U	0.2	U	0.2	U	NS	0.2	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1	U	NS	NS
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U
	29-Apr-13	NS		0.2	U	NS	NS	NS	U	NS	0.081	U	NS	NS	0.081	U									
	9-Jul-13	0.061	U	NS	0.040	U	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U
	18-Oct-13	NS		0.081	U	NS	NS	NS	U	NS	0.081	U	NS	NS	0.081	U									
	9-Jan-14	0.081	U	NS	0.081	U	0.081	U	NS	0.081	U	NS	0.081	U	NS	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U
	24-Apr-14	NS		0.04	U	NS	NS	NS	U	NS	0.04	U	NS	NS	0.04	U									
	1-Aug-14	0.081	U	NS	0.280	U	0.120	U	NS	NS	0.040	U	NS	NS	NS	NS	0.04	U	0.081	U	0.081	U	0.081	U	
	27-Aug-14	NS</td																							

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.09	U	0.08	U	NS	NS	0.081	U	0.1
	27-Mar-08	NS		0.081	U	NS	NS	NS		NS	0.143	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.089			
	25-Apr-08	NS		NS	NS	NS	NS	0.09		NS	NS	NS	NS	NS	NS	0.11	U	0.08	U	NS	NS	0.089		U
	29-May-08	NS		NS	NS	NS	NS	0.153		NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U
	27-Jun-08	0.126	U	NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.11	U	0.11	U	0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U
	28-Aug-08	NS		NS	NS	NS	NS	0.171		NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U
	27-Oct-08	NS		NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	NS	U	0.08	U	0.08	U	
	27-Oct-08	0.08	U	NS	NS	NS	NS	0.08		U	NS	NS	NS	NS	NS	NS	0.08	U	NS	U	0.095			
	25-Nov-08	NS		0.08	U	NS	NS	NS		U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	0.08	U
	18-Dec-08	NS		NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	0.08	U
	21-Jan-09	NS		NS	NS	NS	NS	0.08		U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	0.08	U
	25-Feb-09	0.08	U	NS	NS	NS	NS	0.404	U	NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.098	U	0.133	
	26-Mar-09	NS		NS	NS	NS	NS	0.319		U	NS	NS	NS	NS	NS	NS	0.081	U	NS	U	0.089			
	29-Apr-09	NS		NS	NS	NS	NS	0.404	U	NS	NS	NS	NS	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U
	22-Jul-09	0.404	U	NS	NS	16.5	U	0.809		U	NS	0.404	U	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U
	9-Oct-09	NS		0.081	U	NS	NS	0.081		U	NS	0.081	U	NS	NS	16.9	U	0.081	U	NS	U	0.081	U	
	15-Jan-10	0.081	U	NS	NS	0.081	U	0.081		U	NS	0.081	U	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U	
	21-Apr-10	NS		0.081	U	NS	NS	0.404		U	NS	0.404	U	NS	NS	0.404	U	0.081	U	NS	U	0.081	U	
	16-Jul-10	0.101		NS	NS	1.44		0.081	U	NS	0.611	U	NS	NS	NS	0.081	U	0.081	U	0.081	U	0.081	U	
	15-Oct-10	NS		0.081	U	NS	NS	0.081		U	NS	0.081	U	NS	NS	0.081	U	0.081	U	NS	U	0.081	U	
	26-Jan-11	0.809	U	0.081	U	NS	NS	0.081		U	NS	0.404	U	NS	NS	0.404	U	0.404	U	0.404	U	0.404	U	
	28-Feb-11	NS		NS	NS	0.809	U	NS		U	NS	NS	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	
	27-Apr-11	NS		0.081	U	NS	NS	0.081		U	NS	0.081	U	NS	NS	0.081	U	0.081	U	NS	U	0.081	U	
	26-Jul-11	0.27	U	NS	NS	0.27		0.101	U	NS	0.405	U	NS	NS	NS	0.405	U	NS	U	0.081	U	0.405	U	
	28-Oct-11	NS		2	U	NS	NS	2		U	NS	2	U	NS	NS	2	U	2	U	NS	U	2	U	
	23-Jan-12	0.2	U	NS	NS	0.2	U	0.2		U	NS	0.2	U	NS	NS	0.2	U	0.2	U	NS	U	0.2	U	
	13-Apr-12	NS		0.2	U	NS	NS	0.4		U	NS	0.4	U	NS	NS	0.4	U	0.4	U	NS	U	0.2	U	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	0.04	U	NS	0.04	U	NS	NS	NS	0.04	U	0.04	U	NS	U	0.057		
	23-Jun-12	0.4	U	NS	NS	0.4	U	0.4		U	NS	0.4	U	NS	NS	0.4	U	0.4	U	NS	U	0.4	U	
	1-Nov-12	NS		0.04	U	NS	NS	0.04		U	NS	0.04	U	NS	NS	0.04	U	0.04	U	NS	U	0.057		
	1-Feb-13	0.053		NS	NS	0.062		0.062	U	NS	0.05	U	NS	NS	NS	0.066	U	0.049		NS				
	29-Apr-13	NS		0.19		NS	NS	0.06		U	NS	0.04	U	NS	NS	0.079	U	0.079		NS		0.094		
	9-Jul-13	0.12	U	NS	NS	0.081	U	0.081		U	NS	0.081	U	NS	NS	0.092	U	0.081	U	NS	U	0.081	U	
	18-Oct-13	NS		0.081	U	NS	NS	0.040		U	NS	0.040	U	NS	NS	0.081	U	0.081	U	NS	U	0.081	U	
	9-Jan-14	0.081	U	NS	NS	0.040	U	0.040		U	NS	0.040	U	NS	NS	0.081	U	0.081	U	0.040	U	0.040	U	
	24-Apr-14	NS		0.04	U	NS	NS	0.170		U	NS	0.061	U	NS	NS	0.04	U	0.04	U	NS	U	0.073		
	1-Aug-14	0.040	U	NS	NS	0.170		0.061	U	NS	NS	0.040	U	NS	NS	0.04	U	0.04	U	NS	U	0.040	U	
	27-Aug-14	NS		NS	NS	NS	NS	NS		U	NS	NS	U	NS	NS	NS	NS	U	NS	NS	U	NS	NS	
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS		U	NS	0.061</td												

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
1,1-Dichloroethene	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	NS
	27-Mar-08	NS		0.079	U	NS	NS	NS		NS	0.079	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	25-Apr-08	NS		NS		NS	NS	0.079	U	NS	NS	NS	NS	NS	U	0.08	U	0.08	U	NS	NS	0.079	U
	29-May-08	NS		NS		NS	NS	0.08	U	NS	NS	NS	NS	NS	U	0.08	U	0.08	U	NS	NS	0.079	U
	27-Jun-08	0.123	U	NS	NS	NS	NS	0.079	U	NS	NS	NS	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	31-Jul-08	NS		0.079	U	NS	NS	NS		NS	NS	NS	NS	NS	U	0.079	U	NS	0.079	U	NS	0.079	U
	28-Aug-08	NS		NS		NS	NS	0.079	U	NS	NS	NS	NS	NS	U	0.079	U	NS	0.079	U	NS	NS	0.079
	30-Sep-08	NS		NS		NS	NS	2	U	NS	NS	NS	NS	NS	U	2	U	NS	2	U	2	U	2
	27-Oct-08	2	U	NS	NS	NS	NS	NS		2	U	NS	NS	NS	U	2	U	NS	2	U	2	U	2
	25-Nov-08	NS		2	U	NS	NS	NS		NS	2	U	NS	NS	U	2	U	NS	2	U	2	U	NS
	18-Dec-08	NS		NS		NS	NS	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	2	U	2	U	2
	21-Jan-09	NS		NS		NS	NS	NS		2	U	NS	NS	NS	U	2	U	NS	2	U	2	U	2
	25-Feb-09	2	U	NS	NS	NS	NS	NS		NS	2	U	NS	NS	U	2	U	NS	2	U	2	U	2
	26-Mar-09	NS		0.396	U	NS	NS	NS		NS	0.792	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	29-Apr-09	NS		NS		NS	NS	0.079	U	NS	NS	NS	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	22-Jul-09	0.396	U	NS	16.2	U	0.792	U	NS	0.396	U	NS	NS	NS	U	0.079	U	16.5	U	0.079	U	0.079	U
	9-Oct-09	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	15-Jan-10	0.137	U	NS	0.079	U	NS	NS		NS	0.396	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	21-Apr-10	NS		0.079	U	NS	NS	0.206		0.079	U	NS	0.598	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079
	16-Jul-10	0.079	U	NS	NS	NS	NS	0.079	U	NS	0.079	U	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	15-Oct-10	NS		0.079	U	NS	NS	NS		NS	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U	0.079	U	0.079
	26-Jan-11	0.792	U	0.079	U	NS	0.792	U	NS	0.396	U	NS	3.96	U	0.396	U	NS	0.396	U	0.396	U	0.396	U
	28-Feb-11	NS		NS		NS	0.792	U	NS	NS	NS	NS	NS	NS	U	0.079	U	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS		0.079	U	NS	NS	NS		0.079	U	NS	0.079	U	0.079	U	0.079	U	NS	0.079	U	0.079	U
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	NS	0.396	U	NS	NS	NS	U	0.079	U	NS	0.079	U	0.079	U	0.079
	28-Oct-11	NS		2	U	NS	NS	NS		2	U	NS	2	U	2	U	2	U	2	U	2	U	2
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U	0.4
	13-Apr-12	NS		0.2	U	NS	NS	NS		0.2	U	NS	0.2	U	0.2								
	2-Jul-12 (resample)	NS		NS		NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U	0.4
	1-Nov-12	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U								
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	U	0.04
	29-Apr-13	NS		0.099	U	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U								
	9-Jul-13	0.059	U	NS	0.040	U	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	0.040	U	0.040
	18-Oct-13	NS		0.079	U	NS	NS	0.079	U	NS	0.079	U	NS	0.079	U								
	9-Jan-14	0.079	U	NS	0.081	U	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079
	24-Apr-14	NS		0.04	U	NS	NS	0.04	U	NS	0.04	U	NS	0.04	U								
	1-Aug-14	0.079	U	NS	0.120	U	0.420	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U
	12-Sep-14 (resample)	NS		NS		NS	NS	NS		NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	NS	0.040
	22-Oct-14	NS		0.059	U	NS	NS	0.059	U	NS	0.059	U	NS	0.059	U								

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
cis-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	NS
	27-Mar-08	NS		0.079	U	NS	NS	NS		NS	0.079	U	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	U
	25-Apr-08	NS		NS	NS	NS	NS	0.08		NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	0.079
	29-May-08	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	0.08	U	0.08	U	0.08	U	NS	0.079
	27-Jun-08	0.123	U	NS	NS	NS	NS	0.079	U	NS	NS	NS	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079
	31-Jul-08	NS		0.079	U	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079
	28-Aug-08	NS		NS	NS	NS	NS	0.079	U	NS	NS	NS	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	NS
	30-Sep-08	NS		NS	NS	NS	NS	5.9		NS	NS	NS	NS	NS	NS	5.9	U	NS	NS	NS	NS	NS	5.9
	27-Oct-08	2	U	NS	NS	NS	NS	NS		2	U	NS	NS	NS	NS	NS	2	U	NS	NS	2	U	2
	25-Nov-08	NS		2	U	NS	NS	NS		NS	2	U	NS	NS	NS	NS	2	U	NS	NS	2	U	NS
	18-Dec-08	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	2	U	NS	NS	2	U	2
	21-Jan-09	NS		NS	NS	NS	NS	NS		2	U	NS	NS	NS	NS	2	U	NS	NS	2	U	2	
	25-Feb-09	2	U	NS	NS	NS	NS	NS		NS	2	U	NS	NS	NS	NS	2	U	NS	NS	2	U	2
	26-Mar-09	NS		0.396	U	NS	NS	NS		NS	0.792	U	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079
	29-Apr-09	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079
	22-Jul-09	0.396	U	NS	595	NS	0.792	U	NS	NS	0.396	U	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	NS
	9-Oct-09	NS		0.079	U	NS	NS	NS		0.079	U	NS	NS	NS	NS	16.5	U	0.079	U	0.079	U	0.079	U
	15-Jan-10	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	
	21-Apr-10	NS		0.079	U	NS	NS	NS		0.396	U	NS	NS	NS	NS	0.396	U	0.079	U	0.079	U	0.079	
	16-Jul-10	0.079	U	NS	NS	0.079	U	0.079	U	NS	0.598	U	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	
	15-Oct-10	NS		0.079	U	NS	NS	NS		0.079	U	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	
	26-Jan-11	0.792	U	0.079	U	NS	0.792	U	NS	NS	0.396	U	NS	NS	NS	0.396	U	0.396	U	0.396	U	0.396	
	28-Feb-11	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.079	U	NS	NS	NS		0.079	U	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	
	26-Jul-11	0.264	U	NS	0.264	U	0.079	U	NS	0.396	U	NS	NS	NS	NS	0.079	U	0.079	U	0.079	U	0.079	
	28-Oct-11	NS		2	U	NS	NS	NS		2	U	NS	NS	NS	NS	2	U	2	U	2	U	2	
	23-Jan-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.53	
	13-Apr-12	NS		0.2	U	NS	NS	NS		0.2	U	NS	0.2	U	NS	0.2	U	0.2	U	0.2	U	0.2	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	0.99	U	NS	NS	NS	
	23-Jun-12	0.4	U	NS	0.4	U	0.4	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	
	1-Nov-12	NS		0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	U	
	1-Feb-13	0.04	U	NS	0.04	U	0.04	U	NS	0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.04	
	29-Apr-13	NS		0.2	U	NS	NS	NS		0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079	
	9-Jul-13	0.059	U	NS	0.040	U	0.040	U	NS	0.054	U	NS	0.054	U	NS	0.054	U	0.040	U	0.040	U	0.040	
	18-Oct-13	NS		0.079	U	NS	NS	NS		0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079	
	9-Jan-14	0.079	U	NS	0.079	U	0.079	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U	0.079	
	24-Apr-14	NS		0.04	U	NS	NS	NS		0.04	U	NS	0.04	U	NS	0.04	U	0.04	U	0.04	U	0.12	
	1-Aug-14	0.079	U	NS	0.120	U	0.120	U	NS	NS	0.040	U	NS	NS	NS	NS	0.040	U	0.040	U	0.040	U	0.12
	27-Aug-14	NS		NS	NS	NS	NS	NS		NS	0.040	U	NS	NS	NS	NS	0.059	U	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS		NS	NS	NS	NS	NS		NS	0.059	U	NS	NS	NS	NS	0.059	U	0.059	U	0.059	U	0.059
	22-Oct-14	NS		0.059	U	NS	NS	NS		0.059	U	NS	0.059										

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual				
trans-1,2-Dichloroethene*	8-Feb-08	0.08	U	NS	NS	NS	NS	0.08	U	NS	0.079	U	NS	0.079	U	NS	0.08	U	0.08	U	0.079	U	0.079	U			
	27-Mar-08	NS		0.079	U	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	0.079	U	NS	0.079	U	0.079	U	0.079	U		
	25-Apr-08	NS		NS	NS	NS	NS	0.08	U	NS	NS	U	NS	0.08	U	NS	0.08	U	NS	0.08	U	NS	0.079	U	0.079	U	
	29-May-08	NS		NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	0.08	U	NS	0.079	U	0.079	U	0.079	U		
	27-Jun-08	0.123	U	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U		
	31-Jul-08	NS		0.079	U	NS	NS	NS	U	NS	0.079	U	0.079	U	0.079	U											
	28-Aug-08	NS		NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U		
	30-Sep-08	NS		NS	NS	NS	NS	2	U	NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	2	U	
	27-Oct-08	2	U	NS	NS	NS	NS	NS	U	NS	2	U	NS	2	U	2	U										
	25-Nov-08	NS		2	U	NS	NS	NS	U	NS	2	U	NS	2	U	NS	U										
	18-Dec-08	NS		NS	NS	NS	NS	NS	U	NS	2	U	NS	2	U	2	U										
	21-Jan-09	NS		NS	NS	NS	NS	2	U	NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	2	U	
	25-Feb-09	2	U	NS	NS	NS	NS	NS	U	NS	2	U	NS	2	U	2	U										
	26-Mar-09	NS		0.396	U	NS	NS	NS	U	NS	NS	U	NS	0.792	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	29-Apr-09	NS		NS	NS	NS	NS	0.079	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	22-Jul-09	0.396	U	NS	NS	NS	NS	0.396	U	NS	NS	U	NS	0.396	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	9-Oct-09	NS		0.079	U	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	16.5	U	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Jan-10	0.079		NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS	NS	U	0.079	U	0.079	U	0.079	U	0.079	U	
	21-Apr-10	NS		0.079	U	NS	NS	NS	U	NS	NS	U	NS	0.396	U	NS	3.96	U	0.396	U	0.079	U	0.079	U	0.079	U	
	16-Jul-10	0.079	U	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.598	U	NS	NS	U	0.079	U	0.079	U	0.079	U	0.079	U	
	15-Oct-10	NS		0.079	U	NS	NS	NS	U	NS	NS	U	NS	0.079	U	NS	0.079	U									
	26-Jan-11	0.792	U	0.079	U	NS	NS	0.792	U	NS	NS	U	NS	0.36	U	NS	0.396	U									
	28-Feb-11	NS		NS	NS	NS	NS	0.792	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	NS	U	NS	U	
	27-Apr-11	NS		0.079	U	NS	NS	NS	U	NS	NS	U	NS	0.079	U	NS	0.079	U									
	26-Jul-11	0.264	U	NS	NS	NS	NS	0.264	U	NS	NS	U	NS	0.396	U	NS	NS	U	NS	0.079	U	0.079	U	0.079	U	0.079	U
	28-Oct-11	NS		2	U	NS	NS	NS	U	NS	NS	U	NS	2	U	NS	2	U	NS	2	U	NS	2	U	2	U	
	23-Jan-12	0.4	U	NS	NS	NS	NS	0.4	U	NS	NS	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U
	13-Apr-12	NS		0.2	U	NS	NS	NS	U	NS	NS	U	NS	0.2	U	NS	0.2	U	NS	0.2	U	0.2	U	0.2	U	0.2	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	U	NS	0.99	U	NS	NS	NS	U	NS	U									
	23-Jun-12	0.4	U	NS	NS	NS	NS	0.4	U	NS	NS	U	NS	0.4	U	NS	0.4	U	NS	0.4	U	0.4	U	0.4	U	0.4	U
	1-Nov-12	NS		0.04	U	NS	NS	0.04	U	NS	NS	U	NS	0.04	U	NS	0.04	U									
	1-Feb-13	0.04	U	NS	NS	NS	NS	0.04	U	NS	NS	U	NS	0.04	U	NS	0.04	U									
	29-Apr-13	NS		0.099	U	NS	NS	NS	U	NS	NS	U	NS	0.04	U	NS	0.04	U									
	9-Jul-13	0.059	U	NS	NS	NS	NS	0.040	U	NS	NS	U	NS	0.040	U	NS	0.040	U	NS	0.040	U	0.040	U	0.040	U	0.040	U
	18-Oct-13	NS		0.079	U	NS	NS	NS	U	NS	NS	U	NS	0.079	U	NS	0.079	U									
	9-Jan-14	0.079	U	NS	NS	NS	NS	0.079	U	NS	NS	U	NS	0.079	U	NS											

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,2-Dichloropropane	8-Feb-08	0.09	U	NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	NS	
	27-Mar-08	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	25-Apr-08	NS		NS	NS	NS	NS	0.09	U	NS	NS	0.092	U	NS	NS	0.09	U	0.09	U	0.09	U	0.092	U	
	29-May-08	NS		NS	NS	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	27-Jun-08	0.144	U	NS	NS	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	31-Jul-08	NS		0.092	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	28-Aug-08	NS		NS	NS	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	NS	NS	
	30-Sep-08	NS		NS	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	27-Oct-08	0.09	U	NS	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	25-Nov-08	NS		0.09	U	NS	NS	NS	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U	0.09	U	NS	NS	
	18-Dec-08	NS		NS	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	21-Jan-09	NS		NS	NS	NS	NS	0.09	U	NS	NS	0.09	U	NS	NS	0.09	U	0.09	U	0.09	U	0.09	U	
	25-Feb-09	0.09	U	NS	NS	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.09	U	0.09	U	0.09	U	NS	NS	
	26-Mar-09	NS		0.462	U	NS	NS	NS	U	NS	NS	0.924	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-09	NS		NS	NS	NS	NS	0.092	U	NS	NS	NS	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	22-Jul-09	0.462	U	NS	18.8	U	0.924	U	NS	NS	0.462	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	NS	NS
	9-Oct-09	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Jan-10	0.092	U	NS	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	21-Apr-10	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.462	U	NS	NS	0.462	U	0.462	U	0.462	U	0.462	U	
	16-Jul-10	0.092	U	NS	0.092	U	NS	0.092	U	NS	NS	0.698	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	15-Oct-10	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jan-11	0.924	U	0.092	U	NS	0.924	U	NS	NS	0.462	U	NS	NS	0.462	U	0.462	U	0.462	U	0.462	U	NS	NS
	28-Feb-11	NS		NS	NS	NS	NS	0.924	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	NS	NS
	27-Apr-11	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	26-Jul-11	0.308	U	NS	0.308	U	0.092	U	NS	NS	0.462	U	NS	NS	0.462	U	0.462	U	0.462	U	0.462	U	NS	NS
	28-Oct-11	NS		2.3	U	NS	2.3	U	NS	NS	2.3	U	NS	NS	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U
	23-Jan-12	0.23	U	NS	0.23	U	0.23	U	NS	NS	0.23	U	NS	NS	0.23	U	0.23	U	0.23	U	0.23	U	0.23	U
	13-Apr-12	NS		0.46	U	NS	NS	0.46	U	NS	NS	0.46	U	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	0.46	U	NS	NS	0.46	U	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	23-Jun-12	0.46	U	NS	0.46	U	NS	0.46	U	NS	NS	0.46	U	NS	NS	0.46	U	0.46	U	0.46	U	0.46	U	
	1-Nov-12	NS		0.046	U	NS	0.046	U	NS	NS	0.046	U	NS	NS	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U
	1-Feb-13	0.092	U	NS	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	29-Apr-13	NS		0.12	U	NS	NS	0.046	U	NS	NS	0.046	U	NS	NS	0.046	U	0.046	U	0.046	U	0.046	U	
	9-Jul-13	0.14	U	NS	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	18-Oct-13	NS		0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	9-Jan-14	0.092	U	NS	0.092	U	NS	0.092	U	NS	NS	0.092	U	NS	NS	0.092	U	0.092	U	0.092	U	0.092	U	
	24-Apr-14	NS		0.046 ^{L,V}	U	NS	0.046 ^{L,V}	U	NS	NS	0.046 ^{L,V}	U	NS	NS	0.046 ^{L,V}	U	0.14 ^{L,V}	U						
	1-Aug-14	0.092	U	NS	0.14	U	0.14	U	NS	NS	0.14	U	NS	NS	0.									

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
cis-1,3-Dichloropropene	8-Feb-08	0.09	U	NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	NS	
	27-Mar-08	NS		0.091	U	NS	NS	NS	U	NS	0.091	U	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	25-Apr-08	NS		NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	0.091	U
	29-May-08	NS		NS	NS	NS	NS	0.09	U	NS	NS	NS	NS	NS	NS	0.09	U	0.09	U	0.09	U	NS	NS	
	27-Jun-08	0.141	U	NS	NS	NS	NS	0.091	U	NS	NS	NS	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	28-Aug-08	NS		NS	NS	NS	NS	0.18	U	NS	NS	NS	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	27-Oct-08	NS		NS	NS	NS	NS	0.18	U	NS	NS	NS	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	27-Oct-08	0.18	U	NS	NS	NS	NS	0.18	U	NS	NS	NS	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	25-Nov-08	NS		0.18	U	NS	NS	NS	U	NS	0.18	U	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	18-Dec-08	NS		NS	NS	NS	NS	0.18	U	NS	NS	NS	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	21-Jan-09	NS		NS	NS	NS	NS	0.18	U	NS	NS	NS	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	25-Feb-09	0.18	U	NS	NS	NS	NS	0.18	U	NS	NS	NS	NS	NS	NS	NS	0.18	U	0.18	U	0.18	U	0.18	U
	26-Mar-09	NS		0.453	U	NS	NS	NS	U	NS	0.907	U	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.91	U
	29-Apr-09	NS		NS	NS	NS	NS	0.091	U	NS	NS	NS	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	22-Jul-09	0.453	U	NS	18.5	U	0.907	U	NS	0.453	U	NS	0.091	U	18.9	U	0.091	U	0.091	U	0.091	U	0.091	U
	9-Oct-09	NS		0.091	U	NS	NS	0.091	U	NS	0.091	U	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	15-Jan-10	0.091	U	NS	0.091	U	0.091	U	NS	0.453	U	NS	0.453	U	0.453	U	0.091	U	0.091	U	0.091	U	0.091	U
	21-Apr-10	NS		0.091	U	NS	NS	NS	U	NS	0.685	U	NS	NS	NS	NS	0.091	U	0.091	U	0.091	U	0.091	U
	16-Jul-10	0.091	U	NS	0.091	U	0.091	U	NS	0.091	U	NS	0.091	U	0.091	U								
	15-Oct-10	NS		0.091	U	NS	NS	NS	U	NS	0.091	U	NS	0.091	U									
	26-Jan-11	0.907	U	0.091	U	NS	0.907	U	NS	0.453	U	NS	0.453	U	0.453	U								
	28-Feb-11	NS		NS	NS	NS	NS	0.907	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.091	U	NS	NS	NS	U	NS	0.091	U	NS	0.091	U									
	26-Jul-11	0.303	U	NS	0.303	U	0.091	U	NS	0.454	U	NS	0.454	U	NS	0.454	U	NS	0.454	U	NS	0.454	U	
	28-Oct-11	NS		2.3	U	NS	0.303	U	NS	2.3	U	NS	2.3	U	NS	2.3	U	NS	2.3	U	NS	2.3	U	
	23-Jan-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U	NS	0.45	U	NS	0.45	U	NS	0.45	U	NS	0.45	U	
	13-Apr-12	NS		0.2	U	NS	NS	NS	U	NS	0.23	U	NS	0.23	U	NS	0.23	U	NS	0.23	U	NS	0.23	U
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	23-Jun-12	0.45	U	NS	0.45	U	0.45	U	NS	0.45	U	NS	0.45	U	NS	0.45	U	NS	0.45	U	NS	0.45	U	
	1-Nov-12	NS		0.045	U	NS	NS	NS	U	NS	0.045	U	NS	0.045	U									
	1-Feb-13	0.045	U	NS	0.045	U	0.045	U	NS	0.045	U	NS	0.045	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	29-Apr-13	NS		0.11	U	NS	NS	NS	U	NS	0.045	U	NS	0.045	U									
	9-Jul-13	0.068	U	NS	0.045	U	0.045	U	NS	0.045	U	NS	0.045	U	NS	0.045	U	0.045	U	0.045	U	0.045	U	
	18-Oct-13	NS		0.091	U	NS	NS	NS	U	NS	0.091	U	NS	0.091	U									
	9-Jan-14	0.091	U	NS	0.091	U	0.091	U	NS	0.091	U	NS	0.091	U	NS	0.091	U	0.091	U	0.091	U	0.091	U	
	24-Apr-14	NS		0.045	U	NS	NS	NS	U	NS	0.045	U	NS	0.045	U									
	1-Aug-14	0.091	U	NS	0.091	U	0.14	U	NS	0.14	U	NS	0.14	U										

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS	U	0.091		U	NS		NS		NS	0.091	U	0.091		U	
	25-Apr-08	NS		NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		0.091	
	29-May-08	NS		NS		NS		NS		0.091	U	NS		NS		NS		NS	0.091	U	0.091	U	NS		
	27-Jun-08	0.141	U	NS		NS		NS		NS	U	0.091		U	NS		NS		NS	0.091	U	0.091	U	NS	
	31-Jul-08	NS		0.091	U	NS		NS		NS	U	NS		NS		NS		NS	0.091	U	NS		0.091	U	
	28-Aug-08	NS		NS		NS		NS		0.18	U	NS		NS		NS		0.091	U	NS		0.091	U	NS	
	30-Sep-08	NS		NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	0.18		U	
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	0.18		U	
	25-Nov-08	NS		0.18	U	NS		NS		NS	U	0.18		U	NS		NS		0.18	U	0.18	U	NS		
	18-Dec-08	NS		NS		0.18	U	NS		NS	U	NS		NS		NS		0.18	U	0.18	U	0.18		U	
	21-Jan-09	NS		NS		NS		0.18	U	NS	U	0.18		U	NS		NS		0.18	U	0.18	U	0.18		U
	25-Feb-09	0.18	U	NS		NS		NS		NS	U	0.18		U	NS		NS		0.18	U	0.18	U	NS		
	26-Mar-09	NS		0.453	U	NS		NS		NS	U	0.907		U	NS		NS		0.091	U	NS		0.091		U
	29-Apr-09	NS		NS		0.091	U	NS		NS	U	NS		NS		NS		0.091	U	NS		0.091		U	
	22-Jul-09	0.453	U	NS		0.453	U	0.907		U	NS	0.453		U	NS		NS		0.091	U	0.091	U	NS		
	9-Oct-09	NS		0.079	U	NS		NS		0.091	U	NS		0.091		U	18.9		U	0.091	U	NS		0.091	
	15-Jan-10	0.091		NS		0.091	U	0.091		NS	U	0.091		U	NS		NS		0.091	U	0.091	U	NS		
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453		U	0.453		U	0.091	U	NS		0.091	
	16-Jul-10	0.091	U	NS		0.091	U	0.091		U	NS	0.685		U	NS		NS		0.091	U	0.091	U	NS		
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091		U	0.091		U	0.091	U	NS		0.091	
	26-Jan-11	0.907	U	0.091	U	NS		0.907		U	NS	0.453		U	NS		NS		0.453	U	0.453	U	NS		
	28-Feb-11	NS		NS		NS		NS		NS	U	NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091		U	0.091		U	0.091	U	NS		0.091	
	26-Jul-11	0.303	U	NS		0.303	U	0.091		U	NS	0.454		U	NS		NS		0.091	U	0.454	U	NS		
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3		U	2.3		U	2.3	U	2.3		U	
	23-Jan-12	0.45	U	NS		0.45	U	0.45		U	NS	0.45		U	NS		NS		0.45	U	0.45	U	NS		
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23		U	0.23		U	0.23	U	0.23		U	
	2-Jul-12 (resample)	NS		NS		0.45	U	0.45		U	NS	0.45		U	NS		NS		0.45	U	0.45	U	NS		
	23-Jun-12	0.45	U	NS		0.45	U	0.45		U	NS	0.45		U	NS		NS		0.45	U	0.45	U	0.45		
	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045		U	0.045		U	0.045	U	0.045		U	
	1-Feb-13	0.045	U	NS		0.045	U	0.045		U	NS	0.045		U	NS		NS		0.045	U	0.045	U	NS		
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045		U	0.045		U	0.045	U	0.045		U	
	9-Jul-13	0.068	U	NS		0.045	U	0.045		U	NS	0.045		U	NS		NS		0.045	U	0.045	U	NS		
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091		U	0.091		U	0.091	U	0.091		U	
	9-Jan-14	0.091	U	NS		0.091	U	0.091		U	NS	0.091		U	NS		NS		0.091	U	0.091	U	NS		
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045		U	0.045		U	0.045	U	0.045		U	
	1-Aug-14	0.091	U	NS		0.14	U	0.14		U	NS	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS	U	NS		0.045		U	NS		NS		NS		NS		
	12-Sept-14 (resample)	NS		NS		NS		NS		NS	U	NS		NS		NS		0.068	U	NS		NS		U	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	NS		0.068		U	0.068		U	0.068	U	0.068		U	
	20-Jan-15	0.045	U	NS		0.045	U	0.045</																	

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
Ethylbenzene	8-Feb-08	0.21	NS	0.295	NS	NS	0.23	NS	NS	0.33	4.89	NS
	27-Mar-08	NS	NS	0.291	NS	NS	0.157	NS	NS	NS	0.645	0.372
	25-Apr-08	NS	NS	NS	NS	NS	0.32	NS	NS	NS	0.565	
	29-May-08	NS	NS	NS	1.49	NS	NS	NS	2.2	2.82	1.01	NS
	27-Jun-08	4.34	NS	NS	NS	0.472	NS	NS	NS	NS	0.606	0.699
	31-Jul-08	NS	*	NS	NS	NS	NS	NS	NS	0.758	NS	0.577
	28-Aug-08	NS	NS	0.83	NS	NS	NS	0.482	NS	0.711	0.666	NS
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U
	27-Oct-08	18.4	NS	NS	NS	2.2	U	NS	NS	NS	2.2	U
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	2.3	2.2	U
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U
	25-Feb-09	10.8	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS
	26-Mar-09	NS	0.516	NS	NS	NS	0.868	U	NS	NS	0.845	1.18
	29-Apr-09	NS	NS	0.19	NS	NS	NS	0.191	NS	NS	0.304	0.325
	22-Jul-09	11.7	NS	11.7	0.868	U	NS	1.15	NS	NS	38.2	NS
	9-Oct-09	NS	0.564	NS	NS	0.56	NS	0.291	18.1	U	0.542	0.542
	15-Jan-10	6.95	NS	0.568	0.542	NS	0.659	NS	NS	0.712	0.72	NS
	21-Apr-10	NS	0.304	NS	NS	1.34	NS	1.8	1.76	2.12	NS	1.56
	16-Jul-10	8.23	NS	2.4	1.8	NS	1.44	NS	NS	1.51	1.42	NS
	15-Oct-10	NS	0.534	NS	NS	0.625	NS	0.521	0.573	1.07	NS	0.833
	26-Jan-11	1.26	1.62	NS	1.66	NS	1.26	NS	1.21	4.14	4.68	NS
	28-Feb-11	NS	NS	0.868	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.243	NS	NS	0.239	NS	0.286	3.86	0.364	NS	0.508
	26-Jul-11	3.91	NS	0.942	0.339	NS	0.434	U	NS	0.304	0.434	U
	28-Oct-11	NS	2.2	U	NS	2.2	U	NS	2.2	U	3.8	NS
	23-Jan-12	3	NS	0.79	0.56	NS	0.82	NS	NS	1.7	12	NS
	13-Apr-12	NS	0.43	U	NS	0.43	U	NS	0.43	U	1.5	0.43
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	U
	23-Jun-12	5.1	NS	0.53	0.43	U	NS	0.47	NS	NS	0.76	NS
	1-Nov-12	NS	0.55	NS	NS	0.57	NS	0.8	0.75	0.87	NS	1.3
	1-Feb-13	1.3	NS	0.18	0.15	NS	0.23	NS	NS	0.54	0.52	NS
	29-Apr-13	NS	0.33	NS	NS	0.39	NS	0.37	0.49	0.63	NS	0.8
	9-Jul-13	5.1	NS	0.087	U	0.68	NS	0.59	NS	NS	1.1	1.0
	18-Oct-13	NS	1.7	NS	NS	1.9	NS	2.0	2.6	1.5	NS	1.9
	9-Jan-14	2.7	NS	2.0	2.6	NS	2.8	NS	NS	6.2	5.5	NS
	24-Apr-14	NS	0.087	U	NS	0.087	U	NS	0.087	U	0.092	0.087
	1-Aug-14	1.7	NS	0.84	0.65	NS	NS	NS	NS	NS	0.45	0.85
	27-Aug-14	NS	NS	NS	NS	NS	0.96	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.79	NS	NS	U
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.13	U	0.13	0.27	NS
	20-Jan-15	0.400	NS	0.087	U	0.096	NS	0.087	NS	NS	0.24	0.29
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	22-Apr-15	NS	0.22	NS	NS	0.12	NS	0.26	0.21/0.24	0.44	NS	0.53
	21-Jul-15	0.54	NS	0.590 ^j	4	U	NS	0.56	NS	NS	0.65 ^o	0.90 ^o
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.41	NS	NS	NS
	29-Oct-15	NS	0.2	U	NS	NS	0.14 ^j	NS	0.22 ^j	0.28	0.27	NS
	4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.63	NS	0.087	0.12	NS	0.12	NS	NS	0.51	0.54	NS
	20-Apr-16	NS	0.3	NS	NS	0.39	NS	0.56	0.34	0.71	NS	0.61
	20-Jul-16	5.8	NS	0.75	0.43	U	NS	0.5	NS	2.7	1.1	NS
	21-Oct-16	NS	0.14	NS	NS	0.35	NS	0.24	0.62	1.2	NS	0.52
	31-Jan-17	0.56	NS	0.16	0.17	NS	0.14	NS	NS	0.86	0.61	NS
	17-Apr-17	NS	0.13	U	NS	0.13	U	0.13	U	0.13	0.17	0.17
	26-Jul-17	0.53	NS	0.27	0.21	NS	0.38	NS	NS	0.4	0.35	NS
	12-Oct-17	NS	0.16	NS	NS	0.2	NS	0.26	U	0.36	0.32	NS
	10-Jan-18	0.5	NS	0.11	0.22	NS	0.19	NS	NS	0.94	0.4	0.4
	11-Apr-18	NS	0.13	NS	NS	0.87	U	NS	0.87	U	0.37	0.87
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.19	NS
	27-Jul-18	0.43	U	0.43	U	0.43	U	0.43	U	0.43	0.43	U
	24-Oct-18	NS	0.43	U	NS	0.43	U	0.7	0.43	U	0.49	U
	16-Jan-19	0.51	NS	0.087	U	0.11	NS	0.13	NS	NS	0.26	0.31
	12-Apr-19	NS	0.1	NS	NS	0.11	NS	0.11	U	0.2	0.19	0.37
	29-Jul-19	3.6	NS	3.7	4.6	NS	5.5	NS	NS	2.4	3.3	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	29-Oct-19	NS	0.64	NS	NS	0.48	NS	0.2	0.66	1.1 ^D	1.6 ^D	0.97 ^D
	21-Jan-20	0.24	NS	0.30	0.27	NS	0.19	NS	NS	0.92	1.10	NS
	22-Apr-20	NS	0.087	U	NS	0.087	U	NS	0.087	U	0.29	NS
	23-Jul-20	0.92	NS	0.29	0.27	NS	0.4	NS	NS	0.71	1.3	NS
	29-Oct-20	NS	0.19	NS	NS	0.2	NS	0.16	0.27	0.43	NS	0.68</td

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual																
	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS		U	
	27-Mar-08	NS		2.46	U	NS		NS		2.46	U	2.46	U	2.46	U										
	25-Apr-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS		2.46	U
	27-Jun-08	3.83	U	NS		NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		2.46	U	2.46	U	2.46	U										
	28-Aug-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS		4.9	U
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		NS		4.9	U	NS		4.9	U	4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U	4.9	U
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U
	26-Mar-09	NS		12.3	U	NS		NS		2.46	U	NS		NS		24.6	U	NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		2.46	U	NS		2.46	U	2.46	U														
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		3.78		2.46	U	2.46	U	NS		2.46	U
	9-Oct-09	NS		2.74	U	NS		NS		2.46	U	NS		NS		513	U	2.46	U	2.46	U	NS		2.46	U
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		NS		2.46	U	2.46	U	NS		2.46	U
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	12.3	U	2.46	U	2.46	U	NS		2.46	U
	16-Jul-10	2.46	U	NS		2.66		2.46	U	NS		18.5	U	NS		NS		2.46	U	2.46	U	NS		2.46	U
	15-Oct-10	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		24.6	U	NS		2.46	U	NS		12.3	U	12.3	U	12.3	U	NS		12.3	U
	28-Feb-11	NS		NS		NS		NS		NS															
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jul-11	8.21	U	NS		8.21	U	2.46	U	NS		12.3	U	NS		6.2	U	6.2	U	6.2	U	12.3	U	NS	
	28-Oct-11	NS		6.2	U	6.2	U	6.2	U	6.2	U	6.2	U												
	23-Jan-12	1.2	U	NS		1.2	U	0.25	U	NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	1.2	U	1.2	U
	13-Apr-12	NS		1.2	U	NS		NS		NS		1.2	U	NS		NS		NS		NS		NS		1.2	U
Isopropylbenzene	2-Jul-12 (resample)	NS		NS		NS		6.2	U	NS															
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	1.2	U	1.2	U
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	0.25	U	0.25	U
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	0.25	U	0.25	U
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.27	U	0.25	U	0.25	U	0.25	U	0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.53	U	0.49	U	0.49	U	0.49	U
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
	1-Aug-14	0.25		NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	0.25	U	0.25	U
	27-Aug-14	NS		NS		NS		NS		NS															
	12-Sep-14 (resample)	NS		0.37	U	NS		NS		U															
	22-Oct-																								

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
p-Isopropyltoluene	8-Feb-08	2.74	U	NS	NS	NS	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U		
	27-Mar-08	NS		2.74	U	NS	1.2	NS	NS	NS	NS	2.74	U	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U		
	25-Apr-08	NS		NS	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U			
	29-May-08			NS	NS	NS	2.74	U	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U			
	27-Jun-08	4.27	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U		
	31-Jul-08	NS		2.74	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U		
	28-Aug-08	NS		NS	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	NS	NS		
	30-Sep-08	NS		NS	NS	NS	5.5	U	NS	NS	NS	NS	NS	NS	5.5	U	NS	5.5	U	5.5	U	5.5	U		
	27-Oct-08	12.5		NS	NS	NS	NS	5.5	U	NS	NS	NS	NS	NS	18.5	U	NS	NS	5.5	U	5.5	U	5.5	U	
	25-Nov-08	NS		5.5	U	NS	NS	NS	NS	5.5	U	NS	NS	NS	5.5	U	5.5	U	5.5	U	5.5	U	5.5	U	
p-Isopropyltoluene	18-Dec-08	NS		NS	NS	5.5	U	NS	NS	NS	NS	NS	5.5	U	NS	NS	5.5	U	5.5	U	5.5	U	5.5	U	
	21-Jan-09	NS		NS	NS	5.5	U	NS	NS	NS	NS	NS	5.5	U	5.5	U	5.5	U	5.5	U	5.5	U	5.5	U	
	25-Feb-09	5.5	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	5.5	U	5.5	U	5.5	U	5.5	U	5.5	U	
	26-Mar-09	NS		13.7	U	NS	NS	NS	NS	27.4	U	NS	NS	NS	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	29-Apr-09	NS		NS	NS	2.74	U	NS	NS	NS	NS	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	22-Jul-09	13.7	U	NS	13.7	U	27.4	U	NS	13.7	U	NS	13.7	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	9-Oct-09	NS		2.74	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	573	U	2.74	U	NS	NS	2.74	U	2.74	U
	15-Jan-10	2.72	U	NS	2.74	U	2.74	U	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	21-Apr-10	NS		2.74	U	NS	NS	2.74	U	NS	13.7	U	NS	13.7	U	13.7	U	2.74	U	NS	NS	2.74	U	2.74	U
	16-Jul-10	2.74	U	NS	2.74	U	2.74	U	NS	2.74	U	NS	20.7	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
p-Isopropyltoluene	15-Oct-10	NS		2.74	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	26-Jan-11	27.4	U	2.74	U	NS	27.4	U	NS	13.7	U	NS	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	13.7	U	
	28-Feb-11	NS		NS	NS	27.4	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		2.74	U	NS	NS	2.74	U	NS	2.74	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	26-Jul-11	9.17	U	NS	9.17	U	2.74	U	NS	13.7	U	NS	13.7	U	NS	2.74	U	2.74	U	2.74	U	2.74	U	2.74	U
	28-Oct-11	NS		6.3	U	NS	9.17	U	6.3	U	NS	6.3	U	NS	6.3	U	6.3	U	6.3	U	6.3	U	6.3	U	
	23-Jan-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	
	13-Apr-12	NS		1.3	U	NS	NS	1.3	U	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U		
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	23-Jun-12	1.3	U	NS	1.3	U	1.3	U	NS	1.3	U	NS	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	
p-Isopropyltoluene	1-Nov-12	1.3	U	0.25	U	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	1-Feb-13	0.25	U	NS	0.25	U	0.25	U	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	29-Apr-13	NS		0.63	U	NS	NS	NS	NS	0.25	U	NS	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	
	9-Jul-13	0.38	U	NS	0.28	U	0.29	U	NS	0.29	U	NS	0.29	U	NS	0.36	U	0.36	U	0.36	U	0.36	U	0.36	U
	18-Oct-13	NS		0.38	U	NS	NS	0.25	U	NS	0.25	U	NS	0.25	U	0.51	U	0.51	U	0.51	U	0.51	U	0.51	U
	9-Jan-14	0.25	U	NS	0.33	U	0.040	U	NS	0.25	U	NS	0.25	U	NS	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U
	24-Apr-14	NS		0.25	U	NS	NS	0.25	U	NS	0.25	U</td													

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual																				
	8-Feb-08	0.07	U	NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS	
	27-Mar-08	NS		0.072	U	NS		NS		NS	U	NS		NS		NS		NS		0.165	U	0.126	
	25-Apr-08	NS		NS		NS		NS		0.07	U	NS		NS		NS		0.072	U	NS		0.079	
	29-May-08	NS		NS		NS		NS		0.072	U	NS		NS		NS		0.07	U	0.07	U	NS	
	27-Jun-08	0.436		NS		NS		NS		NS	U	NS		NS		NS		NS		0.072	U	0.072	U
	31-Jul-08	NS		0.072	U	NS		NS		NS	U	NS		NS		NS		0.072	U	NS		0.072	U
	28-Aug-08	NS		NS		0.106		NS		NS	U	NS		NS		0.072	U	NS		0.172	U	0.14	NS
	30-Sep-08	NS		NS		1.8		NS		NS	U	NS		NS		NS		1.8	U	NS		1.8	U
	27-Oct-08	1.8	U	NS		NS		NS		2.6	U	NS		NS		NS		3.2	U	NS		5.8	
	25-Nov-08	NS		1.8	U	NS		NS		NS	U	NS		NS		NS		1.8	U	1.8	U	NS	
	18-Dec-08	NS		NS		1.8	U	NS		NS	U	NS		NS		NS		1.8	U	1.8	U	1.8	U
	21-Jan-09	NS		NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	1.8	U
	25-Feb-09	5.8		NS		NS		NS		NS	U	NS		NS		NS		1.8	U	1.8	U	NS	
	26-Mar-09	NS		0.36	U	NS		NS		NS	U	0.72		NS		NS		NS		0.072	U	0.072	U
	29-Apr-09	NS		NS		0.072	U	NS		NS	U	NS		NS		NS		0.072	U	NS		0.072	U
	22-Jul-09	0.36	U	NS		0.36	U	0.72		U	NS	0.36		U	NS	NS		0.072	U	0.072	U	NS	
	9-Oct-09	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	15	U	0.086		NS		0.083	
	15-Jan-10	0.079		NS		0.072	U	0.072		U	NS	0.072		U	NS	0.072	U	0.072	U	NS		0.072	U
	21-Apr-10	NS		0.072	U	NS		NS		0.36	U	NS		3.6	U	0.36	U	0.072	U	NS		0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	0.072		U	NS	0.544		U	NS	NS		0.072	U	0.072	U	NS	
	15-Oct-10	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U								
	26-Jan-11	0.72	U	0.072	U	NS		0.72		U	NS	0.396		U	NS	0.36	U	0.36	U	0.36	U	NS	
	28-Feb-11	NS		NS		0.72	U	NS		NS	U	NS											
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	0.072		U	NS	0.36		U	NS	0.36	U	0.072	U	0.072	U	0.36	U
	28-Oct-11	NS		1.8	U	NS		NS		1.8	U	NS		1.8	U								
	23-Jan-12	0.36	U	NS		0.36	U	NS		0.36	U	NS		0.36	U								
	13-Apr-12	NS		0.36	U	NS		NS		NS	U	NS		1.8	U								
	2-Jul-12 (resample)	NS		NS		0.36	U	0.36		U	NS	0.36		U	NS	0.36	U	0.36	U	0.36	U	0.36	U
	23-Jun-12	0.36	U	NS		0.36	U	0.36		U	NS	0.36		U	NS	0.36	U	0.36	U	0.36	U	0.36	U
	1-Nov-12	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U								
	1-Feb-13	0.072	U	NS		0.072	U	0.072		U	NS	0.072		U	NS	0.072	U	0.072	U	0.072	U	NS	
	29-Apr-13	NS		0.18	U	NS		NS		0.072	U	NS		0.072	U								
	9-Jul-13	0.17		NS		0.072	U	0.072		U	NS	0.072		U	NS	0.072	U	0.072	U	0.072	U	NS	
	18-Oct-13	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U								
	9-Jan-14	0.072	U	NS		0.072	U	0.072		U	NS	0.072		U	NS	0.072	U	0.072	U	0.072	U	NS	
	24-Apr-14	NS		0.072	U	NS		NS		0.072	U	NS		0.077		0.077	U	0.072	U	0.072	U	0.11	U
	1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		0.072	U	0.072	U	0.072	U
	27-Aug-14	NS		NS		NS		NS		NS	U	0.072		U	NS	NS		NS		NS		NS	
	12-Sep-14 (resample)	NS		NS		NS		NS		NS	U	0.11		U	NS	0.11	U	NS		NS		NS	
	22-Oct-14	NS		0.11	U	NS		NS		0.11	U	0.11		U	0.11	U	0.11	U	0.11	U	0.14	U	NS
	20-Jan-15	0.072	U	NS		0.072	U	0.072		U	NS	0.072		U	NS	0.072	U	0.072	U	0.072	U	0.072	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS	U</												

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS		1.74	U
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS		2.1		1.74		1.74	U
	25-Apr-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS		1.74		1.74	U
	29-May-08	NS		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS		1.74	U
	27-Jun-08	4.33	U	NS		NS		NS		NS		3.69		NS		NS		NS		NS		2.78	U	2.78	U
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	NS		1.7	U
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		NS		1.7	U	NS		1.7	U
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U
	18-Dec-08	NS		NS		1.7	U	NS		NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS		1.7		1.7	UI
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		17.4	U	NS		NS		1.7	U	NS		1.74	U
	26-Mar-09	NS		16.1		NS		NS		NS		NS		NS		1.74	U	NS		NS		1.74	U	1.8	U
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		1.74	U	362	U	1.74	U	NS		1.74	U
	9-Oct-09	NS		1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U
	15-Jan-10	1.74	U	NS		1.74	U	NS		1.74	U	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74	U	1.74	U	NS		1.74	U
	16-Jul-10	24		NS		21.5		19.5		NS		26.2		U		NS		NS		27.1		26.5		NS	
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jan-11	34.7	U	3.47	U	NS		34.7	U	NS		0.404	U	NS		17.4	U	17.4	U	17.4	U	17.4	U	NS	
	28-Feb-11	NS		NS		34.7	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		5.7		5.7		17.4	U	NS		17.4	U
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	17	U	17	U	140		NS		17	U
	23-Jan-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		3.5	U	4.6	U	3.5	U	3.5	U	3.5	U
	13-Apr-12	NS		4.6		NS		NS		7.3		NS		3.5	U	4.6		3.9		NS		17	U	NS	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	23-Jun-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		3.5	U	3.5	U	3.5	U	3.5	U	3.5	U
	1-Nov-12	NS		0.74		NS		NS		1.1		NS		0.69	U	1.1		0.69		0.69		NS		6.2	
	1-Feb-13	2		NS		0.93		1.6		NS		1.1		NS		NS		0.9		2.1		NS		1.4	
	29-Apr-13	NS		1.7	U	NS		NS		1.4		NS		0.93		1.8		1.1		NS		1.4		NS	
	9-Jul-13	1.8		NS		25		1.2		NS		1.1		NS		NS		31		3.6		NS		NS	
	18-Oct-13	NS		0.69	U	NS		NS		0.69	U	NS		0.69	U	0.77		0.69		0.69		NS		0.74	
	9-Jan-14	0.85		NS		0.69		0.69		0.69		0.69		0.69		0.73		2.5/2.3		1.0		NS		1.3	
	24-Apr-14	NS		0.90		NS		NS		6.7		NS		2.8		1.5		0.69		0.69		0.69		1.0	
	1-Aug-14	1.0		NS		1.7		1.7		NS		NS		NS		NS		1.1		1.1		NS		1.1	
	27-Aug-14	NS		NS		NS		NS		NS		2.9		NS		NS		NS		NS		NS		NS	
	12-Sep-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS		NS	
	22-Oct-14	NS		1.7		NS		NS		1.0	U	1.7		1.4		1.0		2.0		3.0		NS		NS	
	20-Jan-15	33		NS		27		25		NS		31		NS		NS									

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
	8-Feb-08	2.05	U	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	8.7		NS		U
	27-Mar-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		NS		15.2		2.05		U
	25-Apr-08	NS		NS		NS		NS		2.05	U	NS		NS		2.05	U	NS		2.05		NS		U
	29-May-08	NS		NS		NS		NS		2.05	U	NS		NS		2.05	U	2.05		U		NS		U
	27-Jun-08	3.19	U	NS		NS		NS		2.05	U	NS		NS		NS		NS		2.05		U		U
	31-Jul-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		NS		2.05		NS		U
	28-Aug-08	NS		NS		NS		NS		2.05	U	NS		NS		2.05	U	NS		2.05		NS		U
	30-Sep-08	NS		NS		NS		NS		2	U	NS		NS		NS		2	U	2		2		U
	27-Oct-08	2	U	NS		NS		NS		NS		2	U	NS		NS		NS		2	U	NS		U
	25-Nov-08	NS		3.5		NS		NS		NS		2	U	NS		NS		NS		2	U	NS		U
	18-Dec-08	NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U	2		U
	21-Jan-09	NS		NS		NS		NS		2	U	NS		NS		NS		2	U	2		NS		U
	25-Feb-09	2	U	NS		NS		NS		NS		2	U	NS		NS		NS		2	U	2		NS
	26-Mar-09	NS		10.2	U	NS		NS		NS		20.5	U	NS		NS		NS		2.05	U	2.05		U
	29-Apr-09	NS		NS		2.05	U	NS		NS		2.05	U	NS		NS		2.05	U	NS		2.05		U
	22-Jul-09	10.2	U	NS		10.2	U	20.5		U		NS		10.2	U	NS		NS		2.05	U	2.05		NS
	9-Oct-09	NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	427	U	2.05		NS		U
	15-Jan-10	2.05	U	NS		2.05	U	2.05		U		NS		2.05	U	NS		NS		2.05	U	2.05		U
	21-Apr-10	NS		2.05	U	NS		NS		NS		10.2	U	NS		10.2	U	10.2		2.05	U	NS		2.05
	16-Jul-10	2.05	U	NS		2.05	U	2.05		U		NS		15.4	U	NS		NS		2.05	U	2.05		NS
	15-Oct-10	NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	2.05		U		2.05		U
	26-Jan-11	20.5	U	2.05	U	NS		2.05		U		NS		10.2	U	NS		10.2	U	10.2		U		NS
	28-Feb-11	NS		NS		20.5	U	NS		NS		NS		NS		NS		NS		NS		NS		NS
	27-Apr-11	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05		U		2.05	U	NS		3.35
	26-Jul-11	6.84	U	NS		0.684	U	2.05		U		NS		10.2	U	NS		NS		2.05	U	10.2		U
	28-Oct-11	NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U	2	U	NS		U
	23-Jan-12	0.41	U	NS		0.44		0.41	U	NS		0.41	U	NS		0.41	U	NS		0.41	U	0.41		U
	13-Apr-12	NS		0.41		NS		NS		NS		0.41	U	NS		0.41	U	0.41		0.41	U	NS		0.41
2-Jul-12 (resample)	NS		NS		NS		NS		NS		0.41	U	NS		0.41	U	NS		NS		0.41		NS	
	23-Jun-12	0.41	U	NS		0.89		NS		0.082	U	0.082	U	0.095		NS		0.9		0.84		1.1		NS
	1-Nov-12	NS		0.12		NS		0.2	U	NS		0.21		NS		0.21	U	0.082		0.29		NS		NS
	29-Apr-13	NS		0.2		NS		0.55		NS		0.47		NS		0.51		NS		0.86		NS		0.78
	9-Jul-13	0.66		NS		1.8		NS		NS		2.7		NS		2.2		NS		0.92		0.39		NS
	18-Oct-13	NS		0.15		NS		0.21		NS		0.082		NS		0.21		NS		3.0		NS		3.8
	9-Jan-14	0.18		NS		0.15		NS		NS		0.12		NS		0.12		NS		0.21		0.77		NS
	24-Apr-14	NS		0.087		NS		NS		0.082	U	0.082	U	0.13		0.082	U	0.38		0.32		0.66		U
	1-Aug-14	0.64		NS		1.0/0.74		1.1/0.86		NS		NS		NS		NS		1.30		2.4/2.0		NS		NS
	27-Aug-14	NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS		NS		NS
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		0.12	U	0.12	U	0.26		0.12	U	0.78		0.73		U
	22-Oct-14	NS		0.13		NS		NS		NS		0.12	U	0.12	U	0.26		0.12	U	0.78		0.73		NS
	20-Jan-15	0.087		NS		NS		0.085		NS		0.12		NS		NS		NS		0.35		5.8		NS
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		0.088		NS		NS		NS		NS		0.77		NS
	22-Apr-15	NS		0.57		NS		NS		NS		0.34		NS		0.85		0.39/0.40		0.87		NS		0.88
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		0								

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.3		3.15		NS	
	27-Mar-08	NS		0.1		NS		NS		0.177		NS		NS		NS		NS		0.206		0.404	
	25-Apr-08	NS		NS		0.244		NS		NS		NS		1.07		NS		0.559		NS		0.351	
	29-May-08	NS		NS		NS		0.17		NS		NS		NS		0.3		0.36		0.27		NS	
	27-Jun-08	0.732		NS		NS		NS		0.354		NS		NS		NS		NS		0.598		0.59	
	31-Jul-08	NS		0.276		NS		NS		NS		NS		NS		NS		0.255		NS		0.17	
	28-Aug-08	NS		NS		1.22		NS		NS		NS		0.754		NS		1.02		1.01		NS	
	30-Sep-08	NS		NS		NS		2.1		NS		NS		NS		2.1		NS		2.1		U	
	27-Oct-08	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U
	25-Nov-08	NS		2.1	U	NS		NS		NS		NS		2.1	U	NS		2.1	U	NS		NS	
	18-Dec-08	NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U
	21-Jan-09	NS		NS		NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	NS		2.1	U
	25-Feb-09	2.1	U	NS		NS		NS		NS		NS		NS		NS		2.1	U	NS		NS	
	26-Mar-09	NS		0.851	U	NS		NS		NS		NS		1.7	U	NS		NS		0.292		0.361	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.085	U	NS		0.098		NS		0.243	
	22-Jul-09	0.426	U	NS		0.426	U	0.851		U	NS	0.426		U	NS	NS		0.6		0.149		NS	
	9-Oct-09	NS		0.085	U	NS		NS		0.098		NS		0.085	U	17.8	U	0.153		NS		0.204	
	15-Jan-10	0.106		NS		0.119		0.089		NS		0.098		NS		NS		0.128		0.221		NS	
	21-Apr-10	NS		0.085	U	NS		NS		0.426	U	NS		0.426	U	0.426	U	0.481		NS		0.579	
	16-Jul-10	0.57		NS		0.911		0.66		NS		0.643	U	NS		NS		0.34		0.864		NS	
	15-Oct-10	NS		0.698		NS		1.12		NS		0.779		0.919		0.877		NS		1.52			
	26-Jan-11	0.851	U	0.162		NS		0.179		NS		0.426	U	NS		0.426	U	0.426		0.617		NS	
	28-Feb-11	NS		NS		0.851	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.311		NS		NS		0.302		NS		0.366		0.4		0.753		NS		0.749	
	26-Jul-11	0.724		NS		0.779		0.868		NS		0.788	U	NS		NS		1.23		0.681		NS	
	28-Oct-11	NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	2.1	U	2.1		NS		2.1	U
	23-Jan-12	0.84		NS		0.43	U	NS		0.43		U	NS	0.43	U	0.43	U	0.43	U	0.46		16	
	13-Apr-12	NS		0.43		NS		NS		0.43		U	NS	0.43	U	0.43	U	0.43	U	0.43		0.43	U
Styrene	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U
	23-Jun-12	1.7		NS		1.4		1.9		NS		1.9		NS		NS		2.4		2.6		NS	
	1-Nov-12	NS		0.14		NS		NS		0.15		NS		0.46		0.17		0.3		NS		0.34	
	1-Feb-13	0.085	U	NS		0.085		0.085		U	NS	0.085		U	NS	NS		0.22		0.26		NS	
	29-Apr-13	NS		0.22		NS		NS		0.27		NS		0.3		0.36		0.53		NS		0.53	
	9-Jul-13	0.43		NS		0.60		0.39		NS		0.43		NS		NS		0.12		0.48		NS	
	18-Oct-13	NS		0.25		NS		NS		0.26		NS		0.35		0.35		0.50		NS		0.57	
	9-Jan-14	0.10		NS		0.10		0.12		NS		0.14		NS		NS		0.44		0.53		NS	
	24-Apr-14	NS		0.085		NS		NS		0.085	U	NS		0.085	U	0.085	U	0.21		0.21		0.28	
	1-Aug-14	0.32		NS		0.64		2.8/3.8		NS		NS		NS		NS		0.45		0.51		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.7/2.9		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.81		NS		NS		U	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	NS		0.18	U	0.13	U	1.1		0.98		NS	
	20-Jan-15	0.085	U	NS		0.085	U	0.085		U	NS	0.085		U	NS	NS		0.67		0.085		U	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		0.098		NS		NS		0.085	U	NS		0.099		0.12	U	1.6		NS		0.80	
	21-Jul-15	0.160 ^j		NS		0.460 ^j		4		U	NS	0.23 ^j		NS		NS		1.3 ^o		2.9<sup			

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,1,1,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	NS	NS	0.14	U	NS	NS	0.137	U	NS	NS	0.137	U	0.14	U	0.14	U	NS	NS	
	27-Mar-08	NS		0.137	U	NS	NS	NS		NS	NS	0.137	U	NS	NS	0.137	U	NS	NS	0.137	U	0.137	U	
	25-Apr-08	NS		NS		NS	NS	0.14	U	NS	NS	0.137	U	NS	NS	0.14	U	0.14	U	NS	NS	0.137	U	
	29-May-08	NS		NS		NS	NS	NS		NS	NS	0.137	U	NS	NS	0.14	U	0.14	U	NS	NS	0.137	U	
	27-Jun-08	0.214	U	NS	NS	NS	NS	NS		NS	NS	0.137	U	NS	NS	0.137	U	NS	NS	0.137	U	0.137	U	
	31-Jul-08	NS		0.137	U	NS	NS	NS		NS	NS	0.137	U	NS	NS	0.137	U	NS	NS	0.137	U	0.137	U	
	28-Aug-08	NS		NS		NS	NS	0.14	U	NS	NS	0.137	U	NS	NS	0.14	U	NS	NS	0.14	U	NS	NS	
	30-Sep-08	NS		NS		NS	NS	0.14	U	NS	NS	0.137	U	NS	NS	0.14	U	0.14	U	0.14	U	NS	NS	
	27-Oct-08	0.14	U	NS	NS	NS	NS	NS		NS	NS	0.14	U	NS	NS	0.14	U	0.14	U	NS	NS	0.14	U	
	25-Nov-08	NS		0.14	U	NS	NS	NS		NS	NS	0.14	U	NS	NS	0.14	U	0.14	U	NS	NS	0.14	U	
	18-Dec-08	NS		NS		NS	NS	0.14	U	NS	NS	0.14	U	NS	NS	0.14	U	0.14	U	0.14	U	NS	NS	
	21-Jan-09	NS		NS		NS	NS	0.19		NS	NS	0.14	U	NS	NS	0.14	U	0.14	U	NS	NS	0.14	U	
	25-Feb-09	0.14	U	NS		NS	NS	0.14	U	NS	NS	0.137	U	NS	NS	0.14	U	0.14	U	NS	NS	0.137	U	
	26-Mar-09	NS		0.686	U	NS	NS	NS		NS	NS	1.37	U	NS	NS	NS		0.137	U	NS	NS	0.137	U	
	29-Apr-09	NS		NS		NS	NS	NS		NS	NS	0.137	U	NS	NS	0.137	U	NS	NS	0.137	U	NS	NS	
	22-Jul-09	0.686	U	NS		28	U	1.37		U	NS	0.686	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	NS	
	9-Oct-09	NS		0.137	U	NS	NS	0.137	U	NS	NS	0.137	U	NS	NS	28.6	U	0.137	U	NS	NS	0.137	U	
	15-Jan-10	0.109	U	NS		0.137	U	1.37		U	NS	0.137	U	NS	NS	0.137	U	0.137	U	NS	NS	0.137	U	
	21-Apr-10	NS		0.137	U	NS	NS	NS		U	NS	0.686	U	NS	NS	0.686	U	0.137	U	NS	NS	0.137	U	
	16-Jul-10	0.137	U	NS		0.137	U	0.137		U	NS	1.04	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	NS	
	15-Oct-10	NS		0.137	U	NS	NS	NS		U	NS	0.137	U	NS	NS	0.137	U	0.137	U	0.137	U	NS	NS	
	26-Jan-11	1.37	U	0.137	U	NS	NS	1.37		U	NS	0.686	U	NS	NS	0.686	U	0.686	U	0.686	U	NS	NS	
	28-Feb-11	NS		NS		NS	NS	NS		U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.137	U	NS	NS	NS		U	NS	0.137	U	NS	NS	0.137	U	0.137	U	NS	NS	0.137	U	
	26-Jul-11	0.458	U	NS		0.458	U	0.137		U	NS	0.687	U	NS	NS	0.687	U	0.137	U	0.137	U	0.687	U	
	28-Oct-11	NS		6.2	U	NS	NS	6.2		U	NS	6.2	U	NS	NS	6.2	U	6.2	U	6.2	U	NS	6.2	
	23-Jan-12	1.2	U	NS		1.2	U	1.2		U	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U	NS	1.2	
	13-Apr-12	NS		1.2	U	NS	NS	1.2		U	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U	NS	1.2	
	2-Jul-12 (resample)	NS		NS		NS	NS	NS		U	NS	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25
	23-Jun-12	1.2	U	NS		1.2	U	1.2		U	NS	1.2	U	NS	NS	1.2	U	1.2	U	1.2	U	NS	1.2	
	1-Nov-12	NS		0.25	U	NS	NS	0.25		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25	
	1-Feb-13	0.25	U	NS		0.25	U	0.25		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25	
	29-Apr-13	NS		0.62	U	NS	NS	0.25		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25	
	9-Jul-13	0.37	U	NS		0.25	U	0.25		U	NS	0.25	U	NS	NS	0.25	U	0.036	U	0.25	U	NS	0.25	
	18-Oct-13	NS		0.25	U	NS	NS	0.25		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25	
	9-Jan-14	0.25	U	NS		0.25	U	0.25		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25	
	24-Apr-14	NS		0.25	U	NS	NS	0.37		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.37	
	1-Aug-14	0.25	U	NS		NS	NS	0.37		U	NS	0.25	U	NS	NS	0.25	U	0.25	U	0.25	U	NS	0.25	
	27-Aug-14	NS		NS		NS	NS	NS		U	NS	0.25	U	NS	NS	0.25	U	0.37	U	NS	NS	NS	NS	
	12-Sept-14 (resample)	NS		NS		NS	NS	NS		U	NS	0.37	U	NS	NS	0.37	U	0.37	U	0.37	U	NS	0.37	
	22-Oct																							

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual				
1,1,2,2-Tetrachloroethane	8-Feb-08	0.14	U	NS	NS	NS	NS	0.14	U	NS	0.137	U	NS	0.137	U	NS	0.14	U	0.14	U	NS	0.137	U	0.137			
	27-Mar-08	NS		0.137	U	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	0.137	U	NS	0.137	U	NS	0.137	U	0.137		
	25-Apr-08	NS		NS	NS	NS	NS	0.14	U	NS	NS	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.137	U	0.137	
	29-May-08	NS		NS	NS	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	0.14	U	0.14	U	NS	0.137	U	0.137	U	0.137	
	27-Jun-08	0.214	U	NS	NS	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	0.14	U	0.14	U	NS	0.137	U	0.137	U	0.137	
	31-Jul-08	NS		0.137	U	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	28-Aug-08	NS		NS	NS	NS	NS	0.14	U	NS	NS	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.14	U	0.14	
	30-Sep-08	NS		NS	NS	NS	NS	0.14	U	NS	NS	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.14	U	0.14	
	27-Oct-08	0.14	U	NS	NS	NS	NS	NS		NS	0.14	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.14	U	0.14	
	25-Nov-08	NS		0.14	U	NS	NS	NS		NS	0.14	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.14	U	0.14	
	18-Dec-08	NS		NS	NS	NS	NS	0.14	U	NS	NS	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.14	U	0.14	
	21-Jan-09	NS		NS	NS	NS	NS	0.14	U	NS	NS	U	NS	0.14	U	NS	0.14	U	0.14	U	NS	0.14	U	0.14	U	0.14	
	25-Feb-09	0.14	U	NS	NS	NS	NS	0.137	U	NS	NS	U	NS	0.137	U	NS	0.14	U	0.14	U	NS	0.137	U	0.137	U	0.137	
	26-Mar-09	NS		0.686	U	NS	NS	NS		NS	1.37	U	NS	1.37	U	NS	NS	U	NS	0.137	U	NS	0.137	U	0.137	U	0.137
	29-Apr-09	NS		NS	NS	NS	NS	0.137	U	NS	NS	U	NS	0.137	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	22-Jul-09	0.686	U	NS	NS	28	U	0.137	U	NS	0.686	U	NS	0.686	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	9-Oct-09	NS		0.137	U	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	28.6	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	15-Jan-10	0.109	U	NS	NS	0.137	U	0.137	U	NS	0.109	U	NS	0.109	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	21-Apr-10	NS		0.137	U	NS	NS	NS		NS	0.686	U	NS	0.686	U	NS	0.686	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	16-Jul-10	0.137	U	NS	NS	0.137	U	0.137	U	NS	1.04	U	NS	1.04	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	15-Oct-10	NS		0.137	U	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	26-Jan-11	1.37	U	0.137	U	NS	NS	1.37	U	NS	0.686	U	NS	0.686	U	NS	0.686	U	0.686	U	NS	0.686	U	0.686	U	0.686	
	28-Feb-11	NS		NS	NS	NS	NS	NS		NS	NS	U	NS	NS	U	NS	NS	NS	U	NS	NS	U	NS	NS	U	NS	
	27-Apr-11	NS		0.137	U	NS	NS	NS		NS	0.137	U	NS	0.137	U	NS	0.137	U	0.137	U	NS	0.137	U	0.137	U	0.137	
	26-Jul-11	0.458	U	NS	0.458	U	0.137	U	0.137	U	NS	0.687	U	NS	0.687	U	NS	0.687	U	0.687	U	NS	0.687	U	0.687	U	0.687
	28-Oct-11	NS		3.4	U	NS	NS	NS		NS	3.4	U	NS	3.4	U	NS	3.4	U	3.4	U	NS	3.4	U	3.4	U	3.4	
	23-Jan-12	0.69	U	NS	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	
	13-Apr-12	NS		0.34	U	NS	NS	NS		NS	0.34	U	NS	0.34	U	NS	0.34	U	0.34	U	NS	0.34	U	0.34	U	0.34	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	NS		NS	NS	U	NS	NS	U	NS	NS	NS	U	NS	1.7	U	NS	NS	NS		
	23-Jun-12	0.69	U	NS	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	
	1-Nov-12	NS		0.069	U	NS	NS	NS		NS	0.069	U	NS	0.069	U	NS	0.069	U	0.069	U	NS	0.069	U	0.069	U	0.069	
	1-Feb-13	0.069	U	NS	0.069	U	0.069	U	0.069	U	NS	0.069	U	NS	0.069	U	NS	0.069	U	0.12	U	0.069	U	0.069	U	0.069	
	29-Apr-13	NS		0.17	U	NS	NS	NS		NS	0.069	U	NS	0.069	U	NS	0.069	U	0.69	U	0.069	U	0.069	U	0.069	U	
	9-Jul-13	0.10	U	NS	0.069	U	0.069	U	0.069	U	NS	0.069	U	NS	0.069	U	NS	0.069	U	0.010	U	0.069	U	0.069	U	0.069	
	18-Oct-13																										

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.35	NS	NS	NS	0.14	U	NS	NS	0.53	5.05	NS
	27-Mar-08	NS	0.888	NS	NS	0.875	NS	NS	NS	6.99	5.25	
	25-Apr-08	NS	NS	0.322	NS	0.99	NS	0.24	0.83	NS	0.867	
	29-May-08	NS	NS	NS	1.36	NS	NS	NS	0.3	3.21	NS	
	27-Jun-08	1.32	NS	NS	29.6	NS	NS	NS	5.08	1.8		
	31-Jul-08	NS	0.667	NS	NS	NS	NS	NS	0.618	NS	0.572	
	28-Aug-08	NS	NS	1.55	NS	1.52	NS	NS	1.37	6.26	NS	
	30-Sep-08	NS	NS	3.4	NS	NS	NS	3.4	NS	6.1	3.4	U
	27-Oct-08	4.2	U	NS	10	NS	NS	NS	4.2	U	4.2	U
	25-Nov-08	NS	21.3	NS	NS	4.6	NS	NS	3.4	U	8.9	NS
	18-Dec-08	NS	NS	3.4	U	NS	NS	NS	NS	NS	3.4	U
	21-Jan-09	NS	NS	3.4	U	NS	NS	NS	3.4	U	NS	3.4
	25-Feb-09	3.4	U	NS	8.3	NS	NS	NS	3.4	U	3.7	NS
	26-Mar-09	NS	1.28	NS	NS	1.36	U	NS	NS	NS	7.11	2.08
	29-Apr-09	NS	NS	0.271	NS	NS	NS	0.305	NS	0.237	NS	0.691
	22-Jul-09	1.63	NS	1.63	2.1	NS	3.08	NS	NS	11.8	3.25	NS
	9-Oct-09	NS	0.556	NS	NS	2.07	NS	0.678	28.3	U	1.17	1.46
	15-Jan-10	1.31	NS	0.644	1.35	NS	0.691	NS	NS	0.447	0.501	NS
	21-Apr-10	NS	7.2	NS	NS	31.4	NS	35.5	36.8	62.1	NS	36.1
	16-Jul-10	12.4	NS	12.7	10.9	NS	10	NS	NS	15.4	19.2	NS
	15-Oct-10	NS	21.9	NS	NS	37.6	NS	21.3	21.8	22.1	NS	31.6
	26-Jan-11	1.36	U	0.691	1.27	NS	0.678	U	NS	0.813	2.13	8.3
	28-Feb-11	NS	NS	1.36	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.44	NS	NS	7.22	NS	1.53	1.56	1.46	NS	1.98
	26-Jul-11	3.34	NS	0.834	2.59	NS	9.29	NS	NS	0.976	6.78	NS
	28-Oct-11	NS	3.4	U	NS	8.5	NS	3.4	U	3.4	U	3.4
	23-Jan-12	1	NS	0.68	U	5.3	NS	NS	NS	0.76	26	NS
	13-Apr-12	NS	19	NS	NS	18	NS	12	18	18	NS	15
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	9.6	NS
	23-Jun-12	1.5	NS	0.68	U	3.5	NS	0.8	NS	0.68	U	8.9
	1-Nov-12	NS	7.4	NS	NS	11	NS	0.78	0.57	1.3	NS	1.6
	1-Feb-13	1.8	NS	0.76	0.99	NS	4.5	NS	NS	1.8	7.7	NS
	29-Apr-13	NS	8.1	NS	NS	4.7	NS	1.1	1	1.3	NS	1.8
	9-Jul-13	2.0	NS	2.1	3.1	NS	2.9	NS	NS	2.6	8.8	NS
	18-Oct-13	NS	14	NS	NS	7.3	NS	0.61	0.32	0.32	NS	1.4
	9-Jan-14	0.6	NS	0.22	1.1	NS	1.8	NS	NS	0.46	11	NS
	24-Apr-14	NS	4.7	NS	NS	5.7	NS	0.41	0.068	U	0.51	10
	1-Aug-01	2.3	NS	3.3/4.9	2.1	NS	NS	NS	NS	0.97	4.0/5.9	NS
	27-Aug-14	NS	NS	NS	NS	NS	2.4/3.5	NS	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	0.34	NS	NS	NS	U
	22-Oct-14	NS	6.9	NS	NS	5.0	0.61	0.43	0.10	U	0.10	4.0
	20-Jan-15	0.9	NS	0.20	0.37	NS	1.0	NS	NS	0.52	0.21	NS
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	3.0	NS
	22-Apr-15	NS	5.3	NS	NS	2.6	NS	0.85	0.48/0.52	1.7	NS	1.5
	21-Jul-15	0.34	NS	1	U	7	U	3.2	NS	0.44 ^o	4.0 ^o	NS
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS	18	NS	NS	3.6	NS	1.2	6.6	0.18 ^j	NS	0.65
4-Dec-15 resample	NS	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	3.1	NS	0.19	0.71	NS	0.63	NS	NS	0.19	6.7	NS
	20-Apr-16	NS	9.7	NS	NS	3.4	NS	0.22	0.11	0.14	NS	0.47
	20-Jul-16	0.5	NS	0.99	1.6	NS	4.8	NS	NS	0.71	5.6	NS
	21-Oct-16	NS	40	NS	NS	4.6	NS	0.75	0.83	0.39	NS	0.93
	31-Jan-17	0.33	NS	0.23	0.79	NS	0.75	NS	NS	0.15	12	NS
	17-Apr-17	NS	8.1	NS	NS	3.2	NS	0.99	0.16	0.21	NS	1.1
	26-Jul-17	0.26	NS	0.34	1.3	NS	1.1	NS	NS	0.22	5.4	NS
	12-Oct-17	NS	7.5	NS	NS	4.2	NS	0.44	0.43	0.41	NS	1.7
	10-Jan-18	0.21	NS	0.15	0.64	NS	2	NS	NS	0.33	NS	4.9
	11-Apr-18	NS	10	NS	NS	1.8	NS	1.4	U	1.4	2	NS
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.4	NS
	27-Jul-18	0.68	U	0.68	U	2.5	NS	2.2	NS	0.68	U	18
	24-Oct-18	NS	6.1	NS	NS	6.8	NS	0.68	U	0.68	U	0.68
	16-Jan-19	0.44	NS	0.27	0.97	NS	1.8	NS	NS	0.24	5.9	NS
	12-Apr-19	NS	11	NS	NS	2.3	NS	0.29	U	0.2	U	2.2
	29-Jul-19	0.86	NS	0.92	1.4	NS	6.7	NS	NS	0.4	5.9	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.7	NS
	29-Oct-19	NS	21	NS	NS	7.2	NS	0.14	0.16	0.68 ^D	7 ^D	0.68 ^D
	21-Jan-20	0.20	NS	0.14	0.41	NS	1.30	NS	NS	1.20	7.30	NS
	22-Apr-20	NS	2	NS	NS	0.91	NS	0.14	0.14	0.53	NS	0.88
	23-Jul-20	0.74	NS	0.75	0.84	NS	4.5	NS	NS	0.84	8.2	NS
	29-Oct-20	NS	7.3	NS	NS	2.6	NS	0.44	1.6	0.44	NS	0.89
	19-Jan-21	1.4	NS	0.14	0.27	NS	0.14	U	NS	0.52	2.5 ^E	NS
	15-Apr-21											

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.63	NS	NS	NS	1.8	NS	NS	NS	2.72	455	NS
	27-Mar-08	NS	2.24	NS	NS	1.45	NS	NS	NS	11.3	16.1	
	25-Apr-08	NS	NS	1.39	NS	NS	NS	1.34	NS	11.2	NS	21.8
	29-May-08	NS	NS	NS	7.74	NS	NS	NS	11.6	21	13	NS
	27-Jun-08	14.7	NS	NS	NS	2.33	NS	NS	NS	NS	10.6	22.2
	31-Jul-08	NS	4.15	NS	NS	NS	NS	NS	NS	10.2	NS	6.11
	28-Aug-08	NS	NS	6.48	NS	NS	NS	3.44	NS	10	11.2	NS
	30-Sep-08	NS	NS	NS	1.9	NS	NS	NS	6.1	NS	7.5	8.6
	27-Oct-08	56.3	NS	NS	NS	3.2	NS	NS	NS	6.6	NS	8.2
	25-Nov-08	NS	7.8	NS	NS	NS	7.8	NS	NS	29.9	18.6	NS
	18-Dec-08	NS	NS	2	NS	NS	NS	1.9	U	NS	4.8	4.9
	21-Jan-09	NS	NS	1.9	U	NS	NS	NS	U	1.9	U	1.9
	25-Feb-09	7	NS	NS	1.9	U	NS	NS	U	1.9	U	13.8
	26-Mar-09	NS	3.53	NS	NS	NS	3.92	NS	NS	NS	7.23	9.75
	29-Apr-09	NS	NS	1.99	NS	NS	NS	0.651	NS	0.149	NS	4.56
	22-Jul-09	38.7	NS	38.7	2.22	NS	4.71	NS	NS	80.1	5.32	NS
	9-Oct-09	NS	3.53	NS	NS	3.06	NS	1.07	23.6	3.12	NS	3.67
	15-Jan-10	12.8	NS	4.17	4.33	NS	5.81	NS	NS	4.81	4.85	NS
	21-Apr-10	NS	0.9	NS	NS	2.97	NS	3.75	5.2	2.84	NS	5.08
	16-Jul-10	22.2	NS	17.9	5.98	NS	5.54	NS	NS	5.77	5.85	NS
	15-Oct-10	NS	1.67	NS	NS	2.1	NS	1.72	3.37	2.23	NS	3.26
	26-Jan-11	6.06	6.82	NS	6.82	NS	4.74	NS	5.95	12.1	11.9	NS
	28-Feb-11	NS	NS	1.88	NS	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.836	NS	NS	0.682	NS	1.25	3.62	2.08	NS	1.62
	26-Jul-11	8.29	NS	3.96	1.15	NS	1.62	NS	NS	2.31	1.68	NS
	28-Oct-11	NS	1.9	U	NS	1.9	U	1.9	U	3.3	4.7	NS
	23-Jan-12	7.9	NS	3.8	1.9	NS	3.4	NS	NS	5.2	15	NS
	13-Apr-12	NS	0.75	NS	NS	0.38	U	0.38	U	1.3	2.4	NS
Toluene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.9	U
	23-Jun-12	8.5	NS	3.5	1.5	NS	2.5	NS	NS	2.4	1.8	NS
	1-Nov-12	NS	2	NS	NS	1.7	NS	2.3	2.8	2.8	NS	4.5
	1-Feb-13	2.4	NS	0.69	0.69	0.71	NS	NS	NS	1.4	1.6	NS
	29-Apr-13	NS	1.7	NS	NS	1.3	NS	1.7	2.1	3.1	NS	3.9
	9-Jul-13	11	NS	3.0	2.0	NS	2.5	NS	NS	6.8	3.4	NS
	18-Oct-13	NS	2.3	NS	NS	3.1	NS	2.8	7.5	1.3	NS	1.9
	9-Jan-14	10	NS	7.6	8.6	NS	10	NS	NS	20	16	NS
	24-Apr-14	NS	0.23	NS	NS	0.22	NS	0.25	0.36	0.28	0.25	1.1
	1-Aug-14	2.7	NS	2.8/3.2	1.3/1.4	NS	NS	NS	NS	1.6	1.9	NS
	27-Aug-14	NS	NS	NS	NS	NS	2.2/2.8	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.5	NS	NS	U
	22-Oct-14	NS	0.34	NS	NS	0.32	0.48	0.94	0.51	1.2	1.2	NS
	20-Jan-15	1.5	NS	0.6	0.6	NS	0.44	NS	NS	1.4	1.5	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.2	NS
	22-Apr-15	NS	0.95	NS	NS	0.59	NS	1.2	1.4/1.6	3.4	NS	4.3
	21-Jul-15	3.8	NS	4.5	4	U	NS	2	NS	5.4°	7.6°	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	1.4	NS	NS	NS
	29-Oct-15	NS	0.41	NS	NS	0.55	NS	0.64	1.1	1.2	NS	2.8
	4-Dec-15 resample	NS	0.42	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	1.5	NS	0.5	0.4	NS	0.44	NS	NS	1.2	0.89	NS
	20-Apr-16	NS	0.62	NS	NS	0.77	NS	1.3	0.85	3.5	NS	1.8
	20-Jul-16	1.2 ^w	NS	1.9 ^w	0.77 ^w	NS	1.2 ^w	NS	NS	1.6 ^w	44 ^w	NS
	21-Oct-16	NS	0.56	NS	NS	2.6	NS	1.8	4.2	1.9	NS	2.5
	31-Jan-17	1.1	NS	1.2	1.0	NS	0.98	NS	NS	2.2	1.8	NS
	17-Apr-17	NS	1.0	NS	NS	1.1	NS	1.3	1.5	1.0	NS	1.5
	26-Jul-17	1.1	NS	1.5	0.73	NS	1.2	NS	NS	1.8	1.4	NS
	12-Oct-17	NS	0.41	NS	NS	0.47	NS	0.55	1	0.99	NS	0.81
	10-Jan-18	0.88	NS	0.99	1.1	NS	1	NS	NS	2.4	NS	1.7
	11-Apr-18	NS	0.61	NS	NS	0.75	U	0.75	U	0.75	3.4	NS
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.72	NS
	27-Jul-18	1.2	NS	1.9	0.75	NS	1.6	NS	NS	1.4	0.9	NS
	24-Oct-18	NS	0.49	NS	NS	0.38	U	0.47	1.2	1.4	NS	1.5
	16-Jan-19	1.4	NS	0.65	0.7	NS	0.77	NS	NS	1.6	1.2	NS
	12-Apr-19	NS	0.48	NS	NS	0.34	NS	0.24	1.1	1.5	NS	0.88
	29-Jul-19	1.6	NS	2	1.9	NS	3.2	NS	NS	1.3	2.2	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS
	29-Oct-19	NS	3	NS	0.89	NS	0.79	3.4	2.7 ^D	4.5 ^D	2.7 ^D	NS
	21-Jan-20	0.82	NS	1.30	1.50	NS	1.00	NS	NS	3.40	4.20	NS
	22-Apr-20	NS	0.13	NS	NS	0.59	NS	0.081	U	0.46	1.1	NS
	23-Jul-20	4.2	NS	2.8	2.3	NS	3.8	NS	NS	3.5	4.8	NS
	29-Oct-20	NS	0.92	NS	NS	0.9	NS	0.88	3.2	2	NS	2.5
	19-Jan-21	0.59	NS	0.45	0.3	NS	0.4	NS	NS	1	0.69 ^F	NS
	15-Apr-21	NS	0.47</td									

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.56		NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.522		0.266	
	25-Apr-08	NS		NS		NS		NS		0.12		NS		NS		0.109	U	NS		0.119		0.119	
	29-May-08	NS		NS		NS		NS		0.458		NS		NS		0.11	U	0.11	U	0.54		NS	
	27-Jun-08	0.17	U	NS		NS		NS		NS		NS		NS		NS		NS		0.377		0.138	
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		NS		NS		0.109	U	NS		NS		0.153		NS		0.109	U	0.492	
	30-Sep-08	NS		NS		NS		NS		2.7		U		NS		2.7		U		2.7	U	2.7	U
	27-Oct-08	3.4	U	NS		NS		NS		3.4		U		NS		NS		3.4	U	NS		3.4	U
	25-Nov-08	NS		2.7	U	NS		NS		NS		2.7		U		NS		2.7	U	2.7	U	NS	
	18-Dec-08	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.7	U	2.7	U
	21-Jan-09	NS		NS		NS		NS		2.7		U		NS		2.7		U		2.7	U	2.7	U
	25-Feb-09	2.7		U		NS		NS		NS		2.7		U		NS		2.7	U	2.7	U	NS	
	26-Mar-09	NS		1.59		NS		NS		NS		1.09		U		NS		NS		0.682		0.213	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191	
	22-Jul-09	0.545	U	NS		22.2		U		1.09		U		0.545		U		NS		0.109	U	0.278	NS
	9-Oct-09	NS		0.109	U	NS		NS		0.158		NS		0.191		22.8		U		0.109	U	NS	0.136
	15-Jan-10	0.109	U	NS		0.109		U		1.09		U		0.109		NS		0.109	U	0.692	NS		
	21-Apr-10	NS		0.109	U	NS		NS		0.545		U		NS		0.545		U		0.109	NS	1.09	U
	16-Jul-10	0.109	U	NS		0.109		U		0.109		U		0.824		U		NS		0.109	U	0.562	NS
	15-Oct-10	NS		0.272		NS		NS		0.349		NS		0.109		U		0.109	U	0.109	U	0.109	U
	26-Jan-11	1.09	U	0.109		U		NS		0.109		U		0.545		U		NS		0.545	U	0.845	NS
	28-Feb-11	NS		NS		1.09		U		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109		U		NS		0.109		U		0.109	U	0.109	U
	26-Jul-11	0.364	U	NS		0.364		U		0.109		U		0.873		NS		NS		0.109	U	0.546	U
	28-Oct-11	NS		2.7		U		NS		2.7		U		NS		2.7		U		2.7	U	2.7	U
	23-Jan-12	0.55	U	NS		0.55		U		0.55		U		1.5		U		NS		0.55	U	1.3	NS
	13-Apr-12	NS		0.27	U	NS		NS		0.27		U		NS		0.27		U		0.27	U	0.27	U
2-Jul-12 (resample)	NS		NS			NS		NS		NS		NS		NS		NS		NS		NS		1.4	U
	23-Jun-12	0.55	U	NS		0.55		U		0.55		U		0.55		U		NS		0.55	U	0.7	NS
	1-Nov-12	NS		0.25		NS		NS		0.27		NS		0.055		U		0.055		NS		0.14	
	1-Feb-13	0.055	U	NS		0.055		U		0.055		NS		0.83		NS		NS		0.055	U	0.23	NS
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		0.055		U		0.061		0.055	U	0.055	U
	9-Jul-13	0.082	U	NS		0.055		U		0.061		NS		0.33		NS		NS		0.055	U	0.26	NS
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		0.11		U		0.11	U	0.11	U	0.28	
	9-Jan-14	0.11	U	NS		0.11		U		0.11		U		0.41		NS		NS		0.11	U	0.46	NS
1,1,1-Trichloroethane*	24-Apr-14	NS		0.055	U	NS		NS		0.055		U		NS		0.055		U		0.055	U	0.42	0.16
	1-Aug-14	0.11	U	NS		0.16		U		0.16		U		NS		NS		NS		0.11	U	0.22	NS
	27-Aug-14	NS		NS		NS		NS		NS		NS		0.35		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	0.082	U	0.082	U
	22-Oct-14	NS		0.19		NS		NS		0.19		U		0.082		U		0.082	U	0.082	U	0.082	U
	20-Jan-15	0.055	U	NS		0.055		U		0.055		U		0.31		NS		NS		0.082	U	0.055	U
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	NS
	22-Apr-15	NS		0.056	U	NS		NS		0.055		U		0.27 ^J		NS		0.055	U	0.079	U	0.055	U
	21-Jul-15	0.3	U	NS		1		U		5		U		NS</td									

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3		
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual	
1,1,2-Trichloroethane	8-Feb-08	0.11	U	NS	NS	NS	NS	0.11	U	NS	NS	NS	NS	NS	NS	0.11	U	0.11	U	0.109	U	0.109	U	
	27-Mar-08	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	25-Apr-08	NS		NS	NS	NS	NS	0.11	U	NS	NS	NS	NS	NS	NS	0.11	U	0.11	U	NS	0.109	U	NS	
	29-May-08	NS		NS	NS	NS	NS	0.11	U	NS	NS	NS	NS	NS	NS	0.11	U	0.11	U	NS	0.109	U	NS	
	27-Jun-08	0.17	U	NS	NS	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	31-Jul-08	NS		0.109	U	NS	NS	NS	U	NS	NS	NS	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	28-Aug-08	NS		NS	NS	NS	NS	0.109	U	NS	NS	NS	U	NS	NS	0.109	U	0.109	U	0.109	U	NS	U	
	30-Sep-08	NS		NS	NS	NS	NS	0.11	U	NS	NS	NS	U	NS	NS	0.11	U	0.11	U	0.11	U	0.11	U	
	27-Oct-08	0.11	U	NS	NS	NS	NS	0.11	U	NS	NS	0.11	U	NS	NS	0.11	U	0.11	U	NS	0.11	U	NS	
	25-Nov-08	NS		0.11	U	NS	NS	NS	U	NS	NS	0.11	U	NS	NS	0.11	U	0.11	U	0.11	U	NS	U	
	18-Dec-08	NS		NS	NS	NS	NS	0.11	U	NS	NS	NS	U	NS	NS	0.11	U	0.11	U	0.11	U	0.11	U	
	21-Jan-09	NS		NS	NS	NS	NS	0.11	U	NS	NS	0.11	U	NS	NS	0.11	U	0.11	U	NS	0.11	U	U	
	25-Feb-09	0.11	U	NS	NS	NS	NS	0.545	U	NS	NS	1.09	U	NS	NS	0.11	U	0.11	U	0.11	U	NS	U	
	26-Mar-09	NS		0.545	U	NS	NS	0.109	U	NS	NS	0.545	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	29-Apr-09	NS		NS	NS	NS	NS	0.545	U	NS	NS	0.545	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	22-Jul-09	0.545	U	NS	22.2	U	1.09	U	NS	0.545	U	NS	0.545	U	NS	0.545	U	0.545	U	0.545	U	0.545	U	
	9-Oct-09	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	22.8	U	0.109	U	0.109	U	0.109	U	
	15-Jan-10	0.109	U	NS	0.109	U	1.09	U	NS	0.081	U	NS	0.081	U	NS	0.081	U	0.109	U	0.109	U	0.109	U	
	21-Apr-10	NS		0.109	U	NS	NS	0.545	U	NS	NS	0.545	U	NS	NS	0.545	U	0.545	U	0.545	U	0.545	U	
	16-Jul-10	0.109	U	NS	0.109	U	0.109	U	NS	0.824	U	NS	0.824	U	NS	NS	1.09	U	0.109	U	0.109	U	0.109	U
	15-Oct-10	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	26-Jan-11	1.09	U	0.109	U	NS	1.09	U	NS	0.545	U	NS	0.545	U	NS	NS	0.545	U	0.545	U	0.545	U	0.545	U
	28-Feb-11	NS		NS	NS	NS	NS	NS	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	NS	NS	0.109	U	0.109	U	0.109	U	0.109	U	
	26-Jul-11	0.364	U	NS	0.364	U	0.109	U	NS	0.546	U	NS	0.546	U	NS	NS	0.546	U	0.546	U	0.546	U	0.546	U
	28-Oct-11	NS		2.7	U	NS	0.55	U	NS	2.7	U	NS	2.7	U	NS	NS	2.7	U	2.7	U	2.7	U	2.7	U
	23-Jan-12	0.55	U	NS	0.55	U	0.55	U	NS	0.55	U	NS	0.55	U	NS	NS	0.55	U	0.55	U	0.55	U	0.55	U
	13-Apr-12	NS		0.27	U	NS	NS	0.27	U	NS	NS	0.27	U	NS	NS	0.27	U	0.27	U	0.27	U	0.27	U	
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	0.55	U	NS	NS	0.5	U	NS	NS	0.55	U	0.55	U	0.55	U	0.55	U	
	23-Jun-12	0.55	U	NS	0.55	U	0.55	U	NS	0.055	U	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	0.055	U
	1-Nov-12	NS		0.055	U	NS	NS	0.055	U	NS	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	0.055	U	
	1-Feb-13	0.055	U	NS	0.055	U	0.055	U	NS	0.055	U	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	0.055	U
	29-Apr-13	NS		0.14	U	NS	NS	0.055	U	NS	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	0.055	U	
	9-Jul-13	0.082	U	NS	0.055	U	0.055	U	NS	0.055	U	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	0.055	U
	18-Oct-13	NS		0.11	U	NS	NS	0.11	U	NS	NS	0.11	U	NS	NS	0.11	U	0.11	U	0.11	U	0.11	U	
	9-Jan-14	0.11	U	NS	0.11	U	0.11	U	NS	0.11	U	NS	0.11	U	NS	NS	0.11	U	0.11	U	0.11	U	0.11	U
	24-Apr-14	NS		0.055	U	NS	NS	0.055	U	NS	NS	0.055	U	NS	NS	0.055	U	0.055	U	0.055	U	0.055	U	
	1-Aug-14	0.11	U	NS	0.16	U	0.16	U	NS	NS	0.16	U	NS	NS	0.16	U	0.11	U	0.11	U	0.11			

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.12	NS	NS	NS	0.11	U	NS	NS	0.2	19.6	NS
	27-Mar-08	NS	0.107	U	NS	NS	0.152	NS	NS	NS	13.4	5.34
	25-Apr-08	NS	NS	0.199	NS	NS	1.35	NS	0.15	0.668	NS	3.39
	29-May-08	NS	NS	NS	26.5	NS	NS	NS	0.37	0.37	13.6	NS
	27-Jun-08	0.408	NS	NS	NS	258	NS	NS	NS	NS	13.6	6.56
	31-Jul-08	NS	1.24	NS	NS	NS	NS	NS	NS	0.126	NS	3.26
	28-Aug-08	NS	NS	0.558	NS	NS	3.56	NS	NS	0.432	18.4	NS
	30-Sep-08	NS	NS	NS	56.2	NS	NS	NS	0.8	0.8	22.7	3.95
	27-Oct-08	0.8	U	NS	NS	117	NS	NS	NS	2.99	NS	0.8
	25-Nov-08	NS	2.92	NS	NS	1.89	NS	NS	NS	0.54	39.8	NS
	18-Dec-08	NS	NS	0.54	U	NS	NS	0.54	U	NS	4.56	2.48
	21-Jan-09	NS	NS	NS	19.6	NS	NS	NS	U	0.54	U	4.99
	25-Feb-09	0.44	NS	NS	NS	99.5	NS	NS	NS	0.56	10.7	NS
	26-Mar-09	NS	9.2	NS	NS	3.88	NS	NS	NS	NS	25.1	5.49
	29-Apr-09	NS	NS	0.22	NS	NS	1.2	NS	NS	0.392	NS	2.96
	22-Jul-09	0.537	U	NS	0.537	U	12.7	NS	NS	0.354	10.3	NS
	9-Oct-09	NS	0.091	U	NS	26	NS	1.24	U	0.182	NS	3.26
	15-Jan-10	0.591	NS	0.242	NS	17.7	0.172	NS	NS	0.107	U	18.5
	21-Apr-10	NS	0.107	U	NS	34	NS	0.94	U	0.891	NS	2.01
	16-Jul-10	0.333	NS	0.333	NS	8.14	NS	0.811	U	NS	0.107	27.8
	15-Oct-10	NS	2.26	NS	NS	129	NS	1.92	0.177	0.317	NS	1.3
	26-Jan-11	1.07	U	1.63	NS	9.94	NS	0.537	U	0.617	1.23	27.1
	28-Feb-11	NS	NS	1.07	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.231	NS	NS	78.1	NS	0.891	U	0.107	U	1.56
	26-Jul-11	1.18	NS	0.358	U	29.6	NS	10.5	NS	NS	0.247	NS
	28-Oct-11	NS	2.7	U	NS	110	NS	2.7	U	2.7	U	2.7
	23-Jan-12	0.88	NS	0.54	U	6.8	NS	7.8	NS	0.54	U	44
	13-Apr-12	NS	0.27	U	NS	83	NS	1.5	0.27	U	0.27	U
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	32	NS
	23-Jun-12	1.1	NS	0.54	U	92	NS	0.75	NS	0.54	U	35
	1-Nov-12	2.4	NS	NS	NS	92	NS	1.9	0.32	0.28	NS	6.9
	1-Feb-13	0.85	NS	0.064	NS	21	NS	5.6	NS	0.077	20	NS
	29-Apr-13	NS	1.7	NS	NS	46	NS	0.84	0.12	0.44	NS	1.9
	9-Jul-13	0.60	NS	0.22	NS	27	NS	2.6	NS	0.14	22	U
	18-Oct-13	NS	3.3	NS	NS	76	NS	2.2	0.48	0.66	NS	15
	9-Jan-14	0.49	NS	0.11	U	36	NS	1.8	NS	0.13	43	NS
	24-Apr-14	NS	1.0	NS	NS	58	NS	0.81	0.13	1.0	31	2.4
	1-Aug-14	2.70	NS	0.23	15/19	NS	NS	NS	NS	1.2	16/18	NS
	27-Aug-14	NS	NS	NS	NS	NS	2.6/3.4	NS	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	0.30	NS	NS	U
	22-Oct-14	NS	1.3	NS	NS	88	0.97	1.4	0.19	0.17	18	NS
	20-Jan-15	0.52	NS	0.054	U	24	NS	1.3	NS	0.081	U	0.054
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	15	NS
	22-Apr-15	NS	0.96	NS	NS	35	NS	0.80	0.078	U	0.57	3.6
	21-Jul-15	0.2	U	NS	1	U	15	NS	NS	0.99 ^o	24 ^o	NS
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	0.44	NS	NS	NS
	29-Oct-15	NS	4.1	NS	NS	54	NS	3.3	0.89	0.55	NS	7.3
4-Dec-15 resample	NS	2.1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.3	NS	0.13	NS	25	NS	0.98	NS	0.27	36	NS
	20-Apr-16	NS	1.8	NS	NS	76	NS	0.8	0.17	0.39	NS	9.4
	20-Jul-16	0.47	NS	0.6	NS	28	NS	3.8	NS	0.63	21	NS
	21-Oct-16	NS	7.6	NS	NS	66	NS	1.1	0.31	0.18	NS	5.7
	31-Jan-17	0.23	NS	0.11	NS	32	NS	0.71	NS	0.054	44	NS
	17-Apr-17	NS	1.4	NS	NS	58	NS	0.66	0.081	U	0.081	11
	26-Jul-17	0.23	NS	0.13	NS	33	NS	1.4	NS	0.31	25	NS
	12-Oct-17	NS	1.8	NS	NS	88	NS	0.76	0.38	0.15	NS	2.1
	10-Jan-18	0.19	NS	0.054	U	29	NS	2.1	NS	0.43	65	NS
	11-Apr-18	NS	2.1	NS	NS	41	NS	1.1	U	0.13	NS	37
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	7.0	NS
	27-Jul-18	0.27	U	0.27	U	140	NS	0.68	NS	0.27	U	74
	24-Oct-18	NS	1.7	NS	NS	110	NS	0.69	0.27	U	0.27	NS
	16-Jan-19	0.29	NS	0.054	U	47	NS	1.4	NS	0.054	U	42
	12-Apr-19	NS	1.8	NS	NS	45	NS	0.38	0.081	U	0.081	21
	29-Jul-19	0.4	NS	0.15	NS	23	NS	4.7	NS	0.24	21	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	22	NS
	29-Oct-19	NS	4.8	NS	NS	33	NS	0.054	U	0.11	23 ^D	1.1 ^D
	21-Jan-20	0.15	NS	0.05	U	10.00	NS	1.10	NS	0.06	24	NS
	22-Apr-20	NS	0.54	NS	NS	20	NS	0.19	0.054	U	0.25	NS
	23-Jul-20	0.69	NS	0.12	NS	18	NS	2.6	NS	0.11	32	NS
	29-Oct-20	NS	2.3	NS	NS	45	NS	0.6	0.2	0.18	NS	1.9
	19-Jan-21	1	NS	0.054	U	5.8	NS	0.054	U	0.71	10 ^F	NS
	1											

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	1.22	NS	NS	NS	1.22	NS	NS	NS	1.06	15.9	NS
	27-Mar-08	NS	1.27	NS	NS	1.18	NS	NS	NS	NS	12	9.02
	25-Apr-08	NS	NS	1.18	NS	NS	NS	5.2	NS	1.66	NS	3.83
	29-May-08	NS	NS	NS	33.5	NS	NS	NS	0.98	1.05	10.6	NS
	27-Jun-08	1.29	NS	NS	NS	75.2	NS	NS	NS	NS	8.85	8.89
	31-Jul-08	NS	1.01	NS	NS	NS	NS	NS	NS	0.958	NS	5.1
	28-Aug-08	NS	NS	2.53	NS	NS	NS	18	NS	1.79	15.6	NS
	30-Sep-08	NS	NS	NS	53.8	NS	NS	NS	2.8	NS	14.5	10.4
	27-Oct-08	2.8	U	NS	NS	44.4	NS	NS	NS	6.1	NS	2.8
	25-Nov-08	NS	10	NS	NS	NS	12.2	NS	NS	2.8	U	34
	18-Dec-08	NS	NS	2.8	U	NS	NS	4.9	NS	NS	4.8	7.1
	21-Jan-09	NS	NS	NS	26.9	NS	NS	NS	7.2	2.8	U	NS
	25-Feb-09	2.8	U	NS	NS	14.8	NS	NS	NS	2.8	U	7.1
	26-Mar-09	NS	1.43	NS	NS	NS	2.81	U	NS	NS	NS	19.6
	29-Apr-09	NS	NS	1.45	NS	NS	NS	4.23	NS	1.27	NS	3.17
	22-Jul-09	1.46	NS	1.46	19.9	NS	3.42	NS	NS	1.28	6.46	NS
	9-Oct-09	NS	0.156	NS	NS	20	NS	11	58.6	U	1.65	NS
	15-Jan-10	1.39	NS	2.1	16.6	NS	1.78	NS	NS	1.34	15.4	NS
	21-Apr-10	NS	0.466	NS	NS	10.1	NS	4.83	1.4	U	4.95	NS
	16-Jul-10	2.6	NS	1.84	16.4	NS	2.12	U	NS	NS	2.23	19.8
	15-Oct-10	NS	9.63	NS	NS	72.2	NS	13.7	5.65	9.85	NS	10
	26-Jan-11	2.81	U	1.16	NS	13.8	NS	1.4	U	1.4	U	26
	28-Feb-11	NS	NS	2.81	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	1.12	NS	NS	12.8	NS	3.24	1.27	1.17	NS	2.53
	26-Jul-11	4.27	NS	1.31	41.2	U	NS	15.3	NS	NS	1.62	10
	28-Oct-11	NS	2.8	U	NS	30	NS	5.1	2.8	U	2.9	NS
	23-Jan-12	2.1	NS	1.5	28	NS	29	NS	NS	1.4	16	NS
	13-Apr-12	NS	1.9	NS	NS	15	NS	6.4	2.1	2	NS	8.8
Trichlorofluoromethane	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	21
	23-Jun-12	2.4	NS	1.1	85	NS	2.2	NS	NS	1.2	15	NS
	1-Nov-12	NS	3.3	NS	NS	33	NS	6.7	1.2	1.2	NS	7.2
	1-Feb-13	2.1	NS	1.6	15	NS	17	NS	NS	1.6	5.6	NS
	29-Apr-13	NS	2.6	NS	NS	8.3	NS	3.1	1.5	1.6	NS	2.7
	9-Jul-13	1.4	NS	2.2	33	NS	3.3	NS	NS	3.6	5.5	NS
	18-Oct-13	NS	4.0	NS	NS	19	NS	6.9	3.0	1.6	NS	20
	9-Jan-14	1.6	NS	1.8	21	NS	11	NS	NS	1.8	11	NS
	24-Apr-14	NS	2.3	NS	NS	10	NS	3.5	1.7	2.4	9.3	4.3
	1-Aug-14	2.9	NS	1.7/1.6	23/26	NS	NS	NS	NS	2.4	6.2	NS
	27-Aug-14	NS	NS	NS	NS	7.0/6.6	NS	NS	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.5	NS	NS	NS	U
	22-Oct-14	NS	2.7	NS	NS	28	4.2	7.0	1.7	1.4	7.4	NS
	20-Jan-15	1.6	NS	1.5	9.1	NS	5.2	NS	NS	1.3	1.4	NS
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.8	NS
	22-Apr-15	NS	7.8 ^v	NS	NS	15 ^v	NS	3.5	1.7/2.0	1.9	NS	3.4
	21-Jul-15	0.87	NS	1.0 ^j	19	NS	3.2	NS	NS	0.98 ^o	2.9 ^o	NS
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.98	NS	NS	NS	NS
	29-Oct-15	NS	4.3	NS	NS	11	NS	2.6	0.93	0.8	NS	1.8
4-Dec-15 resample	NS	2.5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.5 ^{M,V}	NS	1.9 ^{M,V}	19 ^{M,V}	NS	7.6 ^{M,V}	NS	NS	2.4 ^{M,V}	7.6 ^{M,V}	NS
	20-Apr-16	NS	2.3	NS	NS	8.8	NS	2.5	1.6	1.4	NS	4.3
	20-Jul-16	1.3	NS	1.6	16	NS	4.2	NS	NS	1.7	4	NS
	21-Oct-16	NS	4.7	NS	NS	15	NS	3.8	1.5	1.3	NS	5.9
	31-Jan-17	1.4	NS	1.5	35	NS	3.9	NS	NS	1.4	9.1	NS
	17-Apr-17	NS	2.7	NS	NS	8.6	NS	3.1	1.7	1.7	NS	8.2
	26-Jul-17	0.98	NS	0.98	19	NS	1.9	NS	NS	1.1	3.4	NS
	12-Oct-17	NS	2.3	NS	NS	18	NS	3.8	1.8	1.5	NS	2.2
	10-Jan-18	1.2	NS	1.3	9.1	NS	4.6	NS	NS	1.1	NS	11
	11-Apr-18	NS	2.1	NS	NS	5.3	NS	4.5	U	1.4	NS	9.9
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	NS
	27-Jul-18	2.2	U	NS	2.2	U	NS	NS	NS	2.2	U	6
	24-Oct-18	NS	2.6	NS	NS	14	NS	3.4	2.2	2.2	NS	2.9
	16-Jan-19	1.1	NS	1.2	16	NS	2.9	NS	NS	1.2	5.1	NS
	12-Apr-19	NS	1.8	NS	NS	4.5	NS	2	1.2	1.1	NS	7.8
	29-Jul-19	1.6	NS	1.2	13	NS	3.9	NS	NS	1.3	4.3	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.6	NS
	29-Oct-19	NS	3.6	NS	NS	5.6	NS	1.7	1.7	2.2 ^D	3.9 ^D	2.2 ^D
	21-Jan-20	1.30	NS	1.20	7.70	NS	3.10	NS	NS	1.20	4.90	NS
	22-Apr-20	NS	2	NS	NS	4.6	NS	2.1	1.6	1.7	NS	2.5
	23-Jul-20	1.7	NS	1.8 ^w	19 ^w	NS	3.3	NS	NS	1.4	5	NS
	29-Oct-20	NS	2.2	NS	NS	9.5	NS	3	1.5	1.4	NS	2.7
	19-Jan-21	1.4	NS	1.1	3.6	NS	1.1	NS	NS	1.4	2.5 ^F	NS

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.21	NS	NS	NS	0.23	NS	NS	NS	0.69	1.93	NS
	27-Mar-08	NS	0.304	NS	NS	0.152	NS	NS	NS	0.958	0.681	
	25-Apr-08	NS	NS	1.72	NS	NS	0.644	NS	0.517	NS	0.338	
	29-May-08	NS	NS	NS	0.6	NS	NS	I	1.26	0.48	NS	
	27-Jun-08	7.46	NS	NS	NS	1.15	NS	NS	NS	0.638	0.736	
	31-Jul-08	NS	1.86	NS	NS	NS	NS	NS	0.885	NS	0.685	
	28-Aug-08	NS	NS	0.838	NS	NS	NS	NS	0.669	0.653	NS	
	30-Sep-08	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.5	
	27-Oct-08	11.4	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.9
	25-Nov-08	NS	2.5	U	NS	NS	2.5	U	NS	6.4	5.2	NS
	18-Dec-08	NS	NS	2.5	U	NS	NS	2.5	U	NS	2.5	U
	21-Jan-09	NS	NS	NS	2.5	U	NS	NS	2.5	U	2.5	U
	25-Feb-09	17.5	NS	NS	NS	4	NS	NS	NS	6.2	2.9	NS
	26-Mar-09	NS	0.491	U	NS	NS	0.982	U	NS	NS	1.09	1.55
	29-Apr-09	NS	NS	0.265	NS	NS	NS	0.378	NS	0.707	NS	0.801
	22-Jul-09	3.49	NS	20	U	0.982	U	0.737	NS	NS	56.4	NS
	9-Oct-09	NS	0.707	NS	NS	0.781	NS	0.648	20.5	U	1.36	NS
	15-Jan-10	2.87	NS	0.354	NS	0.29	NS	0.314	NS	NS	1.06	1.17
	21-Apr-10	NS	0.211	NS	NS	0.933	NS	1.42	1.13	0.653	NS	0.702
	16-Jul-10	8.3	NS	8.23	NS	8.09	NS	6.27	NS	NS	4.28	5.05
	15-Oct-10	NS	1.29	NS	NS	1.61	NS	1.1	1.38	1.86	NS	2.35
	26-Jan-11	1.23	1.4	NS	1.6	NS	0.491	U	NS	1.35	6.93	10.4
	28-Feb-11	NS	NS	0.982	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.845	NS	NS	0.855	NS	1.24	1.06	2.06	NS	1.09
	26-Jul-11	1.29	NS	2.67	NS	0.61	NS	0.541	NS	NS	2.48	0.541
	28-Oct-11	NS	2.5	U	NS	2.5	U	NS	2.5	U	3.7	NS
	23-Jan-12	3	NS	0.76	0.49	U	NS	0.71	NS	NS	2.7	2.8
	13-Apr-12	NS	0.49	U	NS	0.49	U	NS	0.49	U	1.1	3.9
2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.5
	23-Jun-12	4.1	NS	1.3	1.2	NS	1.1	NS	NS	NS	2.1	1.1
	1-Nov-12	NS	1.7	NS	NS	2.5	NS	3.1	3	3.2	NS	3.3
	1-Feb-13	1.2	NS	0.23	0.21	NS	0.3	NS	NS	1	0.86	NS
	29-Apr-13	NS	0.54	NS	NS	0.74	NS	0.66	0.83	1	NS	0.84
	9-Jul-13	4.2	NS	1.6	1.8	NS	1.8	NS	NS	2	2.0	NS
	18-Oct-13	NS	4.8	NS	NS	4.3	NS	5.6	6.4	5.0	NS	5.7
	9-Jan-14	2.7	NS	2.7	3.8	NS	3.8	NS	NS	12.0	13.0	NS
	24-Apr-14	NS	0.098	U	NS	0.098	U	0.13	0.098	U	0.5	0.1
	1-Aug-14	4.1	NS	6.5/5.1	3.0/3.6	NS	NS	NS	NS	NS	2.6	6.3/4.3
	27-Aug-14	NS	NS	NS	NS	1.1	NS	NS	NS	NS	NS	NS
12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	NS	1.2	NS	NS	NS	U
	22-Oct-14	NS	0.37	NS	NS	0.28	0.6	0.59	0.50	1.0	1.2	NS
	20-Jan-15	0.19	NS	0.098	U	0.098	U	0.098	U	NS	0.3	0.4
30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.55	NS
	22-Apr-15	NS	0.27	NS	NS	0.17	NS	0.24	0.33/0.37	0.33	NS	0.43
	21-Jul-15	0.44	NS	1.1	5	U	0.89	NS	NS	0.47 ^o	0.66 ^o	NS
23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS	0.43	NS	NS	0.78	NS	0.87	0.64	0.48	NS	0.76
4-Dec-15 resample	NS	0.2	U	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.32	NS	0.098	U	0.17	NS	0.098	U	NS	0.55	0.38
	20-Apr-16	NS	0.39	NS	NS	0.57	NS	0.79	0.49	1	NS	0.94
	20-Jul-16	2.2	NS	2.6	2.3	NS	2.4	NS	NS	3.2	2.6	NS
	21-Oct-16	NS	0.8	NS	NS	0.74	NS	1.1	1.2	1.6	NS	1.3
	31-Jan-17	1.3	NS	0.61	0.69	NS	0.74	NS	NS	5.1	4.9	NS
	17-Apr-17	NS	0.16	NS	NS	0.21	NS	0.2	0.2	0.29	NS	0.33
	26-Jul-17	0.28	NS	0.098	U	0.3	NS	0.36	NS	0.34	0.29	NS
	12-Oct-17	NS	0.95	NS	NS	0.58	NS	2.6	2.1	1.9	NS	1.6
	10-Jan-18	0.14	NS	0.098	U	0.18	NS	0.12	NS	0.88	NS	0.76
	11-Apr-18	NS	0.31 ^M	NS	NS	0.98	U	0.98	U	0.98	U	0.98
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.15	U
	27-Jul-18	0.49	U	NS	0.49	U	0.49	U	NS	0.49	U	NS
	24-Oct-18	NS	0.49	U	NS	0.49	U	0.49	U	0.49	U	0.49
	16-Jan-19	0.098	U	NS	0.098	U	0.098	U	NS	0.098	U	0.098
	12-Apr-19	NS	0.098	U	NS	0.098	U	0.12	U	0.15	U	0.15
	29-Jul-19	2.9	NS	3.1	4.3	NS	5.3	NS	NS	1.9	3.3	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.5	NS
	29-Oct-19	NS	1.9	NS	NS	1.5	NS	0.3	1.7	2.2 ^D	2.7 ^D	2 ^D
	21-Jan-20	0.17	NS	0.25	0.24	NS	0.22	NS	NS	2.10	3.10	NS
	22-Apr-20	NS	0.098	U	NS	0.098	U	0.098	U	0.098	U	0.098
	23-Jul-20	0.098	U	NS	0.098	U	0.2	U	NS	3.9	4.9	NS
	29-Oct-20	NS	0.098	U	NS	0.098	U	0.098	U	0.098	U	0

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3					
			Qual		Qual		Qual		Qual		Qual																
	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS					
	27-Mar-08	NS		0.14		NS		NS		NS		0.098		U	NS		NS		0.349		0.275						
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134					
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		NS		0.32		0.43		0.15		NS			
	27-Jun-08	5.16		NS		NS		NS		0.463		NS		NS		NS		NS		NS		0.236		0.25			
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		NS		0.276		NS		0.224			
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS					
	30-Sep-08	NS		NS		NS		2.5		U	NS	NS		NS		NS		2.5		U	NS	2.5		U			
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		NS		NS		NS		2.5	U	NS		2.5	U		
	25-Nov-08	NS		2.5		U	NS	NS		NS		NS		2.5	U	NS		NS		2.5	U	NS					
	18-Dec-08	NS		NS		2.5		U	NS	NS		NS		2.5	U	NS		NS		NS		NS		2.5	U		
	21-Jan-09	NS		NS		NS		2.5		U	NS	NS		NS		NS		2.5		U	NS	2.5		U			
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		NS		2.5	U	NS					
	26-Mar-09	NS		0.491		U	NS	NS		NS		0.982		U	NS		NS		NS		0.337		0.425				
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		NS		0.211		NS		0.241			
	22-Jul-09	3		NS		20		U	0.982		U	NS	0.491		U	NS		NS		22.7		0.275		NS			
	9-Oct-09	NS		0.216		NS		NS		0.241		NS		0.187		20.5		U	0.388		NS		0.226				
	15-Jan-10	2.15		NS		0.118		0.098		U	NS	0.108		NS		NS		0.29		0.334		NS					
	21-Apr-10	NS		0.098		U	NS	NS		0.491		U	NS	0.491		U	0.491	U	0.177		NS		0.206				
	16-Jul-10	2.76		NS		1.88		1.81		NS		1.67		NS		NS		NS		1.08		1.25		NS			
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		0.275		NS		0.324		0.545		NS		0.54			
	26-Jan-11	0.982		U	0.437		NS		0.472		NS		0.491		U	NS	0.491		U	1.99		2.87		NS			
	28-Feb-11	NS		NS		0.982		U	NS	NS		NS		NS		NS		NS		NS		NS					
	27-Apr-11	NS		0.255		NS		NS		0.27		NS		0.368		0.329		0.599		NS		0.354					
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492		U	NS	NS		NS		0.664		0.492		U	NS		
	28-Oct-11	NS		2.5		U	NS	NS		2.5	U	NS		2.5	U	NS		2.5		U	2.5		U	NS	2.5	U	
	23-Jan-12	0.99		NS		0.49		U	NS	0.49		U	NS	0.49		U	0.49	U	0.49		0.71		0.83		NS		
	13-Apr-12	NS		0.49		U	NS	NS		0.49		U	NS	0.49		U	0.49	U	1.1		NS		0.49		U		
2-Jul-12 (resample)	23-Jun-12	1.6		NS		0.49		U	0.49		U	NS	0.49		U	NS	NS		NS		0.49		U	NS			
	1-Nov-12	NS		0.25		NS		NS		0.39		NS		0.53		NS		0.5		0.56		NS		0.63			
	1-Feb-13	0.42		NS		0.098		U	0.098		U	NS	0.098		U	NS	0.098		U	0.14		0.098		U	0.50		
	29-Apr-13	NS		0.25		U	NS	NS		0.22		NS		0.18		NS		0.22		0.3		NS		0.27			
	9-Jul-13	1.5		NS		0.39		NS		0.37		NS		0.38		NS		NS		0.43		0.44		NS			
	18-Oct-13	NS		0.53		NS		NS		0.52		NS		0.75		NS		0.99		0.44		NS		0.53			
	9-Jan-14	0.77		NS		0.69		NS		0.96		NS		0.98		NS		NS		2.9		3.1		NS			
	24-Apr-14	NS		0.098		U	NS	NS		0.098		U	NS	0.098		U	0.098	U	0.14		0.098		U	0.50			
	1-Aug-14	0.90		NS		1.00		NS		0.60		NS		NS		NS		NS		0.46		0.86		NS			
	27-Aug-14	NS		NS		NS		NS		NS		0.23		NS		NS		NS		NS		NS					
	12-Sept-14 (resample)	NS		NS		0.15		NS		NS		U															
	22-Oct-14	NS		0.15		U	NS	NS		0.15		U	0.15	U		0.15	U	0.15		U	0.20		U	NS			
	20-Jan-15	0.098		U	NS	0.098		U	0.098		U	NS	0.098		U	NS	0.098		U	0.14		0.098		U	0.12		

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3			
			Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		
	8-Feb-08	0.05	U	NS	NS	NS	NS	0.05	U	NS	NS	NS	NS	NS	NS	0.05	U	0.05	U	0.05	U	NS	NS		
	27-Mar-08	NS		0.051	U	NS	NS	0.051	U	NS	NS	0.051	U	0.75	NS	NS	NS	0.051	U	0.051	U	0.051	U		
	25-Apr-08	NS		NS	NS	NS	NS	0.05	U	NS	NS	NS	NS	NS	0.05	U	0.05	U	0.05	U	NS	0.051	U		
	29-May-08	NS		NS	NS	NS	NS	0.051	U	NS	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	NS	0.051	U		
	27-Jun-08	0.08	U	NS	NS	NS	NS	0.051	U	NS	NS	NS	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	
	31-Jul-08	NS		0.051	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	
	28-Aug-08	NS		NS	NS	NS	NS	0.051	U	NS	NS	NS	NS	NS	0.051	U	NS	NS	0.051	U	0.051	U	NS	NS	
	30-Sep-08	NS		NS	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS	NS	0.1	U	0.1	U	0.1	U	
	27-Oct-08	0.1	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	
	25-Nov-08	NS		0.1	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	
	18-Dec-08	NS		NS	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS	NS	0.1	U	0.1	U	0.1	U	
	21-Jan-09	NS		NS	NS	NS	NS	0.1	U	NS	NS	NS	NS	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	U	
	25-Feb-09	0.1	U	NS	NS	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	0.1	U	NS	NS	0.1	U	NS	0.1	U	
	26-Mar-09	NS		0.255	U	NS	NS	NS	U	NS	NS	NS	NS	NS	NS	NS	0.051	U	NS	NS	0.051	U	0.051	U	
	29-Apr-09	NS		NS	NS	NS	NS	0.061	U	NS	NS	NS	NS	NS	NS	NS	0.051	U	NS	NS	0.051	U	0.051	U	
	22-Jul-09	0.255	U	NS	NS	NS	NS	0.255	U	0.511	U	NS	NS	0.255	U	NS	NS	0.051	U	0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72		NS	NS	0.051	U	NS	NS	0.051	U	0.102	NS	10.7	U	0.051	U	0.051	U	NS	0.051	U	
	15-Jan-10	0.051	U	NS	NS	NS	NS	0.061	U	NS	NS	0.051	U	NS	NS	0.051	U	0.051	U	0.051	U	NS	0.051	U	
	21-Apr-10	NS		0.051	U	NS	NS	NS	U	NS	NS	0.255	U	NS	0.256	U	0.255	U	0.051	U	0.051	U	NS	0.051	U
	16-Jul-10	0.051	U	NS	NS	NS	NS	1.98	U	NS	NS	0.386	U	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS	NS	NS	U	NS	NS	0.051	U	NS	0.051	U									
	26-Jan-11	0.511	U	0.051	U	NS	NS	0.511	U	NS	NS	0.255	U	NS	0.255	U	0.255	U	0.255	U	0.255	U	NS	0.255	U
	28-Feb-11	NS		NS	NS	NS	NS	0.511	U	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS		0.051	U	NS	NS	NS	U	NS	NS	0.051	U	NS	0.051	U									
	26-Jul-11	0.17	U	NS	NS	NS	NS	0.17	U	NS	NS	0.256	U	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	NS	
	28-Oct-11	NS		1.3	U	NS	NS	0.26	U	NS	NS	1.3	U	NS	1.3	U									
	23-Jan-12	0.26	U	NS	NS	NS	NS	0.26	U	NS	NS	0.26	U	NS	0.26	U									
	13-Apr-12	NS		0.13	U	NS	NS	NS	U	NS	NS	0.13	U	NS	0.13	U									
	2-Jul-12 (resample)	NS		NS	NS	NS	NS	0.26	U	NS	NS	0.26	U	NS	0.26	U									
	23-Jun-12	0.26	U	NS	NS	NS	NS	0.26	U	NS	NS	0.26	U	NS	0.26	U									
	1-Nov-12	NS		0.026	U	NS	NS	0.026	U	NS	NS	0.026	U	NS	0.026	U									
	1-Feb-13	0.065		NS	NS	NS	NS	0.026	U	NS	NS	0.026	U	NS	NS	0.026	U	0.026	U	0.026	U	NS	0.026	U	
	29-Apr-13	NS		0.41		NS	NS	0.045		NS	NS	0.026		NS	0.026		0.026		0.026		0.026		0.026		
	9-Jul-13	0.038	U	NS	NS	NS	NS	0.026	U	0.085	NS	NS	0.026	U	NS	NS	0.026	U	0.026	U	0.026	U	NS	0.026	U
	18-Oct-13	NS		0.051	U	NS	NS	NS	U	NS	NS	0.074	NS	NS	0.051	U	0.063	U	0.051	U	0.051	U	0.051	U	
	9-Jan-14	0.092		NS	NS	NS	NS	0.051	U	NS	NS	0.051	U	NS	NS	0.051	U	0.051	U	0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS	NS	0.026	U	NS	NS	0.026	U	NS	0.026	U	0.10	U	0.026	U	0.026	U	0.026	U	
	1-Aug-14	0.21		NS	NS	NS	NS	0.38	U	0.077	U	NS	NS	0.026	U	NS									

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
p/m-Xylene	8-Feb-08	0.55	NS	NS	NS	0.63	NS	NS	NS	1.04	18.3	NS
	27-Mar-08	NS	0.893	NS	NS	0.389	NS	NS	NS	2.17	1.33	
	25-Apr-08	NS	NS	0.815	NS	NS	0.97	NS	2.54	NS	1.81	
	29-May-08	NS	NS	NS	5	NS	NS	7.58	10.1	3.34	NS	
	27-Jun-08	12.6	NS	NS	NS	1.5	NS	NS	NS	1.91	2.33	
	31-Jul-08	NS	2.4	NS	NS	NS	NS	NS	2.08	NS	1.55	
	28-Aug-08	NS	NS	2.33	NS	NS	1.44	NS	2.13	1.94	NS	
	30-Sep-08	NS	NS	NS	4.3	U	NS	NS	4.3	U	4.3	U
	27-Oct-08	41.6	NS	NS	NS	4.3	U	NS	NS	4.3	U	4.3
	25-Nov-08	NS	4.7	NS	NS	NS	4.3	U	NS	8.5	8.9	NS
	18-Dec-08	NS	NS	4.3	U	NS	NS	4.3	U	NS	4.3	U
	21-Jan-09	NS	NS	NS	4.3	U	NS	NS	4.3	U	NS	4.3
	25-Feb-09	37.6	NS	NS	4.3	U	NS	NS	8	9.3	NS	
	26-Mar-09	NS	1.35	NS	NS	1.74	U	NS	NS	NS	2.59	3.56
	29-Apr-09	NS	NS	0.468	NS	NS	0.516	NS	NS	0.933	NS	1.06
	22-Jul-09	25.6	NS	25.6	1.74	U	NS	3.88	NS	165	3.52	NS
	9-Oct-09	NS	1.62	NS	NS	1.63	NS	0.915	36.2	U	1.74	1.7
	15-Jan-10	18.4	NS	1.52	1.48	NS	1.76	NS	NS	2.35	2.65	NS
	21-Apr-10	NS	0.703	NS	NS	3.28	NS	4.58	4.34	6.22	NS	4.77
	16-Jul-10	21.8	NS	7.01	6.36	NS	4.82	NS	NS	4.95	4.91	NS
	15-Oct-10	NS	1.81	NS	2.18	NS	1.7	1.88	3.4	NS	2.88	
	26-Jan-11	3.08	4.24	NS	4.37	NS	3.06	NS	3.17	11.5	13.6	NS
	28-Feb-11	NS	NS	1.74	U	NS	NS	NS	NS	NS	NS	
	27-Apr-11	NS	0.694	NS	NS	0.707	NS	0.889	1.15	1.09	NS	1.44
	26-Jul-11	9.99	NS	3.96	1.02	NS	0.999	NS	NS	0.956	1.26	NS
	28-Oct-11	NS	4.3	U	NS	4.3	U	4.3	U	9.8	NS	4.3
	23-Jan-12	7.9	NS	2	1.3	NS	2	NS	NS	4.4	14	NS
	13-Apr-12	NS	0.87	U	NS	0.87	U	0.87	U	0.87	3.6	1.1
2-Jul-12 (resample)	23-Jun-12	12	NS	1.1	0.87	U	NS	0.94	NS	NS	4.3	U
	1-Nov-12	NS	2.1	NS	NS	2.4	NS	3.3	2.9	3.6	NS	5.3
	1-Feb-13	3.4	NS	0.44	0.38	NS	0.59	NS	NS	1.5	1.4	NS
	29-Apr-13	NS	1	NS	NS	1.2	NS	1.2	1.5	1.9	NS	2.4
	9-Jul-13	12	NS	1.9	1.8	NS	1.7	NS	NS	3.2	0.70	NS
	18-Oct-13	NS	5.0	NS	NS	5.6	NS	6.3	8.0	4.7	NS	5.9
	9-Jan-14	8.6	NS	7.2	9.3	NS	9.7	NS	NS	23	22.00	NS
	24-Apr-14	NS	0.17	U	NS	0.17	U	0.17	U	0.17	0.17	U
	1-Aug-14	4.8	NS	2.8/3.0	1.8/2.1	NS	NS	NS	NS	1.5	2.4/2.8	NS
	27-Aug-14	NS	NS	NS	NS	3.6	NS	NS	NS	NS	NS	
12-Sept-14 (resample)	22-Oct-14	NS	NS	NS	NS	NS	NS	NS	1.3	NS	NS	U
	20-Jan-15	1.1	NS	0.26	U	NS	0.26	U	0.26	U	0.76	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.1	NS
	22-Apr-15	NS	0.71	NS	NS	0.40	NS	0.8	0.66/0.76	1.3	NS	1.6
	21-Jul-15	1.5	NS	1.7 ^j	9	U	NS	1.9	NS	1.8 ^o	2.3 ^o	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	0.71	NS	NS	NS
	29-Oct-15	NS	0.29 ^j	NS	NS	0.47 ^j	NS	0.73	0.90	0.8	NS	1
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	2.4	NS	0.51	0.64	NS	0.64	NS	NS	2.5	2.7	NS
	20-Apr-16	NS	1	NS	NS	1.5	NS	2.1	1.4	2.7	NS	2.5
26-Sep-19	20-Jul-16	16	NS	1.4	0.91	NS	1.3	NS	NS	9.3	3.2	NS
	21-Oct-16	NS	0.43	NS	NS	1.1	NS	0.77	2	4.1	NS	1.7
	31-Jan-17	2	NS	0.5	0.55	NS	0.45	NS	NS	3.3	1.9	NS
	17-Apr-17	NS	0.26	U	NS	0.27	NS	0.27	0.26	0.57	NS	0.49
	26-Jul-17	1.6	NS	0.93	0.74	NS	1.4	NS	NS	1.3	0.96	NS
	12-Oct-17	NS	0.58	NS	NS	0.68	NS	0.83	1	0.89	NS	0.96
	10-Jan-18	1.4	NS	0.33	0.62	NS	0.53	NS	NS	3.4	1.3	NS
	11-Apr-18	NS	0.35	NS	NS	1.7	U	1.7	U	0.97	NS	1.7
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.31	NS
	27-Jul-18	0.87	U	0.87	U	0.87	U	0.87	U	0.87	U	NS
26-Sep-19	24-Oct-18	NS	0.87	U	NS	0.87	U	2	0.87	1.6	NS	1.3
	16-Jan-19	1.5	NS	0.24	0.35	NS	0.42	NS	NS	0.88	1.1	NS
	12-Apr-19	NS	0.3	NS	NS	0.36	NS	0.28	0.52	0.6	1.2	NS
	29-Jul-19	17	NS	17	21	NS	25	NS	NS	12	13	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	4	NS	
	29-Oct-19	NS	2.4	NS	NS	1.8	NS	0.64	2.6	4.4 ^d	6.1 ^d	4 ^d
	21-Jan-20	0.83	NS	1.10	0.94	NS	0.69	NS	NS	3.30	3.80	NS
	22-Apr-20	NS	0.17	U	NS	0.17	U	0.17	U	0.17	1.2	1.6
	23-Jul-20	2.7	NS	0.99	0.99	NS	1.2	NS	NS	2.5	4.6	NS
	29-Oct-20	NS	0.53	NS	NS	0.55	NS	0.45	0.71	1.5	NS	2.3
28-Jul-22	19-Jan-21	0.4	NS	0.22	0.19	NS	0.26	NS	NS	1.1	0.98 ^f	NS

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3
		Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual	Qual
	8-Feb-08	0.2	NS	NS	NS	0.23	NS	NS	NS	0.48	7.73	NS
	27-Mar-08	NS	0.273	NS	NS	0.142	NS	NS	NS	0.844	0.478	
	25-Apr-08	NS	NS	0.37	NS	NS	0.406	NS	0.735	NS	0.62	
	29-May-08	NS	NS	NS	1.48	NS	NS	NS	2.26	2.84	1.02	NS
	27-Jun-08	4.12	NS	NS	NS	0.55	NS	NS	NS	0.672	0.794	
	31-Jul-08	NS	0.835	NS	NS	NS	NS	NS	0.748	NS	0.564	
	28-Aug-08	NS	NS	0.804	NS	NS	0.511	NS	0.797	0.725	NS	
	30-Sep-08	NS	NS	NS	2.2	U	NS	NS	2.2	U	2.2	U
	27-Oct-08	9.8	NS	NS	NS	2.2	U	NS	NS	2.2	U	4
	25-Nov-08	NS	2.2	U	NS	NS	2.2	U	NS	3.1	N	NS
	18-Dec-08	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2	U
	21-Jan-09	NS	NS	NS	2.2	U	NS	NS	2.2	U	NS	2.2
	25-Feb-09	8.9	NS	NS	NS	2.2	U	NS	NS	2.2	3.2	NS
	26-Mar-09	NS	0.486	NS	NS	0.868	U	NS	NS	NS	0.922	1.28
	29-Apr-09	NS	NS	0.174	NS	NS	0.208	NS	NS	0.369	NS	0.499
	22-Jul-09	5.34	NS	5.34	NS	1.39	NS	NS	72.7	1.27	NS	
	9-Oct-09	NS	0.542	NS	NS	0.586	NS	0.343	18.1	0.629	NS	0.616
	15-Jan-10	4.51	NS	0.49	0.49	NS	0.56	NS	NS	0.833	0.846	NS
	21-Apr-10	NS	0.256	NS	NS	1.17	NS	1.56	1.41	1.24	NS	1.14
	16-Jul-10	5.07	NS	2.84	2.63	NS	2.1	NS	NS	1.88	2.05	NS
	15-Oct-10	NS	0.672	NS	NS	0.837	NS	0.659	0.729	1.22	NS	1.14
	26-Jan-11	1.08	1.5	NS	1.54	NS	1.11	NS	1.15	4.32	5.16	NS
	28-Feb-11	NS	NS	0.868	U	NS	NS	NS	NS	NS	NS	NS
	27-Apr-11	NS	0.286	NS	NS	0.286	NS	0.369	0.456	0.451	NS	0.551
	26-Jul-11	1.87	NS	1.45	0.334	NS	0.434	U	NS	0.365	0.434	NS
	28-Oct-11	NS	2.2	U	NS	2.2	U	NS	2.2	U	3.3	NS
	23-Jan-12	2.3	NS	0.76	0.54	NS	0.79	NS	NS	1.7	4.6	NS
	13-Apr-12	NS	0.43	U	NS	0.43	U	NS	0.43	U	1.4	NS
o-Xylene	2-Jul-12 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.2	U
	23-Jun-12	3	NS	0.43	U	0.43	U	0.43	U	0.59	0.44	NS
	1-Nov-12	0.72	NS	0.43	U	0.85	NS	1.1	1.1	1.3	1.8	NS
	1-Feb-13	1	NS	0.19	0.17	NS	0.24	NS	NS	0.64	0.52	NS
	29-Apr-13	NS	0.43	NS	NS	0.46	NS	0.41	0.52	0.065	NS	0.86
	9-Jul-13	3.2	NS	0.86	0.90	NS	0.84	NS	NS	1.3	0.28	NS
	18-Oct-13	NS	1.7	NS	NS	1.9	NS	2.1	2.9	1.4	NS	1.7
	9-Jan-14	3.4	NS	3.0	4.00	NS	4.1	NS	9.8	9.6	NS	NS
	24-Apr-14	NS	0.087	U	NS	0.087	U	0.087	U	0.11	0.087	U
	1-Aug-14	1.9	NS	1.6/1.8	1.10	NS	NS	NS	NS	0.79	1.2/1.6	NS
	27-Aug-14	NS	NS	NS	NS	1.3	NS	NS	NS	NS	NS	NS
	12-Sept-14 (resample)	NS	NS	NS	NS	NS	NS	0.52	NS	NS	U	NS
	22-Oct-14	NS	0.13	U	NS	0.13	U	0.2	0.13	0.28	0.35	NS
	20-Jan-15	0.29	NS	0.087	U	0.10	NS	0.25	0.22/0.25	0.38	0.34	NS
	30-Mar-15 (resample)	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.36	NS
	22-Apr-15	NS	0.26	NS	NS	0.13	NS	0.25	0.22/0.25	0.54 ^o	0.73 ^o	0.54
	21-Jul-15	0.48	NS	0.59 ^j	4	U	NS	NS	NS	NS	NS	NS
	23-Sept-15 resample	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	29-Oct-15	NS	0.16 ^j	NS	NS	0.21 ^j	NS	0.34 ^j	0.28	0.32	NS	0.44
	4-Dec-15 resample	NS	0.4	U	NS	NS	NS	NS	NS	NS	NS	NS
	27-Jan-16	0.51	NS	0.13	0.17	NS	0.17	NS	NS	0.63	0.84	NS
	20-Apr-16	NS	0.36	NS	NS	0.52	NS	0.77	0.49	0.92	0.78	NS
	20-Jul-16	3.4 ^w	NS	0.84 ^w	0.43 ^{FW}	U	0.6 ^w	W	NS	2.7 ^w	1.3 ^v	NS
	21-Oct-16	NS	0.18	NS	NS	0.38	NS	0.27	0.72	1.3	NS	0.62
	31-Jan-17	0.88	NS	0.31	0.32	NS	0.27	NS	NS	1.7	1.2	NS
	17-Apr-17	NS	0.13	U	NS	0.13	U	0.13	U	0.25	NS	0.2
	26-Jul-17	0.45	NS	0.28	0.25	NS	0.46	NS	NS	0.41	0.34	NS
	12-Oct-17	NS	0.36	NS	NS	0.44	NS	0.52	0.56	0.46	NS	0.42
	10-Jan-18	0.44	NS	0.12	0.2	NS	0.2	NS	NS	1.2	NS	0.53
	11-Apr-18	NS	0.13	NS	NS	0.87	U	0.87	U	0.35	NS	0.87
	23-May-18	NS	NS	NS	NS	NS	NS	NS	NS	0.16	NS	U
	27-Jul-18	0.43	U	NS	0.43	U	0.43	U	NS	0.43	U	0.57
	24-Oct-18	NS	0.43	U	NS	0.43	U	0.43	U	0.63	NS	0.57
	16-Jan-19	0.44	NS	0.089	0.13	NS	0.16	NS	NS	0.31	0.38	NS
	12-Apr-19	NS	0.11	NS	NS	0.12	NS	0.11	U	0.19	0.25	0.51
	29-Jul-19	6.7	NS	6.9	8	NS	10	NS	NS	4.6	5.3	NS
	26-Sep-19	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.7	NS
	29-Oct-19	NS	1.2	NS	NS	0.96	NS	0.32	1.2	1.8 ^D	2.8 ^D	1.7 ^D
	21-Jan-20	0.33	NS	0.44	0.41	NS	0.32	NS	NS	1.5	1.8	NS
	22-Apr-20	NS	0.087	U	NS	0.087	U	0.087	U	0.47	NS	0.62
	23-Jul-20	0.8	NS	0.42	0.41	NS	0.72	NS	NS	1.2	2.1	NS
	29-Oct-20	NS	0.24	NS	NS	0.29	NS	0.21				

Summary of Subslab Air Sampling Data

Alvarez School

Volatile Organic Compounds

Volatile Organic Compounds via TO-15	Sample Date	MP-1	MP-2	MP-3	MP-4	MP-5	MP-6	MP-7	MP-8	IMP-1	IMP-2	IMP-3	
		Qual	Qual	Qual									
* Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.													
M Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.													
L Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.													
V Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.													
W Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.													
E Reported result is estimated due to value over calibration range													
J Estimated result as the result was between the MDL and the RDL.													
O One or more method internal standards were recovered outside of the control limits. Sample re-analysis not possible due to sample volume and detection limit constraint													
D Elevated method reporting limits due to diluted matrices. Con-test internal standards failed and samples were re-pressurized and dilute													
K Initial calibration did not meet standard and was biased on the low side. Reported result is estimated													
F Elevated reporting limits due to sample miss injection. Samples were re-pressurized for analysis. Applies to IMP-2 sample													
NOTES:													
All data presented in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).													
Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multiple dilutions, the lower RL was documented in this table.													
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column													
NS = Not sampled.													

APPENDIX D

Rooftop Emission Analytical Summary

Sub Slab Depressurization System Emissions Calculations

Alvarez School

Sample Date: 28 July 2022

Volatile Organic Compounds	ROOFTOP FAN 1				ROOFTOP FAN 2				ROOFTOP FAN 3				CUMULATIVE EMISSIONS (3 fans combined)					
	Measured Flow Speed (fpm):		2151	Measured Flow Rate (cfm):	Measured Flow Speed (fpm):		2048	Measured Flow Rate (cfm):	Measured Flow Speed (fpm):		1895	Measured Flow Rate (cfm):	93.0					
	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m³)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)			
Acetone	28		1.11E-05	2.65E-04	9.68E-02	15	5.64E-06	1.35E-04	4.94E-02	22	7.65E-06	1.84E-04	6.70E-02	2.43E-05	5.84E-04	2.13E-01		
Acrylonitrile	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Benzene	0.67		2.64E-07	6.35E-06	2.32E-03	0.52		1.95E-07	4.69E-06	1.71E-03	0.73		2.54E-07	6.09E-06	2.22E-03	7.14E-07	1.71E-05	6.25E-03
Bromodichloromethane	0.067	U	2.64E-08	6.35E-07	2.32E-04	0.067	U	2.52E-08	6.04E-07	2.21E-04	0.067	U	2.33E-08	5.59E-07	2.04E-04	7.49E-08	1.80E-06	6.56E-04
Bromoform	0.21	U	8.29E-08	1.99E-06	7.26E-04	0.21	U	7.89E-08	1.89E-06	6.91E-04	0.21	U	7.30E-08	1.75E-06	6.40E-04	2.35E-07	5.64E-06	2.06E-03
2-Butanone	5.5		2.17E-06	5.21E-05	1.90E-02	3.7		1.39E-06	3.34E-05	1.22E-02	5.1		1.77E-06	4.26E-05	1.55E-02	5.33E-06	1.28E-04	4.67E-02
n-Butylbenzene	0.63	U	2.49E-07	5.97E-06	2.18E-03	0.95	U	3.57E-07	8.57E-06	3.13E-03	0.63	U	2.19E-07	5.26E-06	1.92E-03	8.25E-07	1.98E-05	7.22E-03
sec-Butylbenzene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
Carbon Tetrachloride	0.56		2.21E-07	5.30E-06	1.94E-03	0.39		1.47E-07	3.52E-06	1.28E-03	0.45		1.56E-07	3.76E-06	1.37E-03	5.24E-07	1.26E-05	4.59E-03
Chlorobenzene	0.092	U	3.63E-08	8.72E-07	3.18E-04	0.092	U	3.46E-08	8.30E-07	3.03E-04	0.092	U	3.20E-08	7.68E-07	2.80E-04	1.03E-07	2.47E-06	9.01E-04
Chloroethane	0.053	U	2.09E-08	5.02E-07	1.83E-04	0.13		4.89E-08	1.17E-06	4.28E-04	0.053	U	1.84E-08	4.42E-07	1.61E-04	8.82E-08	2.12E-06	7.73E-04
Chloroform	0.34		1.34E-07	3.22E-06	1.18E-03	0.69		2.59E-07	6.22E-06	2.27E-03	0.46		1.60E-07	3.84E-06	1.40E-03	5.53E-07	1.33E-05	4.85E-03
Chloromethane	0.083	U	3.28E-08	7.86E-07	2.87E-04	0.083	U	3.12E-08	7.49E-07	2.73E-04	0.083	U	2.89E-08	6.93E-07	2.53E-04	9.28E-08	2.23E-06	8.13E-04
Dibromochloromethane	0.085	U	3.36E-08	8.05E-07	2.94E-04	0.085	U	3.19E-08	7.67E-07	2.80E-04	0.085	U	2.96E-08	7.09E-07	2.59E-04	9.51E-08	2.28E-06	8.33E-04
1,2-Dibromoethane	0.077	U	3.04E-08	7.29E-07	2.66E-04	0.077	U	2.89E-08	6.94E-07	2.53E-04	0.077	U	2.68E-08	6.43E-07	2.35E-04	8.61E-08	2.07E-06	7.54E-04
1,2-Dichlorobenzene	0.12	U	4.74E-08	1.14E-06	4.15E-04	0.12	U	4.51E-08	1.08E-06	3.95E-04	7		2.43E-06	5.84E-05	2.13E-02	4.02E-06	9.64E-05	3.52E-02
1,3-Dichlorobenzene	3.9		1.54E-06	3.69E-05	1.35E-02	0.12	U	4.51E-08	1.08E-06	3.95E-04	0.12	U	4.17E-08	1.00E-06	3.66E-04	1.34E-07	3.22E-06	1.18E-03
1,4-Dichlorobenzene	0.12	U	4.74E-08	1.14E-06	4.15E-04	0.12	U	4.51E-08	1.08E-06	3.95E-04	0.12	U	4.17E-08	1.00E-06	3.66E-04	1.34E-07	3.22E-06	1.18E-03
Dichlorodifluoromethane	2.6		1.03E-06	2.46E-05	8.99E-03	1.9		7.14E-07	1.71E-05	6.25E-03	0.99	U	3.44E-08	8.26E-07	3.02E-04	1.77E-06	4.26E-05	1.55E-02
1,1-Dichloroethane	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
1,2-Dichloroethane	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
1,1-Dichloroethene	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.04	U	1.39E-08	3.34E-07	1.22E-04	4.47E-08	1.07E-06	3.92E-04
cis-1,2-Dichloroethene	0.059		2.33E-08	5.59E-07	2.04E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.54		1.88E-07	4.51E-06	1.64E-03	2.26E-07	5.43E-06	1.98E-03
trans-1,2-Dichloroethene	0.04	U	1.58E-08	3.79E-07	1.38E-04	0.04	U	1.50E-08	3.61E-07	1.32E-04	0.044		1.53E-08	3.67E-07	1.34E-04	4.61E-08	1.11E-06	4.04E-04
1,2-Dichloropropane	0.046	U	1.82E-08	4.36E-07	1.59E-04	0.046	U	1.73E-08	4.15E-07	1.51E-04	0.046	U	1.60E-08	3.84E-07	1.40E-04	5.14E-08	1.23E-06	4.51E-04
cis-1,3-Dichloropropene	0.045	U	1.78E-08	4.26E-07	1.56E-04	0.045	U	1.69E-08	4.06E-07	1.48E-04	0.045	U	1.56E-08	3.76E-07	1.37E-04	5.03E-08	1.21E-06	4.41E-04
trans-1,3-Dichloropropene	0.045	U	1.78E-08	4.26E-07	1.56E-04	0.045	U	1.69E-08	4.06E-07	1.48E-04	0.045	U	1.56E-08	3.76E-07	1.37E-04	5.03E-08	1.21E-06	4.41E-04
Ethylbenzene	0.59		2.33E-07	5.59E-06	2.04E-03	0.58		2.18E-07	5.23E-06	1.91E-03	1		3.48E-07	8.35E-06	3.05E-03	7.99E-07	1.92E-05	7.00E-03
Isopropylbenzene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5	U	1.74E-07	4.17E-06	1.52E-03	6.53E-07	1.57E-05	5.72E-03
p-Isopropyltoluene	0.5	U	1.97E-07	4.74E-06	1.73E-03	0.75	U	2.82E-07	6.76E-06	2.47E-03	0.5</td							

APPENDIX E

Laboratory Analytical Reports



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

August 12, 2022

Frank Postma
EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886

Project Location: Providence, RI
Client Job Number:
Project Number: 1506610
Laboratory Work Order Number: 22G1791

Enclosed are results of analyses for samples as received by the laboratory on July 29, 2022. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Kaitlyn".

Kaitlyn A. Feliciano
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
QC Data	41
Air Toxics by EPA Compendium Methods	41
B314751	41
B314761	43
B314975	45
B315019	47
Flag/Qualifier Summary	49
Internal standard Area & RT Summary	50
Continuing Calibration Check	51
Certifications	52
Chain of Custody/Sample Receipt	54



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886
ATTN: Frank Postma

REPORT DATE: 8/12/2022

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506610

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 22G1791

The results of analyses performed on the following samples submitted to CON-TEST, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	22G1791-01	Indoor air		-	
				EPA TO-15	
Cafeteria	22G1791-02	Indoor air		-	
				EPA TO-15	
Kitchen Storage	22G1791-03	Indoor air		-	
				EPA TO-15	
Elevator Hallway	22G1791-04	Indoor air		-	
				EPA TO-15	
Room 145	22G1791-05	Indoor air		-	
				EPA TO-15	
Room 152	22G1791-06	Indoor air		-	
				EPA TO-15	
Room 118	22G1791-07	Indoor air		-	
				EPA TO-15	
Room 110	22G1791-08	Indoor air		-	
				EPA TO-15	
Ambient Outdoor Air	22G1791-09	Ambient Air		-	
				EPA TO-15	
MP-1	22G1791-10	Sub Slab		-	
				EPA TO-15	
MP-3	22G1791-11	Sub Slab		-	
				EPA TO-15	
MP-4	22G1791-12	Sub Slab		-	
				EPA TO-15	
MP-6	22G1791-13	Sub Slab		-	
				EPA TO-15	
IMP-1	22G1791-14	Sub Slab		-	
				EPA TO-15	
IMP-2	22G1791-15	Sub Slab		-	
				EPA TO-15	
Rooftop Fan 1	22G1791-16	Sub Slab		-	
				EPA TO-15	
Rooftop Fan 2	22G1791-17	Sub Slab		-	
				EPA TO-15	
Rooftop Fan 3	22G1791-18	Sub Slab		-	
				EPA TO-15	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15

Qualifications:

L-01

Laboratory fortified blank/laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

Analyte & Samples(s) Qualified:

Methyl tert-Butyl Ether (MTBE)

B314975-BS1

L-05

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

Analyte & Samples(s) Qualified:

Trichlorofluoromethane (Freon 11)

22G1791-01[Gymnasium], 22G1791-02[Cafeteria], 22G1791-03[Kitchen Storage], 22G1791-04[Elevator Hallway], 22G1791-05[Room 145], 22G1791-06[Room 152], 22G1791-07[Room 118], 22G1791-08[Room 110], 22G1791-09[Ambient Outdoor Air], 22G1791-10[MP-1], B314751-BLK1, B314751-BS1, B314761-BS1

V-20

Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side. Data validation is not affected since sample result was "not detected" for this compound.

Analyte & Samples(s) Qualified:

Methyl tert-Butyl Ether (MTBE)

B314975-BS1, S075168-CCV1

V-34

Initial calibration verification (ICV) did not meet method specifications and was biased on the low side for this compound. Reported result is estimated.

Analyte & Samples(s) Qualified:

1,1,1,2-Tetrachloroethane

22G1791-01[Gymnasium], 22G1791-02[Cafeteria], 22G1791-03[Kitchen Storage], 22G1791-04[Elevator Hallway], 22G1791-05[Room 145], 22G1791-06[Room 152], 22G1791-07[Room 118], 22G1791-08[Room 110], 22G1791-09[Ambient Outdoor Air], 22G1791-10[MP-1], B314751-BLK1, B314751-BS1, B314761-BLK1, B314761-BS1, S074987-CCV1, S074998-CCV1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to Con-Test, a Pace Analytical Laboratory, for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Lisa A. Worthington
Technical Representative

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Gymnasium**Sample ID:** 22G1791-01

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:28

Sample Description/Location:

Sub Description/Location:

Canister ID: 2148

Canister Size: 6 liter

Flow Controller ID: 4098

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -9.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	4.2	0.80		10	1.9		0.4	8/2/22 19:16	BRF
Acrylonitrile	ND	0.12		ND	0.25		0.4	8/2/22 19:16	BRF
Benzene	0.096	0.020		0.31	0.064		0.4	8/2/22 19:16	BRF
Bromodichloromethane	ND	0.010		ND	0.067		0.4	8/2/22 19:16	BRF
Bromoform	ND	0.020		ND	0.21		0.4	8/2/22 19:16	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	8/2/22 19:16	BRF
n-Butylbenzene	ND	0.058		ND	0.32		0.4	8/2/22 19:16	BRF
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	8/2/22 19:16	BRF
Carbon Tetrachloride	0.064	0.010		0.40	0.063		0.4	8/2/22 19:16	BRF
Chlorobenzene	ND	0.020		ND	0.092		0.4	8/2/22 19:16	BRF
Chlooroethane	ND	0.020		ND	0.053		0.4	8/2/22 19:16	BRF
Chloroform	0.032	0.010		0.16	0.049		0.4	8/2/22 19:16	BRF
Chloromethane	0.58	0.040		1.2	0.083		0.4	8/2/22 19:16	BRF
Dibromochloromethane	ND	0.010		ND	0.085		0.4	8/2/22 19:16	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	8/2/22 19:16	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/2/22 19:16	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/2/22 19:16	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/2/22 19:16	BRF
Dichlorodifluoromethane (Freon 12)	0.18	0.020		0.89	0.099		0.4	8/2/22 19:16	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	8/2/22 19:16	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040		0.4	8/2/22 19:16	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/2/22 19:16	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/2/22 19:16	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/2/22 19:16	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	8/2/22 19:16	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	8/2/22 19:16	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/2/22 19:16	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/2/22 19:16	BRF
Ethylbenzene	0.037	0.020		0.16	0.087		0.4	8/2/22 19:16	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	8/2/22 19:16	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	8/2/22 19:16	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	8/2/22 19:16	BRF
Methylene Chloride	ND	0.20		ND	0.69		0.4	8/2/22 19:16	BRF
4-Methyl-2-pentanone (MIBK)	0.034	0.020		0.14	0.082		0.4	8/2/22 19:16	BRF
Styrene	ND	0.020		ND	0.085		0.4	8/2/22 19:16	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25		0.4	8/2/22 19:16	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	8/2/22 19:16	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Gymnasium**Sample ID:** 22G1791-01

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:28

Sample Description/Location:

Sub Description/Location:

Canister ID: 2148

Canister Size: 6 liter

Flow Controller ID: 4098

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -9.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.049	0.020		0.33	0.14	0.4	8/2/22 19:16	BRF
Toluene	0.30	0.020		1.1	0.075	0.4	8/2/22 19:16	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 19:16	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 19:16	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/2/22 19:16	BRF
Trichlorofluoromethane (Freon 11)	0.30	0.080	L-05	1.7	0.45	0.4	8/2/22 19:16	BRF
1,2,4-Trimethylbenzene	0.050	0.020		0.24	0.098	0.4	8/2/22 19:16	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/2/22 19:16	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/2/22 19:16	BRF
m&p-Xylene	0.11	0.040		0.47	0.17	0.4	8/2/22 19:16	BRF
o-Xylene	0.045	0.020		0.20	0.087	0.4	8/2/22 19:16	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	96.0	70-130	8/2/22 19:16
4-Bromofluorobenzene (2)	99.2	70-130	8/2/22 19:16

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Cafeteria
Sample ID: 22G1791-02
 Sample Matrix: Indoor air
 Sampled: 7/28/2022 09:27

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1941
 Canister Size: 6 liter
 Flow Controller ID: 4207
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -2
 Receipt Vacuum(in Hg): -2.4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	5.1	0.80		12	1.9		0.4	8/2/22 20:06	BRF
Acrylonitrile	ND	0.12		ND	0.25		0.4	8/2/22 20:06	BRF
Benzene	0.090	0.020		0.29	0.064		0.4	8/2/22 20:06	BRF
Bromodichloromethane	ND	0.010		ND	0.067		0.4	8/2/22 20:06	BRF
Bromoform	ND	0.020		ND	0.21		0.4	8/2/22 20:06	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	8/2/22 20:06	BRF
n-Butylbenzene	ND	0.058		ND	0.32		0.4	8/2/22 20:06	BRF
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	8/2/22 20:06	BRF
Carbon Tetrachloride	0.059	0.010		0.37	0.063		0.4	8/2/22 20:06	BRF
Chlorobenzene	ND	0.020		ND	0.092		0.4	8/2/22 20:06	BRF
Chloroethane	ND	0.020		ND	0.053		0.4	8/2/22 20:06	BRF
Chloroform	0.034	0.010		0.17	0.049		0.4	8/2/22 20:06	BRF
Chloromethane	0.61	0.040		1.3	0.083		0.4	8/2/22 20:06	BRF
Dibromochloromethane	ND	0.010		ND	0.085		0.4	8/2/22 20:06	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	8/2/22 20:06	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/2/22 20:06	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/2/22 20:06	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/2/22 20:06	BRF
Dichlorodifluoromethane (Freon 12)	0.18	0.020		0.88	0.099		0.4	8/2/22 20:06	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	8/2/22 20:06	BRF
1,2-Dichloroethane	0.010	0.010		0.040	0.040		0.4	8/2/22 20:06	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/2/22 20:06	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/2/22 20:06	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/2/22 20:06	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	8/2/22 20:06	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	8/2/22 20:06	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/2/22 20:06	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/2/22 20:06	BRF
Ethylbenzene	0.033	0.020		0.14	0.087		0.4	8/2/22 20:06	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	8/2/22 20:06	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	8/2/22 20:06	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	8/2/22 20:06	BRF
Methylene Chloride	ND	0.20		ND	0.69		0.4	8/2/22 20:06	BRF
4-Methyl-2-pentanone (MIBK)	0.024	0.020		0.097	0.082		0.4	8/2/22 20:06	BRF
Styrene	ND	0.020		ND	0.085		0.4	8/2/22 20:06	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25		0.4	8/2/22 20:06	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	8/2/22 20:06	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Cafeteria**Sample ID:** 22G1791-02

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:27

Sample Description/Location:

Sub Description/Location:

Canister ID: 1941

Canister Size: 6 liter

Flow Controller ID: 4207

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -2

Receipt Vacuum(in Hg): -2.4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.040	0.020		0.27	0.14	0.4	8/2/22 20:06	BRF
Toluene	0.48	0.020		1.8	0.075	0.4	8/2/22 20:06	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 20:06	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 20:06	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/2/22 20:06	BRF
Trichlorofluoromethane (Freon 11)	0.29	0.080	L-05	1.6	0.45	0.4	8/2/22 20:06	BRF
1,2,4-Trimethylbenzene	0.035	0.020		0.17	0.098	0.4	8/2/22 20:06	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/2/22 20:06	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/2/22 20:06	BRF
m&p-Xylene	0.094	0.040		0.41	0.17	0.4	8/2/22 20:06	BRF
o-Xylene	0.038	0.020		0.16	0.087	0.4	8/2/22 20:06	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/2/22 20:06
4-Bromofluorobenzene (2)	106	70-130	8/2/22 20:06

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Kitchen Storage
Sample ID: 22G1791-03
 Sample Matrix: Indoor air
 Sampled: 7/28/2022 09:21

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2134
 Canister Size: 6 liter
 Flow Controller ID: 4191
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -3.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	7.3	0.80		17	1.9	0.4	8/2/22 20:57	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/2/22 20:57	BRF
Benzene	0.098	0.020		0.31	0.064	0.4	8/2/22 20:57	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/2/22 20:57	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/2/22 20:57	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/2/22 20:57	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/2/22 20:57	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/2/22 20:57	BRF
Carbon Tetrachloride	0.061	0.010		0.38	0.063	0.4	8/2/22 20:57	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/2/22 20:57	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/2/22 20:57	BRF
Chloroform	0.032	0.010		0.15	0.049	0.4	8/2/22 20:57	BRF
Chloromethane	0.58	0.040		1.2	0.083	0.4	8/2/22 20:57	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/2/22 20:57	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/2/22 20:57	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/2/22 20:57	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/2/22 20:57	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/2/22 20:57	BRF
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.79	0.099	0.4	8/2/22 20:57	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/2/22 20:57	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/2/22 20:57	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/2/22 20:57	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/2/22 20:57	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/2/22 20:57	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/2/22 20:57	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/2/22 20:57	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/2/22 20:57	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/2/22 20:57	BRF
Ethylbenzene	0.036	0.020		0.16	0.087	0.4	8/2/22 20:57	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/2/22 20:57	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/2/22 20:57	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/2/22 20:57	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/2/22 20:57	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	8/2/22 20:57	BRF
Styrene	0.028	0.020		0.12	0.085	0.4	8/2/22 20:57	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/2/22 20:57	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/2/22 20:57	BRF

 39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Kitchen Storage**Sample ID:** 22G1791-03

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:21

Sample Description/Location:

Sub Description/Location:

Canister ID: 2134

Canister Size: 6 liter

Flow Controller ID: 4191

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -3.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.035	0.020		0.24	0.14	0.4	8/2/22 20:57	BRF
Toluene	0.32	0.020		1.2	0.075	0.4	8/2/22 20:57	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 20:57	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 20:57	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/2/22 20:57	BRF
Trichlorofluoromethane (Freon 11)	0.29	0.080	L-05	1.6	0.45	0.4	8/2/22 20:57	BRF
1,2,4-Trimethylbenzene	0.036	0.020		0.18	0.098	0.4	8/2/22 20:57	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/2/22 20:57	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/2/22 20:57	BRF
m&p-Xylene	0.10	0.040		0.45	0.17	0.4	8/2/22 20:57	BRF
o-Xylene	0.043	0.020		0.19	0.087	0.4	8/2/22 20:57	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	103	70-130	8/2/22 20:57
4-Bromofluorobenzene (2)	104	70-130	8/2/22 20:57

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Elevator Hallway**Sample ID:** 22G1791-04

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:48

Sample Description/Location:

Sub Description/Location:

Canister ID: 9018

Canister Size: 6 liter

Flow Controller ID: 4072

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -6.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.6	0.80		13	1.9	0.4	8/2/22 21:51	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/2/22 21:51	BRF
Benzene	0.098	0.020		0.31	0.064	0.4	8/2/22 21:51	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/2/22 21:51	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/2/22 21:51	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/2/22 21:51	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/2/22 21:51	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/2/22 21:51	BRF
Carbon Tetrachloride	0.062	0.010		0.39	0.063	0.4	8/2/22 21:51	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/2/22 21:51	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/2/22 21:51	BRF
Chloroform	0.033	0.010		0.16	0.049	0.4	8/2/22 21:51	BRF
Chloromethane	0.59	0.040		1.2	0.083	0.4	8/2/22 21:51	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/2/22 21:51	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/2/22 21:51	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/2/22 21:51	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/2/22 21:51	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/2/22 21:51	BRF
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.75	0.099	0.4	8/2/22 21:51	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/2/22 21:51	BRF
1,2-Dichloroethane	0.010	0.010		0.042	0.040	0.4	8/2/22 21:51	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/2/22 21:51	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/2/22 21:51	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/2/22 21:51	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/2/22 21:51	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/2/22 21:51	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/2/22 21:51	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/2/22 21:51	BRF
Ethylbenzene	0.037	0.020		0.16	0.087	0.4	8/2/22 21:51	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/2/22 21:51	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/2/22 21:51	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/2/22 21:51	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/2/22 21:51	BRF
4-Methyl-2-pentanone (MIBK)	0.028	0.020		0.11	0.082	0.4	8/2/22 21:51	BRF
Styrene	ND	0.020		ND	0.085	0.4	8/2/22 21:51	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/2/22 21:51	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/2/22 21:51	BRF

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Elevator Hallway**Sample ID:** 22G1791-04

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:48

Sample Description/Location:

Sub Description/Location:

Canister ID: 9018

Canister Size: 6 liter

Flow Controller ID: 4072

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -6.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.039	0.020		0.26	0.14	0.4	8/2/22 21:51	BRF
Toluene	0.30	0.020		1.1	0.075	0.4	8/2/22 21:51	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 21:51	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/2/22 21:51	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/2/22 21:51	BRF
Trichlorofluoromethane (Freon 11)	0.28	0.080	L-05	1.6	0.45	0.4	8/2/22 21:51	BRF
1,2,4-Trimethylbenzene	0.050	0.020		0.25	0.098	0.4	8/2/22 21:51	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/2/22 21:51	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/2/22 21:51	BRF
m&p-Xylene	0.10	0.040		0.45	0.17	0.4	8/2/22 21:51	BRF
o-Xylene	0.044	0.020		0.19	0.087	0.4	8/2/22 21:51	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.3	70-130	8/2/22 21:51
4-Bromofluorobenzene (2)	101	70-130	8/2/22 21:51

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Room 145**Sample ID: 22G1791-05**

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:45

Sample Description/Location:

Sub Description/Location:

Canister ID: 2195

Canister Size: 6 liter

Flow Controller ID: 4186

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -8.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	4.4	0.80		11	1.9	0.4	8/3/22 17:14	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/3/22 17:14	BRF
Benzene	0.060	0.020		0.19	0.064	0.4	8/3/22 17:14	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/3/22 17:14	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/3/22 17:14	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/3/22 17:14	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/3/22 17:14	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/3/22 17:14	BRF
Carbon Tetrachloride	0.036	0.010		0.23	0.063	0.4	8/3/22 17:14	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/3/22 17:14	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/3/22 17:14	BRF
Chloroform	0.021	0.010		0.10	0.049	0.4	8/3/22 17:14	BRF
Chloromethane	0.42	0.040		0.87	0.083	0.4	8/3/22 17:14	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/3/22 17:14	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/3/22 17:14	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 17:14	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 17:14	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 17:14	BRF
Dichlorodifluoromethane (Freon 12)	0.093	0.020		0.46	0.099	0.4	8/3/22 17:14	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 17:14	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 17:14	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 17:14	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 17:14	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 17:14	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/3/22 17:14	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/3/22 17:14	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 17:14	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 17:14	BRF
Ethylbenzene	0.025	0.020		0.11	0.087	0.4	8/3/22 17:14	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/3/22 17:14	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/3/22 17:14	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/3/22 17:14	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/3/22 17:14	BRF
4-Methyl-2-pentanone (MIBK)	0.024	0.020		0.100	0.082	0.4	8/3/22 17:14	BRF
Styrene	ND	0.020		ND	0.085	0.4	8/3/22 17:14	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/3/22 17:14	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/3/22 17:14	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Room 145**Sample ID: 22G1791-05**

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:45

Sample Description/Location:

Sub Description/Location:

Canister ID: 2195

Canister Size: 6 liter

Flow Controller ID: 4186

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -28.5

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -8.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.035	0.020		0.24	0.14	0.4	8/3/22 17:14	BRF
Toluene	0.20	0.020		0.74	0.075	0.4	8/3/22 17:14	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 17:14	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 17:14	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/3/22 17:14	BRF
Trichlorofluoromethane (Freon 11)	0.17	0.080	L-05	0.97	0.45	0.4	8/3/22 17:14	BRF
1,2,4-Trimethylbenzene	0.029	0.020		0.14	0.098	0.4	8/3/22 17:14	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/3/22 17:14	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/3/22 17:14	BRF
m&p-Xylene	0.071	0.040		0.31	0.17	0.4	8/3/22 17:14	BRF
o-Xylene	0.029	0.020		0.13	0.087	0.4	8/3/22 17:14	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	102	70-130	8/3/22 17:14
4-Bromofluorobenzene (2)	104	70-130	8/3/22 17:14

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Room 152**Sample ID:** 22G1791-06

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:52

Sample Description/Location:

Sub Description/Location:

Canister ID: 1058

Canister Size: 6 liter

Flow Controller ID: 4209

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.2	0.80		12	1.9	0.4	8/3/22 18:04	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/3/22 18:04	BRF
Benzene	0.076	0.020		0.24	0.064	0.4	8/3/22 18:04	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/3/22 18:04	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/3/22 18:04	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/3/22 18:04	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/3/22 18:04	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/3/22 18:04	BRF
Carbon Tetrachloride	0.050	0.010		0.32	0.063	0.4	8/3/22 18:04	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/3/22 18:04	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/3/22 18:04	BRF
Chloroform	0.040	0.010		0.20	0.049	0.4	8/3/22 18:04	BRF
Chloromethane	0.52	0.040		1.1	0.083	0.4	8/3/22 18:04	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/3/22 18:04	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/3/22 18:04	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 18:04	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 18:04	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 18:04	BRF
Dichlorodifluoromethane (Freon 12)	0.12	0.020		0.58	0.099	0.4	8/3/22 18:04	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 18:04	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 18:04	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 18:04	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 18:04	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 18:04	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/3/22 18:04	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/3/22 18:04	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 18:04	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 18:04	BRF
Ethylbenzene	0.041	0.020		0.18	0.087	0.4	8/3/22 18:04	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/3/22 18:04	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/3/22 18:04	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/3/22 18:04	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/3/22 18:04	BRF
4-Methyl-2-pentanone (MIBK)	0.024	0.020		0.100	0.082	0.4	8/3/22 18:04	BRF
Styrene	0.044	0.020		0.19	0.085	0.4	8/3/22 18:04	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/3/22 18:04	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/3/22 18:04	BRF

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Room 152**Sample ID: 22G1791-06**

Sample Matrix: Indoor air

Sampled: 7/28/2022 09:52

Sample Description/Location:

Sub Description/Location:

Canister ID: 1058

Canister Size: 6 liter

Flow Controller ID: 4209

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -3.5

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.044	0.020		0.30	0.14	0.4	8/3/22 18:04	BRF
Toluene	0.27	0.020		1.0	0.075	0.4	8/3/22 18:04	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 18:04	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 18:04	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/3/22 18:04	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080	L-05	1.2	0.45	0.4	8/3/22 18:04	BRF
1,2,4-Trimethylbenzene	0.041	0.020		0.20	0.098	0.4	8/3/22 18:04	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/3/22 18:04	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/3/22 18:04	BRF
m&p-Xylene	0.13	0.040		0.55	0.17	0.4	8/3/22 18:04	BRF
o-Xylene	0.051	0.020		0.22	0.087	0.4	8/3/22 18:04	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	101	70-130	8/3/22 18:04
4-Bromofluorobenzene (2)	101	70-130	8/3/22 18:04

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Room 118
Sample ID: 22G1791-07
 Sample Matrix: Indoor air
 Sampled: 7/28/2022 10:23

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 9009
 Canister Size: 6 liter
 Flow Controller ID: 4076
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	5.5	0.80		13	1.9	0.4	8/3/22 7:21	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/3/22 7:21	BRF
Benzene	0.095	0.020		0.30	0.064	0.4	8/3/22 7:21	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/3/22 7:21	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/3/22 7:21	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	8/3/22 7:21	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/3/22 7:21	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/3/22 7:21	BRF
Carbon Tetrachloride	0.064	0.010		0.41	0.063	0.4	8/3/22 7:21	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/3/22 7:21	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/3/22 7:21	BRF
Chloroform	0.026	0.010		0.13	0.049	0.4	8/3/22 7:21	BRF
Chloromethane	0.65	0.040		1.3	0.083	0.4	8/3/22 7:21	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/3/22 7:21	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/3/22 7:21	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 7:21	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 7:21	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 7:21	BRF
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.78	0.099	0.4	8/3/22 7:21	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 7:21	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 7:21	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 7:21	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 7:21	BRF
trans-1,2-Dichloroethylene	0.011	0.010		0.043	0.040	0.4	8/3/22 7:21	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/3/22 7:21	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/3/22 7:21	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 7:21	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 7:21	BRF
Ethylbenzene	0.033	0.020		0.14	0.087	0.4	8/3/22 7:21	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/3/22 7:21	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/3/22 7:21	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/3/22 7:21	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/3/22 7:21	BRF
4-Methyl-2-pentanone (MIBK)	0.037	0.020		0.15	0.082	0.4	8/3/22 7:21	BRF
Styrene	ND	0.020		ND	0.085	0.4	8/3/22 7:21	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/3/22 7:21	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/3/22 7:21	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Room 118**Sample ID: 22G1791-07**

Sample Matrix: Indoor air

Sampled: 7/28/2022 10:23

Sample Description/Location:

Sub Description/Location:

Canister ID: 9009

Canister Size: 6 liter

Flow Controller ID: 4076

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	8/3/22 7:21	BRF
Toluene	0.25	0.020		0.93	0.075	0.4	8/3/22 7:21	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 7:21	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 7:21	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/3/22 7:21	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080	L-05	1.4	0.45	0.4	8/3/22 7:21	BRF
1,2,4-Trimethylbenzene	0.032	0.020		0.16	0.098	0.4	8/3/22 7:21	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/3/22 7:21	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/3/22 7:21	BRF
m&p-Xylene	0.089	0.040		0.39	0.17	0.4	8/3/22 7:21	BRF
o-Xylene	0.040	0.020		0.17	0.087	0.4	8/3/22 7:21	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	97.0	70-130	8/3/22 7:21
4-Bromofluorobenzene (2)	93.3	70-130	8/3/22 7:21

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Room 110
Sample ID: 22G1791-08
 Sample Matrix: Indoor air
 Sampled: 7/28/2022 10:25

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1181
 Canister Size: 6 liter
 Flow Controller ID: 4172
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -4
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	8.1	0.80		19	1.9	0.4	8/3/22 8:12	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/3/22 8:12	BRF
Benzene	0.11	0.020		0.34	0.064	0.4	8/3/22 8:12	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/3/22 8:12	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/3/22 8:12	BRF
2-Butanone (MEK)	1.2	0.80		3.5	2.4	0.4	8/3/22 8:12	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/3/22 8:12	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/3/22 8:12	BRF
Carbon Tetrachloride	0.065	0.010		0.41	0.063	0.4	8/3/22 8:12	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/3/22 8:12	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/3/22 8:12	BRF
Chloroform	0.036	0.010		0.18	0.049	0.4	8/3/22 8:12	BRF
Chloromethane	0.56	0.040		1.2	0.083	0.4	8/3/22 8:12	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/3/22 8:12	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/3/22 8:12	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 8:12	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 8:12	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/3/22 8:12	BRF
Dichlorodifluoromethane (Freon 12)	0.16	0.020		0.78	0.099	0.4	8/3/22 8:12	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/3/22 8:12	BRF
1,2-Dichloroethane	0.014	0.010		0.058	0.040	0.4	8/3/22 8:12	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 8:12	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 8:12	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/3/22 8:12	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/3/22 8:12	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/3/22 8:12	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 8:12	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/3/22 8:12	BRF
Ethylbenzene	0.044	0.020		0.19	0.087	0.4	8/3/22 8:12	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/3/22 8:12	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/3/22 8:12	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/3/22 8:12	BRF
Methylene Chloride	0.43	0.20		1.5	0.69	0.4	8/3/22 8:12	BRF
4-Methyl-2-pentanone (MIBK)	0.048	0.020		0.19	0.082	0.4	8/3/22 8:12	BRF
Styrene	0.030	0.020		0.13	0.085	0.4	8/3/22 8:12	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/3/22 8:12	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/3/22 8:12	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Room 110**Sample ID: 22G1791-08**

Sample Matrix: Indoor air

Sampled: 7/28/2022 10:25

Sample Description/Location:

Sub Description/Location:

Canister ID: 1181

Canister Size: 6 liter

Flow Controller ID: 4172

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -7

Receipt Vacuum(in Hg): -4

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.040	0.020		0.27	0.14	0.4	8/3/22 8:12	BRF
Toluene	0.34	0.020		1.3	0.075	0.4	8/3/22 8:12	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 8:12	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 8:12	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/3/22 8:12	BRF
Trichlorofluoromethane (Freon 11)	0.27	0.080	L-05	1.5	0.45	0.4	8/3/22 8:12	BRF
1,2,4-Trimethylbenzene	0.054	0.020		0.27	0.098	0.4	8/3/22 8:12	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/3/22 8:12	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/3/22 8:12	BRF
m&p-Xylene	0.13	0.040		0.55	0.17	0.4	8/3/22 8:12	BRF
o-Xylene	0.056	0.020		0.24	0.087	0.4	8/3/22 8:12	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.0	70-130	8/3/22 8:12
4-Bromofluorobenzene (2)	94.4	70-130	8/3/22 8:12

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Ambient Outdoor Air**Sample ID:** 22G1791-09

Sample Matrix: Ambient Air

Sampled: 7/28/2022 11:33

Sample Description/Location:

Sub Description/Location:

Canister ID: 1472

Canister Size: 6 liter

Flow Controller ID: 4107

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	4.5	0.80		11	1.9		0.4	8/3/22 9:04	BRF
Acrylonitrile	ND	0.12		ND	0.25		0.4	8/3/22 9:04	BRF
Benzene	0.071	0.020		0.23	0.064		0.4	8/3/22 9:04	BRF
Bromodichloromethane	ND	0.010		ND	0.067		0.4	8/3/22 9:04	BRF
Bromoform	ND	0.020		ND	0.21		0.4	8/3/22 9:04	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4		0.4	8/3/22 9:04	BRF
n-Butylbenzene	ND	0.058		ND	0.32		0.4	8/3/22 9:04	BRF
sec-Butylbenzene	ND	0.046		ND	0.25		0.4	8/3/22 9:04	BRF
Carbon Tetrachloride	0.066	0.010		0.42	0.063		0.4	8/3/22 9:04	BRF
Chlorobenzene	ND	0.020		ND	0.092		0.4	8/3/22 9:04	BRF
Chloroethane	ND	0.020		ND	0.053		0.4	8/3/22 9:04	BRF
Chloroform	0.022	0.010		0.11	0.049		0.4	8/3/22 9:04	BRF
Chloromethane	0.64	0.040		1.3	0.083		0.4	8/3/22 9:04	BRF
Dibromochloromethane	ND	0.010		ND	0.085		0.4	8/3/22 9:04	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	8/3/22 9:04	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/3/22 9:04	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/3/22 9:04	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/3/22 9:04	BRF
Dichlorodifluoromethane (Freon 12)	0.17	0.020		0.86	0.099		0.4	8/3/22 9:04	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040		0.4	8/3/22 9:04	BRF
1,2-Dichloroethane	0.010	0.010		0.042	0.040		0.4	8/3/22 9:04	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/3/22 9:04	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/3/22 9:04	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/3/22 9:04	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	8/3/22 9:04	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25		0.4	8/3/22 9:04	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/3/22 9:04	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/3/22 9:04	BRF
Ethylbenzene	0.025	0.020		0.11	0.087		0.4	8/3/22 9:04	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25		0.4	8/3/22 9:04	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25		0.4	8/3/22 9:04	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	8/3/22 9:04	BRF
Methylene Chloride	ND	0.20		ND	0.69		0.4	8/3/22 9:04	BRF
4-Methyl-2-pentanone (MIBK)	0.022	0.020		0.092	0.082		0.4	8/3/22 9:04	BRF
Styrene	ND	0.020		ND	0.085		0.4	8/3/22 9:04	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25		0.4	8/3/22 9:04	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	8/3/22 9:04	BRF

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Ambient Outdoor Air**Sample ID:** 22G1791-09

Sample Matrix: Ambient Air

Sampled: 7/28/2022 11:33

Sample Description/Location:

Sub Description/Location:

Canister ID: 1472

Canister Size: 6 liter

Flow Controller ID: 4107

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29.5

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.080	0.020		0.55	0.14	0.4	8/3/22 9:04	BRF
Toluene	0.16	0.020		0.59	0.075	0.4	8/3/22 9:04	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 9:04	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/3/22 9:04	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/3/22 9:04	BRF
Trichlorofluoromethane (Freon 11)	0.27	0.080	L-05	1.5	0.45	0.4	8/3/22 9:04	BRF
1,2,4-Trimethylbenzene	0.043	0.020		0.21	0.098	0.4	8/3/22 9:04	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	8/3/22 9:04	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/3/22 9:04	BRF
m&p-Xylene	0.062	0.040		0.27	0.17	0.4	8/3/22 9:04	BRF
o-Xylene	0.028	0.020		0.12	0.087	0.4	8/3/22 9:04	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.1	70-130	8/3/22 9:04
4-Bromofluorobenzene (2)	96.2	70-130	8/3/22 9:04

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: MP-1
Sample ID: 22G1791-10
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 11:53

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2077
 Canister Size: 6 liter
 Flow Controller ID: 4374
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -5
 Receipt Vacuum(in Hg): -5.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	3.6	0.80		8.5	1.9	0.4	8/4/22 7:31	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	8/4/22 7:31	BRF
Benzene	0.12	0.020		0.39	0.064	0.4	8/4/22 7:31	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/4/22 7:31	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/4/22 7:31	BRF
2-Butanone (MEK)	19	0.80		57	2.4	0.4	8/4/22 7:31	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	8/4/22 7:31	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	8/4/22 7:31	BRF
Carbon Tetrachloride	0.045	0.010		0.28	0.063	0.4	8/4/22 7:31	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/4/22 7:31	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/4/22 7:31	BRF
Chloroform	0.017	0.010		0.084	0.049	0.4	8/4/22 7:31	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/4/22 7:31	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/4/22 7:31	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/4/22 7:31	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/4/22 7:31	BRF
1,3-Dichlorobenzene	0.36	0.020		2.2	0.12	0.4	8/4/22 7:31	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/4/22 7:31	BRF
Dichlorodifluoromethane (Freon 12)	0.11	0.020		0.52	0.099	0.4	8/4/22 7:31	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/4/22 7:31	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/4/22 7:31	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/4/22 7:31	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/4/22 7:31	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/4/22 7:31	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/4/22 7:31	BRF
1,3-Dichloropropane	ND	0.054		ND	0.25	0.4	8/4/22 7:31	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/4/22 7:31	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/4/22 7:31	BRF
Ethylbenzene	0.12	0.020		0.54	0.087	0.4	8/4/22 7:31	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	8/4/22 7:31	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	8/4/22 7:31	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/4/22 7:31	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/4/22 7:31	BRF
4-Methyl-2-pentanone (MIBK)	0.24	0.020		0.96	0.082	0.4	8/4/22 7:31	BRF
Styrene	0.18	0.020		0.76	0.085	0.4	8/4/22 7:31	BRF
1,1,1,2-Tetrachloroethane	ND	0.036	V-34	ND	0.25	0.4	8/4/22 7:31	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/4/22 7:31	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: MP-1**Sample ID:** 22G1791-10

Sample Matrix: Sub Slab

Sampled: 7/28/2022 11:53

Sample Description/Location:

Sub Description/Location:

Canister ID: 2077

Canister Size: 6 liter

Flow Controller ID: 4374

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -5

Receipt Vacuum(in Hg): -5.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.17	0.020		1.1	0.14	0.4	8/4/22 7:31	BRF
Toluene	0.48	0.020		1.8	0.075	0.4	8/4/22 7:31	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/4/22 7:31	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/4/22 7:31	BRF
Trichloroethylene	0.18	0.010		0.99	0.054	0.4	8/4/22 7:31	BRF
Trichlorofluoromethane (Freon 11)	0.24	0.080	L-05	1.3	0.45	0.4	8/4/22 7:31	BRF
1,2,4-Trimethylbenzene	0.60	0.020		2.9	0.098	0.4	8/4/22 7:31	BRF
1,3,5-Trimethylbenzene	0.14	0.020		0.67	0.098	0.4	8/4/22 7:31	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/4/22 7:31	BRF
m&p-Xylene	0.37	0.040		1.6	0.17	0.4	8/4/22 7:31	BRF
o-Xylene	0.17	0.020		0.75	0.087	0.4	8/4/22 7:31	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.4	70-130	8/4/22 7:31
4-Bromofluorobenzene (2)	93.8	70-130	8/4/22 7:31

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: MP-3
Sample ID: 22G1791-11
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 11:43

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1649
 Canister Size: 6 liter
 Flow Controller ID: 4068
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -5.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	8.2	0.80		19	1.9	0.4	8/10/22 23:08	BRF
Acrylonitrile	ND	0.23		ND	0.50	0.8	8/11/22 16:22	BRF
Benzene	0.15	0.020		0.48	0.064	0.4	8/10/22 23:08	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/10/22 23:08	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/10/22 23:08	BRF
2-Butanone (MEK)	1.3	0.80		3.8	2.4	0.4	8/10/22 23:08	BRF
n-Butylbenzene	ND	0.12		ND	0.63	0.8	8/11/22 16:22	BRF
sec-Butylbenzene	ND	0.091		ND	0.50	0.8	8/11/22 16:22	BRF
Carbon Tetrachloride	0.086	0.010		0.54	0.063	0.4	8/10/22 23:08	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/10/22 23:08	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/10/22 23:08	BRF
Chloroform	0.030	0.010		0.15	0.049	0.4	8/10/22 23:08	BRF
Chloromethane	0.70	0.040		1.4	0.083	0.4	8/10/22 23:08	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/10/22 23:08	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/10/22 23:08	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/10/22 23:08	BRF
1,3-Dichlorobenzene	1.1	0.020		6.6	0.12	0.4	8/10/22 23:08	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/10/22 23:08	BRF
Dichlorodifluoromethane (Freon 12)	0.53	0.020		2.6	0.099	0.4	8/10/22 23:08	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/10/22 23:08	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/10/22 23:08	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/10/22 23:08	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/10/22 23:08	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/10/22 23:08	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/10/22 23:08	BRF
1,3-Dichloropropane	ND	0.11		ND	0.50	0.8	8/11/22 16:22	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/10/22 23:08	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/10/22 23:08	BRF
Ethylbenzene	0.18	0.020		0.80	0.087	0.4	8/10/22 23:08	BRF
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50	0.8	8/11/22 16:22	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.091		ND	0.50	0.8	8/11/22 16:22	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/10/22 23:08	BRF
Methylene Chloride	0.34	0.20		1.2	0.69	0.4	8/10/22 23:08	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	8/10/22 23:08	BRF
Styrene	0.34	0.020		1.5	0.085	0.4	8/10/22 23:08	BRF
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50	0.8	8/11/22 16:22	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/10/22 23:08	BRF

 39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: MP-3**Sample ID:** 22G1791-11

Sample Matrix: Sub Slab

Sampled: 7/28/2022 11:43

Sample Description/Location:

Sub Description/Location:

Canister ID: 1649

Canister Size: 6 liter

Flow Controller ID: 4068

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -5.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.034	0.020		0.23	0.14	0.4	8/10/22 23:08	BRF
Toluene	0.59	0.020		2.2	0.075	0.4	8/10/22 23:08	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/10/22 23:08	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/10/22 23:08	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/10/22 23:08	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080		1.5	0.45	0.4	8/10/22 23:08	BRF
1,2,4-Trimethylbenzene	1.4	0.020		7.0	0.098	0.4	8/10/22 23:08	BRF
1,3,5-Trimethylbenzene	0.34	0.020		1.7	0.098	0.4	8/10/22 23:08	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/10/22 23:08	BRF
m&p-Xylene	0.44	0.040		1.9	0.17	0.4	8/10/22 23:08	BRF
o-Xylene	0.28	0.020		1.2	0.087	0.4	8/10/22 23:08	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	94.6	70-130	8/10/22 23:08
4-Bromofluorobenzene (2)	101	70-130	8/11/22 16:22

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: MP-4
Sample ID: 22G1791-12
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 11:58

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 2147
 Canister Size: 6 liter
 Flow Controller ID: 4197
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -6.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	9.8	0.80		23	1.9	0.4	8/10/22 23:46	BRF
Acrylonitrile	ND	0.23		ND	0.50	0.8	8/11/22 17:12	BRF
Benzene	0.14	0.020		0.45	0.064	0.4	8/10/22 23:46	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/10/22 23:46	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/10/22 23:46	BRF
2-Butanone (MEK)	1.5	0.80		4.4	2.4	0.4	8/10/22 23:46	BRF
n-Butylbenzene	ND	0.12		ND	0.63	0.8	8/11/22 17:12	BRF
sec-Butylbenzene	ND	0.091		ND	0.50	0.8	8/11/22 17:12	BRF
Carbon Tetrachloride	0.081	0.010		0.51	0.063	0.4	8/10/22 23:46	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/10/22 23:46	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/10/22 23:46	BRF
Chloroform	0.030	0.010		0.15	0.049	0.4	8/10/22 23:46	BRF
Chloromethane	0.61	0.040		1.3	0.083	0.4	8/10/22 23:46	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/10/22 23:46	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/10/22 23:46	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/10/22 23:46	BRF
1,3-Dichlorobenzene	0.48	0.020		2.9	0.12	0.4	8/10/22 23:46	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/10/22 23:46	BRF
Dichlorodifluoromethane (Freon 12)	0.54	0.020		2.7	0.099	0.4	8/10/22 23:46	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/10/22 23:46	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/10/22 23:46	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/10/22 23:46	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/10/22 23:46	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/10/22 23:46	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/10/22 23:46	BRF
1,3-Dichloropropane	ND	0.11		ND	0.50	0.8	8/11/22 17:12	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/10/22 23:46	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/10/22 23:46	BRF
Ethylbenzene	0.20	0.020		0.86	0.087	0.4	8/10/22 23:46	BRF
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50	0.8	8/11/22 17:12	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.091		ND	0.50	0.8	8/11/22 17:12	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/10/22 23:46	BRF
Methylene Chloride	0.31	0.20		1.1	0.69	0.4	8/10/22 23:46	BRF
4-Methyl-2-pentanone (MIBK)	0.26	0.020		1.1	0.082	0.4	8/10/22 23:46	BRF
Styrene	0.28	0.020		1.2	0.085	0.4	8/10/22 23:46	BRF
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50	0.8	8/11/22 17:12	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/10/22 23:46	BRF

 39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: MP-4**Sample ID:** 22G1791-12

Sample Matrix: Sub Slab

Sampled: 7/28/2022 11:58

Sample Description/Location:

Sub Description/Location:

Canister ID: 2147

Canister Size: 6 liter

Flow Controller ID: 4197

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -6.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.041	0.020		0.28	0.14	0.4	8/10/22 23:46	BRF
Toluene	0.60	0.020		2.3	0.075	0.4	8/10/22 23:46	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/10/22 23:46	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/10/22 23:46	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	8/10/22 23:46	BRF
Trichlorofluoromethane (Freon 11)	0.26	0.080		1.4	0.45	0.4	8/10/22 23:46	BRF
1,2,4-Trimethylbenzene	0.85	0.020		4.2	0.098	0.4	8/10/22 23:46	BRF
1,3,5-Trimethylbenzene	0.22	0.020		1.1	0.098	0.4	8/10/22 23:46	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/10/22 23:46	BRF
m&p-Xylene	0.46	0.040		2.0	0.17	0.4	8/10/22 23:46	BRF
o-Xylene	0.28	0.020		1.2	0.087	0.4	8/10/22 23:46	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	93.0	70-130	8/10/22 23:46
4-Bromofluorobenzene (2)	97.0	70-130	8/11/22 17:12

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: MP-6
Sample ID: 22G1791-13
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 11:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1259
 Canister Size: 6 liter
 Flow Controller ID: 4283
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -3
 Receipt Vacuum(in Hg): -4.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv			ug/m3			Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL				
Acetone	16	0.80		37	1.9		0.4	8/11/22 0:23	BRF
Acrylonitrile	ND	0.23		ND	0.50		0.8	8/11/22 18:02	BRF
Benzene	0.28	0.020		0.89	0.064		0.4	8/11/22 0:23	BRF
Bromodichloromethane	ND	0.010		ND	0.067		0.4	8/11/22 0:23	BRF
Bromoform	ND	0.020		ND	0.21		0.4	8/11/22 0:23	BRF
2-Butanone (MEK)	6.7	0.80		20	2.4		0.4	8/11/22 0:23	BRF
n-Butylbenzene	ND	0.12		ND	0.63		0.8	8/11/22 18:02	BRF
sec-Butylbenzene	ND	0.091		ND	0.50		0.8	8/11/22 18:02	BRF
Carbon Tetrachloride	0.092	0.010		0.58	0.063		0.4	8/11/22 0:23	BRF
Chlorobenzene	ND	0.020		ND	0.092		0.4	8/11/22 0:23	BRF
Chloroethane	0.44	0.020		1.2	0.053		0.4	8/11/22 0:23	BRF
Chloroform	0.12	0.010		0.59	0.049		0.4	8/11/22 0:23	BRF
Chloromethane	ND	0.040		ND	0.083		0.4	8/11/22 0:23	BRF
Dibromochloromethane	ND	0.010		ND	0.085		0.4	8/11/22 0:23	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077		0.4	8/11/22 0:23	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/11/22 0:23	BRF
1,3-Dichlorobenzene	0.52	0.020		3.1	0.12		0.4	8/11/22 0:23	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12		0.4	8/11/22 0:23	BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099		0.4	8/11/22 0:23	BRF
1,1-Dichloroethane	0.10	0.010		0.42	0.040		0.4	8/11/22 0:23	BRF
1,2-Dichloroethane	0.049	0.010		0.20	0.040		0.4	8/11/22 0:23	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/11/22 0:23	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/11/22 0:23	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040		0.4	8/11/22 0:23	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046		0.4	8/11/22 0:23	BRF
1,3-Dichloropropane	ND	0.11		ND	0.50		0.8	8/11/22 18:02	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/11/22 0:23	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045		0.4	8/11/22 0:23	BRF
Ethylbenzene	0.24	0.020		1.1	0.087		0.4	8/11/22 0:23	BRF
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50		0.8	8/11/22 18:02	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.091		ND	0.50		0.8	8/11/22 18:02	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072		0.4	8/11/22 0:23	BRF
Methylene Chloride	ND	0.20		ND	0.69		0.4	8/11/22 0:23	BRF
4-Methyl-2-pentanone (MIBK)	0.33	0.020		1.4	0.082		0.4	8/11/22 0:23	BRF
Styrene	0.26	0.020		1.1	0.085		0.4	8/11/22 0:23	BRF
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50		0.8	8/11/22 18:02	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069		0.4	8/11/22 0:23	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: MP-6**Sample ID:** 22G1791-13

Sample Matrix: Sub Slab

Sampled: 7/28/2022 11:38

Sample Description/Location:

Sub Description/Location:

Canister ID: 1259

Canister Size: 6 liter

Flow Controller ID: 4283

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -3

Receipt Vacuum(in Hg): -4.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.62	0.020		4.2	0.14	0.4	8/11/22 0:23	BRF
Toluene	0.84	0.020		3.2	0.075	0.4	8/11/22 0:23	BRF
1,1,1-Trichloroethane	0.064	0.010		0.35	0.055	0.4	8/11/22 0:23	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 0:23	BRF
Trichloroethylene	0.76	0.010		4.1	0.054	0.4	8/11/22 0:23	BRF
Trichlorofluoromethane (Freon 11)	0.79	0.080		4.4	0.45	0.4	8/11/22 0:23	BRF
1,2,4-Trimethylbenzene	0.65	0.020		3.2	0.098	0.4	8/11/22 0:23	BRF
1,3,5-Trimethylbenzene	0.19	0.020		0.95	0.098	0.4	8/11/22 0:23	BRF
Vinyl Chloride	0.094	0.020		0.24	0.051	0.4	8/11/22 0:23	BRF
m&p-Xylene	0.67	0.040		2.9	0.17	0.4	8/11/22 0:23	BRF
o-Xylene	0.33	0.020		1.4	0.087	0.4	8/11/22 0:23	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.9	70-130	8/11/22 0:23
4-Bromofluorobenzene (2)	97.0	70-130	8/11/22 18:02

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: IMP-1
Sample ID: 22G1791-14
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 09:29

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1127
 Canister Size: 6 liter
 Flow Controller ID: 4303
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -11
 Receipt Vacuum(in Hg): -12.9
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst
	Results	RL	Flag/Qual	Results	RL		
Acetone	16	0.80		37	1.9	0.4	8/11/22 1:00 BRF
Acrylonitrile	ND	0.35		ND	0.75	1.2	8/11/22 18:51 BRF
Benzene	0.087	0.020		0.28	0.064	0.4	8/11/22 1:00 BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/11/22 1:00 BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/11/22 1:00 BRF
2-Butanone (MEK)	3.8	0.80		11	2.4	0.4	8/11/22 1:00 BRF
n-Butylbenzene	ND	0.17		ND	0.95	1.2	8/11/22 18:51 BRF
sec-Butylbenzene	ND	0.14		ND	0.75	1.2	8/11/22 18:51 BRF
Carbon Tetrachloride	0.055	0.010		0.34	0.063	0.4	8/11/22 1:00 BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/11/22 1:00 BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/11/22 1:00 BRF
Chloroform	0.029	0.010		0.14	0.049	0.4	8/11/22 1:00 BRF
Chloromethane	0.35	0.040		0.73	0.083	0.4	8/11/22 1:00 BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/11/22 1:00 BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/11/22 1:00 BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 1:00 BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 1:00 BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 1:00 BRF
Dichlorodifluoromethane (Freon 12)	0.32	0.020		1.6	0.099	0.4	8/11/22 1:00 BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 1:00 BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 1:00 BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 1:00 BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 1:00 BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 1:00 BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/11/22 1:00 BRF
1,3-Dichloropropane	ND	0.16		ND	0.75	1.2	8/11/22 18:51 BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 1:00 BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 1:00 BRF
Ethylbenzene	0.092	0.020		0.40	0.087	0.4	8/11/22 1:00 BRF
Isopropylbenzene (Cumene)	ND	0.15		ND	0.75	1.2	8/11/22 18:51 BRF
p-Isopropyltoluene (p-Cymene)	ND	0.14		ND	0.75	1.2	8/11/22 18:51 BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/11/22 1:00 BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	8/11/22 1:00 BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	8/11/22 1:00 BRF
Styrene	0.13	0.020		0.55	0.085	0.4	8/11/22 1:00 BRF
1,1,1,2-Tetrachloroethane	ND	0.11		ND	0.75	1.2	8/11/22 18:51 BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/11/22 1:00 BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: IMP-1**Sample ID:** 22G1791-14

Sample Matrix: Sub Slab

Sampled: 7/28/2022 09:29

Sample Description/Location:

Sub Description/Location:

Canister ID: 1127

Canister Size: 6 liter

Flow Controller ID: 4303

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -29

Final Vacuum(in Hg): -11

Receipt Vacuum(in Hg): -12.9

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.047	0.020		0.32	0.14	0.4	8/11/22 1:00	BRF
Toluene	0.42	0.020		1.6	0.075	0.4	8/11/22 1:00	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 1:00	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 1:00	BRF
Trichloroethylene	0.048	0.010		0.26	0.054	0.4	8/11/22 1:00	BRF
Trichlorofluoromethane (Freon 11)	0.18	0.080		1.0	0.45	0.4	8/11/22 1:00	BRF
1,2,4-Trimethylbenzene	0.39	0.020		1.9	0.098	0.4	8/11/22 1:00	BRF
1,3,5-Trimethylbenzene	0.12	0.020		0.59	0.098	0.4	8/11/22 1:00	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/11/22 1:00	BRF
m&p-Xylene	0.24	0.040		1.1	0.17	0.4	8/11/22 1:00	BRF
o-Xylene	0.13	0.020		0.58	0.087	0.4	8/11/22 1:00	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.1	70-130	8/11/22 1:00
4-Bromofluorobenzene (2)	95.4	70-130	8/11/22 18:51

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: IMP-2
Sample ID: 22G1791-15
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 09:54

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 9014
 Canister Size: 6 liter
 Flow Controller ID: 4298
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -8
 Receipt Vacuum(in Hg): -5.1
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	7.3	0.80		17	1.9	0.4	8/11/22 1:38	BRF
Acrylonitrile	ND	0.23		ND	0.50	0.8	8/11/22 19:41	BRF
Benzene	0.14	0.020		0.44	0.064	0.4	8/11/22 1:38	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/11/22 1:38	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/11/22 1:38	BRF
2-Butanone (MEK)	1.3	0.80		3.7	2.4	0.4	8/11/22 1:38	BRF
n-Butylbenzene	ND	0.12		ND	0.63	0.8	8/11/22 19:41	BRF
sec-Butylbenzene	ND	0.091		ND	0.50	0.8	8/11/22 19:41	BRF
Carbon Tetrachloride	0.088	0.010		0.55	0.063	0.4	8/11/22 1:38	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/11/22 1:38	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/11/22 1:38	BRF
Chloroform	0.066	0.010		0.32	0.049	0.4	8/11/22 1:38	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/11/22 1:38	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/11/22 1:38	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/11/22 1:38	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 1:38	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 1:38	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 1:38	BRF
Dichlorodifluoromethane (Freon 12)	0.54	0.020		2.7	0.099	0.4	8/11/22 1:38	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 1:38	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 1:38	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 1:38	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 1:38	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 1:38	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/11/22 1:38	BRF
1,3-Dichloropropane	ND	0.11		ND	0.50	0.8	8/11/22 19:41	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 1:38	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 1:38	BRF
Ethylbenzene	0.15	0.020		0.63	0.087	0.4	8/11/22 1:38	BRF
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50	0.8	8/11/22 19:41	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.091		ND	0.50	0.8	8/11/22 19:41	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/11/22 1:38	BRF
Methylene Chloride	0.25	0.20		0.86	0.69	0.4	8/11/22 1:38	BRF
4-Methyl-2-pentanone (MIBK)	0.17	0.020		0.70	0.082	0.4	8/11/22 1:38	BRF
Styrene	0.15	0.020		0.65	0.085	0.4	8/11/22 1:38	BRF
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50	0.8	8/11/22 19:41	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/11/22 1:38	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: IMP-2**Sample ID:** 22G1791-15

Sample Matrix: Sub Slab

Sampled: 7/28/2022 09:54

Sample Description/Location:

Sub Description/Location:

Canister ID: 9014

Canister Size: 6 liter

Flow Controller ID: 4298

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -8

Receipt Vacuum(in Hg): -5.1

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.77	0.020		5.2	0.14	0.4	8/11/22 1:38	BRF
Toluene	0.65	0.020		2.4	0.075	0.4	8/11/22 1:38	BRF
1,1,1-Trichloroethane	0.047	0.010		0.26	0.055	0.4	8/11/22 1:38	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 1:38	BRF
Trichloroethylene	4.5	0.010		24	0.054	0.4	8/11/22 1:38	BRF
Trichlorofluoromethane (Freon 11)	0.75	0.080		4.2	0.45	0.4	8/11/22 1:38	BRF
1,2,4-Trimethylbenzene	0.54	0.020		2.7	0.098	0.4	8/11/22 1:38	BRF
1,3,5-Trimethylbenzene	0.15	0.020		0.72	0.098	0.4	8/11/22 1:38	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/11/22 1:38	BRF
m&p-Xylene	0.48	0.040		2.1	0.17	0.4	8/11/22 1:38	BRF
o-Xylene	0.21	0.020		0.90	0.087	0.4	8/11/22 1:38	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	94.3	70-130	8/11/22 1:38
4-Bromofluorobenzene (2)	96.6	70-130	8/11/22 19:41

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Rooftop Fan 1
Sample ID: 22G1791-16
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 10:39

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1034
 Canister Size: 6 liter
 Flow Controller ID: 4205
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	12	0.80		28	1.9	0.4	8/11/22 2:15	BRF
Acrylonitrile	ND	0.23		ND	0.50	0.8	8/11/22 20:30	BRF
Benzene	0.21	0.020		0.67	0.064	0.4	8/11/22 2:15	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/11/22 2:15	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/11/22 2:15	BRF
2-Butanone (MEK)	1.9	0.80		5.5	2.4	0.4	8/11/22 2:15	BRF
n-Butylbenzene	ND	0.12		ND	0.63	0.8	8/11/22 20:30	BRF
sec-Butylbenzene	ND	0.091		ND	0.50	0.8	8/11/22 20:30	BRF
Carbon Tetrachloride	0.089	0.010		0.56	0.063	0.4	8/11/22 2:15	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/11/22 2:15	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/11/22 2:15	BRF
Chloroform	0.070	0.010		0.34	0.049	0.4	8/11/22 2:15	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/11/22 2:15	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/11/22 2:15	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/11/22 2:15	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 2:15	BRF
1,3-Dichlorobenzene	0.65	0.020		3.9	0.12	0.4	8/11/22 2:15	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 2:15	BRF
Dichlorodifluoromethane (Freon 12)	0.52	0.020		2.6	0.099	0.4	8/11/22 2:15	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 2:15	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 2:15	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 2:15	BRF
cis-1,2-Dichloroethylene	0.015	0.010		0.059	0.040	0.4	8/11/22 2:15	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 2:15	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/11/22 2:15	BRF
1,3-Dichloropropane	ND	0.11		ND	0.50	0.8	8/11/22 20:30	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 2:15	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 2:15	BRF
Ethylbenzene	0.14	0.020		0.59	0.087	0.4	8/11/22 2:15	BRF
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50	0.8	8/11/22 20:30	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.091		ND	0.50	0.8	8/11/22 20:30	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/11/22 2:15	BRF
Methylene Chloride	0.25	0.20		0.88	0.69	0.4	8/11/22 2:15	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	8/11/22 2:15	BRF
Styrene	0.15	0.020		0.66	0.085	0.4	8/11/22 2:15	BRF
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50	0.8	8/11/22 20:30	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/11/22 2:15	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Rooftop Fan 1
Sample ID: 22G1791-16
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 10:39

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1034
 Canister Size: 6 liter
 Flow Controller ID: 4205
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -29
 Final Vacuum(in Hg): -4
 Receipt Vacuum(in Hg): -4.6
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time	
	Results	RL	Flag/Qual	Results	RL	Analyzed	Analyst
Tetrachloroethylene	2.8	0.020		19	0.14	0.4	8/11/22 2:15 BRF
Toluene	0.51	0.020		1.9	0.075	0.4	8/11/22 2:15 BRF
1,1,1-Trichloroethane	0.22	0.010		1.2	0.055	0.4	8/11/22 2:15 BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 2:15 BRF
Trichloroethylene	9.8	0.010		53	0.054	0.4	8/11/22 2:15 BRF
Trichlorofluoromethane (Freon 11)	4.2	0.080		23	0.45	0.4	8/11/22 2:15 BRF
1,2,4-Trimethylbenzene	0.75	0.020		3.7	0.098	0.4	8/11/22 2:15 BRF
1,3,5-Trimethylbenzene	0.19	0.020		0.92	0.098	0.4	8/11/22 2:15 BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/11/22 2:15 BRF
m&p-Xylene	0.37	0.040		1.6	0.17	0.4	8/11/22 2:15 BRF
o-Xylene	0.19	0.020		0.84	0.087	0.4	8/11/22 2:15 BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	95.9	70-130	8/11/22 2:15
4-Bromofluorobenzene (2)	95.9	70-130	8/11/22 20:30

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Rooftop Fan 2
Sample ID: 22G1791-17
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 10:38

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 1695
 Canister Size: 6 liter
 Flow Controller ID: 4101
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -28
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -10.7
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	6.2	0.80		15	1.9	0.4	8/11/22 2:50	BRF
Acrylonitrile	ND	0.35		ND	0.75	1.2	8/11/22 21:20	BRF
Benzene	0.16	0.020		0.52	0.064	0.4	8/11/22 2:50	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/11/22 2:50	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/11/22 2:50	BRF
2-Butanone (MEK)	1.3	0.80		3.7	2.4	0.4	8/11/22 2:50	BRF
n-Butylbenzene	ND	0.17		ND	0.95	1.2	8/11/22 21:20	BRF
sec-Butylbenzene	ND	0.14		ND	0.75	1.2	8/11/22 21:20	BRF
Carbon Tetrachloride	0.062	0.010		0.39	0.063	0.4	8/11/22 2:50	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/11/22 2:50	BRF
Chloroethane	0.051	0.020		0.13	0.053	0.4	8/11/22 2:50	BRF
Chloroform	0.14	0.010		0.69	0.049	0.4	8/11/22 2:50	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/11/22 2:50	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/11/22 2:50	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/11/22 2:50	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 2:50	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 2:50	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 2:50	BRF
Dichlorodifluoromethane (Freon 12)	0.38	0.020		1.9	0.099	0.4	8/11/22 2:50	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 2:50	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 2:50	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 2:50	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 2:50	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 2:50	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/11/22 2:50	BRF
1,3-Dichloropropane	ND	0.16		ND	0.75	1.2	8/11/22 21:20	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 2:50	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 2:50	BRF
Ethylbenzene	0.13	0.020		0.58	0.087	0.4	8/11/22 2:50	BRF
Isopropylbenzene (Cumene)	ND	0.15		ND	0.75	1.2	8/11/22 21:20	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.14		ND	0.75	1.2	8/11/22 21:20	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/11/22 2:50	BRF
Methylene Chloride	0.27	0.20		0.93	0.69	0.4	8/11/22 2:50	BRF
4-Methyl-2-pentanone (MIBK)	0.14	0.020		0.58	0.082	0.4	8/11/22 2:50	BRF
Styrene	0.15	0.020		0.64	0.085	0.4	8/11/22 2:50	BRF
1,1,1,2-Tetrachloroethane	ND	0.11		ND	0.75	1.2	8/11/22 21:20	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/11/22 2:50	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Rooftop Fan 2**Sample ID:** 22G1791-17

Sample Matrix: Sub Slab

Sampled: 7/28/2022 10:38

Sample Description/Location:

Sub Description/Location:

Canister ID: 1695

Canister Size: 6 liter

Flow Controller ID: 4101

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -28

Final Vacuum(in Hg): -7

Receipt Vacuum(in Hg): -10.7

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	0.57	0.020		3.9	0.14	0.4	8/11/22 2:50	BRF
Toluene	0.43	0.020		1.6	0.075	0.4	8/11/22 2:50	BRF
1,1,1-Trichloroethane	0.038	0.010		0.21	0.055	0.4	8/11/22 2:50	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 2:50	BRF
Trichloroethylene	6.1	0.010		33	0.054	0.4	8/11/22 2:50	BRF
Trichlorofluoromethane (Freon 11)	4.5	0.080		25	0.45	0.4	8/11/22 2:50	BRF
1,2,4-Trimethylbenzene	0.83	0.020		4.1	0.098	0.4	8/11/22 2:50	BRF
1,3,5-Trimethylbenzene	0.21	0.020		1.0	0.098	0.4	8/11/22 2:50	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/11/22 2:50	BRF
m&p-Xylene	0.34	0.040		1.5	0.17	0.4	8/11/22 2:50	BRF
o-Xylene	0.21	0.020		0.89	0.087	0.4	8/11/22 2:50	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	96.8	70-130	8/11/22 2:50
4-Bromofluorobenzene (2)	95.0	70-130	8/11/22 21:20

ANALYTICAL RESULTS

Project Location: Providence, RI
 Date Received: 7/29/2022
Field Sample #: Rooftop Fan 3
Sample ID: 22G1791-18
 Sample Matrix: Sub Slab
 Sampled: 7/28/2022 10:11

Sample Description/Location:
 Sub Description/Location:
 Canister ID: 9002
 Canister Size: 6 liter
 Flow Controller ID: 4104
 Sample Type: 30 min

Work Order: 22G1791
 Initial Vacuum(in Hg): -30
 Final Vacuum(in Hg): -7
 Receipt Vacuum(in Hg): -8.3
 Flow Controller Type: Fixed-Orifice
 Flow Controller Calibration
 RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Acetone	9.1	0.80		22	1.9	0.4	8/11/22 3:28	BRF
Acrylonitrile	ND	0.23		ND	0.50	0.8	8/11/22 22:10	BRF
Benzene	0.23	0.020		0.73	0.064	0.4	8/11/22 3:28	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	8/11/22 3:28	BRF
Bromoform	ND	0.020		ND	0.21	0.4	8/11/22 3:28	BRF
2-Butanone (MEK)	1.7	0.80		5.1	2.4	0.4	8/11/22 3:28	BRF
n-Butylbenzene	ND	0.12		ND	0.63	0.8	8/11/22 22:10	BRF
sec-Butylbenzene	ND	0.091		ND	0.50	0.8	8/11/22 22:10	BRF
Carbon Tetrachloride	0.072	0.010		0.45	0.063	0.4	8/11/22 3:28	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	8/11/22 3:28	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	8/11/22 3:28	BRF
Chloroform	0.094	0.010		0.46	0.049	0.4	8/11/22 3:28	BRF
Chloromethane	ND	0.040		ND	0.083	0.4	8/11/22 3:28	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	8/11/22 3:28	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	8/11/22 3:28	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 3:28	BRF
1,3-Dichlorobenzene	1.2	0.020		7.0	0.12	0.4	8/11/22 3:28	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	8/11/22 3:28	BRF
Dichlorodifluoromethane (Freon 12)	ND	0.020		ND	0.099	0.4	8/11/22 3:28	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 3:28	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	8/11/22 3:28	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	8/11/22 3:28	BRF
cis-1,2-Dichloroethylene	0.14	0.010		0.54	0.040	0.4	8/11/22 3:28	BRF
trans-1,2-Dichloroethylene	0.011	0.010		0.044	0.040	0.4	8/11/22 3:28	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	8/11/22 3:28	BRF
1,3-Dichloropropane	ND	0.11		ND	0.50	0.8	8/11/22 22:10	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 3:28	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	8/11/22 3:28	BRF
Ethylbenzene	0.23	0.020		1.0	0.087	0.4	8/11/22 3:28	BRF
Isopropylbenzene (Cumene)	ND	0.10		ND	0.50	0.8	8/11/22 22:10	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.091		ND	0.50	0.8	8/11/22 22:10	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	8/11/22 3:28	BRF
Methylene Chloride	0.27	0.20		0.94	0.69	0.4	8/11/22 3:28	BRF
4-Methyl-2-pentanone (MIBK)	0.29	0.020		1.2	0.082	0.4	8/11/22 3:28	BRF
Styrene	0.20	0.020		0.85	0.085	0.4	8/11/22 3:28	BRF
1,1,1,2-Tetrachloroethane	ND	0.073		ND	0.50	0.8	8/11/22 22:10	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	8/11/22 3:28	BRF

ANALYTICAL RESULTS

Project Location: Providence, RI

Date Received: 7/29/2022

Field Sample #: Rooftop Fan 3**Sample ID:** 22G1791-18

Sample Matrix: Sub Slab

Sampled: 7/28/2022 10:11

Sample Description/Location:

Sub Description/Location:

Canister ID: 9002

Canister Size: 6 liter

Flow Controller ID: 4104

Sample Type: 30 min

Work Order: 22G1791

Initial Vacuum(in Hg): -30

Final Vacuum(in Hg): -7

Receipt Vacuum(in Hg): -8.3

Flow Controller Type: Fixed-Orifice

Flow Controller Calibration

RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv		ug/m3		Dilution	Date/Time Analyzed	Analyst	
	Results	RL	Flag/Qual	Results	RL			
Tetrachloroethylene	5.2	0.020		36	0.14	0.4	8/11/22 3:28	BRF
Toluene	0.80	0.020		3.0	0.075	0.4	8/11/22 3:28	BRF
1,1,1-Trichloroethane	0.072	0.010		0.40	0.055	0.4	8/11/22 3:28	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	8/11/22 3:28	BRF
Trichloroethylene	4.2	0.010		23	0.054	0.4	8/11/22 3:28	BRF
Trichlorofluoromethane (Freon 11)	0.82	0.080		4.6	0.45	0.4	8/11/22 3:28	BRF
1,2,4-Trimethylbenzene	1.2	0.020		6.0	0.098	0.4	8/11/22 3:28	BRF
1,3,5-Trimethylbenzene	0.34	0.020		1.7	0.098	0.4	8/11/22 3:28	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	8/11/22 3:28	BRF
m&p-Xylene	0.55	0.040		2.4	0.17	0.4	8/11/22 3:28	BRF
o-Xylene	0.32	0.020		1.4	0.087	0.4	8/11/22 3:28	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	97.1	70-130	8/11/22 3:28
4-Bromofluorobenzene (2)	95.8	70-130	8/11/22 22:10

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	------	----------------	------------	--------------	-----------

Batch B314751 - TO-15 Prep

Blank (B314751-BLK1)	Prepared & Analyzed: 08/02/22									
Acetone	ND	0.80								
Acrylonitrile	ND	0.12								
Benzene	ND	0.020								
Bromodichloromethane	ND	0.010								
Bromoform	ND	0.020								
2-Butanone (MEK)	ND	0.80								
n-Butylbenzene	ND	0.058								
sec-Butylbenzene	ND	0.046								
Carbon Tetrachloride	ND	0.010								
Chlorobenzene	ND	0.020								
Chloroethane	ND	0.020								
Chloroform	ND	0.010								
Chloromethane	ND	0.040								
Dibromochloromethane	ND	0.010								
1,2-Dibromoethane (EDB)	ND	0.010								
1,2-Dichlorobenzene	ND	0.020								
1,3-Dichlorobenzene	ND	0.020								
1,4-Dichlorobenzene	ND	0.020								
Dichlorodifluoromethane (Freon 12)	ND	0.020								
1,1-Dichloroethane	ND	0.010								
1,2-Dichloroethane	ND	0.010								
1,1-Dichloroethylene	ND	0.010								
cis-1,2-Dichloroethylene	ND	0.010								
trans-1,2-Dichloroethylene	ND	0.010								
1,2-Dichloropropane	ND	0.010								
1,3-Dichloropropane	ND	0.054								
cis-1,3-Dichloropropene	ND	0.010								
trans-1,3-Dichloropropene	ND	0.010								
Ethylbenzene	ND	0.020								
Isopropylbenzene (Cumene)	ND	0.051								
p-Isopropyltoluene (p-Cymene)	ND	0.046								
Methyl tert-Butyl Ether (MTBE)	ND	0.020								
Methylene Chloride	ND	0.20								
4-Methyl-2-pentanone (MIBK)	ND	0.020								
Styrene	ND	0.020								
1,1,1,2-Tetrachloroethane	ND	0.036								V-34
1,1,2,2-Tetrachloroethane	ND	0.010								
Tetrachloroethylene	ND	0.020								
Toluene	ND	0.020								
1,1,1-Trichloroethane	ND	0.010								
1,1,2-Trichloroethane	ND	0.010								
Trichloroethylene	ND	0.010								
Trichlorofluoromethane (Freon 11)	ND	0.080								L-05
1,2,4-Trimethylbenzene	ND	0.020								
1,3,5-Trimethylbenzene	ND	0.020								
Vinyl Chloride	ND	0.020								

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

Batch B314751 - TO-15 Prep

Blank (B314751-BLK1)	Prepared & Analyzed: 08/02/22					
m&p-Xylene	ND	0.040				
o-Xylene	ND	0.020				
Surrogate: 4-Bromofluorobenzene (1)	8.36		8.00		105	70-130
Surrogate: 4-Bromofluorobenzene (2)	8.60		8.00		108	70-130

LCS (B314751-BS1)	Prepared & Analyzed: 08/02/22					
Acetone	5.04		5.00		101	70-130
Acrylonitrile	3.31		2.88		115	70-130
Benzene	4.89		5.00		97.8	70-130
Bromodichloromethane	5.01		5.00		100	70-130
Bromoform	5.54		5.00		111	70-130
2-Butanone (MEK)	4.90		5.00		97.9	70-130
n-Butylbenzene	1.04		1.14		90.8	70-130
sec-Butylbenzene	1.05		1.14		92.4	70-130
Carbon Tetrachloride	4.94		5.00		98.9	70-130
Chlorobenzene	4.98		5.00		99.6	70-130
Chloroethane	6.11		5.00		122	70-130
Chloroform	5.31		5.00		106	70-130
Chloromethane	5.52		5.00		110	70-130
Dibromochloromethane	5.13		5.00		103	70-130
1,2-Dibromoethane (EDB)	5.12		5.00		102	70-130
1,2-Dichlorobenzene	5.20		5.00		104	70-130
1,3-Dichlorobenzene	5.32		5.00		106	70-130
1,4-Dichlorobenzene	5.24		5.00		105	70-130
Dichlorodifluoromethane (Freon 12)	5.53		5.00		111	70-130
1,1-Dichloroethane	5.19		5.00		104	70-130
1,2-Dichloroethane	5.29		5.00		106	70-130
1,1-Dichloroethylene	5.52		5.00		110	70-130
cis-1,2-Dichloroethylene	5.19		5.00		104	70-130
trans-1,2-Dichloroethylene	5.24		5.00		105	70-130
1,2-Dichloropropane	4.80		5.00		96.0	70-130
1,3-Dichloropropane	1.34		1.35		99.5	70-130
cis-1,3-Dichloropropene	4.73		5.00		94.7	70-130
trans-1,3-Dichloropropene	4.87		5.00		97.5	70-130
Ethylbenzene	4.94		5.00		98.7	70-130
Isopropylbenzene (Cumene)	1.20		1.27		94.1	70-130
p-Isopropyltoluene (p-Cymene)	1.03		1.14		90.0	70-130
Methyl tert-Butyl Ether (MTBE)	5.10		5.00		102	70-130
Methylene Chloride	4.58		5.00		91.7	70-130
4-Methyl-2-pentanone (MIBK)	4.67		5.00		93.4	70-130
Styrene	5.08		5.00		102	70-130
1,1,1,2-Tetrachloroethane	0.834		0.910		91.6	70-130
1,1,2,2-Tetrachloroethane	5.06		5.00		101	70-130
Tetrachloroethylene	5.00		5.00		99.9	70-130
Toluene	4.90		5.00		97.9	70-130
1,1,1-Trichloroethane	4.75		5.00		94.9	70-130
1,1,2-Trichloroethane	5.04		5.00		101	70-130

V-34

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	----------------	------------	--------------	-----------

Batch B314751 - TO-15 Prep

LCS (B314751-BS1)	Prepared & Analyzed: 08/02/22						
Trichlorethylene	4.91		5.00		98.1	70-130	
Trichlorofluoromethane (Freon 11)	6.67		5.00		133 *	70-130	
1,2,4-Trimethylbenzene	5.04		5.00		101	70-130	
1,3,5-Trimethylbenzene	5.10		5.00		102	70-130	
Vinyl Chloride	5.71		5.00		114	70-130	
m&p-Xylene	9.88		10.0		98.8	70-130	
o-Xylene	4.98		5.00		99.6	70-130	
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	<i>8.54</i>		<i>8.00</i>		<i>107</i>	<i>70-130</i>	
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>7.78</i>		<i>8.00</i>		<i>97.2</i>	<i>70-130</i>	

Batch B314761 - TO-15 Prep

Blank (B314761-BLK1)	Prepared & Analyzed: 08/03/22						
Acetone	ND	0.80					
Acrylonitrile	ND	0.12					
Benzene	ND	0.020					
Bromodichloromethane	ND	0.010					
Bromoform	ND	0.020					
2-Butanone (MEK)	ND	0.80					
n-Butylbenzene	ND	0.058					
sec-Butylbenzene	ND	0.046					
Carbon Tetrachloride	ND	0.010					
Chlorobenzene	ND	0.020					
Chloroethane	ND	0.020					
Chloroform	ND	0.010					
Chloromethane	ND	0.040					
Dibromochloromethane	ND	0.010					
1,2-Dibromoethane (EDB)	ND	0.010					
1,2-Dichlorobenzene	ND	0.020					
1,3-Dichlorobenzene	ND	0.020					
1,4-Dichlorobenzene	ND	0.020					
Dichlorodifluoromethane (Freon 12)	ND	0.020					
1,1-Dichloroethane	ND	0.010					
1,2-Dichloroethane	ND	0.010					
1,1-Dichloroethylene	ND	0.010					
cis-1,2-Dichloroethylene	ND	0.010					
trans-1,2-Dichloroethylene	ND	0.010					
1,2-Dichloropropane	ND	0.010					
1,3-Dichloropropane	ND	0.054					
cis-1,3-Dichloropropene	ND	0.010					
trans-1,3-Dichloropropene	ND	0.010					
Ethylbenzene	ND	0.020					
Isopropylbenzene (Cumene)	ND	0.051					
p-Isopropyltoluene (p-Cymene)	ND	0.046					
Methyl tert-Butyl Ether (MTBE)	ND	0.020					
Methylene Chloride	ND	0.20					
4-Methyl-2-pentanone (MIBK)	ND	0.020					

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	--------------	-----------

Batch B314761 - TO-15 Prep

Blank (B314761-BLK1)	Prepared & Analyzed: 08/03/22					
Styrene	ND	0.020				
1,1,1,2-Tetrachloroethane	ND	0.036				
1,1,2,2-Tetrachloroethane	ND	0.010				
Tetrachloroethylene	ND	0.020				
Toluene	ND	0.020				
1,1,1-Trichloroethane	ND	0.010				
1,1,2-Trichloroethane	ND	0.010				
Trichloroethylene	ND	0.010				
Trichlorofluoromethane (Freon 11)	ND	0.080				
1,2,4-Trimethylbenzene	ND	0.020				
1,3,5-Trimethylbenzene	ND	0.020				
Vinyl Chloride	ND	0.020				
m&p-Xylene	ND	0.040				
o-Xylene	ND	0.020				
<i>Surrogate: 4-Bromofluorobenzene (1)</i>	8.16		8.00		102	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	8.00		8.00		100	70-130

LCS (B314761-BS1)	Prepared & Analyzed: 08/03/22					
Acetone	5.38		5.00		108	70-130
Acrylonitrile	3.21		2.88		111	70-130
Benzene	5.22		5.00		104	70-130
Bromodichloromethane	5.41		5.00		108	70-130
Bromoform	5.95		5.00		119	70-130
2-Butanone (MEK)	5.21		5.00		104	70-130
n-Butylbenzene	1.05		1.14		92.3	70-130
sec-Butylbenzene	1.07		1.14		93.7	70-130
Carbon Tetrachloride	5.35		5.00		107	70-130
Chlorobenzene	5.26		5.00		105	70-130
Chloroethane	6.37		5.00		127	70-130
Chloroform	5.57		5.00		111	70-130
Chloromethane	5.49		5.00		110	70-130
Dibromochloromethane	5.48		5.00		110	70-130
1,2-Dibromoethane (EDB)	5.44		5.00		109	70-130
1,2-Dichlorobenzene	5.46		5.00		109	70-130
1,3-Dichlorobenzene	5.57		5.00		111	70-130
1,4-Dichlorobenzene	5.51		5.00		110	70-130
Dichlorodifluoromethane (Freon 12)	5.56		5.00		111	70-130
1,1-Dichloroethane	5.45		5.00		109	70-130
1,2-Dichloroethane	5.59		5.00		112	70-130
1,1-Dichloroethylene	5.60		5.00		112	70-130
cis-1,2-Dichloroethylene	5.41		5.00		108	70-130
trans-1,2-Dichloroethylene	5.47		5.00		109	70-130
1,2-Dichloropropane	5.13		5.00		103	70-130
1,3-Dichloropropane	1.34		1.35		99.3	70-130
cis-1,3-Dichloropropene	5.10		5.00		102	70-130
trans-1,3-Dichloropropene	5.27		5.00		105	70-130
Ethylbenzene	5.28		5.00		106	70-130

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	-------	-----------

Batch B314761 - TO-15 Prep

LCS (B314761-BS1)	Prepared & Analyzed: 08/03/22										
Isopropylbenzene (Cumene)	1.22			1.27		95.7	70-130				
p-Isopropyltoluene (p-Cymene)	1.05			1.14		91.8	70-130				
Methyl tert-Butyl Ether (MTBE)	5.46			5.00		109	70-130				
Methylene Chloride	4.75			5.00		95.0	70-130				
4-Methyl-2-pentanone (MIBK)	5.05			5.00		101	70-130				
Styrene	5.43			5.00		109	70-130				
1,1,1,2-Tetrachloroethane	0.882			0.910		96.9	70-130				V-34
1,1,2,2-Tetrachloroethane	5.41			5.00		108	70-130				
Tetrachloroethylene	5.18			5.00		104	70-130				
Toluene	5.25			5.00		105	70-130				
1,1,1-Trichloroethane	5.14			5.00		103	70-130				
1,1,2-Trichloroethane	5.39			5.00		108	70-130				
Trichloroethylene	5.16			5.00		103	70-130				
Trichlorofluoromethane (Freon 11)	7.26			5.00		145 *	70-130				L-05
1,2,4-Trimethylbenzene	5.38			5.00		108	70-130				
1,3,5-Trimethylbenzene	5.46			5.00		109	70-130				
Vinyl Chloride	5.91			5.00		118	70-130				
m&p-Xylene	10.5			10.0		105	70-130				
o-Xylene	5.32			5.00		106	70-130				
Surrogate: 4-Bromofluorobenzene (1)	8.35			8.00		104	70-130				
Surrogate: 4-Bromofluorobenzene (2)	7.92			8.00		98.9	70-130				

Batch B314975 - TO-15 Prep

Blank (B314975-BLK1)	Prepared & Analyzed: 08/10/22						
Acetone	ND	0.80					
Benzene	ND	0.020					
Bromodichloromethane	ND	0.010					
Bromoform	ND	0.020					
2-Butanone (MEK)	ND	0.80					
Carbon Tetrachloride	ND	0.010					
Chlorobenzene	ND	0.020					
Chloroethane	ND	0.020					
Chloroform	ND	0.010					
Chloromethane	ND	0.040					
Dibromochloromethane	ND	0.010					
1,2-Dibromoethane (EDB)	ND	0.010					
1,2-Dichlorobenzene	ND	0.020					
1,3-Dichlorobenzene	ND	0.020					
1,4-Dichlorobenzene	ND	0.020					
Dichlorodifluoromethane (Freon 12)	ND	0.020					
1,1-Dichloroethane	ND	0.010					
1,2-Dichloroethane	ND	0.010					
1,1-Dichloroethylene	ND	0.010					
cis-1,2-Dichloroethylene	ND	0.010					
trans-1,2-Dichloroethylene	ND	0.010					
1,2-Dichloropropane	ND	0.010					

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	--------	------------	--------------	-----------

Batch B314975 - TO-15 Prep

Blank (B314975-BLK1)	Prepared & Analyzed: 08/10/22							
cis-1,3-Dichloropropene	ND	0.010						
trans-1,3-Dichloropropene	ND	0.010						
Ethylbenzene	ND	0.020						
Methyl tert-Butyl Ether (MTBE)	ND	0.020						
Methylene Chloride	ND	0.20						
4-Methyl-2-pentanone (MIBK)	ND	0.020						
Styrene	ND	0.020						
1,1,2,2-Tetrachloroethane	ND	0.010						
Tetrachloroethylene	ND	0.020						
Toluene	ND	0.020						
1,1,1-Trichloroethane	ND	0.010						
1,1,2-Trichloroethane	ND	0.010						
Trichloroethylene	ND	0.010						
Trichlorofluoromethane (Freon 11)	ND	0.080						
1,2,4-Trimethylbenzene	ND	0.020						
1,3,5-Trimethylbenzene	ND	0.020						
Vinyl Chloride	ND	0.020						
m&p-Xylene	ND	0.040						
o-Xylene	ND	0.020						
<i>Surrogate: 4-Bromo fluorobenzene (I)</i>	7.42		8.00		92.7		70-130	

LCS (B314975-BS1)	Prepared & Analyzed: 08/10/22						
Acetone	5.20		5.00		104		70-130
Benzene	5.19		5.00		104		70-130
Bromodichloromethane	5.04		5.00		101		70-130
Bromoform	5.09		5.00		102		70-130
2-Butanone (MEK)	5.54		5.00		111		70-130
Carbon Tetrachloride	5.52		5.00		110		70-130
Chlorobenzene	5.21		5.00		104		70-130
Chloroethane	5.30		5.00		106		70-130
Chloroform	5.83		5.00		117		70-130
Chloromethane	4.93		5.00		98.5		70-130
Dibromochloromethane	5.26		5.00		105		70-130
1,2-Dibromoethane (EDB)	5.40		5.00		108		70-130
1,2-Dichlorobenzene	5.57		5.00		111		70-130
1,3-Dichlorobenzene	5.54		5.00		111		70-130
1,4-Dichlorobenzene	6.32		5.00		126		70-130
Dichlorodifluoromethane (Freon 12)	5.54		5.00		111		70-130
1,1-Dichloroethane	5.99		5.00		120		70-130
1,2-Dichloroethane	6.03		5.00		121		70-130
1,1-Dichloroethylene	5.50		5.00		110		70-130
cis-1,2-Dichloroethylene	5.81		5.00		116		70-130
trans-1,2-Dichloroethylene	5.73		5.00		115		70-130
1,2-Dichloropropane	4.96		5.00		99.1		70-130
cis-1,3-Dichloropropene	5.28		5.00		106		70-130
trans-1,3-Dichloropropene	5.71		5.00		114		70-130
Ethylbenzene	5.69		5.00		114		70-130

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL**Air Toxics by EPA Compendium Methods - Quality Control**

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	Limits	RPD RPD	RPD Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	--------	------------	--------------	-----------

Batch B314975 - TO-15 Prep

LCS (B314975-BS1)	Prepared & Analyzed: 08/10/22										
Methyl tert-Butyl Ether (MTBE)	7.60		5.00		152 *	70-130					L-01, V-20
Methylene Chloride	4.89		5.00		97.8	70-130					
4-Methyl-2-pentanone (MIBK)	5.54		5.00		111	70-130					
Styrene	6.06		5.00		121	70-130					
1,1,2,2-Tetrachloroethane	5.01		5.00		100	70-130					
Tetrachloroethylene	5.09		5.00		102	70-130					
Toluene	5.52		5.00		110	70-130					
1,1,1-Trichloroethane	5.61		5.00		112	70-130					
1,1,2-Trichloroethane	5.24		5.00		105	70-130					
Trichloroethylene	5.18		5.00		104	70-130					
Trichlorofluoromethane (Freon 11)	5.82		5.00		116	70-130					
1,2,4-Trimethylbenzene	6.08		5.00		122	70-130					
1,3,5-Trimethylbenzene	5.99		5.00		120	70-130					
Vinyl Chloride	5.24		5.00		105	70-130					
m&p-Xylene	11.0		10.0		110	70-130					
o-Xylene	5.76		5.00		115	70-130					
<i>Surrogate: 4-Bromo fluoro benzene (1)</i>	7.82		8.00		97.8	70-130					

Batch B315019 - TO-15 Prep

Blank (B315019-BLK1)	Prepared & Analyzed: 08/11/22						
Acrylonitrile	ND	0.20					
n-Butylbenzene	ND	0.10					
sec-Butylbenzene	ND	0.080					
1,3-Dichloropropane	ND	0.095					
Isopropylbenzene (Cumene)	ND	0.089					
p-Isopropyltoluene (p-Cymene)	ND	0.080					
1,1,1,2-Tetrachloroethane	ND	0.064					
<i>Surrogate: 4-Bromo fluoro benzene (2)</i>	7.92		8.00		99.0	70-130	

 39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL
Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	RL	ug/m3 Results	RL	Spike Level ppbv	Source Result	%REC %REC	RPD Limits	RPD RPD	Limit	Flag/Qual
---------	-----------------	----	------------------	----	---------------------	------------------	--------------	---------------	------------	-------	-----------

Batch B315019 - TO-15 Prep

LCS (B315019-BS1)	Prepared & Analyzed: 08/11/22						
Acrylonitrile	3.25			2.88		113	70-130
n-Butylbenzene	0.968			1.14		84.9	70-130
sec-Butylbenzene	0.975			1.14		85.5	70-130
1,3-Dichloropropane	1.26			1.35		93.3	70-130
Isopropylbenzene (Cumene)	1.11			1.27		87.4	70-130
p-Isopropyltoluene (p-Cymene)	0.948			1.14		83.2	70-130
1,1,1,2-Tetrachloroethane	0.862			0.910		94.7	70-130
<i>Surrogate: 4-Bromofluorobenzene (2)</i>	<i>7.54</i>			<i>8.00</i>		<i>94.3</i>	<i>70-130</i>

 39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

* QC result is outside of established limits.

† Wide recovery limits established for difficult compound.

‡ Wide RPD limits established for difficult compound.

Data exceeded client recommended or regulatory level

ND Not Detected

RL Reporting Limit is at the level of quantitation (LOQ)

DL Detection Limit is the lower limit of detection determined by the MDL study

MCL Maximum Contaminant Level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

L-01 Laboratory fortified blank/laboratory control sample recovery outside of control limits. Data validation is not affected since all results are "not detected" for all samples in this batch for this compound and bias is on the high side.

L-05 Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.

V-20 Continuing calibration verification (CCV) did not meet method specifications and was biased on the high side.

Data validation is not affected since sample result was "not detected" for this compound.

V-34 Initial calibration verification (ICV) did not meet method specifications and was biased on the low side for this compound. Reported result is estimated.

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

INTERNAL STANDARD AREA AND RT SUMMARY**EPA TO-15**

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
LCS (B315019-BS1)						Lab File ID: G22A223008.D			
1,4-Difluorobenzene (2)	2852731	10.081	2780554	10.081	103	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	768285	14.452	734917	14.452	105	60 - 140	0.0000	+/-0.50	
Blank (B315019-BLK1)						Lab File ID: G22A223011.D			
1,4-Difluorobenzene (2)	2784407	10.081	2780554	10.081	100	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	727760	14.446	734917	14.452	99	60 - 140	-0.0060	+/-0.50	
MP-3 (22G1791-11RE1)						Lab File ID: G22A223012.D			
1,4-Difluorobenzene (2)	2847477	10.081	2780554	10.081	102	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	748305	14.446	734917	14.452	102	60 - 140	-0.0060	+/-0.50	
MP-4 (22G1791-12RE1)						Lab File ID: G22A223013.D			
1,4-Difluorobenzene (2)	2798722	10.081	2780554	10.081	101	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	761275	14.446	734917	14.452	104	60 - 140	-0.0060	+/-0.50	
MP-6 (22G1791-13RE1)						Lab File ID: G22A223014.D			
1,4-Difluorobenzene (2)	2823962	10.081	2780554	10.081	102	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	758531	14.446	734917	14.452	103	60 - 140	-0.0060	+/-0.50	
IMP-1 (22G1791-14RE1)						Lab File ID: G22A223015.D			
1,4-Difluorobenzene (2)	2871000	10.081	2780554	10.081	103	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	774090	14.446	734917	14.452	105	60 - 140	-0.0060	+/-0.50	
IMP-2 (22G1791-15RE1)						Lab File ID: G22A223016.D			
1,4-Difluorobenzene (2)	2992288	10.081	2780554	10.081	108	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	812437	14.446	734917	14.452	111	60 - 140	-0.0060	+/-0.50	
Rooftop Fan 1 (22G1791-16RE1)						Lab File ID: G22A223017.D			
1,4-Difluorobenzene (2)	2926362	10.081	2780554	10.081	105	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	790997	14.446	734917	14.452	108	60 - 140	-0.0060	+/-0.50	
Rooftop Fan 2 (22G1791-17RE1)						Lab File ID: G22A223018.D			
1,4-Difluorobenzene (2)	2893276	10.081	2780554	10.081	104	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	794862	14.446	734917	14.452	108	60 - 140	-0.0060	+/-0.50	
Rooftop Fan 3 (22G1791-18RE1)						Lab File ID: G22A223019.D			
1,4-Difluorobenzene (2)	3003484	10.081	2780554	10.081	108	60 - 140	0.0000	+/-0.50	
Chlorobenzene-d5 (2)	823022	14.446	734917	14.452	112	60 - 140	-0.0060	+/-0.50	



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CONTINUING CALIBRATION CHECK

COMPOUND	TYPE				RESPONSE FACTOR			% DIFF / DRIFT	
		STD	CCV	ICAL	CCV	MIN (#)	CCV	LIMIT (#)	

Column to be used to flag Response Factor and %Diff/Drift values with an asterisk

* Values outside of QC limits

 39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CERTIFICATIONS
Certified Analyses included in this Report


Analyte	Certifications
EPA TO-15 in Air	
Acetone	AIHA,NY,ME,NH
Acrylonitrile	AIHA,NJ,NY,ME,NH
Benzene	AIHA,FL,NJ,NY,ME,NH,VA
Bromodichloromethane	AIHA,NJ,NY,ME,NH,VA
Bromoform	AIHA,NJ,NY,ME,NH,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,ME,NH,VA
Carbon Tetrachloride	AIHA,FL,NJ,NY,ME,NH,VA
Chlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Chloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Chloroform	AIHA,FL,NJ,NY,ME,NH,VA
Chloromethane	AIHA,FL,NJ,NY,ME,NH,VA
Dibromochloromethane	AIHA,NY,ME,NH
1,2-Dibromoethane (EDB)	AIHA,NJ,NY,ME,NH
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
1,3-Dichlorobenzene	AIHA,NJ,NY,ME,NH
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,ME,NH,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY,ME,NH
1,1-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,ME,NH,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,ME,NH,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,ME,NH,VA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,ME,NH,VA
trans-1,3-Dichloropropene	AIHA,NY,ME,NH
Ethylbenzene	AIHA,FL,NJ,NY,ME,NH,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY,ME,NH
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,ME,NH,VA
Methylene Chloride	AIHA,FL,NJ,NY,ME,NH,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY,ME,NH
Styrene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Toluene	AIHA,FL,NJ,NY,ME,NH,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,ME,NH,VA
Trichloroethylene	AIHA,FL,NJ,NY,ME,NH,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY,ME,NH
1,2,4-Trimethylbenzene	AIHA,NJ,NY,ME,NH
1,3,5-Trimethylbenzene	AIHA,NJ,NY,ME,NH
Vinyl Chloride	AIHA,FL,NJ,NY,ME,NH,VA
m&p-Xylene	AIHA,FL,NJ,NY,ME,NH,VA
o-Xylene	AIHA,FL,NJ,NY,ME,NH,VA



39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Con-Test, a Pace Environmental Laboratory, operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO 17025:2017	100033	03/1/2024
MA	Massachusetts DEP	M-MA100	06/30/2023
CT	Connecticut Department of Public Health	PH-0165	12/31/2022
NY	New York State Department of Health	10899 NELAP	04/1/2023
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2023
RI	Rhode Island Department of Health	LAO00373	12/30/2022
NC	North Carolina Div. of Water Quality	652	12/31/2022
NJ	New Jersey DEP	MA007 NELAP	06/30/2023
FL	Florida Department of Health	E871027 NELAP	06/30/2023
VT	Vermont Department of Health Lead Laboratory	LL720741	07/30/2023
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2023
ME	State of Maine	MA00100	06/9/2023
VA	Commonwealth of Virginia	460217	12/14/2022
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2022
NC-DW	North Carolina Department of Health and Human Services	25703	07/31/2023
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2023
MI	Dept. of Env, Great Lakes, and Energy	9100	09/6/2022



<http://www.pacelabs.com>
CHAIN OF CUSTODY RECORD (AIR)

DOC #378 REV3_11232021

Phone: 413-525-2332
Fax: 413-525-6405
www.pacelabs.com

EA EnviroVine

Address: 301 Metro Center Blvd Ste 102 Warwick RI 02886

Phone: 401-736-3440

Project Location: Providence RI

Project Number: 15046610

Project Manager: Frank Pastma

Page Quote Name/Number:

Invoice Recipient: Melanie Dina

Sampled By: GJ/GM/TC

Comments:

please report in $\mu\text{g}/\text{m}^3$

<http://www.pacelabs.com>

East Longmeadow, MA 01028

39 Spruce Street

Page 1 of 2

ANALYSIS REQUESTED									
					Lab Receipt Pressure				
					Final Pressure				
					Initial Pressure				
7-Day	<input type="checkbox"/>	10-Day	<input checked="" type="checkbox"/>	" HG "					
Due Date:					Please fill out completely, sign, date and retain the yellow copy for your records				
Project Location: Providence RI					Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply				
Project Number: 15046610					For summa canister and flow controller information please refer to Con-Test's Air Media Agreement				
Project Manager: Frank Pastma									
Page Quote Name/Number:									
Invoice Recipient: Melanie Dina									
Sampled By: GJ/GM/TC									
Lab Use	Client Use	Collection Data			Duration	Flow Rate	Matrix	Volume	Summa Can ID
Pace Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	Minutes Sampled	Total Minutes	<input type="checkbox"/> m ³ /min	L/min	<input checked="" type="checkbox"/> Liters m ³	Flow Controller ID
C1	Gymnasium	7/29/12 85:47	7/29/12 9128	31	31	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	28
C2	Cafeteria	85:4	9127	33	33	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	26
C3	Kitchen Storage	848	921	33	33	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	25
C4	Elevator Hallway	916	948	32	32	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	24
C5	Room 145	913	945	32	32	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	23
C6	Room 152	920	952	32	32	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	22
C7	Room 118	952	1023	31	31	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	21
C8	Room 110	954	1025	31	31	<input checked="" type="checkbox"/> TA	6	<input checked="" type="checkbox"/> L	20
C9	Ambient Outdoor Air	1068	1133	35	35	<input checked="" type="checkbox"/> AMB	✓	<input checked="" type="checkbox"/> L	19
Comments:									
Please use the following codes to indicate possible sample concentration within the Conc Code column above: H - High; M - Medium; L - Low; C - Clean; U - Unknown									
Matrix Codes: SG = SOIL GAS IA = INDOOR AIR AMB = AMBIENT SS = SUB SLAB D = DUP BL = BLANK O = Other									
Relinquished by: (signature) <i>John J. Hartney</i>	Date/Time: 7/29/22 1340	Special Requirements			MA MCP Required				
Received by: (signature) <i>John J. Hartney</i>	Date/Time: 7/29/22 1340				MCP Certification Form Required				
Relinquished by: (signature) <i>John J. Hartney</i>	Date/Time: 7/29/22 1340				CT RCP Required				
Received by: (signature) <i>John J. Hartney</i>	Date/Time: 7/29/22 1340				RCP Certification Form Required				
Relinquished by: (signature) <i>Mary Ward</i>	Date/Time: 7/29/22 1340				Other				
Received by: (signature) <i>Mary Ward</i>	Date/Time: 7/29/22 1340	Project Entity			<input type="checkbox"/> Government	<input type="checkbox"/> Municipality	<input type="checkbox"/> MWRA	<input type="checkbox"/> WRTA	<input type="checkbox"/> Other
Received by: (signature) <i>Mary Ward</i>	Date/Time: 7/29/22 1340				<input type="checkbox"/> Federal	<input type="checkbox"/> School	<input type="checkbox"/> MBTA	<input type="checkbox"/> Chromatogram	<input type="checkbox"/> PCB ONLY
Received by: (signature) <i>Mary Ward</i>	Date/Time: 7/29/22 1340				<input type="checkbox"/> City	<input type="checkbox"/> Brownfield	<input type="checkbox"/> Non Soxhlet	<input type="checkbox"/> Soxhlet	

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.pacelabs.com



Doc# 278 Rev 7 July 2022

Air Media Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False

Statement will be brought to the attention of the Client - State True or False

Client	<u>EA Engineering</u>		Date	<u>7/29/22</u>	Time	<u>1830</u>
Received By	<u>RJ</u>		In Cooler	On Ice	No Ice	
How Were the samples received?			In Box	Ambient	Melted Ice	
Were samples within Temperature Compliance?			Within 2-6°C	By Gun # <u>NA</u>	Actual Temp -	
Was Custody Seal In tact?				By Blank # <u>NA</u>	Actual Temp -	
Was COC Relinquished ?				Were Samples Tampered with? <u>NA</u>	Does Chain Agree With Samples? <u>NA</u>	
Are there any loose caps/valves on any samples?	<u>F</u>					
Is COC in ink/ Legible?	<u>T</u>			Were samples received within holding time? <u>T</u>		
Did COC Include all Pertinent Information?	Client?	<u>T</u>	Analysis? <u>T</u>	Sampler Name? <u>T</u>		
	Project?	<u>T</u>	ID's? <u>T</u>	Collection Dates/Times? <u>T</u>		
Are Sample Labels filled out and legible?	<u>T</u>					
Are there Rushes?	<u>F</u>			Who was notified? <u>T</u>		
Samples are received within holding time?						
Proper Media Used?	<u>T</u>			Individually Certified Cans? <u>T (18)</u>		
Are there Trip Blanks?	<u>F</u>			Is there enough Volume? <u>T</u>		

Containers:	#	Size	Regulator	Duration	Accessories:	
Summa Cans	<u>18</u>	<u>16L</u>	<u>18</u>	<u>30min</u>	Nut/Ferrule	IC Train
Tedlar Bags					Tubing	
TO-17 Tubes					T-Connector	Shipping Charges
Radiello					Syringe	
Pufs/TO-11s					Tedlar	

Can #'s				Reg #'s			
2148	9009	1259		4098	4076	4083	
1901	1181	1127		4207	4152	4303	
234	1472	9014		4191	4167	4296	
9018	2577	1034		4072	4374	4205	
2195	110419	11095		4186	4108	4101	
1058	2147	9012		4209	4197	4104	
Unused Media				Pufs/TO-17's			

Comments:

--	--

APPENDIX F

Laboratory MRL Correspondence



39 Spruce Street
East Longmeadow, MA 01089

August 30, 2022

Frank Postma
EA Engineering Science & Technology
2350 Post Road
Warwick, RI 02886
RE: RIDEM – Approved Action Level – Work Order 22G1791

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test, A Pace Analytical Laboratory had issues meeting the limits are listed below:

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

A handwritten signature in black ink that reads "Tod Kopyscinski".

Tod Kopyscinski
Laboratory Director