

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

OFFICE OF COMPLIANCE & INSPECTION

IN RE: Rhode Island Department of Health

FILE NO.: AIR 11 – 19

NOTICE OF VIOLATION

A. Introduction

Pursuant to Sections 42-17.1-2(21) and 42-17.6-3 of the Rhode Island General Laws, as amended, (“R.I. Gen. Laws”) you are hereby notified that the Director of the Department of Environmental Management (the “Director” of “DEM”) has reasonable grounds to believe that the above-named party (“Respondent”) has violated certain statutes and/or administrative regulations under DEM's jurisdiction.

B. Facts

- (1) The facility is located at 118 Parade Street in the city of Providence, Rhode Island (the “Facility”) and is operated by the Respondent.
- (2) The Facility is (and has been) subject to the DEM’s Air Pollution Control (“APC”) Regulations, including but not limited to APC Regulation No. 9, entitled “*Air Pollution Control Permits*” (“APC Regulation No. 9”).
- (3) On 19 July 2011, DEM received an Application for a General Permit for an Emergency Generator from the Respondent (the “Application”). The Application stated that a 449 horsepower (“HP”) diesel fuel fired emergency generator was installed on 8 July 2011.

C. Violation

Based on the foregoing facts, the Director has reasonable grounds to believe that you have violated the following statutes and/or regulations:

- (1) **DEM’s APC Regulation 9.2.1 (a)** – requiring that no person shall install any stationary source subject to the provisions of the regulation without obtaining a permit from the DEM for each proposed installation described in subsection 9.3.1.
- (2) **DEM’s APC Regulation 9.3.1 (b)** – requiring a permit for any emergency generator with an internal combustion engine that is 50 HP or larger; and, the date of initial startup is on or after November 15, 2007.

D. Penalty

- (1) Pursuant to R.I. Gen. Laws Section 42-17.6-2, the following administrative penalty, as more specifically described in the attached penalty summary and worksheets, is hereby ASSESSED, jointly and severally, against each named respondent:

**One Thousand Dollars (\$ 1,000.00)**

- (2) The proposed administrative penalty is calculated pursuant to the DEM Rules and Regulations for Assessment of Administrative Penalties, as amended, and must be paid to the Director within twenty (20) days of your receipt of this Notice of Violation (“NOV”). Payment shall be in the form of a check made payable to the “General Treasury - Water & Air Protection Program Account,” and shall be forwarded to the DEM Office of Compliance and Inspection, 235 Promenade Street, Suite 220, Providence, Rhode Island 02908-5767.
- (3) Penalties assessed against the Respondent in this NOV are penalties payable to and for the benefit of the State of Rhode Island and are not compensation for actual pecuniary loss.

E. Right to Administrative Hearing

- (1) Pursuant to R.I. Gen. Laws Chapters 42-17.1, 42-17.6, 42-17.7 and 42-35, each named respondent is entitled to request a hearing before the DEM Administrative Adjudication Division regarding the allegations, orders and/or penalties set forth in Sections B through D above. All requests for hearing MUST:
- (a) Be in writing. See R.I. Gen. Laws Sections 42-17.1-2(21)(i) and 42-17.6-4(b),
- (b) Be **RECEIVED** by DEM's Administrative Adjudication Division, at the following address, within twenty (20) days of your receipt of this NOV. See R.I. Gen. Laws Sections 42-17.1-2(21)(i) and 42-17.7-9:

Administrative Clerk  
DEM - Administrative Adjudication Division  
235 Promenade Street, 3<sup>RD</sup> Floor  
Providence, RI 02908-5767

- (c) Indicate whether you deny the alleged violations and/or whether you believe that the administrative penalty is excessive. See R.I. Gen. Laws Section 42-17.6-4(b); **AND**
- (d) State clearly and concisely the specific issues which are in dispute, the facts in support thereof and the relief sought or involved, if any. See Rule 7.00(b) of the DEM Administrative Rules of Practice and Procedure for the Administrative Adjudication Division of Environmental Matters.

- (2) A copy of each request for hearing must also be forwarded to:

Joseph J. LoBianco, Esquire  
DEM - Office of Legal Services  
235 Promenade Street, 4<sup>TH</sup> Floor  
Providence, RI 02908-5767

- (3) Each named respondent has the right to be represented by legal counsel at all administrative proceedings relating to this matter.
- (4) Each respondent must file a separate and timely request for an administrative hearing before DEM's Administrative Adjudication Division as to each violation alleged in the written NOV. If any respondent fails to request a hearing in the above-described time or manner with regard to any violation set forth herein, then this NOV shall automatically become a Final Compliance Order enforceable in Superior Court as to that respondent and/or violation and any associated administrative penalty proposed in the NOV shall be final as to that respondent. See R.I. Gen. Laws Sections 42-17.1-2(21)(i) and (v) and 42-17.6-4(b) and (c).
- (5) Failure to comply with this NOV may subject each respondent to additional civil and/or criminal penalties.
- (6) This NOV does not preclude the Director from taking any additional enforcement action nor does it preclude any other local, state, or federal governmental entities from initiating enforcement actions based on the acts or omissions described herein.

If you have any legal questions, you may contact (or if you are represented by an attorney, please have your attorney contact) Joseph J. LoBianco at the DEM Office of Legal Services at (401) 222-6607. All other inquiries should be directed to Martha Mulcahey of DEM's Office of Compliance and Inspection at (401) 222-1360 ext. 7032.

Please be advised that any such inquiries do not postpone, eliminate, or otherwise extend the need for a timely submittal of a written request for a hearing, as described in Section E above.

FOR THE DIRECTOR

---

David E. Chopy, Chief  
DEM Office of Compliance and Inspection

Date: \_\_\_\_\_

CERTIFICATION

I hereby certify that on the \_\_\_\_\_ day of \_\_\_\_\_  
the within Notice of Violation was forwarded to:

Dr. Michael Fine, Director  
Rhode Island Department of Health  
3 Capitol Hill  
Providence, RI 02908-5890

by Certified Mail.

---



## ADMINISTRATIVE PENALTY SUMMARY

Program: OFFICE OF COMPLIANCE AND INSPECTION, AIR

File No.: AIR 11 – 19

Respondent: Rhode Island Department of Health

GRAVITY OF VIOLATION					
SEE ATTACHED "PENALTY MATRIX WORKSHEETS."					
VIOLATION No. & CITATION	APPLICATION OF MATRIX		PENALTY CALCULATION		AMOUNT
	Type	Deviation	Penalty from Matrix	Number or Duration of Violations	
C (1) and C (2) - Failure to obtain a permit	Type I (\$ 10,000 Max. Penalty)*	Minor	\$ 1,000	1 violation	\$1,000.00
<b>SUB-TOTAL</b>					<b>\$1,000.00</b>

\*Maximum Penalties represent the maximum penalty amounts per day, per violation.

**TOTAL PENALTY PROPOSED UNDER PENALTY REGULATIONS = \$1,000.00**

**PENALTY MATRIX WORKSHEET**

CITATION: Failure to obtain a permit  
 VIOLATION NO.: C (1) and (2)

<b>TYPE</b>		
<u>  X  </u> <b>TYPE I</b> <u>DIRECTLY</u> related to protecting health, safety, welfare or environment.	<u>      </u> <b>TYPE II</b> <u>INDIRECTLY</u> related to protecting health, safety, welfare or environment.	<u>      </u> <b>TYPE III</b> <u>INCIDENTAL</u> to protecting health, safety, welfare or environment.
<b>DEVIATION FROM THE STANDARD</b>		
<small>THE DEGREE TO WHICH A PARTICULAR VIOLATION IS OUT OF COMPLIANCE WITH THE REQUIREMENT VIOLATED.</small>		
<p><b>FACTORS CONSIDERED:</b></p> <p>Taken from Section 10 (a) (2) of the DEM <i>Rules and Regulations for Assessment of Administrative Penalties</i></p> <p>(A) <b>The extent to which the act or failure to act was out of compliance:</b> The Respondent failed to apply for or obtain a minor source permit prior to its installation of the emergency generator. The Respondent is a stationary source of air pollutants subject to state air pollution control regulations. Compliance with permitting and operating requirements is of importance to the regulatory program.</p> <p>(B) <b>Environmental conditions:</b> Not utilized for this calculation.</p> <p>(C) <b>Amount of the pollutant:</b> Not utilized for this calculation.</p> <p>(D) <b>Toxicity or nature of the pollutant:</b> Not utilized for this calculation.</p> <p>(E) <b>Duration of the violation:</b> Not utilized for this calculation.</p> <p>(F) <b>Areal extent of the violation:</b> Not utilized for this calculation.</p> <p style="text-align: right;">(continued)</p>		

(continued from the previous page)

- (G) **Whether the person took reasonable and appropriate steps to prevent and/or mitigate the noncompliance:** The Respondent failed to take reasonable and appropriate steps to prevent the violation by obtaining the required permit prior to the installation of the emergency generator. The Respondent mitigated the violation by submitting the permit application dated 18 July 2011 to DEM.
- (H) **Whether the person has previously failed to comply with any regulations, order, statute, license, permit or approval issued or adopted by the Department, or any law which the Department has the authority or responsibility to enforce:** Not utilized for this calculation.
- (I) **The degree of willfulness or negligence, including but not limited to, how much control the violator had over the occurrence of the violation and whether the violation was foreseeable:** The Respondent had complete control over the violations since the Respondent is the operator of the facility. The violations were foreseeable by the Respondent.
- (J) **Any other factor(s) that may be relevant in determining the amount of a penalty:** The failure to apply for and obtain the minor source permit prior to the installation of the emergency generator was self disclosed by the Respondent.

<b>MAJOR</b>	<b>MODERATE</b>	<u>  <b>X</b>  </u> <b>MINOR</b>
--------------	-----------------	----------------------------------

Penalty Matrix where the applicable statute provides for a civil penalty up to \$ 10,000		TYPE I	TYPE II	TYPE III
DEVIATION FROM STANDARD	MAJOR	\$5,000 to \$10,000	\$2,500 to \$5,000	\$1,000 to \$2,500
	MODERATE	\$2,500 to \$5,000	\$1,000 to \$2,500	\$500 to \$1,000
	<b>MINOR</b>	\$1,000 to \$2,500 <b>\$1,000</b>	\$500 to \$1,000	\$100 to \$500