

**STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT**

**OFFICE OF COMPLIANCE & INSPECTION**

**IN RE: Two Moons Rising, LLC**

**FILE Nos.: SW 2011-03 and  
OWTS CI09-007**

NOTICE OF VIOLATION

A. Introduction

Pursuant to Sections 42-17.1-2(21) and 42-17.6-3 of the Rhode Island General Laws, as amended, (“R.I. Gen. Laws”) you are hereby notified that the Director of the Department of Environmental Management (the “Director” of “DEM”) has reasonable grounds to believe that the above-named party (“Respondent”) has violated certain statutes and/or administrative regulations under DEM's jurisdiction.

B. Administrative History

The DEM issued a notice of violation and order to Diana Burdett on May 5, 2011 (the former notice) for the violations that are the subject of this notice of violation. Ms. Burdett was the former owner of the property. The former notice required that specific actions be taken to correct the violations. On September 26, 2012, the DEM received a letter from Mr. Koza. The letter stated that he and Ms. Kelly Jarvis were in the process of acquiring the property from the bank and wanted to resolve the violations. Mr. Koza and Ms. Jarvis acquired the property from the bank on October 15, 2012 and transferred the property shortly thereafter to Two Moons Rising, LLC; however, thus far the company has failed to comply with the former notice.

C. Facts

- (1) The subject property is located at 901 Mooresfield Road, Assessor’s Plat 17, Lot 17 in the town of South Kingstown, Rhode Island (the “Property”). The Property includes a two bedroom single family dwelling (the “Dwelling”).
- (2) The Respondent owns the Property. Mr. Russell Koza and Ms. Kelly Jarvis acquired the Property on October 15, 2012 from Fannie Mae a/k/a Federal National Mortgage Association and transferred the Property shortly thereafter to the Respondent.
- (3) Mr. Koza is listed as the registered agent for the Respondent.

- (4) Upon information and belief, Mr. Koza has resided on the Property since at least February 11, 2009.

#### **Facts Pertaining to Solid Waste**

- (5) On February 11, 2009, May 24, 2010, November 1, 2010, January 24, 2013 and June 25, 2013 DEM inspected the Property. The inspections revealed the following:
- (a) Solid waste consisting of used tires, junk automobiles, broken boat parts, wood waste, steel tanks, household refuse and other mixed solid waste deposited on the ground in an amount greater than three (3) cubic yards on February 11, 2009 and November 1, 2010.
  - (b) Solid waste consisting of used tires, wood waste, vehicle parts, used appliances, carpeting, household refuse, plastic waste, unregistered vehicles and boats in varying states of disrepair, metal waste, barrels, drums and other mixed solid waste deposited on the ground on May 24, 2010. The volume of solid waste was about ninety (90) cubic yards.
  - (c) Solid waste consisting of unregistered vehicles and boats and other mixed solid waste deposited on the ground on January 24, 2013. The volume of solid waste was about one hundred and thirty (130) cubic yards.
  - (d) Solid waste consisting of unregistered vehicles and boats and other mixed waste including a container of used motor oil deposited on the ground on June 25, 2013. The volume of solid waste was about four hundred and thirty-one (431) cubic yards.
- (6) Respondent has neither sought nor obtained an approval, permit or license from the DEM to operate a solid waste management facility on the Property.
- (7) As of the date of this Notice of Violation (the "NOV"), the Respondent continues to operate an unlicensed solid waste management facility on the Property and has failed to properly dispose of the solid waste at a licensed solid waste management facility.

#### **Facts Pertaining to the Onsite Wastewater Treatment System**

- (8) On February 11, 2009 and June 25, 2013 DEM inspected the Property. The inspection revealed that the onsite wastewater treatment system that treats laundry wastewater from the Dwelling (the "Laundry OWTS") and the onsite wastewater treatment system that treats the wastewater from the toilets, showers and sinks for the Dwelling (the "Main OWTS") have failed and sewage was discharged from the Laundry OWTS and the Main OWTS to the surface of the ground as evidenced by:

- (a) Observation of black soil, lush green vegetation, and breakout of fluids on the surface of the ground in the area around the Main OWTS.
  - (b) Detection of odors associated with sewage in the area around the Main OWTS.
  - (c) Photographs showing black soil, lush green vegetation and breakout of fluids on the surface of the ground in the area around the Main OWTS.
  - (d) Observation of a Laundry OWTS with fluids at the surface of the ground.
  - (e) Detection of odors associated with laundry waste in the area around the Laundry OWTS.
  - (f) Photographs showing the fluids on the surface of the ground in the area around the Laundry OWTS.
- (9) On May 5, 2011 the DEM issued a notice of violation to the former owner of the Property, Ms. Diana Burdett, for the violation that was observed on February 11, 2009 (the “Prior NOV”). The Prior NOV ordered specific actions to correct the violations.
  - (10) The Prior NOV was recorded in the land evidence records for the town of South Kingstown on May 9, 2011.
  - (11) On January 24, 2013 the DEM inspected the Property and spoke to Mr. Koza. Mr. Koza stated that a licensed OWTS designer had dug a test hole on the Property; however, Mr. Koza had no money at that time to repair the OWTSs.
  - (12) As of the date of this NOV, the Respondent has failed to comply with the DEM’s *Rules Establishing Minimum Standards Relating to Location, Design, Construction and Maintenance of Onsite Wastewater Treatment Systems* (the “OWTS Regulations”).

D. Violation

Based on the foregoing facts, the Director has reasonable grounds to believe that you have violated the following statutes and/or regulations:

- (1) **R.I. Gen. Laws. Section 23-18.9-5** – prohibiting the disposal of solid waste at other than a licensed solid waste management facility.
- (2) **DEM’s Solid Waste Regulation No 1.4.01** – prohibiting the operation of a solid waste management facility without a license from the DEM.
- (3) **DEM’s OWTS Regulations**
  - (a) **Rule 8.8** – prohibiting the discharge of wastewater to the surface of the ground.
  - (b) **Rule 17.7** – requiring submittal of a repair application for a failed OWTS.

E. Order

Based upon the violations alleged above and pursuant to R.I. Gen. Laws Section 42-17.1-2(21), you are hereby ORDERED to:

- (1) **IMMEDIATELY** take steps to reduce the discharge of sewage to the Main OWTS, such as through the installation and use of water conservation devices and fixtures, and arrange to have the Main OWTS pumped by a permitted septage transporter as frequently as necessary to prevent the Main OWTS from overflowing or breaking out onto the surface of the ground. A list of permitted septage transporters can be obtained by contacting the DEM Office of Waste Management at 222-2797 or from the DEM web page at:  
[www.dem.ri.gov/programs/benviron/waste/transport/septage.pdf](http://www.dem.ri.gov/programs/benviron/waste/transport/septage.pdf).
- (2) **IMMEDIATELY** cease use of the washing machine at the Dwelling until the Laundry OWTS has been repaired and the washing machine discharge pipe has been plumbed to the repaired Laundry OWTS.
- (3) **IMMEDIATELY** cease the operation of a solid waste management facility on the Property and the disposal of solid waste on the Property.
- (4) **Within thirty (30) days of receipt of this NOV**, submit a written proposal for a permanent solution to the OWTS violations, that must include an inspection of the Main OWTS and the Laundry OWTS by a licensed OWTS designer to determine the cause of the failures (the “system assessments”). The system assessments must be signed by the licensed designer who inspected the OWTSs, must identify the size and location of the OWTS components, must set forth the probable cause(s) for the failures, and propose a plan, including a proposed timetable, for any repair work for the correction of the failures. For any proposed repair or alteration to the Main OWTS or Laundry OWTS, the system assessment must include the submittal of a formal application and plan to the DEM in accordance with the DEM’s OWTS Regulations (the “Application”). **Any repairs or modifications to the Main OWTS or the Laundry OWTS require the prior approval of DEM.** The list of licensed OWTS designers can be obtained by contacting Deb Knauss at 222-4700, extension 7612 or from the DEM web page at:  
[www.dem.ri.gov/programs/benviron/water/licenses/OWTS/pdfs/deslist.pdf](http://www.dem.ri.gov/programs/benviron/water/licenses/OWTS/pdfs/deslist.pdf).
- (5) **Within sixty (60) days of receipt of this NOV**, remove all solid waste from the Property and dispose of it at a licensed solid waste management facility, including any and all unregistered vehicles and boats. The solid waste shall not be burned or buried.
- (6) **Within ten (10) days of completion of the disposal of the solid waste**, submit documentation to the DEM’s Office of Compliance and Inspection that the solid waste was disposed at a licensed solid waste management facility through receipts, bills, or weight slips.

- (7) The Application shall be subject to the DEM's review and approval. Upon review, the DEM shall provide written notification to you either granting formal approval or stating the deficiencies therein. Within fourteen (14) days (unless a longer time is specified) of receiving a notification of deficiencies in the Application, submit to the DEM a modified proposal or additional information necessary to correct the deficiencies.
- (8) Commence work on the project in accordance with the method approved by the DEM within twenty days of approval (unless otherwise expressly authorized by the DEM in writing to commence work at a later time), and complete such work within one hundred twenty (120) days of said approval or other date specified by the DEM.

F. Penalty

- (1) Pursuant to R.I. Gen. Laws Section 42-17.6-2, the following administrative penalty, as more specifically described in the attached penalty summary and worksheets, is hereby ASSESSED, jointly and severally, against each named respondent:

**Seven Thousand Six Hundred and Fifty Dollars (\$7,650.00)**

- (2) The proposed administrative penalty is calculated pursuant to DEM's *Rules and Regulations for Assessment of Administrative Penalties*, as amended, and must be paid to the DEM within thirty (30) days of your receipt of this NOV. Payment shall be in the form of a certified check, cashiers check or money order and shall be forwarded to the DEM Office of Compliance and Inspection, 235 Promenade Street, Suite 220, Providence, Rhode Island 02908-5767. Payment in the amount of Six Thousand Two Hundred and Fifty Dollars (\$6,250.00) shall be made payable to the "General Treasury –Environmental Response Fund" and payment in the amount of One Thousand Four Hundred Dollars (\$1,400.00) shall be made payable to the "General Treasury - Water & Air Protection Program Account".
- (3) Penalties assessed against the Respondent in this NOV are penalties payable to and for the benefit of the State of Rhode Island and are not compensation for actual pecuniary loss.
- (4) If any violation alleged herein shall continue, then each day during which the violation occurs or continues shall constitute a separate offense and the penalties and/or costs for that violation shall continue to accrue in the manner set forth in the attached penalty summary and worksheets. The accrual of additional penalties and costs shall be suspended if the DEM determines that reasonable efforts have been made to comply promptly with this NOV.

G. Right to Administrative Hearing

- (1) Pursuant to R.I. Gen. Laws Chapters 42-17.1, 42-17.6, 42-17.7 and 42-35, each named respondent is entitled to request a hearing before the DEM Administrative Adjudication Division regarding the allegations, orders and/or penalties set forth in Sections B through F above. All requests for hearing MUST:
  - (a) Be in writing. See R.I. Gen. Laws Sections 42-17.1-2(21)(i) and 42-17.6-4(b);
  - (b) Be **RECEIVED** by DEM's Administrative Adjudication Division, at the following address, within twenty (20) days of your receipt of this NOV. See R.I. Gen. Laws Sections 42-17.1-2(21)(i) and 42-17.7-9:

Administrative Clerk  
DEM - Administrative Adjudication Division  
One Capitol Hill, 2<sup>ND</sup> Floor  
Providence, RI 02903

- (c) Indicate whether you deny the alleged violations and/or whether you believe that the administrative penalty is excessive. See R.I. Gen. Laws Section 42-17.6-4(b); **AND**
  - (d) State clearly and concisely the specific issues which are in dispute, the facts in support thereof and the relief sought or involved, if any. See Rule 7.00(b) of the DEM Administrative Rules of Practice and Procedure for the Administrative Adjudication Division of Environmental Matters.
- (2) A copy of each request for hearing must also be forwarded to:

Joseph J. LoBianco, Esquire  
DEM - Office of Legal Services  
235 Promenade Street, 4<sup>TH</sup> Floor  
Providence, RI 02908-5767

- (3) Each named respondent has the right to be represented by legal counsel at all administrative proceedings relating to this matter.
- (4) Each respondent must file a separate and timely request for an administrative hearing before DEM's Administrative Adjudication Division as to each violation alleged in the written NOV. If any respondent fails to request a hearing in the above-described time or manner with regard to any violation set forth herein, then this NOV shall automatically become a Final Compliance Order enforceable in Superior Court as to that respondent and/or violation and any associated administrative penalty proposed in the NOV shall be final as to that respondent. See R.I. Gen. Laws Sections 42-17.1-2(21)(i) and (v) and 42-17.6-4(b) and (c).

- (5) Failure to comply with this NOV may subject each respondent to additional civil and/or criminal penalties.
- (6) An original signed copy of this NOV is being forwarded to the town of South Kingstown, wherein the Property is located, to be recorded in the Office of Land Evidence Records pursuant to R.I. Gen. Laws Chapter 34-13 and Sections 23-18.9-13 and 42-17.1-2(13), as amended.
- (7) This NOV does not preclude the Director from taking any additional enforcement action nor does it preclude any other local, state, or federal governmental entities from initiating enforcement actions based on the acts or omissions described herein.

If you have any legal questions, you may contact (or if you are represented by an attorney, please have your attorney contact) Joseph J. LoBianco at the DEM Office of Legal Services at (401) 222-6607. All other inquiries regarding the solid waste violations should be directed to Tracey Tyrrell of the DEM Office of Compliance and Inspection at (401) 222-1360 extension 7407. All other inquiries regarding the OWTS violations should be directed to Patrick Hogan of the DEM Office of Compliance and Inspection at (401) 222-1360 extension 7119.

Please be advised that any such inquiries do not postpone, eliminate, or otherwise extend the need for a timely submittal of a written request for a hearing, as described in Section G above.

FOR THE DIRECTOR

\_\_\_\_\_  
David E. Chopy, Chief  
DEM Office of Compliance and Inspection

Date: \_\_\_\_\_

CERTIFICATION

I hereby certify that on the \_\_\_\_\_ day of \_\_\_\_\_  
the within Notice of Violation was forwarded to:

Two Moons Rising, LLC  
c/o Russell Koza, Registered Agent  
901 Mooresfield Road  
South Kingstown, RI 02870

by Certified Mail.

---



## ADMINISTRATIVE PENALTY SUMMARY

Program: OFFICE OF COMPLIANCE AND INSPECTION, SOLID WASTE and OWTS

File Nos.: SW 2011-03 & OWTS CI 09-007

Respondent: Two Moons Rising, LLC

GRAVITY OF VIOLATION					
SEE ATTACHED "PENALTY MATRIX WORKSHEETS."					
VIOLATION No. & CITATION	APPLICATION OF MATRIX		PENALTY CALCULATION		AMOUNT
	Type	Deviation	Penalty from Matrix	Number or Duration of Violations	
D(1) and D(2) – Disposal of solid waste at other than a licensed solid waste management facility and operating a solid waste management facility without a license	Type I (\$25,000 Max. Penalty)*	Moderate	\$6,250	1 violation	\$6,250.00
D(3)(a) – Discharge of sewage to the surface of the ground	Type I (\$1,000 Max. Penalty)*	Moderate	\$600	1 violation	\$600.00
D(3)(b) – Failure to submit a repair application for a failed septic system	Type I (\$1,000 Max. Penalty)*	Moderate	\$600	1 violation	\$600.00
<b>SUB-TOTAL</b>					<b>\$7,450.00</b>

\*Maximum Penalties represent the maximum penalty amounts per day, per violation.

ECONOMIC BENEFIT FROM NONCOMPLIANCE		
COSTS OF COMPLIANCE, EQUIPMENT, O&M, STUDIES OR OTHER DELAYED OR AVOIDED COSTS, INCLUDING INTEREST AND/OR ANY COMPETITIVE ADVANTAGE DERIVED OVER ENTITIES THAT ARE IN COMPLIANCE. NOTE: ECONOMIC BENEFIT MUST BE INCLUDED IN THE PENALTY UNLESS: - THERE IS NO IDENTIFIABLE BENEFIT FROM NONCOMPLIANCE; OR - THE AMOUNT OF ECONOMIC BENEFIT CAN NOT BE QUANTIFIED.		
DESCRIPTION OF BENEFIT	CALCULATION	AMOUNT
Cost of septic system pumping	1 occurrence @ \$200 each pumping	\$200.00
<b>SUB-TOTAL</b>		<b>\$200.00</b>

## **COST RECOVERY**

**ADDITIONAL OR EXTRAORDINARY COSTS INCURRED BY THE DIRECTOR DURING THE INVESTIGATION, ENFORCEMENT AND RESOLUTION OF AN ENFORCEMENT ACTION (EXCLUDING NON-OVERTIME PERSONNEL COSTS), FOR WHICH THE STATE IS NOT OTHERWISE REIMBURSED.**

A review of the record in this matter has revealed that the DEM has not incurred any additional or extraordinary costs during the investigation, enforcement and resolution of this enforcement action (excluding non-overtime personnel costs), for which the State is not otherwise reimbursed.

**TOTAL PENALTY PROPOSED UNDER PENALTY REGULATIONS = \$7,650.00**

**PENALTY MATRIX WORKSHEET**

CITATION: Disposal of solid waste at other than a licensed solid waste management facility and operating a solid waste management facility without a license

VIOLATION NO.: D (1) and (2)

<b>TYPE</b>		
<p><b><u>X</u> TYPE I</b>  <u>DIRECTLY</u> related to protecting health, safety, welfare or environment.</p>	<p>____ <b>TYPE II</b>  <u>INDIRECTLY</u> related to protecting health, safety, welfare or environment.</p>	<p>____ <b>TYPE III</b>  <u>INCIDENTAL</u> to protecting health, safety, welfare or environment.</p>

**DEVIATION FROM THE STANDARD**  
THE DEGREE TO WHICH A PARTICULAR VIOLATION IS OUT OF COMPLIANCE WITH THE REQUIREMENT VIOLATED.

**FACTORS CONSIDERED:**

Taken from Section 10 (a) (2) of the DEM *Rules and Regulations for Assessment of Administrative Penalties*

- (A) **The extent to which the act or failure to act was out of compliance:** Respondent disposed of more than three cubic yards of solid waste on the property. The disposal of solid waste at other than a licensed solid waste management facility is prohibited. Receiving solid waste at other than a licensed solid waste management facility whether knowingly or unknowingly constitutes operating a solid waste management facility.
- (B) **Environmental conditions:** The property is located in a GA groundwater classification zone, which are groundwater resources designated as suitable for drinking water use without treatment. Residences in the vicinity rely on private drinking water supply wells. The property is located within 300 feet of the Saugutucket River. Regulated freshwater wetlands are located along the western side of the property.
- (C) **Amount of the pollutant:** DEM observed about 431 cubic yards of solid waste on the property as of June 25, 2013.
- (D) **Toxicity or nature of the pollutant:** The stockpiles of solid waste could provide harborage for rodents.
- (E) **Duration of the violation:** Mr. Koza indicated in a letter dated September 26, 2012 that the removal of the solid waste would be completed. DEM first observed the violation on February 11, 2009. DEM is only assessing a penalty for the violation observed on June 25, 2013.
- (F) **Areal extent of the violation:** Considered, but not utilized for this calculation.

(continued)

(continued from the previous page)

- (G) **Whether the person took reasonable and appropriate steps to prevent and/or mitigate the noncompliance:** Respondent failed to prevent the non-compliance by disposing of solid waste at a licensed solid waste management facility. Respondent has failed to mitigate the noncompliance despite a letter dated September 26, 2012, in which Mr. Koza indicated that he would complete the removal of the solid waste from the property.
- (H) **Whether the person has previously failed to comply with any regulations, order, statute, license, permit or approval issued or adopted by the Department, or any law which the Department has the authority or responsibility to enforce:** Considered, but not utilized for this calculation.
- (I) **The degree of willfulness or negligence, including but not limited to, how much control the violator had over the occurrence of the violation and whether the violation was foreseeable:** Negligence is attributable to Respondent for the failure to comply immediately with the requirements set forth in Rhode Island's Refuse Disposal Act and the DEM's Solid Waste regulations. Respondent, as owner of the property, has control over the occurrence of the violation.
- (J) **Any other factor(s) that may be relevant in determining the amount of a penalty:** Considered, but not utilized for this calculation.

<b>MAJOR</b>	<b><u>X</u> MODERATE</b>	<b>MINOR</b>
--------------	--------------------------	--------------

Penalty Matrix where the applicable statute provides for a civil penalty up to \$25,000		TYPE I	TYPE II	TYPE III
DEVIATION FROM STANDARD	MAJOR	\$12,500 to \$25,000	\$6,250 to \$12,500	\$2,500 to \$6,250
	MODERATE	\$6,250 to \$12,500 <b>\$6,250</b>	\$2,500 to \$6,250	\$1,250 to \$2,500
	MINOR	\$2,500 to \$6,250	\$1,250 to \$2,500	\$250 to \$1,250

**PENALTY MATRIX WORKSHEET**

CITATION: Discharge of sewage to the surface of the ground

VIOLATION NO.: D(3)(a)

TYPE		
<p style="text-align: center;"><u>  X  </u> TYPE I</p> <p><u>DIRECTLY</u> related to protecting health, safety, welfare or environment.</p>	<p style="text-align: center;">_____TYPE II</p> <p><u>INDIRECTLY</u> related to protecting health, safety, welfare or environment.</p>	<p style="text-align: center;">_____TYPE III</p> <p><u>INCIDENTAL</u> to protecting health, safety, welfare or environment.</p>
DEVIATION FROM THE STANDARD		
<small>THE DEGREE TO WHICH A PARTICULAR VIOLATION IS OUT OF COMPLIANCE WITH THE REQUIREMENT VIOLATED.</small>		
<p><b><u>FACTORS CONSIDERED:</u></b></p> <p>Taken from Section 10 (a) (2) of the DEM <i>Rules and Regulations for Assessment of Administrative Penalties</i></p> <p>(A) <b>The extent to which the act or failure to act was out of compliance:</b> Sewage was discharged to the ground surface from a failed OWTS. Preventing the discharge of sewage to the surface of the ground is a primary objective of the regulations and a major objective of the regulatory program.</p> <p>(B) <b>Environmental conditions:</b> The dwelling is a 2-bedroom residence in a moderately populated neighborhood.</p> <p>(C) <b>Amount of the pollutant:</b> The volume of the sewage overflow is unknown.</p> <p>(D) <b>Toxicity or nature of the pollutant:</b> Sewage contains many kinds of bacteria, viruses, and parasites that can cause serious or fatal diseases in both humans and animals, as well as being the source of extremely objectionable odors.</p> <p>(E) <b>Duration of the violation:</b> Unknown. The violation was first observed by DEM on February 11, 2009. DEM is only assessing a penalty for the violation observed on June 25, 2013.</p> <p>(F) <b>Areal extent of the violation:</b> Considered, but not utilized for this calculation.</p> <p>(G) <b>Whether the person took reasonable and appropriate steps to prevent and/or mitigate the noncompliance:</b> The Respondent failed to have the system pumped as necessary to prevent the discharge to the ground surface.</p> <p style="text-align: right;">(continued)</p>		

(continued from the previous page)

- (H) **Whether the person has previously failed to comply with any regulations, order, statute, license, permit or approval issued or adopted by the Department, or any law which the Department has the authority or responsibility to enforce:** Considered, but not utilized for this calculation.
- (I) **The degree of willfulness or negligence, including but not limited to, how much control the violator had over the occurrence of the violation and whether the violation was foreseeable:** The Respondent had full control over the violation. The Respondent was foreseeable.
- (J) **Any other factor(s) that may be relevant in determining the amount of a penalty:** Considered, but not utilized for this calculation.

MAJOR	<u>  X  </u> MODERATE	MINOR
-------	-----------------------	-------

Penalty Matrix where the applicable statute provides for a civil penalty up to \$1,000		TYPE I	TYPE II	TYPE III
DEVIATION FROM STANDARD	MAJOR	\$800 to \$1,000	\$600 to \$800	\$400 to \$600
	<b>MODERATE</b>	\$600 to \$800 <b>\$600</b>	\$400 to \$600	\$200 to \$400
	MINOR	\$400 to \$600	\$200 to \$400	\$100 to \$200

**PENALTY MATRIX WORKSHEET**

CITATION: Failure to submit an application for a failed septic system  
 VIOLATION NO.: D(3)(b)

TYPE		
<p style="text-align: center;"><u>  X  </u> TYPE I</p> <p><u>DIRECTLY</u> related to protecting health, safety, welfare or environment.</p>	<p style="text-align: center;">_____ TYPE II</p> <p><u>INDIRECTLY</u> related to protecting health, safety, welfare or environment.</p>	<p style="text-align: center;">_____ TYPE III</p> <p><u>INCIDENTAL</u> to protecting health, safety, welfare or environment.</p>
DEVIATION FROM THE STANDARD		
THE DEGREE TO WHICH A PARTICULAR VIOLATION IS OUT OF COMPLIANCE WITH THE REQUIREMENT VIOLATED.		
<p><b><u>FACTORS CONSIDERED:</u></b></p> <p>Taken from Section 10 (a) (2) of the DEM <i>Rules and Regulations for Assessment of Administrative Penalties</i></p> <p>(A) <b>The extent to which the act or failure to act was out of compliance:</b> The Respondent failed to submit a repair application for a failed septic system. The repair of failed septic systems is a primary objective of the regulations and a major objective of the regulatory program.</p> <p>(B) <b>Environmental conditions:</b> The dwelling is a 2-bedroom residence in a moderately populated neighborhood.</p> <p>(C) <b>Amount of the pollutant:</b> Considered, but not utilized for this calculation.</p> <p>(D) <b>Toxicity or nature of the pollutant:</b> Considered, but not utilized for this calculation.</p> <p>(E) <b>Duration of the violation:</b> Total duration unknown, but is at least 1 year.</p> <p>(F) <b>Areal extent of the violation:</b> Considered, but not utilized for this calculation.</p> <p>(G) <b>Whether the person took reasonable and appropriate steps to prevent and/or mitigate the noncompliance:</b> The Respondent failed to retain a licensed designer to evaluate the septic system and prepare and submit a repair application despite having knowledge of the recorded notice of violation that ordered such action.</p>		
(continued)		

(continued from the previous page)

- (H) **Whether the person has previously failed to comply with any regulations, order, statute, license, permit or approval issued or adopted by the Department, or any law which the Department has the authority or responsibility to enforce:** Considered, but not utilized for this calculation.
- (I) **The degree of willfulness or negligence, including but not limited to, how much control the violator had over the occurrence of the violation and whether the violation was foreseeable:** The Respondent has full control over the violation. The Respondent is fully aware of the necessary actions to correct the violation.
- (J) **Any other factor(s) that may be relevant in determining the amount of a penalty:** Considered, but not utilized for this calculation.

MAJOR	<u>  X  </u> MODERATE	MINOR
-------	-----------------------	-------

Penalty Matrix where the applicable statute provides for a civil penalty up to \$1,000		TYPE I	TYPE II	TYPE III
DEVIATION FROM STANDARD	MAJOR	\$800 to \$1,000	\$600 to \$800	\$400 to \$600
	<b><i>MODERATE</i></b>	\$600 to \$800 <b>\$600</b>	\$400 to \$600	\$200 to \$400
	MINOR	\$400 to \$600	\$200 to \$400	\$100 to \$200