EA Engineering, Science, and Technology, Inc., PBC

301 Metro Center Blvd, Suite 102
Warwick, Rhode Island 02886
Telephone: 401-736-3440
www.eaest.com

12 December 2018

Mr. Joseph T. Martella II, Senior Engineer
Site Remediation Program
Office of Waste Management
RI Department of Environmental Management
235 Promenade Street
Providence, RI 02908

RE: Quarterly O&M Status Report No. 45
Alvarez High School, 333 Adelaide Avenue, Providence, Rhode Island
Case No. 2005-029
EA Project No. 15066.06

Dear Mr. Martella:

On behalf of the City of Providence School Department (City), EA Engineering, Science, and Technology, Inc., PBC (EA) is providing this Quarterly Operations and Maintenance (O&M) Status Report in accordance with Provision 6(f) of the Order of Approval and amendments (Amended OA) for the referenced Alvarez High School site (the Site, formerly Adelaide Avenue High School).

This O&M Report summarizes recently-completed Site activities related to compliance subslab vapor and indoor air sampling for the period from September 2018 through November 2018.

If you have any questions or require additional information, please contact me at (401) 736-3440, Ext. 1809.

Sincerely,

EA ENGINEERING, SCIENCE,
AND TECHNOLOGY, INC., PBC

Frank B. Postma, LSP, LEP, PG
Project Manager

cc: C. Maher, Prov. Dept. of Public Schools
B. Nickerson, Prov. Redevelopment Agency
R. Dorr, Neighborhood Resident
Rep. Scott Slater
A. Buco, Prov. Dept. of Public Property
Knight Memorial Library Repository
Principal Hawkins, Alvarez High School

This page intentionally left blank

Quarterly O&M Status Report No. 45

Summarizing Subslab Depressurization and Indoor Air Monitoring and Sampling Activities

Alvarez High School Site (Formerly Adelaide Avenue High School) Providence, Rhode Island

Prepared for

City of Providence School Department
797 Westminster Street
Providence, Rhode Island 02903

Prepared by:

EA Engineering, Science, and Technology, Inc., PBC
301 Metro Center Blvd., Suite 102
Warwick, Rhode Island 02886
(401) 736-3440

EA Project No. 15066.06
December 2018

This page intentionally left blank

TABLE OF CONTENTS

Page

1. INTRODUCTION AND BACKGROUND 1

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING. SYSTEM PERFORMANCE 2

2.1 SSD System and Related Monitoring 2
2.2 Indoor Methane Monitoring System 2
2.3 Ambient Outdoor and Indoor Air Sampling 3
2.4 Subslab Vapor Sampling and Evaluation of Potential VOC Rebound Effect 4
2.5 Summary of Rooftop VOC Emissions 5
2.6 Conclusions 5

3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT 7

FIGURES

FIGURE 1: SITE LOCATION MAP
FIGURE 2: INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM
FIGURE 3: AS-BUILT SUBSLAB MONITORING AND SAMPLING PLAN

APPENDICES

APPENDIX A: O&M FIELD FORMS
APPENDIX B: INDOOR AND AMBIENT OUTDOOR AIR ANALYTICAL SUMMARY
APPENDIX C: SUBSLAB VAPOR ANALYTICAL SUMMARY
APPENDIX D: ROOFTOP EMISSION ANALYTICAL SUMMARY
APPENDIX E: INDOOR AIR, AMBIENT OUTDOOR AIR, AND SUBSLAB VAPOR LABORATORY ANALYTICAL REPORTS
APPENDIX F: LABORATORY DETECTION LIMITS CORRESPONDENCE

1. INTRODUCTION AND BACKGROUND

On behalf of the City of Providence School Department (the City), EA Engineering, Science, and Technology, Inc., PBC (EA) has prepared this Quarterly Operations and Maintenance (O&M) Status Report No. 45 for the Parcel B area of the former Gorham Manufacturing site in Providence, Rhode Island, formerly referred to as Adelaide Avenue High School and now referred to as Alvarez High School (the Site). A Site Location Map is provided as Figure 1. This report has been prepared to satisfy provision 6(f) of the Rhode Island Department of Environmental Management (RIDEM) Order of Approval (OA) issued in June 2006, as amended in February 2007, July 2007, and July 2009. For the purposes of this report, the original and the amended OA will collectively be referred to as the Amended OA.

The Amended OA specifies the details of the approved remedy for the Site including, but not limited to, the installation of a subslab depressurization (SSD) system, installation of a continuous indoor air methane monitoring system, and implementation of an associated periodic monitoring and sampling program. In August 2007, the RIDEM-approved remedy for the Site was completed and a Remedial Action Closure Report (RACR) was submitted to RIDEM. In July 2009, the periodic indoor air and subslab vapor sampling schedule was reduced to quarterly sampling from previously required monthly sampling.

This report summarizes the O&M, monitoring, and sampling activities completed at the Site for the three-month period from September 2018 through November 2018 (Quarterly Reporting Period No. 45). Please refer to Quarterly O&M Status Reports No. 1 through No. 44 for information regarding monitoring and sampling at the Site during the previous quarters. The RACR and previously-submitted monthly correspondence contain details regarding the results of the monitoring and sampling program for the period prior to Reporting Period No. 1.

2. SUMMARY OF SSD SYSTEM AND INDOOR METHANE MONITORING SYSTEM PERFORMANCE

2.1 SSD SYSTEM AND RELATED MONITORING

The following SSD system performance parameters were inspected and/or monitored at the frequencies indicated below in accordance with the Amended OA and through discussions with RIDEM to evaluate system performance:

- Monthly sub-slab monitoring of vacuum pressure and vapor-phase constituents (17 September, 24 October 2018, and 19 November 2018) at 11 monitoring locations, as illustrated on the As-Built Subslab Monitoring and Sampling Plan provided as Figure 3.

- Quarterly sampling (24 October 2018) of eight indoor air locations, one ambient outdoor air location, and six subslab points.

- Monthly inspections and monitoring (air velocity and vacuum) of the three rooftop fans to verify proper operation and effluent concentrations.

- The electronic monitoring system associated with each of three SSD system extraction fans (automatic alarm notification via audible signal and phone notification) was inspected by a certified electrician on 12 November 2018. During the inspection it was discovered that the rooftop fan alarm system was without power and the alarm was not functioning as intended. The rooftop fans were still on and operable; however, it appears the system would not notify the emergency contacts if the fans were to stop. EA is working with electricians to identify the cause of the system disconnect and repair any electrical damages which may be preventing notifications from the fan system to the autodialer.

Vacuum measurements taken at each interior and perimeter subslab monitoring/sampling locations ranged from -0.01 to -0.15 in. of water column. Negative measurements confirm that a negative pressure exists beneath the building slab due to continuous fan operation. All rooftop fans were observed to be operating correctly during this reporting period; pressure and air velocity recorded at all Rooftop Fans were within normal ranges

The 8-inch eroded depression at the southeastern door was corrected by the Providence Public School Department in September 2018. A set of 6-foot(ft) long, 6-inch thick granite slabs were placed between the front sidewalk and the concrete walkway leading out from the school doors. Exposed soils on the side of the stairs were seeded with grass to promote vegetated cover.

EA previously instructed the School Department that landscaping repairs must avoid disturbance of native site soils beneath the engineered cap. Though EA was not present when the stone stairs were installed, inspections during the 17 September monitoring event suggest that the repairs were made in accordance with the RAWP. The estimated fill which was cut from the unpaved area between the concrete walkway and the concrete sidewalk, combined with the estimated thickness of the granite slabs, suggests that the minimum depth of certified clean fill remaining

after landscaping improvements still meets the engineered cap requirements of a 6-inch base course fill in paved areas.

The previously noted 6-inch hole under a roof leader downspout at the back of the building and another eroded area approximately 3-4 inches deep observed near the back door to the school remain present. Depth of landscape erosion at the back door has been slowly increasing since spring 2017. EA has met with city staff to correct the deficiencies as soon as possible. EA has been informed that the Providence Public School Department will be correcting remaining deficiencies.

Copies of O&M field forms summarizing SSD System monitoring data collected during this reporting period are provided in Appendix A.

2.2 INDOOR METHANE MONITORING SYSTEM

Indoor methane concentrations were continuously monitored by an indoor methane monitoring system equipped with automatic alarm notification via audible signal and phone notification within the school at eight RIDEM-approved locations (refer to the Indoor Air Sampling and Methane Monitoring System Diagram provided as Figure 2) during this reporting period. The annual cell phone contract was renewed before its expiration on 13 December 2017 for another year of service. The methane monitoring system was inspected, and the filters were replaced on 19 November 2018. The next filter replacement is scheduled for February 2018.

On 17 September, EA conducted monthly monitoring and discovered that the autodialer system was turned off and EA emergency contacts had not received notification. EA reset the autodialer system and tested the cell phone unit by triggering an alarm condition. After being reset, the autodialer functioned as intended and notified emergency contacts of the alarm condition when the test was conducted. EA notified Mr. Joe Martella on 18 September 2018 that the system had malfunctioned. There is no evidence that methane gas had been detected at the site on the day of discovery. The system was inspected during subsequent monitoring events and the control panel and auto dialer appeared to be operational and functioning as designed.

On 12 November 2018, EA coordinated an autodialer system inspection with an electrician. No faults in the system were detected; however, the electrician suggested replacing the current autodialer battery with a new battery with larger charging capacity. The electrician also recommended purchasing locks for the autodialer box to avoid unauthorized tampering with the control box and the circuit breakers. EA is currently coordinating with the electrician to select a backup battery with sufficient capacity.

2.3 AMBIENT OUTDOOR AND INDOOR AIR SAMPLING

One ambient outdoor air sample and the eight indoor air samples were collected at the site at RIDEM-approved sampling locations during the quarterly sampling event on 24 October 2018. The samples collected in October 2018 were submitted to Con-Test Analytical Laboratory (Con-Test) for analysis of volatile organic compounds (VOCs) via Method TO-15 Selective Ion

Monitoring (SIM). Each summa canister used during this monitoring period was individually certified to ensure that all containers were devoid of residual contamination. The typical summa canister certification process occurs in batches. However, individual certification was requested by RIDEM for this and future sampling events after residual contamination affected the 1 August 2014 sampling results.

Sample results were compared to the State of Connecticut's Draft Proposed Indoor Residential Targeted Air Concentrations (CT RTACs) and the RIDEM approved threshold level in accordance with the Amended OA. Sampling locations for the indoor air samples are illustrated on Figure 3. The ambient outdoor air sample was collected upwind (northeast) of the school. A data summary table is provided as Appendix B and a copy of the laboratory data report associated with this sampling event is provided in Appendix E.

The laboratory method detection limits (MDLs) for several VOCs reported via TO-15 analysis were greater than the respective CT RTACs/RIDEM threshold levels even though analysis was performed using the method with the lowest available detection levels (SIM procedure). The elevated MDLs occurred primarily with analytes that are not the constituents of concern (COCs) for the project. Additionally, many of these analytes have never been detected in indoor air at concentrations greater than the applicable standards. Therefore, the slightly elevated MDLs for some analytes were not significant and do not disqualify the dataset. Refer to Appendix F for an MDL verification letter from Con-Test verifying that where MDLs are not able to be met, the detection limit was the lowest currently achievable.

No analytes were identified in indoor air samples above the CT RTACs and RIDEM threshold levels during the October 2018 quarterly sampling event.

2.4 SUBSLAB VAPOR SAMPLING AND EVALUATION OF POTENTIAL VOC REBOUND EFFECT

A total of 11 RIDEM-approved subslab sampling locations are installed at the Site. Six subslab samples were collected on the rotating schedule in accordance with the Amended OA and analyzed for VOCs via US EPA Method TO-15 SIM. Four exterior subslab vapor samples and two interior subslab vapor samples were collected on 24 October 2018. The subslab analytical results are presented in Appendix C and a copy of the laboratory data report associated with this sampling event is included in Appendix E. The locations for sub-slab sampling are illustrated on Figure 3.

The subslab data has been evaluated for potential rebound. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Slight fluctuations in concentrations were noted during this reporting period though these variations were within historical ranges and do not constitute an increasing trend.

2.5 SUMMARY OF ROOFTOP VOC EMISSIONS

The Amended OA requires that rooftop VOC sampling be completed on an annual basis. Rooftop sampling was conducted on 27 July 2018 (Rooftop Fans #1 and #3), and on 7 August 2018 (Rooftop Fan #2). Rooftop Fan #2 was originally sampled on 27 July 2018 however the summa canister tubing became dislodged during sample collection, introducing ambient air to the sample. For data quality purposes, Rooftop Fan #2 was resampled on 7 August 2018. The analytical results of rooftop fan sampling are summarized in Appendix D. No exceedances of the RIDEM Air Pollution Control Permit Applicability Thresholds for hourly, daily, or annual emissions were observed. The next annual rooftop effluent VOC sampling event is scheduled for July 2019.

Previous rooftop effluent sampling rounds conducted in March 2007 (immediately after SSD system startup), June 2007, June 2008, September 2009, July 2010, July 2011, July 2012, July 2013, October 2014, July 2015, July 2016 and July 2017 indicated compliance with all Air Pollution Control Permit Applicability Thresholds. Concentrations of VOCs in rooftop fan vents continue to be evaluated based on the regulatory thresholds and their effect to background air at the school and the nearby residential neighborhood. RIDEM conducted roofline and downwind outdoor air sampling during the 22 October 2014 monitoring event to determine if rooftop fan exhaust was possibly infiltrating the building or impacting downwind air. The roofline and downwind sample concentrations were approximately the same as the upwind sample concentration and significantly lower than those concentrations observed in the rooftop fan exhaust. This data indicated that exhausted vapors from the rooftop fans were well dispersed and are not causing significant impacts downwind or inside the building.

2.6 CONCLUSIONS

The following conclusions are made based upon the completed inspections, monitoring, and sampling performed during this reporting period:

- The consistent negative pressure maintained below the floor slab indicates that soil vapor intrusion into Alvarez High School is not occurring.

- The continuous operation of the SSD System and confirmation of continuous sub-slab vacuum beneath the school illustrates ongoing, effective operation of the SSD System.

- Deficiencies noted in the engineered cap near the back (northern) entrance to the school and the roof leader downspout at the northwestern corner of the school need to be corrected, though the largest cap deficiency located in front of the school was corrected during this reporting period.

- The subslab data was evaluated for potential rebound in accordance with the Amended OA. No evidence of increasing VOCs (i.e., VOC rebound) beneath the school has been observed. Fluctuations in concentrations were noted during this reporting period; these variations do not constitute an increasing trend.

- The use of certified clean summa canisters, as requested by RIDEM, yielded confidence in the samples collected in October 2018. EA will continue to use certified clean canisters in the upcoming sampling events.

- The cause of the autodialer power outage discovered on 17 September 2018 could not be determined. Subsequent screening and system trouble shooting found no indication of methane entering the building. EA is currently coordinating battery pack upgrades to the autodialer such that the autodialer will remain powered in the event of a long power outage. The autodialer control boxes and the methane sensor circuit breakers will also be installed with locks to avoid unauthorized tampering with the system.

- During the 12 November 2018 alarm system inspection, it was discovered that the rooftop fan alarm system was without power and not functioning as intended. Rooftop fans remain on and operable. EA is working with electricians to identify the alarm power source and repair any electrical damages which may be affecting the emergency notifications.

3. FUTURE ACTIVITIES AND NEXT QUARTERLY SUMMARY REPORT

The following activities will be completed in accordance with the Amended OA during the next quarterly status reporting period from December 2018 to February 2019:

- Continuous monitoring of the operational status of the three rooftop fans;
- Monthly site inspections and monitoring using a photoionization detector with part-per-billion sensitivity;
- Collection of air samples from eight indoor locations, one ambient location, and six subslab monitoring points in January 2019; and
- Initiate repairs to the engineered cap
- Complete upgrades to the autodialer system (new backup battery pack)
- Coordination with electricians to investigate the fan alarm system and reconnect the alarm system to a reliable power source.

These activities will be summarized in the next status report (Quarterly Status Report No. 46), expected to be submitted by the end of March 2019.

FIGURES



EA	ALVAREZ HIGH SCHOOL 333 ADELAIDE AVENUE PROVIDENCE, RHODE ISLAND					FIGURE 1 SITE LOCUS	
PROJECT MGR:	DESIGNED BY:	CREATED BY:	CHECKED BY:	SCALE:	DATE:	PROJECT NO:	FILE NO:
FP	PT	PT	FP	1:24,000	FEBRUARY 2010	14687.01	SITE_LOCUS.MXD



DESIGNED BY	DRAWN BY	DATE	PROJECT NO.	FILE NAME	INDOOR AIR SAMPLING AND METHANE MONITORING SYSTEM DIAGRAM – ALVAREZ HIGH SCHOOL PROVIDENCE, RHODE ISLAND	QUARTERLY STATUS REPORT FIGURE 2
RGM	DPA	OCT. 16, 2013	15066.01	ALVAREZ LAYOUT		
CHECKED BY	PROJECT MGR.	SCALE	DRAWING NO.	FIGURE		
FBP	FBP	NTS	–	2		

LEGEND :

- SUB-SLAB MONITORING POINT
- INTERIOR SUB-SLAB MONITORING POINT
- SLOTTED 1 INCH PVC PIPING
- ROOFTOP FAN LOCATION
- SP-1 SSD SYSTEM SUCTION PIT
- SOLID 4 INCH PVC PIPING



DESIGNED BY	DRAWN BY	DATE	PROJECT NO.	FILE NAME	AS-BUILT SUB SLAB MONITORING AND SAMPLING LOCATIONS ALVAREZ HIGH SCHOOL PROVIDENCE, RHODE ISLAND	QUARTERLY STATUS REPORT FIGURE 3
RGM	DPA	OCT. 16, 2013	15066.01	FIG 3		
CHECKED BY	PROJECT MGR.	SCALE	DRAWING NO.	FIGURE		
FBP	FBP	NTS	N/A	3		

APPENDIX A

O&M Field Forms

EA Engineering, Science, and

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 9/17/2018 Performed by: B. Chambers

PID/Methane Calibration? yes (yes/no) PID Calibration Result: 10

Date of last Methane Sensor Filter Replacement: 8/7/18 Replaced this O&M Visit? No (yes/no)

General Status of SSD System: Good, negative pressure

General Status of Methane Monitoring System: Methane system was discovered without power during inspection. EA reactivated control panel and monitoring system appeared to be operating correctly.

Eng. Cap/Fence Inspection Performed/Notes: Good, erosion near front door has been seeded and concrete stairs installed (See picture 1). (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc …. continue on separate sheet if needed)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (in. Hg)	End Time	End Vac (in. Hg)	
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							
Elevator Hallway	NA	NA	0	0	0	0							
Room 145	NA	NA	0	0	0	0							
Room 152	NA	NA	0	0	0	0							
Room 118	NA	NA	0	0	0	0							
Room 110	NA	NA	0	0	0	0							
MP-1	-0.07	NA	0	NA	0	0							
MP-2	-0.05	NA	0	NA	0	0							
MP-3	-0.14	NA	0	NA	0	0							
MP-4	-0.12	NA	0	NA	0	0							
MP-5	-0.13	NA	0	NA	0	0							
MP-6	-0.05	NA	0	NA	0	0							
MP-7	-0.04	NA	0	NA	0	0							
MP-8	-0.15	NA	0	NA	0	0							
IMP-1	0.01	NA	143	NA	0	0							
IMP-2	-0.01	NA	0	NA	0	0							
IMP-3	-0.01	NA	0	NA	0	0							
Roof-Top Fan 1	-1.9	2240	0	NA	0	0							
Roof-Top Fan 2	-1.8	2292	0	NA	0	0							
Roof-Top Fan 3	-2.0	1467	0	NA	0	0							
Ambient Outdoor Air	NA	NA	0	NA	0	0							Measured by school entrance. No wind, weather sunny , 82 degF

NA: not applicable.
NM: not monitored on this date.
NS : not sampled on this date.
* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%. If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Photograph 1	Photograph 2
Description of image: Erosion at SE corner of building has been correct; New stairway installed and eroded areas have been reseeded.	**Description of image:** Erosion near the back entrance to the school. Erosion approximately 3 inches deep.

Photograph 3	Photograph 4
Description of image: Small hole near hose connection in northwest corner of building. Possibly an animal burrow.	**Description of image:**

EA Engineering, Science, and Technology, Inc., PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 10/24/18 Performed by: BC/DA

PID/Methane Calibration? Yes (yes/no) PID Calibration Result: 10 ppm

Date of last Methane Sensor Filter Replacement: Sept 2018 Replaced this O&M Visit? No

General Status of SSD System: Good, functioning as intended, all points under negative pressure

General Status of Methane Monitoring System: Operating correctly

Eng. Cap/Fence Inspection Performed/Notes: Erosion by side entrance door fixed w/ stairs; rear erosion by spicket still present near NW corner of school (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring PID (ppb)	Methane Monitoring Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Air/Vapor Sample Collection Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc ....
Gymnasium	NA	NA	22	0	0	0	1029	4197	0955	-24.5	1024	0	
Cafeteria	NA	NA	6	0	0	0	1997	4315	1003	-28	1034	-3	
Kitchen Storage Room	NA	NA	400	0	0	0	1843	4314	1005	-30	1036	-4	Potential Burnt cooking
Elevator Hallway	NA	NA	285	0	0	0	1209	4196	0951	-28	1021	-23	
Room 145	NA	NA	167	0	0	0	1162	4313	1058	-29.5	1129	-3	
Room 152	NA	NA	11	0	0	0	1063	4312	1100	-28.5	1130	-3	
Room 118	NA	NA	350	0	0	0	2229	4174	1050	-30	1120	-3	
Room 110	NA	NA	664	0	0	0	1852	4207	1053	-29	1124	-1	Cleaning odor
MP-1	-0.01	NA	1407	NA	0	0	—	—	—	—	—	—	
MP-2	-0.06	NA	0	NA	0	0	2172	4177	1224	-26.5	1301	0	
MP-3	-0.07	NA	0	NA	0	0	—	—	—	—	—	—	
MP-4	-0.05	NA	0	NA	0	0	—	—	—	—	—	—	
MP-5*	-0.04	NA	0	NA	0	0	~~1972~~	~~4188~~	~~1224~~	~~-26.5~~	~~1301~~	~~0~~	Tubing dislodged, MP-5 resampled using spare summa (see below)
MP-6	-0.06	NA	0	NA	0	0	—	—	—	—	—	—	
MP-7	-0.01	NA	0	NA	0	0	2019	4179	1234	-29	1305	-4	
MP-8	-0.10	NA	0	NA	0	0	2131	4305	1208	-29	1306	0	
IMP-1	-0.04	NA	110	NA	0	0	2040	4212	1000	-27.5	1030	0	
IMP-2	-0.02	NA	0	NA	0	0	—	—	—	—	—	—	
IMP-3	-0.01	NA	275	NA	0	0	2023	4213	1046	28	1116	-2.5	
Roof-Top Fan 1	-1.9	1909	0	NA	0	0	—	—	—	—	—	—	
Roof-Top Fan 2	-1.6	1992	0	NA	0	0	—	—	—	—	—	—	
Roof-Top Fan 3	-2.4	1802	0	NA	0	0	—	—	—	—	—	—	
Ambient Outdoor Air	NA	NA	185	NA	0	0	1995	4304	1206	-29	1237	-4	Summa in NE corner of rear parking area

NA: not applicable.
NM: not monitored on this date.
NS : not sampled on this date.
* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.
If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

Winds appear to make PID fluctuate?

* Original MP-5 summa can tubing discovered dislodged @ end time. Re-sampled using spare summa can:
Summa ID = 2139, Controller 4093
-28 start pressure @ 1305
-4 end pressure @ 1335

EA Engineering, Science, and Technology, Inc., PBC

Alvarez High School - SSD & Interior Methane Monitoring System O&M

Date of O&M: 11/19/18 Performed by: B. Chambers

PID/Methane Calibration? yes (yes/no) PID Calibration Result: 10

Date of last Methane Sensor Filter Replacement: 11/19/18 Replaced this O&M Visit? yes

General Status of SSD System: Good, negative pressure

General Status of Methane Monitoring System: Good, system triggers & notification system functional

Eng. Cap/Fence Inspection Performed/Notes: Some erosion by back door/kitchen (take photographs of any deficiencies noted)

Monitoring/ Sampling Location	Sub-slab or gauge vacuum	Air Velocity (fpm)	VOC Monitoring	Methane Monitoring			Air/Vapor Sample Collection						Comments/Notes (Ambient weather conditions, status of HVAC, possible monitoring/sampling interferences, etc ....)
			PID (ppb)	Indoor Sensor (ppm)	(% Gas)	(% LEL)*	Summa Can ID	Controller ID	Start Time	Start Vac (inches Hg)	End Time	End Vac (inches Hg)	
Gymnasium	NA	NA	0	0	0	0							
Cafeteria	NA	NA	0	0	0	0							
Kitchen Storage Room	NA	NA	0	0	0	0							
Elevator Hallway	NA	NA	57	0	0	0							
Room 145	NA	NA	7	0	0	0							
Room 152	NA	NA	52	0	0	0							
Room 118	NA	NA	70	0	0	0							
Room 110	NA	NA	130	0	0	0							
MP-1	-0.02	NA	1023	NA	0	0							
MP-2	-0.02	NA	40	NA	0	0							
MP-3	-0.05	NA	42	NA	0	0							
MP-4	-0.07	NA	0	NA	0	0							
MP-5	-0.06	NA	0	NA	0	0							
MP-6	-0.04	NA	40	NA	0	0							
MP-7	-0.10	NA	0	NA	0	0							
MP-8	-0.08	NA	0	NA	0	0							
IMP-1	-0.03	NA	42	NA	0	0							
IMP-2	-0.02	NA	0	NA	0	0							
IMP-3	-0.01	NA	121	NA	0	0							
Roof-Top Fan 1	-1.4	2268	63	NA	0	0							
Roof-Top Fan 2	-1.2	2011	0	NA	0	0							
Roof-Top Fan 3	-2.2	2307	0	NA	0	0							
Ambient Outdoor Air	NA	NA	53	NA	0	0							South main entrance, Mild wind

NA: not applicable.
NM: not monitored on this date.
NS : not sampled on this date.
* RIDEM Action Level for methane %LEL beneath the building is 10% and within the building is 1%.
If these methane levels are exceeded, immediately notify EA Project Manager to initiate response protocol.

APPENDIX B

Indoor and Ambient Outdoor Air Analytical Summary

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Acetone	180.0	8-Feb-08	20.200		8.240		4.750	U	4.750	U	6.870		8.060		4.750	U	4.780						4.750	U
		27-Mar-08 [2]	576.000		186.000		108.000		89.900		24.700		38.300		76.700		47.400						5.870	
		25-Apr-08	61.700		12.900		19.000		15.100		14.800		18.600		12.500		17.100						6.670	
		29-May-08	19.500		16.000		12.800		16.200		10.900		17.200		13.200		11.600						7.480	
		27-Jun-08	87.900		20.000		20.500		27.700		28.900		29.000		26.000		29.800						19.700	
		31-Jul-08	32.200		17.200		20.800		16.800		23.800		20.000		18.600		23.500						20.000	
		28-Aug-08	33.100		21.100		21.500		25.800		27.000		32.400		29.100		23.800						37.000	
		30-Sep-08	39.400		10.400		7.600		11.200		44.800		29.900		19.600		55.600						6.800	
		27-Oct-08	56.200		23.100		14.900		24.100		15.900		26.500		34.300		25.100						109.000	
		25-Nov-08	21.300		8.200		5.300		14.000		15.600		9.700		6.500		10.000						7.000	
		18-Dec-08	39.300		18.500		16.900		21.500		23.100		41.900		22.000		28.800						40.000	
		21-Jan-09	5.300		2.400		2.400	U	3.600		5.600		5.000		3.300		4.000						2.400	U
		25-Feb-09	2.400	U	2.900		2.400	U	NS		9.600		5.000		3.800		4.100						2.400	U
		26-Mar-09	34.400		10.700		8.820		11.300		13.800		12.000		10.500		12.000						9.680	
		29-Apr-09	4.750	U	5.700		7.230		8.240		19.200		9.420		7.570		9.610						7.700	
		22-Jul-09	2.370	U	13.100		18.700		11.700		28.900		29.400		17.100		19.400						11.000	
		9-Oct-09	19.500		10.100		9.220		11.000		15.500		12.000		10.600		11.600						8.570	
		15-Jan-10	11.900		8.160		5.080		6.700		7.320		7.270		5.260		8.110						6.190	
		21-Apr-10	26.700		22.000		23.200		23.200		19.300		19.900		21.800		20.500						4.960	
		16-Jul-10	28.200		16.500		13.800		16.100		36.900		24.900		40.700		16.000						14.300	
		15-Oct-10	32.700		8.180		4.750	U	11.500		7.360		6.010		5.530		6.690						7.630	
		30-Nov-10	NS		13.200		13.000		NS		NS		NS		6.460		NS						NS	
		26-Jan-11	28.500		20.800		11.600		14.900		13.500		33.200		12.600		24.000		21.500		15.900		9.850	
		26-Jan-11**	NS		17.000		15.000		NS		NS		NS		12.000		NS						NS	
		27-Apr-11	6.820		12.800		11.300		14.700		14.600		7.550		12.300		5.930						5.600	
		26-Jul-11	51.800		48.000		22.800		82.200		28.700		7.170		25.400		39.400						8.840	
		28-Oct-11	17.000		12.000		7.400		9.900		11.000		9.700		13.000		15.000						8.000	
		23-Jan-12	15.000		15.000		18.000		18.000		10.000		37.000		19.000		18.000						13.000	
		13-Apr-12	11.000		16.000		11.000		11.000		11.000		21.000		9.100		19.000						24.000	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		21.000						9.100	
		20-Jun-12	19.000		22.000		17.000		21.000		20.000		15.000		15.000		22.000						11.000	
		1-Nov-12	12.000		11.000		9.500		16.000		8.300		12.000		13.000		11.000						9.000	
		1-Feb-13	16.000		15.000		12.000		14.000		9.100		39.000		16.000		18.000						8.200	
		29-Apr-13	26.000		23.000		22.000		21.000		28.000		32.000		27.000		35.000						18.000	
		9-Jul-13	25.000		26.000		22.000		24.000		41.000		28.000		35.000		32.000						24.000	
		9-Jul-13 RIDEM	NS		NS		NS		NS		18.827		NS		NS		NS						11.710	
		18-Oct-13	34.000		32.000		30.000		42.000		29.000		29.000		46.000		34.000						20.000	
		9-Jan-14	8.900		19.000		16.000		20.000		21.000		24.000		27.000		45.000						8.300	
		24-Apr-14	19.000		12.000		18.000		17.000		17.000 [M]		12.000		16.000		76.000 [M]						6.100	
		1-Aug-14	35.000 [M]		12.000 [M]		29.000 [M]		37.000 [M]		43.000 [M]		38.000 [M]		81.000/62.000 [M]		35.000 [M]						27.000 [M]	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		33.000		NS						NS	
		22-Oct-14	17.000		12.000		2.900	U	18.000		27.000		34.000		26.000		51.000						13.000	
		20-Jan-15	37.000		30.000		30.000		34.000		39.000		44.000		57.000		17.000						49.000	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		23.000						NS	
		22-Apr-15	16.000		21.000		79.000 [V]		15.000		20.000		1.900	U	34.000		43.000						17.000	
		21-Jul-15	36.000		15.000 [A]		24.000		23.000		16.000		17.000		22.000		23.000						13.000	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		7.900		NS						NS	
		29-Oct-15	4.800		19.000		22.000		18.000		7.700		33.000		22.000		16.000						9.200	
		4-Dec-15 resample	NS		13.000		NS		NS		NS		NS		NS		NS						NS	
		27-Jan-16	20		19		14		20		16		38		13		51						9.8	
		20-Apr-16 [3]	15		7.2		8.1		7.2		11		11		6.4		11						8.1	
		20-Jul-16	19 [B]		16 [B]		34 [B]		43 [B]		18 [B]		27 [B]		57 [B]		57 [B]						12 [B]	
		21-Oct-16	25		30		27		28		30		37		24		35						28	
		31-Jan-17	10 [L,V]		6.1 [L,V]		10 [L,V]		17 [L,V]		9.1 [L,V]		19 [L,V]		17 [L,V]		19 [L,V]						5.3 [L,V]	
		17-Apr-17 [4]	13		14		17		11		12		17		12		9.1						8.2	
		26-Jul-17	19		13		16		12		13		16		19		18						15	
		12-Oct-17	5.3		8.5		36		11		18		23		15		14						4.9	
		10-Jan-18	10.00		15.00		13.00		14.00		14.00		16.00		16.00		21.00						7.0	
		11-Apr-18	20.00		18.00		16.00		17.00		16.00		27.00		17.00		22.00						9.5 [D]	U
		27-Jul-18	23		18		14		18		15		16		16		6.7						15	
		24-Oct-18	16		16		15		25		22		35		15		11						9.6	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Acrylonitrile	None	8-Feb-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		27-Mar-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		25-Apr-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		29-May-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		27-Jun-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		31-Jul-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		28-Aug-08	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Feb-09	2.200	U	2.200	U	2.200	U	NS		2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		26-Mar-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		29-Apr-09	1.080	U	1.080	U	2.740	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		22-Jul-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		9-Oct-09	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		15-Jan-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		21-Apr-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		16-Jul-10	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		15-Oct-10	1.080	U	0.108	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		30-Nov-10	NS		1.080	U	1.080	U	NS		NS		NS		1.080	U	NS						NS	
		26-Jan-11	1.850	U	1.840	U	1.850	U	0.185	U	1.850	U	1.840	U	1.840	U	1.850	U	1.840	U	1.850	U	1.840	U
		26-Jan-11**	NS						NS		NS		NS				NS						NS	
		27-Apr-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		26-Jul-11	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U	1.080	U					1.080	U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.370	U					0.370	U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.164	U	NS		NS		NS						0.164	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250[M]	U					0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250[L,V]	U	NS						NS	
		22-Oct-14	0.370[L]	U	0.370[L]	U	0.370[L]	U	0.370[L]	U	0.370[L]	U	0.370[L]	U	0.370[L]	U	0.370[L]	U					0.370[L]	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370[L]	U	0.250	U					0.370	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.290	U					NS	
		22-Apr-15	0.250[L]	U	0.250[L]	U	0.250[L]	U	0.250[L]	U	0.250[L]	U	0.250[L]	U	0.250[L]	U	0.250[L]	U					0.250[L]	U
		21-Jul-15	0.100	U	0.100[A]	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.100	U	NS						NS	
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		4-Dec-15 resample	NS		0.100	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Apr-16[3]	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U					0.37	U
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		17-Apr-17[4]	0.37	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U					0.38	U
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					1.2[D]	U
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.38	U	0.38	U	0.25	U	0.25	U					0.25	U
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
Benzene	3.3	8-Feb-08	0.910		0.840		0.730		0.780		0.810		0.800		0.750		0.790						0.870	
		27-Mar-08	1.420		1.350		1.600		1.420		0.218		2.130		1.730		1.680						0.372	
		25-Apr-08	1.360		1.300		0.638		1.400		1.150		1.270		1.130		1.120						0.413	
		29-May-08	0.370		0.430		0.300		0.400		0.300		0.450		0.410		0.310						0.230	
		27-Jun-08	0.631		0.603		0.666		0.644		0.657		0.604		0.849		0.582						0.726	
		31-Jul-08	0.568		0.477		0.419		0.451		0.528		0.465		0.378		0.390						0.405	
		28-Aug-08	1.190		1.110		1.010		0.953		0.935		1.060		1.060		1.020						1.280	
		30-Sep-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	0.204	1.600	U					1.600	U
		27-Oct-08	2.100		1.600	U	1.600	U	1.600	U	1.600	U	1.600		1.600	U	1.900						3.600	
		25-Nov-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		18-Dec-08	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		21-Jan-09	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		25-Feb-09	1.600	U	1.600	U	1.600	U	NS		1.600	U	1.600	U	1.600	U	1.600	U					1.600	U
		26-Mar-09	2.330		1.840		1.740		1.650		1.540		2.210		0.316		1.880						2.390	
		29-Apr-09	0.594		0.358		0.332		0.332		0.303		0.358		1.460		0.335						0.351	
		22-Jul-09	0.626		0.546		0.642		0.574		0.852		1.560		1.460		1.080						4.330	
		9-Oct-09	1.130		0.954		0.903		0.878		0.919		1.050		1.070		0.996						1.100	
		15-Jan-10	1.670		1.510		1.340		1.460		1.420		1.450		1.540		1.550						1.370	
		21-Apr-10	1.020		1.320		1.080		1.380		1.270		1.210		1.230		1.240						0.335	
		16-Jul-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.485		0.319	U					0.319	U
		15-Oct-10	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U					0.319	U
		30-Nov-10	NS		0.514		0.594		NS		NS		NS		0.412		NS						NS	
		26-Jan-11	2.920		2.890		2.970		3.290		2.940		3.430		2.560		3.660		2.940		2.850		3.350	
		26-Jan-11**	NS		3.600		3.800		NS		NS		NS		3.800		NS						NS	
		27-Apr-11	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U	0.319	U					0.319	U
		26-Jul-11	0.559		0.664		0.319	U	0.326		0.319	U	0.319	U	0.329		0.319	U					0.319	U
		28-Oct-11	0.640		0.500		0.380		0.390		0.410		0.450		0.460		0.430						0.300	
		23-Jan-12	1.300		1.200		1.200		1.200		1.200		1.200		1.200		1.300						1.200	
		13-Apr-12	0.680		0.670		0.590		0.600		0.580		0.650		0.580		0.520						0.220	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.290						0.140	
		20-Jun-12	0.490		0.540		0.410		0.510		0.520		0.440		0.460		0.540						0.740	
		1-Nov-12	1.300		1.000		0.770		1.200		0.990		1.500		1.700		1.300						0.470	
		1-Feb-13	0.470		0.410		0.400		0.420		0.410		0.490		0.500		0.430						0.410	
		29-Apr-13	0.960		0.920		0.900		0.930		0.760		0.710		0.940		0.840						0.300	
		9-Jul-13	0.440		0.420		0.400		0.450		0.450		0.420		0.450		0.440						0.520	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.537		NS		NS		NS						0.597	
		18-Oct-13	0.240		1.000		0.880		0.660		1.100		0.830		0.800		1.000						1.000	
		9-Jan-14	1.400		1.700		0.910		0.860		0.730		0.810		0.960		0.820						0.750	
		24-Apr-14	0.300		0.240		0.300		0.230		0.240		0.210		0.240		0.300						0.210	
		1-Aug-14	0.570		0.360		0.350		0.820		0.740		0.600		0.790		0.550						0.590	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.410		NS						NS	
		22-Oct-14	0.560		0.340		0.270	U	0.350		0.550		0.250		0.450		0.610						0.420	
		20-Jan-15	0.450		0.440		0.440		0.430		0.500		0.500		0.580		0.480						0.510	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.490						NS	
		22-Apr-15	0.950		1.200		0.920		0.950		1.100		0.750		0.930		0.830						0.880	
		21-Jul-15	0.580		0.500 [A]		0.510		0.470		0.530		0.570		0.480		0.480						0.350	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.360		NS						NS	
		29-Oct-15	0.130 [J]		0.250		0.580		0.180 [J]		0.140 [J]		0.160 [J]		0.220		0.160						0.110 [J]	
		4-Dec-15 resample	NS		0.220		NS		NS		NS		NS		NS		NS						NS	
		27-Jan-16	0.87		0.8		1		0.76		0.72		0.8		0.88		0.86						0.72	
		20-Apr-16 [J]	0.59		0.33		0.34		0.4		0.39		0.38		0.33		0.33						0.4	
		20-Jul-16	0.23		0.25		0.22		0.16		0.34		0.28		0.11		0.19						0.18	
		21-Oct-16	0.82		0.92		0.30		0.93		0.45		0.5		0.29		0.55						3.3	
		31-Jan-17	0.86		0.52		0.52		0.54		0.54		0.55		0.52		0.56						0.51	
		17-Apr-17 [4]	0.31		0.26		0.24		0.21		0.21		0.23		0.23		0.23						0.24	
		26-Jul-17	0.43		0.39		0.37		0.46		0.5		0.51		0.48		0.51						0.2	
		12-Oct-17	0.19		0.23		0.37		0.23		0.21		0.27		0.23		0.23						0.15	
		10-Jan-18	0.58		0.74		0.68		0.71		0.48		0.53		0.85		0.58						0.37	
		11-Apr-18	0.78		0.63		0.57		0.61		0.47		0.56		0.50		0.58						0.47 [D]	
		27-Jul-18	3.3		0.41		0.23		0.3		0.28		1		0.32		0.32						0.27	
		24-Oct-18	0.9		0.37		0.39		0.47		0.38		0.44		0.34		0.31						0.29	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		27-Mar-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		25-Apr-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		29-May-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		27-Jun-08	0.134	U	0.134	U	0.130	U	0.130	U	0.134	U	0.130	U	0.231		0.134	U					0.134	U
		31-Jul-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		28-Aug-08	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		30-Sep-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130		0.130	U					0.130	U
		27-Oct-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		25-Nov-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		18-Dec-08	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		21-Jan-09	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		25-Feb-09	0.130	U	0.130	U	0.130	U	NS		0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		26-Mar-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		29-Apr-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		22-Jul-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		9-Oct-09	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		15-Jan-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		21-Apr-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		16-Jul-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		15-Oct-10	0.134	U	0.134	U	0.134	U	0.134	U	0.134		0.134	U	0.134	U	0.134	U					0.134	U
		30-Nov-10	NS		0.134	U	0.134	U	NS		NS		NS		0.134	U	NS						NS	
		26-Jan-11	0.228	U	0.228	U	0.228	U	0.228	U	0.228	U	0.227	U	0.228	U	0.228	U	0.228		0.228	U	0.228	U
		26-Jan-11**	NS		0.340	U	0.340	U	NS		NS		NS		0.340	U	NS						NS	
		27-Apr-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		26-Jul-11	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U	0.134	U					0.134	U
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.067	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.130	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.100	U					0.100	U
Bromodichloromethane	0.034/0.13	20-Jun-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		1-Nov-12	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		1-Feb-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		29-Apr-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		9-Jul-13	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		18-Oct-13	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		9-Jan-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		24-Apr-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		1-Aug-14	0.130	U	0.130	U	0.130	U	0.200	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.067	U	NS						NS	
		22-Oct-14	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		20-Jan-15	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.100	U	0.067	U					0.100	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.077	U					NS	
		22-Apr-15	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.200	U	0.300	U	0.400	U	0.300	U	0.400	U	0.300	U					0.400	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.400	U	NS						NS	
		29-Oct-15	0.400	U	0.300	U	0.300	U	0.400	U	0.400	U	0.400	U	0.300	U	0.300	U					0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		20-Apr-16 [3]	0.067		0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		20-Jul-16	0.080	U	0.100	U	0.073	U	0.082	U	0.080	U	0.078	U	0.088	U	0.075	U					0.10	U
		21-Oct-16	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		31-Jan-17	0.067	U	0.067	U	0.067	U	0.067	U	0.11		0.067	U	0.067	U	0.067	U					0.067	U
		17-Apr-17 [4]	0.1	U	0.10	U	0.10	U	0.10	U	0.1	U	0.10	U	0.1	U	0.1	U					0.1	U
		26-Jul-17	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		12-Oct-17	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		10-Jan-18	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U					0.067	U
		11-Apr-18	0.067	U	0.067	U	0.067	U	0.067	U	0.067	U	0.130	U	0.067	U	0.067	U					0.67 [D]	U
		27-Jul-18	0.067	U	0.067	U	0.067	U	0.067	U	0.10	U	0.10	U	0.067	U	0.067	U					0.067	U
		24-Oct-18	0.067	U	0.067	U	0.067	U	0.067	U	0.07	U	0.07	U	0.067	U	0.067	U					0.067	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Bromoform	0.55	8-Feb-08	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		27-Mar-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		25-Apr-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.210	U					0.206	U
		29-May-08	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		27-Jun-08	0.206	U	0.210	U	0.206	U	0.206	U	0.210	U	0.210	U	1.300		0.210	U					0.206	U
		31-Jul-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		28-Aug-08	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		30-Sep-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U					0.410	U
		27-Oct-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U					0.410	U
		25-Nov-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U					0.410	U
		18-Dec-08	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U					0.410	U
		21-Jan-09	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U	0.410	U					0.410	U
		25-Feb-09	0.410	U	0.410	U	0.410	U	NS		0.410	U	0.410	U	0.410	U	0.410	U					0.410	U
		26-Mar-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		29-Apr-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		22-Jul-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		9-Oct-09	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		15-Jan-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		21-Apr-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		16-Jul-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		15-Oct-10	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		30-Nov-10	NS		0.206	U	0.206	U	NS		NS		NS		0.206	U	NS						NS	
		26-Jan-11	0.353	U	0.351	U	0.352	U	0.352	U	0.353	U	0.351	U	0.351	U	0.353	U	0.351	U	0.352	U	0.351	U
		26-Jan-11**	NS		0.540	U	0.520		NS		NS		NS		0.520	U	NS						NS	
		27-Apr-11	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U	0.206	U					0.206	U
		26-Jul-11	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U	0.207	U					0.207	U
		28-Oct-11	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U					0.210	U
		23-Jan-12	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.360	U	0.035	U	0.360	U					0.360	U
		13-Apr-12	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U					0.410	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.310	U					0.310	U
		20-Jun-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		1-Nov-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		1-Feb-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		29-Apr-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		9-Jul-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		18-Oct-13	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		9-Jan-14	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		24-Apr-14	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		1-Aug-14	0.210	U	0.210	U	0.210	U	0.310	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.210	U	NS						NS	
		22-Oct-14	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U	0.310	U					0.310	U
		20-Jan-15	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.310	U	0.210	U					0.310	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.240	U					NS	
		22-Apr-15	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		21-Jul-15	0.500	U	0.500 [A]	U	0.500	U	0.500	U	0.600	U	0.500	U	0.700	U	0.500	U					0.600	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.600	U	NS						NS	
		29-Oct-15	0.600	U	0.500	U	0.500	U	0.600	U	0.600	U	0.600	U	0.500	U	0.500	U					0.600	U
		4-Dec-15 resample	NS		0.500	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		20-Apr-16 [3]	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		20-Jul-16	0.25	U	0.32	U	0.22	U	0.25	U	0.25	U	0.24	U	0.27	U	0.23	U					0.31	U
		21-Oct-16	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		31-Jan-17	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		17-Apr-17 [4]	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U					0.31	U
		26-Jul-17	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		12-Oct-17	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		10-Jan-18	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U
		11-Apr-18	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					1.0 [D]	U
		27-Jul-18	0.21	U	0.21	U	0.21	U	0.21	U	0.31	U	0.31	U	0.21	U	0.21	U					0.21	U
		24-Oct-18	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U	0.21	U					0.21	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
2-Butanone	500.0	8-Feb-08	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		27-Mar-08	8.560		6.540		5.650		5.140		3.950		4.440		0.360		5.680						1.470	U
		25-Apr-08	2.140		1.470	U	3.170		1.470	U	1.470	U	1.470		1.470	U	1.470	U					1.470	U
		29-May-08	1.470	U	1.470	U	2.840		2.240		1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		27-Jun-08	7.850		2.520		3.810		3.890		3.050		2.420		2.840		2.340						3.080	
		31-Jul-08	2.080		1.720		3.080		1.650		2.080		2.160		1.470	U	1.490						1.470	U
		30-Sep-08	2.280		1.790		3.980		3.980		1.470	U	1.470	U	1.470	U	1.470	U					1.650	
		30-Sep-08	1.500	U	1.500	U	1.500	U	1.500	U	2.200		1.500	U	1.500	U	6.100						1.500	U
		27-Oct-08	1.900		3.200		1.500	U	3.600		1.500	U	2.000		1.500		2.300						2.800	
		25-Nov-08	2.600		1.500		1.500	U	1.900		1.500	U	1.500	U	2.900		1.500	U					1.600	
		18-Dec-08	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U					1.500	U
		21-Jan-09	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U	1.500	U					1.500	U
		25-Feb-09	1.500	U	1.500	U	0.079	U	NS		1.500	U	1.500	U	1.500	U	1.500	U					1.500	U
		26-Mar-09	2.410		1.560		1.470	U	1.470	U	1.590		1.470	U	1.470	U	1.470	U					1.470	U
		29-Apr-09	1.470	U	1.470	U	1.470	U	1.460	U	1.470	U	1.470	U	1.740	U	1.470	U					1.470	U
		22-Jul-09	1.470	U	1.470	U	4.750		1.470	U	2.070		21.900		1.740		1.480						4.360	
		9-Oct-09	1.470	U	1.470	U	1.540		1.640		1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		15-Jan-10	6.610		1.470	U	1.470	U	1.470		1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		21-Apr-10	1.850		1.470	U	2.770		1.590		1.480		1.470	U	1.470	U	1.470	U					1.470	U
		16-Jul-10	2.520		1.900		2.100		2.210		3.180		2.800		24.600		1.870						1.630	
		15-Oct-10	4.300		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					0.021	I
		30-Nov-10	NS		1.470	U	1.470	U	NS		NS		NS		1.470	U	NS						NS	
		26-Jan-11	2.720		3.190		2.510	U	2.510	U	2.520	U	2.500	U	2.640		2.710		2.500	U	2.510	U	2.500	U
		26-Jan-11**	NS		2.300		2.100		NS		NS		NS		1.600		NS						NS	
		27-Apr-11	1.470	U	1.470	U	2.220		1.470	U	1.470	U	1.470	U	1.470	U	1.470	U					1.470	U
		26-Jul-11	1.600		1.470	U	2.320		1.520		1.470	U	1.470	U	1.470	U	3.010						1.470	U
		28-Oct-11	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U					2.400	U
		23-Jan-12	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U	4.100	U					4.100	U
		13-Apr-12	3.500	U	3.500	U	3.500	U	3.500	U	3.500	U	3.600		3.500	U	3.500	U					4.700	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		3.500	U					3.500	U
		20-Jun-12	2.600		2.400	U	3.300		2.700		2.800		2.400	U	2.400	U	2.400	U					2.400	U
		1-Nov-12	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U					2.400	U
		1-Feb-13	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U					2.400	U
		29-Apr-13	5.100		3.500		3.500		3.800		4.800		3.600		4.100		3.300						4.500	
		9-Jul-13	2.800		3.000		2.800		2.400	U	3.600		2.400	U	5.400		2.900						3.200	
		9-Jul-13 RIDEM	NS		NS		NS		NS		2.525		NS		NS		NS						1.886	
		18-Oct-13	4.800		4.700		3.500		5.800		2.800		2.800		6.900		3.100						3.200	
		9-Jan-14	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	2.400	U	3.200						2.400	U
		24-Apr-14	2.400	U	2.400	U	2.500		2.400	U	4.500		2.400	U	2.400	U	2.400	U					2.400	U
		1-Aug-14	2.600		2.600		3.100		3.600		5.900		2.600		3.700		2.400	U					5.100	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		2.600		NS						NS	
		22-Oct-14	3.500	U	3.500	U	4.300		3.500	U	3.600		3.500	U	3.500	U	3.500	U					3.500	U
		20-Jan-15	5.500		2.400	U	2.700		3.600		5.700		2.400		3.900		2.400	U					3.600	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		2.700	U					NS	
		22-Apr-15	2.600		4.500		6.600 [L]		2.400	U	3.900		3.200		4.600		4.800						10.000	
		21-Jul-15	3.800		1.500 [A]		2.800		2.200		2.000		1.500		1.700		2.100						1.200	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.610		NS						NS	
		29-Oct-15	0.430		1.800		0.670		1.200		0.550		1.100		1.400		0.550						0.710	
		4-Dec-15 resample	NS		0.460		NS		NS		NS		NS		NS		NS						NS	
		27-Jan-16	3.3		2.4	U	4.3		2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U
		20-Apr-16 [3]	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U
		20-Jul-16	2.8	U	3.7	U	2.7		2.9	U	3.8		2.8		3.1	U	2.7	U					3.5	U
		21-Oct-16	2.4	U	2.7		2.4	U	2.4		2.5		3.1		2.4	U	2.4	U					5	
		31-Jan-17	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U
		17-Apr-17 [4]	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.5	U	3.500	U	3.500	U					3.5	U
		26-Jul-17	3.6		2.4	U	3.2		2.4	U	2.4	U	2.4	U	2.6		2.6						3.3	
		12-Oct-17	2.4	U	2.4	U	3.8		2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U
		10-Jan-18	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U
		11-Apr-18	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					12 [D]	U
		27-Jul-18	3.90		2.4	U	2.4	U	2.4		3.5	U	3.5	U	2.4	U	2.4	U					2.4	U
		24-Oct-18	2.40	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U	2.4	U					2.4	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
n-Butylbenzene	73.0	8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	23.300		5.500	U	5.500	U	73.000						5.500	U
		27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		25-Feb-09	5.500	U	5.500	U	6.300		NS		5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		29-Apr-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740						2.740	U
		30-Nov-10	NS		2.740	U	2.740	U	NS		NS		NS		2.740	U	NS						NS	
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.680	U	4.660	U	4.680	U	4.660	U
		26-Jan-11**	NS						NS		NS		NS				NS						NS	
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		28-Oct-11	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U					0.320	U
		23-Jan-12	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U	0.550	U					0.550	U
		13-Apr-12	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U					0.630	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.470	U					0.470	U
		20-Jun-12	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		1-Nov-12	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		1-Feb-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		29-Apr-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		9-Jul-13	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		18-Oct-13	0.320	U	0.320	U	0.320	U	0.320	U	0.410		0.320	U	0.590		0.420						0.340	
		9-Jan-14	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		24-Apr-14	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		1-Aug-14	0.320 [L]	U	0.320 [L]	U	0.320 [L]	U	0.470 [L]	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.320	U	NS						NS	
		22-Oct-14	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U	0.470	U					0.470	U
		20-Jan-15	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.470	U	0.320	U					0.470	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.360	U					NS	
		22-Apr-15	0.320	U	0.320 [A]	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U	0.320	U					0.320	U
		27-Jan-16	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		20-Apr-16 [3]	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		20-Jul-16	0.38	U	0.49	U	0.34	U	0.39	U	0.38 [W]	U	0.37	U	0.42	U	0.36	U					0.47	U
		21-Oct-16	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		31-Jan-17	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		17-Apr-17 [4]	0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	0.47	U					0.47	U
		26-Jul-17	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		12-Oct-17	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		10-Jan-18	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U
		11-Apr-18	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					1.6 [D]	U
		27-Jul-18	0.32	U	0.32	U	0.32	U	0.32	U	0.47	U	0.47	U	0.32	U	0.32	U					0.32	U
		24-Oct-18	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U					0.32	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		30-Sep-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	56.600						5.500	U
		27-Oct-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		25-Feb-09	5.500	U	5.500	U	5.500	U	NS		5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		29-Apr-09	2.740	U	2.740	U	2.460	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		22-Jul-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		30-Nov-10	NS		2.740	U	2,74	U	NS		NS		NS		2.740	U	NS						NS	
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.680	U	4.660	U	4.680	U	4.660	U
		26-Jan-11**	NS						NS		NS		NS				NS						NS	
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U
sec-Butylbenzene	73.0	13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.380	U					0.380	U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250	U	NS						NS	
		22-Oct-14	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.380	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U					0.380	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.290	U					NS	
		22-Apr-15	0.250	U	0.250 [A]	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Apr-16 [3]	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U					0.37	U
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		17-Apr-17 [4]	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U					0.38	U
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					1.3[D]	U
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.38	U	0.38	U	0.25	U	0.25	U					0.25	U
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Carbon tetrachloride	0.5	8-Feb-08	0.500		0.480		0.440		0.450		0.460		0.470		0.470		0.470						0.470	
		27-Mar-08	0.540		0.541		0.547		0.537		0.580		0.577		0.552		0.586						0.565	
		25-Apr-08	0.436		0.439		0.405		0.441		0.448		0.439		0.465		0.450						0.416	
		29-May-08	0.470		0.470		0.450		0.470		0.480		0.490		0.520		0.460						0.460	
		27-Jun-08	0.544		0.535		0.526		0.534		0.526		0.538		0.555		0.547						0.537	
		31-Jul-08	0.526		0.532		0.528		0.554		0.554		0.542		0.564		0.551						0.557	
		28-Aug-08	0.552		0.548		0.551		0.545		0.566		0.559		0.556		0.572						0.551	
		30-Sep-08	0.489		0.446		0.404		0.497		0.461		0.250	U	0.491		0.531						0.547	
		27-Oct-08	0.370		0.510		0.260		0.450		0.280		0.510		0.270		0.480						0.460	
		25-Nov-08	0.400		0.400		0.400		0.440		0.420		0.350		0.370		0.470						0.470	
		18-Dec-08	0.350		0.330		0.440		0.410		0.420		0.350		0.340		0.310						0.520	
		21-Jan-09	0.490		0.460		0.570		0.460		0.500		0.490		0.570		0.540						0.620	
		25-Feb-09	0.360		0.190		0.380		NS		4.000		0.400		0.410		0.400						0.440	
		26-Mar-09	0.568		0.592		0.542		0.561		0.584		0.561		0.566		0.542						0.604	
		29-Apr-09	0.534		0.522		0.597		0.534		0.528		0.622		0.578		0.559						0.515	
		22-Jul-09	0.597		0.591		0.585		0.597		0.585		0.585		0.578		0.585						0.591	
		9-Oct-09	0.503		0.566		0.471		0.497		0.471		0.497		0.478		0.484						0.478	
		15-Jan-10	0.585		0.603		0.578		0.597		0.585		0.610		0.616		0.610						0.635	
		21-Apr-10	0.490		0.547		0.559		0.484		0.126	U	0.459		0.530		0.490						0.484	
		16-Jul-10	0.497		0.503		0.484		0.528		0.465		0.547		0.484		0.484						0.541	
		15-Oct-10	0.459		0.427		0.509		0.434		0.440		0.408		0.453		0.446						0.503	
		30-Nov-10	NS		0.478		0.559		NS		NS		NS		0.484		NS						NS	
		26-Jan-11	0.558		0.502		0.504		0.567		0.472		0.566		0.481		0.558		0.481		0.557		0.481	
		26-Jan-11**	NS		0.540		0.500		NS		NS		NS		0.500		NS						NS	
		27-Apr-11	0.371		0.358		0.364		0.408		0.352		0.364		0.358		0.358						0.434	
		26-Jul-11	0.409		0.442		0.409		0.428		0.402		0.421		0.402		0.421						0.459	
		28-Oct-11	0.410		0.380		0.430		0.430		0.420		0.410		0.430		0.430						0.440	
		23-Jan-12	0.490		0.490		0.480		0.480		0.470		0.460		0.490		0.460						0.480	
		13-Apr-12	0.480		0.490		0.420		0.460		0.450		0.460		0.470		0.460						0.300	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.390						0.400	
		20-Jun-12	0.560		0.610		0.520		0.530		0.590		0.500		0.550		0.570						0.490	
		1-Nov-12	0.510		0.520		0.480		0.400		0.480		0.490		0.520		0.490						0.530	
		1-Feb-13	0.520		0.510		0.520		0.510		0.550		0.510		0.520		0.510						0.540	
		29-Apr-13	0.540		0.530		0.530		0.510		0.490		0.470		0.490		0.480						0.500	
		9-Jul-13	0.430		0.440		0.430		0.370		0.440		0.450		0.440		0.430						0.440	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.516		NS		NS		NS						0.500	
		18-Oct-13	0.450		0.450		0.450		0.440		0.420		0.420		0.440		0.440						0.440	
		9-Jan-14	0.400		0.430		0.450		0.450		0.400		0.450		0.430		0.430						0.480	
		24-Apr-14	0.430		0.270		0.410		0.430		0.400		0.440		0.350		0.500						0.430	
		1-Aug-14	0.570		0.700		0.510		0.460		0.410		0.410		0.440		0.430						0.420	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.470		NS						NS	
		22-Oct-14	0.430		0.410		0.430		0.370		0.460		0.460		0.420		0.440						0.410	
		20-Jan-15	0.480		0.480		0.330		0.480		0.460		0.450		0.450		0.490						0.520	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.400						NS	
		22-Apr-15	0.320		0.350		0.320		0.330		0.340		0.330		0.360		0.290						0.320	
		21-Jul-15	0.270 [J]		0.280 [J, A]		0.300 [J]		0.250 [J]		0.260 [J]		0.260 [J]		0.260 [J]		0.250 [J]						0.300 [J]	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.290 [J]		NS						NS	
		29-Oct-15	0.310 [J]		0.300 [J]		0.320 [J]		0.310 [J]		0.290 [J]		0.300 [J]		0.310 [J]		0.310						0.330 [J]	
		4-Dec-15 resample	NS		0.28 [J]		NS		NS		NS		NS		NS		NS						NS	
		27-Jan-16	0.59		0.58		0.61		0.56		0.58		0.58		0.59		0.49						0.58	
		20-Apr-16 [3]	0.95		0.65		0.71		0.65		0.64		0.67		0.65		0.66						0.58	
		20-Jul-16	0.47		0.48		0.41		0.46		0.38		0.42		0.43		0.45						0.44	
		21-Oct-16	0.49		0.49		0.54		0.43		0.48		0.47		0.46		0.46						0.47	
		31-Jan-17	0.43		0.42		0.43		0.4		0.4		0.43		0.36		0.4						0.44	
		17-Apr-17 [4]	0.45		0.45		0.43		0.44		0.45		0.51		0.45		0.48						0.45	
		26-Jul-17	0.4		0.38		0.38		0.37		0.39		0.38		0.39		0.37						0.39	
		12-Oct-17	0.39		0.39		0.41		0.38		0.31		0.37		0.32		0.35						0.43	
		10-Jan-18	0.39		0.35		0.36		0.37		0.35		0.37		0.36		0.35						0.36	
		11-Apr-18	0.50		0.48		0.47		0.49		0.45		0.52		0.47		0.41						0.48	
		27-Jul-18	0.43		0.50		0.43		0.46		0.48		0.47		0.44		0.45						0.42	
		24-Oct-18	0.47		0.46		0.49		0.46		0.48		0.47		0.48		0.47						0.46	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Chlorobenzene	37.0	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Jun-08	0.092	U	0.090	U	0.090	U	0.092	U	0.090	U	0.090	U	0.314		0.092	U					0.092	U
		31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		30-Sep-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U
		27-Oct-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U
		25-Nov-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U
		18-Dec-08	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U
		21-Jan-09	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U	2.300	U					2.300	U
		25-Feb-09	2.300	U	2.300	U	2.300	U	NS		2.300	U	2.300	U	2.300	U	2.300	U					2.300	U
		26-Mar-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		29-Apr-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		22-Jul-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		9-Oct-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		15-Jan-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		21-Apr-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		16-Jul-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		15-Oct-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		30-Nov-10	NS		0.092	U	0.092	U	NS		NS		NS		0.092	U	NS						NS	
		26-Jan-11	0.157	U	0.156	U	0.157	U	0.157	U	0.157	U	0.156	U	0.156	U	0.157	U	0.156	U	0.157	U	0.156	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS						NS	
		27-Apr-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		26-Jul-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		28-Oct-11	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.046	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U					0.160	U
		13-Apr-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.180	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.140	U					0.140	U
		20-Jun-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		1-Nov-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		1-Feb-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		29-Apr-13	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		9-Jul-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.009	J	NS		NS		NS						0.002	J
		18-Oct-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		9-Jan-14	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		24-Apr-14	0.046	U	0.046	U	0.046	U	0.046	U	0.092	U	0.046	U	0.046	U	0.092	U					0.046	U
		1-Aug-14	0.092	U	0.092	U	0.092	U	0.140	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.092	U	NS						NS	
		22-Oct-14	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		20-Jan-15	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.140	U	0.092	U					0.140	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.110	U					NS	
		22-Apr-15	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		20-Apr-16 [3]	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		20-Jul-16	0.11	U	0.14	U	0.10	U	0.11	U	0.11	U	0.11	U	0.12	U	0.10	U					0.14	U
		21-Oct-16	0.092	U	0.092	U	0.09	U	0.092	U	0.092	U	0.092	U	0.092	U	0.09	U					0.092	U
		31-Jan-17	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		17-Apr-17 [4]	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U					0.14	U
		26-Jul-17	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		12-Oct-17	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		10-Jan-18	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		11-Apr-18	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.46 [D]	U
		27-Jul-18	0.092	U	0.092	U	0.092	U	0.092	U	0.14	U	0.14	U	0.092	U	0.092	U					0.092	U
		24-Oct-18	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U					0.050	U
		27-Mar-08	0.062		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		25-Apr-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053		0.053	U	0.053	U	0.053	U					0.053	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U					0.050	U
		27-Jun-08	0.053	U	0.050	U	0.053	U	0.053	U	0.050	U	0.050	U	0.050	U	0.050	U					0.053	U
		31-Jul-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		28-Aug-08	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		30-Sep-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		27-Oct-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		25-Nov-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		18-Dec-08	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		21-Jan-09	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		25-Feb-09	1.300	U	1.300	U	1.300	U	NS		1.300	U	1.300	U	1.300	U	1.300	U					1.300	U
		26-Mar-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		29-Apr-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		22-Jul-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		9-Oct-09	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		15-Jan-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		21-Apr-10	0.053	U	0.053	U	0.053		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		16-Jul-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		15-Oct-10	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		30-Nov-10	NS		0.053	U	0.053	U	NS		NS		NS		0.053	U	NS						NS	
		26-Jan-11	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U
		26-Jan-11**	NS		0.130	U	0.130	U	NS		NS		NS		0.130	U	NS						NS	
		27-Apr-11	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		26-Jul-11	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		28-Oct-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.053	U
		23-Jan-12	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U	0.093	U					0.093	U
		13-Apr-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.110	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.079	U					0.079	U
Chloroethane	500.0	20-Jun-12	0.072		0.150		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		1-Nov-12	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.061		0.053	U	0.053	U					0.053	U
		1-Feb-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		29-Apr-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		9-Jul-13	0.053	U	0.053	U	0.053	U	0.053	U	0.092		0.053	U	0.053	U	0.053	U					0.053	U
		18-Oct-13	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		9-Jan-14	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.053	U	0.026	U	0.026	U	0.053	U					0.026	U
		1-Aug-14	0.053	U	0.053	U	0.053	U	0.079	U	0.053		0.062		0.059		0.053	U					0.053	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.053	U	NS						NS	
		22-Oct-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.095	
		20-Jan-15	0.053 [L]	U	0.053 [L]	U	0.053 [L]	U	0.060 [L]		0.053 [L]	U	0.053 [L]	U	0.079 [L]	U	0.053 [L]	U					0.079 [L]	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.061	U					NS	
		22-Apr-15	0.053	U	0.053	U	0.110 [V]		0.053	U	0.053	U	0.053	U	0.053	U	0.061						0.053	U
		21-Jul-15	0.100	U	0.100 [A]	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U					0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.100	U	0.100	U	0.200	U	0.100	U	0.100	U	0.100	U	0.100	U					0.200	U
		4-Dec-15 resample	NS		0.100	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		20-Apr-16 [3]	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		20-Jul-16	0.063 [V,L]	U	0.082 [V,L]	U	0.057 [V,L]	U	0.065 [V,L]	U	0.063 [V,L]	U	0.062 [V,L]	U	0.070 [V,L]	U	0.059 [V,L]	U					0.079 [V,L]	U
		21-Oct-16	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		31-Jan-17	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		17-Apr-17 [4]	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		26-Jul-17	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		12-Oct-17	0.053	U	0.053	U	0.27		0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		10-Jan-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U
		11-Apr-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.26 [D]	U
		27-Jul-18	0.053	U	0.053	U	0.053	U	0.053	U	0.079	U	0.079	U	0.053	U	0.053	U					0.053	U
		24-Oct-18	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U	0.053	U					0.053	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Chloroform	0.5	8-Feb-08	0.110		0.110		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Mar-08	0.840		0.690		0.593		0.523		0.410		0.337		0.605		0.503						0.098	U
		25-Apr-08	0.186		0.210		0.193		0.122		0.125		0.134		0.110		0.130						0.098	U
		29-May-08	0.110		0.110		0.100		0.110		0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Jun-08	0.238		0.257		0.202		0.207		0.196		0.200		0.245		0.223						0.167	
		31-Jul-08	0.230		0.151		0.136		0.194		0.204		0.227		0.098	U	0.106						0.098	U
		28-Aug-08	0.342		0.373		0.298		0.312		0.269		0.602		0.269		0.271						0.295	
		30-Sep-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U					0.490	U
		27-Oct-08	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U	0.490	U					0.490	U
		25-Nov-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		18-Dec-08	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		21-Jan-09	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		25-Feb-09	0.240	U	0.240	U	0.240	U	NS		0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		26-Mar-09	0.236		0.142		0.110		0.115		0.133		0.119		0.098	U	0.109						0.108	
		29-Apr-09	0.190		0.122		0.098	U	0.102		0.102		0.098	U	0.146		0.098	U					0.098	U
		22-Jul-09	0.229		0.151		0.166		0.141		0.205		0.180		0.146		0.171						0.439	
		9-Oct-09	0.576		0.098	U	0.283		0.302		0.283		0.307		0.322		0.302						0.171	
		15-Jan-10	0.527		0.473		0.122		0.132		0.112		0.117		0.117		0.180						1.070	
		21-Apr-10	0.156		0.790		0.205		0.771		0.136		0.141		1.460		0.224						0.098	U
		16-Jul-10	0.317		0.249		0.141		0.161		0.190		0.141		0.258		0.156						0.132	
		15-Oct-10	0.263		0.195		0.098	U	0.102		0.098	U	0.098	U	0.107		0.098	U					0.098	
		30-Nov-10	NS		0.234		0.112		NS		NS		NS		0.098	U	NS						NS	
		26-Jan-11	0.350		0.340		0.166	U	0.241		0.166	U	0.182		0.166	U	0.166		0.166	U	0.166		0.166	U
		26-Jan-11**	NS		0.380		0.240	U	NS		NS		NS		0.240	U	NS						NS	
		27-Apr-11	0.098	U	0.220		0.098	U	0.141		0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		26-Jul-11	0.230		0.249		0.166		0.986		0.166		0.127		0.244		0.156						0.146	
		28-Oct-11	0.120		0.110		0.085		0.097		0.079		0.082		0.082		0.082						0.049	U
		23-Jan-12	0.170	U	0.240		0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		13-Apr-12	0.270		0.420		0.140		0.270		0.130		0.130		0.130		0.280						0.098	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.100						0.094	
		20-Jun-12	0.210		0.520		0.140		0.220		0.180		0.140		0.140		0.580						0.110	
		1-Nov-12	0.098		0.140		0.082		0.100		0.088		0.110		0.110		0.100						0.072	
		1-Feb-13	0.390		0.240		0.088		0.120		0.088		0.092		0.092		0.088						0.098	
		29-Apr-13	0.180		0.140		0.140		0.160		0.140		0.120		0.140		0.140						0.082	
		9-Jul-13	0.260		0.240		0.170		0.300		0.310		0.200		0.200		0.200						0.200	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.217		NS		NS		NS						0.175	
		18-Oct-13	0.098	U	0.300		0.098	U	0.130		0.098	U	0.110		0.110		0.120						0.098	U
		9-Jan-14	0.120		0.140		0.098	U	0.120		0.098	U	0.120		0.120		0.140						0.140	
		24-Apr-14	0.670		0.160		0.310		0.120		0.098	U	0.120		0.049	U	0.120						0.049	U
		1-Aug-14	3.400		5.100		1.400		1.200		0.450		0.330		0.870		0.410						6.000	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.110		NS						NS	
		22-Oct-14	0.073	U	0.073	U	0.073	U	0.190		0.073	U	0.150		0.073	U	0.073	U					0.160	
		20-Jan-15	0.120		0.120		0.049	U	0.100		0.110		0.130		0.073	U	0.140						0.073	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.088						NS	
		22-Apr-15	0.170		0.220		0.270 [V]		0.220		0.190		0.120		0.180		0.200						0.049	U
		21-Jul-15	0.250		0.200 [J, A]		0.170 [J]	U	0.260		0.210 [J]		0.270		11.000		0.170 [J]						0.160 [J]	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.370		0.300	U	0.300	U	0.300	U	0.220 [J]		0.590		0.200	U					0.300	U
		4-Dec-15 resample	NS		0.520		NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.16		0.13		0.11		0.11		0.10		0.16		0.12		0.11						0.19	
		20-Apr-16 [J]	3.8		0.086		0.049	U	0.12		0.11		0.09		0.049	U	0.094						0.086	
		20-Jul-16	0.96		0.63		0.07		0.25		0.20		0.31		0.20		0.20						0.079	
		21-Oct-16	1.5		0.58		0.11		0.19		0.13		0.13		0.09		0.13						0.18	
		31-Jan-17	0.5		0.28		0.092		0.15		0.11		2.7		0.1		0.1						0.11	
		17-Apr-17 [4]	0.83		0.12		0.11		0.1		0.11		0.15		0.2		0.073	U					0.11	
		26-Jul-17	0.42		0.29		0.13		0.44		0.22		0.45		0.25		0.26						0.092	
		12-Oct-17	0.12		0.28		0.15		0.17		0.13		0.15		0.18		0.2						0.11	
		10-Jan-18	0.79		0.35		0.13		0.16		0.13		0.31		0.17		0.15						0.049	U
		11-Apr-18	0.92		0.31		0.13		0.18		0.13		0.18		0.12		0.13						0.49[D]	U
		27-Jul-18	0.12		0.8		0.12		0.49		0.2		0.23		0.19		0.18						0.13	
		24-Oct-18	0.47		0.12		0.049	U	0.19		0.11		0.41		0.049	U	0.049	U					0.049	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Chloromethane	14.0	8-Feb-08	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.460		2.440	U	2.440	U					2.440	U
		27-Mar-08	2.830		3.070		2.680		2.440	U	2.830		2.440	U	2.480		2.440	U					2.440	U
		25-Apr-08	2.820		2.440	U	2.440	U	2.440	U	2.440	U	3.000		2.440	U	3.140						2.440	U
		29-May-08	2.790		3.000		7.100		11.000		2.940		6.280		6.420		2.770						2.440	U
		27-Jun-08	2.650		2.440	U	2.440	U	2.830		3.260		2.620		2.440	U	2.500						2.440	U
		31-Jul-08	3.580		3.880		3.330		4.370		3.440		3.740		2.440	U	2.440	U					2.440	U
		28-Aug-08	2.440		3.140		5.310		6.880		3.150		2.440	U	2.540		2.540						2.440	U
		30-Sep-08	1.400		1.300		1.100		1.400		1.000	U	1.700		1.600		1.000	U					1.200	
		27-Oct-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.200		1.000		1.000	U					1.000	U
		25-Nov-08	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U	1.000	U					1.000	U
		18-Dec-08	1.000	U	1.000	U	1.000	U	1.400		1.000	U	1.000	U	1.000	U	1.300						1.000	U
		21-Jan-09	1.000	U	1.000	U	1.000	U	1.500		1.000		1.000	U	1.400		1.100						1.200	
		25-Feb-09	1.000	U	1.000	U	1.000	U	NS		1.000		1.000	U	1.000	U	1.100						1.000	U
		26-Mar-09	2.490		2.680		2.550		2.920		2.910		2.440	U	2.440	U	2.440	U					2.440	U
		29-Apr-09	2.710		2.910		3.600		3.730		3.130		2.660		3.390		2.960						2.510	
		22-Jul-09	2.670		2.520		2.660		2.540		2.440	U	2.780		3.390		3.320						2.440	U
		9-Oct-09	3.450		2.740		2.440	U	2.440	U	2.440	U	2.440	U	2.440	U	2.440	U					2.440	U
		15-Jan-10	3.850		3.690		2.820		3.180		3.240		3.630		3.120		3.750						2.600	
		21-Apr-10	2.550		2.440	U	2.440	U	2.440	U	2.440	U	2.400	U	2.520		2.440	U					2.460	
		16-Jul-10	1.510		1.660		1.050		1.090		1.680		1.110		1.300		1.100						1.510	
		15-Oct-10	1.080		1.080		1.030	U	1.050		1.030	U	1.030	U	1.030	U	1.030	U					1.030	U
		30-Nov-10	NS		1.030	U	1.030	U	NS		NS		NS		1.030	U	NS						NS	
		26-Jan-11	1.760	U	1.750	U	1.760	U	1.760	U	1.760	U	1.750	U	1.750	U	1.760	U	1.750	U	1.760	U	1.750	U
		26-Jan-11**	NS		1.100		1.000		NS		NS		NS		1.000		NS						NS	
		27-Apr-11	1.050		1.660		1.400		2.160		1.440		1.510		1.740		1.460						1.270	
		26-Jul-11	1.160		1.600		1.030	U	1.120		1.030	U	1.030	U	1.030	U	1.030	U					1.030	
		28-Oct-11	1.400		1.000		1.300		1.500		1.300		0.960		1.000		1.100						1.300	
		23-Jan-12	1.300		1.100		1.100		1.200		1.400		1.900		1.400		1.500						1.100	
		13-Apr-12	1.300		1.400		1.400		1.500		1.100		1.000		1.000		1.200						0.840	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.500						1.100	
		20-Jun-12	1.700		0.041	U	0.041	U	0.041	U	0.041	U	0.041	U	1.500		0.041	U					1.300	
		1-Nov-12	1.100		1.100		0.910		1.200		1.000		1.200		1.100		1.100						0.990	
		1-Feb-13	1.200		1.300		1.200		1.200		1.200		1.400		1.300		1.100						1.100	
		29-Apr-13	1.300		1.300		1.300		1.200		1.800		1.100		1.300		1.300						1.100	
		9-Jul-13	1.100		1.100		0.900		1.100		2.200		1.000		0.980		1.100						1.000	
		9-Jul-13 RIDEM	NS		NS		NS		NS		1.142		NS		NS		NS						1.164	
		18-Oct-13	0.880		1.100		1.200		1.100		1.200		1.200		1.300		1.300						1.100	
		9-Jan-14	0.900		0.950		1.000		1.100		1.000		1.100		1.100		1.200						1.100	
		24-Apr-14	1.100		1.300		1.100		1.100		1.100		1.400		1.400		1.600						0.940	
		1-Aug-14	0.083	U	0.083	U	0.083	U	0.120	U	0.083	U	0.083	U	0.083	U	0.083	U					0.083	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		1.100 [L,V]		NS						NS	
		22-Oct-14	0.780 [L]		0.810 [L]		1.100 [L]		0.880 [L]		1.000 [L]		1.300 [L]		1.300 [L]		1.200 [L]						0.890 [L]	
		20-Jan-15	0.820 [L]		0.970 [L]		0.072 [L]		0.081 [L]		0.089 [L]		1.100 [L]		1.000 [L]		0.083 [L]	U					0.820 [L]	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.095	U					NS	
		22-Apr-15	1.200		1.300		4.600 [V]		1.400		1.400		1.200		2.700		3.400						1.100	
		21-Jul-15	1.200		1.200 [A]		1.200		1.200		1.500		1.500		0.970		1.200						0.770	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.100	U	NS						NS	
		29-Oct-15	1.100		1.400		1.200		1.300		1.200		1.700		1.700		1.200						1.100	
		4-Dec-15 resample	NS		1.000		NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	1.2		1.2		1		1.2		1.3		2.4		1.5		1.6						1.3	
		20-Apr-16 [3]	1.4		1.1		1.1		1.1		1.4		1.2		1.2		1.2						1.6	
		20-Jul-16	0.94		0.99		0.71		0.93		1.2		1.3		1.4		1.2						0.78	
		21-Oct-16	1.1		1		0.9		1.1		1.1		1.1		1		1.3						0.93	
		31-Jan-17	1.2		1.2		1.1		1.2		1.2		1.3		1.3		1.4						1.1	
		17-Apr-17 [4]	1.2		1.3		1.3		1.3		1.3		1.4		1.4		1.3						1.2	
		26-Jul-17	0.86		0.78		0.083	U	0.81		0.96		0.93		0.95		0.98						0.87	
		12-Oct-17	0.94		1		1.5		1.1		1.1		1.3		1.2		1.1						1.1	
		10-Jan-18	1.10		1.10		0.99		1.10		1.20		1.30		1.20		1.30						0.98	
		11-Apr-18	1.60		1.50		1.30		1.30		1.50		1.80		1.50		1.70						1.3	
		27-Jul-18	1.4		1.2		1		1.3		1.4		1.3		1.6		1.9						1.1	
		24-Oct-18	0.99		1		0.94		1.1		1.1		1.4		1.1		1.1						0.95	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Dibromochloromethane	None	8-Feb-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Mar-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		25-Apr-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		29-May-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Jun-08	0.100	U	0.100	U	0.100	U	0.100	U	0.096	U	0.100	U	0.308		0.100	U					0.096	U
		31-Jul-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		28-Aug-08	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		30-Sep-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		27-Oct-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		25-Nov-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		18-Dec-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		21-Jan-09	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		25-Feb-09	4.200	U	4.200	U	4.200	U	NS		4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		26-Mar-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		29-Apr-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		22-Jul-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		9-Oct-09	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		15-Jan-10	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		21-Apr-10	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U	0.096	U					0.096	U
		16-Jul-10	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		15-Oct-10	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		30-Nov-10	NS		0.170	U	0.170	U	NS		NS		NS		0.170	U	NS						NS	
		26-Jan-11	0.291	U	0.289	U	0.290	U	0.290	U	0.291	U	0.289	U	0.289	U	0.291	U	0.289	U	0.290	U	0.289	U
		26-Jan-11**	NS		0.430	U	0.430	U	NS		NS		NS		0.430	U	NS						NS	
		27-Apr-11	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		26-Jul-11	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		28-Oct-11	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U					0.170	U
		23-Jan-12	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					0.300	U
		13-Apr-12	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U	0.260	U					0.340	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U					0.130	U
		20-Jun-12	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		1-Nov-12	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		1-Feb-13	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		29-Apr-13	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		9-Jul-13	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		18-Oct-13	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		9-Jan-14	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		24-Apr-14	0.085	U	0.085	U	0.085	U	0.085	U	0.170	U	0.085	U	0.085	U	0.170	U					0.085	U
		1-Aug-14	0.170	U	0.170	U	0.170	U	0.260	U	0.170	U	0.170	U	0.170	U	0.170	U					0.170	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.085	U	NS						NS	
		22-Oct-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		20-Jan-15	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.130	U	0.085	U					0.130	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.098	U					NS	
		22-Apr-15	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		21-Jul-15	0.400	U	0.400 [A]	U	0.400	U	0.400	U	0.500	U	0.400	U	0.500	U	0.400	U					0.500	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.500	U	NS						NS	
		29-Oct-15	0.500	U	0.400	U	0.400	U	0.500	U	0.500	U	0.500	U	0.400	U	0.400	U					0.500	U
		4-Dec-15 resample	NS		0.400	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		20-Apr-16 [3]	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		20-Jul-16	0.10	U	0.13	U	0.092	U	0.10	U	0.10	U	0.10	U	0.11	U	0.096	U					0.13	U
		21-Oct-16	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		31-Jan-17	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		17-Apr-17 [4]	0.13 [V]	U	0.13 [V]	U	0.13 [V]	U	0.13 [V]	U	0.13 [V]	U	0.13 [V]	U	0.13 [V]	U	0.13 [V]	U					0.13 [V]	U
		26-Jul-17	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		12-Oct-17	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		10-Jan-18	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		11-Apr-18	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.170	U	0.085	U	0.085	U					0.85 [D]	U
		27-Jul-18	0.085	U	0.085	U	0.085	U	0.085	U	0.13	U	0.13	U	0.085	U	0.085	U					0.085	U
		24-Oct-18	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		27-Mar-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		25-Apr-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		29-May-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		27-Jun-08	0.150	U	0.150	U	0.154	U	0.154	U	0.150	U	0.150	U	0.629		0.154	U					0.150	U
		31-Jul-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		28-Aug-08	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		27-Oct-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		27-Oct-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		25-Nov-08	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	u
		18-Dec-08	0.150	U	0.150	U	0.280		0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		21-Jan-09	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		25-Feb-09	0.150	U	0.150	U	0.150	U	NS		0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		26-Mar-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		29-Apr-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		22-Jul-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		9-Oct-09	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		15-Jan-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		21-Apr-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		16-Jul-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		15-Oct-10	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		30-Nov-10	NS		0.154	U	0.154	U	NS		NS		NS		0.154	U	NS						NS	
		26-Jan-11	0.262	U	0.261	U	0.262	U	0.261	U	0.262	U	0.261	U	0.261	U	0.262	U	0.261	U	0.262	U	0.261	U
		26-Jan-11**	NS		0.380	U	0.380	U	NS		NS		NS		0.380	U	NS						NS	
		27-Apr-11	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		26-Jul-11	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U	0.154	U					0.154	U
		28-Oct-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.077	U
		23-Jan-12	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U	0.270	U					0.270	U
		13-Apr-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.150	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.120	U					0.120	U
,2-Dibromoethane (EDB	0.0028/0.15	20-Jun-12	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		1-Nov-12	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		1-Feb-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		29-Apr-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		9-Jul-13	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		18-Oct-13	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		9-Jan-14	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.170	U	0.150	U					0.150	U
		24-Apr-14	0.077	U	0.077	U	0.077	U	0.077	U	0.150	U	0.077	U	0.077	U	0.150	U					0.077	U
		1-Aug-14	0.150	U	0.150	U	0.150	U	0.230	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	u
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.077	U	NS						NS	
		22-Oct-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		20-Jan-15	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.120	U	0.077	U					0.120	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.088	U					NS	
		22-Apr-15	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		21-Jul-15	0.400	U	0.400 [A]	U	0.400	U	0.400	U	0.400	U	0.400	U	0.500	U	0.400	U					0.400	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.400	U	NS						NS	
		29-Oct-15	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U					0.500	U
		4-Dec-15 resample	NS		0.400	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		20-Apr-16 [3]	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		20-Jul-16	0.092	U	0.12	U	0.083	U	0.094	U	0.092	U	0.09	U	0.10	U	0.086	U					0.11	U
		21-Oct-16	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		31-Jan-17	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		17-Apr-17 [4]	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		26-Jul-17	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		12-Oct-17	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		10-Jan-18	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U
		11-Apr-18	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.150	U	0.077	U	0.077	U					0.77 [D]	U
		27-Jul-18	0.077	U	0.077	U	0.077	U	0.077	U	0.12	U	0.12	U	0.077	U	0.077	U					0.077	U
		24-Oct-18	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U	0.077	U					0.077	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Mar-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		25-Apr-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-May-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Jun-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.822		0.120	U					0.120	U
		31-Jul-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		28-Aug-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Nov-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Feb-09	3.000	U	3.000	U	3.000	U	NS		3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		26-Mar-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-Apr-09	0.120	U	0.120	U	0.100	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		22-Jul-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Oct-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		15-Jan-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		21-Apr-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		16-Jul-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		15-Oct-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		30-Nov-10	NS		0.120	U	0.120	U	NS		NS		NS		0.120	U	NS						NS	
		26-Jan-11	0.205	U	0.204	U	0.205	U	0.205	U	0.205	U	0.204	U	0.204	U	0.205	U	0.204	U	0.205	U	0.204	U
		26-Jan-11**	NS		0.300	U	0.300	U	NS		NS		NS		0.300	U	NS						NS	
		27-Apr-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		26-Jul-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		28-Oct-11	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.120	U
		23-Jan-12	0.220		0.210	U	0.400		0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		13-Apr-12	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.240	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.180	U					0.180	U
1,2-Dichlorobenzene	73.0	20-Jun-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Nov-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Feb-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-Apr-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jul-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		18-Oct-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jan-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		24-Apr-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Aug-14	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.120	U	NS						NS	
		22-Oct-14	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		20-Jan-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U					0.180	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140	U					NS	
		22-Apr-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.440						0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		20-Apr-16 [3]	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		20-Jul-16	0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.14	U	0.16	U	0.14	U					0.18	U
		21-Oct-16	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		31-Jan-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		17-Apr-17 [4]	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U					0.18	U
		26-Jul-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		12-Oct-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		10-Jan-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		11-Apr-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.6[D]	U
		27-Jul-18	0.12	U	0.12	U	0.12	U	0.12	U	0.18	U	0.18	U	0.12	U	0.12	U					0.12	U
		24-Oct-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Mar-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		25-Apr-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-May-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Jun-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.802		0.120	U					0.120	U
		31-Jul-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		28-Aug-08	0.120	U	0.120	U	0.120	U	0.102	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Nov-08	3.000	U	3.000	U	3.000	U	2.500	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Feb-09	3.000	U	3.000	U	3.000	U	NS		3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		26-Mar-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-Apr-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		22-Jul-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Oct-09	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		15-Jan-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		21-Apr-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		16-Jul-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		15-Oct-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120		0.120	U	0.120	U	0.120	U					0.120	U
		30-Nov-10	NS		0.120	U	0.120	U	NS		NS		NS		0.120	U	NS						NS	
		26-Jan-11	0.205	U	0.204	U	0.205	U	0.205	U	0.205	U	0.204	U	0.204	U	0.205	U	0.204	U	0.205	U	0.204	U
		26-Jan-11**	NS		0.300	U	0.300	U	NS		NS		NS		0.300	U	NS						NS	
		27-Apr-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		26-Jul-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		28-Oct-11	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.120	U
		23-Jan-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		13-Apr-12	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.240	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.180	U					0.180	U
1,3-Dichlorobenzene	73.0	20-Jun-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Nov-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Feb-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-Apr-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jul-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		18-Oct-13	0.130		0.120	U	0.120	U	0.120	U	0.150		0.120	U	0.270		0.120						2.400	
		9-Jan-14	0.140		0.310		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		24-Apr-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Aug-14	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.120	U	NS						NS	
		22-Oct-14	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		20-Jan-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U					0.180	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140	U					NS	
		22-Apr-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		20-Apr-16 [3]	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		20-Jul-16	0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.14	U	0.24		0.18						0.18	U
		21-Oct-16	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		31-Jan-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		17-Apr-17 [4]	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U					0.18	U
		26-Jul-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		12-Oct-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		10-Jan-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		11-Apr-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.6[D]	U
		27-Jul-18	0.12	U	0.12	U	0.12	U	0.12	U	0.18	U	0.18	U	0.12	U	0.12	U					0.12	U
		24-Oct-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Mar-08	0.292		0.272		0.206		0.596		0.728		0.793		0.228		0.237						0.120	U
		25-Apr-08	0.415		0.287		0.126		0.247		0.261		0.245		0.205		0.220						0.222	
		29-May-08	0.230		0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		27-Jun-08	0.506		0.176		0.391		0.315		0.130		0.273		1.340		0.582						0.132	
		31-Jul-08	0.309		0.524		0.254		0.323		0.458		0.669		0.272		0.320						0.259	
		28-Aug-08	0.198		0.252		0.216		0.262		0.205		0.211		0.202		0.222						0.213	
		30-Sep-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		27-Oct-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Nov-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		18-Dec-08	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		21-Jan-09	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U	3.000	U					3.000	U
		25-Feb-09	3.000	U	3.000	U	3.000	U	NS		3.000	U	3.000	U	3.000		3.000	U					3.000	U
		26-Mar-09	0.149		0.129		0.120	U	0.120	U	0.193		0.146		0.204		0.150						0.120	U
		29-Apr-09	0.246		0.144		0.180		1.740		0.210		0.168		0.144		0.168						0.366	
		22-Jul-09	0.198		0.120	U	0.553		0.120	U	0.174		0.204		0.144		0.270						0.444	
		9-Oct-09	0.360		0.402		0.336		0.360		0.354		0.487		0.324		0.366						0.186	
		15-Jan-10	0.156		0.186		0.120	U	0.432		0.150		0.198		0.144		0.120	U					0.138	
		21-Apr-10	0.120	U	0.180		0.120	U	0.156		0.150		0.156		0.126		0.126						1.200	U
		16-Jul-10	1.580		0.493		0.637		0.306		0.499		0.655		11.400		0.553						0.384	
		15-Oct-10	0.120	U	0.120	U	0.120	U	0.120	U	0.120		0.120	U	0.120	U	0.120	U					0.120	U
		30-Nov-10	NS		0.282		0.318		NS		NS		NS		0.120	U	NS						NS	
		26-Jan-11	0.205	U	0.470		0.205	U	0.205	U	0.205	U	0.316		0.204	U	0.205	U	0.204	U	0.205	U	0.204	U
		26-Jan-11**	NS		0.740		0.300	U	NS		NS		NS		0.300	U	NS						NS	
		27-Apr-11	0.120	U	0.174		0.120	U	0.222		0.120		0.120	U	0.120	U	0.120	U					0.120	U
		26-Jul-11	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		28-Oct-11	0.190		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.120	U
		23-Jan-12	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U	0.210	U					0.210	U
		13-Apr-12	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.240	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.180	U					0.180	U
		20-Jun-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
1,4-Dichlorobenzene	24.0	1-Nov-12	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Feb-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		29-Apr-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jul-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.038	J	NS		NS		NS						0.030	J
		18-Oct-13	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		9-Jan-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		24-Apr-14	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		1-Aug-14	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.120	U	NS						NS	
		22-Oct-14	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		20-Jan-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.180	U	0.120	U					0.180	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140	U					NS	
		22-Apr-15	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U	0.120	U					0.120	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.300	U	0.170 [J]		0.300	U	0.300	U	0.210 [J]		0.300	U	0.300	U					0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.12	U	0.13		0.12	U	0.14		0.12	U	0.61		0.12	U	10						0.12	U
		20-Apr-16 [3]	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		20-Jul-16	0.14	U	0.19	U	0.13	U	0.15	U	0.14	U	0.14	U	0.24		0.17						0.18	U
		21-Oct-16	0.12	U	0.14		0.12	U	0.16		0.12	U	0.13		0.14		0.12	U					0.12	
		31-Jan-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U					0.12	U
		17-Apr-17 [4]	0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	1.1		0.18	U	0.18	U					0.18	U
		26-Jul-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	2.4		0.12	U	0.12	U					0.12	U
		12-Oct-17	0.12	U	0.12	U	0.12	U	0.12	U	0.12		0.36		0.12	U	0.12	U					0.12	U
		10-Jan-18	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.13		0.12	U	0.12	U					0.12	U
		11-Apr-18	0.21		0.37		0.24		0.31		0.14		3.00		0.24		0.19						0.6 [D]	U
		27-Jul-18	0.12	U	0.12	U	0.12	U	0.12	U	0.18	U	0.18	U	0.12	U	0.12	U					0.12	U
		24-Oct-18	0.12	U	0.12	U	0.12	U	0.25		0.12	U	0.16		0.12	U	0.12	U					0.12	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		27-Mar-08	2.420		2.380		2.280		2.110		2.600		2.560		2.700		2.070						2.210	
		25-Apr-08	2.060		2.100		2.010		2.170		2.030		1.990		2.080		2.030						1.860	
		29-May-08	1.700		1.630		1.540		1.760		1.630		1.610		1.780		1.600						1.560	
		27-Jun-08	2.280		2.280		2.370		2.330		2.240		2.220		2.250		2.250						2.220	
		31-Jul-08	2.030		2.020		1.970		1.970		1.910		1.920		1.920		1.900						1.850	
		28-Aug-08	3.600		2.870		2.920		2.870		2.920		2.800		2.800		2.980						2.770	
		30-Sep-08	2.500		2.700		2.500	U	2.500	U	2.500	U	2.900		2.800		2.500	U					2.500	U
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500		2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	3.400		2.500	U	2.500	U	2.500	U					2.500	U
		18-Dec-08	2.700		2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	3.000		2.500	U					2.500	U
		25-Feb-09	2.500	U	2.500	U	2.500	U	NS		2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		26-Mar-09	2.220		2.190		2.120		2.090		2.220		2.180		2.080		2.120						2.130	
		29-Apr-09	2.500		2.260		2.460		2.320		2.260		2.320		2.380		2.360						2.160	
		22-Jul-09	3.140		3.120		2.920		3.090		2.780		3.170		2.690		2.960						3.130	
		9-Oct-09	2.290		2.560		2.300		2.320		2.300		2.280		2.300		2.290						2.210	
		15-Jan-10	27.800		2.550		2.480		2.590		2.410		2.540		2.450		2.410						2.430	
		21-Apr-10	2.340		2.320		2.520		2.330		2.330		2.260		2.320		2.330						2.240	
		16-Jul-10	2.480		2.560		2.430		2.520		3.690		2.480		2.550		2.480						2.740	
		15-Oct-10	2.460		2.410		2.560		2.400		2.470		2.410		2.450		2.450						2.630	
		30-Nov-10	NS		2.480		2.550		NS		NS		NS		2.390		NS						NS	
		26-Jan-11	2.680		2.640		2.340		2.660		2.150		2.580		2.370		2.560		2.230		2.480		2.440	
		26-Jan-11**	NS		2.800		2.700		NS		NS		NS		2.600		NS						NS	
		27-Apr-11	2.070		2.820		2.200		2.450		2.160		2.210		2.220		2.210						2.460	
		26-Jul-11	2.290		2.270		2.270		2.360		2.260		2.340		2.250		2.260						2.350	
		28-Oct-11	2.700		2.400		2.800		2.600		2.800		2.500		2.600		2.800						2.500	
		23-Jan-12	1.700		1.800		1.600		1.500		2.000		2.000		1.800		1.900						2.000	
		13-Apr-12	2.100		2.100		2.000		2.000		1.800		1.900		1.700		1.700						1.300	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		2.700						2.500	
Dichlorodiflouromethane	91.0	20-Jun-12	2.500		2.600		2.500		2.400		2.700		2.300		2.500		2.500						2.300	
		1-Nov-12	2.000		2.200		2.100		2.200		2.000		2.100		2.100		2.000						2.100	
		1-Feb-13	1.600		1.600		1.600		1.600		1.600		1.600		1.600		1.700						1.600	
		29-Apr-13	2.400		2.600		2.600		2.400		2.400		2.300		2.400		2.400						2.400	
		9-Jul-13	0.950		0.980		0.930		0.960		0.990		1.000		0.980		0.970						1.000	
		18-Oct-13	2.000		2.200		1.900		2.000		1.900		2.000		1.900		2.000						2.000	
		9-Jan-14	1.400		1.500		1.400		1.400		1.500		1.500		1.500		1.600						1.600	
		24-Apr-14	2.300		2.400		2.300		2.400		2.800		2.400		2.500		4.100						2.500	
		1-Aug-14	1.500		1.600		1.500		1.600		1.500		1.600		2.300/1.500		1.500						1.700	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		2.400		NS						NS	
		22-Oct-14	1.400		1.400		1.400		1.500		1.400		1.500		1.400		1.300						1.500	
		20-Jan-15	1.400		1.500		1.300		1.400		1.500		1.400		1.500		1.500						1.500	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		1.400						NS	
		22-Apr-15	1.800		1.800		4.200 [V]		1.800		1.700		1.700		1.900		1.700						1.600	
		21-Jul-15	0.870		0.940 [A]		0.890		0.840		0.910		0.880		0.930		0.840						0.980	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.920		NS						NS	
		29-Oct-15	1.100		1.000		1.100		1.000		0.930		0.970		1.000		1.000						1.100	
		27-Jan-16	2.1[M]		2[M]		1.9[M]		2[M]		2.1[M]		2.1[M]		2[M]		2[M]						2.1[M]	
		20-Apr-16 [3]	1.5		1.7		1.5		1.6		1.8		1.6		1.5		1.6						1.8	
		20-Jul-16	1.2		1.3		1		1.2		1.3		1.2		1.2		1.2						1.2	
		21-Oct-16	0.5		0.5		0.48		0.48		0.54		0.51		0.51		0.49						0.55	
		31-Jan-17	0.8		0.8		0.75		0.76		0.77		0.78		0.76		0.71						0.74	
		17-Apr-17 [4]	0.86		1.2		0.99		1.1		1		1		1		1.1						1	
		26-Jul-17	1.8		1.8		0.099	U	1.8		1.8		1.8		1.8		1.9						1.8	
		12-Oct-17	0.73		0.75		0.84		0.72		0.75		0.76		0.76		0.73						0.89	
		10-Jan-18	0.67		0.69		0.65		0.69		0.69		0.72		0.69		0.70						0.65	
		11-Apr-18	1.1		1.1		1.2		1.0		1.30		1.1		1.4		1.1						2.2	
		27-Jul-18	0.8		0.78		0.78		0.97		1		0.96		0.99		0.93						0.79	
		24-Oct-18	0.66		0.61		0.62		0.68		0.63		0.67		0.75		0.69						0.6	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
1,1-Dichloroethane	77.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		30-Nov-10	NS		0.081	U	0.081	U	NS		NS		NS		0.081	U	NS						NS	
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		NS		0.200	U	NS						NS	
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.061	U					0.081	U
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.040	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		13-Apr-12	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061		0.061	U					0.081	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.061	U					0.061	U
		20-Jun-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		29-Apr-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Jul-13	0.040	U	0.040	U	0.400	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.006	J	NS		NS		NS						0.006	J
		18-Oct-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Jan-14	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Aug-14	0.081	U	0.081	U	0.081	U	0.120	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.040	U	NS						NS	
		22-Oct-14	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.040	U					0.061	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.047	U					NS	
		22-Apr-15	0.040	U	0.040	U	0.040 [X]	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		20-Apr-16 [3]	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		20-Jul-16	0.048	U	0.063	U	0.044	U	0.050	U	0.048	U	0.047	U	0.053	U	0.046	U					0.060	U
		21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U
		17-Apr-17 [4]	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U
		26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.081	U	0.040	U	0.040	U					0.4 [D]	U
		27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.061	U	0.040	U	0.040	U					0.040	U
		24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
1,2-Dichloroethane	0.07/0.08	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		25-Apr-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.080	U	0.081	U	0.080	U	0.084		0.080	U	0.080	U	0.178		0.080	U					0.081	U
		31-Jul-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		28-Aug-08	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		30-Sep-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.081	U					0.080	U
		27-Oct-08	0.080	U	0.150		0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		25-Nov-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		18-Dec-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		21-Jan-09	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		25-Feb-09	0.080	U	0.080	U	0.080	U	NS		0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		26-Mar-09	0.102		0.084		0.087		0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		29-Apr-09	0.081	U	0.081	U	0.081	U	0.081	U	0.089		0.081	U	0.081	U	0.081	U					0.081	U
		22-Jul-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Oct-09	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		15-Jan-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		21-Apr-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.162						0.081	U
		16-Jul-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.087	U	0.081	U					0.081	U
		15-Oct-10	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		30-Nov-10	NS		0.081	U	0.081	U	NS		NS		NS		0.081	U	NS						NS	
		26-Jan-11	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U	0.137	U	0.138	U	0.138	U	0.138	U	0.138	U	0.138	U
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		NS		0.200	U	NS						NS	
		27-Apr-11	0.081	U	0.081	U	0.081	U	0.081		0.093		0.081	U	0.081	U	0.089						0.081	U
		26-Jul-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		28-Oct-11	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.040	U
		23-Jan-12	0.071	U	0.071	U	0.071	U	0.071	U	0.071	U	0.091		0.071	U	0.071	U					0.071	U
		13-Apr-12	0.066		0.068		0.061		0.061		0.063		0.063		0.061		0.075						0.081	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.061	U					0.061	U
		20-Jun-12	0.081		0.081	U	0.081	U	0.081	U	0.081	U	0.080	U	0.081	U	0.081	U					0.081	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.076		0.084		0.083		0.086		0.089		0.089		0.079		0.099						0.110	
		29-Apr-13	0.094		0.099		0.099		0.096		0.160		0.099		0.091		0.092						0.084	
		9-Jul-13	0.058		0.060		0.047		0.052		0.081		0.049		0.053		0.047						0.047	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.084		NS		NS		NS						0.051	
		18-Oct-13	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		9-Jan-14	0.040	U	0.097		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.150						0.040	U
		1-Aug-14	0.040	U	0.040	U	0.040	U	0.060	U	0.100		0.040	U	0.040	U	0.040	U					0.040	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.040	U	NS						NS	
		22-Oct-14	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.040	U					0.061	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.047	U					NS	
		22-Apr-15	0.040	U	0.040	U	0.170 [X]		0.040	U	0.096		0.040	U	0.086		0.040	U					0.040	U
		21-Jul-15	0.100 [J]		0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.890		0.200	U	0.200	U	0.200	U	0.200	U	0.430		0.200	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.06		0.063		0.081		0.065		0.068		0.068		0.063		0.076						0.057	
		20-Apr-16 [3]	0.057		0.055		0.040	U	0.068		0.058		0.060		0.040	U	0.058						0.062	
		20-Jul-16	0.048	U	0.063	U	0.044	U	0.050	U	0.058		0.047	U	0.053	U	0.049						0.060	U
		21-Oct-16	0.040	U	0.062		0.050		0.040	U	0.040		0.040	U	0.040	U	0.049						0.040	U
		31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U
		17-Apr-17 [4]	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.061	U					0.061	U
		26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		11-Apr-18	0.040	U	0.040	U	0.040	U	0.071		0.040	U	0.081	U	0.040	U	0.040	U					0.4 [D]	U
		27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.061	U	0.061	U	0.040	U	0.040	U					0.040	U
		24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
1,1-Dichloroethylene	10.0	8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.111		0.079	U	0.079	U					0.079	U
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	..079	U	0.079	U	0.079	U					0.079	U
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Nov-10	NS		0.079	U	0.079	U	NS		NS		NS		0.079	U	NS						NS	
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		NS		0.200	U	NS						NS	
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		26-Jul-11	0.079	U	0.079	U	0.790	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.040	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.079	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.059	U					0.059	U
		20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		29-Apr-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.029	U	NS		NS		NS						0.029	U
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.120	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.040	U	NS						NS	
		22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.098		0.059	U	0.040	U					0.059	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.046	U					NS	
		22-Apr-15	0.040	U	0.040	U	0.040 [X]	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		20-Apr-16 [3]	0.040		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U					0.059	U
		21-Oct-16	0.040	U	0.040	U	0.044		0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U
		17-Apr-17 [4]	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U
		26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U					0.4 [D]	U
		27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.059	U	0.040	U	0.040	U					0.040	U
		24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		25-Apr-08	0.080	U	0.080	U	0.080	U	0.100		0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.080	U	0.079	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.079	U
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.092	U	0.079	U					0.090	
		30-Sep-08	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U	5.900	U					5.900	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079		0.079	U	0.079	U	0.079	U					0.079	U
		29-Apr-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.127		0.079	U	0.079	U					0.079	U
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		21-Apr-10	0.079	U	0.780		0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Nov-10	NS		0.079	U	0.079	U							0.079	U								
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U
		26-Jan-11**	NS		0.200	U	0.200	U							0.200	U								
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Oct-11	0.069		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.040	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.079	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.059	U					0.059	U
cis-1,2-Dichloroethene*	18.0	20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		29-Apr-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U	0.079	U					0.040	U
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.120	U	0.500		0.079	U	0.079	U	0.079	U					0.160	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.040	U	NS						NS	
		22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.240	
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.040	U					0.059	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.046	U					NS	
		22-Apr-15	0.040	U	0.040	U	0.040 [V]	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.110 [J]	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.510		0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		20-Apr-16 [3]	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U					0.059	U
		21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U
		17-Apr-17 [4]	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U
		26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U					0.40 [D]	U
		27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.059	U	0.040	U	0.040	U					0.040	U
		24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Mar-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		25-Apr-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		29-May-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U					0.080	U
		27-Jun-08	0.080	U	0.080	U	0.080	U	0.080	U	0.080	U	0.079	U	0.080	U	0.080	U					0.079	U
		31-Jul-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Aug-08	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		29-Apr-09	0.079	U	0.079	U	0.091	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		22-Jul-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Oct-09	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Jan-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		21-Apr-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		16-Jul-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		15-Oct-10	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		30-Nov-10	NS		0.079	U	0.079	U	NS		NS		NS		0.079	U	NS						NS	
		26-Jan-11	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U	0.134	U	0.135	U	0.135	U	0.135	U	0.135	U	0.135	U
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		NS		0.200	U	NS						NS	
		27-Apr-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		26-Jul-11	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		28-Oct-11	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.040	U
		23-Jan-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		13-Apr-12	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.079	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.059	U					0.059	U
rans-1,2-Dichloroethene[3]	37.0	20-Jun-12	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		1-Nov-12	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		1-Feb-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		29-Apr-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		9-Jul-13	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		18-Oct-13	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		9-Jan-14	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U	0.079	U					0.079	U
		24-Apr-14	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U	0.079	U					0.040	U
		1-Aug-14	0.079	U	0.079	U	0.079	U	0.120	U	0.250		0.079	U	0.079	U	0.079	U					0.090	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.040	U	NS						NS	
		22-Oct-14	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U
		20-Jan-15	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.040	U					0.059	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.046	U					NS	
		22-Apr-15	0.040	U	0.040	U	0.040 [v]	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		20-Apr-16 [3]	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		20-Jul-16	0.047	U	0.061	U	0.043	U	0.049	U	0.047	U	0.046	U	0.052	U	0.045	U					0.059	U
		21-Oct-16	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.040	U
		31-Jan-17	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U					0.04	U
		17-Apr-17 [4]	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U					0.059	U
		26-Jul-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		12-Oct-17	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		10-Jan-18	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U	0.04	U					0.04	U
		11-Apr-18	0.040	U	0.040	U	0.040	U	0.040	U	0.040	U	0.079	U	0.040	U	0.040	U					0.4[D]	U
		27-Jul-18	0.040	U	0.040	U	0.040	U	0.040	U	0.059	U	0.059	U	0.040	U	0.040	U					0.040	U
		24-Oct-18	0.040	U	0.040	U	0.040	U	0.040	U	0.04	U	0.04	U	0.040	U	0.040	U					0.040	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
1,2-Dichloropropane	0.13	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Mar-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		25-Apr-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Jun-08	0.092	U	0.092	U	0.090	U	0.090	U	0.090	U	0.090	U	0.092	U	0.092	U					0.092	U
		31-Jul-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		28-Aug-08	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		30-Sep-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Oct-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		25-Nov-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		18-Dec-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		21-Jan-09	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		25-Feb-09	0.090	U	0.090	U	0.090	U	NS		0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		26-Mar-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		29-Apr-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		22-Jul-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		9-Oct-09	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		15-Jan-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		21-Apr-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		16-Jul-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		15-Oct-10	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		30-Nov-10	NS		0.092	U	0.092	U	NS		NS		NS		0.092	U	NS						NS	
		26-Jan-11	0.158	U	0.157	U	0.157	U	0.157	U	0.158	U	0.157	U	0.157	U	0.158	U	0.157	U	0.157	U	0.157	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS						NS	
		27-Apr-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		26-Jul-11	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		28-Oct-11	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.046	U
		23-Jan-12	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		13-Apr-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.180	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.069	U					0.069	U
		20-Jun-12	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		1-Nov-12	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		1-Feb-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		29-Apr-13	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		9-Jul-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.021	J	NS		NS		NS						0.007	J
		18-Oct-13	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		9-Jan-14	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		24-Apr-14	0.046[L,V]	U	0.046[L,V]	U	0.046[L,V]	U	0.046[L,V]	U	0.046[L,V]	U	0.046[L,V]	U	0.046[L,V]	U	0.046[L,V]	U					0.046[L,V]	U
		1-Aug-14	0.092	U	0.092	U	0.092	U	0.140	U	0.092	U	0.092	U	0.092	U	0.092	U					0.092	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.046[L,V]	U	NS						NS	
		22-Oct-14	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		20-Jan-15	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.069	U	0.046	U					0.069	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.053	U					NS	
		22-Apr-15	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.046	U	0.046	U	0.057		0.046	U	0.085		0.046	U	0.046	U	0.046	U					0.046	U
		20-Apr-16 [3]	0.074		0.048		0.046	U	0.083		0.057		0.059		0.046	U	0.052						0.052	
		20-Jul-16	0.055	U	0.072	U	0.050	U	0.057	U	0.055	U	0.11		0.061	U	0.052	U					0.069	U
		21-Oct-16	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		31-Jan-17	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		17-Apr-17 [4]	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		26-Jul-17	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		12-Oct-17	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U
		10-Jan-18	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U	0.05	U					0.046	U
		11-Apr-18	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.092	U	0.046	U	0.046	U					0.46[D]	U
		27-Jul-18	0.046	U	0.046	U	0.046	U	0.046	U	0.069	U	0.069	U	0.046	U	0.046	U					0.046	U
		24-Oct-18	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U	0.046	U					0.046	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
cis-1,3-Dichloropropene	None	8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.185		0.090	U					0.091	U
		31-Jul-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		30-Sep-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		25-Feb-09	0.180	U	0.180	U	0.180	U	NS		0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		29-Apr-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		15-Oct-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		30-Nov-10	NS		0.091	U	0.091	U	NS		NS		NS		0.091	U	NS						NS	
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS						NS	
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		28-Oct-11	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.091	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U					0.160	U
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.091	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.068	U					0.068	U
		20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		29-Apr-13	0.045	U	0.250	U	0.045	U	0.045	U	0.250	U	0.045	U	0.450	U	0.045	U					0.045	U
		9-Jul-13	0.045	U	0.250	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.026	U	NS		NS		NS						0.026	U
		18-Oct-13	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		9-Jan-14	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		24-Apr-14	0.045	U	0.045	U	0.045	U	0.040	U	0.091	U	0.045	U	0.045	U	0.091	U					0.045	U
		1-Aug-14	0.091	U	0.091	U	0.091	U	0.140	U	1.000		0.091	U	0.091	U	0.091	U					0.091	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.045	U	NS						NS	
		22-Oct-14	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U
		20-Jan-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.046	U					0.068	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.052	U					NS	
		22-Apr-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		20-Apr-16 [3]	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		20-Jul-16	0.054	U	0.07	U	0.049	U	0.056	U	0.054	U	0.053	U	0.060	U	0.051	U					0.068	U
		21-Oct-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		31-Jan-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		17-Apr-17 [4]	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U
		26-Jul-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		12-Oct-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		10-Jan-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		11-Apr-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.091	U	0.045	U	0.045	U					0.45 [D]	U
		27-Jul-18	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.068	U	0.045	U	0.045	U					0.045	U
		24-Oct-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Mar-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		25-Apr-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		29-May-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Jun-08	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.340		0.090	U					0.091	U
		31-Jul-08	0.090	U	0.090	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		28-Aug-08	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		27-Oct-08	0.180	U	0.180	U	0.200		0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		27-Oct-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		25-Nov-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		18-Dec-08	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		21-Jan-09	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		25-Feb-09	0.180	U	0.180	U	0.180	U	NS		0.180	U	0.180	U	0.180	U	0.180	U					0.180	U
		26-Mar-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		29-Apr-09	0.091	U	0.091	U	0.107	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		22-Jul-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		9-Oct-09	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		15-Jan-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		21-Apr-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		16-Jul-10	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		15-Oct-10	0.091	U	0.092	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		30-Nov-10	NS		0.091	U	0.091	U	NS		NS		NS		0.091	U	NS						NS	
		26-Jan-11	0.155	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U	0.154	U	0.155	U	0.154	U	0.155	U	0.154	U
		26-Jan-11**	NS		0.230	U	0.230	U	NS		NS		NS		0.230	U	NS						NS	
		27-Apr-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		26-Jul-11	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		28-Oct-11	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.045	U
		23-Jan-12	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U	0.160	U					0.160	U
		13-Apr-12	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.091	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.068	U					0.068	U
rans-1,3-Dichloropropen	None	20-Jun-12	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		1-Nov-12	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		1-Feb-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		29-Apr-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		9-Jul-13	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.049	U	NS		NS		NS						0.049	U
		18-Oct-13	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		9-Jan-14	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		24-Apr-14	0.045	U	0.045	U	0.045	U	0.040	U	0.091	U	0.045	U	0.045	U	0.091	U					0.045	U
		1-Aug-14	0.091	U	0.091	U	0.091	U	0.140	U	0.091	U	0.091	U	0.091	U	0.091	U					0.091	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.045	U	NS						NS	
		22-Oct-14	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U
		20-Jan-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.046	U					0.068	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.052	U					NS	
		22-Apr-15	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.200	U	0.200	U	0.200	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.200	U	0.200	U	0.300	U	0.200	U	0.200	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		20-Apr-16 [3]	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		20-Jul-16	0.054	U	0.07	U	0.049	U	0.056	U	0.054	U	0.053	U	0.060	U	0.051	U					0.068	U
		21-Oct-16	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		31-Jan-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		17-Apr-17 [4]	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U
		26-Jul-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		12-Oct-17	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		10-Jan-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U
		11-Apr-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.091	U	0.045	U	0.045	U					0.45 [D]	U
		27-Jul-18	0.045	U	0.045	U	0.045	U	0.045	U	0.068	U	0.068	U	0.045	U	0.045	U					0.045	U
		24-Oct-18	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U	0.045	U					0.045	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Ethylbenzene	53.0	8-Feb-08	0.260		0.230		0.620		0.450		0.250		0.170		0.160		0.180						0.220	
		27-Mar-08	0.841		0.669		1.020		0.869		0.894		1.000		0.628		0.619						0.096	
		25-Apr-08	0.770		0.637		2.200		0.711		0.678		0.712		0.705		0.650						0.087	U
		29-May-08	0.140		0.120		1.310		0.620		0.120		0.160		0.150		0.110						0.090	U
		27-Jun-08	0.555		0.412		1.080		0.987		0.478		0.400		0.802		0.360						0.369	
		31-Jul-08	0.553		0.449		1.140		0.424		0.426		0.491		0.262		0.216						0.255	
		28-Aug-08	0.868		1.150		3.010		2.820		0.761		0.854		0.870		0.783						0.944	
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	15.500						2.200	U
		27-Oct-08	2.200	U	2.200		2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Feb-09	2.200	U	2.200	U	3.600		NS		2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		26-Mar-09	0.932		0.803		1.120		1.060		0.511		0.648		0.738		0.589						0.727	
		29-Apr-09	0.195		0.234		0.633		0.538		0.195		0.139		0.139		0.152						0.178	
		22-Jul-09	0.442		0.212		1.090		0.291		0.551		0.625		0.807		0.542						1.180	
		9-Oct-09	0.859		0.759		1.090		1.030		0.794		0.681		0.668		0.633						0.746	
		15-Jan-10	0.447		0.334		0.386		0.351		0.321		0.256		0.273		0.252						0.286	
		21-Apr-10	0.468		0.716		1.280		0.612		0.681		0.603		0.542		0.538						0.087	U
		16-Jul-10	0.334		0.226		0.416		0.408		0.573		0.286		0.872		0.260						0.143	
		15-Oct-10	0.252		0.308		0.412		0.152		0.126		0.087	U	0.200		0.087	U					0.121	
		30-Nov-10	NS		0.217		0.338		NS		NS		NS		0.108		NS						NS	
		26-Jan-11	1.040		1.000		1.100		1.220		1.000		1.100		0.951		1.320		0.988		0.466		1.300	
		26-Jan-11**	NS		1.600		1.800		NS		NS		NS		1.800		NS						NS	
		27-Apr-11	0.108		0.139		0.625		0.221		0.837		0.087		0.200		0.087	U					0.091	
		26-Jul-11	0.473		1.020		0.873		0.417		0.300		0.191		0.356		0.178						0.161	
		28-Oct-11	0.600		0.320		0.400		0.230		0.480		0.490		0.490		0.420						0.130	
		23-Jan-12	0.610		0.480		0.470		0.660		0.580		0.500		0.560		0.560						0.540	
		13-Apr-12	0.300		0.250		0.300		0.240		0.250		0.280		0.240		0.200						0.170	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U					0.130	U
		20-Jun-12	0.490		0.500		0.490		0.560		0.550		0.460		0.530		0.530						0.470	
		1-Nov-12	0.760		0.440		0.330		0.530		0.450		0.730		0.810		0.630						0.130	
		1-Feb-13	0.130		0.087	U	0.087	U	0.087		0.110		0.089		0.190		0.087	U					0.130	
		29-Apr-13	0.760		0.540		0.540		0.540		0.670		0.430		1.600		0.530						0.150	
		9-Jul-13	0.340		0.320		0.310		0.330		0.390		0.310		0.350		0.320						0.310	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.464		NS		NS		NS						0.330	
		18-Oct-13	0.710		0.096		0.110		0.540		0.770		0.120		1.400		0.900						0.430	
		9-Jan-14	3.100		4.500		0.160		0.170		0.170		0.160		0.570		0.210						0.140	
		24-Apr-14	0.110		0.087		0.096		0.087	U	0.087	U	0.087	U	0.150		0.120						0.087	U
		1-Aug-14	0.190		0.150		0.360		0.400		0.470		0.200		0.650		0.460						0.280	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.150		NS						NS	
		22-Oct-14	0.160		0.140		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.210	
		20-Jan-15	0.130		0.130		0.110		0.170		0.130		0.160		0.230		0.240						0.210	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140						NS	
		22-Apr-15	0.520		0.560		0.560		0.460		0.710		0.420		0.610		0.620						0.180	
		21-Jul-15	0.590		0.260 [A]		0.270		0.260		0.290		0.320		0.380		0.230						0.160 [J]	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.140 [J]		NS						NS	
		29-Oct-15	0.300	U	0.590		1.800		0.150 [J]		0.200	U	0.180 [J]		0.340		0.110 [J]						0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.21		0.087	U	0.13		0.087	U	0.087	U	0.1		0.17		0.13						0.1	
		20-Apr-16 [3]	0.1		0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U					0.087	U
		20-Jul-16	0.41		0.33		0.49		0.49		0.34		0.39		0.48		0.27						0.13	U
		21-Oct-16	0.44		0.56		0.32		0.69		0.29		0.31		0.15		0.30						2.4	
		31-Jan-17	0.14		0.11		0.13		0.12		0.13		0.11		0.11		0.12						0.13	
		17-Apr-17 [4]	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U					0.13	U
		26-Jul-17	0.29		0.3		0.36		0.35		0.34		0.33		0.32		0.32						0.089	
		12-Oct-17	0.087	U	0.14		0.26		0.23		0.14		0.17		0.13		0.15						0.087	U
		10-Jan-18	0.29		0.56		0.47		0.53		0.24		0.25		0.58		0.30						0.087	U
		11-Apr-18	0.26		0.20		0.17		0.19		0.15		0.16		0.14		0.19						0.43[D]	U
		27-Jul-18	0.12		0.16		0.17		0.17		0.13	U	1.1		0.17		0.15						0.11	
		24-Oct-18	0.43		0.15		0.19		0.2		0.13		0.22		0.11		0.087	U					0.11	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Isopropylbenzene	120.0	8-Feb-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		27-Mar-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		25-Apr-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		29-May-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		27-Jun-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		31-Jul-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		28-Aug-08	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		30-Sep-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	12.700						4.900	U
		27-Oct-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U
		25-Nov-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U
		18-Dec-08	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U
		21-Jan-09	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U	4.900	U					4.900	U
		25-Feb-09	4.900	U	4.900	U	2.460	U	NS		4.900	U	4.900	U	4.900	U	4.900	U					4.900	U
		26-Mar-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		29-Apr-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		22-Jul-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		9-Oct-09	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		15-Jan-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		21-Apr-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		16-Jul-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	0.043	I					2.460	U
		15-Oct-10	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		30-Nov-10	NS		2.460	U	2.460	U	NS		NS		NS		2.460	U	NS						NS	
		26-Jan-11	4.190	U	4.180	U	4.190	U	4.180	U	4.190	U	4.170	U	4.180	U	4.190	U	4.180	U	4.190	U	4.180	U
		26-Jan-11**	NS						NS		NS		NS				NS						NS	
		27-Apr-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		26-Jul-11	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U	2.460	U					2.460	U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U
		13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.370	U					0.370	U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.051	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.050	J	NS		NS		NS						0.024	J
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jan-14	0.250	U	0.390		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250	U	NS						NS	
		22-Oct-14	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.370	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U					0.370	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.290	U					NS	
		22-Apr-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		21-Jul-15	0.200	U	0.200 [A]	U	0.200	U	0.300	U	0.300	U	0.300	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Apr-16 [3]	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U					0.37	U
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		17-Apr-17 [4]	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U					0.37	U
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					1.2 [D]	U
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.37	U	0.79		0.25	U	0.25	U					0.25	U
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		27-Mar-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		25-Apr-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		29-May-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		27-Jun-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		31-Jul-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		28-Aug-08	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		30-Sep-08	5.500	U	5.500	U	5,5	U	5.500	U	6.400		5.500	U	5.500	U	67.000						5.500	U
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5;5	U	5.500	U	5.500	U	5.500	U					5.500	U
		25-Nov-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		18-Dec-08	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		21-Jan-09	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		25-Feb-09	5.500	U	5.500	U	5.500	U	NS		5.500	U	5.500	U	5.500	U	5.500	U					5.500	U
		26-Mar-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		29-Apr-09	2.740	U	2.740	U	0.274	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		22-Jul-09	2.740	U	2.740	U	3.890		2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		9-Oct-09	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		15-Jan-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		21-Apr-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		16-Jul-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		15-Oct-10	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		30-Nov-10	NS		2.740	U	2.740	U	NS		NS		NS		2.740	U	NS						NS	
		26-Jan-11	0.468	U	4.660	U	4.680	U	4.670	U	4.680	U	4.660	U	4.660	U	4.680	U	4.660	U	4.680	U	4.660	U
		26-Jan-11**	NS						NS		NS		NS				NS						NS	
		27-Apr-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		26-Jul-11	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U	2.740	U					2.740	U
		28-Oct-11	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.250	U
		23-Jan-12	0.080	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U
		13-Apr-12	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U	0.380	U					0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.380	U					0.380	U
p-Isopropyltoluene	67.0	20-Jun-12	0.250	U	2.000		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Feb-13	0.290		0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		29-Apr-13	0.480		0.250	U	0.250	U	0.250		0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.320		0.250	U	0.250	U	0.370						0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250	U	NS						NS	
		22-Oct-14	0.380 [L]	U	0.380 [L]	U	0.380 [L]	U	0.380 [L]	U	0.380 [L]	U	0.380 [L]	U	0.380 [L]	U	0.380 [L]	U					0.380 [L]	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.380	U	0.250	U					0.380	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.290	U					NS	
		22-Apr-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		21-Jul-15	0.170 [J]		0.300 [A]	U	0.300	U	0.300	U	0.300	U	0.300	U	0.400	U	0.300	U					-	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.250 [J]		0.300	U	0.300	U	0.300	U	0.300	U	0.160 [J]		0.300	U					0.300	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Apr-16 [3]	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28 [W]	U					0.37	U
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		17-Apr-17 [4]	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U					0.38	U
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.27		0.25	U	0.25	U					0.25	U
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					1.3 [D]	U
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.38	U	1.1		0.25	U	0.25	U					0.25	U
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U					0.070	U
		27-Mar-08	0.440		0.102		0.102		0.091		0.095		0.098		0.102		0.090						0.072	U
		25-Apr-08	0.116		0.116		0.107		0.127		0.126		0.121		0.131		0.113						0.072	U
		29-May-08	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U	0.070	U					0.070	U
		27-Jun-08	0.072	U	0.070	U	0.070	U	0.074		0.070	U	0.070	U	0.070	U	0.070	U					0.072	U
		31-Jul-08	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		28-Aug-08	0.095		0.130		0.123		0.123		0.091		0.106		0.115		0.089						0.094	
		30-Sep-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		27-Oct-08	1.800	U	1.800	U	1.800	U	1.800	U	2.600		2.300		1.800	U	1.800	U					1.800	U
		25-Nov-08	2.100		1.800	U	1.800	U	1.800	U	2.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		18-Dec-08	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		21-Jan-09	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U	1.800	U					1.800	U
		25-Feb-09	1.800	U	2.700		1.800	U	NS		1.800	U	2.700		1.800	U	1.800	U					1.800	U
		26-Mar-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		29-Apr-09	0.072	U	0.072	U	2.350		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		22-Jul-09	0.072	U	0.072	U	0.223		0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.169	
		9-Oct-09	0.072	U	0.072	U	0.072	U	0.072	U	0.072		0.072	U	0.072	U	0.072	U					0.072	U
		15-Jan-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072		0.072	U	0.072	U	0.072	U					0.072	U
		21-Apr-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		16-Jul-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		15-Oct-10	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		30-Nov-10	NS		0.072	U	0.072	U	NS		NS		NS		0.072	U	NS						NS	
		26-Jan-11	0.123	U	0.122	U	0.123	U	0.123	U	0.123	U	0.122	U	0.122	U	0.123	U	0.122	U	0.123	U	0.122	U
		26-Jan-11**	NS		0.180	U	0.180	U	NS		NS		NS		0.180	U	NS						NS	
		27-Apr-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		26-Jul-11	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		28-Oct-11	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.072	U
		23-Jan-12	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		13-Apr-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.140	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.110	U					0.110	U
thyl tert butyl ether (MTI	160.0	20-Jun-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		1-Nov-12	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		1-Feb-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		29-Apr-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		9-Jul-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.041	J	NS		NS		NS						0.200	U
		18-Oct-13	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		9-Jan-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		24-Apr-14	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		1-Aug-14	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.072	U	NS						NS	
		22-Oct-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		20-Jan-15	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.110	U	0.072	U					0.110	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.083	U					NS	
		22-Apr-15	0.072	U	0.072	U	0.072 [X]	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		21-Jul-15	0.180		0.200 [A]	U	0.200	U	0.550		0.200	U	0.200	U	0.200	U	0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.230		0.200	U	0.200	U	0.200	U	0.200	U	0.760		0.200	U					0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		20-Apr-16 [3]	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		20-Jul-16	0.086	U	0.11	U	0.078	U	0.088	U	0.086	U	0.084	U	0.095	U	0.081	U					0.11	U
		21-Oct-16	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		31-Jan-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		17-Apr-17 [4]	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.11	U					0.11	U
		26-Jul-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		12-Oct-17	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		10-Jan-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U
		11-Apr-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.36 [D]	U
		27-Jul-18	0.072	U	0.072	U	0.072	U	0.072	U	0.11	U	0.95		0.072	U	0.072	U					0.072	U
		24-Oct-18	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U	0.072	U					0.072	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Methylene chloride	3.0	8-Feb-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		27-Mar-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		25-Apr-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	2.210						1.740	U
		29-May-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		27-Jun-08	1.740	U	1.740	U	1.740	U	3.210		1.740	U	6.940		1.740	U	1.740	U					19.000	
		31-Jul-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		28-Aug-08	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		30-Sep-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		27-Oct-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		25-Nov-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		18-Dec-08	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		21-Jan-09	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		25-Feb-09	1.700	U	1.700	U	1.700	U	NS		1.700	U	1.700	U	1.700	U	1.700	U					1.700	U
		26-Mar-09	7.540		1.870		4.010		2.100		1.850		3.230		4.060		1.990						11.600	
		29-Apr-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	0.147	U	1.740	U	1.740	U					1.740	U
		22-Jul-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		9-Oct-09	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		15-Jan-10	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		21-Apr-10	5.410		1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U	1.740	U					1.740	U
		16-Jul-10	18.400		23.300		16.900		13.900		19.900		48.200		46.700		22.200						20.600	
		15-Oct-10	3.470	U	4.440		4.510		3.470	U	3.470	U	3.470	U	5.840		3.470	U					3.470	U
		30-Nov-10	NS		3.570		11.600		NS		NS		NS		5.770		NS						NS	
		26-Jan-11	4.530		2.950	U	2.960	U	2.960	U	2.960	U	2.950	U	5.290		2.960	U	4.880		2.960	U	2.950	U
		26-Jan-11**	NS		2.500		1.700		NS		NS		NS		1.600		NS						NS	
		27-Apr-11	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	3.470	U	5.040		3.470	U					3.470	U
		26-Jul-11	3.470	U	5.800		4.240		3.470	U	3.470	U	3.470	U	3.510		10.200						5.380	
		28-Oct-11	1.900		1.900		1.800		1.900		1.000	U	1.200		5.700		5.500						0.690	U
		23-Jan-12	2.500		1.200	U	2.300		2.200		2.500		6.300		1.900		1.200	U					1.900	
		13-Apr-12	5.800		4.600		3.100		1.100		1.000	U	1.700		1.000	U	50.000						53.000	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.000	U					1.000	U
		20-Jun-12	0.920		1.600		0.880		1.300		1.200		1.400		1.100		1.400						1.700	
		1-Nov-12	0.690	U	1.200		0.750		0.690	U	0.690	U	0.760		1.200		0.690	U					1.200	
		1-Feb-13	0.800		0.690	U	0.690		0.690	U	0.810		2.200		0.810		0.760						0.690	U
		29-Apr-13	1.400		0.950		0.950		1.200		1.200		1.100		1.400		1.100						1.500	
		9-Jul-13	1.100		0.730		0.990		1.800		0.890		1.300		1.800		0.850						1.200	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.298		NS		NS		NS						0.477	
		18-Oct-13	0.730		0.780		0.690	U	0.760		0.690	U	0.740		0.840		0.690	U					0.710	
		9-Jan-14	0.690	U	0.880		0.690	U	2.000		0.690	U	1.100		1.400		0.810						3.700	
		24-Apr-14	0.690	U	0.690	U	3.000		0.690	U	3.000		0.690	U	0.690	U	260[E]						0.690	U
		1-Aug-14	2.800		1.500		1.300		1.900		4.300		1.800		1.600		2.000						2.200	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		1.000		NS						NS	
		22-Oct-14	1.800		2.600		1.500		1.200		1.200		1.700		1.400		3.100						1.300	
		20-Jan-15	28.000		27.000		2.900		29.000		25.000		30.000		37.000		0.690						40.000	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		1.300						NS	
		22-Apr-15	1.800		1.400		1.100 [X]		1.500		1.200		1.100		1.000		0.890						0.870	
		21-Jul-15	4.800		1.100 [A]		1.600		20.000		2.100		1.500		1.700		1.900						1.600	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		1.300		NS						NS	
		29-Oct-15	2.100		12.000		1.500		1.800		1.400		1.400		23.000		1.200						5.000	
		4-Dec-15 resample	NS		0.840		NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U					0.69	U
		20-Apr-16 [3]	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U					0.69	U
		20-Jul-16	1.2		1.1	U	0.75	U	1.2		0.83		0.81	U	0.92	U	0.78	U					2.4	
		21-Oct-16	1.4		0.95		1.1		0.72		1.1		1.2		0.69	U	4.6						0.69	U
		31-Jan-17	0.7	L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L	0.69	U,L					0.69	U,L
		17-Apr-17 [4]	1.0	U	1.8		1	U	1	U	1	U	1	U	1	U	1	U					1.3	
		26-Jul-17	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	0.77						0.69	U
		12-Oct-17	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	1.3		0.69	U	0.69	U					1.2	
		10-Jan-18	0.69	U	0.69		0.69		0.76		1.0		0.69	U	0.74		0.70						0.69	U
		11-Apr-18	1.30		0.70		0.92		0.90		4.8		0.69	U	0.69	U	1.00						3.5[D]	U
		27-Jul-18	1.2		1.3		0.85		0.69	U	1	U	1	U	0.69	U	0.9						0.69	U
		24-Oct-18	0.69		0.69	U	0.69	U	0.69	U	1.3		0.69	U	0.69	U	0.69	U					0.69	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		27-Mar-08	2.050	U	2.105	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		25-Apr-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		29-May-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		27-Jun-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		31-Jul-08	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		28-Aug-08	2.050	U	2.050	U	2.050	U	2.540		2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		30-Sep-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		27-Oct-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Nov-08	2.000	U	2.000	U	2.000	U	2.000		2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		18-Dec-08	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		21-Jan-09	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U	2.000	U					2.000	U
		25-Feb-09	2.000	U	2.000	U	2.000	U	NS		2.600		2.000	U	2.000	U	2.000	U					2.000	U
		26-Mar-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		29-Apr-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		22-Jul-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		9-Oct-09	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		15-Jan-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		21-Apr-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.250						2.050	U
		16-Jul-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		15-Oct-10	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		30-Nov-10	NS		2.050	U	2.050	U	NS		NS		NS		2.050	U	NS						NS	
		26-Jan-11	3.490	U	3.480	U	3.490	U	3.480	U	3.490	U	59.500		3.480	U	6.760		3.480	U	3.490	U	3.480	U
		26-Jan-11**	NS		0.200	U	0.200	U	NS		NS		NS		0.200	U	NS						NS	
		27-Apr-11	2.050	U	2.050		2.050	U	2.050	U	2.930		2.050	U	2.050	U	2.050	U					2.050	U
		26-Jul-11	11.700		2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U	2.050	U					2.050	U
		28-Oct-11	2.100		0.490		0.840		0.560		0.800		0.930		1.500		1.200						0.390	
		23-Jan-12	0.140	U	0.140	U	0.210		0.190		26.000		2.900		0.230		270.000						0.540	
		13-Apr-12	0.120	U	0.120	U	0.200		0.120	U	0.150		0.230		0.120	U	0.140						0.160	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.140						0.120	U
4-Methyl-2-pentanone	37.0	20-Jun-12	0.230		0.082	U	0.460		0.250		0.320		0.270		0.190		0.320						0.120	
		1-Nov-12	0.082	U	0.260		0.180		0.420		0.500		0.650		0.082	U	0.220						0.170	
		1-Feb-13	0.093		0.100		0.120		0.082	U	0.190		0.280		0.082	U	0.082	U					0.095	
		29-Apr-13	2.900		0.290		0.290		0.420		0.510		0.320		0.450		0.400						0.390	
		9-Jul-13	0.250		0.320		0.300		0.320		0.350		0.400		0.270		0.280						0.220	
		18-Oct-13	1.800		0.220		0.190		1.500		2.200		0.850		3.300		2.400						1.500	
		9-Jan-14	0.082	U	0.082	U	0.110		0.130		0.150		0.360		0.110		1.400						0.082	U
		24-Apr-14	0.240		0.120	U	0.300		0.130		0.082	U	0.140		0.120		0.082	U					0.082	U
		1-Aug-14	0.082 [L]	U	0.082 [L]	U	0.560 [L]		0.380 [L]		0.082 [L]	U	0.380		0.082 [L]		0.280						0.620	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250		NS						NS	
		22-Oct-14	0.120	U	0.120	U	0.170		0.140		0.280		1.200		0.120	U	0.250						0.120	U
		20-Jan-15	0.500		0.570		0.610		0.800		0.560		0.800		0.550		0.310						1.700	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.440						NS	
		22-Apr-15	0.350		0.450		0.710		0.260		0.290		0.260		0.460		0.860						0.490	
		21-Jul-15	0.370		0.100 [J, A]		0.250		2.100		0.340		0.340		2.300		78.000						0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.310		0.110 [J]		0.280		0.200	U	2.100		0.220		1.400						0.200	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.11		0.097		0.17		0.17		0.082	U	0.8		0.11		0.16						0.088	
		20-Apr-16 [3]	0.35		0.082	U	0.082	U	0.17		0.12		0.19		0.082	U	0.11						0.11	
		20-Jul-16	0.16		0.13	U	0.24		0.20		0.27		0.39		0.35		3.2						0.38	
		21-Oct-16	0.2		0.32		0.14		0.45		0.58		0.28		0.11		0.99						1.1	
		31-Jan-17	0.082	U	0.082	U	0.082	U	0.095		0.082	U	0.14		0.082	U	0.3						0.1	
		17-Apr-17 [4]	0.12	U	0.15		0.12	U	0.12	U	0.12	U	0.15		0.12	U	0.12	U					0.12	U
		26-Jul-17	0.31		0.29		0.23		0.21		0.17		0.38		0.33		0.19						0.25	
		12-Oct-17	0.082	U	0.082	U	0.24		0.082	U	0.47		0.12		0.18		0.082	U					0.082	U
		10-Jan-18	0.082	U	0.09		0.820		0.082		0.082	U	0.12		0.11		0.14						0.082	
		11-Apr-18	0.082	U	0.08		0.082	U	0.082	U	0.082	U	0.08	U	0.082	U	0.082	U					0.41 [D]	U
		27-Jul-18	0.082	U	0.082	U	0.082	U	0.082	U	0.12	U	0.12	U	0.082	U	0.082	U					0.082	U
		24-Oct-18	0.082	U	0.082	U	0.082	U	0.170		0.082	U	0.082	U	0.082	U	0.082	U					0.082	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Styrene	52.0	8-Feb-08	0.710		0.130		0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		27-Mar-08	1.200		0.118		0.120		0.165		0.140		0.175		0.114		0.139						0.085	U
		25-Apr-08	0.856		0.156		0.180		0.184		0.137		0.137		0.158		0.124						0.085	U
		29-May-08	0.550		0.085	U	0.130		0.260		0.090	U	0.110		0.090		0.090	U					0.090	U
		27-Jun-08	1.830		0.085	U	0.112		0.186		0.191		0.085	U	0.481		0.090	U					0.085	U
		31-Jul-08	1.890		0.254		0.153		0.266		0.285		0.288		0.109		0.090						0.085	U
		28-Aug-08	0.654		0.368		0.262		0.392		0.203		0.165		0.169		0.140						0.108	
		30-Sep-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		27-Oct-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		25-Nov-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		18-Dec-08	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		21-Jan-09	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		25-Feb-09	2.100	U	2.100	U	2.100	U	NS		2.100	U	2.100	U	2.100	U	2.100	U					2.100	U
		26-Mar-09	0.814		0.113		0.110		0.110		0.125		0.111		0.128		0.138						0.122	
		29-Apr-09	0.515		0.085	U	0.136	U	0.085	U	0.136		0.085	U	0.085	U	0.085	U					0.085	U
		22-Jul-09	1.280		0.085	U	0.153		0.085	U	0.285		0.272		0.213		0.217						0.187	
		9-Oct-09	0.838		0.153		0.149		0.174		0.566		0.179		0.140		0.149						0.140	
		15-Jan-10	1.100		0.221		0.085	U	0.089		0.196		0.098		0.085	U	0.085	U					0.085	U
		21-Apr-10	0.281		0.204		0.289		0.187		0.328		0.174		0.145		0.140						0.085	U
		16-Jul-10	0.702		0.085	U	0.085	U	0.085	U	0.779		0.085	U	0.085	U	0.085	U					0.085	U
		15-Oct-10	0.549		0.085	U	0.085	U	0.085	U	0.098		0.805	U	0.085	U	0.085	U					0.085	U
		30-Nov-10	NS		0.149		0.119		NS		NS		NS		0.085	U	NS						NS	
		26-Jan-11	0.327		0.224		0.174		0.217		0.182		0.202		0.145	U	0.182		0.174		0.145	U	0.188	
		26-Jan-11**	NS		0.510		0.370		NS		NS		NS		0.370		NS						NS	
		27-Apr-11	0.166		0.166		0.170		0.192		0.277		0.085	U	0.145		0.085	U					0.085	U
		26-Jul-11	0.677		2.460		0.132		11.700		0.315		1.320		0.200		0.085	U					0.085	U
		28-Oct-11	0.300		0.130	U	0.130	U	0.130	U	0.330		0.130	U	0.130	U	0.130	U					0.085	U
		23-Jan-12	0.820		0.250		0.410		0.480		0.270		0.510		0.150		0.150	U					0.150	U
		13-Apr-12	0.560		0.140		0.130	U	0.130	U	0.550		0.280		0.130	U	0.130	U					0.170	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U					0.130	U
		20-Jun-12	0.720		0.300		0.240		1.200		0.430		0.150		0.085	U	0.200						0.200	
		1-Nov-12	0.280		0.140		0.085	U	0.130		0.150		0.160		0.180		0.160						0.085	U
		1-Feb-13	0.870		0.085	U	0.085	U	0.085	U	0.095		0.085	U	0.085	U	0.085	U					0.085	U
		29-Apr-13	1.600		0.230		0.230		0.200		0.740		0.150		0.520		0.210						0.085	U
		9-Jul-13	0.410		0.120		0.085	U	0.140		0.410		0.085	U	0.110		0.085	U					0.085	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.420		NS		NS		NS						0.039	J
		18-Oct-13	0.200		0.085	U	0.085	U	0.130		0.270		0.110		0.340		0.290						0.130	
		9-Jan-14	0.260		0.260		0.085	U	0.085	U	0.085	U	0.085	U	0.120		0.085	U					0.085	U
		24-Apr-14	1.100		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.160		4.500						0.085	U
		1-Aug-14	0.880		0.260		0.260		0.210		0.560		0.350		0.680		0.430						0.085	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.130		NS						NS	
		22-Oct-14	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.130	U					0.130	U
		20-Jan-15	0.120		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.130	U	0.230						0.130	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.098	U					NS	
		22-Apr-15	0.670		0.220		0.085	U	0.120		0.190		0.085	U	0.200		0.360						0.085	U
		21-Jul-15	0.300		0.200 [A]	U	0.200	U	0.380		0.150 [J]	U	0.380		0.270		0.200	U					0.200	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.200	U	NS						NS	
		29-Oct-15	0.200	U	0.530		0.200	U	0.200	U	0.200	U	0.200	U	0.350		0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.12		0.085	U					0.085	U
		20-Apr-16 [3]	0.15		0.085	U	0.085	U	0.12		0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		20-Jul-16	0.36		0.25		0.16		0.22		0.58		0.43		0.40		0.37						0.2	
		21-Oct-16	0.89		0.15		0.085	U	0.24		0.14		0.11		0.09		0.18						0.37	
		31-Jan-17	0.25		0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U	0.085	U					0.085	U
		17-Apr-17 [4]	0.2		0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U					0.13	U
		26-Jul-17	0.19		0.085	U	0.085	U	0.085	U	0.13		0.11		0.11		0.16						0.085	U
		12-Oct-17	0.1		0.085	U	0.085	U	0.085	U	0.1		0.085	U	0.085	U	0.13						0.085	U
		10-Jan-18	0.21		0.09	U	0.09	U	0.09	U	0.09	U	0.09	U	0.09		0.09	U					0.085	U
		11-Apr-18	1.3[I]		0.085[I]	U	0.085[I]	U	0.085[I]	U	0.085[I]	U	0.085	U	0.085[I]	U	0.085[I]						0.43[D]	U
		27-Jul-18	0.085	U	0.085	U	0.085	U	0.085	U	0.13	U	0.13	U	0.085	U	0.085	U					0.085	U
		24-Oct-18	0.370		0.085	U	0.085	U	0.085	U	0.085	U	0.26		0.085	U	0.085	U					0.085	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Jun-08	0.137	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.179		0.140	U					0.140	U
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.140	U	0.137	U					0.140	U
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		21-Jan-09	0.140	U	0.140	U	5.000		0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		25-Feb-09	0.140	U	0.140	U	0.320		NS		0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		30-Nov-10	NS		0.137	U	0.137	U	NS		NS		NS		0.137	U	NS						NS	
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.234	U	0.233	U
		26-Jan-11**	NS						NS		NS		NS				NS						NS	
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		28-Oct-11	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.250	U
		23-Jan-12	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U	0.440	U					0.440	U
1,1,1,2-Tetrachloroethane	0.082/0.14	13-Apr-12	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.500	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.370	U					0.370	U
		20-Jun-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Nov-12	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Feb-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		29-Apr-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.025	U
		9-Jul-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		18-Oct-13	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		9-Jan-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		24-Apr-14	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		1-Aug-14	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.250	U	NS						NS	
		22-Oct-14	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U	0.370	U					0.370	U
		20-Jan-15	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.370	U	0.250	U					0.370	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.290	U					NS	
		22-Apr-15	0.250	U	0.250 [A]	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U	0.250	U					0.250	U
		27-Jan-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Apr-16 [3]	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		20-Jul-16	0.30	U	0.39	U	0.27	U	0.31	U	0.30	U	0.29	U	0.33	U	0.28	U					0.37	U
		21-Oct-16	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		31-Jan-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		17-Apr-17 [4]	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.37	U					0.37	U
		26-Jul-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		12-Oct-17	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		10-Jan-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U
		11-Apr-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					1.2 [D]	U
		27-Jul-18	0.25	U	0.25	U	0.25	U	0.25	U	0.37	U	0.37	U	0.25	U	0.25	U					0.25	U
		24-Oct-18	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U					0.25	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level		Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
		Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
		8-Feb-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Mar-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		25-Apr-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Jun-08	0.140	U	0.140	U	0.140	U	0.137	U	0.140	U	0.140	U	0.992		0.140	U					0.140	U
		31-Jul-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		28-Aug-08	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		30-Sep-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Oct-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		25-Nov-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		18-Dec-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		21-Jan-09	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		25-Feb-09	0.140	U	0.140	U	0.140	U	NS		0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		26-Mar-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		29-Apr-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		22-Jul-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		9-Oct-09	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		15-Jan-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		21-Apr-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		16-Jul-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		15-Oct-10	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		30-Nov-10	NS		0.137	U	0.137	U	NS		NS		NS		0.137	U	NS						NS	
		26-Jan-11	0.234	U	0.233	U	0.234	U	0.234	U	0.234	U	0.233	U	0.233	U	0.234	U	0.233	U	0.234	U	0.233	U
		26-Jan-11**	NS		0.340	U	0.340	U	NS		NS		NS		0.340	U	NS						NS	
		27-Apr-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		26-Jul-11	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U	0.137	U					0.137	U
		28-Oct-11	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.069	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U	0.240	U					0.240	U
		13-Apr-12	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.140	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.100	U					0.100	U
1,1,2,2-Tetrachloroethane	0.011/0.14	20-Jun-12	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		1-Nov-12	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		1-Feb-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		29-Apr-13	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		9-Jul-13	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.093	U	NS		NS		NS						0.093	U
		18-Oct-13	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		9-Jan-14	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		24-Apr-14	0.069	U	0.069[L-V]	U	0.069	U	0.069[L-V]	U	0.069	U	0.069[L-V]	U	0.069[L-V]	U	0.069[L-V]	U					0.069	U
		1-Aug-14	0.140	U	0.140	U	0.140	U	0.210	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.069	U	NS						NS	
		22-Oct-14	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		20-Jan-15	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.100	U	0.069	U					0.100	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.079	U					NS	
		22-Apr-15	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.300	U	0.400	U	0.400	U	0.400	U	0.400	U	0.300	U					0.400	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.400	U	NS						NS	
		29-Oct-15	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.400	U	0.300	U	0.300	U					0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		20-Apr-16 [3]	0.069	U	0.069	U	0.069	U	0.096		0.069	U	0.36		0.069	U	0.069	U					0.069	U
		20-Jul-16	0.082	U	0.11	U	0.074	U	0.084	U	0.082	U	0.080	U	0.091	U	0.077	U					0.10	U
		21-Oct-16	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		31-Jan-17	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		17-Apr-17 [4]	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U					0.1	U
		26-Jul-17	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		12-Oct-17	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		10-Jan-18	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U					0.069	U
		11-Apr-18	0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.140	U	0.069	U	0.069	U					0.69[D]	U
		27-Jul-18	0.069	U	0.069	U	0.069	U	0.069	U	0.10	U	0.10	U	0.069	U	0.069	U					0.069	U
		24-Oct-18	0.069	U	0.069	U	0.069	U	0.069	U	0.07	U	0.07	U	0.069	U	0.069	U					0.069	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Tetrachloroethene*	5.0	8-Feb-08	0.140		0.140	U	0.140	U	0.150		0.140	U	0.140	U	0.140	U	0.140	U					0.350	
		27-Mar-08 [2]	12.500		6.680		13.300		16.100		26.000		7.730		23.300		4.310						0.153	
		25-Apr-08	0.180		0.254		0.179		0.282		0.231		0.276		0.228		0.298						0.136	U
		29-May-08	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U	0.140	U					0.140	U
		27-Jun-08	0.249		0.449		0.397		0.459		0.424		0.243		0.460		0.246						0.216	
		31-Jul-08	1.030		1.000		0.877		0.880		0.795		0.872		0.252		0.287						0.154	
		28-Aug-08	0.321		0.367		0.283		0.323		0.274		0.434		0.294		0.282						0.445	
		30-Sep-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		27-Oct-08	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U	4.200	U					4.200	U
		25-Nov-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		18-Dec-08	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		21-Jan-09	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		25-Feb-09	3.400	U	3.400	U	3.400	U	NS		3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		26-Mar-09	1.530		1.210		1.170		0.980		1.080		1.320		1.420		1.890						1.380	
		29-Apr-09	0.136	U	0.136	U	0.697		0.136	U	0.136	U	0.136	U	0.136	U	0.136	U					0.136	U
		22-Jul-09	0.291		0.190		0.224		0.196		0.196		0.196		0.183		0.210						0.535	
		9-Oct-09	2.250		1.550		1.580		1.580		1.380		1.700		2.080		1.960						0.779	
		15-Jan-10	0.359		0.346		0.339		0.373		0.312		3.460		0.346		0.312						2.450	
		21-Apr-10	0.637		0.752		0.440		0.650		0.508		0.447		0.407		0.474						0.562	
		16-Jul-10	0.318		0.420		0.420		0.427		0.501		0.230		0.447		0.474						0.230	
		15-Oct-10	0.136	U	0.136	U	0.136	U	0.136		0.136	U	0.136	U	0.136	U	0.136	U					0.142	
		30-Nov-10	NS		0.461		0.291		NS		NS		NS		0.169		NS						NS	
		26-Jan-11	0.636		0.484		0.370		0.566		0.440		0.725		0.346		0.578		0.472		0.428		0.426	
		26-Jan-11**	NS		0.580		0.490	U	NS		NS		NS		0.480		NS						NS	
		27-Apr-11	0.142		0.176		0.176		0.352		0.176		0.136	U	0.149		0.136	U					0.285	
		26-Jul-11	0.529		0.563		0.522		0.631		0.549		0.325		0.739		0.461						0.224	
		28-Oct-11	0.100	U	0.140		0.100	U	0.100	U	0.100	U	0.110		0.100	U	0.100	U					0.068	U
		23-Jan-12	0.240	U	0.240	U	0.240	U	0.590		0.320		0.510		0.260		0.410						0.260	
		13-Apr-12	0.150		0.110		0.120		0.250		0.150		0.160		0.190		0.190						0.140	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.190						0.130	
		20-Jun-12	0.390		0.800		0.310		0.370		0.390		0.400		0.410		0.440						0.240	
		1-Nov-12	0.360		0.460		0.400		0.730		0.470		0.770		0.600		0.560						0.120	
		1-Feb-13	0.130		0.095		0.073		0.120		0.090		0.210		0.440		0.092						0.140	
		29-Apr-13	0.610		0.560		0.560		0.630		0.880		0.046		0.650		0.580						0.320	
		9-Jul-13	0.270		0.240		0.230		0.260		0.250		0.320		0.440		0.280						0.280	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.279		NS		NS		NS						0.281	
		18-Oct-13	0.140	U	0.140	U	0.150		0.140		0.180		0.210		0.170		0.180						0.140	U
		9-Jan-14	0.140		0.190		0.140	U	0.160		0.190		0.190		0.160		0.520						0.190	
		24-Apr-14	0.068	U	0.068	U	0.068	U	0.068	U	0.140	U	0.068	U	0.068	U	0.140						0.068	U
		1-Aug-14	0.590		0.510		0.240		0.970		3.800		0.360		10.000/14.000		0.810						15.000	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.084		NS						NS	
		22-Oct-14	0.420		0.360		0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.500	
		20-Jan-15	0.068	U	0.160		0.150		0.170		0.068	U	0.280		0.100	U	4.200						0.100	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.094						NS	
		22-Apr-15	0.620		0.790		1.300		1.200		2.000		0.790		1.500		1.300						0.190	
		21-Jul-15	1.300		0.410 [A]		2.700		0.350 [J]		0.390		0.390		26.000		0.740						0.350 [J]	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.400	U	NS						NS	
		29-Oct-15	0.400	U	0.240 [J]		0.400	U	0.400	U	0.400	U	0.400	U	0.300	U	0.180 [J]						0.400	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.17		0.9		0.16		0.14		0.095		0.2		0.16		0.18						0.17	
		20-Apr-16 [3]	0.16		0.068	U	0.068	U	0.09		0.084		0.068	U	0.068	U	0.071						0.068	U
		20-Jul-16	0.081		0.11	U	0.074	U	0.083	U	0.081	U	0.079	U	0.089	U	0.076	U					0.10	U
		21-Oct-16	0.59		0.89		0.3		0.72		1.4		0.46		0.21		0.46						0.75	
		31-Jan-17	0.12		0.11		0.068	U	0.12		0.068	U	0.12		0.12		0.17						0.25	
		17-Apr-17 [4]	0.10	U	0.17		0.19		0.19		0.17		0.19		0.2		0.1	U					0.1	U
		26-Jul-17	0.21		0.17		0.18		0.16		0.18		0.18		0.18		0.23						0.12	
		12-Oct-17	0.25		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.068	U					0.068	U
		10-Jan-18	0.27		0.59		0.45		0.50	U	0.20		0.23	U	0.61		0.29						0.068	U
		11-Apr-18	0.21		0.14	U	0.14	U	0.14		0.14	U	0.16		0.14	U	0.14	U					0.68 [D]	U
		27-Jul-18	0.14	U	0.18		0.16		0.24		0.26		0.2	U	0.17		0.14						0.14	U
		24-Oct-18	0.26		0.22		0.22		0.27		0.2		0.23		0.14	U	0.14	U					0.14	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	1.240		1.140		1.120		1.150		1.240		0.990		0.910		1.030						1.480	
		27-Mar-08	6.470		4.040		4.520		4.150		5.920		5.570		4.210		4.040						1.560	
		25-Apr-08	4.800		4.000		2.810		3.900		3.790		4.070		4.010		3.660						0.465	
		29-May-08	0.930		0.790		1.630		1.330		0.870		1.060		1.020		0.670						0.320	
		27-Jun-08	3.870		3.060		3.200		3.850		4.110		3.840		4.520		3.020						2.410	
		31-Jul-08	2.760		2.020		2.690		1.990		2.720		2.200		1.680		1.440						1.850	
		28-Aug-08	5.230		5.960		7.800		7.530		5.920		5.640		5.680		5.240						6.050	
		30-Sep-08	1.900	U	1.900	U	2.500		1.900	U	5.000		1.900	U	1.900	U	2.300						1.900	U
		27-Oct-08	6.700		6.300		3.500		6.100		2.300		5.500		3.800		6.600						8.400	
		25-Nov-08	5.500		1.900	U	1.900	U	2.000		1.900	U	1.900		1.900	U	1.900	U					1.900	U
		18-Dec-08	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U					1.900	U
		21-Jan-09	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U	1.900	U					1.900	U
		25-Feb-09	1.900	U	1.900	U	1.900	U	NS		1.900	U	1.900	U	1.900	U	1.900	U					1.900	U
		26-Mar-09	6.110		4.060		3.990		3.540		3.900		4.730		5.870		6.080						5.310	
		29-Apr-09	0.779		0.595		0.079	U	0.704		1.050		0.595		0.614		0.610						0.953	
		22-Jul-09	1.550		1.010		2.540		1.130		3.150		3.410		3.880		7.670						6.850	
		9-Oct-09	4.740		3.690		4.190		3.900		4.500		4.170		4.220		4.090						4.580	
		15-Jan-10	1.920		1.580		1.520		1.690		1.690		1.540		1.620		1.630						2.860	
		21-Apr-10	4.770		8.610		5.220		7.430		4.490		4.140		4.030		3.900						0.414	
		16-Jul-10	2.070		1.210		1.180		1.360		2.250		1.570		3.760		1.330						0.787	
		15-Oct-10	7.230		0.618		0.565		0.715		0.501		0.358		0.565		0.312						0.625	
		30-Nov-10	NS		1.280		1.200		NS		NS		NS		0.825		NS						NS	
		26-Jan-11	5.860		5.970		5.640		6.490		5.840		6.050		5.830		7.230		5.650		4.000		7.210	
		26-Jan-11**	NS		7.700		8.400		NS		NS		NS		8.300		NS						NS	
		27-Apr-11	0.764		0.855		1.070		1.070		1.030		0.840		0.783		0.625						0.648	
		26-Jul-11	2.040		3.920		1.590		1.210		1.620		1.060		1.400		0.934						0.652	
		28-Oct-11	6.700		2.800		2.900		1.800		2.500		3.600		5.200		3.100						1.400	
		23-Jan-12	3.200		2.500		0.130		2.700		2.800		3.000		2.700		3.000						3.600	
		13-Apr-12	1.800		1.500		1.300		1.400		1.400		1.500		1.400		1.200						0.320	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.550						0.550	
Toluene	210.0	20-Jun-12	2.200		2.500		1.800		2.300		2.300		2.000		2.200		2.400						2.600	
		1-Nov-12	4.300		2.500		1.800		3.000		2.400		4.000		4.600		3.500						0.750	
		1-Feb-13	0.810		0.460		0.430		0.520		0.650		0.780		0.950		0.510						0.460	
		29-Apr-13	3.900		3.100		3.100		3.100		2.700		2.200		5.000		2.600						0.690	
		9-Jul-13	2.300		2.100		1.900		2.300		2.300		2.200		2.500		2.200						2.500	
		18-Oct-13	0.970		0.510		0.470		0.800		1.200		0.670		2.300		1.200						0.660	
		9-Jan-14	12.000		15.000		0.840		0.990		0.830		0.870		1.200		1.100						0.810	
		24-Apr-14	0.770		0.340		0.360		0.330		0.280		0.320		0.590		0.770						0.280	
		1-Aug-14	2.000		1.600		2.800		4.400		9.900		4.200		4.600/5.300		3.500						0.650	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.930		NS						NS	
		22-Oct-14	1.000		0.820		0.650		0.420		1.400		0.800		0.620		0.710						1.200	
		20-Jan-15	0.890		0.880		0.780		1.100		0.890		1.100		3.500		0.970						1.500	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.840						NS	
		22-Apr-15	4.500		4.100		4.300		3.900		5.200		3.100		4.300		4.400						1.400	
		21-Jul-15	6.100		2.400 [A]		2.700		2.200		2.500		2.700		2.400		2.200						1.600	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		1.100		NS						NS	
		29-Oct-15	0.470		11.000		0.760		0.590		0.420		0.670		3.400		0.620						0.220 [I]	
		4-Dec-15 resample	NS		0.540		NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	1.3		0.65		0.7		0.66		0.83		0.92		1.1		1.2						0.8	
		20-Apr-16 [3]	0.63		0.26		0.2		0.27		0.44		0.27		0.24		0.25						0.21	
		20-Jul-16	0.97		0.76		0.35		0.95		1.8		1.4		1.5		1.1						0.57	
		21-Oct-16	2.7		3.5		0.94		3.8		1.8		2.0		0.92		2.1						16	
		31-Jan-17	1.3		0.82		0.83		0.9		0.92		0.97		0.86		0.88						1.1	
		17-Apr-17 [4]	0.98		0.71		0.3		0.36		0.79		0.58		0.59		1						1.2	
		26-Jul-17	2		1.7		1.7		1.7		1.9		1.8		1.9		1.9						0.6	
		12-Oct-17	0.49		0.45		0.79		0.45		0.69		0.76		0.51		0.58						0.31	
		10-Jan-18	1.50		2.10		1.90		2.0		1.0		1.10		2.40		1.50						0.42	
		11-Apr-18	1.70		1.40		1.20		1.3		1.0		1.40		1.00		1.40						0.78 [D]	
		27-Jul-18	1.2		1.3		0.71		1.1		0.81		1.7		1		0.99						0.69	
		24-Oct-18	1.8		0.76		0.76		1.6		1		1.5		0.6		0.49						0.56	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.110	U	0.109	U	0.109	U	0.110	U	0.110	U					0.109	U
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		30-Sep-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U					2.700	U
		27-Oct-08	3.400	U	3.400	U	3.400	U	3.140	U	3.400	U	3.400	U	3.400	U	3.400	U					3.400	U
		25-Nov-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U					2.700	U
		18-Dec-08	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U					2.700	U
		21-Jan-09	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U	2.700	U					2.700	U
		25-Feb-09	2.700	U	2.700	U	2.700	U	NS		2.700	U	2.700	U	2.700	U	2.700	U					2.700	U
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	1.090		0.109	U					0.109	U
		29-Apr-09	0.120		0.109	U	0.109	U	0.109	U	0.109	U	0.153		0.229		0.174						0.272	
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		15-Oct-10	0.109	U	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		30-Nov-10	NS		0.109	U	0.109	U	NS		NS		NS		0.109	U	NS						NS	
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.180	U	0.185	U	0.185	U	0.186	U	0.185	U	0.186	U	0.185	U
		26-Jan-11**	NS		0.270	U	0.270	U	NS		NS		NS		0.270	U	NS						NS	
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.055	U
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U					0.190	U
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.110	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.082	U					0.082	U
1,1,1-Trichloroethane*	500.0	20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		29-Apr-13	0.110	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		9-Jul-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.041	J	NS		NS		NS						0.034	J
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		24-Apr-14	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.160	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.055	U	NS						NS	
		22-Oct-14	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U
		20-Jan-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.082	U	0.270						0.082	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.063	U					NS	
		22-Apr-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					0.300	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		20-Apr-16 [3]	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		20-Jul-16	0.065	U	0.085	U	0.059	U	0.067	U	0.065	U	0.064	U	0.072	U	0.061	U					0.081	U
		21-Oct-16	0.055	U	0.055		0.083		0.055	U	0.059		0.057		0.055	U	0.055	U					0.087	
		31-Jan-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		17-Apr-17 [4]	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U
		26-Jul-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		12-Oct-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		10-Jan-18	0.055[L]	U	0.055[L]	U	0.055[L]	U	0.055[L]	U	0.055[L]	U	0.055[L]	U	0.055[L]	U	0.055[L]	U					0.055[L]	U
		11-Apr-18	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.110	U	0.055	U	0.055	U					0.55[D]	U
		27-Jul-18	0.055	U	0.055	U	0.055	U	0.055	U	0.082	U	0.082	U	0.055	U	0.055	U					0.055	U
		24-Oct-18	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		27-Mar-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.112	U	0.109	U					0.109	U
		25-Apr-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		29-May-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		27-Jun-08	0.109	U	0.109	U	0.109	U	0.110	U	0.110	U	0.110	U	0.302		0.109	U					0.110	U
		31-Jul-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		28-Aug-08	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		30-Sep-08	0.110	U	0.110	U	0.300		0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		27-Oct-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		25-Nov-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		18-Dec-08	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		21-Jan-09	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		26-Mar-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		29-Apr-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		22-Jul-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		9-Oct-09	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		15-Jan-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		21-Apr-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		16-Jul-10	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		15-Oct-10	0.109	U	1.090	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		30-Nov-10	NS		0.109	U	0.109	U	NS		NS		NS		0.109	U	NS						NS	
		26-Jan-11	0.186	U	0.185	U	0.186	U	0.186	U	0.186	U	0.185	U	0.185	U	0.186	U	0.185	U	0.186	U	0.185	U
		26-Jan-11**	NS		0.270	U	0.270	U	NS		NS		NS		0.270	U	NS						NS	
		27-Apr-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		26-Jul-11	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U	0.109	U					0.109	U
		28-Oct-11	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.055	U
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U	0.190	U					0.190	U
		13-Apr-12	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.110	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.082	U					0.082	U
1,1,2-Trichloroethane	2.2	20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		1-Nov-12	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		1-Feb-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		29-Apr-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		9-Jul-13	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		24-Apr-14	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.160	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.055	U	NS						NS	
		22-Oct-14	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U
		20-Jan-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.082	U	0.055	U					0.082	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.063	U					NS	
		22-Apr-15	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		21-Jul-15	0.300	U	0.300 [A]	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U					0.300	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		20-Apr-16 [3]	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		20-Jul-16	0.065	U	0.085	U	0.059	U	0.067	U	0.065	U	0.064	U	0.072	U	0.061	U					0.081	U
		21-Oct-16	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		31-Jan-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		17-Apr-17 [4]	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.082	U					0.082	U
		26-Jul-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		12-Oct-17	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		10-Jan-18	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U
		11-Apr-18	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.110	U	0.055	U	0.055	U					0.55 [D]	U
		27-Jul-18	0.055	U	0.055	U	0.055	U	0.055	U	0.082	U	0.082	U	0.055	U	0.055	U					0.055	U
		24-Oct-18	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U	0.055	U					0.055	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Trichloroethene*	1.0	8-Feb-08	0.110		0.120		0.110	U	0.107	U	0.110	U	0.110	U	0.350		0.110	U					0.110	U
		27-Mar-08	0.239		0.233		0.218		0.226		0.325		0.308		0.217		0.170						0.107	U
		25-Apr-08	0.107	U	0.164		0.147		0.272		0.151		0.152		0.158		0.229						0.107	U
		29-May-08	0.110	U	0.110	U	0.110	U	0.107	U	0.110	U	0.110	U	0.110		0.110	U					0.110	U
		27-Jun-08	0.110	U	0.110	U	0.110	U	0.107		0.110	U	0.107	U	0.143		0.195						0.107	U
		31-Jul-08	0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		28-Aug-08	0.193		0.116		0.107	U	0.107	U	0.146		0.134		0.110		0.107	U					0.838	
		30-Sep-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U					0.800	U
		27-Oct-08	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U	0.800	U					0.800	U
		25-Nov-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U					0.540	U
		18-Dec-08	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U					0.540	U
		21-Jan-09	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U	0.540	U					0.540	U
		25-Feb-09	0.110	U	0.110	U	0.110	U	NS		0.110	U	0.110	U	0.110	U	0.110	U					0.130	
		26-Mar-09	4.000		0.326		1.510		0.438		0.639		1.180		1.610		0.450						6.870	
		29-Apr-09	0.107	U	0.107	U	1.340		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		22-Jul-09	0.177		0.107		0.188		0.123		0.193		0.709		0.140		0.177						0.209	
		9-Oct-09	0.231		0.215		0.182		0.193		0.242		0.156		0.156		0.156						0.107	U
		15-Jan-10	0.107		0.107		0.113		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		21-Apr-10	0.247		0.580		0.279		0.505		0.376		0.360		0.419		0.456						0.107	U
		16-Jul-10	0.107	U	0.107	U	0.107	U	0.220		0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		15-Oct-10	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		30-Nov-10	NS		0.107	U	0.107	U	NS		NS		NS		0.109	U	NS						NS	
		26-Jan-11	0.568		0.502		0.531		0.604		0.504		0.584		0.429		0.550		0.484		0.467		0.767	
		26-Jan-11**	NS		0.570		0.600		NS		NS		NS		0.600		NS						NS	
		27-Apr-11	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		26-Jul-11	0.107	U	0.107	U	0.118		0.107	U	0.107	U	0.107	U	0.107	U	0.107	U					0.107	U
		28-Oct-11	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.054	U
		23-Jan-12	0.190	U	0.190	U	0.190	U	0.290		0.190	U	0.190	U	0.190	U	0.190	U					0.190	U
		13-Apr-12	0.081	U	0.081	U	0.081	U	0.081	U	0.090		0.081		0.081	U	0.081	U					0.110	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.081	U					0.081	U
		20-Jun-12	0.110	U	0.110	U	0.110	U	0.110	U	0.120		0.110		0.110	U	0.110	U					0.110	U
		1-Nov-12	0.054	U	0.054	U	0.067		0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		1-Feb-13	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		29-Apr-13	0.120		0.110		0.110		0.110		0.130		0.120		0.110		0.110						0.054	U
		9-Jul-13	0.160		0.140		0.140		0.150		0.120		0.400		0.280		0.310						0.080	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.119		NS		NS		NS						0.088	
		18-Oct-13	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110		0.110		0.390						0.110	U
		9-Jan-14	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U	0.110	U					0.110	U
		24-Apr-14	0.054	U	0.054	U	0.054	U	0.054	U	0.110	U	0.054	U	0.054	U	0.110	U					0.054	U
		1-Aug-14	0.110	U	0.110	U	0.110	U	0.170		1.700		0.110	U	0.270		0.140						1.100	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.054	U	NS						NS	
		22-Oct-14	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.180	
		20-Jan-15	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.081	U	20.000						0.081	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.062	U					NS	
		22-Apr-15	0.260		0.260		0.440		0.270		0.410		0.170		0.370		0.290						0.054	U
		21-Jul-15	0.260		0.14 [J, A]		0.260 [J]		0.240 [J]		0.300	U	0.200 [J]		0.190 [J]		0.300	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	1.100		0.300	U	0.300	U	0.220 [J]		0.300	U	0.290		0.200	U					0.300	U
		4-Dec-15 resample	NS		0.300	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.071		0.054	U	0.054	U					0.054	U
		20-Apr-16 [3]	0.11		0.054	U	0.054	U	0.097		0.06		0.077		0.054	U	0.064						0.075	
		20-Jul-16	0.24		0.17		0.058	U	0.066	U	0.077		0.086		0.088		0.060	U					0.080	U
		21-Oct-16	0.12		0.12		0.086		0.15		0.088		0.058		0.054	U	0.067						0.088	
		31-Jan-17	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		17-Apr-17 [4]	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U	0.081	U					0.081	U
		26-Jul-17	0.18		0.18		0.18		0.15		0.16		0.19		0.17		0.16						0.071	
		12-Oct-17	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		10-Jan-18	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U
		11-Apr-18	0.084		0.080		0.054	U	0.064		0.069		0.110	U	0.073		0.084						0.54 [D]	U
		27-Jul-18	0.054	U	0.054	U	0.054	U	0.054	U	0.081	U	0.081	U	0.054	U	0.054	U					0.054	U
		24-Oct-18	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U	0.054	U					0.054	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	1.140		1.020		1.110		1.010		0.990		1.050		1.040		1.020						1.080	
		27-Mar-08	1.740		1.520		1.540		1.250		2.320		2.120		2.140		1.210						1.380	
		25-Apr-08	1.740		1.660		1.240		1.640		1.480		1.520		1.660		1.500						1.030	
		29-May-08	1.020		0.930		0.870		1.060		0.930		0.930		0.990		0.910						0.880	
		27-Jun-08	1.240		1.220		1.290		1.300		1.160		1.150		1.170		1.160						1.180	
		31-Jul-08	1.080		1.100		1.010		1.010		1.010		1.010		1.000		0.973						0.926	
		28-Aug-08	2.740		3.360		3.470		3.260		3.660		3.420		3.380		3.860						2.310	
		30-Sep-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		27-Oct-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		25-Nov-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		18-Dec-08	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		21-Jan-09	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		25-Feb-09	2.800	U	2.800	U	2.800	U	NS		2.800	U	2.800	U	2.800	U	2.800	U					2.800	U
		26-Mar-09	1.220		1.160		1.180		1.140		1.230		1.190		1.120		1.130						1.160	
		29-Apr-09	1.490		1.170		0.051	U	1.270		1.180		1.190		1.270		1.290						1.190	
		22-Jul-09	1.950		1.920		1..62		1.900		1.630		2.050		1.540		1.900						2.120	
		9-Oct-09	1.520		1.830		1.510		0.019		1.620		1.310		1.410		1.430						1.180	
		15-Jan-10	11.900		1.260		1.210		1.290		1.210		1.290		1.220		1.270						1.240	
		21-Apr-10	4.170		3.780		2.540		3.200		3.500		3.400		2.500		3.190						1.260	
		16-Jul-10	1.470		1.470		1.480		1.470		2.160		1.470	U	1.470		1.470						1.560	
		15-Oct-10	1.410		1.360		1.380		1.350		1.360		1.300		1.320		1.340						1.490	
		30-Nov-10	NS		1.520		1.490		NS		NS		NS		1.340		NS						NS	
		26-Jan-11	1.780		1.960		1.720		1.740		1.620		1.960		1.630		1.950		1.490		1.930		1.780	
		26-Jan-11**	NS		2.300		2.100		NS		NS		NS		2.100		NS						NS	
		27-Apr-11	1.200		1.250		1.110		1.240		1.080		1.140		1.280		1.120						1.250	
		26-Jul-11	1.210		1.210		1.300		1.250		1.220		1.290		1.180		1.170						1.210	
		28-Oct-11	2.500		1.400		1.600		1.600		1.900		1.900		1.900		1.800						1.500	
		23-Jan-12	1.500		1.500		1.500		1.500		1.500		1.400		1.500		1.500						1.400	
		13-Apr-12	2.200		2.000		1.700		2.000		2.300		2.400		2.300		2.400						1.200	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		1.500						1.800	
Trichlorofluoromethane	370.0	20-Jun-12	1.200		1.400		1.300		1.200		1.500		1.100		1.400		1.400						1.100	
		1-Nov-12	1.200		1.200		1.300		1.200		1.200		1.200		1.300		1.200						1.300	
		1-Feb-13	1.600		1.600		1.700		1.600		1.600		1.700		1.600		1.600						1.600	
		29-Apr-13	1.400		1.600		1.600		1.400		1.400		1.300		1.400		1.300						1.400	
		9-Jul-13	1.200		1.200		1.200		1.300		1.300		1.200		1.200		1.200						1.500	
		18-Oct-13	1.100		2.100		1.300		1.800		1.300		1.200		1.900		1.200						1.100	
		9-Jan-14	1.500		2.200		1.800		1.700		1.600		1.600		1.700		1.900						2.000	
		24-Apr-14	1.500		1.700		1.700		1.600		1.800		1.700		1.700		3.200						1.500	
		1-Aug-14	1.900		1.700		0.110	U	1.600		1.900		1.700		1.800/1.600		1.800						1.500	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		1.300		NS						NS	
		22-Oct-14	1.500		1.300		1.500		1.500		1.500		1.500		1.500		1.500						1.300	
		20-Jan-15	1.300		1.300		1.200		1.300		1.500		1.300		1.400		4.500						1.400	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		1.100						NS	
		22-Apr-15	1.700		2.000		4.900 [v]		1.800		1.900		1.700		2.200		2.100						1.600	
		21-Jul-15	0.770		0.830 [A]		0.850		0.750		0.790		0.780		0.790		0.740						1.200	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.820		NS						NS	
		29-Oct-15	0.900		0.900		0.950		0.890		0.810		0.830		0.900		0.880						0.960	
		4-Dec-15 resample	NS		0.850		NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	1.9[M,v]		1.8[M,v]		1.9[M,v]		1.9[M,v]		1.8[M,v]		2.2[M,v]		1.9[M,v]		1.8[M,v]						1.7[M,v]	
		20-Apr-16 [3]	1.3		1.7		1.5		1.5		1.7		1.3		1.3		1.6						1.7	
		20-Jul-16	1.2		1.2		1.0		1.2		1.2		1.1		1.1		1.1						1.3	
		21-Oct-16	1.2		1.3		1.2		1.1		1.2		1.2		1.1		1.3						1.2	
		31-Jan-17	1.3		1.3		1.3		1.3		1.3		1.3		1.3		1.2						1.3	
		17-Apr-17 [4]	1.5		1.6		1.5		1.6		1.5		1.5		1.5		1.5						1.5	
		26-Jul-17	0.97		0.96		0.98		0.96		0.95		0.97		0.96		0.97						0.97	
		12-Oct-17	1.2		1.2		1.3		1.2		1.2		1.2		1.3		1.2						1.4	
		10-Jan-18	1.10		1.10		1.10		1.20		1.20		1.20		1.20		1.10						1.1	
		11-Apr-18	1.4		1.4		1.4		1.4		1.4		1.4		1.4		1.4						2.2[D]	U
		27-Jul-18	1.1		1.1		1.1		1.2		1.2		1.2		1.2		1.2						1.1	
		24-Oct-18	1.3		1.2		1.3		1.3		1.2		1.3		1.3		1.3						1.2	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
1,2,4-Trimethylbenzene	9.3	8-Feb-08	0.900		0.970		2.520		1.890		0.210		0.210		0.210		0.310						0.210	
		27-Mar-08	1.330		1.590		3.390		3.240		0.920		1.390		0.828		0.989						0.098	U
		25-Apr-08	0.998		1.760		11.700		1.640		0.909		0.839		0.911		0.750						0.098	U
		29-May-08	0.300		0.470		8.320		6.680		0.270		0.960		0.690		0.110						0.100	U
		27-Jun-08	1.560		0.443		2.120		3.040		0.634		0.246		0.722		0.206						0.175	
		31-Jul-08	1.650		1.360		1.380		2.080		0.959		1.940		0.207		0.142						0.157	
		28-Aug-08	0.438		1.430		3.690		5.340		0.642		0.461		0.455		0.464						0.354	
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.000	U	6.800		2.500	U	2.500	U	9.300						2.500	U
		27-Oct-08	2.500	U	2.500	U	2.500	U	3.500		2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		25-Feb-09	2.500	U	2.500	U	3.900		NS		2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		26-Mar-09	0.942		0.859		1.500		1.300		0.526		0.563		0.737		0.564						0.739	
		29-Apr-09	1.520		0.368		1.340		1.200		0.192		0.098	U	0.108		0.098						0.142	
		22-Jul-09	1.010		0.216		1.140		0.339		0.594		0.791		0.889		0.673						0.894	
		9-Oct-09	1.240		1.080		1.250		1.460		0.712		0.796		0.702		0.717						0.069	
		15-Jan-09	0.609		0.550		0.452		0.521		0.206		0.196		0.216		0.196						0.196	
		21-Apr-10	0.393		0.845		4.590		0.643		0.570		0.545		0.427	U	0.476						0.098	U
		16-Jul-10	0.354		0.216		0.388		0.344		0.250		0.138		0.511		0.187						0.108	
		15-Oct-10	0.319		0.408		0.329		0.211		0.098	U	0.098	U	0.319		0.098	U					0.098	U
		30-Nov-10	NS		0.334		0.560		NS		NS		NS		0.098	U	NS						NS	
		26-Jan-11	1.010		1.120		1.100		1.200		0.780		0.917		0.868		1.030		1.000		0.168	U	0.994	
		26-Jan-11**	NS		1.900		2.100		NS		NS		NS		2.000		NS						NS	
		27-Apr-11	0.138		0.280		2.080		0.255		0.147		0.113		0.172		0.113						0.128	
		26-Jul-11	0.575		2.160		1.120		0.285		0.236		0.157		0.290		0.177						0.123	
		28-Oct-11	0.340		0.220		0.300		0.290		0.230		0.260		0.310		0.330						0.098	U
		23-Jan-12	0.660		0.580		0.580		0.710		0.380		1.000		0.520		0.650						0.470	
		13-Apr-12	0.400		0.410		0.760		0.480		0.340		0.340		0.290		0.360						0.240	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150	U					0.150	U
		20-Jun-12	0.560		1.200		0.910		0.680		0.600		0.470		0.560		0.610						0.310	
		1-Nov-12	0.720		0.480		0.310		0.300		0.460		0.650		0.750		0.600						0.120	
		1-Feb-13	0.330		0.180		0.170		0.160		0.150		0.120		0.220		0.160						0.098	U
		29-Apr-13	0.990		0.540		0.540		0.510		0.700		0.320		0.580		0.440						0.130	
		9-Jul-13	0.480		0.410		0.280		0.340		0.440		0.230		0.300		0.240						0.190	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.470		NS		NS		NS						0.230	
		18-Oct-13	2.600		0.098	U	0.120		2.400		3.200		0.140		3.600		3.200						2.300	
		9-Jan-14	4.500		8.900		0.220		0.180		0.180		0.180		0.290		0.240						0.120	
		24-Apr-14	0.120		0.098	U	0.210		0.098	U	0.098	U	0.098	U	0.098	U	0.130						0.098	U
		1-Aug-14	0.320		0.270		0.630		1.300		1.500		0.220		1.100		1.200						1.200	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.120		NS						NS	
		22-Oct-14	0.150	U	0.170		0.160		0.150	U	0.150		0.150	U	0.160		0.150	U					0.160	
		20-Jan-15	0.150		0.560		0.098	U	0.160		0.098	U	0.370		0.170		0.490						0.150	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.160						NS	
		22-Apr-15	0.380		0.510		0.570		0.450		0.630		0.350		0.480		0.510						0.190	
		21-Jul-15	0.750		0.360 [A]		0.250		0.190 [J]		0.200 [J]		0.290		0.180 [J]		0.150 [J]						0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.780		0.420		0.160 [J]		0.300	U	0.180 [J]		0.410		0.320						0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.098	U	0.098	U	0.21		0.098	U	0.098	U	0.15		0.37		0.2						0.11	
		20-Apr-16 [3]	0.1		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		20-Jul-16	0.67		0.77		0.6		0.69		0.72		0.75		0.74		0.68						0.6	
		21-Oct-16	0.48		0.58		0.25		1		0.34		0.36		0.21		0.43						2.6	
		31-Jan-17	0.14		0.14		0.38		0.098	U	0.11		0.098	U	0.12		0.16						0.14	
		17-Apr-17 [4]	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U					0.15	U
		26-Jul-17	0.12		0.19		0.2		0.25		0.27		0.27		0.25		0.26						0.098	U
		12-Oct-17	0.098	U	0.13		0.098	U	0.18		0.15		0.3		0.13		0.18						0.098	U
		10-Jan-18	0.33		0.56		0.51		0.59		0.27		0.29		0.61		0.46						0.098	U
		11-Apr-18	0.31		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.49[D]	U
		27-Jul-18	0.098	U	0.098	U	0.098	U	0.098	U	0.15	U	0.15	U	0.098	U	0.098	U					0.098	U
		24-Oct-18	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
1,3,5-Trimethylbenzene	9.3	8-Feb-08	0.460		0.450		1.300		0.980		0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		27-Mar-08	0.535		0.652		1.620		1.530		0.292		0.438		0.256		0.334						0.098	U
		25-Apr-08	0.367		0.816		7.170		0.802		0.342		0.293		0.375		0.280						0.098	U
		29-May-08	0.170		0.220		4.710		4.050		0.140		0.640		0.470		0.100	U					0.100	U
		27-Jun-08	0.942		0.232		1.100		1.580		0.385		0.102		0.387		0.100	U					0.098	U
		31-Jul-08	1.040		0.782		0.671		1.360		0.570		1.190		0.098	U	0.098	U					0.098	U
		28-Aug-08	0.170		0.732		1.950		2.990		0.270		0.181		0.181		0.155						0.100	
		30-Sep-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	9.300						2.500	U
		27-Oct-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		25-Nov-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		18-Dec-08	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		21-Jan-09	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		25-Feb-09	2.500	U	2.500	U	2.500	U	NS		2.500	U	2.500	U	2.500	U	2.500	U					2.500	U
		26-Mar-09	0.330		0.315		0.678		0.540		0.194		0.185		0.246		0.198						0.238	
		29-Apr-09	0.098	U	0.192		0.678		0.629		0.098		0.098	U	0.098	U	0.098	U					0.098	U
		22-Jul-09	0.378		0.098	U	0.427		0.138		0.246		0.270		0.295		0.241						0.241	
		9-Oct-09	0.550		0.452		0.476		0.599		0.255		0.265		0.221		0.241						0.226	
		15-Jan-10	0.265		0.260		0.192		0.206		0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		21-Apr-10	0.118		0.368		2.100		2.600		0.206		0.187		0.162		0.177						0.098	U
		16-Jul-10	0.113		0.098	U	0.138		0.118		0.098	U	0.098	U	0.147		0.098	U					0.098	U
		15-Oct-10	0.128		0.172		0.123		0.098	U	0.098	U	0.098	U	0.098		0.098	U					0.098	U
		30-Nov-10	NS		0.133		0.177		NS		NS		NS		0.098	U	NS						NS	
		26-Jan-11	0.293		0.326		0.360		0.410		0.260		0.267		0.292		0.302		0.334		0.168	U	0.342	
		26-Jan-11**	NS		0.590		0.700		NS		NS		NS		0.630		NS						NS	
		27-Apr-11	0.098	U	0.128		0.820		0.113		0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		26-Jul-11	0.206		0.737		0.393		0.108	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		28-Oct-11	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.098	U
		23-Jan-12	0.220		0.170	U	0.200		0.230		0.170	U	0.220		0.180		0.180						0.170	U
		13-Apr-12	0.150	U	0.150	U	0.270		0.170		0.150	U	0.150	U	0.150	U	0.150	U					0.270	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.150	U					0.150	U
		20-Jun-12	0.180		0.450		0.340		0.250		0.220		0.150		0.140		0.200						0.110	
		1-Nov-12	0.220		0.140		0.098	U	0.120		0.140		0.190		0.220		0.170						0.098	U
		1-Feb-13	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		29-Apr-13	0.250		0.180		0.180		0.180		0.250		0.130		0.190		0.150						0.098	U
		9-Jul-13	0.180		0.150		0.098	U	0.110		0.160		0.098	U	0.098	U	0.098	U					0.098	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.143		NS		NS		NS						0.037	J
		18-Oct-13	0.170		0.098	U	0.098	U	0.180		0.290		0.098	U	0.420		0.280						0.180	
		9-Jan-14	1.100		2.100		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		24-Apr-14	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		1-Aug-14	0.130		0.120		0.220		0.290		0.310		0.098	U	0.290		0.280						0.230	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.098	U	NS						NS	
		22-Oct-14	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U	0.150	U					0.150	U
		20-Jan-15	0.098	U	0.110		0.098	U	0.098	U	0.098	U	0.098	U	0.150	U	0.098	U					0.150	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.110	U					NS	
		22-Apr-15	0.130		0.150		0.170		0.140		0.190		0.100		0.160		0.140						0.098	U
		21-Jul-15	0.230 [J]		0.200 [A]	U	0.200	U	0.300	U	0.300	U	0.300	U	0.300	U	0.200	U					0.300	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.300	U	NS						NS	
		29-Oct-15	0.300	U	0.220 [J]		0.200 [J]		0.300	U	0.300	U	0.300	U	0.200	U	0.200	U					0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		20-Apr-16 [3]	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		20-Jul-16	0.21		0.25		0.20		0.23		0.24		0.24		0.24		0.23						0.15	U
		21-Oct-16	0.13		0.16		0.10	U	0.18		0.098	U	0.098	U	0.098	U	0.098	U					0.71	
		31-Jan-17	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		17-Apr-17 [4]	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.15	U					0.15	U
		26-Jul-17	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		12-Oct-17	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U
		10-Jan-18	0.098	U	0.18		0.14		0.18		0.098	U	0.098	U	0.19		0.10						0.098	U
		11-Apr-18	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.49[D]	U
		27-Jul-18	0.098	U	0.098	U	0.098	U	0.098	U	0.15	U	0.97		0.098	U	0.098	U					0.098	U
		24-Oct-18	0.11		0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U	0.098	U					0.098	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
Vinyl chloride*	0.1	8-Feb-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U					0.050	U
		27-Mar-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.050	U					0.051	U
		25-Apr-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		29-May-08	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U					0.050	U
		27-Jun-08	0.050	U	0.050	U	0.050	U	0.051	U	0.050	U	0.050	U	0.051	U	0.050	U					0.051	U
		31-Jul-08	0.050	U	0.050	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		28-Aug-08	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		30-Sep-08	0.100	U	0.100	U	0.130		0.100	U	0.100	U	0.100	U	0.100		0.100	U					0.100	U
		27-Oct-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		25-Nov-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		18-Dec-08	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		21-Jan-09	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		25-Feb-09	0.100	U	0.100	U	0.100	U	NS		0.100	U	0.100	U	0.100	U	0.100	U					0.100	U
		26-Mar-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		29-Apr-09	0.051	U	0.051	U	1.080	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		22-Jul-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		9-Oct-09	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		15-Jan-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		21-Apr-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		16-Jul-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		15-Oct-10	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		30-Nov-10	NS		0.051	U	0.051	U	NS		NS		NS		0.051	U	NS						NS	
		26-Jan-11	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U	0.087	U
		26-Jan-11**	NS		0.130	U	0.130	U	NS		NS		NS		0.130	U	NS						NS	
		27-Apr-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		26-Jul-11	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		28-Oct-11	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U					0.026	U
		23-Jan-12	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U	0.090	U					0.090	U
		13-Apr-12	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U					0.100	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.038	U					0.038	U
		20-Jun-12	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		1-Nov-12	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		1-Feb-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.051		0.026	U					0.026	U
		29-Apr-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		9-Jul-13	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U.86	0.026	U					0.026	U
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.001	J	NS		NS		NS						0.002	J
		18-Oct-13	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.053	U					0.051	U
		9-Jan-14	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		24-Apr-14	0.026	U	0.026	U	0.026	U	0.026	U	0.051	U	0.026	U	0.026	U	0.280						0.026	U
		1-Aug-14	0.051	U	0.051	U	0.051	U	0.077	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.026	U	NS						NS	
		22-Oct-14	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U					0.038	U
		20-Jan-15	0.026 [L]	U	0.026 [L]	U	0.026 [L]	U	0.026 [L]	U	0.026 [L]	U	0.026 [L]	U	0.038 [L]	U	0.026 [L]	U					0.038 [L]	U
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.029	U					NS	
		22-Apr-15	0.026	U	0.026	U	0.026 [V]	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		21-Jul-15	0.100	U	0.100 [A]	U	0.100	U	0.100	U	0.100	U	0.100	U	0.200	U	0.100	U					0.100	U
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.100	U	NS						NS	
		29-Oct-15	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U	0.100	U					0.200	U
		4-Dec-15 resample	NS		0.100	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		20-Apr-16 [3]	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		20-Jul-16	0.030 [V,L]	U	0.040 [V,L]	U	0.028 [V,L]	U	0.031 [V,L]	U	0.031 [V,L]	U	0.030 [V,L]	U	0.034 [V,L]	U	0.029 [V,L]	U					0.038 [V,L]	U
		21-Oct-16	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		31-Jan-17	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		17-Apr-17 [4]	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U	0.038	U					0.038	U
		26-Jul-17	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		12-Oct-17	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		10-Jan-18	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U	0.026	U					0.026	U
		11-Apr-18	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.26 [D]	U
		27-Jul-18	0.051	U	0.051	U	0.051	U	0.051	U	0.077	U	0.077	U	0.051	U	0.051	U					0.051	U
		24-Oct-18	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U					0.051	U

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.710		0.660		2.110		1.460		0.550		0.450		0.390		0.420						0.580	
		27-Mar-08	2.460		2.080		3.510		2.960		2.620		2.890		1.810		1.910						0.269	
		25-Apr-08	2.220		1.870		8.240		2.170		1.960		2.080		2.150		1.850						0.205	
		29-May-08	0.350		0.290		5.110		2.260		0.290		0.410		0.340		0.250						0.170	U
		27-Jun-08	1.060		1.080		3.280		3.000		1.250		0.994		2.160		0.926						0.795	
		31-Jul-08	1.360		1.160		3.330		1.140		1.140		1.370		0.656		0.488						0.656	
		28-Aug-08	2.130		3.220		8.690		8.200		1.910		2.190		2.280		1.960						2.240	
		30-Sep-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	22.000						4.300	U
		27-Oct-08	4.300	U	4.300	U	4.300	U	5.000		4.300	U	4.300	U	4.300	U	4.300	U					4.700	
		25-Nov-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U
		18-Dec-08	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U
		21-Jan-09	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U	4.300	U					4.300	U
		25-Feb-09	4.300	U	4.300	U	15.000		NS		4.300	U	4.300	U	4.300	U	4.300	U					4.300	U
		26-Mar-09	3.080		2.850		4.530		4.340		1.580		1.990		2.340		1.870						2.310	
		29-Apr-09	0.456		0.733		0.534		1.950		0.477		0.308		0.312		0.347						0.442	
		22-Jul-09	0.920		0.577		2.680		0.824		1.560		2.070		2.510		1.720						3.510	
		9-Oct-09	2.610		2.240		3.360		3.190		2.200		2.090		1.960		1.910						2.290	
		15-Jan-10	1.080		0.915		1.040		0.946		0.724		0.603		0.672		0.607						0.672	
		21-Apr-10	1.200		2.000		4.380		1.610		1.800		1.670		1.430		1.350						0.174	U
		16-Jul-10	0.868		0.568		1.290		1.120		1.290		0.729		1.890		0.694						0.330	
		15-Oct-10	0.642		0.972		1.340		0.408		0.299		0.174		0.468		0.174	U					0.317	
		30-Nov-10	NS		0.620		1.000		NS		NS		NS		0.230		NS						NS	
		26-Jan-11	2.810		2.600		2.910		3.320		2.590		2.790		2.540		3.450		2.700		1.010		3.480	
		26-Jan-11**	NS		4.300		5.100		NS		NS		NS		4.900		NS						NS	
		27-Apr-11	0.295		0.412		2.030		0.642		3.020		0.260		0.412		0.191						0.256	
		26-Jul-11	1.240		3.650		2.630		3.670		0.799		0.816		0.864		0.486						0.404	
		28-Oct-11	2.400		1.100		1.400		0.750		1.300		1.700		1.900		1.500						0.480	
		23-Jan-12	1.600		1.300		1.300		1.500		1.300		1.400		1.400		1.500						1.500	
		13-Apr-12	0.810		0.690		0.810		0.660		0.670		0.740		0.640		0.520						0.350	U
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.260	U					0.260	U
		20-Jun-12	1.200		1.300		1.200		1.400		1.300		1.200		1.400		1.400						0.770	
p/m-Xylene	220.0	1-Nov-12	2.300		1.300		0.960		1.400		1.300		2.100		2.500		1.800						0.340	
		1-Feb-13	0.270		0.210		0.220		0.230		0.220		0.210		0.510		0.210						0.400	
		29-Apr-13	1.700		1.300		1.300		1.300		1.200		0.920		2.400		1.200						0.320	
		9-Jul-13	0.910		0.850		0.810		0.890		0.830		0.770		0.860		0.820						0.650	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.929		NS		NS		NS						0.669	
		18-Oct-13	2.200		0.270		0.300		1.600		2.300		0.310		4.200		2.700						1.300	
		9-Jan-14	10.000		15.000		0.380		0.400		0.420		0.360		0.820		0.430						0.330	
		24-Apr-14	0.220		0.170	U	0.250		0.170	U	0.170	U	0.170	U	0.260		0.280						0.170	U
		1-Aug-14	0.470		0.410		0.980		1.200		1.300		0.550		1.700		1.400						0.990	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.330		NS						NS	
		22-Oct-14	0.590		0.420		0.310		0.260	U	0.330		0.270		0.300		0.380						0.690	
		20-Jan-15	0.390		0.440		0.360		0.530		0.400		0.550		0.720		0.770						0.800	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.350						NS	
		22-Apr-15	1.800		1.900		1.800		1.600		2.300		1.400		1.900		1.800						0.560	
		21-Jul-15	1.800		0.720 [A]		0.770		0.800		0.740		0.750		0.720		0.620						0.170 [J]	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.150 [J]		NS						NS	
		29-Oct-15	0.500	U	1.900		3.600		0.470 [J]		0.500	U	0.480		0.990		0.320 [J]						0.500	U
		4-Dec-15 resample	NS		0.400	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.75		0.24		0.31		0.25		0.22		0.38		0.55		0.46						0.26	
		20-Apr-16 [3]	0.26		0.17	U	0.17	U	0.17	U	0.18		0.17	U	0.17	U	0.17	U					0.17	U
		20-Jul-16	1.5		1.3		1.9		1.8		0.85		1.4		1.6		1						0.29	
		21-Oct-16	1.4		1.9		1.1		2		0.93		0.98		0.44		0.98						8.3	
		31-Jan-17	0.4		0.33		0.45		0.31		0.37		0.34		0.33		0.36						0.38	
		17-Apr-17 [4]	0.3		0.26	U	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U	0.26	U					0.26	U
		26-Jul-17	1		1.1		1.3		1.2		1.1		1		1		1						0.19	
		12-Oct-17	0.17	U	0.47		0.76		0.78		0.41		0.51		0.43		0.46						0.17	U
		10-Jan-18	0.86		1.90		1.60		1.80		0.73		0.77		2.0		0.94						0.17	U
		11-Apr-18	0.68		0.54		0.49		0.55		0.40		0.49		0.4		0.55						0.87[D]	U
		27-Jul-18	0.27		0.37		0.46		0.42		0.3		1.2		0.41		0.36						0.23	
		24-Oct-18	1.1		0.44		0.57		0.54		0.36		0.65		0.28		0.21						0.34	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Sample Date	Kitchen Storage Room	Qual	Cafeteria	Qual	Gymnasium	Qual	Elevator Hallway	Qual	Room 118	Qual	Room 110	Qual	Media Center (Rm 145)	Qual	Room 152	Qual	Room 149	Qual	Room 234	Qual	Ambient Outdoor (AOA-1)	Qual
		8-Feb-08	0.280		0.270		0.870		0.610		0.210		0.170		0.150		0.160						0.200	
		27-Mar-08	0.762		0.718		1.340		1.120		0.920		1.060		0.640		0.668						0.087	U
		25-Apr-08	0.824		0.724		3.480		0.821		0.750		0.770		0.786		0.680						0.087	U
		29-May-08	0.130		0.120		2.080		1.000		0.110		0.180		0.150		0.090	U					0.090	U
		27-Jun-08	0.463		0.393		1.030		1.030		0.485		0.358		0.833		0.339						0.332	
		31-Jul-08	0.476		0.375		0.822		0.371		0.420		0.583		0.240		0.207						0.246	
		28-Aug-08	0.779		1.020		2.210		2.160		0.683		0.787		0.812		0.702						0.832	
		30-Sep-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.600						2.200	U
		27-Oct-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Nov-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		18-Dec-08	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		21-Jan-09	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		25-Feb-09	2.200	U	2.200	U	2.600		NS		2.200	U	2.200	U	2.200	U	2.200	U					2.200	U
		26-Mar-09	1.080		0.798		1.090		1.020		0.551		0.718		0.824		0.651						0.826	
		29-Apr-09	0.143		0.186		0.085	U	0.442		0.165		0.100		0.104		0.108						0.156	
		22-Jul-09	0.347		0.195		0.690		0.247		0.555		0.742		0.911		0.590						1.240	
		9-Oct-09	0.850		0.724		0.954		0.920		0.764		0.764		0.720		0.698						0.759	
		15-Jan-10	0.404		0.321		0.356		0.338		0.273		0.230		0.256		0.230						0.273	
		21-Apr-10	0.425		0.686		1.260		0.577		0.629		0.603		0.564		0.482						0.087	U
		16-Jul-10	0.273		0.186		0.312		0.304		,503		0.200		0.703		0.230						0.126	
		15-Oct-10	0.186		0.265		0.347	U	0.130	U	0.139		0.087	U	2.000		0.087	U					0.104	
		30-Nov-10	NS		0.226		0.325		NS		NS		NS		0.091		NS						NS	
		26-Jan-11	1.000		0.981		1.020		1.150		0.948		1.030		0.922		1.270		1.000		0.392		1.280	
		26-Jan-11**	NS		1.600		1.900		NS		NS		NS		1.900		NS						NS	
		27-Apr-11	0.133		0.134		0.616		0.208		0.824		0.091		0.152		0.080	U					0.095	
		26-Jul-11	0.439		1.520		0.643		2.210		0.295		0.395		0.308		0.165						0.139	
		28-Oct-11	0.810		0.360		0.440		0.260		0.450		0.550		0.660		0.470						0.180	
		23-Jan-12	0.630		0.520		0.530		0.620		0.530		0.580		0.580		0.600						0.590	
		13-Apr-12	0.320		0.270		0.320		0.270		0.280		0.300		0.270		0.220						0.200	
		2-Jul-12 resample	NS		NS		NS		NS		NS		NS		NS		0.130	U					0.130	U
		20-Jun-12	0.470		0.056		0.430		0.580		0.490		0.460		0.530		0.510						0.280	
o-Xylene	220.0	1-Nov-12	0.860		0.480		0.350		0.510		0.480		0.780		0.930		0.710						0.140	
		1-Feb-13	0.110		0.089		0.087	U	0.087	U	0.092		0.090		0.220		0.087	U					0.140	
		29-Apr-13	0.590		0.460		0.460		0.450		0.450		0.330		0.910		0.430						0.120	
		9-Jul-13	0.350		0.320		0.300		0.350		0.340		0.300		0.330		0.310						0.290	
		9-Jul-13 RIDEM	NS		NS		NS		NS		0.405		NS		NS		NS						0.330	
		18-Oct-13	0.660		0.100		0.100		0.500		0.770		0.110		1.300		0.850						0.460	
		9-Jan-14	4.000		6.100		0.160		0.160		0.160		0.160		0.330		0.190						0.140	
		24-Apr-14	0.087	U	0.087	U	0.094		0.087	U	0.087	U	0.087	U	0.099		0.120						0.087	U
		1-Aug-14	0.200		0.160		0.310		0.700		0.690		0.230		0.940		0.770						0.560	
		12-Sept-14 resample	NS		NS		NS		NS		NS		NS		0.130		NS						NS	
		22-Oct-14	0.220		0.160		0.130	U	0.130	U	0.130	U	0.130	U	0.130	U	0.160						0.250	
		20-Jan-15	0.130		0.180		0.140		0.200		0.150		0.200		0.260		0.260						0.270	
		30-Mar-15 resample	NS		NS		NS		NS		NS		NS		NS		0.140						NS	
		22-Apr-15	0.560		0.640		0.590		0.560		0.810		0.460		0.630		0.620						0.200	
		21-Jul-15	0.660		0.260 [A]		0.290		0.330		0.290		0.280		0.300		0.220						0.390 [J]	
		23-Sept-15 resample	NS		NS		NS		NS		NS		NS		0.360 [J]		NS						NS	
		29-Oct-15	0.300	U	0.840		0.390		0.130 [J]		0.200	U	0.150 [J]		0.420		0.130 [J]						0.300	U
		4-Dec-15 resample	NS		0.200	U	NS		NS		NS		NS		NS	U	NS						NS	
		27-Jan-16	0.17		0.087	U	0.13		0.087	U	0.1		0.12		0.17		0.15						0.11	
		20-Apr-16 [3]	0.11		0.087	U	0.087	U	0.087	U	0.092		0.087	U	0.087	U	0.087	U					0.087	U
		20-Jul-16	0.44 [M,W]		0.37 [M,W]		0.50 [M,W]		0.50 [M,W]		0.37 [M,W]		0.48 [M,W]		0.65 [M,W]		0.36 [M,W]						0.13 [M,W]	U
		21-Oct-16	0.49		0.64		0.36		0.66		0.34		0.35		0.17		0.33						2.9	
		31-Jan-17	0.17		0.15		0.2		0.13		0.15		0.13		0.14		0.12						0.16	
		17-Apr-17 [4]	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.13	U					0.13	U
		26-Jul-17	0.35		0.37		0.44		0.41		0.38		0.36		0.35		0.35						0.09	
		12-Oct-17	0.09	U	0.14		0.21		0.23		0.14		0.19		0.14		0.16						0.087	U
		10-Jan-18	0.32		0.67		0.58		0.64		0.29		0.29		0.68		0.37						0.087	U
		11-Apr-18	0.24		0.20		0.19		0.22		0.16		0.18		0.16		0.21						0.43[D]	U
		27-Jul-18	0.12		0.087	U	0.17		0.17		0.13	U	1		0.17		0.16						0.12	
		24-Oct-18	0.4		0.16		0.2		0.22		0.15		0.28		0.12		0.087	U					0.13	

Summary of Indoor and Ambient Outdoor Air Sampling Data - Alvarez School - Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	CT Draft Proposed Indoor Residential Target Air Concentrations/ Interim RIDEM-Approved Action Level	Kitchen Storage Room		Cafeteria		Gymnasium		Elevator Hallway		Room 118		Room 110		Media Center (Rm 145)		Room 152		Room 149		Room 234		Ambient Outdoor (AOA-1)	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual

* = Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.
**- Analyzed by Con-Test Analytical Laboratory
[1] Elevated Data is a result of inadvertant cross-contamination at the laboratory, and not resultant from soil vapor intrusion. Media Center/Room 145 was resampled on 28 January 2008 with Tetrachloroethylene concentration not detacted by the laboratory (MDL = 0.14 ug/m^3).
[2] Elevated Tetrachloroethylene and Acetone data detected on 27 March 2008 was determined to be the result of cleaning products (e.g., graffiti remover, stainless steel polish, etc.) introduced to the school in February and March, and not the result of soil vapor intrusion.
[3]: All samples collected on 20 April 2016 except for the Kitchen Storage Room, which was collected on 25 April 2016 due to inaccessibility of the room during spring break.
[4] All samples collected on 17 April 2017 except for the Kitchen Storage Room, which was collected on 25 April 2017 due to inaccessibility of the room during spring break.
[A] Summa canister had low pressure upon beginning sample colletion, possible interference.Re-sampling effort on 25 April 2008 indicates no exceedences of applicable Acetone and Tetrachloroethylene Action Levels.
[B] Analyte found in associated blank as well as the sample but not excpected to affect data due to sample concentration >10x concentation found in blank.
[M] Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.
[L] Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
[V] Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
[W] Continuing calibration did not meet method specifications and was biased on the high side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.
[J] Estimated result as the result was between the MDL and the RDL.
[I] Initial calibration verification did not meet standard. Reported value is likely to be biased on the high side.
[D] Elevated method detection limits due to failure of Con-test internal standards. Applies to Ambient Outdoor Air sample.

NOTES:
All data presented in micrograms per cubic meter (ug/m^3).
Two values displayed with a slash indicates dilutions resulting in two different concentrations
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.
NS = Not sampled.
None = No Draft Proposed CT Residential TAC for this compound.
= exceedance of interim RIDEM-approved action level

APPENDIX C

Subslab Vapor Analytical Summary

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Acetone	8-Feb-08	17.2		NS		NS		NS		4.75	U	NS		NS		NS		5.62		11.4		NS	
	27-Mar-08	NS		28.7		NS		NS		NS		NS		NS		NS		NS		217		12.4	
	25-Apr-08	NS		NS		188		NS		NS		NS		513		NS		34		NS		33.9	
	29-May-08	NS		NS		NS		40.9		NS		NS		NS		92		9.82		16.4		NS	
	27-Jun-08	107		NS		NS		NS		145		NS		NS		NS		NS		20.4		9.73	
	31-Jul-08	NS		101		NS		NS		NS		NS		NS		NS		14.4		NS		18.1	
	28-Aug-08	NS		NS		1130		NS		NS		NS		30.9		NS		46		47.8		NS	
	30-Sep-08	NS		NS		NS		32.8		NS		NS		NS		44.1		NS		9.4		12.8	
	27-Oct-08	19.6		NS		NS		NS		15		NS		NS		NS		17.9		NS		33.3	
	25-Nov-08	NS		148		NS		NS		NS		183		NS		NS		13		24.7		NS	
	18-Dec-08	NS		NS		856		NS		NS		NS		10.4		NS		NS		37.2		22	
	21-Jan-09	NS		NS		NS		19.1		NS		NS		NS		6.1		2.4	U	NS		4.8	
	25-Feb-09	28.6		NS		NS		NS		60.9		NS		NS		NS		9.5		8.3		NS	
	26-Mar-09	NS		102		NS		NS		NS		47.5	U	NS		NS		NS		50.6		64.8	
	29-Apr-09	NS		NS		1980		NS		NS		NS		23.3		NS		5.15		NS		22.1	
	22-Jul-09	58.5		NS		58,5		148		NS		87.8		NS		NS		96		88.1		NS	
	9-Oct-09	NS		25.7		NS		NS		49.7		NS		9.2		11100		6.51		NS		16.8	
	15-Jan-10	33.6		NS		90.9		22.8		NS		26.3		NS		NS		12.5		11.2		NS	
	21-Apr-10	NS		21.9		NS		NS		206		NS		263		2870		72.8		NS		73.4	
	16-Jul-10	654		NS		4800		202		NS		11400		NS		NS		8.34		21.1		NS	
	15-Oct-10	NS		11.3		NS		NS		26		NS		10.2		18.3		7.03		NS		21.2	
	26-Jan-11	114		26.8		NS		54.4		NS		34.4		NS		35.4		25.3		33.3		NS	
	28-Feb-11	NS		NS		80.8		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		106		NS		NS		255		NS		220		227		17.8		NS		58.2	
	26-Jul-11	76.2		NS		120		154	E	NS		2730		NS		NS		12.8		23.8		NS	
	28-Oct-11	NS		48	U	NS		NS		48	U	NS		48	U	48	U	51		NS		48	U
	23-Jan-12	37		NS		36		19		NS		28		NS		NS		38		29		NS	
	13-Apr-12	NS		32		NS		NS		70		NS		32		83		54		NS		43	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		48	U	NS	
	23-Jun-12	21		NS		30		370		NS		1600		NS		NS		43		21		NS	
	1-Nov-12	NS		41		NS		NS		52		NS		75		44		35		NS		43	
	1-Feb-13	17		NS		12		25		NS		36		NS		NS		16		12		NS	
	29-Apr-13	NS		45		NS		NS		100		NS		68		62		33		NS		43	
	9-Jul-13	100		NS		170		130		NS		260		NS		NS		80		15		NS	
	18-Oct-13	NS		43		NS		NS		61		NS		47		57		48		NS		42	
	9-Jan-14	250		NS		16		25		NS		11		NS		NS		24		33		NS	
	24-Apr-14	NS		18		NS		NS		13		NS		41		15		42		24		30	
	1-Aug-14	31 [M]		NS		110/99 [ME]		110/100 [ME]		NS		NS		NS		NS		31 [M]		57/50 [ME]		NS	
	27-Aug-14	NS		NS		NS		NS		NS		210[E]/130		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		15		NS		NS		NS	
	22-Oct-14	NS		31		NS		NS		14		5.3		17		3.8		40		19		NS	
	20-Jan-15	14		NS		23		23		NS		16		NS		NS		39		72		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		45		NS	
	22-Apr-15	NS		87 [V]		NS		NS		1.9 [V]	U	NS		43		55 [L,V]/68		42		NS		49	
	21-Jul-15	12		NS		22		20		NS		9.2		NS		NS		42 [O]		11 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		5.0		NS		NS		NS	
	29-Oct-15	NS		4.5		NS		NS		20		NS		11		9.2		11		NS		22	
	4-Dec-15 resample	NS		1.9		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	8.4		NS		9.2		7.2		NS		8.6		NS		NS		49		22		NS	
	20-Apr-16	NS		7.3		NS		NS		8.4		NS		11		11		35		NS		21	
	20-Jul-16	37		NS		56		44		NS		35		NS		NS		70		51		NS	
	21-Oct-16	NS		17		NS		NS		25		NS		22		12		29		NS		52	
	31-Jan-17	7.4[L,V]		NS [L,V]		8.9 [L,V]		5.9 [L,V]		NS		6.7 [L,V]		NS		NS		21 [L,V]		20 [L,V]		NS	
	17-Apr-17	NS		7		NS		NS		17		NS		13		7.5		33		NS		49	
	26-Jul-17	19		NS		15		17		NS		11		NS		NS		18		16		NS	
	12-Oct-17	NS		32		NS		NS		20		NS		52		29		22		NS		33	
	10-Jan-18	39		NS		17		8.1		NS		14		NS		NS		26		NS		28	
	11-Apr-18	NS		34		NS		NS		26		NS		36		63		38		NS		40	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		19		NS	
	27-Jul-18	73		NS		110		130		NS		77		NS		NS		83		63		NS	
	24-Oct-18	NS		13		NS		NS		13		NS		16		21		30		NS		35	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	1.08	U	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	NS	
	27-Mar-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		NS		1.08	U	1.08	U
	25-Apr-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	29-May-08	NS		NS		NS		1.08	U	NS		NS		NS		1.08	U	1.08	U	1.08	U	NS	
	27-Jun-08	1.69	U	NS		NS		NS		1.08	U	NS		NS		NS		NS		1.08	U	1.08	U
	31-Jul-08	NS		1.08	U	NS		NS		NS		NS		NS		NS		1.08	U	NS		1.08	U
	28-Aug-08	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	1.08	U	NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2		2.2	U
	27-Oct-08	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS		2.2	U
	25-Feb-09	2.2	U	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	
	26-Mar-09	NS		5.42	U	NS		NS		NS		10.8	U	NS		NS		NS		1.08	U	1.08	U
	29-Apr-09	NS		NS		1.08	U	NS		NS		NS		1.08	U	NS		1.08	U	NS		1.08	U
	22-Jul-09	5.42	U	NS		5.42	U	10.8	U	NS		5.42	U	NS		NS		1.08	U	1.08	U	NS	
	9-Oct-09	NS		0.051	U	NS		NS		1.08	U	NS		1.08	U	226	U	1.08	U	NS		1.08	U
	15-Jan-10	1.08	U	NS		1.08	U	1.08	U	NS		1.08	U	NS		NS		1.08	U	1.08	U	NS	
	21-Apr-10	NS		1.08	U	NS		NS		5.42	U	NS		5.42	U	5.42	U	1.08	U	NS		1.08	U
	16-Jul-10	1.08	U	NS		1.08	U	1.08	U	NS		8.19	U	NS		NS		1.08	U	1.08	U	NS	
	15-Oct-10	NS		0.108	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jan-11	10.8	U	1.08	U	NS		1.08	U	NS		5.42	U	NS		5.42	U	5.42	U	5.42	U	NS	
	28-Feb-11	NS		NS		10.8	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.08	U	NS		NS		1.08	U	NS		1.08	U	1.08	U	1.08	U	NS		1.08	U
	26-Jul-11	3.62	U	NS		3.62	U	1.08	U	NS		5.42	U	NS		NS		1.08	U	5.42	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2		NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
Acrylonitrile	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37 [L,V]	U	NS		NS		NS	
	22-Oct-14	NS		0.37 [L]	U	NS		NS		0.37 [L]	U	0.37 [L]	U	0.37 [L]	U	0.37 [L]	U	0.37 [L]	U	0.50 [L]	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26 [L]	U	NS		NS		0.25 [L]	U	NS		0.25 [L]	U	0.50	U	0.25 [L]	U	NS		0.29 [L]	U
	21-Jul-15	0.1	U	NS		0.4	U	2	U	NS		0.1	U	NS		NS		0.1 [O]	U	0.1 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3 [MW]		1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.63	U	0.71	U	NS		0.63	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38	U	NS	
	27-Jul-18	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.92		NS		NS		NS		0.98		NS		NS		NS		0.54		0.85		NS	
	27-Mar-08	NS		0.54		NS		NS		NS		0.462		NS		NS		NS		0.788		0.635	
	25-Apr-08	NS		NS		0.584		NS		NS		NS		0.745		NS		0.428		NS		0.536	
	29-May-08	NS		NS		NS		0.73		NS		NS		NS		1.03		1.12		0.61		NS	
	27-Jun-08	0.626		NS		NS		NS		0.468		NS		NS		NS		NS		0.499		0.399	
	31-Jul-08	NS		0.418		NS		NS		NS		NS		NS		NS		0.358		NS		0.265	
	28-Aug-08	NS		NS		1.02		NS		NS		NS		0.537		NS		0.815		0.692		NS	
	30-Sep-08	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U	1.6	U
	27-Oct-08	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		1.6	U
	25-Nov-08	NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	18-Dec-08	NS		NS		1.6	U	NS		NS		NS		1.6	U	NS		NS		1.6	U	1.6	U
	21-Jan-09	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	1.6	U	NS		1.6	U
	25-Feb-09	1.6	U	NS		NS		NS		1.6	U	NS		NS		NS		1.6	U	1.6	U	NS	
	26-Mar-09	NS		2.1		NS		NS		NS		2.23	U	NS		NS		NS		0.945		1.48	
	29-Apr-09	NS		NS		0.603		NS		NS		NS		0.246		NS		0.223	U	NS		0.367	
	22-Jul-09	1.12	U	NS		56		2.23	U	NS		1.45		NS		NS		4.27		0.629		NS	
	9-Oct-09	NS		1.15		NS		NS		0.974		NS		0.431		46.6	U	0.619		NS		0.824	
	15-Jan-10	0.763		NS		0.887		0.98		NS		1.26		NS		NS		0.964		0.964		NS	
	21-Apr-10	NS		0.373		NS		NS		0.16	U	NS		1.6	U	1.61		0.635		NS		1.26	
	16-Jul-10	0.332		NS		1.53		0.689		NS		2.41	U	NS		NS		0.319	U	0.319	U	NS	
	15-Oct-10	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.319	U	0.319	U	NS		0.319	U
	26-Jan-11	3.19	U	2.49		NS		2.46		NS		1.6	U	NS		1.85		1.8		1.9		NS	
	28-Feb-11	NS		NS		3.19	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.319	U	NS		NS		0.319	U	NS		0.319	U	0.354		0.319	U	NS		0.319	
	26-Jul-11	1.06	U	NS		1.06	U	0.434		NS		1.6	U	NS		NS		0.319	U	1.6	U	NS	
	28-Oct-11	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
	23-Jan-12	0.84		NS		1.2		0.98		NS		0.81		NS		NS		1.4		1.5		NS	
	13-Apr-12	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS	
	23-Jun-12	0.45		NS		0.61		0.88		NS		0.43		NS		NS		0.42		0.4		NS	
Benzene	1-Nov-12	NS		0.45		NS		NS		0.43		NS		0.49		0.56		0.61		NS		1	
	1-Feb-13	0.33		NS		0.45		0.47		NS		0.35		NS		NS		0.45		0.46		NS	
	29-Apr-13	NS		0.41		NS		NS		0.38		NS		0.41		0.47		0.63		NS		0.67	
	9-Jul-13	0.64		NS		0.93		0.76		NS		0.70		NS		NS		0.65		0.42		NS	
	18-Oct-13	NS		0.66		NS		NS		0.63		NS		0.86		1.0		0.28		NS		0.92	
	9-Jan-14	1.2		NS		1.1		0.97		NS		1.1		NS		NS		1.5		1.5		NS	
	24-Apr-14	NS		0.3		NS		NS		0.22		NS		0.32		0.23		0.39		0.34		0.35	
	1-Aug-14	0.49		NS		0.79/0.76		0.68/0.69		NS		NS		NS		NS		0.34		0.43		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.69		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS	U	NS	
	22-Oct-14	NS		0.28		NS		NS		0.21		0.19		0.34		0.14		0.36		0.32		NS	
	20-Jan-15	0.42		NS		0.33		0.45		NS		0.31		NS		NS		0.63		0.46		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.41		NS	
	22-Apr-15	NS		0.48		NS		NS		0.35		NS		0.46		0.57/0.60		0.84		NS		0.93	
	21-Jul-15	0.35		NS		0.520 J		3	U	NS		0.29		NS		NS		0.29 O		0.41 O		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.28		NS		NS		NS	
	29-Oct-15	NS		0.15 J		NS		NS		0.19		NS		0.26 J		0.27		0.24		NS		0.23	
	4-Dec-15 resample	NS		0.11 J		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.32		NS		0.5		0.53		NS		0.43		NS		NS		0.72		0.69		NS	
	20-Apr-16	NS		0.21		NS		NS		0.27		NS		0.27		0.32		0.73		NS		0.47	
	20-Jul-16	0.32	U	NS		0.7		0.41		NS		0.68		NS		NS		0.43		0.85		NS	
	21-Oct-16	NS		0.35		NS		NS		0.84		NS		0.58		1.3		0.39		NS		0.064	U
	31-Jan-17	0.24		NS		0.43		0.37		NS		0.37		NS		NS		0.66		0.49		NS	
	17-Apr-17	NS		0.25		NS		NS		0.26		NS		0.24		0.33		0.29		NS		0.39	
	26-Jul-17	0.2		NS		0.41		0.36		NS		0.37		NS		NS		0.4		0.5		NS	
	12-Oct-17	NS		0.18		NS		NS		0.17		NS		0.23		0.4		0.37		NS		0.32	
	10-Jan-18	0.26		NS		0.46		0.46		NS		0.44		NS		NS		0.73		NS		0.35	
	11-Apr-18	NS		0.36		NS		NS		0.64	U	NS		0.64	U	0.64	U	0.99		NS		0.81	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.3		NS	
	27-Jul-18	0.32	U	NS		0.6		0.39		NS		0.43		NS		NS		0.37		0.38		NS	
	24-Oct-18	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.47	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	27-Mar-08	NS		0.134	U	NS		NS		NS		0.134	U	NS		NS		NS		0.134	U	0.134	U
	25-Apr-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	29-May-08	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	0.13	U	NS	
	27-Jun-08	0.209	U	NS		NS		NS		0.134	U	NS		NS		NS		NS		0.134	U	0.134	U
	31-Jul-08	NS		0.134	U	NS		NS		NS		NS		NS		NS		0.134	U	NS		0.134	U
	28-Aug-08	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	0.134	U	NS	
	30-Sep-08	NS		NS		NS		0.52		NS		NS		NS		0.13	U	NS		0.23		0.13	U
	27-Oct-08	0.13	U	NS		NS		NS		1.07		NS		NS		NS		0.13	U	NS		0.13	U
	25-Nov-08	NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	3		NS	
	18-Dec-08	NS		NS		0.13	U	NS		NS		NS		0.13	U	NS		NS		0.13	U	0.13	U
	21-Jan-09	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS		0.13	U
	25-Feb-09	0.13	U	NS		NS		NS		0.13	U	NS		NS		NS		0.13	U	0.13	U	NS	
	26-Mar-09	NS		0.67	U	NS		NS		NS		1.34	U	NS		NS		NS		0.134	U	0.134	U
	29-Apr-09	NS		NS		0.134	U	NS		NS		NS		0.134	U	NS		0.134	U	NS		0.134	U
	22-Jul-09	0.67	U	NS		27.3	U	1.34	U	NS		0.67	U	NS		NS		0.134	U	0.134	U	NS	
	9-Oct-09	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	28	U	0.134	U	NS		0.134	U
	15-Jan-10	0.134	U	NS		0.134	U	0.134	U	NS		0.134	U	NS		NS		0.134	U	0.134	U	NS	
	21-Apr-10	NS		0.134	U	NS		NS		0.67	U	NS		0.67	U	0.67	U	0.134	U	NS		0.134	U
	16-Jul-10	0.134	U	NS		0.134	U	0.134	U	NS		1.01	U	NS		NS		0.134		0.134	U	NS	
	15-Oct-10	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jan-11	1.34	U	0.134	U	NS		0.134	U	NS		0.67	U	NS		0.67	U	0.67	U	0.67	U	NS	
	28-Feb-11	NS		NS		1.34	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.134	U	NS		NS		0.134	U	NS		0.134	U	0.134	U	0.134	U	NS		0.134	U
	26-Jul-11	0.447	U	NS		0.447	U	0.134	U	NS		0.67	U	NS		NS		0.134	U	0.67	U	NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.67	U	NS		0.67	U	0.67	U	NS		0.67	U	NS		NS		0.67	U	0.67	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.67	U	NS		0.67	U	0.67	U	NS		0.67	U	NS		NS		0.67	U	0.67	U	NS	
Bromodichloromethane	1-Nov-12	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U	0.067	U	0.067	U	NS		0.067	U
	1-Feb-13	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	29-Apr-13	NS		0.16	U	NS		NS		0.067	U	NS		0.67	U	0.067	U	0.067	U	NS		0.067	U
	9-Jul-13	0.1	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.23		NS	
	18-Oct-13	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	
	9-Jan-14	0.13	U	NS		0.13	U	0.13	U	NS		0.13	U	NS		NS		0.13	U	0.13	U	NS	
	24-Apr-14	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	0.13	U	0.20	U
	1-Aug-14	0.13	U	NS		0.20	U	0.20	U	NS		NS		NS		NS		0.13	U	0.13	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.067	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.1		NS		NS	U	NS	
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.13	U	NS	
	20-Jan-15	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.1	U	0.067	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.075	U	NS	
	22-Apr-15	NS		0.069	U	NS		NS		0.067	U	NS		0.067	U	0.097	U	0.067	U	NS		0.077	U
	21-Jul-15	0.3	U	NS		NS	U	7	U	NS		0.4	U	NS		NS		0.30 [O]	U	0.40 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.42		NS	
	20-Apr-16	NS		0.067	U	NS		NS		0.83		NS		0.067	U	0.067	U	0.067	U	NS		0.12	
	20-Jul-16	0.34	U	NS		0.34		0.34	U	NS		0.38		NS		NS		0.43		0.34	U	NS	
	21-Oct-16	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U	0.067	U	0.067	U	NS		0.067	U
	31-Jan-17	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	17-Apr-17	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.1	U	0.10	U	NS		0.1	U
	26-Jul-17	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	0.067	U	NS	
	12-Oct-17	NS		0.067	U	NS		NS		0.067	U	NS		0.2	U	0.17	U	0.19	U	NS		0.17	U
	10-Jan-18	0.067	U	NS		0.067	U	0.067	U	NS		0.067	U	NS		NS		0.067	U	NS		0.067	U
	11-Apr-18	NS		0.13	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	0.13	U	NS		1.3	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS	
	27-Jul-18	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	0.34	U	NS	
	24-Oct-18	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.21	U	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	NS	
	27-Mar-08	NS		0.206	U	NS		NS		NS		0.206	U	NS		NS		NS		0.206	U	0.206	U
	25-Apr-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	29-May-08	NS		NS		NS		0.21	U	NS		NS		NS		0.21	U	0.21	U	0.21	U	NS	
	27-Jun-08	0.322	U	NS		NS		NS		0.206	U	NS		NS		NS		NS		0.206	U	0.206	U
	31-Jul-08	NS		0.206	U	NS		NS		NS		NS		NS		NS		0.206	U	NS		0.206	U
	28-Aug-08	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	0.206	U	NS	
	30-Sep-08	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U	0.41	U
	27-Oct-08	0.41	U	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		0.41	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U	NS	
	18-Dec-08	NS		NS		0.41	U	NS		NS		NS		0.41	U	NS		NS		0.41	U	0.41	U
	21-Jan-09	NS		NS		NS		0.41	U	NS		NS		NS		0.41	U	0.41	U	NS		0.41	U
	25-Feb-09	0.41	U	NS		NS		NS		0.14	U	NS		NS		NS		0.41	U	0.41	U	NS	
	26-Mar-09	NS		1.03	U	NS		NS		NS		2.06	U	NS		NS		NS		0.206	U	0.206	U
	29-Apr-09	NS		NS		0.206	U	NS		NS		NS		0.206	U	NS		0.206	U	NS		0.206	U
	22-Jul-09	1.03	U	NS		42	U	2.06	U	NS		1.03	U	NS		NS		0.206	U	0.206	U	NS	
	9-Oct-09	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	43.1	U	0.206	U	NS		0.206	U
	15-Jan-10	0.206	U	NS		0.206	U	0.206	U	NS		0.206		NS		NS		0.206	U	0.206	U	NS	
	21-Apr-10	NS		0.206	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	0.206	U	NS		0.206	U
	16-Jul-10	0.206	U	NS		0.206	U	0.206	U	NS		1.56	U	NS		NS		0.206	U	0.206	U	NS	
	15-Oct-10	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jan-11	2.06	U	0.206	U	NS		0.206	U	NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS	
	28-Feb-11	NS		NS		2.06	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.206	U	NS		NS		0.206	U	NS		0.206	U	0.206	U	0.206	U	NS		0.206	U
	26-Jul-11	0.69	U	NS		0.69	U	0.207	U	NS		1.03	U	NS		NS		0.207	U	1.03	U	NS	
	28-Oct-11	NS		5.2	U	NS		NS		5.2	U	NS		5.2	U	5.2	U	5.2	U	NS		5.2	U
	23-Jan-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	
	13-Apr-12	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.2	U	NS	
	23-Jun-12	1	U	NS		1	U	1	U	NS		1	U	NS		NS		1	U	1	U	NS	
Bromoform	1-Nov-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	1-Feb-13	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	29-Apr-13	NS		0.52	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jul-13	0.31	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	18-Oct-13	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	9-Jan-14	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	24-Apr-14	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	0.21	U	0.31	U
	1-Aug-14	0.21	U	NS		0.31	U	0.31	U	NS		NS	U	NS		NS		0.21	U	0.21	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.21	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS	U	NS	
	22-Oct-14	NS		0.31	U	NS		NS		0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.41	U	NS	
	20-Jan-15	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.31	U	0.21	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.23	U	NS	
	22-Apr-15	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.03	U	0.21	U	NS		0.24	U
	21-Jul-15	0.5	U	NS		2	U	10	U	NS		0.6	U	NS		NS		0.50 [O]	U	0.60 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.5	U	NS		NS		NS	
	29-Oct-15	NS		0.6	U	NS		NS		0.6	U	NS		0.9	U	0.5	U	0.5	U	NS		0.5	U
	4-Dec-15 resample	NS		0.5	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	20-Apr-16	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.21	U	NS		0.21	U
	20-Jul-16	1.0	U	NS		1.0	U	1.0	U	NS		1.0	U	NS		NS		1.0	U	1.0	U	NS	
	21-Oct-16	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	0.2	U	NS		0.21	U
	31-Jan-17	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.21	U	0.21	U	NS	
	17-Apr-17	NS		0.310	U	NS		NS		0.310	U	NS		0.310	U	0.310	U	0.310	U	NS		0.310	U
	26-Jul-17	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.210	U	0.21	U	NS	
	12-Oct-17	NS		0.21	U	NS		NS		0.21	U	NS		0.63	U	0.52	U	0.590	U	NS		0.52	U
	10-Jan-18	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		0.210	U	NS		0.21	U
	11-Apr-18	NS		0.21	U	NS		NS		2.1 [D]	U	NS		2.1 [D]	U	2.1 [D]	U	0.210	U	NS		2.1 [D]	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.31	U	NS	
	27-Jul-18	1.0	U	NS		1.0	U	1.0	U	NS		1.0	U	NS		NS		1.0	U	1.0	U	NS	
	24-Oct-18	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1.0	U	NS		1	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	126		NS		NS		NS		1.47	U	NS		NS		NS		3.08		10.6		NS	
	27-Mar-08	NS		226		NS		NS		NS		NS		NS		NS		NS		11.9		3.9	
	25-Apr-08	NS		NS		477		NS		NS		NS		1680		NS		2.24		NS		1.47	U
	29-May-08	NS		NS		NS		527		NS		NS		NS		591		2.27		3.04		NS	
	27-Jun-08	1080		NS		NS		NS		596		NS		NS		NS		NS		6.92		3.64	
	31-Jul-08	NS		1350		NS		NS		NS				NS		NS		12		NS		2.56	
	28-Aug-08	NS		NS		8380		NS		NS		NS		102		NS		5.29		9.18		NS	
	30-Sep-08	NS		NS		NS		101		NS		NS		NS		194		NS		2		1.5	U
	27-Oct-08	53.5		NS		NS		NS		30.5		NS		NS		NS		2.4		NS		5.7	
	25-Nov-08	NS		802		NS		NS		NS		259		NS		NS		1.8		2.4		NS	
	18-Dec-08	NS		NS		5630		NS		NS		NS		8.3		NS		NS		2.6		3.3	
	21-Jan-09	NS		NS		NS		209		NS		NS		NS		24		1.5	U	NS		1.5	U
	25-Feb-09	30		NS		NS		NS		198		NS		NS		NS		1.5	U	1.5	U	NS	
	26-Mar-09	NS		926		NS		NS		NS		29.1		NS		NS		NS		2.66		3.02	
	29-Apr-09	NS		NS		12400		NS		NS		NS		38.1		NS		1.47	U	NS		3.06	
	22-Jul-09	433		NS		433		410		NS		151		NS		NS		21.6		2.8		NS	
	9-Oct-09	NS		289		NS		NS		1.47	U	NS		19.1		22700		2.75		NS		12.6	
	15-Jan-10	29.8		NS		826		64.1		NS		38.4		NS		NS		2.64		1.6		NS	
	21-Apr-10	NS		6.44		NS		NS		7.37	U	NS		34.6		1840		16.8		NS		14.5	
	16-Jul-10	5320		NS		21000		441		NS		10400		NS		NS		1.54		2.8		NS	
	15-Oct-10	NS		117		NS		NS		44.9		NS		2.85		18.2		1.47	U	NS		1.92	
	26-Jan-11	940		22.3		NS		16.5		NS		7.37	U	NS		50.4		7.37	U	7.37	U	NS	
	28-Feb-11	NS		NS		625		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		6.87		NS		NS		171		NS		11.3		15.3		5.38		NS		10.4	
	26-Jul-11	690	E	NS		82.9		93.2		NS		11000		NS		NS		2.07		7.37	U	NS	
	28-Oct-11	NS		59	U	NS		NS		59	U	NS		59	U	59	U	59	U	NS		59	U
	23-Jan-12	110		NS		70		12	U	NS		20		NS		NS		12	U	12	U	NS	
	13-Apr-12	NS		16		NS		NS		74		NS		12	U	12	U	12	U	NS		12	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		59	U	NS	
	23-Jun-12	75		NS		92		3700		NS		1900		NS		NS		12	U	12	U	NS	
2-Butanone	1-Nov-12	NS		24		NS		NS		44		NS		3.6		12		3.7		NS		4.2	
	1-Feb-13	36		NS		4.9		16		NS		20		NS		NS		2.4		2.4	U	NS	
	29-Apr-13	NS		170		NS		NS		110		NS		6.1		7		7.2		NS		4.5	
	9-Jul-13	98		NS		130		79		NS		370		NS		NS		6.8		2.4	U	NS	
	18-Oct-13	NS		91		NS		NS		28		NS		4		52		8.2		NS		6.4	
	9-Jan-14	1900		NS		11		26		NS		11		NS		NS		4.2		2.6		NS	
	24-Apr-14	NS		32		NS		NS		11		NS		3.2		19		8.1		2.5		3.5	U
	1-Aug-14	38		NS		110/81		110/93		NS		NS		NS		NS		5.8		4.3		NS	
	27-Aug-14	NS		NS		NS		NS		NS		12		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		7.0		NS		NS		NS	
	22-Oct-14	NS		5.8		NS		NS		16		3.5	U	3.9		3.5	U	15		4.7	U	NS	
	20-Jan-15	5.1		NS		3.9		4.3		NS		2.4	U	NS		NS		7.5		6.2		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		5.5		NS	
	22-Apr-15	NS		17 [V]		NS		NS		23 [V]		NS		11		11		19		NS		10	
	21-Jul-15	17		NS		55		170		NS		21		NS		NS		20 [O]		2.2 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		7.9		NS		NS		NS	
	29-Oct-15	NS		10		NS		NS		13		NS		11		5.7		2.1		NS		3.1	
	4-Dec-15 resample	NS		3.3		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.4	U	NS		2.4		2.4	U	NS		2.4	U	NS		NS		12		4.4		NS	
	20-Apr-16	NS		21		NS		NS		29		NS		34		21		12		NS		4.1	
	20-Jul-16	36		NS		37		12	U	NS		46		NS		NS		32		12	U	NS	
	21-Oct-16	NS		21		NS		NS		12		NS		3.3		3.3		5.1		NS		8.3	
	31-Jan-17	2.4	U	NS		2.8		2.4	U	NS		2.4	U	NS		NS		5		5.6		NS	
	17-Apr-17	NS		13		NS		NS		21		NS		4.2		16		8		NS		7	
	26-Jul-17	29		NS		16		6.1		NS		7.3		NS		NS		6.8		3.5		NS	
	12-Oct-17	NS		8.3		NS		NS		8.3		NS		7.1	U	5.9	U	6.7	U	NS		5.9	U
	10-Jan-18	96 [E]		NS		18		2.4	U	NS		8.1		NS		NS		4.7		NS		3.5	
	11-Apr-18	NS		6		NS		NS		24	U	NS		24	U	24	U	5.1		NS		24	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.5	U	NS	
	27-Jul-18	22		NS		24		12	U	NS		12	U	NS		NS		20		12	U	NS	
	24-Oct-18	NS		12	U	NS		NS		12	U	NS		12	U	12	U	12	U	NS		12	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	22.1		NS		NS		NS		5.5	U	NS		NS		NS		12.8		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	11.5		NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		1.08	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.745	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17		2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		7.9	U	NS		NS		7.9	U	NS		7.9	U	7.9	U	7.9	U	NS		7.9	U
	23-Jan-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	13-Apr-12	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U
n-Butylbenzene	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.9	U	NS	
	23-Jun-12	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	1-Nov-12	NS		0.32	U	NS		NS		0.32	U	NS		0.44		0.35		0.38		NS		0.32	U
	1-Feb-13	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	29-Apr-13	NS		0.79	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	9-Jul-13	0.47	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	18-Oct-13	NS		0.54		NS		NS		0.52		NS		0.74		0.65		0.68		NS		0.87	
	9-Jan-14	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	24-Apr-14	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	0.32	U	0.47	U
	1-Aug-14	0.32	U	NS		0.63		0.47[L]	U	NS		NS		NS		NS		0.32	U	0.56		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.32	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.47	U	NS		NS		NS	
	22-Oct-14	NS		0.47	U	NS		NS		0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	0.63	U	NS	
	20-Jan-15	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.47	U	0.032	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36	U	NS	
	22-Apr-15	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.46	U	0.32	U	NS		0.36	U
	27-Jan-16	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	20-Apr-16	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	20-Jul-16	1.6	U	NS		1.6 [MV]	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	21-Oct-16	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U	0.32	U	0.32	U	NS		0.32	U
	31-Jan-17	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	17-Apr-17	NS		0.47	U	NS		NS		0.47	U	NS		0.47	U	0.47	U	0.47	U	NS		0.47	U
	26-Jul-17	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	0.32	U	NS	
	12-Oct-17	NS		0.32	U	NS		NS		0.32	U	NS		0.96	U	0.79	U	0.9	U	NS		0.79	U
	10-Jan-18	0.32	U	NS		0.32	U	0.32	U	NS		0.32	U	NS		NS		0.32	U	NS		0.32	U
	11-Apr-18	NS		0.32	U	NS		NS		3.2	U	NS		3.2	U	3.2	U	0.32	U	NS		3.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.47	U	NS	
	27-Jul-18	1.6	U	NS		1.6	U	1.6	U	NS		1.6	U	NS		NS		1.6	U	1.6	U	NS	
	24-Oct-18	NS		1.6	U	NS		NS		1.6	U	NS		1.6	U	1.6	U	1.6	U	NS		1.6	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	27-Oct-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74		NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.74	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2,74	U	2.74	U	NS		20.7	U	2.74	U	NS		2.74	U	2.74	U	NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74		2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.47	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
sec-Butylbenzene	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.38	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.38	U
	1-Aug-14	0.25	U	NS		0.38	U	0.38	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.38	U	NS		NS	U	NS	
	22-Oct-14	NS		0.38	U	NS		NS		0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3 MW	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.63	U	0.71	U	NS		0.63	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38	U	NS	
	27-Jul-18	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	24-Oct-18	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.44		NS		NS		NS		0.46		NS		NS		NS		0.53		0.45		NS	
	27-Mar-08	NS		0.539		NS		NS		NS		0.477		NS		NS		NS		0.576		0.574	
	25-Apr-08	NS		NS		0.417		NS		NS		NS		0.448		NS		0.459		NS		0.448	
	29-May-08	NS		NS		NS		0.46		NS		NS		NS		0.46		0.47		0.46		NS	
	27-Jun-08	0.478		NS		NS		NS		0.506		NS		NS		NS		NS		0.533		0.553	
	31-Jul-08	NS		0.576		NS		NS		NS		NS		NS		NS		0.548		NS		0.495	
	28-Aug-08	NS		NS		0.515		NS		NS		NS		0.549		NS		0.567		0.563		NS	
	30-Sep-08	NS		NS		NS		0.511		NS		NS		NS		0.577		NS		0.451		0.469	
	27-Oct-08	0.48		NS		NS		NS		0.36		NS		NS		NS		0.41		NS		0.56	
	25-Nov-08	NS		0.5		NS		NS		NS		0.42		NS		NS		0.3		0.44		NS	
	18-Dec-08	NS		NS		0.23		NS		NS		NS		0.28		NS		NS		0.48		0.46	
	21-Jan-09	NS		NS		NS		0.36		NS		NS		NS		0.47		0.27		NS		0.67	
	25-Feb-09	0.39		NS		NS		NS		0.36		NS		NS		NS		0.37		0.36		NS	
	26-Mar-09	NS		0.629	U	NS		NS		NS		1.26	U	NS		NS		NS		0.601		0.565	
	29-Apr-09	NS		NS		0.484		NS		NS		NS		0.528		NS		0.522		NS		0.654	
	22-Jul-09	0.629	U	NS		25.6	U	1.26	U	NS		0.629	U	NS		NS		0.515		0.503		NS	
	9-Oct-09	NS		0.691		NS		NS		0.666		NS		0.465		26.2	U	0.71		NS		0.691	
	15-Jan-10	0.427		NS		0.647		0.509		NS		0.541		NS		NS		0.541		0.528		NS	
	21-Apr-10	NS		0.126		NS		NS		0.629	U	NS		0.629	U	0.629	U	0.61		NS		0.503	
	16-Jul-10	0.459		NS		0.478		0.515		NS		0.95	U	NS		NS		0.559		0.509		NS	
	15-Oct-10	NS		0.509		NS		NS		0.434		NS		0.383		0.402		0.421		NS		0.44	
	26-Jan-11	1.26	U	0.415		NS		0.415		NS		0.629	U	NS		0.629	U	0.629	U	0.629	U	NS	
	28-Feb-11	NS		NS		1.26	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.339		NS		NS		0.339		NS		0.33		0.364		0.339		NS		0.327	
	26-Jul-11	0.44		NS		0.42	U	0.409		NS		0.629	U	NS		NS		0.402		0.629	U	NS	
	28-Oct-11	NS		3.1	U	NS		NS		3.1	U	NS		3.1	U	3.1	U	3.1	U	NS		3.1	U
	23-Jan-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	NS	
	13-Apr-12	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	NS		0.31	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6	U	NS	
	23-Jun-12	0.63	U	NS		0.63	U	0.63	U	NS		0.63	U	NS		NS		0.63	U	0.63	U	NS	
Carbon tetrachloride	1-Nov-12	NS		0.48		NS		NS		0.46		NS		0.46		0.45		0.47		NS		0.43	
	1-Feb-13	0.44		NS		0.43		0.39		NS		0.42		NS		NS		0.49		0.5		NS	
	29-Apr-13	NS		0.42		NS		NS		0.44		NS		0.42		0.48		0.48		NS		0.46	
	9-Jul-13	0.52		NS		0.52		0.46		NS		0.48		NS		NS		0.45		0.47		NS	
	18-Oct-13	NS		0.45		NS		NS		0.41		NS		0.4		0.45		0.44		NS		0.47	
	9-Jan-14	0.40		NS		0.45		0.40		NS		0.43		NS		NS		0.43		0.43		NS	
	24-Apr-14	NS		0.48		NS		NS		0.45		NS		0.42		0.47		0.47		0.47		0.48	
	1-Aug-14	0.30		NS		0.44		0.43		NS		NS		NS		NS		0.56		0.43		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.45		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.43		NS		NS	U	NS	
	22-Oct-14	NS		0.45		NS		NS		0.42		0.43		0.42		0.45		0.43		0.44		NS	
	20-Jan-15	0.45		NS		0.49		0.42		NS		0.44		NS		NS		0.48		0.48		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.43		NS	
	22-Apr-15	NS		0.28		NS		NS		0.29		NS		0.34		0.34/0.36		0.33		NS		0.33	
	21-Jul-15	0.270 [J]		NS		1	U	6	U	NS		0.28 [J]		NS		NS		0.25 [J,O]		0.24 [J,O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.29 [J]		NS		NS		NS	
	29-Oct-15	NS		0.35		NS		NS		0.29 [J]		NS		0.27 [J]		0.28 [J]		0.27 [J]		NS		0.27 [J]	
	4-Dec-15 resample	NS		0.30 [J]		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.57		NS		0.59		0.53		NS		0.56		NS		NS		0.57		0.59		NS	
	20-Apr-16	NS		0.65		NS		NS		0.61		NS		0.62		0.65		0.64		NS		0.67	
	20-Jul-16	0.42		NS		0.58		0.59		NS		0.64		NS		NS		0.63		0.55		NS	
	21-Oct-16	NS		0.49		NS		NS		0.45		NS		0.44		0.46		0.48		NS		0.47	
	31-Jan-17	0.41		NS		0.38		0.39		NS		0.4		NS		NS		0.45		0.48		NS	
	17-Apr-17	NS		0.49		NS		NS		0.44		NS		0.43		0.49		0.44		NS		0.48	
	26-Jul-17	0.4		NS		0.44		0.41		NS		0.4		NS		NS		0.39		0.39		NS	
	12-Oct-17	NS		0.38		NS		NS		0.37		NS		0.43		0.62		0.47		NS		0.41	
	10-Jan-18	0.34		NS		0.35		0.36		NS		0.35		NS		NS		0.37		NS		0.37	
	11-Apr-18	NS		0.49		NS		NS		1.3 [D]	U	NS		1.3 [D]	U	1.3 [D]	U	0.55		NS		1.3 [D]	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.45		NS	
	27-Jul-18	0.31	U	NS		0.31	U	0.31	U	NS		0.31	U	NS		NS		0.31	U	0.31	U	NS	
	24-Oct-18	NS		0.31	U	NS		NS		0.31	U	NS		0.31	U	0.31	U	0.31	U	NS		0.31	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.052	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	0.09	U	NS	
	27-Jun-08	0.207		NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U	2.3	U
	27-Oct-08	2.3	U	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		2.3	U
	25-Nov-08	NS		2.3	U	NS		NS		NS		2.3	U	NS		NS		2.3	U	2.3	U	NS	
	18-Dec-08	NS		NS		2.3	U	NS		NS		NS		2.3	U	NS		NS		2.3	U	2.3	U
	21-Jan-09	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS		2.3	U
	25-Feb-09	2.3	U	NS		NS		NS		2.3	U	NS		NS		NS		2.3	U	2.3	U	NS	
	26-Mar-09	NS		0.46	U	NS		NS		NS		0.92	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.46	U	NS		18.8	U	0.92	U	NS		0.46	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.2	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092		NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	0.212		NS		0.695	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.129		NS		0.106		0.101		0.092	U	NS		0.101	
	26-Jan-11	0.92	U	0.092	U	NS		0.092	U	NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS	
	28-Feb-11	NS		NS		0.92	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.307	U	NS		0.307	U	0.092	U	NS		0.46	U	NS		NS		0.092	U	0.46	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	12		NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.3	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
Chlorobenzene	1-Nov-12	NS		0.092	U	NS		NS		0.092	U	NS		0.16		0.092	U	0.092	U	NS		0.092	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	9-Jul-13	0.18		NS		0.14		0.15		NS		0.15		NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	0.046	U	0.14	U
	1-Aug-14	0.092	U	NS		0.14	U	0.25		NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.092	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.14	U	NS		NS	U	NS	
	22-Oct-14	NS		0.14	U	NS		NS		0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.18	U	NS	
	20-Jan-15	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.14	U	0.092	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.10	U	NS	
	22-Apr-15	NS		0.094	U	NS		NS		0.092	U	NS		0.092	U	0.13	U	0.092	U	NS		0.11	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.2 [O]	U	0.2 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	20-Apr-16	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	20-Jul-16	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	21-Oct-16	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	31-Jan-17	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	17-Apr-17	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.14	U	NS		0.14	U
	26-Jul-17	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	12-Oct-17	NS		0.092	U	NS		NS		0.092	U	NS		0.28	U	0.23	U	0.26	U	NS		0.23	U
	10-Jan-18	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U
	11-Apr-18	NS		0.092	U	NS		NS		0.92	U	NS		0.92	U	0.92	U	0.092	U	NS		0.92	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	27-Jul-18	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
	24-Oct-18	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.053	U	NS		NS		NS		0.053	U	NS		NS		NS		0.053	U	0.053	U
	25-Apr-08	NS		NS		0.053	U	NS		NS		NS		0.139		NS		0.053	U	NS		0.053	U
	29-May-08	NS		NS		NS		0.11		NS		NS		NS		0.1		0.07		0.05	U	NS	
	27-Jun-08	0.082	U	NS		NS		NS		0.132		NS		NS		NS		NS		0.053	U	0.053	U
	31-Jul-08	NS		0.053	U	NS		NS		NS		NS		NS		NS		0.053	U	NS		0.053	U
	28-Aug-08	NS		NS		0.053	U	NS		NS		NS		0.153		NS		0.053	U	0.075		NS	
	30-Sep-08	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.3	U	1.3	U
	27-Oct-08	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		1.6	
	25-Nov-08	NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	18-Dec-08	NS		NS		1.3	U	NS		NS		NS		1.3	U	NS		NS		1.3	U	1.3	U
	21-Jan-09	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS		1.3	U
	25-Feb-09	1.3	U	NS		NS		NS		1.3	U	NS		NS		NS		1.3	U	1.3	U	NS	
	26-Mar-09	NS		0.264	U	NS		NS		NS		0.527	U	NS		NS		NS		0.1212		0.063	
	29-Apr-09	NS		NS		0.137		NS		NS		NS		0.063		NS		0.053	U	NS		0.053	U
	22-Jul-09	0.264	U	NS		10.8	U	0.527	U	NS		0.277		NS		NS		0.053	U	0.061		NS	
	9-Oct-09	NS		0.053	U	NS		NS		0.058		NS		0.406		11	U	0.053	U	NS		0.053	U
	15-Jan-10	0.053	U	NS		0.074		0.066		NS		0.053		NS		NS		0.053	U	0.053		NS	
	21-Apr-10	NS		0.074		NS		NS		0.264		NS		0.303		0.303		0.053	U	NS		0.116	
	16-Jul-10	0.1		NS		2.55		0.166		NS		0.398	U	NS		NS		0.053		0.087		NS	
	15-Oct-10	NS		0.053	U	NS		NS		0.082		NS		0.071		0.053	U	0.053	U	NS		0.053	U
	26-Jan-11	0.527	U	0.053	U	NS		0.077		NS		0.264	U	NS		0.264	U	0.264	U	0.264	U	NS	
	28-Feb-11	NS		NS		,527	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.053	U	NS		NS		0.079		NS`		0.082		0.053	U	0.053	U	NS		0.053	U
	26-Jul-11	0.176	U	NS		0.176	U	0.116		NS		0.264	U	NS		NS		0.053	U	0.264		NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.3	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
Chloroethane	1-Nov-12	NS		0.053	U	NS		NS		0.085		NS		0.08		0.053	U	0.053	U	NS		0.087	
	1-Feb-13	0.082		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	
	29-Apr-13	NS		0.4		NS		NS		0.11	U	NS		0.11		0.11	U	0.11	U	NS		0.11	U
	9-Jul-13	0.11		NS		0.12		0.31		NS		0.091		NS		NS		0.11		0.053	U	NS	
	18-Oct-13	NS		0.053	U	NS		NS		0.11		NS		0.091		0.053	U	0.053	U	NS		0.053	U
	9-Jan-14	0.084		NS		0.053	U	0.11		NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.13		0.026	U	0.026	U	0.026	U	0.079	U
	1-Aug-14	0.23		NS		0.43		0.53		NS		NS		NS		NS		0.059		0.053	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.072		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.079	U	NS		NS	U	NS	
	22-Oct-14	NS		0.079	U	NS		NS		0.079	U	0.079	U	0.35		0.079	U	0.079	U	0.11	U	NS	
	20-Jan-15	0.069 [V]		NS		0.094		0.062		NS		0.24 [V]		NS		NS		0.079 [V]	U	0.053 [V]	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	22-Apr-15	NS		0.20 [V]		NS		NS		0.19 [V]		N		0.16		0.077	U	0.72		NS		0.061	U
	21-Jul-15	0.1	U	NS		0.5	U	3	U	NS		0.21		NS		NS		0.1 [O]	U	0.1 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.1	U	NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.1		NS		0.11		0.12		NS		0.11		NS		NS		0.053	U	0.053	U	NS	
	20-Apr-16	NS		0.14		NS		NS		0.053	U	NS		0.073		0.053	U	0.053	U	NS		0.053	U
	20-Jul-16	0.26 [LV]	U	NS		0.26 [LV]	U	0.26 [LV]	U	NS		0.77 [LV]		NS		NS		0.26 [LV]	U	0.26 [LV]	U	NS	
	21-Oct-16	NS		0.16		NS		NS		0.069		NS		0.088		0.053	U	0.053	U	NS		0.053	U
	31-Jan-17	0.053	U	NS		0.14		0.053	U	NS		0.053	U	NS		NS		0.053	U	0.053	U	NS	
	17-Apr-17	NS		0.16		NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-17	0.053	U	NS		0.18		0.12		NS		0.053	U	NS		NS		0.053 [L]	U	0.053 [L]	U	NS	
	12-Oct-17	NS		0.15		NS		NS		0.066		NS		0.16	U	0.13	U	0.15	U	NS		0.13	U
	10-Jan-18	0.13		NS		0.17		0.07		NS		0.36		NS		NS		0.053	U	NS		0.084	
	11-Apr-18	NS		0.053	U	NS		NS		0.53	U	NS		0.53	U	0.53	U	0.053	U	NS		0.53	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.079	U	NS	
	27-Jul-18	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	24-Oct-18	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
Chloroform	8-Feb-08	0.1	U	NS		NS		NS		NS	U	NS		NS		NS		0.12		0.12		NS	
	27-Mar-08	NS		0.098	U	NS		NS		NS		0.125		NS		NS		NS		0.453		0.847	
	25-Apr-08	NS		NS		0.231		NS		NS		NS		0.203		NS		0.134		NS		0.265	
	29-May-08	NS		NS		NS		0.14		NS		NS		NS		0.1	U	0.11		0.14		NS	
	27-Jun-08	0.263		NS		NS		NS		0.623		NS		NS		NS		NS		0.305		0.395	
	31-Jul-08	NS		0.145		NS		NS		NS		NS		NS		NS		0.13		NS		0.124	
	28-Aug-08	NS		NS		0.098	U	NS		NS		NS		1.2		NS		0.331		0.386		NS	
	30-Sep-08	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U	0.49	U
	27-Oct-08	0.49	U	NS		NS		NS		0.49	U	NS		NS		NS		0.49	U	NS		0.49	U
	25-Nov-08	NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U	NS	
	18-Dec-08	NS		NS		0.24	U	NS		NS		NS		0.24	U	NS		NS		0.24	U	0.24	U
	21-Jan-09	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS		0.24	U
	25-Feb-09	0.24	U	NS		NS		NS		0.24	U	NS		NS		NS		0.24	U	0.24	U	NS	
	26-Mar-09	NS		0.488	U	NS		NS		NS		1.29		NS		NS		NS		0.265		0.2	
	29-Apr-09	NS		NS		0.098	U	NS		NS		NS		0.136		NS		0.098	U	NS		1.34	
	22-Jul-09	0.488	U	NS		19.9	U	0.976	U	NS		0.488	U	NS		NS		0.429		0.22		NS	
	9-Oct-09	NS		0.205		NS		NS		0.263		NS		0.268		20.4	U	0.317		NS		0.312	
	15-Jan-10	0.176		NS		7.22		0.146		NS		0.19		NS		NS		0.098	U	0.185		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.488	U	NS		0.488	U	0.488	U	0.22		NS		0.2	
	16-Jul-10	0.361		NS		0.098	U	0.215		NS		0.737	U	NS		NS		0.205	U	0.346		NS	
	15-Oct-10	NS		0.171		NS		NS		0.366		NS		0.654		0.117		0.102		NS		0.166	
	26-Jan-11	2.78		0.122		NS		0.161		NS		0.488	U	NS		0.488	U	0.488	U	0.488	U	NS	
	28-Feb-11	NS		NS		0.976	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.136		NS		NS		0.185		NS		0.117		0.273		0.098	U	NS		0.122	
	26-Jul-11	0.326	U	NS		0.326	U	0.239		NS		1.37		NS		NS		0.244		0.488	U	NS	
	28-Oct-11	NS		2.4	U	NS		NS		2.4	U	NS		2.4	U	2.4	U	2.4	U	NS		2.4	U
	23-Jan-12	0.49	U	NS		0.84		0.49	U	NS		0.49	U	NS		NS		0.49	U	0.84		NS	
	13-Apr-12	NS		0.24	U	NS		NS		0.24	U	NS		0.24	U	0.24	U	0.24	U	NS		0.24	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.58		NS	
	1-Nov-12	NS		0.088		NS		NS		0.28		NS		0.12		0.076		0.092		NS		0.17	
	1-Feb-13	0.14		NS		0.46		0.15		NS		0.19		NS		NS		0.11		0.18		NS	
	29-Apr-13	NS		0.15		NS		NS		0.19		NS		0.13		0.13		0.16		NS		0.41	
	9-Jul-13	0.34		NS		0.63		0.33		NS		0.27		NS		NS		0.24		0.27		NS	
	18-Oct-13	NS		0.098	U	NS		NS		0.29		NS		0.12		0.11		0.11		NS		0.31	
	9-Jan-14	0.12		NS		0.94		0.18		NS		0.27		NS		NS		0.16		0.25		NS	
	24-Apr-14	NS		0.049	U	NS		NS		0.21		NS		0.11		0.049	U	0.16		0.16		0.32	
	1-Aug-14	1.0		NS		2.7/3.6		0.32		NS		NS		NS		NS		2.1		0.55		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.19		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12		NS		NS	U	NS	
	22-Oct-14	NS		0.073	U	NS		NS		0.24		0.15		0.16		0.073	U	0.073	U	0.098	U	NS	
	20-Jan-15	0.049	U	NS		1.4		0.14		NS		0.29		NS		NS		0.073	U	0.14		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15		NS	
	22-Apr-15	NS		0.17 [V]		NS		NS		0.21 [V]		NS		0.13		0.071	U	0.17		NS		0.17	
	21-Jul-15	0.130 [J]		NS		1	U	5	U	NS		0.21 [J]		NS		NS		0.14 [J, O]		0.17 [J, O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.16 [J]		NS		NS		0.16 [J]		NS		0.4	U	0.2	U	0.2	U	NS		0.28	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.086		NS		1		0.13		NS		0.11		NS		NS		0.094		0.16		NS	
	20-Apr-16	NS		0.08		NS		NS		0.18		NS		0.1		0.096		0.1		NS		0.13	
	20-Jul-16	0.24	U	NS		0.69		0.38		NS		0.47		NS		NS		0.35		0.44		NS	
	21-Oct-16	NS		0.13		NS		NS		0.27		NS		0.12		0.23		0.1		NS		0.2	
	31-Jan-17	0.078		NS		0.56		0.2		NS		0.13		NS		NS		0.094		0.41		NS	
	17-Apr-17	NS		0.11		NS		NS		0.20		NS		0.073	U	0.11		0.073	U	NS		0.18	
	26-Jul-17	0.13		NS		0.62		0.24		NS		0.13		NS		NS		0.14		0.33		NS	
	12-Oct-17	NS		0.18		NS		NS		0.28		NS		0.15	U	0.4		0.14	U	NS		0.12	U
	10-Jan-18	0.1		NS		0.68		0.14		NS		0.18		NS		NS		0.12		NS		0.3	
	11-Apr-18	NS		0.14		NS		NS		0.98	U	NS		0.98	U	0.98	U	0.13		NS		0.98	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.073	U	NS	
	27-Jul-18	0.24	U	NS		0.24	U	0.24	U	NS		0.24	U	NS		NS		3.2		0.24	U	NS	
	24-Oct-18	NS		0.24	U	NS		NS		0.24	U	NS		0.24	U	0.24	U	0.24	U	NS		0.24	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.44	U	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	NS	
	27-Mar-08	NS		2.67		NS		NS		NS		3.24		NS		NS		NS		2.44	U	2.44	U
	25-Apr-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	NS		2.44	U
	29-May-08	NS		NS		NS		2.44	U	NS		NS		NS		2.44	U	2.44	U	2.44	U	NS	
	27-Jun-08	3.8	U	NS		NS		NS		2.44	U	NS		NS		NS		NS		2.44	U	2.44	U
	31-Jul-08	NS		4.64		NS		NS		NS		NS		NS		NS		2.44	U	NS		2.44	U
	28-Aug-08	NS		NS		2.44	U	NS		NS		NS		2.44	U	NS		2.44	U	2.44	U	NS	
	30-Sep-08	NS		NS		NS		1	U	NS		NS		NS		1	U	NS		1	U	1	U
	27-Oct-08	1	U	NS		NS		NS		1	U	NS		NS		NS		1.1		NS		3.5	
	25-Nov-08	NS		1	U	NS		NS		NS		1	U	NS		NS		1	U	1	U	NS	
	18-Dec-08	NS		NS		1	U	NS		NS		NS		1	U	NS		NS		1.4		1	U
	21-Jan-09	NS		NS		NS		1	U	NS		NS		NS		3.1		1	U	NS		1	U
	25-Feb-09	1		NS		NS		NS		1	U	NS		NS		NS		1	U	1.2		NS	
	26-Mar-09	NS		12.2	U	NS		NS		NS		24.4	U	NS		NS		NS		4.58		2.44	U
	29-Apr-09	NS		NS		22.4		NS		NS		NS		19.4		NS		2.44	U	NS		2.44	U
	22-Jul-09	18.5		NS		497	U	32		NS		41.9		NS		NS		2.44	U	6.29		NS	
	9-Oct-09	NS		2.44	U	NS		NS		2.44	U	NS		2.44	U	509	U	2.44	U	NS		2.44	U
	15-Jan-10	2.44	U	NS		2.78		2.44	U	NS		2.44		NS		NS		2.44	U	2.44		NS	
	21-Apr-10	NS		3.25		NS		NS		12.2	U	NS		12.2	U	12.2	U	2.44	U	NS		2.44	U
	16-Jul-10	1.32		NS		62.8		1.48		NS		7.79	U	NS		NS		1.03	U	1.03	U	NS	
	15-Oct-10	NS		1.03	U	NS		NS		1.03	U	NS		1.03	U	1.03	U	1.03	U	NS		1.03	U
	26-Jan-11	10.3	U	1.03	U	NS		1.03	U	NS		5.16	U	NS		5.16	U	5.16	U	5.16	U	NS	
	28-Feb-11	NS		NS		10.3	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.23		NS		NS		1.03	U	NS		1.03	U	1.18		1.03	U	NS		1.29	
	26-Jul-11	3.45	U	NS		3.45	U	1.03	U	NS		5.16	U	NS		NS		1.03	U	5.16	U	NS	
	28-Oct-11	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1		NS		1.2	
	23-Jan-12	0.21	U	NS		0.21	U	0.21	U	NS		0.21	U	NS		NS		1.2		0.21	U	NS	
	13-Apr-12	NS		0.21	U	NS		NS		0.21	U	NS		0.21	U	0.21	U	1.2		NS		0.97	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS	
	23-Jun-12	0.21	U	NS		0.21	U	0.21	U	NS		2.1		NS		NS		0.21	U	0.21	U	NS	
Chloromethane	1-Nov-12	NS		0.041	U	NS		NS		0.041	U	NS		0.041	U	0.041	U	0.37		NS		1.1	
	1-Feb-13	0.5		NS		1.8		2.1		NS		0.19		NS		NS		0.71		0.72		NS	
	29-Apr-13	NS		0.21	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.73		NS		1.2	
	9-Jul-13	0.12	U	NS		0.083	U	0.083	U	NS		0.083	U	NS		NS		1.0		0.083	U	NS	
	18-Oct-13	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	0.083	U	0.40		NS		1.1	
	9-Jan-14	3.2		NS		1.5		0.083	U	NS		0.053	U	NS		NS		0.64		0.083	U	NS	
	24-Apr-14	NS		4.6		NS		NS		4.5		NS		3.5		1.2		0.47		1.0		1.0	
	1-Aug-14	0.083	U	NS		0.12	U	0.12	U	NS		NS		NS		NS		0.083	U	0.083	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.7		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12 [L,V]	U	NS		NS	U	NS	
	22-Oct-14	NS		1.3		NS		NS		0.12	U	0.74		0.12	U	1.30		0.74		1.1		NS	
	20-Jan-15	0.083 [V]	U	NS		3 [V]		0.083	U	NS		0.083 [V]	U	NS		NS		0.69 [V]		1.2 [V]	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.093	U	NS	
	22-Apr-15	NS		0.085 [V]	U	NS		NS		0.083 [V]	U	NS		0.083	U	1.7/1.6		0.72		NS		1.4	
	21-Jul-15	0.69		NS		6.9		2	U	NS		2.6		NS		NS		0.11 [O]		0.1 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.09	U	NS		NS		NS	
	29-Oct-15	NS		11		NS		NS		6.5		NS		3.6		1.5		0.73		NS		0.84	
	4-Dec-15 resample	NS		0.1	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.083	U	NS		3.9		0.083	U	NS		2.1		NS		NS		1.4		1		NS	
	20-Apr-16	NS		7.7		NS		NS		<0.083		NS		2.4		1.4		1.1		NS		1	
	20-Jul-16	0.41	U	NS		4.3		0.41	U	NS		5		NS		NS		1.1		1.6		NS	
	21-Oct-16	NS		0.083	U	NS		NS		0.083	U	NS		0.083	U	1.4		0.9		NS		0.82	
	31-Jan-17	0.083	U	NS		3.8		0.96		NS		1.4		NS		NS		1.1		0.99		NS	
	17-Apr-17	NS		0.12	U	NS		NS		0.12	U	NS		1.7		1.4		1.2		NS		1.1	
	26-Jul-17	0.083	U	NS		0.083	U	0.083	U	NS		0.083	U	NS		NS		0.71		0.56		NS	
	12-Oct-17	NS		0.083	U	NS		NS		0.083	U	NS		0.25	U	1.5		1.5		NS		1.2	
	10-Jan-18	5.3		NS		3.8		1.4		NS		2.8		NS		NS		0.99		NS		1.1	
	11-Apr-18	NS		0.083	U	NS		NS		0.83	U	NS		3.4		1.8		1.4		NS		0.83	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99		NS	
	27-Jul-18	4.5		NS		3.4		5.5		NS		2.6		NS		NS		<0.41	U	2.8		NS	
	24-Oct-18	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	1		NS		1.2	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	
	27-Mar-08	NS		0.096	U	NS		NS		NS		0.096	U	NS		NS		NS		0.096	U	0.096	U
	25-Apr-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U
	29-May-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	0.1	U	NS	
	27-Jun-08	0.15	U	NS		NS		NS		0.096	U	NS		NS		NS		NS		0.096	U	0.096	U
	31-Jul-08	NS		0.096	U	NS		NS		NS		NS		NS		NS		0.096	U	NS		0.096	U
	28-Aug-08	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	0.096	U	NS	
	30-Sep-08	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U	4.2	U
	27-Oct-08	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		4.2	U
	25-Nov-08	NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U	NS	
	18-Dec-08	NS		NS		4.2	U	NS		NS		NS		4.2	U	NS		NS		4.2	U	4.2	U
	21-Jan-09	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS		4.2	U
	25-Feb-09	4.2	U	NS		NS		NS		4.2	U	NS		NS		NS		4.2	U	4.2	U	NS	
	26-Mar-09	NS		0.48	U	NS		NS		NS		0.96		NS		NS		NS		0.096	U	0.096	U
	29-Apr-09	NS		NS		0.096	U	NS		NS		NS		0.096	U	NS		0.096	U	NS		0.096	U
	22-Jul-09	0.48	U	NS		19.6	U	0.96	U	NS		0.48	U	NS		NS		0.096	U	0.096	U	NS	
	9-Oct-09	NS		0.096	U	NS		NS		NS	U	NS		0.096	U	20	U	0.096	U	NS		0.096	U
	15-Jan-10	0.096	U	NS		0.096	U	0.096	U	NS		0.096	U	NS		NS		0.096	U	0.096	U	NS	
	21-Apr-10	NS		0.096	U	NS		NS		0.48	U	NS		0.48	U	0.48	U	0.096	U	NS		0.096	U
	16-Jul-10	0.17	U	NS		0.17	U	0.17	U	NS		1.28	U	NS		NS		0.17	U	0.17	U	NS	
	15-Oct-10	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	26-Jan-11	1.7	U	0.17	U	NS		0.17	U	NS		0.851	U	NS		0.851	U	0.851	U	0.851	U	NS	
	28-Feb-11	NS		NS		1.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	26-Jul-11	0.568	U	NS		0.568	U	0.17	U	NS		0.852	U	NS		NS		0.17	U	0.852	U	NS	
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	4.3	U	NS		4.3	U
	23-Jan-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS	
	13-Apr-12	NS		0.85	U	NS		NS		0.85	U	NS		0.85	U	0.85	U	0.85	U	NS		0.85	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS	
	23-Jun-12	0.85	U	NS		0.85	U	0.85	U	NS		0.85	U	NS		NS		0.85	U	0.85	U	NS	
Dibromochloromethane	1-Nov-12	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	1-Feb-13	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	
	29-Apr-13	NS		0.21	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	9-Jul-13	0.26	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	
	18-Oct-13	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.17	U	NS		0.17	U
	9-Jan-14	0.17	U	NS		0.17	U	0.17	U	NS		0.17	U	NS		NS		0.17	U	0.17	U	NS	
	24-Apr-14	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	0.085	U	0.26	U
	1-Aug-14	0.17	U	NS		0.26	U	0.26	U	NS		NS		NS		NS		0.17	U	0.17	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.085	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.13	U	NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.13	U	0.13	U	0.13	U	0.17	U	NS	
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.13	U	0.085	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.096	U	NS	
	22-Apr-15	NS		0.087	U	NS		NS		0.085	U	NS		0.083	U	0.12	U	0.085	U	NS		0.098	U
	21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.5	U	NS		NS		0.4 [O]	U	0.5 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.4	U	NS		NS		NS	
	29-Oct-15	NS		0.5	U	NS		NS		0.5	U	NS		0.7	U	0.4	U	0.4	U	NS		0.4	U
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS	
	20-Apr-16	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	20-Jul-16	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS	
	21-Oct-16	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U	0.085	U	0.085	U	NS		0.085	U
	31-Jan-17	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS	
	17-Apr-17	NS		0.13 [V]	U	NS		NS		0.13 [V]	U	NS		0.13 [V]	U	0.13 [V]	U	0.13 [V]	U	NS		0.13 [V]	U
	26-Jul-17	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	0.085	U	NS	
	12-Oct-17	NS		0.085	U	NS		NS		0.085	U	NS		0.26	U	0.21	U	0.24	U	NS		0.21	U
	10-Jan-18	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.085	U	NS		0.085	U
	11-Apr-18	NS		0.17	U	NS		NS		1.7	U	NS		1.7	U	1.7	U	0.17	U	NS		1.7	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.13	U	NS	
	27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS	
	24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	NS		0.43	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
1,2-Dibromoethane	8-Feb-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	27-Mar-08	NS		0.154	U	NS		NS		NS		0.154	U	NS		NS		NS		0.154	U	0.154	U
	25-Apr-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	29-May-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15		0.15	U	0.15	U	NS	
	27-Jun-08	0.239	U	NS		NS		NS		0.154	U	NS		NS		NS		NS		0.154	U	0.154	U
	31-Jul-08	NS		0.154	U	NS		NS		NS		NS		NS		NS		0.154	U	NS		0.154	U
	28-Aug-08	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	0.154	U	NS	
	30-Sep-08	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U	0.15	U
	27-Oct-08	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		0.15	U
	25-Nov-08	NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		NS	U	0.15	U	NS	
	18-Dec-08	NS		NS		0.15	U	NS		NS		NS		0.15	U	NS		NS		0.15	U	0.15	U
	21-Jan-09	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS		0.15	U
	25-Feb-09	0.15	U	NS		NS		NS		0.15	U	NS		NS		NS		0.15	U	0.15	U	NS	
	26-Mar-09	NS		0.768	U	NS		NS		NS		1.54	U	NS		NS		NS		0.154	U	0.154	U
	29-Apr-09	NS		NS		0.154	U	NS		NS		NS		0.154	U	NS		0.154	U	NS		0.154	U
	22-Jul-09	0.768	U	NS		31.3	U	1.54	U	NS		0.768	U	NS		NS		0.154	U	0.154	U	NS	
	9-Oct-09	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	32	U	0.154	U	NS		0.154	U
	15-Jan-10	0.154	U	NS		0.154	U	0.154	U	NS		0.154	U	NS		NS		0.154	U	0.154	U	NS	
	21-Apr-10	NS		0.154	U	NS		NS		0.768	U	NS		0.768	U	0.768	U	0.154	U	NS		0.154	U
	16-Jul-10	0.154	U	NS		0.154	U	0.154	U	NS		1.16	U	NS		NS		0.154	U	0.154	U	NS	
	15-Oct-10	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U8	0.154	U	0.154	U	NS		0.154	U
	26-Jan-11	1.54	U	0.154	U	NS		0.154	U	NS		0.768	U	NS		0.768	U	0.768	U	0.768	U	NS	
	28-Feb-11	NS		NS		1.54	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.154	U	NS		NS		0.154	U	NS		0.154	U	0.154	U	0.154	U	NS		0.154	U
	26-Jul-11	0.512	U	NS		0.512	U	0.154	U	NS		0.768	U	NS		NS		0.154	U	0.768	U	NS	
	28-Oct-11	NS		3.8	U	NS		NS		3.8	U	NS		3.8	U	3.8	U	3.8	U	NS		3.8	U
	23-Jan-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	
	13-Apr-12	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS	
	23-Jun-12	0.77	U	NS		0.77	U	0.77	U	NS		0.77	U	NS		NS		0.77	U	0.77	U	NS	
	1-Nov-12	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	1-Feb-13	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	29-Apr-13	NS		0.19	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	9-Jul-13	0.12	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	18-Oct-13	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	0.15	U	NS		0.15	U
	9-Jan-14	0.15	U	NS		0.15	U	0.15	U	NS		0.15	U	NS		NS		0.15	U	0.15	U	NS	
	24-Apr-14	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	0.077	U	0.23	U
	1-Aug-14	0.15	U	NS		0.23	U	0.23	U	NS		NS		NS		NS		0.15	U	0.15	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.077	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.12	U	NS		NS	U	NS	
	22-Oct-14	NS		0.12	U	NS		NS		0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.15	U	NS	
	20-Jan-15	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.12	U	0.077	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.086	U	NS	
	22-Apr-15	NS		0.079	U	NS		NS		0.077	U	NS		0.077	U	0.11	U	0.077	U	NS		0.088	U
	21-Jul-15	0.4	U	NS		2	U	8	U	NS		0.4	U	NS		NS		0.4 [O]	U	0.4 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.4	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.4	U	0.4	U	NS		0.4	U
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	20-Apr-16	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	20-Jul-16	0.38	U	NS		0.38	U	0.38	U	NS		0.38	U	NS		NS		0.38	U	0.38	U	NS	
	21-Oct-16	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U	0.077	U	0.077	U	NS		0.077	U
	31-Jan-17	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	17-Apr-17	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-17	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	0.077	U	NS	
	12-Oct-17	NS		0.077	U	NS		NS		0.077	U	NS		0.23	U	0.19	U	0.22	U	NS		0.19	U
	10-Jan-18	0.077	U	NS		0.077	U	0.077	U	NS		0.077	U	NS		NS		0.077	U	NS		0.077	U
	11-Apr-18	NS		0.15	U	NS		NS		1.5	U	NS		1.5	U	1.5	U	0.15	U	NS		1.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.12	U	NS	
	27-Jul-18	0.38	U	NS		0.38	U	0.38	U	NS		0.38	U	NS		NS		0.38	U	0.38	U	NS	
	24-Oct-18	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.55		NS	
	27-Mar-08	NS		0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	0.12	U	NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.12	U	NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.12	U	NS		NS		NS		NS		NS		NS		0.12	U	NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12	U	NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS		3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.12	U	NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.12	U	NS		0.12	U	0.12	U	NS		0.907	U	NS		NS		0.12	U	1.2	U	NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.1	U	NS		0.6	U	NS		NS		0.6	U	7.5		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
1,2-Dichlorobenzene	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.69		NS		NS		NS		NS		0.12	U	0.12	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.12	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U
	21-Jul-15	0.3	U	NS		0.900 [J]		6	U	NS		0.3	U	NS		NS		0.3 [O]	U	0.84 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		4		NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	20-Apr-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	20-Jul-16	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	21-Oct-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	31-Jan-17	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	17-Apr-17	NS		0.18	U	NS		NS		0.18	U	NS		0.18	U	0.18	U	0.18	U	NS		0.18	U
	26-Jul-17	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	12-Oct-17	NS		0.12	U	NS		NS		0.12	U	NS		0.36	U	0.32		0.34	U	NS		0.3	U
	10-Jan-18	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U
	11-Apr-18	NS		0.12	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	0.12	U	NS		1.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.18	U	NS	
	27-Jul-18	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	24-Oct-18	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.60	U	NS		0.6	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.12	U	NS		NS		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U	NS	
	27-Mar-08	NS		0.12	U	NS		0.6		NS		0.12	U	NS		NS		NS		0.12	U	0.12	U
	25-Apr-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	29-May-08	NS		NS		NS		1.18		NS		NS		NS		3.47		0.62		0.22		NS	
	27-Jun-08	0.187	U	NS		NS		NS		0.257		NS		NS		NS		NS		0.12	U	0.12	U
	31-Jul-08	NS		0.822		NS		NS		NS		NS		NS		NS		0.136		NS		0.12	U
	28-Aug-08	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	0.12	U	NS	
	30-Sep-08	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U	3	U
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS		3	U
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		0.601	U	NS		NS		NS		1.2	U	NS		NS		NS		0.12	U	0.12	U
	29-Apr-09	NS		NS		0.12	U	NS		NS		NS		0.12	U	NS		0.12	U	NS		0.12	U
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.12	U	0.36		NS	
	9-Oct-09	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	25.1	U	0.12	U	NS		0.12	U
	15-Jan-10	0.12		NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	0.12	U	NS		0.12	U
	16-Jul-10	0.595		NS		0.685		1.99		NS		0.907	U	NS		NS		0.132		0.162		NS	
	15-Oct-10	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.12	U	NS		NS		0.42		NS		0.156		0.12	U	0.12	U	NS		0.12	U
	26-Jul-11	0.401	U	NS		0.401	U	0.12	U	NS		0.601	U	NS		NS		0.12	U	0.601	U	NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	1.6		NS		1.8		2.3		NS		1.6		NS		NS		1.9		2.7		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	2		0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
1,3-Dichlorobenzene	1-Nov-12	NS		1.2		NS		NS		2.6		NS		6		2.2		0.18		NS		0.12	U
	1-Feb-13	0.18		NS		0.34		0.56		NS		0.44		NS		NS		0.17		0.12	U	NS	
	29-Apr-13	NS		1.3		NS		NS		4.5		NS		6.5		6		0.12	U	NS		0.14	
	9-Jul-13	1.3		NS		2.0		3.9		NS		3.8		NS		NS		0.12	U	0.12	U	NS	
	18-Oct-13	NS		0.52		NS		NS		1.4		NS		2.6		2.2		0.16		NS		0.22	
	9-Jan-14	0.58		NS		0.9		1.1		NS		0.84		NS		NS		3.0		4.1		NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.14		NS		0.12	U	0.12	U	0.1	U	0.12	U	0.18	U
	1-Aug-14	4.2		NS		4.8/6.7		4.9/7.6		NS		NS		NS		NS		3.6		5.1/6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.80		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.82		NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.2		0.12	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.13		NS		NS		0.36		NS		1.5		0.78/0.87		0.12	U	NS		0.17	
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.30 [J]		NS		NS		0.3 [O]	U	0.3 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.22 [M]		NS		0.12	U	NS		NS		0.21 [M]		0.12	U	NS	
	20-Apr-16	NS		0.31		NS		NS		0.51		NS		0.9		0.24		0.22		NS		0.21	
	20-Jul-16	0.60	U	NS		1.3		0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	21-Oct-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	31-Jan-17	0.12	U	NS		0.13		0.13		NS		0.12	U	NS		NS		0.41		0.5		NS	
	17-Apr-17	NS		0.92		NS		NS		0.79		NS		1.3		1.8		0.18	U	NS		0.18	U
	26-Jul-17	0.2		NS		0.12	U	2.3		NS		3.5		NS		NS		0.12	U	0.12	U	NS	
	12-Oct-17	NS		2.2		NS		NS		0.73		NS		4.2		4.5		0.34	U	NS		1	
	10-Jan-18	0.12	U	NS		0.19		0.28		NS		0.12	U	NS		NS		0.37		NS		0.69	
	11-Apr-18	NS		0.12	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	0.58		NS		1.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.2		NS	
	27-Jul-18	3.4		NS		6.4		4.4		NS		4.1		NS		NS		1.1		1.1		NS	
	24-Oct-18	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	1.56		NS		NS		NS		0.26		NS		NS		NS		9.5		7.91		NS	
	27-Mar-08	NS		4.33		NS		NS		NS		8.48		NS		NS		NS		6.28		15.1	
	25-Apr-08	NS		NS		0.347		NS		NS		NS		32.3		NS		17.9		NS		16.3	
	29-May-08	NS		NS		NS		5.5		NS		NS		NS		10		9.41		4.18		NS	
	27-Jun-08	47.3		NS		NS		NS		38.1		NS		NS		NS		NS		40.8		57.9	
	31-Jul-08	NS		2.46		NS		NS		NS		NS		NS		NS		1.84		NS		2.04	
	28-Aug-08	NS		NS		234		NS		NS		NS		214		NS		229		208		NS	
	30-Sep-08	NS		NS		NS		7.2		NS		NS		NS		3	U	NS		6.8		5.6	
	27-Oct-08	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	NS		3	U
	25-Nov-08	NS		3	U	NS		NS		NS		3	U	NS		NS		3	U	3	U	NS	
	18-Dec-08	NS		NS		3	U	NS		NS		NS		4.7		NS		NS		10.3		17.1	
	21-Jan-09	NS		NS		NS		3	U	NS		NS		NS		3	U	13.9		NS		27.2	
	25-Feb-09	3	U	NS		NS		NS		3	U	NS		NS		NS		3	U	3	U	NS	
	26-Mar-09	NS		5.43		NS		*		NS		4.87		NS		NS		NS		20.6		33	
	29-Apr-09	NS		NS		1.2		NS		NS		NS		1.91		NS		4.12		NS		4.25	
	22-Jul-09	0.601	U	NS		24.5	U	1.2	U	NS		0.601	U	NS		NS		0.348		0.613		NS	
	9-Oct-09	NS		3.31		NS		NS		3.44		NS		2.79		25.1	U	6.95		NS		3.82	
	15-Jan-10	0.12		NS		1.06		0.715		NS		0.823		NS		NS		2		1.98		NS	
	21-Apr-10	NS		0.12	U	NS		NS		0.601	U	NS		0.601	U	0.601	U	3.27		NS		2.84	
	16-Jul-10	1.78		NS		2.3		2.86		NS		1.36		NS		NS		1.63		5.05		NS	
	15-Oct-10	NS		0.685		NS		NS		1.75		NS		1.37		1.48		1.8		NS		2.47	
	26-Jan-11	1.2	U	0.12	U	NS		0.12	U	NS		0.601	U	NS		0.601	U	0.601	U	0.601	U	NS	
	28-Feb-11	NS		NS		1.2	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.985		NS		NS		1.08		NS		0.967		1.14		1.07		NS		1.24	
	26-Jul-11	5.45		NS		5.21		0.715		NS		5.26		NS		NS		5.54		4.69		NS	
	28-Oct-11	NS		3	U	NS		NS		3	U	NS		3	U	3	U	3	U	NS		3	U
	23-Jan-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.66		NS	
	13-Apr-12	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.6	U	NS		0.6	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3	U	NS	
	23-Jun-12	0.6	U	NS		0.6	U	0.6	U	NS		0.6	U	NS		NS		0.6	U	0.6	U	NS	
1,4-Dichlorobenzene	1-Nov-12	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	1-Feb-13	0.12	U	NS		0.12	U	0.4		NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	29-Apr-13	NS		0.3	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jul-13	0.18	U	NS		0.14		0.16		NS		0.18		NS		NS		0.18		0.22		NS	
	18-Oct-13	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	9-Jan-14	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.14		0.12	U	NS	
	24-Apr-14	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	0.12	U	0.18	U
	1-Aug-14	0.12	U	NS		0.18	U	0.18	U	NS		NS		NS		NS		0.12	U	0.12	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.12	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.18	U	NS		NS	U	NS	
	22-Oct-14	NS		0.18	U	NS		NS		0.18	U	0.18	U	0.18	U	0.18	U	0.18	U	0.24	U	NS	
	20-Jan-15	0.12	U	NS		0.120	U	0.12	U	NS		0.12	U	NS		NS		0.18	U	0.13		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14	U	NS	
	22-Apr-15	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.17	U	0.12	U	NS		0.14	U
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.3	U	NS		NS		0.3 [O]	U	0.3 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.13		NS	
	20-Apr-16	NS		0.12	U	NS		NS		0.52		NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	20-Jul-16	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	21-Oct-16	NS		0.12	U	NS		NS		0.12	U	NS		0.12	U	0.12	U	0.12	U	NS		0.12	U
	31-Jan-17	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	17-Apr-17	NS		0.18	U	NS		NS		0.18	U	NS		0.18	U	0.18	U	0.18	U	NS		0.18	U
	26-Jul-17	0.12	U	NS		1.8		0.12	U	NS		0.12	U	NS		NS		0.12	U	0.12	U	NS	
	12-Oct-17	NS		0.12	U	NS		NS		0.12	U	NS		0.36	U	0.37		0.34	U	NS		0.3	U
	10-Jan-18	0.12	U	NS		0.12	U	0.12	U	NS		0.12	U	NS		NS		0.12	U	NS		0.12	
	11-Apr-18	NS		0.12	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	0.12	U	NS		1.2	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.18	U	NS	
	27-Jul-18	0.60	U	NS		0.60	U	0.60	U	NS		0.60	U	NS		NS		0.60	U	0.60	U	NS	
	24-Oct-18	NS		0.6	U	NS		NS		0.6	U	NS		0.6	U	0.6	U	0.60	U	NS		0.6	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2		NS		NS		NS		2.03		NS		NS		NS		1.92		2		NS	
	27-Mar-08	NS		2.29		NS		NS		NS		2.15		NS		NS		NS		2.72		4.14	
	25-Apr-08	NS		NS		2.01		NS		NS		NS		2.11		NS		2.04		NS		2.16	
	29-May-08	NS		NS		NS		1.63		NS		NS		NS		1.62		1.68		1.66		NS	
	27-Jun-08	2.03		NS		NS		NS		2.52		NS		NS		NS		NS		2.27		2.48	
	31-Jul-08	NS		1.9		NS		NS		NS		NS		NS		NS		1.81		NS		1.87	
	28-Aug-08	NS		NS		3.13		NS		NS		NS		2.8		NS		2.75		2.88		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U	2.7	
	27-Oct-08	2.5	U	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		215		NS		NS		NS		11.7		NS		NS		2.5	U	5.1		NS	
	18-Dec-08	NS		NS		25		NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		5.8		2.5	U	NS		2.5	U
	25-Feb-09	2.5	U	NS		NS		NS		19.4		NS		NS		NS		2.5	U	3.4		NS	
	26-Mar-09	NS		2.55		NS		NS		NS		2.48		NS		NS		NS		2.46		2.41	
	29-Apr-09	NS		NS		2.41		NS		NS		NS		3.78		NS		2.26		NS		2.4	
	22-Jul-09	2.42		NS		2.42		2.72		NS		2.5		NS		NS		2.37		2.48		NS	
	9-Oct-09	NS		2.73		NS		NS		2.77		NS		3.67		51.6	U	2.64		NS		2.79	
	15-Jan-10	2.5		NS		3.57		2.52		NS		2.61		NS		NS		2.29		2.25		NS	
	21-Apr-10	NS		0.568		NS		NS		2.2		NS		2.59		2.2		2.64		NS		2.43	
	16-Jul-10	3.36		NS		2.61		2.55		NS		2.98		NS		NS		3.15		3.29		NS	
	15-Oct-10	NS		3.13		NS		NS		2.67		NS		2.43		2.41		2.46		NS		2.43	
	26-Jan-11	2.47	U	2.2		NS		2.64		NS		1.98		NS		2.57		3.31		3.24		NS	
	28-Feb-11	NS		NS		2.47	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.18		NS		NS		2.27		NS		2.26		2.5		2.32		NS		2.31	
	26-Jul-11	2.41		NS		2.29		2.28		NS		2.08		NS		NS		2.44		2.3		NS	
	28-Oct-11	NS		2.7		NS		NS		2.7		NS		2.7		2.7		2.9		NS		3.1	
	23-Jan-12	2.5		NS		2.6		2.6		NS		2.7		NS		NS		2.6		2.6		NS	
	13-Apr-12	NS		2.5		NS		NS		2.9		NS		2.4		3.2		2.5		NS		2.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	23-Jun-12	2.6		NS		2.3		2.5		NS		2.3		NS		NS		2.3		2.3		NS	
Dichlorodifluoromethane	1-Nov-12	NS		1.8		NS		NS		1.8		NS		2		1.9		2		NS		1.9	
	1-Feb-13	1.4		NS		1.4		1.5		NS		1.6		NS		NS		1.6		1.6		NS	
	29-Apr-13	NS		2.6		NS		NS		2.3		NS		2.2		2.2		2.3		NS		2.3	
	9-Jul-13	1		NS		1.1		0.99		NS		1.1		NS		NS		1.0		1.1		NS	
	18-Oct-13	NS		2.0		NS		NS		1.9		NS		1.9		2.2		2.0		NS		2.1	
	9-Jan-14	1.5		NS		1.2		1.3		NS		1.4		NS		NS		1.5		1.5		NS	
	24-Apr-14	NS		2.7		NS		NS		2.6		NS		2.3		2.6		2.7		2.6		3.1	
	1-Aug-14	1.1		NS		2.2/1.5		2.3/1.6		NS		NS		NS		NS		1.6		2.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9/3.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		2.3		NS		NS	U	NS	
	22-Oct-14	NS		1.3		NS		NS		1.4		1.4		1.4		1.6		1.4		1.4		NS	
	20-Jan-15	0.099	U	NS		1.5		1.4		NS		1.4		NS		NS		1.4		1.5		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		4.0 [V]		NS		NS		4.1 [V]		NS		1.8		1.7/2.0		1.8		NS		2.0	
	21-Jul-15	0.88		NS		1.6		5	U	NS		0.91		NS		NS		0.74 [O]		0.72 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.93		NS		NS		NS	
	29-Oct-15	NS		1		NS		NS		0.89		NS		0.88		0.89		0.83		NS		0.84	
	4-Dec-15 resample	NS		0.91		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2 [M]		NS		2 [M]		2.1 [M]		NS		2.1 [M]		NS		NS		2.2 [M]		2.1 [M]		NS	
	20-Apr-16	NS		1.5		NS		NS		1.6		NS		1.5		1.7		1.6		NS		1.7	
	20-Jul-16	1.4		NS		1.6		1.6		NS		1.6		NS		NS		1.5		1.5		NS	
	21-Oct-16	NS		0.55		NS		NS		0.55		NS		0.58		0.56		0.51		NS		0.51	
	31-Jan-17	0.75		NS		0.79		0.8		NS		0.75		NS		NS		0.78		0.86		NS	
	17-Apr-17	NS		0.84		NS		NS		0.89		NS		0.91		0.96		0.86		NS		0.93	
	26-Jul-17	1.8		NS		1.8		1.8		NS		1.7		NS		NS		1.8		1.8		NS	
	12-Oct-17	NS		0.82		NS		NS		0.73		NS		1.3		1.2		1.4		NS		1.2	
	10-Jan-18	0.66		NS		0.67		0.65		NS		0.63		NS		NS		0.63		NS		0.63	
	11-Apr-18	NS		1.2		NS		NS		2.8		NS		2.7		2.7		1.1		NS		2.7	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.6		NS	
	27-Jul-18	1.6		NS		1.7		1.6		NS		1.5		NS		NS		1.4		1.6		NS	
	24-Oct-18	NS		1.7		NS		NS		1.2		NS		1.1		1.1		1.3		NS		1.2	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.081	U	NS		NS		NS		0.081	U	0.081	U
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.081	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS	
	27-Jun-08	0.126	U	NS		NS		NS		0.081	U	NS		NS		NS		NS		0.081	U	0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	0.081	U	NS	
	27-Oct-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.081	U	0.081	U
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.081	U	NS		0.121		NS		0.081	U
	22-Jul-09	0.404	U	NS		16.5	U	0.801	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.137	U	NS		0.081	U	0.801	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.081	U	NS		2.48		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	,081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		7.37	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jul-11	0.27	U	NS		0.27	U	0.081	U	NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
1,1-Dichloroethane	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.040	U	NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jul-13	0.061	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.081	U	NS		0.280		0.120	U	NS		NS		NS		NS		0.081	U	0.081	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS	U	NS	
	22-Oct-14	NS		0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U		
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	
	22-Apr-15	NS		0.041 [V]	U	NS		NS		0.04 [V]	U	NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 [O]	U	0.200 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.044		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.37		0.20	U	NS		0.51		NS		NS		0.20	U	0.20	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.24	
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	17-Apr-17	NS		0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	0.061	U	NS		0.061	U
	26-Jul-17	0.04	U	NS		0.2		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.1	U	0.11	U	NS		0.1	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.081	U	NS		NS		0.81	U	NS		0.81	U	0.81	U	0.081	U	NS		0.81	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.09		0.08	U	NS	
	27-Mar-08	NS		0.081	U	NS		NS		NS		0.143		NS		NS		NS		0.081	U	0.1	
	25-Apr-08	NS		NS		0.081	U	NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	29-May-08	NS		NS		NS		0.09		NS		NS		NS		0.11		0.08	U	0.08	U	NS	
	27-Jun-08	0.126	U	NS		NS		NS		0.153		NS		NS		NS		NS		0.11		0.081	U
	31-Jul-08	NS		0.081	U	NS		NS		NS		NS		NS		NS		0.081	U	NS		0.081	U
	28-Aug-08	NS		NS		0.171		NS		NS		NS		NS		NS		0.081	U	0.081	U	NS	
	27-Oct-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.08	U	0.08	U
	27-Oct-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		0.095	
	25-Nov-08	NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U	NS	
	18-Dec-08	NS		NS		0.08	U	NS		NS		NS		0.08	U	NS		NS		0.08	U	0.08	U
	21-Jan-09	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS		0.08	U
	25-Feb-09	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	26-Mar-09	NS		0.404	U	NS		NS		NS		0.809	U	NS		NS		NS		0.098		0.133	
	29-Apr-09	NS		NS		0.319		NS		NS		NS		0.081	U	NS		0.081	U	NS		0.089	
	22-Jul-09	0.404	U	NS		16.5	U	0.809	U	NS		0.404	U	NS		NS		0.081	U	0.081	U	NS	
	9-Oct-09	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	16.9	U	0.081	U	NS		0.081	U
	15-Jan-10	0.081	U	NS		0.081	U	0.081	U	NS		0.081	U	NS		NS		0.081	U	0.081	U	NS	
	21-Apr-10	NS		0.081	U	NS		NS		0.404	U	NS		0.404	U	0.404	U	0.081	U	NS		0.081	U
	16-Jul-10	0.101		NS		1.44		0.081	U	NS		0.611	U	NS		NS		0.081	U	0.081	U	NS	
	15-Oct-10	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	26-Jan-11	0.809	U	0.081	U	NS		0.081	U	NS		0.404	U	NS		0.404	U	0.404	U	0.404	U	NS	
	28-Feb-11	NS		NS		0.809	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	
	26-Jul-11	0.27	U	NS		0.27	U	0.101		NS		0.405	U	NS		NS		0.081	U	0.405	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.2	U	NS		0.2	U	0.2	U	NS		0.2	U	NS		NS		0.2	U	0.97		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
1,2-Dichloroethane	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.057	
	1-Feb-13	0.053		NS		0.062		0.062		NS		0.05		NS		NS		0.066		0.049		NS	
	29-Apr-13	NS		0.19		NS		NS		0.06		NS		0.04	U	0.081		0.079		NS		0.094	
	9-Jul-13	0.12	U	NS		0.081	U	0.081		NS		0.081	U	NS		NS		0.092	U	0.081	U	NS	
	18-Oct-13	NS		0.081	U	NS		NS		0.081	U	NS		0.081	U	0.081	U	0.081	U	NS		0.081	U
	9-Jan-14	0.081	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.081		0.040	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	0.040	U	0.073	
	1-Aug-14	0.040	U	NS		0.170		0.061	U	NS		NS		NS		NS		0.04	U	0.040	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.061	U	NS		NS	U	NS	
	22-Oct-14			0.061	U	NS		NS		0.061	U	0.061	U	0.061	U	0.061	U	0.061	U	0.081	U		
	20-Jan-15	0.040	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.061	U	0.100		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.046	U	NS	
	22-Apr-15	NS		0.17 [V]		NS		NS		0.087 [V]		NS		0.04	U	0.059	U	0.040	U	NS		0.047	U
	21-Jul-15	0.140 [J]		NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 [O]		0.86 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.18 [J]	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.057		0.042		NS		0.049		NS		NS		0.065		0.05		NS	
	20-Apr-16	NS		0.053		NS		NS		0.040	U	NS		0.040	U	0.049		0.058		NS		0.060	
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.28		NS		NS		0.21		0.20	U	NS	
	21-Oct-16	NS		0.086		NS		NS		0.04	U	NS		0.04	U	0.045		0.04	U	NS		0.052	
	31-Jan-17	0.04	U	NS		0.078		0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	17-Apr-17	NS		0.061	U	NS		NS		0.061	U	NS		0.061	U	0.061	U	0.061	U	NS		0.061	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.23		0.11	U	NS		0.1	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.081	U	NS		NS		0.81 [D]	U	NS		0.81 [D]	U	0.81 [D]	U	0.087		NS		0.81 [D]	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		16.2	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.137	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.206		0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		3.96	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
1,1-Dichloroethene	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.040	U	NS	
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.081	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.420		NS		NS	U	NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS	U	NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 [V]	U	NS		NS		0.040 [V]	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 [O]	U	0.200 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.46	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.21		0.20	U	NS		0.24		NS		NS		0.24		0.21		NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.63	
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	17-Apr-17	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	0.059	U	0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	0.79	U	0.079	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08		NS		NS		NS		0.08	U	0.08	U	0.08	U	NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		5.9	U	NS		NS		NS		5.9	U	NS		5.9	U	5.9	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		595		0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		0.396	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.396	U	NS		0.396	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.53		NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
cis-1,2-Dichloroethene*	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.054		NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS	U	NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS	U	NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 [V]	U	NS		NS		0.040 [V]	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.11 [J,O]		1.700 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.27		NS		0.4		0.31		0.2	U	NS		2.7	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.2		NS		NS		0.21		0.20	U	NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.07		NS	
	17-Apr-17	NS		0.059	U	NS		NS		0.059	U	NS		0.059	U	0.059	U	0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	0.79	U	0.079	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.08	U	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	NS	
	27-Mar-08	NS		0.079	U	NS		NS		NS		0.079	U	NS		NS		NS		0.079	U	0.079	U
	25-Apr-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	29-May-08	NS		NS		NS		0.08	U	NS		NS		NS		0.08	U	0.08	U	0.08	U	NS	
	27-Jun-08	0.123	U	NS		NS		NS		0.079	U	NS		NS		NS		NS		0.079	U	0.079	U
	31-Jul-08	NS		0.079	U	NS		NS		NS		NS		NS		NS		0.079	U	NS		0.079	U
	28-Aug-08	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	0.079	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		0.396	U	NS		NS		NS		0.792	U	NS		NS		NS		0.079	U	0.079	U
	29-Apr-09	NS		NS		0.079	U	NS		NS		NS		0.079	U	NS		0.079	U	NS		0.079	U
	22-Jul-09	0.396	U	NS		0.396	U	0.792	U	NS		0.396	U	NS		NS		0.079	U	0.079	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.079		NS		0.079	U	16.5	U	0.079	U	NS		0.079	U
	15-Jan-10	0.079		NS		0.079		0.079		NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	21-Apr-10	NS		0.079	U	NS		NS		0.396	U	NS		3.96	U	0.396	U	0.079	U	NS		0.079	U
	16-Jul-10	0.079	U	NS		0.079	U	0.079	U	NS		0.598	U	NS		NS		0.079	U	0.079	U	NS	
	15-Oct-10	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jan-11	0.792	U	0.079	U	NS		0.079	U	NS		0.36	U	NS		0.396	U	0.396	U	0.396	U	NS	
	28-Feb-11	NS		NS		0.792	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	26-Jul-11	0.264	U	NS		0.264	U	0.079	U	NS		0.396	U	NS		NS		0.079	U	0.396	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.2	U	NS		0.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.99	U	NS	
	23-Jun-12	0.4	U	NS		0.4	U	0.4	U	NS		0.4	U	NS		NS		0.4	U	0.4	U	NS	
trans-1,2-Dichloroethene*	1-Nov-12	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	1-Feb-13	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.040	U	0.04	U	NS	
	29-Apr-13	NS		0.099	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	NS		0.04	U
	9-Jul-13	0.059	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.040	U	0.040	U	NS	
	18-Oct-13	NS		0.079	U	NS		NS		0.079	U	NS		0.079	U	0.079	U	0.079	U	NS		0.079	U
	9-Jan-14	0.079	U	NS		0.079	U	0.079	U	NS		0.079	U	NS		NS		0.079	U	0.079	U	NS	
	24-Apr-14	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.040	U	0.040	U	0.12	U
	1-Aug-14	0.079	U	NS		0.120	U	0.120	U	NS		NS	U	NS		NS		0.079	U	0.079	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.040	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.059	U	NS		NS	U	NS	
	22-Oct-14	NS		0.059	U	NS		NS		0.059	U	0.059	U	0.059	U	0.059	U	0.059	U	0.079	U	NS	
	20-Jan-15	0.04	U	NS		0.040	U	0.040	U	NS		0.040	U	NS		NS		0.059	U	0.040	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.045	U	NS	
	22-Apr-15	NS		0.041 [V]	U	NS		NS		0.040 [V]	U	NS		0.04	U	0.057	U	0.040	U	NS		0.046	U
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		0.200 [O]	U	2.000 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	20-Apr-16	NS		0.040	U	NS		NS		0.040	U	NS		0.040	U	0.040	U	0.040	U	NS		0.040	U
	20-Jul-16	0.20	U	NS		0.20	U	0.20	U	NS		0.21		NS		NS		0.20	U	0.2		NS	
	21-Oct-16	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U	0.04	U	0.04	U	NS		0.04	U
	31-Jan-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.14		NS	
	17-Apr-17	NS		0.071		NS		NS		0.079		NS		0.059	U	0.086		0.059	U	NS		0.059	U
	26-Jul-17	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	0.04	U	NS	
	12-Oct-17	NS		0.04	U	NS		NS		0.04	U	NS		0.12	U	0.099	U	0.11	U	NS		0.099	U
	10-Jan-18	0.04	U	NS		0.04	U	0.04	U	NS		0.04	U	NS		NS		0.04	U	NS		0.04	U
	11-Apr-18	NS		0.079	U	NS		NS		0.79	U	NS		0.79	U	0.79	U	0.079	U	NS		0.79	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.059	U	NS	
	27-Jul-18	0.20	U	NS		0.20	U	0.20	U	NS		0.20	U	NS		NS		0.20	U	0.20	U	NS	
	24-Oct-18	NS		0.2	U	NS		NS		0.2	U	NS		0.2	U	0.2	U	0.20	U	NS		0.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.092	U	NS		NS		NS		0.092	U	NS		NS		NS		0.092	U	0.092	U
	25-Apr-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	0.09	U	NS	
	27-Jun-08	0.144	U	NS		NS		NS		0.092	U	NS		NS		NS		NS		0.092	U	0.092	U
	31-Jul-08	NS		0.092	U	NS		NS		NS		NS		NS		NS		0.092	U	NS		0.092	U
	28-Aug-08	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	0.092	U	NS	
	30-Sep-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U	0.09	U
	27-Oct-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		0.09	U
	25-Nov-08	NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	0.09	U	NS	
	18-Dec-08	NS		NS		0.09	U	NS		NS		NS		0.09	U	NS		NS		0.09	U	0.09	U
	21-Jan-09	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS		0.09	U
	25-Feb-09	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	26-Mar-09	NS		0.462	U	NS		NS		NS		0.924	U	NS		NS		NS		0.092	U	0.092	U
	29-Apr-09	NS		NS		0.092	U	NS		NS		NS		0.092	U	NS		0.092	U	NS		0.092	U
	22-Jul-09	0.462	U	NS		18.8	U	0.924	U	NS		0.462	U	NS		NS		0.092	U	0.092	U	NS	
	9-Oct-09	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	19.3	U	0.092	U	NS		0.092	U
	15-Jan-10	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	21-Apr-10	NS		0.092	U	NS		NS		0.462	U	NS		0.462	U	0.462	U	0.092	U	NS		0.092	U
	16-Jul-10	0.092	U	NS		0.092	U	0.092	U	NS		0.698	U	NS		NS		0.092	U	0.092	U	NS	
	15-Oct-10	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jan-11	0.924	U	0.092	U	NS		0.092	U	NS		0.462	U	NS		0.462	U	0.462	U	0.462	U	NS	
	28-Feb-11	NS		NS		0.924	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	26-Jul-11	0.308	U	NS		0.308	U	0.092	U	NS		0.462	U	NS		NS		0.092	U	0.462	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	13-Apr-12	NS		0.46	U	NS		NS		0.46	U	NS		0.46	U	0.46	U	0.46	U	NS		0.46	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2	U	NS	
	23-Jun-12	0.46	U	NS		0.46	U	0.46	U	NS		0.46	U	NS		NS		0.46	U	0.46	U	NS	
1,2-Dichloropropane	1-Nov-12	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	1-Feb-13	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	29-Apr-13	NS		0.12	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.098	
	9-Jul-13	0.14	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	18-Oct-13	NS		0.092	U	NS		NS		0.092	U	NS		0.092	U	0.092	U	0.092	U	NS		0.092	U
	9-Jan-14	0.092	U	NS		0.092	U	0.092	U	NS		0.092	U	NS		NS		0.092	U	0.092	U	NS	
	24-Apr-14	NS		$0.046^{L,V}$	U	NS		NS		$0.046^{L,V}$	U	NS		$0.046^{L,V}$	U	$0.046^{L,V}$	U	$0.046^{L,V}$	U	$0.046^{L,V}$	U	$0.14^{L,V}$	U
	1-Aug-14	0.092	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.092	U	0.092	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.046	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		$0.069^{L,V}$	U	NS		NS	U	NS	
	22-Oct-14	NS		0.069	U	NS		NS		0.069	U	0.069	U	0.069	U	0.069	U	0.069	U	0.092	U	NS	
	20-Jan-15	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.069	U	0.046	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.052	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.046	U	NS		0.046	U	0.067	U	0.046	U	NS		0.053	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200^{O}	U	0.200^{O}	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	0.046	U	NS	
	20-Apr-16	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.27		NS		NS		0.29		0.24		NS	
	21-Oct-16	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U	0.046	U	0.046	U	NS		0.046	U
	31-Jan-17	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	0.046	U	NS	
	17-Apr-17	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	26-Jul-17	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	0.046	U	NS	
	12-Oct-17	NS		0.046	U	NS		NS		0.046	U	NS		0.14	U	0.12	U	0.13	U	NS		0.12	U
	10-Jan-18	0.046	U	NS		0.046	U	0.046	U	NS		0.046	U	NS		NS		0.046	U	NS		0.046	U
	11-Apr-18	NS		0.092	U	NS		NS		0.92^{D}	U	NS		0.92^{D}	U	0.92^{D}	U	0.092	U	NS		0.92^{D}	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.069	U	NS	
	27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	27-Oct-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U	NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.91	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		18.5	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		0.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
cis-1,3-Dichloropropene	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS	U	NS	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS	
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.051	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 [O]	U	0.200 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23		0.23	U	NS	
	21-Oct-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	31-Jan-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	17-Apr-17	NS		0.068	U	NS		NS		0.068	U	NS		0.068	U	0.068	U	0.068	U	NS		0.068	U
	26-Jul-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	12-Oct-17	NS		0.045	U	NS		NS		0.045	U	NS		0.14	U	0.11	U	0.13	U	NS		0.11	U
	10-Jan-18	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U
	11-Apr-18	NS		0.091	U	NS		NS		0.91	U	NS		0.91	U	0.91	U	0.091	U	NS		0.91	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.068	U	NS	
	27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.09	U	0.09	U	NS	
	27-Mar-08	NS		0.091	U	NS		NS		NS		0.091	U	NS		NS		NS		0.091	U	0.091	U
	25-Apr-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	29-May-08	NS		NS		NS		0.09	U	NS		NS		NS		0.09		0.09	U	0.09	U	NS	
	27-Jun-08	0.141	U	NS		NS		NS		0.091	U	NS		NS		NS		NS		0.091	U	0.091	U
	31-Jul-08	NS		0.091	U	NS		NS		NS		NS		NS		NS		0.091	U	NS		0.091	U
	28-Aug-08	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	0.091	U	NS	
	30-Sep-08	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U	0.18	U
	27-Oct-08	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		0.18	U
	25-Nov-08	NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U	NS	
	18-Dec-08	NS		NS		0.18	U	NS		NS		NS		0.18	U	NS		NS		0.18	U	0.18	U
	21-Jan-09	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS		0.18	U
	25-Feb-09	0.18	U	NS		NS		NS		0.18	U	NS		NS		NS		0.18	U	0.18	U	NS	
	26-Mar-09	NS		0.453	U	NS		NS		NS		0.907	U	NS		NS		NS		0.091	U	0.091	U
	29-Apr-09	NS		NS		0.091	U	NS		NS		NS		0.091	U	NS		0.091	U	NS		0.091	U
	22-Jul-09	0.453	U	NS		0.453	U	0.907	U	NS		0.453	U	NS		NS		0.091	U	0.091	U	NS	
	9-Oct-09	NS		0.079	U	NS		NS		0.091	U	NS		0.091	U	18.9	U	0.091	U	NS		0.091	U
	15-Jan-10	0.091		NS		0.091	U	0.091		NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	21-Apr-10	NS		0.091	U	NS		NS		0.453	U	NS		0.453	U	0.453	U	0.091	U	NS		0.091	U
	16-Jul-10	0.091	U	NS		0.091	U	0.091	U	NS		0.685	U	NS		NS		0.091	U	0.091	U	NS	
	15-Oct-10	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jan-11	0.907	U	0.091	U	NS		0.091	U	NS		0.453	U	NS		0.453	U	0.453	U	0.453	U	NS	
	28-Feb-11	NS		NS		0.907	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	26-Jul-11	0.303	U	NS		0.303	U	0.091	U	NS		0.454	U	NS		NS		0.091	U	0.454	U	NS	
	28-Oct-11	NS		2.3	U	NS		NS		2.3	U	NS		2.3	U	2.3	U	2.3	U	NS		2.3	U
	23-Jan-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1	U	NS	
	23-Jun-12	0.45	U	NS		0.45	U	0.45	U	NS		0.45	U	NS		NS		0.45	U	0.45	U	NS	
trans-1,3-Dichloropropene	1-Nov-12	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	1-Feb-13	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	29-Apr-13	NS		0.11	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	9-Jul-13	0.068	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	18-Oct-13	NS		0.091	U	NS		NS		0.091	U	NS		0.091	U	0.091	U	0.091	U	NS		0.091	U
	9-Jan-14	0.091	U	NS		0.091	U	0.091	U	NS		0.091	U	NS		NS		0.091	U	0.091	U	NS	
	24-Apr-14	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	0.045	U	0.14	U
	1-Aug-14	0.091	U	NS		0.14	U	0.14	U	NS		NS		NS		NS		0.091	U	0.091	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.045	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.068	U	NS		NS	U	NS	
	22-Oct-14	NS		0.068	U	NS		NS		0.068	U	0.068	U	0.068	U	0.068	U	0.068	U	0.091	U	NS	
	20-Jan-15	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.068	U	0.045	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.051	U	NS	
	22-Apr-15	NS		0.047	U	NS		NS		0.045	U	NS		0.045	U	0.066	U	0.045	U	NS		0.052	U
	21-Jul-15	0.2	U	NS		0.9	U	5	U	NS		0.3	U	NS		NS		0.200 [O]	U	0.200 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	20-Apr-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	20-Jul-16	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	21-Oct-16	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U	0.045	U	0.045	U	NS		0.045	U
	31-Jan-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	17-Apr-17	NS		0.068	U	NS		NS		0.068	U	NS		0.068	U	0.068	U	0.068	U	NS		0.068	U
	26-Jul-17	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	0.045	U	NS	
	12-Oct-17	NS		0.045	U	NS		NS		0.045	U	NS		0.14	U	0.11	U	0.13	U	NS		0.11	U
	10-Jan-18	0.045	U	NS		0.045	U	0.045	U	NS		0.045	U	NS		NS		0.045	U	NS		0.045	U
	11-Apr-18	NS		0.091	U	NS		NS		0.91	U	NS		0.91	U	0.91	U	0.091	U	NS		0.91	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.27	U	NS	
	27-Jul-18	0.23	U	NS		0.23	U	0.23	U	NS		0.23	U	NS		NS		0.23	U	0.23	U	NS	
	24-Oct-18	NS		0.23	U	NS		NS		0.23	U	NS		0.23	U	0.23	U	0.23	U	NS		0.23	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.33		4.89		NS	
	27-Mar-08	NS		0.295		NS		NS		NS		0.157		NS		NS		NS		0.645		0.372	
	25-Apr-08	NS		NS		0.291		NS		NS		NS		0.32		NS				NS		0.565	
	29-May-08	NS		NS		NS		1.49		NS		NS		NS		2.2		2.82		1.01		NS	
	27-Jun-08	4.34		NS		NS		NS		0.472		NS		NS		NS		NS		0.606		0.699	
	31-Jul-08	NS		*		NS		NS		NS		NS		NS		NS		0.758		NS		0.577	
	28-Aug-08	NS		NS		0.83		NS		NS		NS		0.482		NS		0.711		0.666		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	18.4		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.3		2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS		2.2	U
	25-Feb-09	10.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS	
	26-Mar-09	NS		0.516		NS		NS		NS		0.868	U	NS		NS		NS		0.845		1.18	
	29-Apr-09	NS		NS		0.19		NS		NS		NS		0.191		NS		0.304		NS		0.325	
	22-Jul-09	11.7		NS		11.7		0.868	U	NS		1.15		NS		NS		38.2		1.04		NS	
	9-Oct-09	NS		0.564		NS		NS		0.56		NS		0.291		18.1	U	0.542		NS		0.542	
	15-Jan-10	6.95		NS		0.568		0.542		NS		0.659		NS		NS		0.712		0.72		NS	
	21-Apr-10	NS		0.304		NS		NS		1.34		NS		1.8		1.76		2.12		NS		1.56	
	16-Jul-10	8.23		NS		2.4		1.8		NS		1.44		NS		NS		1.51		1.42		NS	
	15-Oct-10	NS		0.534		NS		NS		0.625		NS		0.521		0.573		1.07		NS		0.833	
	26-Jan-11	1.26		1.62		NS		1.66		NS		1.26		NS		1.21		4.14		4.68		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.243		NS		NS		0.239		NS		0.286		3.86		0.364		NS		0.508	
	26-Jul-11	3.91		NS		0.942		0.339		NS		0.434	U	NS		NS		0.304		0.434	U	NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.8		NS		2.2	U
	23-Jan-12	3		NS		0.79		0.56		NS		0.82		NS		NS		1.7		12		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.5		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	U	NS	
	23-Jun-12	5.1		NS		0.53		0.43	U	NS		0.47		NS		NS		0.76		0.46		NS	
Ethylbenzene	1-Nov-12	NS		0.55		NS		NS		0.57		NS		0.8		0.75		0.87		NS		1.3	
	1-Feb-13	1.3		NS		0.18		0.15		NS		0.23		NS		NS		0.54		0.52		NS	
	29-Apr-13	NS		0.33		NS		NS		0.39		NS		0.37		0.49		0.63		NS		0.8	
	9-Jul-13	5.1		NS		0.087	U	0.68		NS		0.59		NS		NS		1.1		1.0		NS	
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.0		2.6		1.5		NS		1.9	
	9-Jan-14	2.7		NS		2.0		2.6		NS		2.8		NS		NS		6.2		5.5		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.092		0.087	U	0.49	
	1-Aug-14	1.7		NS		0.84		0.65		NS		NS		NS		NS		0.45		0.85		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.96		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.79		NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.15		0.13	U	0.27		0.27		NS	
	20-Jan-15	0.400		NS		0.087	U	0.096		NS		0.087	U	NS		NS		0.24		0.29		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.29		NS	
	22-Apr-15	NS		0.22		NS		NS		0.12		NS		0.26		0.21/0.24		0.44		NS		0.53	
	21-Jul-15	0.54		NS		0.590 J		4	U	NS		0.56		NS		NS		0.65 O		0.90 O		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.41		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.14 J		NS		0.22 J		0.28		0.27		NS		0.33	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.63		NS		0.087		0.12		NS		0.12		NS		NS		0.51		0.54		NS	
	20-Apr-16	NS		0.3		NS		NS		0.39		NS		0.56		0.34		0.71		NS		0.61	
	20-Jul-16	5.8		NS		0.75		0.43	U	NS		0.5		NS		NS		2.7		1.1		NS	
	21-Oct-16	NS		0.14		NS		NS		0.35		NS		0.24		0.62		1.2		NS		0.52	
	31-Jan-17	0.56		NS		0.16		0.17		NS		0.14		NS		NS		0.86		0.61		NS	
	17-Apr-17	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.17		NS		0.17	
	26-Jul-17	0.53		NS		0.27		0.21		NS		0.38		NS		NS		0.4		0.35		NS	
	12-Oct-17	NS		0.16		NS		NS		0.2		NS		0.26	U	0.36		0.32		NS		0.31	
	10-Jan-18	0.5		NS		0.11		0.22		NS		0.19		NS		NS		0.94		NS		0.4	
	11-Apr-18	NS		0.13		NS		NS		0.87	U	NS		0.87	U	0.87	U	0.37		NS		0.87	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.19		NS	
	27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS	
	24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.7		0.43	U	0.49		NS		0.43	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.46	U	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	NS	
	27-Mar-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		NS		2.46	U	2.46	U
	25-Apr-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	29-May-08	NS		NS		NS		2.46	U	NS		NS		NS		2.46	U	2.46	U	2.46	U	NS	
	27-Jun-08	3.83	U	NS		NS		NS		2.46	U	NS		NS		NS		NS		2.46	U	2.46	U
	31-Jul-08	NS		2.46	U	NS		NS		NS		NS		NS		NS		2.46	U	NS		2.46	U
	28-Aug-08	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	2.46	U	NS	
	30-Sep-08	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U	4.9	U
	27-Oct-08	5.2		NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		4.9	U
	25-Nov-08	NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		5.9	U	4.9	U	NS	
	18-Dec-08	NS		NS		4.9	U	NS		NS		NS		4.9	U	NS		NS		4.9	U	4.9	U
	21-Jan-09	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS		4.9	U
	25-Feb-09	4.9	U	NS		NS		NS		4.9	U	NS		NS		NS		4.9	U	4.9	U	NS	
	26-Mar-09	NS		12.3	U	NS		NS		NS		24.6	U	NS		NS		NS		2.46	U	2.46	U
	29-Apr-09	NS		NS		2.46	U	NS		NS		NS		2.46	U	NS		2.46	U	NS		2.46	U
	22-Jul-09	12.3	U	NS		12.3	U	24.6	U	NS		12.3	U	NS		NS		3.78		2.46	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.46	U	NS		2.46	U	513	U	2.46	U	NS		2.46	U
	15-Jan-10	2.46	U	NS		2.46	U	2.46	U	NS		2.46	U	NS		NS		2.46	U	2.46	U	NS	
	21-Apr-10	NS		2.46	U	NS		NS		12.3	U	NS		12.3	U	12.3	U	2.46	U	NS		2.46	U
	16-Jul-10	2.46	U	NS		2.66		2.46	U	NS		18.5	U	NS		NS		2.46	U	2.46	U	NS	
	15-Oct-10	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jan-11	24.6	U	2.46	U	NS		2.46	U	NS		12.3	U	NS		12.3	U	12.3	U	12.3	U	NS	
	28-Feb-11	NS		NS		24.6	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.46	U	NS		NS		2.46	U	NS		2.46	U	2.46	U	2.46	U	NS		2.46	U
	26-Jul-11	8.21	U	NS		8.21	U	2.46	U	NS		12.3	U	NS		NS		2.46	U	12.3	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	0.25	U	NS		1.2	U	NS		NS		1.2	U	1.4		NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
Isopropylbenzene	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.27		0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.53		0.49		NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	0.25	U	0.37	U
	1-Aug-14	0.25		NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS	U	NS	
	22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	21-Jul-15	0.140 [J]		NS		1	U	5	U	NS		0.19 [J]		NS		NS		0.21 [J,O]		0.20 [J,O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.4	U	0.2	U	0.2	U	NS		0.2	U
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.2	U	NS		1.2	U,M,W	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.37	U	NS		NS		0.37	U	NS		0.37	U	0.37	U	0.37	U	NS		0.37	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.62	U	0.71	U	NS		0.62	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.37	U	NS	
	27-Jul-18	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.74	U	NS		NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	NS	
	27-Mar-08	NS		2.74	U	NS		1.2		NS		NS		NS		NS		NS		2.74	U	2.74	U
	25-Apr-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	29-May-08			NS		NS		2.74	U	NS		NS		NS		2.74	U	2.74	U	2.74	U	NS	
	27-Jun-08	4.27	U	NS		NS		NS		2.74	U	NS		NS		NS		NS		2.74	U	2.74	U
	31-Jul-08	NS		2.74	U	NS		NS		NS		NS		NS		NS		2.74	U	NS		2.74	U
	28-Aug-08	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	2.74	U	NS	
	30-Sep-08	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		5.5	U	5.5	U
	27-Oct-08	12.5		NS		NS		NS		5.5	U	NS		NS		NS		18.5		NS		5.5	U
	25-Nov-08	NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U	NS	
	18-Dec-08	NS		NS		5.5	U	NS		NS		NS		5.5	U	NS		NS		5.5	U	5.5	U
	21-Jan-09	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS		5.5	U
	25-Feb-09	5.5	U	NS		NS		NS		5.5	U	NS		NS		NS		5.5	U	5.5	U	NS	
	26-Mar-09	NS		13.7	U	NS		NS		NS		27.4	U	NS		NS		NS		2.74	U	2.74	U
	29-Apr-09	NS		NS		2.74	U	NS		NS		NS		2.74	U	NS		2.74	U	NS		2.74	U
	22-Jul-09	13.7	U	NS		13.7	U	27.4	U	NS		13.7	U	NS		NS		2.74	U	2.74	U	NS	
	9-Oct-09	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	573	U	2.74	U	NS		2.74	U
	15-Jan-10	2.72	U	NS		2.74	U	2.74	U	NS		2.74	U	NS		NS		2.74	U	2.74	U	NS	
	21-Apr-10	NS		2.74	U	NS		NS		13.7	U	NS		13.7	U	13.7	U	2.74	U	NS		2.74	U
	16-Jul-10	2.74	U	NS		2.74	U	2.74	U	NS		20.7	U	NS		NS		2.74	U	2.74		NS	
	15-Oct-10	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jan-11	27.4	U	2.74	U	NS		2.74	U	NS		13.7	U	NS		13.7	U	13.7	U	13.7	U	NS	
	28-Feb-11	NS		NS		27.4	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.74	U	NS		NS		2.74	U	NS		2.74	U	2.74	U	2.74	U	NS		2.74	U
	26-Jul-11	9.17	U	NS		9.17	U	2.74	U	NS		13.7	U	NS		NS		2.74	U	13.7	U	NS	
	28-Oct-11	NS		6.3	U	NS		NS		6.3	U	NS		6.3	U	6.3	U	6.3	U	NS		6.3	U
	23-Jan-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	13-Apr-12	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.3	U	NS	
	23-Jun-12	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
p-Isopropyltoluene	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.27		0.25	U	0.29		NS		0.45	
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.63	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.38	U	NS		0.28		0.29		NS		0.29		NS		NS		0.36		0.53		NS	
	18-Oct-13	NS		0.38		NS		NS		0.25	U	NS		0.25	U	0.51		0.25	U	NS		0.54	
	9-Jan-14	0.25	U	NS		0.33		0.040		NS		0.25	U	NS		NS		1.2		1.2		NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.072	U	0.25	U	0.25	U	0.54	
	1-Aug-14	0.70		NS		0.88		1.4		NS		NS		NS		NS		0.45		0.61		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.38		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.66		NS		NS	U	NS	
	22-Oct-14	NS		0.38 [L]	U	NS		NS		0.38 [L]	U	0.38 [L]	U	0.38 [L]	U	0.38 [L]	U	0.38 [L]	U	0.50 [L]	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.38		0.51		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.26	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	21-Jul-15	0.3	U	NS		1	U	6	U	NS		0.16 [J]		NS		NS		0.15 [J, O]		0.30 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.19 [J]		NS		0.5	U	0.3	U	0.3	U	NS		0.19 [J]	
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.3	U	NS		1.3 [M W]	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.43		0.42		NS	
	17-Apr-17	NS		0.38	U	NS		NS		0.38	U	NS		0.38	U	0.38	U	0.38	U	NS		0.38	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.63	U	0.71	U	NS		0.63	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.38	U	NS	
	27-Jul-18	1.3	U	NS		1.3	U	1.3	U	NS		1.3	U	NS		NS		1.3	U	1.3	U	NS	
	24-Oct-18	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.07	U	NS		NS		NS		0.07	U	NS		NS		NS		0.14		0.07	U	NS	
	27-Mar-08	NS		0.072	U	NS		NS		NS		0.072	U	NS		NS		NS		0.165		0.126	
	25-Apr-08	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.079	
	29-May-08	NS		NS		NS		0.07	U	NS		NS		NS		0.07	U	0.07	U	0.07	U	NS	
	27-Jun-08	0.436		NS		NS		NS		0.072	U	NS		NS		NS		NS		0.072	U	0.072	U
	31-Jul-08	NS		0.072	U	NS		NS		NS		NS		NS		NS		0.072	U	NS		0.072	U
	28-Aug-08	NS		NS		0.106		NS		NS		NS		0.072	U	NS		0.172	U	0.14		NS	
	30-Sep-08	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		1.8	U	1.8	U
	27-Oct-08	1.8	U	NS		NS		NS		2.6		NS		NS		NS		3.2		NS		5.8	
	25-Nov-08	NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U	NS	
	18-Dec-08	NS		NS		1.8	U	NS		NS		NS		1.8	U	NS		NS		1.8	U	1.8	U
	21-Jan-09	NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	NS		1.8	U
	25-Feb-09	5.8		NS		NS		NS		1.8	U	NS		NS		NS		1.8	U	1.8	U	NS	
	26-Mar-09	NS		0.36	U	NS		NS		NS		0.72	U	NS		NS		NS		0.072	U	0.072	U
	29-Apr-09	NS		NS		0.072	U	NS		NS		NS		0.072	U	NS		0.072	U	NS		0.072	U
	22-Jul-09	0.36	U	NS		0.36	U	0.72	U	NS		0.36	U	NS		NS		0.072	U	0.072	U	NS	
	9-Oct-09	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	15	U	0.086		NS		0.083	
	15-Jan-10	0.079		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	21-Apr-10	NS		0.072	U	NS		NS		0.36	U	NS		3.6	U	0.36	U	0.072	U	NS		0.072	U
	16-Jul-10	0.072	U	NS		0.072	U	0.072	U	NS		0.544	U	NS		NS		0.072	U	0.072	U	NS	
	15-Oct-10	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jan-11	0.72	U	0.072	U	NS		0.072	U	NS		0.396	U	NS		0.36	U	0.36	U	0.36	U	NS	
	28-Feb-11	NS		NS		0.72	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	26-Jul-11	0.24	U	NS		0.24	U	0.072	U	NS		0.36	U	NS		NS		0.072	U	0.36	U	NS	
	28-Oct-11	NS		1.8	U	NS		NS		1.8	U	NS		1.8	U	1.8	U	1.8	U	NS		1.8	U
	23-Jan-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	13-Apr-12	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	0.36	U	0.36	U	NS		0.36	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.8	U	NS	
	23-Jun-12	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
Methyl tert butyl ether (MTBE)	1-Nov-12	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	1-Feb-13	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	29-Apr-13	NS		0.18	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jul-13	0.17		NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072		0.072	U	NS	
	18-Oct-13	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	9-Jan-14	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	24-Apr-14	NS		0.072	U	NS		NS		0.072	U	NS		0.077	U	0.072	U	0.072	U	0.072	U	0.11	U
	1-Aug-14	0.072	U	NS		0.11	U	0.12		NS		NS		NS		NS		0.072	U	0.072	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.072	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.11	U	NS		NS	U	NS	
	22-Oct-14	NS		0.11	U	NS		NS		0.11	U	0.11	U	0.11	U	0.11	U	0.11	U	0.14	U	NS	
	20-Jan-15	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.11	U	0.072	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.081	U	NS	
	22-Apr-15	NS		0.074 [V]	U	NS		NS		0.072 [V]	U	NS		0.072	U	0.10	U	0.072	U	NS		0.083	U
	21-Jul-15	0.2	U	NS		0.7	U	4	U	NS		0.2	U	NS		NS		0.200 [O]	U	0.200 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.2	U	NS		0.096 [J]	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	20-Apr-16	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	20-Jul-16	0.36	U	NS		0.46		0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	21-Oct-16	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U	0.072	U	0.072	U	NS		0.072	U
	31-Jan-17	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	17-Apr-17	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	26-Jul-17	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	0.072	U	NS	
	12-Oct-17	NS		0.072	U	NS		NS		0.072	U	NS		0.22	U	0.18	U	0.2	U	NS		0.18	U
	10-Jan-18	0.072	U	NS		0.072	U	0.072	U	NS		0.072	U	NS		NS		0.072	U	NS		0.072	U
	11-Apr-18	NS		0.072	U	NS		NS		0.72	U	NS		0.72	U	0.72	U	0.072	U	NS		0.72	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS	
	27-Jul-18	0.36	U	NS		0.36	U	0.36	U	NS		0.36	U	NS		NS		0.36	U	0.36	U	NS	
	24-Oct-18	NS		0.36	U	NS		NS		0.36	U	NS		0.36	U	0.36	U	0.36	U	NS		0.36	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
Methylene chloride	8-Feb-08	2.34		NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	1.74	U	NS	
	27-Mar-08	NS		1.74	U	NS		NS		NS		2.87		NS		NS		NS		2.1		1.74	U
	25-Apr-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	29-May-08	NS		NS		NS		1.74	U	NS		NS		NS		1.74	U	2.91		1.74	U	NS	
	27-Jun-08	4.33	U	NS		NS		NS		3.69		NS		NS		NS		NS		2.78	U	2.78	U
	31-Jul-08	NS		1.74	U	NS		NS		NS		NS		NS		NS		1.74	U	NS		1.74	U
	28-Aug-08	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	1.74	U	NS	
	30-Sep-08	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U	1.7	U
	27-Oct-08	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		1.7	U
	25-Nov-08	NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U	NS	
	18-Dec-08	NS		NS		1.7	U	NS		NS		NS		1.7	U	NS		NS		1.7	U	1.7	U
	21-Jan-09	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS		1.7	UI
	25-Feb-09	1.7	U	NS		NS		NS		1.7	U	NS		NS		NS		1.7	U	1.7	U	NS	
	26-Mar-09	NS		16.1		NS		NS		NS		17.4	U	NS		NS		NS		1.74	U	1.8	
	29-Apr-09	NS		NS		1.74	U	NS		NS		NS		1.74	U	NS		1.74	U	NS		1.74	U
	22-Jul-09	86.8	U	NS		8.68	U	17.4	U	NS		8.68	U	NS		NS		1.74	U	1.74	U	NS	
	9-Oct-09	NS		1.74	U	NS		NS		1.74	U	NS		1.74	U	362	U	1.74	U	NS		1.74	U
	15-Jan-10	1.74	U	NS		1.74	U	1.74	U	NS		1.74	U	NS		NS		1.74	U	1.74	U	NS	
	21-Apr-10	NS		1.74	U	NS		NS		0.868	U	NS		8.68	U	8.68	U	1.74		NS		1.74	
	16-Jul-10	24		NS		21.5		19.5		NS		26.2	U	NS		NS		27,1		26.5		NS	
	15-Oct-10	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jan-11	34.7	U	3.47	U	NS		3.47	U	NS		0.404	U	NS		17.4	U	17.4	U	17.4	U	NS	
	28-Feb-11	NS		NS		34.7	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		3.47	U	NS		NS		3.47	U	NS		3.47	U	3.47	U	3.47	U	NS		3.47	U
	26-Jul-11	11.6	U	NS		11.6	U	3.47	U	NS		17.4	U	NS		NS		5.7		17.4	U	NS	
	28-Oct-11	NS		17	U	NS		NS		17	U	NS		17	U	17	U	140		NS		17	U
	23-Jan-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	13-Apr-12	NS		4.6		NS		NS		7.3		NS		3.5	U	4.6		3.9		NS		3.5	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		17	U	NS	
	23-Jun-12	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	1-Nov-12	NS		0.74		NS		NS		1.1		NS		0.69	U	1.1		0.69	U	NS		6.2	
	1-Feb-13	2		NS		0.93		1.6		NS		1.1		NS		NS		0.9		2.1		NS	
	29-Apr-13	NS		1.7	U	NS		NS		1.4		NS		0.93		1.8		1.1		NS		1.4	
	9-Jul-13	1.8		NS		25		1.2		NS		1.1		NS		NS		31		3.6		NS	
	18-Oct-13	NS		0.69	U	NS		NS		0.69	U	NS		0.69	U	0.77		0.69	U	NS		0.74	
	9-Jan-14	0.85		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	1.3		NS	
	24-Apr-14	NS		0.90		NS		NS		6.7		NS		2.8		1.5		0.69	U	0.69	U	1.0	U
	1-Aug-14	1.0		NS		1.7		1.7		NS		NS		NS		NS		1.1		1.1		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.9		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS	U	NS	
	22-Oct-14	NS		1.7		NS		NS		1.0	U	1.7		1.4		1.0	U	2.0		3.0		NS	
	20-Jan-15	33		NS		27		25		NS		31		NS		NS		32		0.69	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		40		NS	
	22-Apr-15	NS		0.85 [V]		NS		NS		1.00 [V]		NS		0.73		2.5/2.3		1.0		NS		1.3	
	21-Jul-15	2.1		NS		3.5		3.1 [J]		NS		1.5		NS		NS		1.7 [O]		2.4 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		2.4		NS		NS		NS	
	29-Oct-15	NS		1.6		NS		NS		1.4		NS		3.6		2.7		2		NS		4.7	
	4-Dec-15 resample	NS		1.6		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.3		NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	20-Apr-16	NS		0.69	U	NS		NS		0.69	U	NS		1.7		0.69	U	4.4		NS		0.86	
	20-Jul-16	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	8.6		NS	
	21-Oct-16	NS		0.69	U	NS		NS		4.6		NS		0.69	U	2.3		1.1		NS		1.7	
	31-Jan-17	0.69	U	NS		0.8		0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	17-Apr-17	NS		1	U	NS		NS		1	U	NS		1	U	1	U	1	U	NS		1	U
	26-Jul-17	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	12-Oct-17	NS		0.79		NS		NS		0.92		NS		2.1	U	2.8		2	U	NS		1.7	U
	10-Jan-18	0.78		NS		0.69	U	0.69	U	NS		1.1		NS		NS		1.1		NS		0.69	U
	11-Apr-18	NS		0.69	U	NS		NS		6.9 [D]	U	NS		6.9 [D]	U	8.8 [D]		1.7		NS		6.9 [D]	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1	U	NS	
	27-Jul-18	3.5	U	NS		3.5	U	3.5	U	NS		3.5	U	NS		NS		3.5	U	3.5	U	NS	
	24-Oct-18	NS		3.5	U	NS		NS		3.5	U	NS		3.5	U	3.5	U	3.5	U	NS		3.5	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	2.05	U	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	8.7		NS	
	27-Mar-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		NS		15.2		2.05	U
	25-Apr-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	29-May-08	NS		NS		NS		2.05	U	NS		NS		NS		2.05	U	2.05	U	2.05	U	NS	
	27-Jun-08	3.19	U	NS		NS		NS		2.05	U	NS		NS		NS		NS		2.05	U	2.05	U
	31-Jul-08	NS		2.05	U	NS		NS		NS		NS		NS		NS		2.05	U	NS		2.05	U
	28-Aug-08	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	2.05	U	NS	
	30-Sep-08	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U	2	U
	27-Oct-08	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	NS		2	U
	25-Nov-08	NS		3.5		NS		NS		NS		2	U	NS		NS		2	U	2	U	NS	
	18-Dec-08	NS		NS		2	U	NS		NS		NS		2	U	NS		NS		2	U	2	U
	21-Jan-09	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS		2	U
	25-Feb-09	2	U	NS		NS		NS		2	U	NS		NS		NS		2	U	2	U	NS	
	26-Mar-09	NS		10.2	U	NS		NS		NS		20.5	U	NS		NS		NS		2.05	U	2.05	U
	29-Apr-09	NS		NS		2.05	U	NS		NS		NS		2.05	U	NS		2.05	U	NS		2.05	U
	22-Jul-09	10.2	U	NS		10.2	U	20.5	U	NS		10.2	U	NS		NS		2.05	U	2.05	U	NS	
	9-Oct-09	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	427	U	2.05	U	NS		2.05	U
	15-Jan-10	2.05	U	NS		2.05	U	2.05	U	NS		2.05	U	NS		NS		2.05	U	2.05	U	NS	
	21-Apr-10	NS		2.05	U	NS		NS		10.2	U	NS		10.2	U	10.2	U	2.05	U	NS		2.05	U
	16-Jul-10	2.05	U	NS		2.05	U	2.05	U	NS		15.4	U	NS		NS		2.05	U	2.05	U	NS	
	15-Oct-10	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		2.05	U
	26-Jan-11	20.5	U	2.05	U	NS		2.05	U	NS		10.2	U	NS		10.2	U	10.2	U	10.2	U	NS	
	28-Feb-11	NS		NS		20.5	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		2.05	U	NS		NS		2.05	U	NS		2.05	U	2.05	U	2.05	U	NS		3.35	
	26-Jul-11	6.84	U	NS		0.684	U	2.05	U	NS		10.2	U	NS		NS		2.05	U	10.2	U	NS	
	28-Oct-11	NS		2	U	NS		NS		2	U	NS		2	U	2	U	2	U	NS		2	U
	23-Jan-12	0.41	U	NS		0.44		0.41	U	NS		0.41	U	NS		NS		0.41	U	1.8		NS	
	13-Apr-12	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	0.41	U	NS		0.41	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2	U	NS	
	23-Jun-12	0.41	U	NS		0.41	U	0.41	U	NS		0.41	U	NS		NS		0.41	U	0.46		NS	
4-Methyl-2-pentanone	1-Nov-12	NS		0.89		NS		NS		0.65		NS		0.9		0.84		1.1		NS		1.1	
	1-Feb-13	0.12		NS		0.082	U	0.082	U	NS		0.095		NS		NS		0.082	U	0.29		NS	
	29-Apr-13	NS		0.2	U	NS		NS		0.21		NS		0.21		0.082	U	0.86		NS		0.78	
	9-Jul-13	0.66		NS		0.55		0.47		NS		0.51		NS		NS		0.92		0.39		NS	
	18-Oct-13	NS		1.8		NS		NS		2.7		NS		2.2		2.3		3.0		NS		3.8	
	9-Jan-14	0.18		NS		0.15		0.21		NS		0.082	U	NS		NS		0.21		0.77		NS	
	24-Apr-14	NS		0.087		NS		NS		0.082	U	NS		0.13		0.082	U	0.38		0.32		0.66	
	1-Aug-14	0.64		NS		1.0/0.74		1.1/0.86		NS		NS		NS		NS		1.30		2.4/2.0		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.4		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS	U	NS	
	22-Oct-14	NS		0.13		NS		NS		0.12	U	0.12	U	0.26		0.12	U	0.78		0.73		NS	
	20-Jan-15	0.087		NS		0.085		0.12		NS		0.088		NS		NS		0.35		5.8		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.77		NS	
	22-Apr-15	NS		0.57		NS		NS		0.34		NS		0.85		0.39/0.40		0.87		NS		0.88	
	21-Jul-15	0.2	U	NS		0.8	U	4	U	NS		0.2	U	NS		NS		1.4 [O]		2.7 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.2	U	NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.2	U	NS		0.3	U	0.2	U	0.97		NS		0.42	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.082	U	NS		0.082	U	0.082	U	NS		0.082	U	NS		NS		0.61		0.88		NS	
	20-Apr-16	NS		0.082	U	NS		NS		0.084		NS		0.21		0.15		0.7		NS		0.74	
	20-Jul-16	0.41	U	NS		1.2		0.59		NS		0.82		NS		NS		2.4		1.7		NS	
	21-Oct-16	NS		0.49		NS		NS		0.56		NS		0.64		0.76		2.5		NS		1.2	
	31-Jan-17	0.1		NS		0.085		0.082	U	NS		0.082	U	NS		NS		0.32		0.83		NS	
	17-Apr-17	NS		0.12	U	NS		NS		0.17		NS		0.22		0.12	U	0.41		NS		0.71	
	26-Jul-17	0.64		NS		0.86		0.76		NS		1.5		NS		NS		1.1		1.4		NS	
	12-Oct-17	NS		0.15		NS		NS		0.082	U	NS		0.25	U	0.32		0.48		NS		0.39	
	10-Jan-18	0.084		NS		0.082	U	0.082	U	NS		0.15		NS		NS		0.28		NS		0.55	
	11-Apr-18	NS		0.082	U	NS		NS		0.82	U	NS		0.82	U	0.82	U	0.19 [M]		NS		0.82	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.12	U	NS	
	27-Jul-18	0.41	U	NS		0.41	U	0.41	U	NS		0.41	U	NS		NS		1.4		0.87		NS	
	24-Oct-18	NS		0.41	U	NS		NS		0.41	U	NS		0.41	U	0.41	U	0.41	U	NS		0.41	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.09	U	NS		NS		NS		0.09	U	NS		NS		NS		0.3		3.15		NS	
	27-Mar-08	NS		0.1		NS		NS		NS		0.177		NS		NS		NS		0.206		0.404	
	25-Apr-08	NS		NS		0.244		NS		NS		NS		1.07		NS		0.559		NS		0.351	
	29-May-08	NS		NS		NS		0.17		NS		NS		NS		0.3		0.36		0.27		NS	
	27-Jun-08	0.732		NS		NS		NS		0.354		NS		NS		NS		NS		0.598		0.59	
	31-Jul-08	NS		0.276		NS		NS		NS		NS		NS		NS		0.255		NS		0.17	
	28-Aug-08	NS		NS		1.22		NS		NS		NS		0.754		NS		1.02		1.01		NS	
	30-Sep-08	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U	2.1	U
	27-Oct-08	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		2.1	U
	25-Nov-08	NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U	NS	
	18-Dec-08	NS		NS		2.1	U	NS		NS		NS		2.1	U	NS		NS		2.1	U	2.1	U
	21-Jan-09	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS		2.1	U
	25-Feb-09	2.1	U	NS		NS		NS		2.1	U	NS		NS		NS		2.1	U	2.1	U	NS	
	26-Mar-09	NS		0.851	U	NS		NS		NS		1.7	U	NS		NS		NS		0.292		0.361	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.085	U	NS		0.098		NS		0.243	
	22-Jul-09	0.426	U	NS		0.426	U	0.851	U	NS		0.426	U	NS		NS		0.6		0.149		NS	
	9-Oct-09	NS		0.085	U	NS		NS		0.098		NS		0.085	U	17.8	U	0.153		NS		0.204	
	15-Jan-10	0.106		NS		0.119		0.089		NS		0.098		NS		NS		0.128		0.221		NS	
	21-Apr-10	NS		0.085	U	NS		NS		0.426	U	NS		0.426	U	0.426	U	0.481		NS		0.579	
	16-Jul-10	0.57		NS		0.911		0.66		NS		0.643	U	NS		NS		0.34		0.864		NS	
	15-Oct-10	NS		0.698		NS		NS		1.12		NS		0.779		0.919		0.877		NS		1.52	
	26-Jan-11	0.851	U	0.162		NS		0.179		NS		0.426	U	NS		0.426	U	0.426		0.617		NS	
	28-Feb-11	NS		NS		0.851	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.311		NS		NS		0.302		NS		0.366		0.4		0.753		NS		0.749	
	26-Jul-11	0.724		NS		0.779		0.868		NS		0.788	U	NS		NS		1.23		0.681		NS	
	28-Oct-11	NS		2.1	U	NS		NS		2.1	U	NS		2.1	U	2.1	U	2.1	U	NS		2.1	U
	23-Jan-12	0.84		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.46		16		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.1	U	NS	
	23-Jun-12	1.7		NS		1.4		1.9		NS		1.9		NS		NS		2.4		2.6		NS	
Styrene	1-Nov-12	NS		0.14		NS		NS		0.15		NS		0.46		0.17		0.3		NS		0.34	
	1-Feb-13	0.085	U	NS		0.085		0.085	U	NS		0.085	U	NS		NS		0.22		0.26		NS	
	29-Apr-13	NS		0.22		NS		NS		0.27		NS		0.3		0.36		0.53		NS		0.53	
	9-Jul-13	0.43		NS		0.60		0.39		NS		0.43		NS		NS		0.12		0.48		NS	
	18-Oct-13	NS		0.25		NS		NS		0.26		NS		0.35		0.35		0.50		NS		0.57	
	9-Jan-14	0.10		NS		0.10		0.12		NS		0.14		NS		NS		0.44		0.53		NS	
	24-Apr-14	NS		0.085		NS		NS		0.085	U	NS		0.085	U	0.085	U	0.21		0.21		0.28	
	1-Aug-14	0.32		NS		0.64		2.8/3.8		NS		NS		NS		NS		0.45		0.51		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.7/2.9		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.81		NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.18		0.13	U	1.1		0.98		NS	
	20-Jan-15	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.67		0.085	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	22-Apr-15	NS		0.098		NS		NS		0.085	U	NS		0.099		0.12	U	1.6		NS		0.80	
	21-Jul-15	0.160 [J]		NS		0.460 [J]		4	U	NS		0.23 [J]		NS		NS		1.3 [O]		2.9 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.13 [J]		NS		NS		NS	
	29-Oct-15	NS		0.2	U	NS		NS		0.21 [J]		NS		0.4	U	0.2	U	0.71		NS		0.8	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		1.3		3.7		NS	
	20-Apr-16	NS		0.085	U	NS		NS		0.09		NS		0.13		0.085	U	1.5		NS		0.52	
	20-Jul-16	0.79[L]	L	NS		0.88[L]		0.97[L]		NS		1[L]		NS		NS		3.9[L]		5.9[L]		NS	
	21-Oct-16	NS		0.12		NS		NS		0.18		NS		0.17		0.22		3.2		NS		0.63	
	31-Jan-17	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.97		2.8		NS	
	17-Apr-17	NS		0.13	U	NS		NS		0.13		NS		0.15		0.41		0.68		NS		0.61	
	26-Jul-17	0.18		NS		0.22		0.21		NS		0.32		NS		NS		0.53		2.3		NS	
	12-Oct-17	NS		0.14		NS		NS		0.17		NS		0.26	U	0.4		0.43		NS		0.79	
	10-Jan-18	0.085	U	NS		0.085	U	0.085	U	NS		0.085	U	NS		NS		0.18		NS		0.82	
	11-Apr-18	NS		0.085	U	NS		NS		0.85	U	NS		0.85	U	0.85	U	0.085	U	NS		0.85	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.42		NS	
	27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.68		0.43	U	NS	
	24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.43	U	NS		0.43	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.19		NS		NS		NS		0.14	U	0.14	U	NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	1.37	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	1.37	U	NS		0.137	U	NS		NS		0.137	U	0.137	U	NS	
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		6.2	U	NS		NS		6.2	U	NS		6.2	U	6.2	U	6.2	U	NS		6.2	U
	23-Jan-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	13-Apr-12	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U
1,1,1,2-Tetrachloroethane	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		6.2	U	NS	
	23-Jun-12	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	1-Nov-12	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	1-Feb-13	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	29-Apr-13	NS		0.62	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jul-13	0.37	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.036	U	0.25	U	NS	
	18-Oct-13	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	9-Jan-14	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	24-Apr-14	NS		0.25	U	NS		NS		0.25^{L}	U	NS		0.25^{L}	U	0.25	U	0.25^{L}	U	0.25	U	0.37	U
	1-Aug-14	0.25	U	NS		0.37	U	0.37	U	NS		NS		NS		NS		0.25	U	0.25	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.25	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.37	U	NS		NS	U	NS	
	22-Oct-14	NS		0.37	U	NS		NS		0.37	U	0.37	U	0.37	U	0.37	U	0.37	U	0.50	U	NS	
	20-Jan-15	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.37	U	0.25	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.28	U	NS	
	22-Apr-15	NS		0.29	U	NS		NS		0.25	U	NS		0.25	U	0.36	U	0.25	U	NS		0.29	U
	27-Jan-16	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	20-Apr-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	20-Jul-16	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	21-Oct-16	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U	0.25	U	0.25	U	NS		0.25	U
	31-Jan-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	17-Apr-17	NS		0.37	U	NS		NS		0.37	U	NS		0.37	U	0.37	U	0.37	U	NS		0.37	U
	26-Jul-17	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	0.25	U	NS	
	12-Oct-17	NS		0.25	U	NS		NS		0.25	U	NS		0.76	U	0.62	U	0.71	U	NS		0.62	U
	10-Jan-18	0.25	U	NS		0.25	U	0.25	U	NS		0.25	U	NS		NS		0.25	U	NS		0.25	U
	11-Apr-18	NS		0.25	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	0.25	U	NS		2.5	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.37	U	NS	
	27-Jul-18	1.2	U	NS		1.2	U	1.2	U	NS		1.2	U	NS		NS		1.2	U	1.2	U	NS	
	24-Oct-18	NS		1.2	U	NS		NS		1.2	U	NS		1.2	U	1.2	U	1.2	U	NS		1.2	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	27-Mar-08	NS		0.137	U	NS		NS		NS		0.137	U	NS		NS		NS		0.137	U	0.137	U
	25-Apr-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	29-May-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	0.14	U	NS	
	27-Jun-08	0.214	U	NS		NS		NS		0.137	U	NS		NS		NS		NS		0.137	U	0.137	U
	31-Jul-08	NS		0.137	U	NS		NS		NS		NS		NS		NS		0.137	U	NS		0.137	U
	28-Aug-08	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	0.137	U	NS	
	30-Sep-08	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U	0.14	U
	27-Oct-08	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		0.14	U
	25-Nov-08	NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U	NS	
	18-Dec-08	NS		NS		0.14	U	NS		NS		NS		0.14	U	NS		NS		0.14	U	0.14	U
	21-Jan-09	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS		0.14	U
	25-Feb-09	0.14	U	NS		NS		NS		0.14	U	NS		NS		NS		0.14	U	0.14	U	NS	
	26-Mar-09	NS		0.686	U	NS		NS		NS		1.37	U	NS		NS		NS		0.137	U	0.137	U
	29-Apr-09	NS		NS		0.137	U	NS		NS		NS		0.137	U	NS		0.137	U	NS		0.137	U
	22-Jul-09	0.686	U	NS		28	U	0.137	U	NS		0.686	U	NS		NS		0.137	U	0.137	U	NS	
	9-Oct-09	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	28.6	U	0.137	U	NS		0.137	U
	15-Jan-10	0.109	U	NS		0.137	U	0.137	U	NS		0.109	U	NS		NS		0.137	U	0.137	U	NS	
	21-Apr-10	NS		0.137	U	NS		NS		0.686	U	NS		0.686	U	0.686	U	0.137	U	NS		0.137	U
	16-Jul-10	0.137	U	NS		0.137	U	0.137	U	NS		1.04	U	NS		NS		0.137	U	0.137	U	NS	
	15-Oct-10	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jan-11	1.37	U	0.137	U	NS		0.137	U	NS		0.686	U	NS		0.686	U	0.686	U	0.686	U	NS	
	28-Feb-11	NS		NS		1.37	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.137	U	NS		NS		0.137	U	NS		0.137	U	0.137	U	0.137	U	NS		0.137	U
	26-Jul-11	0.458	U	NS		0.458	U	0.137	U	NS		0.687	U	NS		NS		0.137	U	0.687	U	NS	
	28-Oct-11	NS		3.4	U	NS		NS		3.4	U	NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
	13-Apr-12	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.7	U	NS	
	23-Jun-12	0.69	U	NS		0.69	U	0.69	U	NS		0.69	U	NS		NS		0.69	U	0.69	U	NS	
1,1,2,2-Tetrachloroethane	1-Nov-12	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	1-Feb-13	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.12		0.069	U	NS	
	29-Apr-13	NS		0.17	U	NS		NS		0.069	U	NS		0.069	U	0.69	U	0.069	U	NS		0.069	U
	9-Jul-13	0.10	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.010	U	0.069	U	NS	
	18-Oct-13	NS		0.14	U	NS		NS		0.14	U	NS		0.14	U	0.14	U	0.140	U	NS		0.14	U
	9-Jan-14	0.14	U	NS		0.14	U	0.14	U	NS		0.14	U	NS		NS		0.140	U	0.14	U	NS	
	24-Apr-14	NS		0.069	U	NS		NS		0.069[L]	U	NS		.069[L]	U	0.069[L-V]	U	0.069[L]	U	0.069	U	0.21	U
	1-Aug-14	0.14	U	NS		0.21	U	0.21	U	NS		NS		NS		NS		0.140	U	0.14	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.069 [L]	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.10	U	NS		NS	U	NS	
	22-Oct-14	NS		0.10	U	NS		NS		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.14	U	NS	
	20-Jan-15	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.10	U	0.069	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS	
	22-Apr-15	NS		0.070	U	NS		NS		0.069	U	NS		0.069	U	0.10	U	0.069	U	NS		0.079	U
	21-Jul-15	0.3	U	NS		1	U	7	U	NS		0.4	U	NS		NS		0.300 [O]	U	0.400 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.4	U	NS		NS		0.4	U	NS		0.6	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS	
	20-Apr-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	20-Jul-16	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	0.34	U	NS	
	21-Oct-16	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U	0.069	U	0.069	U	NS		0.069	U
	31-Jan-17	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS	
	17-Apr-17	NS		0.10	U	NS		NS		0.10	U	NS		0.10	U	0.1	U	0.10	U	NS		0.1	U
	26-Jul-17	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	0.069	U	NS	
	12-Oct-17	NS		0.069	U	NS		NS		0.069	U	NS		0.21	U	0.45		0.2	U	NS		0.17	U
	10-Jan-18	0.069	U	NS		0.069	U	0.069	U	NS		0.069	U	NS		NS		0.069	U	NS		0.069	U
	11-Apr-18	NS		0.14	U	NS		NS		1.4	U	NS		1.4	U	1.4	U	0.14	U	NS		1.4	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.1	U	NS	
	27-Jul-18	0.34	U	NS		0.34	U	0.34	U	NS		0.34	U	NS		NS		0.34	U	0.34	U	NS	
	24-Oct-18	NS		0.34	U	NS		NS		0.34	U	NS		0.34	U	0.34	U	0.34	U	NS		0.34	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.35		NS		NS		NS		0.14	U	NS		NS		NS		0.53		5.05		NS	
	27-Mar-08	NS		0.888		NS		NS		NS		0.875		NS		NS		NS		6.99		5.25	
	25-Apr-08	NS		NS		0.322		NS		NS		NS		0.99		NS		0.83		NS		0.867	
	29-May-08	NS		NS		NS		1.36		NS		NS		NS		0.24		0.3		3.21		NS	
	27-Jun-08	1.32		NS		NS		NS		29.6		NS		NS		NS		NS		5.08		1.8	
	31-Jul-08	NS		0.667		NS		NS		NS		NS		NS		NS		0.618		NS		0.572	
	28-Aug-08	NS		NS		1.55		NS		NS		NS		1.52		NS		1.37		6.26		NS	
	30-Sep-08	NS		NS		NS		3.4		NS		NS		NS		3.4	U	NS		6.1		3.4	U
	27-Oct-08	4.2	U	NS		NS		NS		10		NS		NS		NS		4.2	U	NS		4.2	U
	25-Nov-08	NS		21.3		NS		NS		NS		4.6		NS		NS		3.4	U	8.9		NS	
	18-Dec-08	NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		NS		3.4	U	3.4	U
	21-Jan-09	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	3.4	U	NS		3.4	U
	25-Feb-09	3.4	U	NS		NS		NS		8.3		NS		NS		NS		3.4	U	3.7		NS	
	26-Mar-09	NS		1.28		NS		NS		NS		1.36	U	NS		NS		NS		7.11		2.08	
	29-Apr-09	NS		NS		0.271		NS		NS		NS		0.305		NS		0.237		NS		0.691	
	22-Jul-09	1.63		NS		1.63		2.1		NS		3.08		NS		NS		11.8		3.25		NS	
	9-Oct-09	NS		0.556		NS		NS		2.07		NS		0.678		28.3	U	1.17		NS		1.46	
	15-Jan-10	1.31		NS		0.644		1.35		NS		0.691		NS		NS		0.447		0.501		NS	
	21-Apr-10	NS		7.2		NS		NS		31.4		NS		35.5		36.8		62.1		NS		36.1	
	16-Jul-10	12.4		NS		12.7		10.9		NS		10		NS		NS		15.4		19.2		NS	
	15-Oct-10	NS		21.9		NS		NS		37.6		NS		21.3		21.8		22.1		NS		31.6	
	26-Jan-11	1.36	U	0.691		NS		1.27		NS		0.678	U	NS		0.813		2.13		8.3		NS	
	28-Feb-11	NS		NS		1.36	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.44		NS		NS		7.22		NS		1.53		1.56		1.46		NS		1.98	
	26-Jul-11	3.34		NS		0.834		2.59		NS		9.29		NS		NS		0.976		6.78		NS	
	28-Oct-11	NS		3.4	U	NS		NS		8.5		NS		3.4	U	3.4	U	3.4	U	NS		3.4	U
	23-Jan-12	1		NS		0.68	U	1.7		NS		5.3		NS		NS		0.76		26		NS	
	13-Apr-12	NS		19		NS		NS		18		NS		12		18		18		NS		15	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		9.6		NS	
	23-Jun-12	1.5		NS		0.68	U	3.5		NS		0.8		NS		NS		0.68	U	8.9		NS	
Tetrachloroethene*	1-Nov-12	NS		7.4		NS		NS		11		NS		0.78		0.57		1.3		NS		1.6	
	1-Feb-13	1.8		NS		0.76		0.99		NS		4.5		NS		NS		1.8		7.7		NS	
	29-Apr-13	NS		8.1		NS		NS		4.7		NS		1.1		1		1.3		NS		1.8	
	9-Jul-13	2.0		NS		2.1		3.1		NS		2.9		NS		NS		2.6		8.8		NS	
	18-Oct-13	NS		14		NS		NS		7.3		NS		0.61		0.32		0.32		NS		1.4	
	9-Jan-14	0.6		NS		0.22		1.1		NS		1.8		NS		NS		0.46		11		NS	
	24-Apr-14	NS		4.7		NS		NS		5.7		NS		0.41		0.068	U	0.51		10		0.30	
	1-Aug-01	2.3		NS		3.3/4.9		2.1		NS		NS		NS		NS		0.97		4.0/5.9		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.4/3.5		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.34		NS		NS	U	NS	
	22-Oct-14	NS		6.9		NS		NS		5.0		0.61		0.43		0.10	U	0.10	U	4.0		NS	
	20-Jan-15	0.9		NS		0.20		0.37		NS		1.0		NS		NS		0.52		0.21		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		3.0		NS	
	22-Apr-15	NS		5.3		NS		NS		2.6		NS		0.85		0.48/0.52		1.7		NS		1.5	
	21-Jul-15	0.34		NS		1	U	7	U	NS		3.2		NS		NS		0.44 [O]		4.0 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS		NS	
	29-Oct-15	NS		18		NS		NS		3.6		NS		1.2		6.6		0.18 [J]		NS		0.65	
	4-Dec-15 resample	NS		14		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	3.1		NS		0.19		0.71		NS		0.63		NS		NS		0.19		6.7		NS	
	20-Apr-16	NS		9.7		NS		NS		3.4		NS		0.22		0.11		0.14		NS		0.47	
	20-Jul-16	0.5		NS		0.99		1.6		NS		4.8		NS		NS		0.71		5.6		NS	
	21-Oct-16	NS		40		NS		NS		4.6		NS		0.75		0.83		0.39		NS		0.93	
	31-Jan-17	0.33		NS		0.23		0.79		NS		0.75		NS		NS		0.15		12		NS	
	17-Apr-17	NS		8.1		NS		NS		3.2		NS		0.99		0.16		0.21		NS		1.1	
	26-Jul-17	0.26		NS		0.34		1.3		NS		1.1		NS		NS		0.22		5.4		NS	
	12-Oct-17	NS		7.5		NS		NS		4.2		NS		0.44		0.43		0.41		NS		1.7	
	10-Jan-18	0.21		NS		0.15		0.64		NS		2		NS		NS		0.33		NS		4.9	
	11-Apr-18	NS		10		NS		NS		1.8		NS		1.4	U	1.4	U	0.24		NS		2	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4		NS	
	27-Jul-18	0.68	U	NS		0.68	U	2.5		NS		2.2		NS		NS		0.68	U	18		NS	
	24-Oct-18	NS		6.1		NS		NS		6.8		NS		0.68	U	0.68	U	0.68	U	NS		0.68	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	1.63		NS		NS		NS		1.8		NS		NS		NS		2.72		455		NS	
	27-Mar-08	NS		2.24		NS		NS		NS		1.45		NS		NS		NS		11.3		16.1	
	25-Apr-08	NS		NS		1.39		NS		NS		NS		1.34		NS		11.2		NS		21.8	
	29-May-08	NS		NS		NS		7.74		NS		NS		NS		11.6		21		13		NS	
	27-Jun-08	14.7		NS		NS		NS		2.33		NS		NS		NS		NS		10.6		22.2	
	31-Jul-08	NS		4.15		NS		NS		NS		NS		NS		NS		10.2		NS		6.11	
	28-Aug-08	NS		NS		6.48		NS		NS		NS		3.44		NS		10		11.2		NS	
	30-Sep-08	NS		NS		NS		1.9	U	NS		NS		NS		6.1		NS		7.5		8.6	
	27-Oct-08	56.3		NS		NS		NS		3.2		NS		NS		NS		6.6		NS		8.2	
	25-Nov-08	NS		7.8		NS		NS		NS		7.8		NS		NS		29.9		18.6		NS	
	18-Dec-08	NS		NS		2		NS		NS		NS		1.9	U	NS		NS		4.8		4.9	
	21-Jan-09	NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	1.9	U	NS		1.9	U
	25-Feb-09	7		NS		NS		NS		1.9	U	NS		NS		NS		1.9	U	13.8		NS	
	26-Mar-09	NS		3.53		NS		NS		NS		3.92		NS		NS		NS		7.23		9.75	
	29-Apr-09	NS		NS		1.99		NS		NS		NS		0.651		NS		0.149		NS		.4.56	
	22-Jul-09	38.7		NS		38.7		2.22		NS		4.71		NS		NS		80.1		5.32		NS	
	9-Oct-09	NS		3.53		NS		NS		3.06		NS		1.07		23.6		3.12		NS		3.67	
	15-Jan-10	12.8		NS		4.17		4.33		NS		5.81		NS		NS		4.81		4.85		NS	
	21-Apr-10	NS		0.9		NS		NS		2.97		NS		3.75		5.2		2.84		NS		5.08	
	16-Jul-10	22.2		NS		17.9		5.98		NS		5.54		NS		NS		5.77		5.85		NS	
	15-Oct-10	NS		1.67		NS		NS		2.1		NS		1.72		3.37		2.23		NS		3.26	
	26-Jan-11	6.06		6.82		NS		6.82		NS		4.74		NS		5.95		12.1		11.9		NS	
	28-Feb-11	NS		NS		1.88		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.836		NS		NS		0.682		NS		1.25		3.62		2.08		NS		1.62	
	26-Jul-11	8.29		NS		3.96		1.15		NS		1.62		NS		NS		2.31		1.68		NS	
	28-Oct-11	NS		1.9	U	NS		NS		1.9	U	NS		1.9	U	3.3		4.7		NS		3.8	
	23-Jan-12	7.9		NS		3.8		1.9		NS		3.4		NS		NS		5.2		15		NS	
	13-Apr-12	NS		0.75		NS		NS		0.38	U	NS		0.38	U	1.3		2.4		NS		1.5	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.9	U	NS	
	23-Jun-12	8.5		NS		3.5		1.5		NS		2.5		NS		NS		2.4		1.8		NS	
Toluene	1-Nov-12	NS		2		NS		NS		1.7		NS		2.3		2.8		2.8		NS		4.5	
	1-Feb-13	2.4		NS		0.69		0.69		NS		0.71		NS		NS		1.4		1.6		NS	
	29-Apr-13	NS		1.7		NS		NS		1.3		NS		1.7		2.1		3.1		NS		3.9	
	9-Jul-13	11		NS		3.0		2.0		NS		2.5		NS		NS		6.8		3.4		NS	
	18-Oct-13	NS		2.3		NS		NS		3.1		NS		2.8		7.5		1.3		NS		1.9	
	9-Jan-14	10		NS		7.6		8.6		NS		10		NS		NS		20		16		NS	
	24-Apr-14	NS		0.23		NS		NS		0.22		NS		0.25		0.36		0.28		0.25		1.1	
	1-Aug-14	2.7		NS		2.8/3.2		1.3/1.4		NS		NS		NS		NS		1.6		1.9		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.2/2.8		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS	U	NS	
	22-Oct-14	NS		0.34		NS		NS		0.32		0.48		0.94		0.51		1.2		1.2		NS	
	20-Jan-15	1.5		NS		0.6		0.6		NS		0.44		NS		NS		1.4		1.5		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.2		NS	
	22-Apr-15	NS		0.95		NS		NS		0.59		NS		1.2		1.4/1.6		3.4		NS		4.3	
	21-Jul-15	3.8		NS		4.5		4	U	NS		2		NS		NS		5.4 [O]		7.6 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.4		NS		NS		NS	
	29-Oct-15	NS		0.41		NS		NS		0.55		NS		0.64		1.1		1.2		NS		2.8	
	4-Dec-15 resample	NS		0.42		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	1.5		NS		0.5		0.4		NS		0.44		NS		NS		1.2		0.89		NS	
	20-Apr-16	NS		0.62		NS		NS		0.77		NS		1.3		0.85		3.5		NS		1.8	
	20-Jul-16	1.2 [W]		NS		1.9 [W]		0.77 [W]		NS		1.2 [W]		NS		NS		1.6 [W]		44 [W]		NS	
	21-Oct-16	NS		0.56		NS		NS		2.6		NS		1.8		4.2		1.9		NS		2.5	
	31-Jan-17	1.1		NS		1.2		1.0		NS		0.98		NS		NS		2.2		1.8		NS	
	17-Apr-17	NS		1.0		NS		NS		1.1		NS		1.3		1.5		1.0		NS		1.5	
	26-Jul-17	1.1		NS		1.5		0.73		NS		1.2		NS		NS		1.8		1.4		NS	
	12-Oct-17	NS		0.41		NS		NS		0.47		NS		0.55		1		0.99		NS		0.81	
	10-Jan-18	0.88		NS		0.99		1.1		NS		1		NS		NS		2.4		NS		1.7	
	11-Apr-18	NS		0.61		NS		NS		0.75	U	NS		0.75	U	0.75	U	3.4		NS		1.9	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.72		NS	
	27-Jul-18	1.2		NS		1.9		0.75		NS		1.6		NS		NS		1.4		0.9		NS	
	24-Oct-18	NS		0.49		NS		NS		0.38	U	NS		0.47		1.2		1.4		NS		1.5	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.56		NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.522		0.266	
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.119	
	29-May-08	NS		NS		NS		0.12		NS		NS		NS		0.11	U	0.11	U	0.54		NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.458		NS		NS		NS		NS		0.377		0.138	
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.153		NS		0.109	U	0.492		NS	
	30-Sep-08	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		2.7	U	2.7	U
	27-Oct-08	3.4	U	NS		NS		NS		3.4	U	NS		NS		NS		3.4	U	NS		3.4	U
	25-Nov-08	NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U	NS	
	18-Dec-08	NS		NS		2.7	U	NS		NS		NS		2.7	U	NS		NS		2.7	U	2.7	U
	21-Jan-09	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS		2.7	U
	25-Feb-09	2.7	U	NS		NS		NS		2.7	U	NS		NS		NS		2.7	U	2.7	U	NS	
	26-Mar-09	NS		1.59		NS		NS		NS		1.09	U	NS		NS		NS		0.682		0.213	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.147		NS		0.158		NS		0.191	
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.278		NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.158		NS		0.191		22.8	U	0.109	U	NS		0.136	
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.109	U	NS		NS		0.109	U	0.692		NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109		NS		1.09	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		0.109	U	0.562		NS	
	15-Oct-10	NS		0.272		NS		NS		0.349		NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.545	U	0.545	U	0.845		NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.873		NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		1.5	U	NS		NS		0.55	U	1.3		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	0.7		NS	
1,1,1-Trichloroethane*	1-Nov-12	NS		0.25		NS		NS		0.27		NS		0.055	U	0.055	U	0.055	U	NS		0.14	
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.83		NS		NS		0.055	U	0.23		NS	
	29-Apr-13	NS		0.15		NS		NS		0.076		NS		0.055	U	0.061		0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.061		NS		0.33		NS		NS		0.055	U	0.26		NS	
	18-Oct-13	NS		0.23		NS		NS		0.19		NS		0.11	U	0.11	U	0.11	U	NS		0.28	
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.41		NS		NS		0.11	U	0.46		NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.42		0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.22		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.35		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS	U	NS	
	22-Oct-14	NS		0.19		NS		NS		0.19		0.082	U	0.082	U	0.082	U	0.082	U	0.28		NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.31		NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.14		NS	
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.27 [J]		NS		NS		0.3 [O]	U	0.3 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.36		NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.23 [J]		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.24		NS		NS		0.055	U	0.4		NS	
	20-Apr-16	NS		0.2		NS		NS		0.098		NS		0.055	U	0.055	U	0.055	U	NS		0.074	
	20-Jul-16	0.27	U	NS		0.27	U	0.27	U	NS		0.59	U	NS		NS		0.28		0.4		NS	
	21-Oct-16	NS		0.59		NS		NS		0.19		NS		0.083		0.094		0.089		NS		1.4	
	31-Jan-17	0.13		NS		0.055	U	0.055	U	NS		0.2		NS		NS		0.055	U	0.57		NS	
	17-Apr-17	NS		0.12		NS		NS		0.082	U	NS		0.082	U	0.082	U	0.082	U	NS		0.082	U
	26-Jul-17	0.055	U	NS		0.055	U	0.055	U	NS		0.12		NS		NS		0.055	U	0.22		NS	
	12-Oct-17	NS		0.12		NS		NS		0.15		NS		0.17	U	0.28		0.16	U	NS		0.14	U
	10-Jan-18	0.055 [L]	U	NS		0.055 [L]	U	0.055 [L]	U	NS		0.29 [L]		NS		NS		0.055 [L]	U	NS		0.37 [L]	
	11-Apr-18	NS		0.12		NS		NS		1.1	U	NS		1.1	U	1.1	U	0.110	U	NS		1.1	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	NS	
	27-Jul-18	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	0.56		NS	
	24-Oct-18	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	27-Mar-08	NS		0.109	U	NS		NS		NS		0.109	U	NS		NS		NS		0.109	U	0.109	U
	25-Apr-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	29-May-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	0.11	U	NS	
	27-Jun-08	0.17	U	NS		NS		NS		0.109	U	NS		NS		NS		NS		0.109	U	0.109	U
	31-Jul-08	NS		0.109	U	NS		NS		NS		NS		NS		NS		0.109	U	NS		0.109	U
	28-Aug-08	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	0.109	U	NS	
	30-Sep-08	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U	0.11	U
	27-Oct-08	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		0.11	U
	25-Nov-08	NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	18-Dec-08	NS		NS		0.11	U	NS		NS		NS		0.11	U	NS		NS		0.11	U	0.11	U
	21-Jan-09	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS		0.11	U
	25-Feb-09	0.11	U	NS		NS		NS		0.11	U	NS		NS		NS		0.11	U	0.11	U	NS	
	26-Mar-09	NS		0.545	U	NS		NS		NS		1.09	U	NS		NS		NS		0.109	U	0.109	U
	29-Apr-09	NS		NS		0.109	U	NS		NS		NS		0.109	U	NS		0.109	U	NS		0.109	U
	22-Jul-09	0.545	U	NS		22.2	U	1.09	U	NS		0.545	U	NS		NS		0.109	U	0.109	U	NS	
	9-Oct-09	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	22.8	U	0.109	U	NS		0.109	U
	15-Jan-10	0.109	U	NS		0.109	U	1.09	U	NS		0.081	U	NS		NS		0.109	U	0.109	U	NS	
	21-Apr-10	NS		0.109	U	NS		NS		0.545	U	NS		0.545	U	0.545	U	0.109	U	NS		0.109	U
	16-Jul-10	0.109	U	NS		0.109	U	0.109	U	NS		0.824	U	NS		NS		1.09	U	0.109	U	NS	
	15-Oct-10	NS		0.109		NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jan-11	1.09	U	0.109	U	NS		0.109	U	NS		0.545	U	NS		0.547	U	0.545	U	0.545	U	NS	
	28-Feb-11	NS		NS		1.09	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.109	U	NS		NS		0.109	U	NS		0.109	U	0.109	U	0.109	U	NS		0.109	U
	26-Jul-11	0.364	U	NS		0.364	U	0.109	U	NS		0.546	U	NS		NS		0.109	U	0.546	U	NS	
	28-Oct-11	NS		2.7	U	NS		NS		2.7	U	NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.55	U	NS		0.55	U	0.55	U	NS		0.55	U	NS		NS		0.55	U	4.2		NS	
	13-Apr-12	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.4	U	NS	
	23-Jun-12	0.55	U	NS		0.55	U	0.55	U	NS		0.5	U	NS		NS		0.55	U	0.55	U	NS	
1,1,2-Trichloroethane	1-Nov-12	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	1-Feb-13	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	29-Apr-13	NS		0.14	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	9-Jul-13	0.082	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	18-Oct-13	NS		0.11	U	NS		NS		0.11	U	NS		0.11	U	0.11	U	0.11	U	NS		0.11	U
	9-Jan-14	0.11	U	NS		0.11	U	0.11	U	NS		0.11	U	NS		NS		0.11	U	0.11	U	NS	
	24-Apr-14	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	0.055	U	0.16	U
	1-Aug-14	0.11	U	NS		0.16	U	0.16	U	NS		NS		NS		NS		0.11	U	0.11	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.055	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.082	U	NS		NS	U	NS	
	22-Oct-14	NS		0.082	U	NS		NS		0.082	U	0.082	U	0.082	U	0.082	U	0.082	U	0.11	U	NS	
	20-Jan-15	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.082	U	0.055	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.061	U	NS	
	22-Apr-15	NS		0.056	U	NS		NS		0.055	U	NS		0.055	U	0.079	U	0.055	U	NS		0.063	U
	21-Jul-15	0.3	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.3 [O]	U	0.3 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.3	U	NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.3	U	NS		0.5	U	0.3	U	0.3	U	NS		0.3	U
	4-Dec-15 resample	NS		0.3	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	20-Apr-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	20-Jul-16	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	0.27	U	NS	
	21-Oct-16	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U	0.055	U	0.055	U	NS		0.055	U
	31-Jan-17	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	17-Apr-17	NS		0.082	U	NS		NS		0.082	U	NS		0.082	U	0.082	U	0.082	U	NS		0.082	U
	26-Jul-17	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	0.055	U	NS	
	12-Oct-17	NS		0.055	U	NS		NS		0.055	U	NS		0.17	U	0.14	U	0.16	U	NS		0.14	U
	10-Jan-18	0.055	U	NS		0.055	U	0.055	U	NS		0.055	U	NS		NS		0.055	U	NS		0.055	U
	11-Apr-18	NS		0.11	U	NS		NS		1.1	U	NS		1.1	U	1.1	U	0.11	U	NS		1.1	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.082	U	NS	
	27-Jul-18	0.27	U	NS		0.27	U	0.27	U	NS		0.27	U	NS		NS		0.27	U	0.27	U	NS	
	24-Oct-18	NS		0.27	U	NS		NS		0.27	U	NS		0.27	U	0.27	U	0.27	U	NS		0.27	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.12		NS		NS		NS		0.11	U	NS		NS		NS		0.2		19.6		NS	
	27-Mar-08	NS		0.107	U	NS		NS		NS		0.152		NS		NS		NS		13.4		5.34	
	25-Apr-08	NS		NS		0.199		NS		NS		NS		1.35		NS		0.668		NS		3.39	
	29-May-08	NS		NS		NS		26.5		NS		NS		NS		0.15		0.37		13.6		NS	
	27-Jun-08	0.408		NS		NS		NS		258		NS		NS		NS		NS		13.6		6.56	
	31-Jul-08	NS		1.24		NS		NS		NS		NS		NS		NS		0.126		NS		3.26	
	28-Aug-08	NS		NS		0.558		NS		NS		NS		3.56		NS		0.432		18.4		NS	
	30-Sep-08	NS		NS		NS		56.2		NS		NS		NS		0.8	U	NS		22.7		3.95	
	27-Oct-08	0.8	U	NS		NS		NS		117		NS		NS		NS		2.99		NS		0.8	U
	25-Nov-08	NS		2.92		NS		NS		NS		1.89		NS		NS		0.54	U	39.8		NS	
	18-Dec-08	NS		NS		0.54	U	NS		NS		NS		0.54	U	NS		NS		4.56		2.48	
	21-Jan-09	NS		NS		NS		19.6		NS		NS		NS		0.54	U	0.54	U	NS		4.99	
	25-Feb-09	0.44		NS		NS		NS		99.5		NS		NS		NS		0.56		10.7		NS	
	26-Mar-09	NS		9.2		NS		NS		NS		3.88		NS		NS		NS		25.1		5.49	
	29-Apr-09	NS		NS		0.22		NS		NS		NS		1.2		NS		0.392		NS		2.96	
	22-Jul-09	0.537	U	NS		0.537	U	12.7		NS		3.19		NS		NS		0.354		10.3		NS	
	9-Oct-09	NS		0.091	U	NS		NS		26		NS		1.24		22.4	U	0.182		NS		3.26	
	15-Jan-10	0.591		NS		0.242		17.7		NS		0.172		NS		NS		0.107	U	18.5		NS	
	21-Apr-10	NS		0.107	U	NS		NS		34		NS		0.94		0.537	U	0.891		NS		2.01	
	16-Jul-10	0.333		NS		0.333		8.14		NS		0.811	U	NS		NS		0.107		27.8		NS	
	15-Oct-10	NS		2.26		NS		NS		129		NS		1.92		0.177		0.317		NS		1.3	
	26-Jan-11	1.07	U	1.63		NS		9.94		NS		0.537	U	NS		0.617		1.23		27.1		NS	
	28-Feb-11	NS		NS		1.07	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.231		NS		NS		78.1		NS		0.891		0.107	U	0.107	U	NS		1.56	
	26-Jul-11	1.18		NS		0.358	U	29.6		NS		10.5		NS		NS		0.247		20.5		NS	
	28-Oct-11	NS		2.7	U	NS		NS		110		NS		2.7	U	2.7	U	2.7	U	NS		2.7	U
	23-Jan-12	0.88		NS		0.54	U	6.8		NS		7.8		NS		NS		0.54	U	44		NS	
	13-Apr-12	NS		0.27	U	NS		NS		83		NS		1.5		0.27	U	0.27	U	NS		4.1	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		32		NS	
	23-Jun-12	1.1		NS		0.54	U	92		NS		0.75		NS		NS		0.54	U	35		NS	
Trichloroethene*	1-Nov-12	NS		2.4		NS		NS		92		NS		1.9		0.32		0.28		NS		6.9	
	1-Feb-13	0.85		NS		0.064		21		NS		5.6		NS		NS		0.077		20		NS	
	29-Apr-13	NS		1.7		NS		NS		46		NS		0.84		0.12		0.44		NS		1.9	
	9-Jul-13	0.60		NS		0.22		27		NS		2.6		NS		NS		0.14		22	U	NS	
	18-Oct-13	NS		3.3		NS		NS		76		NS		2.2		0.48		0.66		NS		15	
	9-Jan-14	0.49		NS		0.11	U	36		NS		1.8		NS		NS		0.13		43		NS	
	24-Apr-14	NS		1.0		NS		NS		58		NS		0.81		0.13		1.0		31		2.4	
	1-Aug-14	2.70		NS		0.23		15/19		NS		NS		NS		NS		1.2		16/18		NS	
	27-Aug-14	NS		NS		NS		NS		NS		2.6/3.4		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.30		NS		NS	U	NS	
	22-Oct-14	NS		1.3		NS		NS		88		0.97		1.4		0.19		0.17		18		NS	
	20-Jan-15	0.52		NS		0.054	U	24		NS		1.3		NS		NS		0.081	U	0.054	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		15		NS	
	22-Apr-15	NS		0.96		NS		NS		35		NS		0.80		0.078	U	0.57		NS		3.6	
	21-Jul-15	0.2	U	NS		1	U	15		NS		3.1		NS		NS		0.99 [O]		24 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.44		NS		NS		NS	
	29-Oct-15	NS		4.1		NS		NS		54		NS		3.3		0.89		0.55		NS		7.3	
	4-Dec-15 resample	NS		2.1		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.3		NS		0.13		25		NS		0.98		NS		NS		0.27		36		NS	
	20-Apr-16	NS		1.8		NS		NS		76		NS		0.8		0.17		0.39		NS		9.4	
	20-Jul-16	0.47		NS		0.6		28		NS		3.8		NS		NS		0.63		21		NS	
	21-Oct-16	NS		7.6		NS		NS		66		NS		1.1		0.31		0.18		NS		5.7	
	31-Jan-17	0.23		NS		0.11		32		NS		0.71		NS		NS		0.054	U	44		NS	
	17-Apr-17	NS		1.4		NS		NS		58		NS		0.66		0.081	U	0.081	U	NS		11	
	26-Jul-17	0.23		NS		0.13		33		NS		1.4		NS		NS		0.31		25		NS	
	12-Oct-17	NS		1.8		NS		NS		88		NS		0.76		0.38		0.15	U	NS		2.1	
	10-Jan-18	0.19		NS		0.054	U	29		NS		2.1		NS		NS		0.43		NS		65	
	11-Apr-18	NS		2.1		NS		NS		41		NS		1.1	U	1.1	U	0.13		NS		37	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		7.0		NS	
	27-Jul-18	0.27	U	NS		0.27	U	140		NS		0.68		NS		NS		0.27	U	74		NS	
	24-Oct-18	NS		1.7		NS		NS		110		NS		0.69		0.27	U	0.27	U	NS		4.9	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	1.22		NS		NS		NS		1.22		NS		NS		NS		1.06		15.9		NS	
	27-Mar-08	NS		1.27		NS		NS		NS		1.18		NS		NS		NS		12		9.02	
	25-Apr-08	NS		NS		1.18		NS		NS		NS		5.2		NS		1.66		NS		3.83	
	29-May-08	NS		NS		NS		33.5		NS		NS		NS		0.98		1.05		10.6		NS	
	27-Jun-08	1.29		NS		NS		NS		75.2		NS		NS		NS		NS		8.85		8.89	
	31-Jul-08	NS		1.01		NS		NS		NS		NS		NS		NS		0.958		NS		5.1	
	28-Aug-08	NS		NS		2.53		NS		NS		NS		18		NS		1.79		15.6		NS	
	30-Sep-08	NS		NS		NS		53.8		NS		NS		NS		2.8	U	NS		14.5		10.4	
	27-Oct-08	2.8	U	NS		NS		NS		44.4		NS		NS		NS		6.1		NS		2.8	U
	25-Nov-08	NS		10		NS		NS		NS		12.2		NS		NS		2.8	U	34		NS	
	18-Dec-08	NS		NS		2.8	U	NS		NS		NS		4.9		NS		NS		4.8		7.1	
	21-Jan-09	NS		NS		NS		26.9		NS		NS		NS		7.2		2.8	U	NS		10.4	
	25-Feb-09	2.8	U	NS		NS		NS		14.8		NS		NS		NS		2.8	U	7.1		NS	
	26-Mar-09	NS		1.43		NS		NS		NS		2.81	U	NS		NS		NS		19.6		10.3	
	29-Apr-09	NS		NS		1.45		NS		NS		NS		4.23		NS		1.27		NS		3.17	
	22-Jul-09	1.46		NS		1.46		19.9		NS		3.42		NS		NS		1.28		6.46		NS	
	9-Oct-09	NS		0.156		NS		NS		20		NS		11		58.6	U	1,65		NS		9.32	
	15-Jan-10	1.39		NS		2.1		16.6		NS		1.78		NS		NS		1.34		15.4		NS	
	21-Apr-10	NS		0.466		NS		NS		10.1		NS		4.83		1.4	U	4.95		NS		5.47	
	16-Jul-10	2.6		NS		1.84		16.4		NS		2.12	U	NS		NS		2.23		19.8		NS	
	15-Oct-10	NS		9.63		NS		NS		72.2		NS		13.7		5.65		9.85		NS		10	
	26-Jan-11	2.81	U	1.16		NS		13.8		NS		1.4	U	NS		1.4	U	1.71		26		NS	
	28-Feb-11	NS		NS		2.81	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		1.12		NS		NS		12.8		NS		3.24		1.27		1.17		NS		2.53	
	26-Jul-11	4.27		NS		1.31		41.2	U	NS		15.3		NS		NS		1.62		10		NS	
	28-Oct-11	NS		2.8	U	NS		NS		30		NS		5.1		2.8	U	2.9		NS		4.2	
	23-Jan-12	2.1		NS		1.5		28		NS		29		NS		NS		1.4		16		NS	
	13-Apr-12	NS		1.9		NS		NS		15		NS		6.4		2.1		2		NS		8.8	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		21		NS	
	23-Jun-12	2.4		NS		1.1		85		NS		2.2		NS		NS		1.2		15		NS	
Trichlorofluoromethane	1-Nov-12	NS		3.3		NS		NS		33		NS		6.7		1.2		1.2		NS		7.2	
	1-Feb-13	2.1		NS		1.6		15		NS		17		NS		NS		1.6		5.6		NS	
	29-Apr-13	NS		2.6		NS		NS		8.3		NS		3.1		1.5		1.6		NS		2.7	
	9-Jul-13	1.4		NS		2.2		33		NS		3.3		NS		NS		3.6		5.5		NS	
	18-Oct-13	NS		4.0		NS		NS		19		NS		6.9		3.0		1.6		NS		20	
	9-Jan-14	1.6		NS		1.8		21		NS		11		NS		NS		1.8		11		NS	
	24-Apr-14	NS		2.3		NS		NS		10		NS		3.5		1.7		2.4		9.3		4.3	
	1-Aug-14	2.9		NS		1.7/1.6		23/26		NS		NS		NS		NS		2.4		6.2		NS	
	27-Aug-14	NS		NS		NS		NS		NS		7.0/6.6		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.5		NS		NS	U	NS	
	22-Oct-14	NS		2.7		NS		NS		28		4.2		7.0		1.7		1.4		7.4		NS	
	20-Jan-15	1.6		NS		1.5		9.1		NS		5.2		NS		NS		1.3		1.4		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.8		NS	
	22-Apr-15	NS		7.8 [V]		NS		NS		15 [V]		NS		3.5		1.7/2.0		1.9		NS		3.4	
	21-Jul-15	0.87		NS		1.0 [J]		19		NS		3.2		NS		NS		0.98 [O]		2.9 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.98		NS		NS		NS	
	29-Oct-15	NS		4.3		NS		NS		11		NS		2.6		0.93		0.8		NS		1.8	
	4-Dec-15 resample	NS		2.5		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.5[M,V]		NS		1.9[M,V]		19[M,V]		NS		7.6[M,V]		NS		NS		2.4[M,V]		7.6[M,V]		NS	
	20-Apr-16	NS		2.3		NS		NS		8.8		NS		2.5		1.6		1.4		NS		4.3	
	20-Jul-16	1.3		NS		1.6		16		NS		4.2		NS		NS		1.7		4		NS	
	21-Oct-16	NS		4.7		NS		NS		15		NS		3.8		1.5		1.3		NS		5.9	
	31-Jan-17	1.4		NS		1.5		35		NS		3.9		NS		NS		1.4		9.1		NS	
	17-Apr-17	NS		2.7		NS		NS		8.6		NS		3.1		1.7		1.7		NS		8.2	
	26-Jul-17	0.98		NS		0.98		19		NS		1.9		NS		NS		1.1		3.4		NS	
	12-Oct-17	NS		2.3		NS		NS		18		NS		3.8		1.8		1.5		NS		2.2	
	10-Jan-18	1.2		NS		1.3		9.1		NS		4.6		NS		NS		1.1		NS		11	
	11-Apr-18	NS		2.1		NS		NS		5.3		NS		4.5	U	4.5	U	1.4		NS		9.9	
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2		NS	
	27-Jul-18	2.2	U	NS		2.2	U	24		NS		2.2	U	NS		NS		2.2	U	6		NS	
	24-Oct-18	NS		2.6		NS		NS		14		NS		3.4		2.2	U	2.2	U	NS		2.9	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.21		NS		NS		NS		0.23		NS		NS		NS		0.69		1.93		NS	
	27-Mar-08	NS		0.304		NS		NS		NS		0.152		NS		NS		NS		0.958		0.681	
	25-Apr-08	NS		NS		1.72		NS		NS		NS		0.644		NS		0.517		NS		0.338	
	29-May-08	NS		NS		NS		0.6		NS		NS		NS		1		1.26		0.48		NS	
	27-Jun-08	7.46		NS		NS		NS		1.15		NS		NS		NS		NS		0.638		0.736	
	31-Jul-08	NS		1.86		NS		NS		NS		NS		NS		NS		0.885		NS		0.685	
	28-Aug-08	NS		NS		0.838		NS		NS		NS		NS		NS		0.669		0.653		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS				2.5	U
	27-Oct-08	11.4		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.9	
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		6.4		5.2		NS	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5	U	NS		2.5	U
	25-Feb-09	17.5		NS		NS		NS		4		NS		NS		NS		6.2		2.9		NS	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		1.09		1.55	
	29-Apr-09	NS		NS		0.265		NS		NS		NS		0.378		NS		0.707		NS		0.801	
	22-Jul-09	3.49		NS		20	U	0.982	U	NS		0.737		NS		NS		56.4		0.86		NS	
	9-Oct-09	NS		0.707		NS		NS		0.781		NS		0.648		20.5	U	1.36		NS		0.584	
	15-Jan-10	2.87		NS		0.354		0.29		NS		0.314		NS		NS		1.06		1.17		NS	
	21-Apr-10	NS		0.211		NS		NS		0.933		NS		1.42		1.13		0.653		NS		0.702	
	16-Jul-10	8.3		NS		8.23		8.09		NS		6.27		NS		NS		4.28		5.05		NS	
	15-Oct-10	NS		1.29		NS		NS		1.61		NS		1.1		1.38		1.86		NS		2.35	
	26-Jan-11	1.23		1.4		NS		1.6		NS		0.491	U	NS		1.35		6.93		10.4		NS	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.845		NS		NS		0.855		NS		1.24		1.06		2.06		NS		1.09	
	26-Jul-11	1.29		NS		2.67		0.61		NS		0.541		NS		NS		2.48		0.541		NS	
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	3.7		NS		3.1	
	23-Jan-12	3		NS		0.76		0.49	U	NS		0.71		NS		NS		2.7		2.8		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	1.1		3.9		NS		1.3	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	NS	
	23-Jun-12	4.1		NS		1.3		1.2		NS		1.1		NS		NS		2.1		1.1		NS	
1,2,4-Trimethylbenzene	1-Nov-12	NS		1.7		NS		NS		2.5		NS		3.1		3		3.2		NS		3.3	
	1-Feb-13	1.2		NS		0.23		0.21		NS		0.3		NS		NS		1		0.86		NS	
	29-Apr-13	NS		0.54		NS		NS		0.74		NS		0.66		0.83		1		NS		0.84	
	9-Jul-13	4.2		NS		1.6		1.8		NS		1.8		NS		NS		2		2.0		NS	
	18-Oct-13	NS		4.8		NS		NS		4.3		NS		5.6		6.4		5.0		NS		5.7	
	9-Jan-14	2.7		NS		2.7		3.8		NS		3.8		NS		NS		12.0		13.0		NS	
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.13		0.098	U	0.5		0.1		2.6	
	1-Aug-14	4.1		NS		6.5/5.1		3.0/3.6		NS		NS		NS		NS		2.6		6.3/4.3		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.1		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.2		NS		NS	U	NS	
	22-Oct-14	NS		0.37		NS		NS		0.28		0.6		0.59		0.50		1.0		1.2		NS	
	20-Jan-15	0.19		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.4		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.55		NS	
	22-Apr-15	NS		0.27		NS		NS		0.17		NS		0.24		0.33/0.37		0.33		NS		0.43	
	21-Jul-15	0.44		NS		1.1		5	U	NS		0.89		NS		NS		0.47 [O]		0.66 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.7		NS		NS		NS	
	29-Oct-15	NS		0.43		NS		NS		0.78		NS		0.87		0.64		0.48		NS		0.76	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.32		NS		0.098	U	0.17		NS		0.098	U	NS		NS		0.55		0.38		NS	
	20-Apr-16	NS		0.39		NS		NS		0.57		NS		0.79		0.49		1		NS		0.94	
	20-Jul-16	2.2		NS		2.6		2.3		NS		2.4		NS		NS		3.2		2.6		NS	
	21-Oct-16	NS		0.8		NS		NS		0.74		NS		1.1		1.2		1.6		NS		1.3	
	31-Jan-17	1.3		NS		0.61		0.69		NS		0.74		NS		NS		5.1		4.9		NS	
	17-Apr-17	NS		0.16		NS		NS		0.21		NS		0.2		0.2		0.29		NS		0.33	
	26-Jul-17	0.28		NS		0.098	U	0.3		NS		0.36		NS		NS		0.34		0.29		NS	
	12-Oct-17	NS		0.95		NS		NS		0.58		NS		2.6		2.1		1.9		NS		1.6	
	10-Jan-18	0.14		NS		0.098	U	0.18		NS		0.12		NS		NS		0.88		NS		0.76	
	11-Apr-18	NS		0.31 [M]		NS		NS		0.98	U	NS		0.98	U	0.98	U	0.098	U	NS		0.98	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15	U	NS	
	27-Jul-18	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.49	U	NS	
	24-Oct-18	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	0.49	U	NS		0.49	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual
	8-Feb-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.47		0.66		NS	
	27-Mar-08	NS		0.14		NS		NS		NS		0.098	U	NS		NS		NS		0.349		0.275	
	25-Apr-08	NS		NS		1.6		NS		NS		NS		0.228		NS		0.192		NS		0.134	
	29-May-08	NS		NS		NS		0.18		NS		NS		NS		0.32		0.43		0.15		NS	
	27-Jun-08	5.16		NS		NS		NS		0.463		NS		NS		NS		NS		0.236		0.25	
	31-Jul-08	NS		0.713		NS		NS		NS		NS		NS		NS		0.276		NS		0.224	
	28-Aug-08	NS		NS		0.497		NS		NS		NS		0.215		NS		0.248		0.233		NS	
	30-Sep-08	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5		2.5	U
	27-Oct-08	7.8		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		2.5	U
	25-Nov-08	NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		2.5	U	2.5	U	NS	
	18-Dec-08	NS		NS		2.5	U	NS		NS		NS		2.5	U	NS		NS		NS	U	2.5	U
	21-Jan-09	NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5	U	NS		2.5	U
	25-Feb-09	9.1		NS		NS		NS		2.5	U	NS		NS		NS		2.5	U	2.5	U	NS	
	26-Mar-09	NS		0.491	U	NS		NS		NS		0.982	U	NS		NS		NS		0.337		0.425	
	29-Apr-09	NS		NS		0.147		NS		NS		NS		0.128		NS		0.211		NS		0.241	
	22-Jul-09	3		NS		20	U	0.982	U	NS		0.491	U	NS		NS		22.7		0.275		NS	
	9-Oct-09	NS		0.216		NS		NS		0.241		NS		0.187		20.5	U	0.388		NS		0.226	
	15-Jan-10	2.15		NS		0.118		0.098	U	NS		0.108		NS		NS		0.29		0.334		NS	
	21-Apr-10	NS		0.098	U	NS		NS		0.491	U	NS		0.491	U	0.491	U	0.177		NS		0.206	
	16-Jul-10	2.76		NS		1.88		1.81		NS		1.67		NS		NS		1.08		1.25		NS	
	15-Oct-10	NS		0.418		NS		NS		0.383		NS		0.275		0.324		0.545		NS		0.54	
	26-Jan-11	0.982	U	0.437		NS		0.472		NS		0.491	U	NS		0.491	U	1.99		2.87		NS	
	28-Feb-11	NS		NS		0.982	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.255		NS		NS		0.27		NS		0.368		0.329		0.599		NS		0.354	
	26-Jul-11	0.688		NS		0.885		0.182		NS		0.492	U	NS		NS		0.664		0.492	U	NS	
	28-Oct-11	NS		2.5	U	NS		NS		2.5	U	NS		2.5	U	2.5	U	2.5	U	NS		2.5	U
	23-Jan-12	0.99		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.71		0.83		NS	
	13-Apr-12	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	1.1		NS		0.49	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.5	U	NS	
	23-Jun-12	1.6		NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49		0.49	U	NS	
1,3,5-Trimethylbenzene	1-Nov-12	NS		0.25		NS		NS		0.39		NS		0.53		0.5		0.56		NS		0.63	
	1-Feb-13	0.42		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.3		0.24		NS	
	29-Apr-13	NS		0.25	U	NS		NS		0.22		NS		0.18		0.22		0.3		NS		0.27	
	9-Jul-13	1.5		NS		0.39		0.37		NS		0.38		NS		NS		0.43		0.44		NS	
	18-Oct-13	NS		0.53		NS		NS		0.52		NS		0.75		0.99		0.44		NS		0.53	
	9-Jan-14	0.77		NS		0.69		0.96		NS		0.98		NS		NS		2.9		3.1		NS	
	24-Apr-14	NS		0.098	U	NS		NS		0.098	U	NS		0.098	U	0.098	U	0.14		0.098	U	0.50	
	1-Aug-14	0.90		NS		1.00		0.60		NS		NS		NS		NS		0.46		0.86		NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.23		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.15		NS		NS	U	NS	
	22-Oct-14	NS		0.15	U	NS		NS		0.15	U	0.15	U	0.15	U	0.15	U	0.15	U	0.20	U	NS	
	20-Jan-15	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.15	U	0.11		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.11	U	NS	
	22-Apr-15	NS		0.10	U	NS		NS		0.098	U	NS		0.098	U	0.14	U	0.098	U	NS		0.12	
	21-Jul-15	0.2	U	NS		1	U	5	U	NS		0.3	U	NS		NS		0.20 [O]	U	0.14 [J,O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.48		NS		NS		NS	
	29-Oct-15	NS		0.3	U	NS		NS		0.16 [J]		NS		0.4	U	0.13 [J]		0.15 [J]		NS		0.17 [J]	
	4-Dec-15 resample	NS		0.2	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.1		NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.13		0.098	U	NS	
	20-Apr-16	NS		0.098	U	NS		NS		0.098	U	NS		0.18		0.098		0.26		NS		0.18	
	20-Jul-16	0.78		NS		1.2		0.88		NS		0.96		NS		NS		1.3		1		NS	
	21-Oct-16	NS		0.17		NS		NS		0.18		NS		0.19		0.28		0.53		NS		0.34	
	31-Jan-17	0.36		NS		0.13		0.15		NS		0.15		NS		NS		1.3		1.2		NS	
	17-Apr-17	NS		0.15	U	NS		NS		0.15	U	NS		0.15	U	0.15	U	0.15	U	NS		0.15	U
	26-Jul-17	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.098	U	0.098	U	NS	
	12-Oct-17	NS		0.16		NS		NS		0.16		NS		0.3	U	0.4		0.28	U	NS		0.25	U
	10-Jan-18	0.098	U	NS		0.098	U	0.098	U	NS		0.098	U	NS		NS		0.17		NS		0.12	
	11-Apr-18	NS		0.098	U	NS		NS		0.98	U	NS		0.98	U	0.98	U	0.098	U	NS		0.98	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.15	U	NS	
	27-Jul-18	0.49	U	NS		0.49	U	0.49	U	NS		0.49	U	NS		NS		0.49	U	0.49	U	NS	
	24-Oct-18	NS		0.49	U	NS		NS		0.49	U	NS		0.49	U	0.49	U	0.49	U	NS		0.49	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.05	U	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	NS	
	27-Mar-08	NS		0.051	U	NS		NS		NS		0.051	U	NS		NS		NS		0.051	U	0.051	U
	25-Apr-08	NS		NS		0.051	U	NS		NS		NS		0.75		NS		0.051	U	NS		0.051	U
	29-May-08	NS		NS		NS		0.05	U	NS		NS		NS		0.05	U	0.05	U	0.05	U	NS	
	27-Jun-08	0.08	U	NS		NS		NS		0.051	U	NS		NS		NS		NS		0.051	U	0.051	U
	31-Jul-08	NS		0.051	U	NS		NS		NS		NS		NS		NS		0.051	U	NS		0.051	U
	28-Aug-08	NS		NS		0.051	U	NS		NS		NS		0.051	U	NS		0.051	U	0.051	U	NS	
	30-Sep-08	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1		0.1	U
	27-Oct-08	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		0.1	U
	25-Nov-08	NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U	NS	
	18-Dec-08	NS		NS		0.1	U	NS		NS		NS		0.1	U	NS		NS		0.1	U	0.1	U
	21-Jan-09	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS		0.1	U
	25-Feb-09	0.1	U	NS		NS		NS		0.1	U	NS		NS		NS		0.1	U	0.1	U	NS	
	26-Mar-09	NS		0.255	U	NS		NS		NS		0.511	U	NS		NS		NS		0.051	U	0.051	U
	29-Apr-09	NS		NS		0.061		NS		NS		NS		0.051	U	NS		0.051	U	NS		0.051	U
	22-Jul-09	0.255	U	NS		0.255	U	0.511	U	NS		0.255	U	NS		NS		0.051	U	0.051	U	NS	
	9-Oct-09	NS		1.72		NS		NS		0.051	U	NS		0.102		10.7	U	0.051	U	NS		0.051	U
	15-Jan-10	0.051	U	NS		0.061		0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	21-Apr-10	NS		0.051	U	NS		NS		0.255	U	NS		0.256	U	0.255	U	0.051	U	NS		0.051	U
	16-Jul-10	0.051	U	NS		1.98		0.051	U	NS		0.386	U	NS		NS		0.051	U	0.051	U	NS	
	15-Oct-10	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jan-11	0.511	U	0.051	U	NS		0.051	U	NS		0.255	U	NS		0.255	U	0.255	U	0.255	U	NS	
	28-Feb-11	NS		NS		0.511	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.051	U	NS		NS		0.051	U	NS		0.051	U	0.051	U	0.051	U	NS		0.051	U
	26-Jul-11	0.17	U	NS		0.17	U	0.051	U	NS		0.256	U	NS		NS		0.051	U	0.256		NS	
	28-Oct-11	NS		1.3	U	NS		NS		1.3	U	NS		1.3	U	1.3	U	1.3	U	NS		1.3	U
	23-Jan-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	13-Apr-12	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.13	U	NS		0.13	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.64	U	NS	
	23-Jun-12	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
Vinyl chloride*	1-Nov-12	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	1-Feb-13	0.065		NS		0.026	U	0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	29-Apr-13	NS		0.41		NS		NS		0.045		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	9-Jul-13	0.038	U	NS		0.026	U	0.085		NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	18-Oct-13	NS		0.051	U	NS		NS		0.074		NS		0.051	U	0.063		0.051	U	NS		0.051	U
	9-Jan-14	0.092		NS		0.051	U	0.051	U	NS		0.051	U	NS		NS		0.051	U	0.051	U	NS	
	24-Apr-14	NS		0.026	U	NS		NS		0.026	U	NS		0.026	U	0.10		0.026	U	0.026	U	0.077	U
	1-Aug-14	0.21		NS		0.38	U	0.077	U	NS		NS		NS		NS		0.051	U	0.051	U	NS	
	27-Aug-14	NS		NS		NS		NS		NS		0.026	U	NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.038	U	NS		NS	U	NS	
	22-Oct-14	NS		0.038	U	NS		NS		0.038	U	0.038	U	0.24		0.038	U	0.038	U	0.051	U	NS	
	20-Jan-15	0.093 [V]		NS		0.14 [V]		0.026	U	NS		0.072 [V]		NS		NS		0.038 [V]	U	0.026	U	NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.029	U	NS	
	22-Apr-15	NS		0.069 [V]		NS		NS		0.060 [V]		NS		0.026	U	0.037	U	0.026	U	NS		0.029	U
	21-Jul-15	0.090 [J]		NS		0.5	U	3	U	NS		0.097 [J]		NS		NS		0.096 [J, O]		0.100 [O]	U	NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.1	U	NS		NS		NS	
	29-Oct-15	NS		0.13 [J]		NS		NS		0.1	U	NS		0.2	U	0.1	U	0.1	U	NS		0.1	U
	4-Dec-15 resample	NS		0.14		NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.026	U	NS		0.2		0.026	U	NS		0.064		NS		NS		0.026	U	0.026	U	NS	
	20-Apr-16	NS		0.23		NS		NS		0.072		NS		0.026	U	0.026	U	0.026	U	NS		0.026	U
	20-Jul-16	0.13 [L]	U	NS		0.29 [L]		0.13 [L]	U	NS		0.54 [L]		NS		NS		0.13 [L]	U	0.13 [L]	U	NS	
	21-Oct-16	NS		0.34		NS		NS		0.026	U	NS		0.026	U	0.026	U	0.026	U	NS		0.035	
	31-Jan-17	0.11		NS		0.27		0.026	U	NS		0.15		NS		NS		0.026	U	0.026	U	NS	
	17-Apr-17	NS		0.19		NS		NS		0.038	U	NS		0.038	U	0.038	U	0.038	U	NS		0.038	U
	26-Jul-17	0.026	U	NS		0.3		0.026	U	NS		0.026	U	NS		NS		0.026	U	0.026	U	NS	
	12-Oct-17	NS		0.31		NS		NS		0.026	U	NS		0.077	U	0.17		0.073	U	NS		0.064	U
	10-Jan-18	0.19		NS		0.24		0.026	U	NS		0.32		NS		NS		0.026	U	NS		0.026	U
	11-Apr-18	NS		0.051	U	NS		NS		0.51 [D]	U	NS		0.51 [D]	U	0.51 [D]	U	0.051	U	NS		0.51 [D]	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.077	U	NS	
	27-Jul-18	0.26	U	NS		0.26	U	0.26	U	NS		0.26	U	NS		NS		0.26	U	0.26	U	NS	
	24-Oct-18	NS		0.26	U	NS		NS		0.26	U	NS		0.26	U	0.26	U	0.26	U	NS		0.26	U

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.55		NS		NS		NS		0.63		NS		NS		NS		1.04		18.3		NS	
	27-Mar-08	NS		0.893		NS		NS		NS		0.389		NS		NS		NS		2.17		1.33	
	25-Apr-08	NS		NS		0.815		NS		NS		NS		0.97		NS		2.54		NS		1.81	
	29-May-08	NS		NS		NS		5		NS		NS		NS		7.58		10.1		3.34		NS	
	27-Jun-08	12.6		NS		NS		NS		1.5		NS		NS		NS		NS		1.91		2.33	
	31-Jul-08	NS		2.4		NS		NS		NS		NS		NS		NS		2.08		NS		1.55	
	28-Aug-08	NS		NS		2.33		NS		NS		NS		1.44		NS		2.13		1.94		NS	
	30-Sep-08	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U	4.3	U
	27-Oct-08	41.6		NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		4.3	U
	25-Nov-08	NS		4.7		NS		NS		NS		4.3	U	NS		NS		8.5		8.9		NS	
	18-Dec-08	NS		NS		4.3	U	NS		NS		NS		4.3	U	NS		NS		4.3	U	4.3	U
	21-Jan-09	NS		NS		NS		4.3	U	NS		NS		NS		4.3	U	4.3	U	NS		4.3	U
	25-Feb-09	37.6		NS		NS		NS		4.3	U	NS		NS		NS		8		9.3		NS	
	26-Mar-09	NS		1.35		NS		NS		NS		1.74	U	NS		NS		NS		2.59		3.56	
	29-Apr-09	NS		NS		0.468		NS		NS		NS		0.516		NS		0.933		NS		1.06	
	22-Jul-09	25.6		NS		25.6		1.74	U	NS		3.88		NS		NS		165		3.52		NS	
	9-Oct-09	NS		1.62		NS		NS		1.63		NS		0.915		36.2	U	1.74		NS		1.7	
	15-Jan-10	18.4		NS		1.52		1.48		NS		1.76		NS		NS		2.35		2.65		NS	
	21-Apr-10	NS		0.703		NS		NS		3.28		NS		4.58		4.34		6.22		NS		4.77	
	16-Jul-10	21.8		NS		7.01		6.36		NS		4.82		NS		NS		4.95		4.91		NS	
	15-Oct-10	NS		1.81		NS		NS		2.18		NS		1.7		1.88		3.4		NS		2.88	
	26-Jan-11	3.08		4.24		NS		4.37		NS		3.06		NS		3.17		11.5		13.6		NS	
	28-Feb-11	NS		NS		1.74	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.694		NS		NS		0.707		NS		0.889		1.15		1.09		NS		1.44	
	26-Jul-11	9.99		NS		3.96		1.02		NS		0.999		NS		NS		0.956		1.26		NS	
	28-Oct-11	NS		4.3	U	NS		NS		4.3	U	NS		4.3	U	4.3	U	9.8		NS		4.3	U
	23-Jan-12	7.9		NS		2		1.3		NS		2		NS		NS		4.4		14		NS	
	13-Apr-12	NS		0.87	U	NS		NS		0.87	U	NS		0.87	U	0.87		3.6		NS		1.1	
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		4.3	U	NS	
p/m-Xylene	23-Jun-12	12		NS		1.1		0.87	U	NS		0.94		NS		NS		1.7		1.1		NS	
	1-Nov-12	NS		2.1		NS		NS		2.4		NS		3.3		2.9		3.6		NS		5.3	
	1-Feb-13	3.4		NS		0.44		0.38		NS		0.59		NS		NS		1.5		1.4		NS	
	29-Apr-13	NS		1		NS		NS		1.2		NS		1.2		1.5		1.9		NS		2.4	
	9-Jul-13	12		NS		1.9		1.8		NS		1.7		NS		NS		3.2		0.70		NS	
	18-Oct-13	NS		5.0		NS		NS		5.6		NS		6.3		8.0		4.7		NS		5.9	
	9-Jan-14	8.6		NS		7.2		9.3		NS		9.7		NS		NS		23		22.00		NS	
	24-Apr-14	NS		0.17	U	NS		NS		0.17	U	NS		0.17	U	0.17	U	0.28		0.17	U	2.6	
	1-Aug-14	4.8		NS		2.8/3.0		1.8/2.1		NS		NS		NS		NS		1.5		2.4/2.8		NS	
	27-Aug-14	NS		NS		NS		NS		NS		3.6		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS	U	NS	
	22-Oct-14	NS		0.26	U	NS		NS		0.26	U	0.30		0.5		0.26	U	0.76		0.92		NS	
	20-Jan-15	1.1		NS		0.21		0.30		NS		0.20		NS		NS		0.7		0.90		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		1.1		NS	
	22-Apr-15	NS		0.71		NS		NS		0.40		NS		0.8		0.66/0.76		1.3		NS		1.6	
	21-Jul-15	1.5		NS		1.7 [J]		9	U	NS		1.9		NS		NS		1.8 [O]		2.3 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		0.71		NS		NS		NS	
	29-Oct-15	NS		0.29 [J]		NS		NS		0.47 [J]		NS		0.73		0.90		0.8		NS		1	
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	2.4		NS		0.51		0.64		NS		0.64		NS		NS		2.5		2.7		NS	
	20-Apr-16	NS		1		NS		NS		1.5		NS		2.1		1.4		2.7		NS		2.5	
	20-Jul-16	16		NS		1.4		0.91		NS		1.3		NS		NS		9.3		3.2		NS	
	21-Oct-16	NS		0.43		NS		NS		1.1		NS		0.77		2		4.1		NS		1.7	
	31-Jan-17	2		NS		0.5		0.55		NS		0.45		NS		NS		3.3		1.9		NS	
	17-Apr-17	NS		0.26	U	NS		NS		0.27		NS		0.27		0.26		0.57		NS		0.49	
	26-Jul-17	1.6		NS		0.93		0.74		NS		1.4		NS		NS		1.3		0.96		NS	
	12-Oct-17	NS		0.58		NS		NS		0.68		NS		0.83		1		0.89		NS		0.96	
	10-Jan-18	1.4		NS		0.33		0.62		NS		0.53		NS		NS		3.4		NS		1.3	
	11-Apr-18	NS		0.35		NS		NS		1.7	U	NS		1.7	U	1.7	U	0.97		NS		1.7	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.31		NS	
	27-Jul-18	0.87	U	NS		0.87	U	0.87	U	NS		0.87	U	NS		NS		0.87	U	0.87	U	NS	
	24-Oct-18	NS		0.87	U	NS		NS		0.87	U	NS		2		0.87	U	1.6		NS		1.3	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15	Sample Date	MP-1	Qual	MP-2	Qual	MP-3	Qual	MP-4	Qual	MP-5	Qual	MP-6	Qual	MP-7	Qual	MP-8	Qual	IMP-1	Qual	IMP-2	Qual	IMP-3	Qual
	8-Feb-08	0.2		NS		NS		NS		0.23		NS		NS		NS		0.48		7.73		NS	
	27-Mar-08	NS		0.273		NS		NS		NS		0.142		NS		NS		NS		0.844		0.478	
	25-Apr-08	NS		NS		0.37		NS		NS		NS		0.406		NS		0.735		NS		0.62	
	29-May-08	NS		NS		NS		1.48		NS		NS		NS		2.26		2.84		1.02		NS	
	27-Jun-08	4.12		NS		NS		NS		0.55		NS		NS		NS		NS		0.672		0.794	
	31-Jul-08	NS		0.835		NS		NS		NS		NS		NS		NS		0.748		NS		0.564	
	28-Aug-08	NS		NS		0.804		NS		NS		NS		0.511		NS		0.797		0.725		NS	
	30-Sep-08	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		2.2	U	2.2	U
	27-Oct-08	9.8		NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		4	
	25-Nov-08	NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		3.1	N	2.2	U	NS	
	18-Dec-08	NS		NS		2.2	U	NS		NS		NS		2.2	U	NS		NS		2.2	U	2.2	U
	21-Jan-09	NS		NS		NS		2.2	U	NS		NS		NS		2.2	U	2.2	U	NS		2.2	U
	25-Feb-09	8.9		NS		NS		NS		2.2	U	NS		NS		NS		2.2		3.2		NS	
	26-Mar-09	NS		0.486		NS		NS		NS		0.868	U	NS		NS		NS		0.922		1.28	
	29-Apr-09	NS		NS		0.174		NS		NS		NS		0.208		NS		0.369		NS		0.499	
	22-Jul-09	5.34		NS		5.34		0.868	U	NS		1.39		NS		NS		72.7		1.27		NS	
	9-Oct-09	NS		0.542		NS		NS		0.586		NS		0.343		18.1	U	0.629		NS		0.616	
	15-Jan-10	4.51		NS		0.49		0.49		NS		0.56		NS		NS		0.833		0.846		NS	
	21-Apr-10	NS		0.256		NS		NS		1.17		NS		1.56		1.41		1.24		NS		1.14	
	16-Jul-10	5.07		NS		2.84		2.63		NS		2.1		NS		NS		1.88		2.05		NS	
	15-Oct-10	NS		0.672		NS		NS		0.837		NS		0.659		0.729		1.22		NS		1.14	
	26-Jan-11	1.08		1.5		NS		1.54		NS		1.11		NS		1.15		4.32		5.16		NS	
	28-Feb-11	NS		NS		0.868	U	NS		NS		NS		NS		NS		NS		NS		NS	
	27-Apr-11	NS		0.286		NS		NS		0.286		NS		0.369		0.456		0.451		NS		0.551	
	26-Jul-11	1.87		NS		1.45		0.334		NS		0.434	U	NS		NS		0.365		0.434		NS	
	28-Oct-11	NS		2.2	U	NS		NS		2.2	U	NS		2.2	U	2.2	U	3.3		NS		2.2	U
	23-Jan-12	2.3		NS		0.76		0.54		NS		0.79		NS		NS		1.7		4.6		NS	
	13-Apr-12	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	1.4		NS		0.43	U
	2-Jul-12 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		2.2	U	NS	
	23-Jun-12	3		NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.59		0.44		NS	
o-Xylene	1-Nov-12	NS		0.72		NS		NS		0.85		NS		1.1		1.1		1.3		NS		1.8	
	1-Feb-13	1		NS		0.19		0.17		NS		0.24		NS		NS		0.64		0.52		NS	
	29-Apr-13	NS		0.43		NS		NS		0.46		NS		0.41		0.52		0.065		NS		0.86	
	9-Jul-13	3.2		NS		0.86		0.90		NS		0.84		NS		NS		1.3		0.28		NS	
	18-Oct-13	NS		1.7		NS		NS		1.9		NS		2.1		2.9		1.4		NS		1.7	
	9-Jan-14	3.4		NS		3.0		4.00		NS		4.1		NS		NS		9.8		9.6		NS	
	24-Apr-14	NS		0.087	U	NS		NS		0.087	U	NS		0.087	U	0.087	U	0.11		0.087	U	1.2	
	1-Aug-14	1.9		NS		1.6/1.8		1.10		NS		NS		NS		NS		0.79		1.2/1.6		NS	
	27-Aug-14	NS		NS		NS		NS		NS		1.3		NS		NS		NS		NS		NS	
	12-Sept-14 (resample)	NS		NS		NS		NS		NS		NS		NS		0.52		NS		NS	U	NS	
	22-Oct-14	NS		0.13	U	NS		NS		0.13	U	0.13	U	0.2		0.13	U	0.28		0.35		NS	
	20-Jan-15	0.29		NS		0.087	U	0.10		NS		0.087	U	NS		NS		0.23		0.34		NS	
	30-Mar-15 (resample)	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.36		NS	
	22-Apr-15	NS		0.26		NS		NS		0.13		NS		0.25		0.22/0.25		0.38		NS		0.54	
	21-Jul-15	0.48		NS		0.59 [J]		4	U	NS		0.53		NS		NS		0.54 [O]		0.73 [O]		NS	
	23-Sept-15 resample	NS		NS		NS		NS		NS		NS		NS		1.3		NS		NS		NS	
	29-Oct-15	NS		0.16 [J]		NS		NS		0.21 [J]		NS		0.34 [J]		0.28		0.32		NS		0.44	
	4-Dec-15 resample	NS		0.4	U	NS		NS		NS		NS		NS		NS		NS		NS		NS	
	27-Jan-16	0.51		NS		0.13		0.17		NS		0.17		NS		NS		0.63		0.84		NS	
	20-Apr-16	NS		0.36		NS		NS		0.52		NS		0.77		0.49		0.92		NS		0.78	
	20-Jul-16	3.4[W]		NS		0.84[W]		0.43[FW]	U	NS		0.6[W]	W	NS		NS		2.7[W]		1.3[Y]		NS	
	21-Oct-16	NS		0.18		NS		NS		0.38		NS		0.27		0.72		1.3		NS		0.62	
	31-Jan-17	0.88		NS		0.31		0.32		NS		0.27		NS		NS		1.7		1.2		NS	
	17-Apr-17	NS		0.13	U	NS		NS		0.13	U	NS		0.13	U	0.13	U	0.25		NS		0.2	
	26-Jul-17	0.45		NS		0.28		0.25		NS		0.46		NS		NS		0.41		0.34		NS	
	12-Oct-17	NS		0.36		NS		NS		0.44		NS		0.52		0.56		0.46		NS		0.42	
	10-Jan-18	0.44		NS		0.12		0.2		NS		0.2		NS		NS		1.2		NS		0.53	
	11-Apr-18	NS		0.13		NS		NS		0.87	U	NS		0.87	U	0.87	U	0.35		NS		0.87	U
	23-May-18	NS		NS		NS		NS		NS		NS		NS		NS		NS		0.16		NS	
	27-Jul-18	0.43	U	NS		0.43	U	0.43	U	NS		0.43	U	NS		NS		0.43	U	0.43	U	NS	
	24-Oct-18	NS		0.43	U	NS		NS		0.43	U	NS		0.43	U	0.43	U	0.63		NS		0.57	

Summary of Subslab Air Sampling Data
Alvarez School
Volatile Organic Compounds
February 2008 - October 2018

Volatile Organic Compounds via TO-15		MP-1		MP-2		MP-3		MP-4		MP-5		MP-6		MP-7		MP-8		IMP-1		IMP-2		IMP-3	
	Sample Date		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual		Qual

[a] Site Specific Compound of Concern per ATSDR Health Consultation, December 4, 2006.
[N] Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the high side.
[L] Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.
[Y] Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the low side.
[W] Continuing calibration did not meet method specifications and was biased on the low side for this compound. Increased uncertainty is associated with the reported value which is likely to be biased on the high side.
[E] Reported result is estimated due to value over calibration range
[J] Estimated result as the result was between the MDL and the RDL.
[O] One or more method internal standards were recovered outside of the contol limits. Sample re-analysis not possibe due to sample volume and detection limit constraints.
[D] Elevated method reporting limits for samples MP-5, MP-7, MP-8 and IMP-3 due to diluted matrices. Con-test internal standards failed and samples were re-pressurized and diluted.

NOTES:
All data presented in micrograms per cubic meter (ug/m^3).
Two values displayed with a slash indicates dilutions resulting in two different concentrations. Where two reporting limits were given for multilple dilutions, the lower RL was documented in this table.
U = Designation indicates that the compound was not detected by the laboratory. Reporting limit shown in the data column.
NS = Not sampled.

APPENDIX D

Rooftop Emission Analytical Summary

Sub Slab Depressurization System Emissions Calculations
Alvarez School
Sample Date: 26 July 2017

Volatile Organic Compounds	ROOFTOP FAN 1					ROOFTOP FAN 2*					ROOFTOP FAN 3					CUMULATIVE EMISSIONS (3 fans combined)		
	Measured Flow Speed (fpm):		1945	Measured Flow Rate (cfm):	95.5	Measured Flow Speed (fpm):		2154	Measured Flow Rate (cfm):	105.7	Measured Flow Speed (fpm):		2011	Measured Flow Rate (cfm):	98.7			
	Concentration (ug/m^3)		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m^3)		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Concentration (ug/m^3)		Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)	Hourly Emission (lbs/hour)	Daily Emission (lbs/day)	Yearly Emission (lbs/year)
Acetone	21		7.50E-06	1.80E-04	6.57E-02	45		1.78E-05	4.27E-04	1.56E-01	22		8.12E-06	1.95E-04	7.11E-02	3.34E-05	8.02E-04	2.93E-01
Acrylonitrile	0.38	U	1.36E-07	3.26E-06	1.19E-03	0.63	U	2.49E-07	5.98E-06	2.18E-03	0.38	U	1.40E-07	3.37E-06	1.23E-03	5.25E-07	1.26E-05	4.60E-03
Benzene	0.27		9.64E-08	2.31E-06	8.44E-04	0.26		1.03E-07	2.47E-06	9.00E-04	0.33		1.22E-07	2.92E-06	1.07E-03	3.21E-07	7.70E-06	2.81E-03
Bromodichloromethane	0.10	U	3.57E-08	8.57E-07	3.13E-04	0.17	U	6.72E-08	1.61E-06	5.89E-04	0.10	U	3.69E-08	8.86E-07	3.23E-04	1.40E-07	3.35E-06	1.22E-03
Bromoform	0.31	U	1.11E-07	2.66E-06	9.69E-04	0.52	U	2.06E-07	4.93E-06	1.80E-03	0.31	U	1.14E-07	2.75E-06	1.00E-03	4.31E-07	1.03E-05	3.77E-03
2-Butanone	3.5	U	1.25E-06	3.00E-05	1.09E-02	5.9	U	2.33E-06	5.60E-05	2.04E-02	3.7		1.37E-06	3.28E-05	1.20E-02	4.95E-06	1.19E-04	4.33E-02
n-Butylbenzene	0.47	U	1.68E-07	4.03E-06	1.47E-03	0.79	U	3.12E-07	7.49E-06	2.74E-03	0.47	U	1.73E-07	4.16E-06	1.52E-03	-	-	-
sec-Butylbenzene	0.38	U	1.36E-07	3.26E-06	1.19E-03	0.63	U	2.49E-07	5.98E-06	2.18E-03	0.38	U	1.40E-07	3.37E-06	1.23E-03	-	-	-
Carbon Tetrachloride	0.45		1.61E-07	3.85E-06	1.41E-03	0.43		1.70E-07	4.08E-06	1.49E-03	0.46		1.70E-07	4.07E-06	1.49E-03	5.00E-07	1.20E-05	4.38E-03
Chlorobenzene	0.14	U	5.00E-08	1.20E-06	4.38E-04	0.23	U	9.09E-08	2.18E-06	7.96E-04	0.14	U	5.17E-08	1.24E-06	4.53E-04	1.93E-07	4.62E-06	1.69E-03
Chloroethane	0.079	U	2.82E-08	6.77E-07	2.47E-04	0.13	U	5.14E-08	1.23E-06	4.50E-04	0.079	U	2.92E-08	7.00E-07	2.55E-04	1.09E-07	2.61E-06	9.52E-04
Chloroform	0.073	U	2.61E-08	6.25E-07	2.28E-04	0.69		2.73E-07	6.55E-06	2.39E-03	0.41		1.51E-07	3.63E-06	1.33E-03	4.50E-07	1.08E-05	3.94E-03
Chloromethane	1.6		5.71E-07	1.37E-05	5.00E-03	0.21	U	8.30E-08	1.99E-06	7.27E-04	3.1		1.14E-06	2.75E-05	1.00E-02	1.80E-06	4.32E-05	1.58E-02
Dibromochloromethane	0.13	U	4.64E-08	1.11E-06	4.06E-04	0.21	U	8.30E-08	1.99E-06	7.27E-04	0.13	U	4.80E-08	1.15E-06	4.20E-04	1.77E-07	4.26E-06	1.55E-03
1,2-Dibromoethane	0.12	U	4.28E-08	1.03E-06	3.75E-04	0.19	U	7.51E-08	1.80E-06	6.58E-04	0.12	U	4.43E-08	1.06E-06	3.88E-04	1.62E-07	3.89E-06	1.42E-03
1,2-Dichlorobenzene	0.18	U	6.42E-08	1.54E-06	5.63E-04	0.30	U	1.19E-07	2.85E-06	1.04E-03	0.18	U	6.64E-08	1.59E-06	5.82E-04	2.49E-07	5.98E-06	2.18E-03
1,3-Dichlorobenzene	2.3		8.21E-07	1.97E-05	7.19E-03	3.0		1.19E-06	2.85E-05	1.04E-02	1.8		6.64E-07	1.59E-05	5.82E-03	2.67E-06	6.41E-05	2.34E-02
1,4-Dichlorobenzene	0.18	U	6.42E-08	1.54E-06	5.63E-04	0.30	U	1.19E-07	2.85E-06	1.04E-03	0.18	U	6.64E-08	1.59E-06	5.82E-04	2.49E-07	5.98E-06	2.18E-03
Dichlorodifluoromethane	1		3.57E-07	8.57E-06	3.13E-03	1.4		5.53E-07	1.33E-05	4.85E-03	0.92		3.39E-07	8.15E-06	2.97E-03	1.25E-06	3.00E-05	1.09E-02
1,1-Dichloroethane	0.061	U	2.18E-08	5.23E-07	1.91E-04	0.10	U	3.95E-08	9.49E-07	3.46E-04	0.061	U	2.25E-08	5.40E-07	1.97E-04	8.38E-08	2.01E-06	7.34E-04
1,2-Dichloroethane	0.061	U	2.18E-08	5.23E-07	1.91E-04	0.10	U	3.95E-08	9.49E-07	3.46E-04	0.061	U	2.25E-08	5.40E-07	1.97E-04	8.38E-08	2.01E-06	7.34E-04
1,1-Dichloroethene	0.059	U	2.11E-08	5.05E-07	1.84E-04	0.10	U	3.91E-08	9.39E-07	3.43E-04	0.059	U	2.18E-08	5.23E-07	1.91E-04	8.20E-08	1.97E-06	7.18E-04
cis-1,2-Dichloroethene	0.059	U	2.11E-08	5.05E-07	1.84E-04	0.10	U	3.91E-08	9.39E-07	3.43E-04	0.059	U	2.18E-08	5.23E-07	1.91E-04	8.20E-08	1.97E-06	7.18E-04
trans-1,2-Dichloroethene	0.059	U	2.11E-08	5.05E-07	1.84E-04	0.10	U	3.91E-08	9.39E-07	3.43E-04	0.059	U	2.18E-08	5.23E-07	1.91E-04	8.20E-08	1.97E-06	7.18E-04
1,2-Dichloropropane	0.069	U	2.46E-08	5.91E-07	2.16E-04	0.12	U	4.74E-08	1.14E-06	4.15E-04	0.069	U	2.55E-08	6.11E-07	2.23E-04	9.75E-08	2.34E-06	8.54E-04
cis-1,3-Dichloropropene	0.068	U	2.43E-08	5.82E-07	2.13E-04	0.11	U	4.35E-08	1.04E-06	3.81E-04	0.068	U	2.51E-08	6.02E-07	2.20E-04	9.28E-08	2.23E-06	8.13E-04
trans-1,3-Dichloropropene	0.068	U	2.43E-08	5.82E-07	2.13E-04	0.11	U	4.35E-08	1.04E-06	3.81E-04	0.068	U	2.51E-08	6.02E-07	2.20E-04	9.28E-08	2.23E-06	8.13E-04
Ethylbenzene	0.13	U	4.64E-08	1.11E-06	4.06E-04	0.22	U	8.70E-08	2.09E-06	7.62E-04	0.14		5.17E-08	1.24E-06	4.53E-04	1.85E-07	4.44E-06	1.62E-03
Isopropylbenzene	0.37	U	1.32E-07	3.17E-06	1.16E-03	0.62	U	2.45E-07	5.88E-06	2.15E-03	0.37	U	1.37E-07	3.28E-06	1.20E-03	5.14E-07	1.23E-05	4.50E-03
p-Isopropyltoluene	0.38	U	1.36E-07	3.26E-06	1.19E-03	0.63	U	2.49E-07	5.98E-06	2.18E-03	0.38	U	1.40E-07	3.37E-06	1.23E-03	5.25E-07	1.26E-05	4.60E-03
Methyl tert butyl ether	0.11	U	3.93E-08	9.42E-07	3.44E-04	0.18	U	7.11E-08	1.71E-06	6.23E-04	0.11	U	4.06E-08	9.74E-07	3.56E-04	1.51E-07	3.62E-06	1.32E-03
Methylene chloride	1.0	U	3.57E-07	8.57E-06	3.13E-03	1.7	U	6.72E-07	1.61E-05	5.89E-03	1.7		6.27E-07	1.51E-05	5.50E-03	1.66E-06	3.97E-05	1.45E-02
4-Methyl-2-pentanone	0.12	U	4.28E-08	1.03E-06	3.75E-04	0.3		1.19E-07	2.85E-06	1.04E-03	0.12	U	4.43E-08	1.06E-06	3.88E-04	2.06E-07	4.94E-06	1.80E-03
Styrene	0.13	U	4.64E-08	1.11E-06	4.06E-04	0.21	U	8.30E-08	1.99E-06	7.27E-04	0.13	U	4.80E-08	1.15E-06	4.20E-04	1.77E-07	4.26E-06	1.55E-03
1,1,1,2-Tetrachloroethane	0.37	U	1.32E-07	3.17E-06	1.16E-03	0.62	U	2.45E-07	5.88E-06	2.15E-03	0.37	U	1.37E-07	3.28E-06	1.20E-03	-	-	-
1,1,2,2-Tetrachloroethane	0.10	U	3.57E-08	8.57E-07	3.13E-04	0.17	U	6.72E-08	1.61E-06	5.89E-04	0.10	U	3.69E-08	8.86E-07	3.23E-04	1.40E-07	3.35E-06	1.22E-03
Tetrachloroethene	0.44		1.57E-07	3.77E-06	1.38E-03	2.7		1.07E-06	2.56E-05	9.35E-03	0.45		1.66E-07	3.99E-06	1.45E-03	1.39E-06	3.34E-05	1.22E-02
Toluene	0.71		2.53E-07	6.08E-06	2.22E-03	0.56		2.21E-07	5.31E-06	1.94E-03	0.77		2.84E-07	6.82E-06	2.49E-03	7.59E-07	1.82E-05	6.65E-03
1,1,1-Trichloroethane	0.082	U	2.93E-08	7.02E-07	2.56E-04	0.16		6.32E-08	1.52E-06	5.54E-04	0.082	U	3.03E-08	7.26E-07	2.65E-04	1.23E-07	2.95E-06	1.08E-03
1,1,2-Trichloroethane	0.082	U	2.93E-08	7.02E-07	2.56E-04	0.14	U	5.53E-08	1.33E-06	4.85E-04	0.082	U	3.03E-08	7.26E-07	2.65E-04	1.15E-07	2.76E-06	1.01E-03
Trichloroethylene	0.71		2.53E-07	6.08E-06	2.22E-03	25		9.88E-06	2.37E-04	8.66E-02	0.19		7.01E-08	1.68E-06	6.14E-04	1.02E-05	2.45E-04	8.94E-02
Trichlorofluoromethane	1.3		4.64E-07	1.11E-05	4.06E-03	16		6.32E-06	1.52E-04	5.54E-02	1.3		4.80E-07	1.15E-05	4.20E-03	7.27E-06	1.74E-04	6.37E-02
1,2,4-Trimethylbenzene	0.15	U	5.35E-08	1.28E-06	4.69E-04	0.25	U	9.88E-08	2.37E-06	8.66E-04	0.15	U	5.54E-08	1.33E-06	4.85E-04	2.08E-07	4.98E-06	1.82E-03
1,3,5-Trimethybenzene	0.15	U	5.35E-08	1.28E-06	4.69E-04	0.25	U	9.88E-08	2.37E-06	8.66E-04	0.15	U	5.54E-08	1.33E-06	4.85E-04	2.08E-07	4.98E-06	1.82E-03
Vinyl chloride	0.077	U	2.75E-08	6.60E-07	2.41E-04	0.13	U	5.14E-08	1.23E-06	4.50E-04	0.077	U	2.84E-08	6.82E-07	2.49E-04	1.07E-07	2.57E-06	9.40E-04
p/m-Xylene	0.26	U	9.28E-08	2.23E-06	8.13E-04	0.43	U	1.70E-07	4.08E-06	1.49E-03	0.29		1.07E-07	2.57E-06	9.37E-04	3.70E-07	8.87E-06	3.24E-03
o-Xylene	0.13	U	4.64E-08	1.11E-06	4.06E-04	0.22	U	8.70E-08	2.09E-06	7.62E-04	0.14		5.17E-08	1.24E-06	4.53E-04	1.85E-07	4.44E-06	1.62E-03
Total VOCs	4.00E+01		1.43E-05	3.42E-04	1.25E-01	1.12E+02		4.44E-05	1.07E-03	3.89E-01	4.28E+01		1.58E-05	3.79E-04	1.74E-01	7.28E-05	1.75E-03	2.32E-01
RIDEM Air Pollution Control Permit Applicability Thresholds (lbs) *			**10**	**100**	**20,000 (Individual VOCs) 50,000 (Total VOCs)**	**Not Applicable**		**10**	**100**	**20,000 (Individual VOCs) 50,000 (Total VOCs)**	**Not Applicable**		**10**	**100**	**20,000 (Individual VOCs) 50,000 (Total VOCs)**	**10**	**100**	**20,000 (Individual VOCs) 50,000 (Total VOCs)**

* RIDEM Air Pollution Control Regulation No. 9 [August 1971, Amended April 2004].

NOTES:
U = Indicates that chemical was not detected by the laboratory. To be conservative, the reporting limit shown in the concentration column was used in the emissions calculations.
L = Potential low bias due to uncertainty caused by continuing calibration not meeting method specifications or blank control sample recovery shown to be below the low side of control limits.
H = Potential high bias due to uncertainty caused by continuing calibration not meeting method specifications or blank control sample recovery shown to be above the high side of control limits.
B = Analyte found in associated blank sample but data is not affected by elevated level in blank since sample result is >10x level in the blank.

* Rooftop Fan #2 sampled on 7 August 2018, Rooftop Fans #1 & #2 sampled on 27 July 2018
Hourly Emissions (lbs/hour) = VOC concentration (ug/m^3) x measured flow rate (cfm) x 0.02832 m^3/ft^3 x 60 min/hour x 0.001 mg/ug x 0.001 g/mg x 0.0022 lb/g.
Daily Emissions (lbs/day) = Hourly Emissions x 24 hours/day.
Yearly Emissions (lbs/year) = Daily Emissions x 365 days/year.
Where samples were anlyzed with multiple dilution factors, the highest reported value is shown

APPENDIX E

Laboratory Analytical Reports

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

November 7, 2018

Frank Postma
EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886

Project Location: Providence, RI
Client Job Number:
Project Number: 1506606
Laboratory Work Order Number: 18J1269

Enclosed are results of analyses for samples received by the laboratory on October 25, 2018. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Aaron L. Benoit
Project Manager

Table of Contents

Sample Summary 3

Case Narrative 4

Sample Results 5

Sample Preparation Information 35

QC Data 36

Air Toxics by EPA Compendium Methods 36

B216113 36

Flag/Qualifier Summary 39

Certifications 40

Chain of Custody/Sample Receipt 42

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

EA Engineering Science & Tech. - RI
301 Metro Center Blvd, Suite 102
Warwick, RI 02886
ATTN: Frank Postma

REPORT DATE: 11/7/2018

PURCHASE ORDER NUMBER: 18155

PROJECT NUMBER: 1506606

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 18J1269

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Providence, RI

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Gymnasium	18J1269-01	Indoor air		EPA TO-15	
Cafeteria	18J1269-02	Indoor air		EPA TO-15	
Kitchen Storage	18J1269-03	Indoor air		EPA TO-15	
Elevator Hallway	18J1269-04	Indoor air		EPA TO-15	
Room 145	18J1269-05	Indoor air		EPA TO-15	
Room 152	18J1269-06	Indoor air		EPA TO-15	
Room 118	18J1269-07	Indoor air		EPA TO-15	
Room 110	18J1269-08	Indoor air		EPA TO-15	
IMP-1	18J1269-09	Sub Slab		EPA TO-15	
IMP-3	18J1269-10	Sub Slab		EPA TO-15	
MP-2	18J1269-11	Sub Slab		EPA TO-15	
MP-5	18J1269-12	Sub Slab		EPA TO-15	
MP-7	18J1269-13	Sub Slab		EPA TO-15	
MP-8	18J1269-14	Sub Slab		EPA TO-15	
Ambient Outdoor Air	18J1269-15	Ambient Air		EPA TO-15	

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA TO-15

Qualifications:

L-03

Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

Analyte & Samples(s) Qualified:

1,3-Dichloropropane

18J1269-01[Gymnasium], 18J1269-02[Cafeteria], 18J1269-03[Kitchen Storage], 18J1269-04[Elevator Hallway], 18J1269-05[Room 145], 18J1269-06[Room 152], 18J1269-07[Room 118], 18J1269-08[Room 110], 18J1269-09[IMP-1], 18J1269-10[IMP-3], 18J1269-11[MP-2], 18J1269-12[MP-5], 18J1269-13[MP-7], 18J1269-14[MP-8], 18J1269-15[Ambient Outdoor Air], B216113-BLK1, B216113-BS1

EPA TO-15

Initial and continuing calibrations met all required performance standards for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative.

Laboratory control sample recoveries and sample replicate RPDs were all within limits specified by the method for RCP compounds that are Title III Clean Air Act Amendment compounds listed in table 1 of the TO-15 method unless otherwise specified in this narrative. Recovery limits of 50-150% are used for propene, acetone, ethanol, isopropanol, ethyl acetate, tetrahydrofuran, cyclohexane, heptane, 2-hexanone, 4-ethyltoluene, n-butylbenzene, sec-butylbenzene, 4-isopropyltoluene, and 1,1,1,2-tetrachloroethane.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.
I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Lisa A. Worthington
Project Manager

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Gymnasium
Sample ID: 18J1269-01
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:24

Sample Description/Location:
Sub Description/Location:
Canister ID: 1029
Canister Size: 6 liter
Flow Controller ID: 4197
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -24.5
Final Vacuum(in Hg): 0
Receipt Vacuum(in Hg): -4.7
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	6.3	0.80		15	1.9	0.4	10/30/18 20:31	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/30/18 20:31	BRF
Benzene	0.12	0.020		0.39	0.064	0.4	10/30/18 20:31	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/30/18 20:31	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/30/18 20:31	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/30/18 20:31	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/30/18 20:31	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/30/18 20:31	BRF
Carbon Tetrachloride	0.077	0.010		0.49	0.063	0.4	10/30/18 20:31	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/30/18 20:31	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/30/18 20:31	BRF
Chloroform	ND	0.010		ND	0.049	0.4	10/30/18 20:31	BRF
Chloromethane	0.45	0.040		0.94	0.083	0.4	10/30/18 20:31	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/30/18 20:31	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/30/18 20:31	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 20:31	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 20:31	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 20:31	BRF
Dichlorodifluoromethane (Freon 12)	0.13	0.020		0.62	0.099	0.4	10/30/18 20:31	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 20:31	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 20:31	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 20:31	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 20:31	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 20:31	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/30/18 20:31	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/30/18 20:31	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 20:31	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 20:31	BRF
Ethylbenzene	0.043	0.020		0.19	0.087	0.4	10/30/18 20:31	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/30/18 20:31	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/30/18 20:31	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/30/18 20:31	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/30/18 20:31	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/30/18 20:31	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/30/18 20:31	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/30/18 20:31	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/30/18 20:31	BRF

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Gymnasium
Sample ID: 18J1269-01
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:24

Sample Description/Location:
Sub Description/Location:
Canister ID: 1029
Canister Size: 6 liter
Flow Controller ID: 4197
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -24.5
Final Vacuum(in Hg): 0
Receipt Vacuum(in Hg): -4.7
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.032	0.020		0.22	0.14	0.4	10/30/18 20:31	BRF
Toluene	0.20	0.020		0.76	0.075	0.4	10/30/18 20:31	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 20:31	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 20:31	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/30/18 20:31	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.3	0.45	0.4	10/30/18 20:31	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 20:31	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 20:31	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/30/18 20:31	BRF
m&p-Xylene	0.13	0.040		0.57	0.17	0.4	10/30/18 20:31	BRF
o-Xylene	0.047	0.020		0.20	0.087	0.4	10/30/18 20:31	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	96.9	70-130	10/30/18 20:31
4-Bromofluorobenzene (2)	99.5	70-130	10/30/18 20:31

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Cafeteria
Sample ID: 18J1269-02
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:34

Sample Description/Location:
Sub Description/Location:
Canister ID: 1997
Canister Size: 6 liter
Flow Controller ID: 4315
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -5.0
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	6.6	0.80		16	1.9	0.4	10/30/18 21:21	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/30/18 21:21	BRF
Benzene	0.11	0.020		0.37	0.064	0.4	10/30/18 21:21	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/30/18 21:21	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/30/18 21:21	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/30/18 21:21	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/30/18 21:21	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/30/18 21:21	BRF
Carbon Tetrachloride	0.072	0.010		0.46	0.063	0.4	10/30/18 21:21	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/30/18 21:21	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/30/18 21:21	BRF
Chloroform	0.024	0.010		0.12	0.049	0.4	10/30/18 21:21	BRF
Chloromethane	0.50	0.040		1.0	0.083	0.4	10/30/18 21:21	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/30/18 21:21	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/30/18 21:21	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 21:21	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 21:21	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 21:21	BRF
Dichlorodifluoromethane (Freon 12)	0.12	0.020		0.61	0.099	0.4	10/30/18 21:21	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 21:21	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 21:21	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 21:21	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 21:21	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 21:21	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/30/18 21:21	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/30/18 21:21	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 21:21	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 21:21	BRF
Ethylbenzene	0.034	0.020		0.15	0.087	0.4	10/30/18 21:21	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/30/18 21:21	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/30/18 21:21	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/30/18 21:21	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/30/18 21:21	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/30/18 21:21	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/30/18 21:21	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/30/18 21:21	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/30/18 21:21	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Cafeteria
Sample ID: 18J1269-02
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:34

Sample Description/Location:
Sub Description/Location:
Canister ID: 1997
Canister Size: 6 liter
Flow Controller ID: 4315
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -5.0
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.032	0.020		0.22	0.14	0.4	10/30/18 21:21	BRF
Toluene	0.20	0.020		0.76	0.075	0.4	10/30/18 21:21	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 21:21	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 21:21	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/30/18 21:21	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	10/30/18 21:21	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 21:21	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 21:21	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/30/18 21:21	BRF
m&p-Xylene	0.10	0.040		0.44	0.17	0.4	10/30/18 21:21	BRF
o-Xylene	0.038	0.020		0.16	0.087	0.4	10/30/18 21:21	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	96.3	70-130	10/30/18 21:21
4-Bromofluorobenzene (2)	99.4	70-130	10/30/18 21:21

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Kitchen Storage
Sample ID: 18J1269-03
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:36

Sample Description/Location:
Sub Description/Location:
Canister ID: 1843
Canister Size: 6 liter
Flow Controller ID: 4314
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -30
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -4.5
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	6.8	0.80		16	1.9	0.4	10/30/18 22:11	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/30/18 22:11	BRF
Benzene	0.27	0.020		0.85	0.064	0.4	10/30/18 22:11	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/30/18 22:11	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/30/18 22:11	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/30/18 22:11	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/30/18 22:11	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/30/18 22:11	BRF
Carbon Tetrachloride	0.074	0.010		0.47	0.063	0.4	10/30/18 22:11	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/30/18 22:11	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/30/18 22:11	BRF
Chloroform	0.096	0.010		0.47	0.049	0.4	10/30/18 22:11	BRF
Chloromethane	0.48	0.040		0.99	0.083	0.4	10/30/18 22:11	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/30/18 22:11	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/30/18 22:11	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 22:11	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 22:11	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 22:11	BRF
Dichlorodifluoromethane (Freon 12)	0.13	0.020		0.66	0.099	0.4	10/30/18 22:11	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 22:11	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 22:11	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 22:11	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 22:11	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 22:11	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/30/18 22:11	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/30/18 22:11	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 22:11	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 22:11	BRF
Ethylbenzene	0.098	0.020		0.43	0.087	0.4	10/30/18 22:11	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/30/18 22:11	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/30/18 22:11	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/30/18 22:11	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/30/18 22:11	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/30/18 22:11	BRF
Styrene	0.086	0.020		0.37	0.085	0.4	10/30/18 22:11	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/30/18 22:11	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/30/18 22:11	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Kitchen Storage
Sample ID: 18J1269-03
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:36

Sample Description/Location:
Sub Description/Location:
Canister ID: 1843
Canister Size: 6 liter
Flow Controller ID: 4314
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -30
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -4.5
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.039	0.020		0.26	0.14	0.4	10/30/18 22:11	BRF
Toluene	0.48	0.020		1.8	0.075	0.4	10/30/18 22:11	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 22:11	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 22:11	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/30/18 22:11	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.3	0.45	0.4	10/30/18 22:11	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 22:11	BRF
1,3,5-Trimethylbenzene	0.023	0.020		0.11	0.098	0.4	10/30/18 22:11	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/30/18 22:11	BRF
m&p-Xylene	0.25	0.040		1.1	0.17	0.4	10/30/18 22:11	BRF
o-Xylene	0.093	0.020		0.40	0.087	0.4	10/30/18 22:11	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.0	70-130	10/30/18 22:11
4-Bromofluorobenzene (2)	103	70-130	10/30/18 22:11

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Elevator Hallway
Sample ID: 18J1269-04
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:21

Sample Description/Location:
Sub Description/Location:
Canister ID: 1209
Canister Size: 6 liter
Flow Controller ID: 4196
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -23
Receipt Vacuum(in Hg): -4.2
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	11	0.80		25	1.9	0.4	10/30/18 23:01	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/30/18 23:01	BRF
Benzene	0.15	0.020		0.47	0.064	0.4	10/30/18 23:01	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/30/18 23:01	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/30/18 23:01	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/30/18 23:01	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/30/18 23:01	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/30/18 23:01	BRF
Carbon Tetrachloride	0.074	0.010		0.46	0.063	0.4	10/30/18 23:01	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/30/18 23:01	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/30/18 23:01	BRF
Chloroform	0.039	0.010		0.19	0.049	0.4	10/30/18 23:01	BRF
Chloromethane	0.55	0.040		1.1	0.083	0.4	10/30/18 23:01	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/30/18 23:01	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/30/18 23:01	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 23:01	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 23:01	BRF
1,4-Dichlorobenzene	0.042	0.020		0.25	0.12	0.4	10/30/18 23:01	BRF
Dichlorodifluoromethane (Freon 12)	0.14	0.020		0.68	0.099	0.4	10/30/18 23:01	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 23:01	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 23:01	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 23:01	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 23:01	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 23:01	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/30/18 23:01	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/30/18 23:01	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 23:01	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 23:01	BRF
Ethylbenzene	0.045	0.020		0.20	0.087	0.4	10/30/18 23:01	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/30/18 23:01	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/30/18 23:01	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/30/18 23:01	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/30/18 23:01	BRF
4-Methyl-2-pentanone (MIBK)	0.041	0.020		0.17	0.082	0.4	10/30/18 23:01	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/30/18 23:01	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/30/18 23:01	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/30/18 23:01	BRF

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Elevator Hallway
Sample ID: 18J1269-04
Sample Matrix: Indoor air
Sampled: 10/24/2018 10:21

Sample Description/Location:
Sub Description/Location:
Canister ID: 1209
Canister Size: 6 liter
Flow Controller ID: 4196
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -23
Receipt Vacuum(in Hg): -4.2
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.040	0.020		0.27	0.14	0.4	10/30/18 23:01	BRF
Toluene	0.42	0.020		1.6	0.075	0.4	10/30/18 23:01	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 23:01	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 23:01	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/30/18 23:01	BRF
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	10/30/18 23:01	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 23:01	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 23:01	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/30/18 23:01	BRF
m&p-Xylene	0.12	0.040		0.54	0.17	0.4	10/30/18 23:01	BRF
o-Xylene	0.050	0.020		0.22	0.087	0.4	10/30/18 23:01	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	96.9	70-130	10/30/18 23:01
4-Bromofluorobenzene (2)	101	70-130	10/30/18 23:01

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 145
Sample ID: 18J1269-05
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:29

Sample Description/Location:
Sub Description/Location:
Canister ID: 1162
Canister Size: 6 liter
Flow Controller ID: 4313
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29.5
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -4.1
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	6.2	0.80		15	1.9	0.4	10/30/18 23:50	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/30/18 23:50	BRF
Benzene	0.11	0.020		0.34	0.064	0.4	10/30/18 23:50	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/30/18 23:50	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/30/18 23:50	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/30/18 23:50	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/30/18 23:50	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/30/18 23:50	BRF
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	10/30/18 23:50	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/30/18 23:50	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/30/18 23:50	BRF
Chloroform	ND	0.010		ND	0.049	0.4	10/30/18 23:50	BRF
Chloromethane	0.53	0.040		1.1	0.083	0.4	10/30/18 23:50	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/30/18 23:50	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/30/18 23:50	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 23:50	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 23:50	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 23:50	BRF
Dichlorodifluoromethane (Freon 12)	0.15	0.020		0.75	0.099	0.4	10/30/18 23:50	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 23:50	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 23:50	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 23:50	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 23:50	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 23:50	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/30/18 23:50	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/30/18 23:50	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 23:50	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 23:50	BRF
Ethylbenzene	0.026	0.020		0.11	0.087	0.4	10/30/18 23:50	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/30/18 23:50	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/30/18 23:50	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/30/18 23:50	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/30/18 23:50	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/30/18 23:50	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/30/18 23:50	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/30/18 23:50	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/30/18 23:50	BRF

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 145
Sample ID: 18J1269-05
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:29

Sample Description/Location:
Sub Description/Location:
Canister ID: 1162
Canister Size: 6 liter
Flow Controller ID: 4313
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29.5
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -4.1
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	10/30/18 23:50	BRF
Toluene	0.16	0.020		0.60	0.075	0.4	10/30/18 23:50	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 23:50	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 23:50	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/30/18 23:50	BRF
Trichlorofluoromethane (Freon 11)	0.24	0.080		1.3	0.45	0.4	10/30/18 23:50	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 23:50	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 23:50	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/30/18 23:50	BRF
m&p-Xylene	0.064	0.040		0.28	0.17	0.4	10/30/18 23:50	BRF
o-Xylene	0.028	0.020		0.12	0.087	0.4	10/30/18 23:50	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	97.4	70-130	10/30/18 23:50
4-Bromofluorobenzene (2)	103	70-130	10/30/18 23:50

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 152
Sample ID: 18J1269-06
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:30

Sample Description/Location:
Sub Description/Location:
Canister ID: 1003
Canister Size: 6 liter
Flow Controller ID: 4312
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28.5
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -4.5
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	4.5	0.80		11	1.9	0.4	10/31/18 0:41	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/31/18 0:41	BRF
Benzene	0.098	0.020		0.31	0.064	0.4	10/31/18 0:41	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/31/18 0:41	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/31/18 0:41	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/31/18 0:41	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/31/18 0:41	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/31/18 0:41	BRF
Carbon Tetrachloride	0.074	0.010		0.47	0.063	0.4	10/31/18 0:41	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/31/18 0:41	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/31/18 0:41	BRF
Chloroform	ND	0.010		ND	0.049	0.4	10/31/18 0:41	BRF
Chloromethane	0.53	0.040		1.1	0.083	0.4	10/31/18 0:41	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/31/18 0:41	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/31/18 0:41	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 0:41	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 0:41	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 0:41	BRF
Dichlorodifluoromethane (Freon 12)	0.14	0.020		0.69	0.099	0.4	10/31/18 0:41	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/31/18 0:41	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/31/18 0:41	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 0:41	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 0:41	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 0:41	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/31/18 0:41	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/31/18 0:41	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/31/18 0:41	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/31/18 0:41	BRF
Ethylbenzene	ND	0.020		ND	0.087	0.4	10/31/18 0:41	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/31/18 0:41	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/31/18 0:41	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/31/18 0:41	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/31/18 0:41	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/31/18 0:41	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/31/18 0:41	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/31/18 0:41	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/31/18 0:41	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 152
Sample ID: 18J1269-06
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:30

Sample Description/Location:
Sub Description/Location:
Canister ID: 1003
Canister Size: 6 liter
Flow Controller ID: 4312
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28.5
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -4.5
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	10/31/18 0:41	BRF
Toluene	0.13	0.020		0.49	0.075	0.4	10/31/18 0:41	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/31/18 0:41	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/31/18 0:41	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/31/18 0:41	BRF
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	10/31/18 0:41	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/31/18 0:41	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/31/18 0:41	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/31/18 0:41	BRF
m&p-Xylene	0.048	0.040		0.21	0.17	0.4	10/31/18 0:41	BRF
o-Xylene	ND	0.020		ND	0.087	0.4	10/31/18 0:41	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.0	70-130	10/31/18 0:41
4-Bromofluorobenzene (2)	104	70-130	10/31/18 0:41

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 118
Sample ID: 18J1269-07
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:20

Sample Description/Location:
Sub Description/Location:
Canister ID: 2229
Canister Size: 6 liter
Flow Controller ID: 4174
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -30
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -4.0
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	9.1	0.80		22	1.9	0.4	10/31/18 1:30	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/31/18 1:30	BRF
Benzene	0.12	0.020		0.38	0.064	0.4	10/31/18 1:30	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/31/18 1:30	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/31/18 1:30	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/31/18 1:30	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/31/18 1:30	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/31/18 1:30	BRF
Carbon Tetrachloride	0.076	0.010		0.48	0.063	0.4	10/31/18 1:30	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/31/18 1:30	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/31/18 1:30	BRF
Chloroform	0.022	0.010		0.11	0.049	0.4	10/31/18 1:30	BRF
Chloromethane	0.52	0.040		1.1	0.083	0.4	10/31/18 1:30	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/31/18 1:30	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/31/18 1:30	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 1:30	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 1:30	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 1:30	BRF
Dichlorodifluoromethane (Freon 12)	0.13	0.020		0.63	0.099	0.4	10/31/18 1:30	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/31/18 1:30	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/31/18 1:30	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 1:30	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 1:30	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 1:30	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/31/18 1:30	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/31/18 1:30	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/31/18 1:30	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/31/18 1:30	BRF
Ethylbenzene	0.030	0.020		0.13	0.087	0.4	10/31/18 1:30	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/31/18 1:30	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/31/18 1:30	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/31/18 1:30	BRF
Methylene Chloride	0.38	0.20		1.3	0.69	0.4	10/31/18 1:30	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/31/18 1:30	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/31/18 1:30	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/31/18 1:30	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/31/18 1:30	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 118
Sample ID: 18J1269-07
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:20

Sample Description/Location:
Sub Description/Location:
Canister ID: 2229
Canister Size: 6 liter
Flow Controller ID: 4174
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -30
Final Vacuum(in Hg): -3
Receipt Vacuum(in Hg): -4.0
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.029	0.020		0.20	0.14	0.4	10/31/18 1:30	BRF
Toluene	0.27	0.020		1.0	0.075	0.4	10/31/18 1:30	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/31/18 1:30	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/31/18 1:30	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/31/18 1:30	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	10/31/18 1:30	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/31/18 1:30	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/31/18 1:30	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/31/18 1:30	BRF
m&p-Xylene	0.083	0.040		0.36	0.17	0.4	10/31/18 1:30	BRF
o-Xylene	0.034	0.020		0.15	0.087	0.4	10/31/18 1:30	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.3	70-130	10/31/18 1:30
4-Bromofluorobenzene (2)	104	70-130	10/31/18 1:30

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 110
Sample ID: 18J1269-08
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:24

Sample Description/Location:
Sub Description/Location:
Canister ID: 1852
Canister Size: 6 liter
Flow Controller ID: 4207
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -1
Receipt Vacuum(in Hg): -2.0
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	15	0.80		35	1.9	0.4	10/31/18 2:18	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/31/18 2:18	BRF
Benzene	0.14	0.020		0.44	0.064	0.4	10/31/18 2:18	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/31/18 2:18	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/31/18 2:18	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/31/18 2:18	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/31/18 2:18	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/31/18 2:18	BRF
Carbon Tetrachloride	0.074	0.010		0.47	0.063	0.4	10/31/18 2:18	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/31/18 2:18	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/31/18 2:18	BRF
Chloroform	0.084	0.010		0.41	0.049	0.4	10/31/18 2:18	BRF
Chloromethane	0.68	0.040		1.4	0.083	0.4	10/31/18 2:18	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/31/18 2:18	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/31/18 2:18	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 2:18	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/31/18 2:18	BRF
1,4-Dichlorobenzene	0.026	0.020		0.16	0.12	0.4	10/31/18 2:18	BRF
Dichlorodifluoromethane (Freon 12)	0.13	0.020		0.67	0.099	0.4	10/31/18 2:18	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/31/18 2:18	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/31/18 2:18	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 2:18	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 2:18	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/31/18 2:18	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/31/18 2:18	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/31/18 2:18	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/31/18 2:18	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/31/18 2:18	BRF
Ethylbenzene	0.051	0.020		0.22	0.087	0.4	10/31/18 2:18	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/31/18 2:18	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/31/18 2:18	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/31/18 2:18	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/31/18 2:18	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/31/18 2:18	BRF
Styrene	0.060	0.020		0.26	0.085	0.4	10/31/18 2:18	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/31/18 2:18	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/31/18 2:18	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Room 110
Sample ID: 18J1269-08
Sample Matrix: Indoor air
Sampled: 10/24/2018 11:24

Sample Description/Location:
Sub Description/Location:
Canister ID: 1852
Canister Size: 6 liter
Flow Controller ID: 4207
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -1
Receipt Vacuum(in Hg): -2.0
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.034	0.020		0.23	0.14	0.4	10/31/18 2:18	BRF
Toluene	0.41	0.020		1.5	0.075	0.4	10/31/18 2:18	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/31/18 2:18	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/31/18 2:18	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/31/18 2:18	BRF
Trichlorofluoromethane (Freon 11)	0.23	0.080		1.3	0.45	0.4	10/31/18 2:18	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/31/18 2:18	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/31/18 2:18	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/31/18 2:18	BRF
m&p-Xylene	0.15	0.040		0.65	0.17	0.4	10/31/18 2:18	BRF
o-Xylene	0.065	0.020		0.28	0.087	0.4	10/31/18 2:18	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.4	70-130	10/31/18 2:18
4-Bromofluorobenzene (2)	104	70-130	10/31/18 2:18

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: IMP-1
Sample ID: 18J1269-09
Sample Matrix: Sub Slab
Sampled: 10/24/2018 10:30

Sample Description/Location:
Sub Description/Location:
Canister ID: 2040
Canister Size: 6 liter
Flow Controller ID: 4212
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -27.5
Final Vacuum(in Hg): 0
Receipt Vacuum(in Hg): +0.2
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	13	4.0		30	9.5	2	10/31/18 8:58	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	10/31/18 8:58	BRF
Benzene	ND	0.10		ND	0.32	2	10/31/18 8:58	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	10/31/18 8:58	BRF
Bromoform	ND	0.10		ND	1.0	2	10/31/18 8:58	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	10/31/18 8:58	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	10/31/18 8:58	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	10/31/18 8:58	BRF
Carbon Tetrachloride	ND	0.050		ND	0.31	2	10/31/18 8:58	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	10/31/18 8:58	BRF
Chloroethane	ND	0.10		ND	0.26	2	10/31/18 8:58	BRF
Chloroform	ND	0.050		ND	0.24	2	10/31/18 8:58	BRF
Chloromethane	0.50	0.20		1.0	0.41	2	10/31/18 8:58	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	10/31/18 8:58	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	10/31/18 8:58	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 8:58	BRF
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 8:58	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 8:58	BRF
Dichlorodifluoromethane (Freon 12)	0.26	0.10		1.3	0.49	2	10/31/18 8:58	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 8:58	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 8:58	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 8:58	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 8:58	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 8:58	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	10/31/18 8:58	BRF
1,3-Dichloropropane	ND	0.27	L-03	ND	1.2	2	10/31/18 8:58	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 8:58	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 8:58	BRF
Ethylbenzene	0.11	0.10		0.49	0.43	2	10/31/18 8:58	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	10/31/18 8:58	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	10/31/18 8:58	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	10/31/18 8:58	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	10/31/18 8:58	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	10/31/18 8:58	BRF
Styrene	ND	0.10		ND	0.43	2	10/31/18 8:58	BRF
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	10/31/18 8:58	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	10/31/18 8:58	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: IMP-1
Sample ID: 18J1269-09
Sample Matrix: Sub Slab
Sampled: 10/24/2018 10:30

Sample Description/Location:
Sub Description/Location:
Canister ID: 2040
Canister Size: 6 liter
Flow Controller ID: 4212
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -27.5
Final Vacuum(in Hg): 0
Receipt Vacuum(in Hg): +0.2
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.10		ND	0.68	2	10/31/18 8:58	BRF
Toluene	0.37	0.10		1.4	0.38	2	10/31/18 8:58	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 8:58	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 8:58	BRF
Trichloroethylene	ND	0.050		ND	0.27	2	10/31/18 8:58	BRF
Trichlorofluoromethane (Freon 11)	ND	0.40		ND	2.2	2	10/31/18 8:58	BRF
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 8:58	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 8:58	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	10/31/18 8:58	BRF
m&p-Xylene	0.36	0.20		1.6	0.87	2	10/31/18 8:58	BRF
o-Xylene	0.15	0.10		0.63	0.43	2	10/31/18 8:58	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.4	70-130	10/31/18 8:58
4-Bromofluorobenzene (2)	101	70-130	10/31/18 8:58

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: IMP-3
Sample ID: 18J1269-10
Sample Matrix: Sub Slab
Sampled: 10/24/2018 11:16

Sample Description/Location:
Sub Description/Location:
Canister ID: 2023
Canister Size: 6 liter
Flow Controller ID: 4213
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -2.5
Receipt Vacuum(in Hg): -4.5
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	15	4.0		35	9.5	2	10/31/18 9:38	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	10/31/18 9:38	BRF
Benzene	0.15	0.10		0.47	0.32	2	10/31/18 9:38	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	10/31/18 9:38	BRF
Bromoform	ND	0.10		ND	1.0	2	10/31/18 9:38	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	10/31/18 9:38	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	10/31/18 9:38	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	10/31/18 9:38	BRF
Carbon Tetrachloride	ND	0.050		ND	0.31	2	10/31/18 9:38	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	10/31/18 9:38	BRF
Chloroethane	ND	0.10		ND	0.26	2	10/31/18 9:38	BRF
Chloroform	ND	0.050		ND	0.24	2	10/31/18 9:38	BRF
Chloromethane	0.58	0.20		1.2	0.41	2	10/31/18 9:38	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	10/31/18 9:38	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	10/31/18 9:38	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 9:38	BRF
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 9:38	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 9:38	BRF
Dichlorodifluoromethane (Freon 12)	0.24	0.10		1.2	0.49	2	10/31/18 9:38	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 9:38	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 9:38	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 9:38	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 9:38	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 9:38	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	10/31/18 9:38	BRF
1,3-Dichloropropane	ND	0.27	L-03	ND	1.2	2	10/31/18 9:38	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 9:38	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 9:38	BRF
Ethylbenzene	ND	0.10		ND	0.43	2	10/31/18 9:38	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	10/31/18 9:38	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	10/31/18 9:38	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	10/31/18 9:38	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	10/31/18 9:38	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	10/31/18 9:38	BRF
Styrene	ND	0.10		ND	0.43	2	10/31/18 9:38	BRF
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	10/31/18 9:38	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	10/31/18 9:38	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: IMP-3
Sample ID: 18J1269-10
Sample Matrix: Sub Slab
Sampled: 10/24/2018 11:16

Sample Description/Location:
Sub Description/Location:
Canister ID: 2023
Canister Size: 6 liter
Flow Controller ID: 4213
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -2.5
Receipt Vacuum(in Hg): -4.5
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.10		ND	0.68	2	10/31/18 9:38	BRF
Toluene	0.40	0.10		1.5	0.38	2	10/31/18 9:38	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 9:38	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 9:38	BRF
Trichloroethylene	0.92	0.050		4.9	0.27	2	10/31/18 9:38	BRF
Trichlorofluoromethane (Freon 11)	0.52	0.40		2.9	2.2	2	10/31/18 9:38	BRF
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 9:38	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 9:38	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	10/31/18 9:38	BRF
m&p-Xylene	0.30	0.20		1.3	0.87	2	10/31/18 9:38	BRF
o-Xylene	0.13	0.10		0.57	0.43	2	10/31/18 9:38	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	99.1	70-130	10/31/18 9:38
4-Bromofluorobenzene (2)	102	70-130	10/31/18 9:38

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-2
Sample ID: 18J1269-11
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:01

Sample Description/Location:
Sub Description/Location:
Canister ID: 2172
Canister Size: 6 liter
Flow Controller ID: 4177
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -26.5
Final Vacuum(in Hg): 0
Receipt Vacuum(in Hg): +0.6
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	5.3	4.0		13	9.5	2	10/31/18 10:18	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	10/31/18 10:18	BRF
Benzene	ND	0.10		ND	0.32	2	10/31/18 10:18	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	10/31/18 10:18	BRF
Bromoform	ND	0.10		ND	1.0	2	10/31/18 10:18	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	10/31/18 10:18	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	10/31/18 10:18	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	10/31/18 10:18	BRF
Carbon Tetrachloride	ND	0.050		ND	0.31	2	10/31/18 10:18	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	10/31/18 10:18	BRF
Chloroethane	ND	0.10		ND	0.26	2	10/31/18 10:18	BRF
Chloroform	ND	0.050		ND	0.24	2	10/31/18 10:18	BRF
Chloromethane	ND	0.20		ND	0.41	2	10/31/18 10:18	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	10/31/18 10:18	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	10/31/18 10:18	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 10:18	BRF
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 10:18	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 10:18	BRF
Dichlorodifluoromethane (Freon 12)	0.34	0.10		1.7	0.49	2	10/31/18 10:18	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 10:18	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 10:18	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 10:18	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 10:18	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 10:18	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	10/31/18 10:18	BRF
1,3-Dichloropropane	ND	0.27	L-03	ND	1.2	2	10/31/18 10:18	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 10:18	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 10:18	BRF
Ethylbenzene	ND	0.10		ND	0.43	2	10/31/18 10:18	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	10/31/18 10:18	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	10/31/18 10:18	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	10/31/18 10:18	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	10/31/18 10:18	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	10/31/18 10:18	BRF
Styrene	ND	0.10		ND	0.43	2	10/31/18 10:18	BRF
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	10/31/18 10:18	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	10/31/18 10:18	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-2
Sample ID: 18J1269-11
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:01

Sample Description/Location:
Sub Description/Location:
Canister ID: 2172
Canister Size: 6 liter
Flow Controller ID: 4177
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -26.5
Final Vacuum(in Hg): 0
Receipt Vacuum(in Hg): +0.6
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	0.90	0.10		6.1	0.68	2	10/31/18 10:18	BRF
Toluene	0.13	0.10		0.49	0.38	2	10/31/18 10:18	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 10:18	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 10:18	BRF
Trichloroethylene	0.31	0.050		1.7	0.27	2	10/31/18 10:18	BRF
Trichlorofluoromethane (Freon 11)	0.47	0.40		2.6	2.2	2	10/31/18 10:18	BRF
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 10:18	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 10:18	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	10/31/18 10:18	BRF
m&p-Xylene	ND	0.20		ND	0.87	2	10/31/18 10:18	BRF
o-Xylene	ND	0.10		ND	0.43	2	10/31/18 10:18	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.4	70-130	10/31/18 10:18
4-Bromofluorobenzene (2)	103	70-130	10/31/18 10:18

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-5
Sample ID: 18J1269-12
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:35

Sample Description/Location:
Sub Description/Location:
Canister ID: 2139
Canister Size: 6 liter
Flow Controller ID: 4093
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -5.4
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	5.5	4.0		13	9.5	2	10/31/18 10:59	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	10/31/18 10:59	BRF
Benzene	ND	0.10		ND	0.32	2	10/31/18 10:59	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	10/31/18 10:59	BRF
Bromoform	ND	0.10		ND	1.0	2	10/31/18 10:59	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	10/31/18 10:59	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	10/31/18 10:59	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	10/31/18 10:59	BRF
Carbon Tetrachloride	ND	0.050		ND	0.31	2	10/31/18 10:59	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	10/31/18 10:59	BRF
Chloroethane	ND	0.10		ND	0.26	2	10/31/18 10:59	BRF
Chloroform	ND	0.050		ND	0.24	2	10/31/18 10:59	BRF
Chloromethane	ND	0.20		ND	0.41	2	10/31/18 10:59	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	10/31/18 10:59	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	10/31/18 10:59	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 10:59	BRF
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 10:59	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 10:59	BRF
Dichlorodifluoromethane (Freon 12)	0.25	0.10		1.2	0.49	2	10/31/18 10:59	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 10:59	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 10:59	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 10:59	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 10:59	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 10:59	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	10/31/18 10:59	BRF
1,3-Dichloropropane	ND	0.27	L-03	ND	1.2	2	10/31/18 10:59	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 10:59	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 10:59	BRF
Ethylbenzene	ND	0.10		ND	0.43	2	10/31/18 10:59	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	10/31/18 10:59	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	10/31/18 10:59	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	10/31/18 10:59	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	10/31/18 10:59	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	10/31/18 10:59	BRF
Styrene	ND	0.10		ND	0.43	2	10/31/18 10:59	BRF
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	10/31/18 10:59	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	10/31/18 10:59	BRF

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-5
Sample ID: 18J1269-12
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:35

Sample Description/Location:
Sub Description/Location:
Canister ID: 2139
Canister Size: 6 liter
Flow Controller ID: 4093
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -28
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -5.4
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	1.0	0.10		6.8	0.68	2	10/31/18 10:59	BRF
Toluene	ND	0.10		ND	0.38	2	10/31/18 10:59	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 10:59	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 10:59	BRF
Trichloroethylene	20	0.050		110	0.27	2	10/31/18 10:59	BRF
Trichlorofluoromethane (Freon 11)	2.5	0.40		14	2.2	2	10/31/18 10:59	BRF
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 10:59	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 10:59	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	10/31/18 10:59	BRF
m&p-Xylene	ND	0.20		ND	0.87	2	10/31/18 10:59	BRF
o-Xylene	ND	0.10		ND	0.43	2	10/31/18 10:59	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.9	70-130	10/31/18 10:59
4-Bromofluorobenzene (2)	100	70-130	10/31/18 10:59

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-7
Sample ID: 18J1269-13
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:05

Sample Description/Location:
Sub Description/Location:
Canister ID: 2019
Canister Size: 6 liter
Flow Controller ID: 4179
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -3.3
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	6.7	4.0		16	9.5	2	10/31/18 11:39	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	10/31/18 11:39	BRF
Benzene	ND	0.10		ND	0.32	2	10/31/18 11:39	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	10/31/18 11:39	BRF
Bromoform	ND	0.10		ND	1.0	2	10/31/18 11:39	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	10/31/18 11:39	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	10/31/18 11:39	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	10/31/18 11:39	BRF
Carbon Tetrachloride	ND	0.050		ND	0.31	2	10/31/18 11:39	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	10/31/18 11:39	BRF
Chloroethane	ND	0.10		ND	0.26	2	10/31/18 11:39	BRF
Chloroform	ND	0.050		ND	0.24	2	10/31/18 11:39	BRF
Chloromethane	ND	0.20		ND	0.41	2	10/31/18 11:39	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	10/31/18 11:39	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	10/31/18 11:39	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 11:39	BRF
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 11:39	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 11:39	BRF
Dichlorodifluoromethane (Freon 12)	0.22	0.10		1.1	0.49	2	10/31/18 11:39	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 11:39	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 11:39	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 11:39	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 11:39	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 11:39	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	10/31/18 11:39	BRF
1,3-Dichloropropane	ND	0.27	L-03	ND	1.2	2	10/31/18 11:39	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 11:39	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 11:39	BRF
Ethylbenzene	0.16	0.10		0.70	0.43	2	10/31/18 11:39	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	10/31/18 11:39	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	10/31/18 11:39	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	10/31/18 11:39	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	10/31/18 11:39	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	10/31/18 11:39	BRF
Styrene	ND	0.10		ND	0.43	2	10/31/18 11:39	BRF
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	10/31/18 11:39	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	10/31/18 11:39	BRF

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-7
Sample ID: 18J1269-13
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:05

Sample Description/Location:
Sub Description/Location:
Canister ID: 2019
Canister Size: 6 liter
Flow Controller ID: 4179
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -3.3
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.10		ND	0.68	2	10/31/18 11:39	BRF
Toluene	0.13	0.10		0.47	0.38	2	10/31/18 11:39	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 11:39	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 11:39	BRF
Trichloroethylene	0.13	0.050		0.69	0.27	2	10/31/18 11:39	BRF
Trichlorofluoromethane (Freon 11)	0.61	0.40		3.4	2.2	2	10/31/18 11:39	BRF
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 11:39	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 11:39	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	10/31/18 11:39	BRF
m&p-Xylene	0.46	0.20		2.0	0.87	2	10/31/18 11:39	BRF
o-Xylene	ND	0.10		ND	0.43	2	10/31/18 11:39	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.5	70-130	10/31/18 11:39
4-Bromofluorobenzene (2)	102	70-130	10/31/18 11:39

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-8
Sample ID: 18J1269-14
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:06

Sample Description/Location:
Sub Description/Location:
Canister ID: 2131
Canister Size: 6 liter
Flow Controller ID: 4305
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -5.1
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	8.9	4.0		21	9.5	2	10/31/18 12:19	BRF
Acrylonitrile	ND	0.58		ND	1.2	2	10/31/18 12:19	BRF
Benzene	ND	0.10		ND	0.32	2	10/31/18 12:19	BRF
Bromodichloromethane	ND	0.050		ND	0.34	2	10/31/18 12:19	BRF
Bromoform	ND	0.10		ND	1.0	2	10/31/18 12:19	BRF
2-Butanone (MEK)	ND	4.0		ND	12	2	10/31/18 12:19	BRF
n-Butylbenzene	ND	0.29		ND	1.6	2	10/31/18 12:19	BRF
sec-Butylbenzene	ND	0.23		ND	1.3	2	10/31/18 12:19	BRF
Carbon Tetrachloride	ND	0.050		ND	0.31	2	10/31/18 12:19	BRF
Chlorobenzene	ND	0.10		ND	0.46	2	10/31/18 12:19	BRF
Chloroethane	ND	0.10		ND	0.26	2	10/31/18 12:19	BRF
Chloroform	ND	0.050		ND	0.24	2	10/31/18 12:19	BRF
Chloromethane	ND	0.20		ND	0.41	2	10/31/18 12:19	BRF
Dibromochloromethane	ND	0.050		ND	0.43	2	10/31/18 12:19	BRF
1,2-Dibromoethane (EDB)	ND	0.050		ND	0.38	2	10/31/18 12:19	BRF
1,2-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 12:19	BRF
1,3-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 12:19	BRF
1,4-Dichlorobenzene	ND	0.10		ND	0.60	2	10/31/18 12:19	BRF
Dichlorodifluoromethane (Freon 12)	0.23	0.10		1.1	0.49	2	10/31/18 12:19	BRF
1,1-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 12:19	BRF
1,2-Dichloroethane	ND	0.050		ND	0.20	2	10/31/18 12:19	BRF
1,1-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 12:19	BRF
cis-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 12:19	BRF
trans-1,2-Dichloroethylene	ND	0.050		ND	0.20	2	10/31/18 12:19	BRF
1,2-Dichloropropane	ND	0.050		ND	0.23	2	10/31/18 12:19	BRF
1,3-Dichloropropane	ND	0.27	L-03	ND	1.2	2	10/31/18 12:19	BRF
cis-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 12:19	BRF
trans-1,3-Dichloropropene	ND	0.050		ND	0.23	2	10/31/18 12:19	BRF
Ethylbenzene	ND	0.10		ND	0.43	2	10/31/18 12:19	BRF
Isopropylbenzene (Cumene)	ND	0.25		ND	1.2	2	10/31/18 12:19	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.23		ND	1.3	2	10/31/18 12:19	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.10		ND	0.36	2	10/31/18 12:19	BRF
Methylene Chloride	ND	1.0		ND	3.5	2	10/31/18 12:19	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.10		ND	0.41	2	10/31/18 12:19	BRF
Styrene	ND	0.10		ND	0.43	2	10/31/18 12:19	BRF
1,1,1,2-Tetrachloroethane	ND	0.18		ND	1.2	2	10/31/18 12:19	BRF
1,1,2,2-Tetrachloroethane	ND	0.050		ND	0.34	2	10/31/18 12:19	BRF

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: MP-8
Sample ID: 18J1269-14
Sample Matrix: Sub Slab
Sampled: 10/24/2018 13:06

Sample Description/Location:
Sub Description/Location:
Canister ID: 2131
Canister Size: 6 liter
Flow Controller ID: 4305
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -5.1
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.10		ND	0.68	2	10/31/18 12:19	BRF
Toluene	0.32	0.10		1.2	0.38	2	10/31/18 12:19	BRF
1,1,1-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 12:19	BRF
1,1,2-Trichloroethane	ND	0.050		ND	0.27	2	10/31/18 12:19	BRF
Trichloroethylene	ND	0.050		ND	0.27	2	10/31/18 12:19	BRF
Trichlorofluoromethane (Freon 11)	ND	0.40		ND	2.2	2	10/31/18 12:19	BRF
1,2,4-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 12:19	BRF
1,3,5-Trimethylbenzene	ND	0.10		ND	0.49	2	10/31/18 12:19	BRF
Vinyl Chloride	ND	0.10		ND	0.26	2	10/31/18 12:19	BRF
m&p-Xylene	ND	0.20		ND	0.87	2	10/31/18 12:19	BRF
o-Xylene	ND	0.10		ND	0.43	2	10/31/18 12:19	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	98.4	70-130	10/31/18 12:19
4-Bromofluorobenzene (2)	101	70-130	10/31/18 12:19

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Ambient Outdoor Air
Sample ID: 18J1269-15
Sample Matrix: Ambient Air
Sampled: 10/24/2018 12:37

Sample Description/Location:
Sub Description/Location:
Canister ID: 1995
Canister Size: 6 liter
Flow Controller ID: 4304
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -4.4
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

	ppbv			ug/m3			Date/Time	
Analyte	**Results**	**RL**	**Flag/Qual**	**Results**	**RL**	**Dilution**	**Analyzed**	**Analyst**
Acetone	4.0	0.80		9.6	1.9	0.4	10/30/18 19:41	BRF
Acrylonitrile	ND	0.12		ND	0.25	0.4	10/30/18 19:41	BRF
Benzene	0.092	0.020		0.29	0.064	0.4	10/30/18 19:41	BRF
Bromodichloromethane	ND	0.010		ND	0.067	0.4	10/30/18 19:41	BRF
Bromoform	ND	0.020		ND	0.21	0.4	10/30/18 19:41	BRF
2-Butanone (MEK)	ND	0.80		ND	2.4	0.4	10/30/18 19:41	BRF
n-Butylbenzene	ND	0.058		ND	0.32	0.4	10/30/18 19:41	BRF
sec-Butylbenzene	ND	0.046		ND	0.25	0.4	10/30/18 19:41	BRF
Carbon Tetrachloride	0.073	0.010		0.46	0.063	0.4	10/30/18 19:41	BRF
Chlorobenzene	ND	0.020		ND	0.092	0.4	10/30/18 19:41	BRF
Chloroethane	ND	0.020		ND	0.053	0.4	10/30/18 19:41	BRF
Chloroform	ND	0.010		ND	0.049	0.4	10/30/18 19:41	BRF
Chloromethane	0.46	0.040		0.95	0.083	0.4	10/30/18 19:41	BRF
Dibromochloromethane	ND	0.010		ND	0.085	0.4	10/30/18 19:41	BRF
1,2-Dibromoethane (EDB)	ND	0.010		ND	0.077	0.4	10/30/18 19:41	BRF
1,2-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 19:41	BRF
1,3-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 19:41	BRF
1,4-Dichlorobenzene	ND	0.020		ND	0.12	0.4	10/30/18 19:41	BRF
Dichlorodifluoromethane (Freon 12)	0.12	0.020		0.60	0.099	0.4	10/30/18 19:41	BRF
1,1-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 19:41	BRF
1,2-Dichloroethane	ND	0.010		ND	0.040	0.4	10/30/18 19:41	BRF
1,1-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 19:41	BRF
cis-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 19:41	BRF
trans-1,2-Dichloroethylene	ND	0.010		ND	0.040	0.4	10/30/18 19:41	BRF
1,2-Dichloropropane	ND	0.010		ND	0.046	0.4	10/30/18 19:41	BRF
1,3-Dichloropropane	ND	0.054	L-03	ND	0.25	0.4	10/30/18 19:41	BRF
cis-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 19:41	BRF
trans-1,3-Dichloropropene	ND	0.010		ND	0.045	0.4	10/30/18 19:41	BRF
Ethylbenzene	0.025	0.020		0.11	0.087	0.4	10/30/18 19:41	BRF
Isopropylbenzene (Cumene)	ND	0.051		ND	0.25	0.4	10/30/18 19:41	BRF
p-Isopropyltoluene (p-Cymene)	ND	0.046		ND	0.25	0.4	10/30/18 19:41	BRF
Methyl tert-Butyl Ether (MTBE)	ND	0.020		ND	0.072	0.4	10/30/18 19:41	BRF
Methylene Chloride	ND	0.20		ND	0.69	0.4	10/30/18 19:41	BRF
4-Methyl-2-pentanone (MIBK)	ND	0.020		ND	0.082	0.4	10/30/18 19:41	BRF
Styrene	ND	0.020		ND	0.085	0.4	10/30/18 19:41	BRF
1,1,1,2-Tetrachloroethane	ND	0.036		ND	0.25	0.4	10/30/18 19:41	BRF
1,1,2,2-Tetrachloroethane	ND	0.010		ND	0.069	0.4	10/30/18 19:41	BRF

con-test® ANALYTICAL LABORATORY
39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

ANALYTICAL RESULTS

Project Location: Providence, RI
Date Received: 10/25/2018
Field Sample #: Ambient Outdoor Air
Sample ID: 18J1269-15
Sample Matrix: Ambient Air
Sampled: 10/24/2018 12:37

Sample Description/Location:
Sub Description/Location:
Canister ID: 1995
Canister Size: 6 liter
Flow Controller ID: 4304
Sample Type: 30 min

Work Order: 18J1269
Initial Vacuum(in Hg): -29
Final Vacuum(in Hg): -4
Receipt Vacuum(in Hg): -4.4
Flow Controller Type: Fixed-Orifice
Flow Controller Calibration
RPD Pre and Post-Sampling:

EPA TO-15

Analyte	ppbv Results	ppbv RL	Flag/Qual	ug/m3 Results	ug/m3 RL	Dilution	Date/Time Analyzed	Analyst
Tetrachloroethylene	ND	0.020		ND	0.14	0.4	10/30/18 19:41	BRF
Toluene	0.15	0.020		0.56	0.075	0.4	10/30/18 19:41	BRF
1,1,1-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 19:41	BRF
1,1,2-Trichloroethane	ND	0.010		ND	0.055	0.4	10/30/18 19:41	BRF
Trichloroethylene	ND	0.010		ND	0.054	0.4	10/30/18 19:41	BRF
Trichlorofluoromethane (Freon 11)	0.22	0.080		1.2	0.45	0.4	10/30/18 19:41	BRF
1,2,4-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 19:41	BRF
1,3,5-Trimethylbenzene	ND	0.020		ND	0.098	0.4	10/30/18 19:41	BRF
Vinyl Chloride	ND	0.020		ND	0.051	0.4	10/30/18 19:41	BRF
m&p-Xylene	0.078	0.040		0.34	0.17	0.4	10/30/18 19:41	BRF
o-Xylene	0.029	0.020		0.13	0.087	0.4	10/30/18 19:41	BRF

Surrogates	% Recovery	% REC Limits	
4-Bromofluorobenzene (1)	96.6	70-130	10/30/18 19:41
4-Bromofluorobenzene (2)	99.6	70-130	10/30/18 19:41

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: TO-15 Prep-EPA TO-15

Lab Number [Field ID]	Batch	Pressure Dilution	Pre Dilution	Pre-Dil Initial mL	Pre-Dil Final mL	Default Injection mL	Actual Injection mL	Date
18J1269-01 [Gymnasium]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-02 [Cafeteria]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-03 [Kitchen Storage]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-04 [Elevator Hallway]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-05 [Room 145]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-06 [Room 152]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-07 [Room 118]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-08 [Room 110]	B216113	1	1	N/A	1000	400	1000	10/30/18
18J1269-09 [IMP-1]	B216113	1	1	N/A	1000	400	200	10/30/18
18J1269-10 [IMP-3]	B216113	1	1	N/A	1000	400	200	10/30/18
18J1269-11 [MP-2]	B216113	1	1	N/A	1000	400	200	10/30/18
18J1269-12 [MP-5]	B216113	1	1	N/A	1000	400	200	10/30/18
18J1269-13 [MP-7]	B216113	1	1	N/A	1000	400	200	10/30/18
18J1269-14 [MP-8]	B216113	1	1	N/A	1000	400	200	10/30/18
18J1269-15 [Ambient Outdoor Air]	B216113	1	1	N/A	1000	400	1000	10/30/18

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	ppbv RL	ug/m3 Results	ug/m3 RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag/Qual
Batch B216113 - TO-15 Prep											
Blank (B216113-BLK1)					Prepared & Analyzed: 10/30/18						
Acetone	ND	0.80									
Acrylonitrile	ND	0.12									
Benzene	ND	0.020									
Bromodichloromethane	ND	0.010									
Bromoform	ND	0.020									
2-Butanone (MEK)	ND	0.80									
n-Butylbenzene	ND	0.058									
sec-Butylbenzene	ND	0.046									
Carbon Tetrachloride	ND	0.010									
Chlorobenzene	ND	0.020									
Chloroethane	ND	0.020									
Chloroform	ND	0.010									
Chloromethane	ND	0.040									
Dibromochloromethane	ND	0.010									
1,2-Dibromoethane (EDB)	ND	0.010									
1,2-Dichlorobenzene	ND	0.020									
1,3-Dichlorobenzene	ND	0.020									
1,4-Dichlorobenzene	ND	0.020									
Dichlorodifluoromethane (Freon 12)	ND	0.020									
1,1-Dichloroethane	ND	0.010									
1,2-Dichloroethane	ND	0.010									
1,1-Dichloroethylene	ND	0.010									
cis-1,2-Dichloroethylene	ND	0.010									
trans-1,2-Dichloroethylene	ND	0.010									
1,2-Dichloropropane	ND	0.010									
1,3-Dichloropropane	ND	0.054									L-03
cis-1,3-Dichloropropene	ND	0.010									
trans-1,3-Dichloropropene	ND	0.010									
Ethylbenzene	ND	0.020									
Isopropylbenzene (Cumene)	ND	0.051									
p-Isopropyltoluene (p-Cymene)	ND	0.046									
Methyl tert-Butyl Ether (MTBE)	ND	0.020									
Methylene Chloride	ND	0.20									
4-Methyl-2-pentanone (MIBK)	ND	0.020									
Styrene	ND	0.020									
1,1,1,2-Tetrachloroethane	ND	0.036									
1,1,2,2-Tetrachloroethane	ND	0.010									
Tetrachloroethylene	ND	0.020									
Toluene	ND	0.020									
1,1,1-Trichloroethane	ND	0.010									
1,1,2-Trichloroethane	ND	0.010									
Trichloroethylene	ND	0.010									
Trichlorofluoromethane (Freon 11)	ND	0.080									
1,2,4-Trimethylbenzene	ND	0.020									
1,3,5-Trimethylbenzene	ND	0.020									
Vinyl Chloride	ND	0.020									

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	ppbv RL	ug/m3 Results	ug/m3 RL	Spike Level ppbv	Source Result	%REC		%REC Limits	RPD	RPD Limit	Flag/Qual
Batch B216113 - TO-15 Prep												
Blank (B216113-BLK1)					Prepared & Analyzed: 10/30/18							
m&p-Xylene	ND	0.040										
o-Xylene	ND	0.020										
Surrogate: 4-Bromofluorobenzene (1)	*7.81*				*8.00*		*97.6*		*70-130*			
Surrogate: 4-Bromofluorobenzene (2)	*8.04*				*8.00*		*100*		*70-130*			
LCS (B216113-BS1)					Prepared & Analyzed: 10/30/18							
Acetone	6.23				5.00		125		70-130			
Acrylonitrile	2.05				2.88		71.3		70-130			
Benzene	4.93				5.00		98.6		70-130			
Bromodichloromethane	5.06				5.00		101		70-130			
Bromoform	5.11				5.00		102		70-130			
2-Butanone (MEK)	5.13				5.00		103		70-130			
n-Butylbenzene	0.914				1.14		80.2		70-130			
sec-Butylbenzene	0.875				1.14		76.8		70-130			
Carbon Tetrachloride	5.02				5.00		100		70-130			
Chlorobenzene	5.05				5.00		101		70-130			
Chloroethane	5.78				5.00		116		70-130			
Chloroform	5.16				5.00		103		70-130			
Chloromethane	5.33				5.00		107		70-130			
Dibromochloromethane	5.05				5.00		101		70-130			
1,2-Dibromoethane (EDB)	5.00				5.00		100		70-130			
1,2-Dichlorobenzene	5.55				5.00		111		70-130			
1,3-Dichlorobenzene	5.54				5.00		111		70-130			
1,4-Dichlorobenzene	5.51				5.00		110		70-130			
Dichlorodifluoromethane (Freon 12)	5.79				5.00		116		70-130			
1,1-Dichloroethane	5.29				5.00		106		70-130			
1,2-Dichloroethane	5.23				5.00		105		70-130			
1,1-Dichloroethylene	5.24				5.00		105		70-130			
cis-1,2-Dichloroethylene	5.29				5.00		106		70-130			
trans-1,2-Dichloroethylene	6.21				5.00		124		70-130			
1,2-Dichloropropane	5.11				5.00		102		70-130			
1,3-Dichloropropane	0.940				1.35		**69.6**	*	70-130			L-03
cis-1,3-Dichloropropene	5.35				5.00		107		70-130			
trans-1,3-Dichloropropene	5.36				5.00		107		70-130			
Ethylbenzene	5.11				5.00		102		70-130			
Isopropylbenzene (Cumene)	0.956				1.27		75.3		70-130			
p-Isopropyltoluene (p-Cymene)	0.901				1.14		79.0		70-130			
Methyl tert-Butyl Ether (MTBE)	5.63				5.00		113		70-130			
Methylene Chloride	5.15				5.00		103		70-130			
4-Methyl-2-pentanone (MIBK)	5.28				5.00		106		70-130			
Styrene	5.13				5.00		103		70-130			
1,1,1,2-Tetrachloroethane	0.672				0.910		73.8		70-130			
1,1,2,2-Tetrachloroethane	5.15				5.00		103		70-130			
Tetrachloroethylene	5.10				5.00		102		70-130			
Toluene	5.15				5.00		103		70-130			
1,1,1-Trichloroethane	4.62				5.00		92.4		70-130			
1,1,2-Trichloroethane	5.20				5.00		104		70-130			

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Air Toxics by EPA Compendium Methods - Quality Control

Analyte	ppbv Results	ppbv RL	ug/m3 Results	ug/m3 RL	Spike Level ppbv	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag/Qual
Batch B216113 - TO-15 Prep											
LCS (B216113-BS1)					Prepared & Analyzed: 10/30/18						
Trichloroethylene	5.05				5.00		101	70-130			
Trichlorofluoromethane (Freon 11)	5.29				5.00		106	70-130			
1,2,4-Trimethylbenzene	5.40				5.00		108	70-130			
1,3,5-Trimethylbenzene	5.29				5.00		106	70-130			
Vinyl Chloride	5.40				5.00		108	70-130			
m&p-Xylene	9.90				10.0		99.0	70-130			
o-Xylene	5.31				5.00		106	70-130			
Surrogate: 4-Bromofluorobenzene (1)	*8.42*				*8.00*		*105*	*70-130*			
Surrogate: 4-Bromofluorobenzene (2)	*7.94*				*8.00*		*99.2*	*70-130*			

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
L-03	Laboratory fortified blank/laboratory control sample recovery is outside of control limits. Reported value for this compound is likely to be biased on the low side.

con-test® ANALYTICAL LABORATORY

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
EPA TO-15 in Air	
Acetone	AIHA,NY
Acrylonitrile	AIHA,NJ,NY
Benzene	AIHA,FL,NJ,NY,VA
Bromodichloromethane	AIHA,NJ,NY,VA
Bromoform	AIHA,NJ,NY,VA
2-Butanone (MEK)	AIHA,FL,NJ,NY,VA
n-Butylbenzene	AIHA
sec-Butylbenzene	AIHA
Carbon Tetrachloride	AIHA,FL,NJ,NY,VA
Chlorobenzene	AIHA,FL,NJ,NY,VA
Chloroethane	AIHA,FL,NJ,NY,VA
Chloroform	AIHA,FL,NJ,NY,VA
Chloromethane	AIHA,FL,NJ,NY,VA
Dibromochloromethane	AIHA,NY
1,2-Dibromoethane (EDB)	AIHA,NJ,NY
1,2-Dichlorobenzene	AIHA,FL,NJ,NY,VA
1,3-Dichlorobenzene	AIHA,NJ,NY
1,4-Dichlorobenzene	AIHA,FL,NJ,NY,VA
Dichlorodifluoromethane (Freon 12)	AIHA,NY
1,1-Dichloroethane	AIHA,FL,NJ,NY,VA
1,2-Dichloroethane	AIHA,FL,NJ,NY,VA
1,1-Dichloroethylene	AIHA,FL,NJ,NY,VA
cis-1,2-Dichloroethylene	AIHA,FL,NY,VA
trans-1,2-Dichloroethylene	AIHA,NJ,NY,VA
1,2-Dichloropropane	AIHA,FL,NJ,NY,VA
1,3-Dichloropropane	AIHA
cis-1,3-Dichloropropene	AIHA,FL,NJ,NY,VA
trans-1,3-Dichloropropene	AIHA,NY
Ethylbenzene	AIHA,FL,NJ,NY,VA
Isopropylbenzene (Cumene)	AIHA,NJ,NY
p-Isopropyltoluene (p-Cymene)	AIHA
Methyl tert-Butyl Ether (MTBE)	AIHA,FL,NJ,NY,VA
Methylene Chloride	AIHA,FL,NJ,NY,VA
4-Methyl-2-pentanone (MIBK)	AIHA,FL,NJ,NY
Styrene	AIHA,FL,NJ,NY,VA
1,1,1,2-Tetrachloroethane	AIHA
1,1,2,2-Tetrachloroethane	AIHA,FL,NJ,NY,VA
Tetrachloroethylene	AIHA,FL,NJ,NY,VA
Toluene	AIHA,FL,NJ,NY,VA
1,1,1-Trichloroethane	AIHA,FL,NJ,NY,VA
1,1,2-Trichloroethane	AIHA,FL,NJ,NY,VA
Trichloroethylene	AIHA,FL,NJ,NY,VA
Trichlorofluoromethane (Freon 11)	AIHA,NY
1,2,4-Trimethylbenzene	AIHA,NJ,NY
1,3,5-Trimethylbenzene	AIHA,NJ,NY
Vinyl Chloride	AIHA,FL,NJ,NY,VA
m&p-Xylene	AIHA,FL,NJ,NY,VA

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
EPA TO-15 in Air	
o-Xylene	AIHA,FL,NJ,NY,VA

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC - ISO17025:2005	100033	03/1/2020
MA	Massachusetts DEP	M-MA100	06/30/2019
CT	Connecticut Department of Publilc Health	PH-0567	09/30/2019
NY	New York State Department of Health	10899 NELAP	04/1/2019
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2019
RI	Rhode Island Department of Health	LAO00112	12/30/2018
NC	North Carolina Div. of Water Quality	652	12/31/2018
NJ	New Jersey DEP	MA007 NELAP	06/30/2019
FL	Florida Department of Health	E871027 NELAP	06/30/2019
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2019
ME	State of Maine	2011028	06/9/2019
VA	Commonwealth of Virginia	460217	12/14/2018
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2019
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2019
NC-DW	North Carolina Department of Health	25703	07/31/2019

18J1269

http://www.contestlabs.com

Doc #378 Rev 1_03242017

con-test ANALYTICAL LABORATORY
AU3
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
39 Spruce Street
East Longmeadow, MA 01028

CHAIN OF CUSTODY RECORD (AIR)

Requested Turnaround Time: 7-Day ☐ 10-Day ☒ Due Date:

Rush-Approval Required: 1-Day ☐ 3-Day ☐ 2-Day ☐ 4-Day ☐

Data Delivery: Format: PDF ☒ EXCEL ☒ Other: CLP Like Data Pkg Required: ☐ Email To: fpostma@eaest.com Fax To #:

Company Name: EA Engineering
Address: 301 Metro Center Blvd Suite 102
Phone: 401-736-3440
Project Name: Alvarez High School
Project Location: Providence, RI
Project Number: 1506606
Project Manager: Frank Postma
Con-Test Quote Name/Number:
Invoice Recipient: Melanie Dina
Sampled By: B. Chambers & D. Allen

ANALYSIS REQUESTED

Please fill out completely, sign, date and retain the yellow copy for your records

Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply

For summa canister and flow controller information please refer to Con-Test's Air Media Agreement

Lab Use: Con-Test Work Order#	Client Use: Client Sample ID / Description	Collection Data: Beginning Date/Time	Collection Data: Ending Date/Time	Duration: Total Minutes Sampled	Flow Rate (☐ m³/min ☐ L/min)	Matrix: Code	Volume (☒ Liters ☐ m³)	TO-15 SIM				Initial Pressure (" Hg)	Final Pressure (" Hg)	Lab Receipt Pressure (" Hg)	Summa Can ID	Flow Controller ID
1	Gymnasium	10/24/18 0955	10/25/18 1024	29		IA	6	X				-24.5	0	-4.7	1029	4197
2	Cafeteria	1003	1034	31				X				-28	-3	-5.0	1997	4315
3	Kitchen Storage	1005	1036	31				X				-30	-4	-4.5	1843	4314
4	Elevator Hallway	0951	1021	30				X				-28	-23	-4.2	1209	4196
5	Room 145	1058	1129	31				X				-29.5	-3	-4.1	1162	4313
6	Room 152	1100	1130	30				X				-28.5	-3	-4.5	1003	4312
7	Room 118	1050	1120	30				X				-30	-3	-4.0	2229	4174
8	Room 110	1053	1124	31				X				-29	-1	-2.9	1852	4207
9	IMP-1	1000	1030	30		SS		X				-27.5	0	-0.2	2040	4212

Comments: Project Specific Analyte List. Please also report in µg/m³.
*Do NOT analyze Summa Can 1972/controller 4289 *

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:
SG = SOIL GAS
IA = INDOOR AIR
AMB = AMBIENT
SS = SUB SLAB
D = DUP
BL = BLANK
O = Other_____

Relinquished by: (signature)	Date/Time:
[signature]	10/25/18 1245
Received by: (signature) [signature]	Date/Time: 10-25-18 12 45
Relinquished by: (signature) [signature]	Date/Time: 10-25-18 1755
Received by: (signature) [signature]	Date/Time: 10/25/18 1755
Relinquished by: (signature) [signature]	Date/Time: 10/25/18 1940
Received by: (signature) [signature] 10/25/18	Date/Time: 1945

Detection Limit Requirements: MA; CT; Other:

Special Requirements: ☐ MA MCP Required; MCP Certification Form Required; ☐ CT RCP Required; RCP Certification Form Required; ☐ Other

con-test ANALYTICAL LABORATORY www.contestlabs.com

NELAC and AIHA-LAP, LLC Accredited

Project Entity: ☐ Government ☐ Municipality ☐ MWRA ☐ WRTA; ☐ Federal ☐ 21 J ☒ School; ☒ City ☐ Brownfield ☐ MBTA

Other: ☐ Chromatogram ☐ AIHA-LAP, LLC

PCB ONLY: ☐ Soxhlet ☐ Non Soxhlet

Table of Contents

18J1269

http://www.contestlabs.com Doc #378 Rev 1_03242017

con-test ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
39 Spruce Street
East Longmeadow, MA 01028

CHAIN OF CUSTODY RECORD (AIR)

Company Name: EA Engineering
Address: 301 Metro Center Blvd Suite 102
Phone: 401-736-3440
Project Name: Alvarez High School
Project Location: Providence, RI
Project Number: 15066606
Project Manager: Frank Postma
Con-Test Quote Name/Number:
Invoice Recipient: Melanie Dina
Sampled By: B. Chambers, D. Allen

Requested Turnaround Time
7-Day ☐ 10-Day ☒
Due Date:

Rush Approval Required
1-Day ☐ 3-Day ☐
2-Day ☐ 4-Day ☐

Data Delivery
Format: PDF ☒ EXCEL ☒
Other:
CLP Like Data Pkg Required: ☐
Email To: fpostma@eaest.com
Fax To #:

ANALYSIS REQUESTED

Please fill out completely, sign, date and retain the yellow copy for your records

Summa canisters and flow controllers must be returned within 15 days of receipt or rental fees will apply

For summa canister and flow controller information please refer to Con-Test's Air Media Agreement

Lab Use: Con-Test Work Order#	Client Use: Client Sample ID / Description	Collection Data: Beginning Date/Time	Collection Data: Ending Date/Time	Duration: Total Minutes Sampled	Flow Rate (☐ m³/min ☒ L/min)	Matrix: Code	Volume (☒ Liters ☐ m³)	TO15-SIM				Initial Pressure (" Hg)	Final Pressure (" Hg)	Lab Receipt Pressure (" Hg)	Summa Can ID	Flow Controller ID
10	IMP-3	10/24/18 1046	10/24/18 1116	30		SS	6	X				-28	-25	-1.5	2023	4213
11	MP-2	1224	1301	37				X				-26.5	0	+0.4	2172	4177
12	MP-5	1305	1335	30				X				-28	-4	-.5	2139	4093
13	MP-7	1234	1305	31				X				-29	-4	-3.3	2019	4179
14	MP-8	1208	1306	58				X				-29	-4	-5.1	2131	4305
15	Ambient Outdoor Air	1206	1237	31		AMB		X				-29	-4	-1.7	1995	4304

Comments: Project specific Analyte list. Please also report in ug/m³.
Do NOT analyze Summa Can 1972/controller 4289

Please use the following codes to indicate possible sample concentration within the Conc Code column above:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Matrix Codes:
SG = SOIL GAS
IA = INDOOR AIR
AMB = AMBIENT
SS = SUB SLAB
D = DUP
BL = BLANK
O = Other_____

Relinquished by: (signature)	Date/Time:
[signature]	10/25/18 1245
Received by: (signature) [signature]	Date/Time: 10-25-18 1245
Relinquished by: (signature) [signature]	Date/Time: 10-25-18 1755
Received by: (signature) [signature]	Date/Time: 10/25/18 1755
Relinquished by: (signature) [signature]	Date/Time: 10/25/18 1940
Received by: (signature) [signature] 10/25/18	Date/Time: 1945

Detection Limit Requirements
MA
CT
Other:

Special Requirements
☐ MA MCP Required
MCP Certification Form Required
☐ CT RCP Required
RCP Certification Form Required
☐ Other

con-test ANALYTICAL LABORATORY www.contestlabs.com

NELAC and AIHA-LAP, LLC Accredited

Project Entity
☐ Government ☐ Municipality ☐ MWRA ☐ WRTA
☐ Federal ☐ 21 J ☒ School
☒ City ☐ Brownfield ☐ MBTA

Other
☐ Chromatogram
☐ AIHA-LAP,LLC

PCB ONLY
☐ Soxhlet
☐ Non Soxhlet

Table of Contents

I Have Not Confirmed Sample Container Numbers With Lab Staff Before Relinquishing Over Samples_____

con-test® ANALYTICAL LABORATORY

Doc# 278 Rev 6 2017

Air Media Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False Statement will be brought to the attention of the Client - State True or False

Client EA Engineering

Received By: RAP | Date: 10/25/18 | Time: 1945

How were the samples received? In Cooler: ____ | On Ice: ____ | No Ice: ____ | In Box: T | Ambient: ____ | Melted Ice: ____

Were samples within Temperature Compliance? 2-6°C: ____ | By Gun #: ____ Actual Temp - ____ | By Blank #: ____ Actual Temp - ____

Was Custody Seal Intact? NA | Were Samples Tampered with? NA

Was COC Relinquished ? T | Does Chain Agree With Samples? T

Are there any loose caps/valves on any samples? F

Is COC in ink/ Legible? T

Did COC Include all Pertinent Information? Client: T | Analysis: T | Sampler Name: T | Project: T | ID's: T | Collection Dates/Times: T

Are Sample Labels filled out and legible? T

Are there Rushes? F | Who was notified? ____

Samples are received within holding time? T

Proper Media Used? T | Individually Certified Cans? T

Are there Trip Blanks? F | Is there enough Volume? T

Containers:	#	Size	Regulator	Duration	Accessories:			
Summa Cans	16	6L	16	30min	Nut/Ferrule		IC Train	16
Tedlar Bags					Tubing			
TO-17 Tubes					T-Connector		Shipping Charges	
Radiello					Syringe			
Pufs/TO-11s					Tedlar			

Can #'s					Reg #'s				
	2229	2131				4174	4305		
1029	1852	1995			4197	4207	4304		
1997	2040				4315	4212			
1843	2023				4314	4213			
1209	2172				4196	4177			
1162	2139				4313	~~4194~~ 4093			
1003	2019				4312	4179			
Unused Media					**Pufs/TO-17's**				
1972	(16.6)	4289							

Comments:

APPENDIX F

Laboratory MRL Correspondence

39 Spruce Street
East Longmeadow, MA 01089

November 29, 2018

Frank Postma
EA Engineering Science & Technology
2350 Post Road
Warwick, RI 02886
RE: RIDEM – Approved Action Level – Work Order 18J1269

Dear Mr. Postma:

This letter is in response to the RIDEM – Approved Action Levels provided. Several of the compounds, appear to be beyond the scope of the current methodologies available, as well as, the current analytical instrumentation available for these methods. The following compounds that Con-Test Laboratory had issues meeting the limits are listed below:

Samples: 18J1269-01 through 18J1269-08 and 18J1269-15

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane

Samples: 18J1269-09 through 18J1269-14

Bromodichloromethane
1,1,2,2-Tetrachloroethane
1,1,1,2-Tetrachloroethane
1,2-Dibromoethane
1,2-Dichloroethane
Bromoform
1,2-Dichloropropane
Vinyl Chloride

If you have any questions please feel free to call me at (413) 525-2332 ext. 41.

Sincerely,

Tod Kopyscinski
Laboratory Director