



**ENVIRONMENTAL • GEOTECHNICAL
BUILDING SCIENCES • MATERIALS TESTING**

**GROUNDWATER & LANDFILL GAS MONITORING REPORT NO. 6
THE FORMER PORTSMOUTH LANDFILL
PARK AVENUE
PORTSMOUTH, RI 02871**

ATC PROJECT NO. 3010000238

PREPARED FOR:

**AP ENTERPRISE LLC
28 TEAL DRIVE
WAKEFIELD, RHODE ISLAND 02879**

PREPARED BY:

**ATC GROUP SERVICES LLC
400 RESERVOIR AVENUE, SUITE 2C
PROVIDENCE, RHODE ISLAND 02907**

NOVEMBER 14, 2018

TABLE OF CONTENTS

| | |
|--|----------|
| 1.0 INTRODUCTION | 1 |
| 1.1 Site Location and Description..... | 1 |
| 2.0 FIELD ACTIVITIES | 1 |
| 2.1 Monitoring Well Gauging and Area Groundwater Flow..... | 1 |
| 2.2 Groundwater Sampling and Analysis | 1 |
| 2.3 Groundwater Analytical Results | 2 |
| 2.4 Soil Gas Point Installation | 2 |
| 2.5 Soil Gas Monitoring..... | 2 |
| 3.0 CONCLUSIONS | 3 |

Appendices

| | |
|------------|---|
| Appendix A | Figure 1 Site Locus Map - Figure 2 Site Plan with Groundwater Contour Map |
| Appendix B | Water Level Measurements Data |
| Appendix C | Table 1, Summary of Groundwater Analytical Results |
| Appendix D | Groundwater Laboratory Analytical Results |
| Appendix E | Table 2, Summary of Soil Gas Monitoring Data |

1.0 INTRODUCTION

ATC Group Services LLC (ATC) was retained by AP Enterprise to install four (4) groundwater monitoring wells and a total of eleven (11) landfill gas monitoring points, and to conduct two years of quarterly groundwater and landfill gas monitoring at the former Portsmouth Landfill located on Park Avenue in Portsmouth, Rhode Island (the Site). The objective of this work is to support the Rhode Island Department of Environmental Management (RIDEM) approved Site Monitoring Plan as prepared by Tim O'Connor & Company LLC. This is the sixth quarterly report prepared by ATC.

1.1 Site Location and Description

The entrance to the former Portsmouth Landfill is located 500 feet west-northwest of the intersection formed by Boyds Lane and Park Avenue. The property is identified by the Portsmouth Tax Assessor as Plat 20 Lots 1, 2 & 13 and Plat 25 Lot 2 (the Site). The Site encompasses approximately 15.02 acres. The ground surface is generally level, with downward slopes along the landfill margins. A Site Locus Map (**Figure 1**) and Site Plan (**Figure 2**) are included in Appendix A.

On April 25, 2017, four soil borings were completed as groundwater monitoring wells MW-1, MW-2, MW-3 and MW-4. The four groundwater monitoring wells were constructed using two-inch diameter polyvinyl chloride (PVC) riser and 10 to 15 feet of machine-slotted 0.01 inch well screen. The well screens were placed to intercept the groundwater table. Groundwater monitoring well locations are depicted on **Figure 2 (Appendix A)**.

2.0 FIELD ACTIVITIES

The following activities were conducted to evaluate the potential presence of contamination in soil gas and groundwater as a result of historic landfill activities.

2.1 Monitoring Well Gauging and Area Groundwater Flow

On October 30, 2018, ATC gauged depth to groundwater in the four groundwater monitoring wells using a Solinst electronic oil/water interface probe. Depth to groundwater was measured from the top of the PVC well risers and ranged from 7.22 feet in MW-1 to 14.19 feet in MW-3. Non-aqueous phase liquids were not detected on the groundwater surface, or in the bottom of the wells. Based upon the groundwater elevation data, the groundwater gradient is generally toward the south on the southern portion of the Site, and to the west on the northern portion of the Site. A Water Level Gauging Sheet is provided in **Appendix B**. A Groundwater Contour Map is superimposed on **Figure 2 (Appendix A)**.

2.2 Groundwater Sampling and Analysis

On October 30, 2018, ATC completed the sixth quarterly groundwater sampling round. The groundwater samples were obtained using the USEPA's Low Stress Purging and Sampling Procedure (EQA SOP-GW-001). ATC used a variable speed low-flow peristaltic pump to control the rate of purging and limit the drawdown. Disposable polyethylene tubing was used at each well. Field parameters were recorded during sampling using a YSI Pro Series with flow-through cell and LaMotte turbidity meter. Field parameters included pH, water temperature, specific

conductance, oxidation reduction potential (ORP) and dissolved oxygen. The groundwater samples were collected upon parameter stabilization, and contained in laboratory grade pre-preserved sample containers. The samples were chilled in a cooler and transported under Chain of Custody to the ESS Laboratory. ESS analyzed the samples for volatile organic compounds (VOCs) by EPA Method 8260, and metals by EPA Methods 6010 and 7010.

2.3 Groundwater Analytical Results

No metals or VOCs were reported in excess of the RIDEM GA Groundwater Objectives. Detected analytes included barium, copper and zinc in MW-1; barium, lead and zinc in MW-2; barium, zinc, chlorobenzene, diethyl ether and isopropylbenzene in MW-3; and barium, cadmium, copper, nickel, and zinc in MW-4. The groundwater analytical data is summarized on **Table 1 in Appendix C**. The laboratory analytical report is included in **Appendix D**.

2.4 Soil Gas Point Installation

Four permanent SGPs (SG-1, SG-2, SG-3 and SG-4) were installed in April of 2017. Each of the four SGPs were installed in the unsaturated zone, using a Geoprobe brand 21" stainless soil gas implant. The depth of placement was determined by the existing depth to groundwater at each location, which ranged from approximately four to ten feet below grade. Each SGP was backfilled with uniform grade, silica sand to approximately one foot above the screen section. Approximately one foot of bentonite was placed above each SGP to seal it from surface water intrusion. Each SGP was connected to 3/8" by 1/4" tubing that was brought to the ground surface. At the ground surface, the SGP tubing was protected by a two-inch, by five-foot lockable standpipe cemented at grade.

At the request of RIDEM, AP Enterprise directed ATC to install an additional seven permanent soil gas points (SGPs) along the property boundary, near monitoring point SG-3. SG-3 is the only SGP to have exceeded methane's lower explosive limit (LEL) of 5% and the RIDEM limit of 25% of the LEL (1.25%). On April 13, 2018, ATC installed seven peripheral SGPs (SG-5, SG-6, SG-7, SG-8, SG-9, SG-10 and SG-11), located every 50 feet along the edge of the Property boundary near SG-3. The seven SGPs were installed in the vadose zone to a depth of 2.5 feet below grade using a slam bar and 1/4 inch OD polyethylene tubing terminating with an AMS slotted stainless steel soil gas point. The SGPs were secured at grade with a small concrete pad.

The eleven (11) peripheral SGPs are positioned to monitor for potential landfill gas migration away from the solid waste mound. These points are positioned between the landfill mound boundary and the nearby habitable structures. SGP locations are shown on **Figure 2 (Appendix A)**.

2.5 Soil Gas Monitoring

On October 30, 2018, ATC conducted the sixth quarterly round of landfill gas monitoring. Soil gas methane, hydrogen sulfide, oxygen and carbon dioxide concentrations were measured at each monitoring point using a Landtech Gem 5000 Landfill Gas Analyzer. Additionally, ambient temperature, barometric pressure, wind speed and wind direction were measured and recorded. SGPs are depicted on **Figure 2 (Appendix A)**. The soil gas monitoring results are summarized on **Table 2 in Appendix E**.

On October 30, 2018, methane was detected in monitoring point SG-3 only, at a concentration of

13.5%, which is within methane's lower and upper explosive limits of 5% to 15%. The seven other fence-line monitoring points near SG-3 (SG-5 through SG-11) were "non-detect" for methane. Therefore, the measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary. Hydrogen sulfide was detected at monitoring point SG-3 only, at 4%. The carbon dioxide concentrations ranged from 0.1% and up to 15.3% at SG-4. The oxygen concentrations ranged from atmospheric (approximately 21.5%) down to 0.2% at SG-3. The soil gas monitoring results are summarized in **Table 2, (Appendix E)**.


3.0 CONCLUSIONS

ATC has performed the sixth quarterly groundwater and landfill gas monitoring at the former Portsmouth town landfill on Park Avenue in Portsmouth, Rhode Island. Based upon the scope of work and sampling activities completed, ATC concludes the following:

- No metals and no VOCs were reported above applicable GA Groundwater Objectives in the four groundwater samples collected on October 30, 2018.
- The methane concentration measured during this sixth quarterly monitoring event at SG-3 (13.5%) is the highest observed concentration since monitoring began in May 2017. The other 10 monitoring points were "non-detect" for methane. During this sampling event, the observed methane concentration at SGP SG-3 is within the methane lower and upper explosive limits of 5% to 15%. The fence-line methane concentrations did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.
- The closest building to SG-3 is located approximately 200 feet to the east. In ATC's opinion, current conditions do not constitute a threat, however conditions will be closely monitored.
- Hydrogen sulfide was detected at monitoring points SG 3 at 4%. The carbon dioxide concentrations ranged from 0.1% up to 15.3% at SG-4. The oxygen concentrations ranged from atmospheric (approximately 21.5%) down to 0.2% at SG-3.

Appendix A

RIDEM Environmental Resource Map




July 7, 2017

1:18,056

0 0.175 0.35 0.7 mi
0 0.35 0.7 1.4 km

Figure 1: Site Locus Map

Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS



The base map for this figure was developed from a Diprete Engineering plan entitled "Landfill Monitoring Plan, Former Portsmouth Landfill, revised 07-18-2017."

Prepared for
AP Enterprise LLC
28 Teal Drive, Wakefield, RI 02879

DRAWING TITLE:
Groundwater Elevation Contours
October 30, 2018
Former Portsmouth Landfill

ATC 400 Reservoir Avenue, Suite 2C
Providence, RI 0290
(401) 714-0306

| | | |
|-------------|------------|------------|
| DRAWN BY: | SG | FIGURE NO. |
| CHECKED BY: | TO | |
| PROJECT NO. | 3010000238 | |
| DATE: | 11/13/18 | |

2

Appendix B

WATER LEVEL MEASUREMENTS

| | | | |
|--------------------|--------------------------------|-------------------|------------|
| <i>Location:</i> | Portsmouth Landfill, Park Ave. | <i>ATC #</i> | 3010000238 |
| <i>Client:</i> | AP Enterprise LLC | <i>Date:</i> | 10/30/18 |
| <i>Instrument:</i> | ORS Interface Probe | <i>Gauged By:</i> | BM |
| <i>Checked By:</i> | SG | | |

| WELL # | M.P. ELEVATIONS | DEPTH TO PRODUCT | DEPTH TO WATER | PRODUCT THICKNESS | EQUIVALENT HD ELEV. |
|--------|--------------------|---------------------|-------------------|----------------------|------------------------|
| | | | | | |
| MW-1 | 8.84 | 0.00 | 7.22 | 0.00 | 1.62 |
| | | | | | |
| MW-2 | 16.25 | 0.00 | 13.95 | 0.00 | 2.30 |
| | | | | | |
| MW-3 | 16.40 | 0.00 | 14.19 | 0.00 | 2.21 |
| | | | | | |
| MW-4 | 14.09 | 0.00 | 11.88 | 0.00 | 2.21 |
| | | | | | |
| | | | | | |
| | | | | | |

NOTES:

Height of PVC; MW-1: 3.21, MW-2: 4.01, MW-3: 3.27, MW-4: 2.97

Survey completed by DiPrete Engineering (6/15/17)

Appendix C

Table 1

Groundwater Analytical Results
Former Portsmouth Town Landfill
Park Avenue, Portsmouth, Rhode Island

| Well ID | Date | Antimony | Barium | Cadmium | Copper | Lead | Nickel | Selenium | Zinc | 1,4-Dichlorobenzene | Chlorobenzene | Chloroform | Dichlorodifluoromethane | Diethyl Ether | Isopropylbenzene |
|--|------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|--------------|---------------------|---------------|---------------|-------------------------|---------------|------------------|
| MW-1 | 5/31/17 | ND (0.025) | 0.062 | ND (0.0025) | ND (0.010) | ND (0.002) | ND (0.025) | ND (0.005) | ND (0.025) | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 9/8/17 | ND (0.002) | 0.068 | ND (0.0025) | ND (0.010) | ND (0.002) | ND (0.025) | ND (0.005) | ND (0.025) | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 12/21/17 | ND (0.002) | 0.101 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.025) | 0.034 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 4/13/18 | ND (0.0005) | 0.050 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.025) | ND (0.025) | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 7/31/18 | ND (0.0005) | 0.060 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.025) | 0.031 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 10/30/18 | ND (0.001) | 0.135 | ND (0.0025) | 0.030 | ND (0.010) | ND (0.025) | ND (0.005) | 0.137 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| MW-2 | 5/31/17 | ND (0.025) | 0.084 | ND (0.0025) | ND (0.010) | 0.005 | ND (0.025) | ND (0.005) | 0.044 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 9/8/17 | ND (0.002) | 0.177 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.005) | (ND 0.025) | ND (0.0010) | 0.0012 | ND (0.0010) | ND (0.0020) | ND (0.0010) | 0.0034 |
| | 12/21/17 | ND (0.002) | 0.187 | ND (0.0025) | ND (0.010) | 0.014 | ND (0.025) | ND (0.025) | 0.089 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 4/13/18 | ND (0.0005) | 0.094 | ND (0.0025) | 0.017 | ND (0.010) | ND (0.025) | ND (0.025) | 0.051 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 7/31/18 | ND (0.0005) | 0.119 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.025) | 0.060 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | 0.0012 |
| | 10/30/18 | ND (0.001) | 0.141 | ND (0.0025) | ND (0.010) | 0.011 | ND (0.025) | ND (0.025) | 0.051 | ND (0.0010) | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| MW-3 | 5/31/17 | ND (0.025) | 0.681 | ND (0.0025) | ND (0.010) | ND (0.002) | ND (0.025) | ND (0.005) | 0.035 | 0.0011 | 0.0040 | ND (0.0010) | ND (0.0020) | 0.0011 | 0.0240 |
| | 9/8/17 | ND (0.002) | 0.606 | ND (0.0025) | ND (0.010) | 0.027 | ND (0.025) | ND (0.005) | ND (0.025) | ND (0.0010) | 0.0026 | ND (0.0010) | ND (0.0020) | 0.0014 | 0.0025 |
| | 12/21/17 | ND (0.002) | 1.01 | ND (0.0025) | ND (0.010) | 0.025 | ND (0.025) | ND (0.025) | ND (0.025) | 0.0010 | 0.0029 | ND (0.0010) | 0.0073 | 0.0017 | 0.0191 |
| | 4/13/18 | ND (0.0005) | 0.460 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | 0.029 | ND (0.025) | 0.0012 | 0.0082 | ND (0.0010) | 0.0051 | ND (0.0010) | 0.0117 |
| | 7/31/18 | ND (0.0005) | 0.654 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.025) | ND (0.025) | ND (0.0010) | 0.0036 | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 10/30/18 | ND (0.001) | 0.607 | ND (0.0025) | ND (0.010) | ND (0.010) | ND (0.025) | ND (0.005) | 0.027 | ND (0.0010) | 0.0024 | ND (0.0010) | ND (0.0020) | 0.0012 | 0.0020 |
| MW-4 | 5/31/17 | ND (0.025) | 0.050 | 0.0043 | 0.057 | ND (0.002) | 0.042 | ND (0.005) | 1.53 | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) | ND (0.0010) |
| | 9/8/2017 | ND (0.002) | 0.030 | 0.0025 | 0.021 | ND (0.002) | ND (0.025) | ND (0.005) | 0.562 | ND (0.0010) | ND (0.0010) | 0.0014 | ND (0.0020) | ND (0.0010) | ND (0.0010) |
| | 12/21/2017 | ND (0.002) | 0.040 | ND (0.0025) | 0.017 | ND (0.010) | ND (0.025) | ND (0.025) | 0.264 | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) | ND (0.0010) |
| | 4/13/2018 | ND (0.002) | 0.0490 | 0.0036 | 0.043 | ND (0.010) | 0.055 | ND (0.025) | 1.90 | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) | ND (0.0010) |
| | 7/31/18 | ND (0.0005) | 0.032 | ND (0.0025) | 0.031 | ND (0.010) | ND (0.025) | ND (0.025) | 0.806 | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) | ND (0.0010) |
| | 10/30/18 | ND (0.001) | 0.070 | 0.0044 | 0.052 | ND (0.010) | 0.036 | ND (0.005) | 1.50 | ND (0.0010) | ND (0.0010) | ND (0.0020) | ND (0.0010) | ND (0.0010) | ND (0.0010) |
| RIDEM GA Groundwater Objectives | | 0.006 | 2 | 0.005 | NS | 0.015 | 0.1 | 0.05 | NS | 0.075 | 0.1 | NS | NS | NS | NS |

Notes: All units in mg/L = milligrams per liter unless otherwise noted

NS = No Standard

NA = Not Available or Not Analyzed

ND = not detected above method detection limit

Highlighted = Exceeds RIDEM GA Groundwater Objective

Appendix D



CERTIFICATE OF ANALYSIS

Stephen Gautie
ATC Group Services
400 Reservoir Ave Ste 2C
Providence, RI 02907

RE: Former Portsmouth Landfill (301.238)
ESS Laboratory Work Order Number: 1811001

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.

Laurel Stoddard
Laboratory Director

REVIEWED

By ESS Laboratory at 3:38 pm, Nov 08, 2018

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

SAMPLE RECEIPT

The following samples were received on November 01, 2018 for the analyses specified on the enclosed Chain of Custody Record.

| Lab Number | Sample Name | Matrix | Analysis |
|-------------------|--------------------|---------------|---------------------------|
| 1811001-01 | MW-1 | Ground Water | 6010C, 6020A, 7010, 8260B |
| 1811001-02 | MW-2 | Ground Water | 6010C, 6020A, 7010, 8260B |
| 1811001-03 | MW-3 | Ground Water | 6010C, 6020A, 7010, 8260B |
| 1811001-04 | MW-4 | Ground Water | 6010C, 6020A, 7010, 8260B |
| 1811001-05 | Trip Blank | Aqueous | 8260B |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

The Microbiology Division
of Thielsch Engineering, Inc.



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

PROJECT NARRATIVE

8260B Volatile Organic Compounds

C8K0043-CCV1

Continuing Calibration %Diff/Drift is above control limit (CD+).

Chloromethane (33% @ 30%)

CK80240-BS1

Blank Spike recovery is above upper control limit (B+).

Chloromethane (139% @ 70-130%)

CK80240-BSD1

Blank Spike recovery is above upper control limit (B+).

Chloromethane (135% @ 70-130%)

CK80240-BSD1

Blank Spike recovery is below lower control limit (B-).

Naphthalene (69% @ 70-130%)

Total Metals

CK80241-BSD1

Blank Spike recovery is above upper control limit (B+).

Selenium (121% @ 80-120%)

No other observations noted.

End of Project Narrative.

DATA USABILITY LINKS

To ensure you are viewing the most current version of the documents below, please clear your internet cookies for www.ESSLaboratory.com. Consult your IT Support personnel for information on how to clear your internet cookies.

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

CURRENT SW-846 METHODOLOGY VERSIONS

Analytical Methods

1010A - Flashpoint
6010C - ICP
6020A - ICP MS
7010 - Graphite Furnace
7196A - Hexavalent Chromium
7470A - Aqueous Mercury
7471B - Solid Mercury
8011 - EDB/DBCP/TCP
8015C - GRO/DRO
8081B - Pesticides
8082A - PCB
8100M - TPH
8151A - Herbicides
8260B - VOA
8270D - SVOA
8270D SIM - SVOA Low Level
9014 - Cyanide
9038 - Sulfate
9040C - Aqueous pH
9045D - Solid pH (Corrosivity)
9050A - Specific Conductance
9056A - Anions (IC)
9060A - TOC
9095B - Paint Filter
MADEP 04-1.1 - EPH
MADEP 04-2.1 - VPH

Prep Methods

3005A - Aqueous ICP Digestion
3020A - Aqueous Graphite Furnace / ICP MS Digestion
3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
3060A - Solid Hexavalent Chromium Digestion
3510C - Separatory Funnel Extraction
3520C - Liquid / Liquid Extraction
3540C - Manual Soxhlet Extraction
3541 - Automated Soxhlet Extraction
3546 - Microwave Extraction
3580A - Waste Dilution
5030B - Aqueous Purge and Trap
5030C - Aqueous Purge and Trap
5035 - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/30/18 09:54

Percent Solids: N/A

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-01

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyst | Analyzed | I/V | F/V | Batch |
|-----------|----------------------|-----|--------|-------|----|---------|----------------|-----|-----|---------|
| Antimony | ND (0.001) | | 6020A | | 1 | NAR | 11/05/18 14:46 | 50 | 25 | CK80241 |
| Arsenic | 0.003 (0.002) | | 7010 | | 1 | KJK | 11/03/18 16:08 | 50 | 25 | CK80241 |
| Barium | 0.135 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Beryllium | ND (0.0005) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Cadmium | ND (0.0025) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Chromium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Cobalt | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Copper | 0.030 (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Lead | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Nickel | ND (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Selenium | ND (0.005) | | 7010 | | 1 | KJK | 11/04/18 1:23 | 50 | 25 | CK80241 |
| Silver | ND (0.005) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Thallium | ND (0.0005) | | 6020A | | 1 | NAR | 11/05/18 14:46 | 50 | 25 | CK80241 |
| Vanadium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |
| Zinc | 0.137 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:41 | 50 | 25 | CK80241 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/30/18 09:54

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|-----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| 1,1,1,2-Tetrachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,1,1-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,1,2,2-Tetrachloroethane | ND (0.0005) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,1,2-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,1-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,1-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,1-Dichloropropene | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2,3-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2,3-Trichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2,4-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2,4-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2-Dibromo-3-Chloropropane | ND (0.0050) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2-Dibromoethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,3,5-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,3-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,3-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,4-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1,4-Dioxane - Screen | ND (0.500) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 1-Chlorohexane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 2,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 2-Butanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 2-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 2-Hexanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 4-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 4-Isopropyltoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| 4-Methyl-2-Pentanone | ND (0.0250) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Acetone | ND (0.0100) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Benzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Bromobenzene | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/30/18 09:54

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Bromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Bromodichloromethane | ND (0.0006) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Bromoform | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Bromomethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Carbon Disulfide | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Carbon Tetrachloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Chlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Chloroethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Chloroform | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Chloromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| cis-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| cis-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Dibromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Dibromomethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Dichlorodifluoromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Diethyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Di-isopropyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Ethyl tertiary-butyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Ethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Hexachlorobutadiene | ND (0.0006) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Hexachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Isopropylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Methyl tert-Butyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Methylene Chloride | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Naphthalene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| n-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| n-Propylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| sec-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Styrene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| tert-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Tertiary-amyl methyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Tetrachloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/30/18 09:54

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|---------------------------|---------------|-----|--------|-------|----|----------------|----------|---------|
| Tetrahydrofuran | ND (0.0050) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Toluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| trans-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| trans-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Trichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Trichlorofluoromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Vinyl Acetate | ND (0.0050) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Vinyl Chloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Xylene O | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Xylene P,M | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | C8K0043 | CK80240 |
| Xylenes (Total) | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:14 | | [CALC] |

| | %Recovery | Qualifier | Limits |
|----------------------------------|-----------|-----------|--------|
| Surrogate: 1,2-Dichloroethane-d4 | 127 % | | 70-130 |
| Surrogate: 4-Bromofluorobenzene | 89 % | | 70-130 |
| Surrogate: Dibromofluoromethane | 112 % | | 70-130 |
| Surrogate: Toluene-d8 | 104 % | | 70-130 |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/30/18 15:06

Percent Solids: N/A

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-02

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyst | Analyzed | I/V | F/V | Batch |
|---------------|----------------------|-----|--------|-------|----|---------|----------------|-----|-----|---------|
| Antimony | ND (0.001) | | 6020A | | 1 | NAR | 11/05/18 15:03 | 50 | 25 | CK80241 |
| Arsenic | ND (0.002) | | 7010 | | 1 | KJK | 11/03/18 16:14 | 50 | 25 | CK80241 |
| Barium | 0.141 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Beryllium | ND (0.0005) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Cadmium | ND (0.0025) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Chromium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Cobalt | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Copper | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Lead | 0.011 (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Nickel | ND (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Selenium | ND (0.005) | | 7010 | | 1 | KJK | 11/04/18 1:29 | 50 | 25 | CK80241 |
| Silver | ND (0.005) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Thallium | ND (0.0005) | | 6020A | | 1 | NAR | 11/05/18 15:03 | 50 | 25 | CK80241 |
| Vanadium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |
| Zinc | 0.051 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:45 | 50 | 25 | CK80241 |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/30/18 15:06

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|-----------------------------|---------------|-----|--------|-------|----|----------------|----------|---------|
| 1,1,1,2-Tetrachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,1,1-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,1,2,2-Tetrachloroethane | ND (0.0005) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,1,2-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,1-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,1-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,1-Dichloropropene | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2,3-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2,3-Trichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2,4-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2,4-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2-Dibromo-3-Chloropropane | ND (0.0050) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2-Dibromoethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,3,5-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,3-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,3-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,4-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1,4-Dioxane - Screen | ND (0.500) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 1-Chlorohexane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 2,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 2-Butanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 2-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 2-Hexanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 4-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 4-Isopropyltoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| 4-Methyl-2-Pentanone | ND (0.0250) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Acetone | ND (0.0100) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Benzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Bromobenzene | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/30/18 15:06

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Bromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Bromodichloromethane | ND (0.0006) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Bromoform | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Bromomethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Carbon Disulfide | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Carbon Tetrachloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Chlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Chloroethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Chloroform | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Chloromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| cis-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| cis-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Dibromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Dibromomethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Dichlorodifluoromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Diethyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Di-isopropyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Ethyl tertiary-butyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Ethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Hexachlorobutadiene | ND (0.0006) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Hexachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Isopropylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Methyl tert-Butyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Methylene Chloride | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Naphthalene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| n-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| n-Propylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| sec-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Styrene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| tert-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Tertiary-amyl methyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Tetrachloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/30/18 15:06

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|---------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Tetrahydrofuran | ND (0.0050) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Toluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| trans-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| trans-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Trichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Trichlorofluoromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Vinyl Acetate | ND (0.0050) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Vinyl Chloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Xylene O | ND (0.0010) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Xylene P,M | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | C8K0043 | CK80240 |
| Xylenes (Total) | ND (0.0020) | | 8260B | | 1 | 11/02/18 18:40 | | [CALC] |

| | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> |
|---|------------------|------------------|---------------|
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>129 %</i> | | <i>70-130</i> |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>91 %</i> | | <i>70-130</i> |
| <i>Surrogate: Dibromofluoromethane</i> | <i>115 %</i> | | <i>70-130</i> |
| <i>Surrogate: Toluene-d8</i> | <i>101 %</i> | | <i>70-130</i> |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/30/18 14:10

Percent Solids: N/A

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-03

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyst | Analyzed | I/V | F/V | Batch |
|----------------|----------------------|------------|---------------|--------------|-----------|----------------|-----------------|------------|------------|--------------|
| Antimony | ND (0.001) | | 6020A | | 1 | NAR | 11/05/18 15:08 | 50 | 25 | CK80241 |
| Arsenic | ND (0.002) | | 7010 | | 1 | KJK | 11/03/18 16:20 | 50 | 25 | CK80241 |
| Barium | 0.607 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Beryllium | ND (0.0005) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Cadmium | ND (0.0025) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Chromium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Cobalt | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Copper | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Lead | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Nickel | ND (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Selenium | ND (0.005) | | 7010 | | 1 | KJK | 11/04/18 1:34 | 50 | 25 | CK80241 |
| Silver | ND (0.005) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Thallium | ND (0.0005) | | 6020A | | 1 | NAR | 11/05/18 15:08 | 50 | 25 | CK80241 |
| Vanadium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |
| Zinc | 0.027 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:51 | 50 | 25 | CK80241 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/30/18 14:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|-----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| 1,1,1,2-Tetrachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,1,1-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,1,2,2-Tetrachloroethane | ND (0.0005) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,1,2-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,1-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,1-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,1-Dichloropropene | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2,3-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2,3-Trichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2,4-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2,4-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2-Dibromo-3-Chloropropane | ND (0.0050) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2-Dibromoethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,3,5-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,3-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,3-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,4-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1,4-Dioxane - Screen | ND (0.500) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 1-Chlorohexane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 2,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 2-Butanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 2-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 2-Hexanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 4-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 4-Isopropyltoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| 4-Methyl-2-Pentanone | ND (0.0250) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Acetone | ND (0.0100) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Benzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Bromobenzene | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/30/18 14:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|----------------------------|------------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Bromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Bromodichloromethane | ND (0.0006) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Bromoform | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Bromomethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Carbon Disulfide | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Carbon Tetrachloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Chlorobenzene | 0.0024 (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Chloroethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Chloroform | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Chloromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| cis-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| cis-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Dibromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Dibromomethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Dichlorodifluoromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Diethyl Ether | 0.0012 (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Di-isopropyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Ethyl tertiary-butyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Ethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Hexachlorobutadiene | ND (0.0006) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Hexachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Isopropylbenzene | 0.0020 (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Methyl tert-Butyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Methylene Chloride | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Naphthalene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| n-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| n-Propylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| sec-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Styrene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| tert-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Tertiary-amyl methyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Tetrachloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/30/18 14:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|---------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Tetrahydrofuran | ND (0.0050) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Toluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| trans-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| trans-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Trichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Trichlorofluoromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Vinyl Acetate | ND (0.0050) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Vinyl Chloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Xylene O | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Xylene P,M | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | C8K0043 | CK80240 |
| Xylenes (Total) | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:05 | | [CALC] |

| | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> |
|---|------------------|------------------|---------------|
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>129 %</i> | | <i>70-130</i> |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>96 %</i> | | <i>70-130</i> |
| <i>Surrogate: Dibromofluoromethane</i> | <i>114 %</i> | | <i>70-130</i> |
| <i>Surrogate: Toluene-d8</i> | <i>101 %</i> | | <i>70-130</i> |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/30/18 13:10

Percent Solids: N/A

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-04

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyst | Analyzed | I/V | F/V | Batch |
|----------------|------------------------|-----|--------|-------|----|---------|----------------|-----|-----|---------|
| Antimony | ND (0.001) | | 6020A | | 1 | NAR | 11/05/18 15:14 | 50 | 25 | CK80241 |
| Arsenic | ND (0.002) | | 7010 | | 1 | KJK | 11/03/18 16:38 | 50 | 25 | CK80241 |
| Barium | 0.070 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Beryllium | ND (0.0005) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Cadmium | 0.0044 (0.0025) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Chromium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Cobalt | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Copper | 0.052 (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Lead | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Nickel | 0.036 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Selenium | ND (0.005) | | 7010 | | 1 | KJK | 11/04/18 1:40 | 50 | 25 | CK80241 |
| Silver | ND (0.005) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Thallium | ND (0.0005) | | 6020A | | 1 | NAR | 11/05/18 15:14 | 50 | 25 | CK80241 |
| Vanadium | ND (0.010) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |
| Zinc | 1.50 (0.025) | | 6010C | | 1 | KJK | 11/03/18 2:56 | 50 | 25 | CK80241 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/30/18 13:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|-----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| 1,1,1,2-Tetrachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,1,1-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,1,2,2-Tetrachloroethane | ND (0.0005) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,1,2-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,1-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,1-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,1-Dichloropropene | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2,3-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2,3-Trichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2,4-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2,4-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2-Dibromo-3-Chloropropane | ND (0.0050) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2-Dibromoethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,3,5-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,3-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,3-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,4-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1,4-Dioxane - Screen | ND (0.500) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 1-Chlorohexane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 2,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 2-Butanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 2-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 2-Hexanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 4-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 4-Isopropyltoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| 4-Methyl-2-Pentanone | ND (0.0250) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Acetone | ND (0.0100) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Benzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Bromobenzene | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/30/18 13:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Bromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Bromodichloromethane | ND (0.0006) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Bromoform | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Bromomethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Carbon Disulfide | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Carbon Tetrachloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Chlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Chloroethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Chloroform | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Chloromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| cis-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| cis-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Dibromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Dibromomethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Dichlorodifluoromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Diethyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Di-isopropyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Ethyl tertiary-butyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Ethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Hexachlorobutadiene | ND (0.0006) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Hexachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Isopropylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Methyl tert-Butyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Methylene Chloride | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Naphthalene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| n-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| n-Propylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| sec-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Styrene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| tert-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Tertiary-amyl methyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Tetrachloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/30/18 13:10

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|---------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Tetrahydrofuran | ND (0.0050) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Toluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| trans-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| trans-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Trichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Trichlorofluoromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Vinyl Acetate | ND (0.0050) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Vinyl Chloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Xylene O | ND (0.0010) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Xylene P,M | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | C8K0043 | CK80240 |
| Xylenes (Total) | ND (0.0020) | | 8260B | | 1 | 11/02/18 19:31 | | [CALC] |

| | <i>%Recovery</i> | <i>Qualifier</i> | <i>Limits</i> |
|---|------------------|------------------|---------------|
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 127 % | | 70-130 |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 90 % | | 70-130 |
| <i>Surrogate: Dibromofluoromethane</i> | 115 % | | 70-130 |
| <i>Surrogate: Toluene-d8</i> | 102 % | | 70-130 |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: Trip Blank

Date Sampled: 10/30/18 00:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-05

Sample Matrix: Aqueous

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|-----------------------------|---------------|-----|--------|-------|----|----------------|----------|---------|
| 1,1,1,2-Tetrachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,1,1-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,1,2,2-Tetrachloroethane | ND (0.0005) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,1,2-Trichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,1-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,1-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,1-Dichloropropene | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2,3-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2,3-Trichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2,4-Trichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2,4-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2-Dibromo-3-Chloropropane | ND (0.0050) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2-Dibromoethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2-Dichloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,3,5-Trimethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,3-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,3-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,4-Dichlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1,4-Dioxane - Screen | ND (0.500) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 1-Chlorohexane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 2,2-Dichloropropane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 2-Butanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 2-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 2-Hexanone | ND (0.0100) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 4-Chlorotoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 4-Isopropyltoluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| 4-Methyl-2-Pentanone | ND (0.0250) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Acetone | ND (0.0100) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Benzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Bromobenzene | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: Trip Blank

Date Sampled: 10/30/18 00:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-05

Sample Matrix: Aqueous

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|----------------------------|----------------------|------------|---------------|--------------|-----------|-----------------|-----------------|--------------|
| Bromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Bromodichloromethane | ND (0.0006) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Bromoform | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Bromomethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Carbon Disulfide | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Carbon Tetrachloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Chlorobenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Chloroethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Chloroform | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Chloromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| cis-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| cis-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Dibromochloromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Dibromomethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Dichlorodifluoromethane | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Diethyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Di-isopropyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Ethyl tertiary-butyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Ethylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Hexachlorobutadiene | ND (0.0006) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Hexachloroethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Isopropylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Methyl tert-Butyl Ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Methylene Chloride | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Naphthalene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| n-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| n-Propylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| sec-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Styrene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| tert-Butylbenzene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Tertiary-amyl methyl ether | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Tetrachloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: Trip Blank

Date Sampled: 10/30/18 00:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 1811001

ESS Laboratory Sample ID: 1811001-05

Sample Matrix: Aqueous

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

| Analyte | Results (MRL) | MDL | Method | Limit | DF | Analyzed | Sequence | Batch |
|---------------------------|---------------|-----|--------|-------|----|----------------|----------|---------|
| Tetrahydrofuran | ND (0.0050) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Toluene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| trans-1,2-Dichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| trans-1,3-Dichloropropene | ND (0.0004) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Trichloroethene | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Trichlorofluoromethane | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Vinyl Acetate | ND (0.0050) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Vinyl Chloride | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Xylene O | ND (0.0010) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |
| Xylene P,M | ND (0.0020) | | 8260B | | 1 | 11/02/18 12:17 | C8K0043 | CK80240 |

| | %Recovery | Qualifier | Limits |
|----------------------------------|-----------|-----------|--------|
| Surrogate: 1,2-Dichloroethane-d4 | 128 % | | 70-130 |
| Surrogate: 4-Bromofluorobenzene | 92 % | | 70-130 |
| Surrogate: Dibromofluoromethane | 111 % | | 70-130 |
| Surrogate: Toluene-d8 | 103 % | | 70-130 |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

Total Metals

Batch CK80241 - 3005A/200.7

Blank

| | | | | | | | | | | |
|-----------|----|--------|------|--|--|--|--|--|--|--|
| Antimony | ND | 0.001 | mg/L | | | | | | | |
| Arsenic | ND | 0.002 | mg/L | | | | | | | |
| Barium | ND | 0.025 | mg/L | | | | | | | |
| Beryllium | ND | 0.0005 | mg/L | | | | | | | |
| Cadmium | ND | 0.0025 | mg/L | | | | | | | |
| Chromium | ND | 0.010 | mg/L | | | | | | | |
| Cobalt | ND | 0.010 | mg/L | | | | | | | |
| Copper | ND | 0.010 | mg/L | | | | | | | |
| Lead | ND | 0.010 | mg/L | | | | | | | |
| Nickel | ND | 0.025 | mg/L | | | | | | | |
| Selenium | ND | 0.005 | mg/L | | | | | | | |
| Silver | ND | 0.005 | mg/L | | | | | | | |
| Thallium | ND | 0.0005 | mg/L | | | | | | | |
| Vanadium | ND | 0.010 | mg/L | | | | | | | |
| Zinc | ND | 0.025 | mg/L | | | | | | | |

LCS

| | | | | | | | | | | |
|-----------|--------|--------|------|---------|-----|--------|--|--|--|--|
| Antimony | 0.245 | 0.005 | mg/L | 0.2508 | 98 | 80-120 | | | | |
| Arsenic | 0.262 | 0.062 | mg/L | 0.2500 | 105 | 80-120 | | | | |
| Barium | 0.265 | 0.025 | mg/L | 0.2500 | 106 | 80-120 | | | | |
| Beryllium | 0.0245 | 0.0005 | mg/L | 0.02500 | 98 | 80-120 | | | | |
| Cadmium | 0.120 | 0.0025 | mg/L | 0.1251 | 96 | 80-120 | | | | |
| Chromium | 0.264 | 0.010 | mg/L | 0.2500 | 106 | 80-120 | | | | |
| Cobalt | 0.261 | 0.010 | mg/L | 0.2500 | 104 | 80-120 | | | | |
| Copper | 0.254 | 0.010 | mg/L | 0.2500 | 101 | 80-120 | | | | |
| Lead | 0.277 | 0.010 | mg/L | 0.2500 | 111 | 80-120 | | | | |
| Nickel | 0.273 | 0.025 | mg/L | 0.2500 | 109 | 80-120 | | | | |
| Selenium | 0.597 | 0.125 | mg/L | 0.4998 | 119 | 80-120 | | | | |
| Silver | 0.127 | 0.005 | mg/L | 0.1249 | 102 | 80-120 | | | | |
| Thallium | 0.245 | 0.002 | mg/L | 0.2502 | 98 | 80-120 | | | | |
| Vanadium | 0.259 | 0.010 | mg/L | 0.2500 | 103 | 80-120 | | | | |
| Zinc | 0.260 | 0.025 | mg/L | 0.2500 | 104 | 80-120 | | | | |

LCS Dup

| | | | | | | | | | | |
|-----------|--------|--------|------|---------|-----|--------|-----|----|--|----|
| Antimony | 0.228 | 0.005 | mg/L | 0.2508 | 91 | 80-120 | 7 | 20 | | |
| Arsenic | 0.263 | 0.062 | mg/L | 0.2500 | 105 | 80-120 | 0.6 | 20 | | |
| Barium | 0.267 | 0.025 | mg/L | 0.2500 | 107 | 80-120 | 0.8 | 20 | | |
| Beryllium | 0.0240 | 0.0005 | mg/L | 0.02500 | 96 | 80-120 | 2 | 20 | | |
| Cadmium | 0.120 | 0.0025 | mg/L | 0.1251 | 96 | 80-120 | 0.6 | 20 | | |
| Chromium | 0.264 | 0.010 | mg/L | 0.2500 | 106 | 80-120 | 0.2 | 20 | | |
| Cobalt | 0.262 | 0.010 | mg/L | 0.2500 | 105 | 80-120 | 0.7 | 20 | | |
| Copper | 0.257 | 0.010 | mg/L | 0.2500 | 103 | 80-120 | 1 | 20 | | |
| Lead | 0.273 | 0.010 | mg/L | 0.2500 | 109 | 80-120 | 1 | 20 | | |
| Nickel | 0.275 | 0.025 | mg/L | 0.2500 | 110 | 80-120 | 0.8 | 20 | | |
| Selenium | 0.605 | 0.125 | mg/L | 0.4998 | 121 | 80-120 | 1 | 20 | | B+ |
| Silver | 0.127 | 0.005 | mg/L | 0.1249 | 102 | 80-120 | 0.3 | 20 | | |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

Total Metals

Batch CK80241 - 3005A/200.7

| | | | | | | | | |
|----------|-------|-------|------|--------|-----|--------|-----|----|
| Thallium | 0.236 | 0.002 | mg/L | 0.2502 | 94 | 80-120 | 3 | 20 |
| Vanadium | 0.260 | 0.010 | mg/L | 0.2500 | 104 | 80-120 | 0.4 | 20 |
| Zinc | 0.261 | 0.025 | mg/L | 0.2500 | 105 | 80-120 | 0.6 | 20 |

8260B Volatile Organic Compounds

Batch CK80240 - 5030B

Blank

| | | | |
|-----------------------------|----|--------|------|
| 1,1,1,2-Tetrachloroethane | ND | 0.0010 | mg/L |
| 1,1,1-Trichloroethane | ND | 0.0010 | mg/L |
| 1,1,2,2-Tetrachloroethane | ND | 0.0005 | mg/L |
| 1,1,2-Trichloroethane | ND | 0.0010 | mg/L |
| 1,1-Dichloroethane | ND | 0.0010 | mg/L |
| 1,1-Dichloroethene | ND | 0.0010 | mg/L |
| 1,1-Dichloropropene | ND | 0.0020 | mg/L |
| 1,2,3-Trichlorobenzene | ND | 0.0010 | mg/L |
| 1,2,3-Trichloropropane | ND | 0.0010 | mg/L |
| 1,2,4-Trichlorobenzene | ND | 0.0010 | mg/L |
| 1,2,4-Trimethylbenzene | ND | 0.0010 | mg/L |
| 1,2-Dibromo-3-Chloropropane | ND | 0.0050 | mg/L |
| 1,2-Dibromoethane | ND | 0.0010 | mg/L |
| 1,2-Dichlorobenzene | ND | 0.0010 | mg/L |
| 1,2-Dichloroethane | ND | 0.0010 | mg/L |
| 1,2-Dichloropropane | ND | 0.0010 | mg/L |
| 1,3,5-Trimethylbenzene | ND | 0.0010 | mg/L |
| 1,3-Dichlorobenzene | ND | 0.0010 | mg/L |
| 1,3-Dichloropropane | ND | 0.0010 | mg/L |
| 1,4-Dichlorobenzene | ND | 0.0010 | mg/L |
| 1,4-Dioxane - Screen | ND | 0.500 | mg/L |
| 1-Chlorohexane | ND | 0.0010 | mg/L |
| 2,2-Dichloropropane | ND | 0.0010 | mg/L |
| 2-Butanone | ND | 0.0100 | mg/L |
| 2-Chlorotoluene | ND | 0.0010 | mg/L |
| 2-Hexanone | ND | 0.0100 | mg/L |
| 4-Chlorotoluene | ND | 0.0010 | mg/L |
| 4-Isopropyltoluene | ND | 0.0010 | mg/L |
| 4-Methyl-2-Pentanone | ND | 0.0250 | mg/L |
| Acetone | ND | 0.0100 | mg/L |
| Benzene | ND | 0.0010 | mg/L |
| Bromobenzene | ND | 0.0020 | mg/L |
| Bromochloromethane | ND | 0.0010 | mg/L |
| Bromodichloromethane | ND | 0.0006 | mg/L |
| Bromoform | ND | 0.0010 | mg/L |
| Bromomethane | ND | 0.0020 | mg/L |
| Carbon Disulfide | ND | 0.0010 | mg/L |
| Carbon Tetrachloride | ND | 0.0010 | mg/L |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

8260B Volatile Organic Compounds

Batch CK80240 - 5030B

| | | | | | | | | | | |
|---|--------|--------|------|---------|--|-----|--------|--|--|--|
| Chlorobenzene | ND | 0.0010 | mg/L | | | | | | | |
| Chloroethane | ND | 0.0020 | mg/L | | | | | | | |
| Chloroform | ND | 0.0010 | mg/L | | | | | | | |
| Chloromethane | ND | 0.0020 | mg/L | | | | | | | |
| cis-1,2-Dichloroethene | ND | 0.0010 | mg/L | | | | | | | |
| cis-1,3-Dichloropropene | ND | 0.0004 | mg/L | | | | | | | |
| Dibromochloromethane | ND | 0.0010 | mg/L | | | | | | | |
| Dibromomethane | ND | 0.0010 | mg/L | | | | | | | |
| Dichlorodifluoromethane | ND | 0.0020 | mg/L | | | | | | | |
| Diethyl Ether | ND | 0.0010 | mg/L | | | | | | | |
| Di-isopropyl ether | ND | 0.0010 | mg/L | | | | | | | |
| Ethyl tertiary-butyl ether | ND | 0.0010 | mg/L | | | | | | | |
| Ethylbenzene | ND | 0.0010 | mg/L | | | | | | | |
| Hexachlorobutadiene | ND | 0.0006 | mg/L | | | | | | | |
| Hexachloroethane | ND | 0.0010 | mg/L | | | | | | | |
| Isopropylbenzene | ND | 0.0010 | mg/L | | | | | | | |
| Methyl tert-Butyl Ether | ND | 0.0010 | mg/L | | | | | | | |
| Methylene Chloride | ND | 0.0020 | mg/L | | | | | | | |
| Naphthalene | ND | 0.0010 | mg/L | | | | | | | |
| n-Butylbenzene | ND | 0.0010 | mg/L | | | | | | | |
| n-Propylbenzene | ND | 0.0010 | mg/L | | | | | | | |
| sec-Butylbenzene | ND | 0.0010 | mg/L | | | | | | | |
| Styrene | ND | 0.0010 | mg/L | | | | | | | |
| tert-Butylbenzene | ND | 0.0010 | mg/L | | | | | | | |
| Tertiary-amyl methyl ether | ND | 0.0010 | mg/L | | | | | | | |
| Tetrachloroethene | ND | 0.0010 | mg/L | | | | | | | |
| Tetrahydrofuran | ND | 0.0050 | mg/L | | | | | | | |
| Toluene | ND | 0.0010 | mg/L | | | | | | | |
| trans-1,2-Dichloroethene | ND | 0.0010 | mg/L | | | | | | | |
| trans-1,3-Dichloropropene | ND | 0.0004 | mg/L | | | | | | | |
| Trichloroethene | ND | 0.0010 | mg/L | | | | | | | |
| Trichlorofluoromethane | ND | 0.0010 | mg/L | | | | | | | |
| Vinyl Acetate | ND | 0.0050 | mg/L | | | | | | | |
| Vinyl Chloride | ND | 0.0010 | mg/L | | | | | | | |
| Xylene O | ND | 0.0010 | mg/L | | | | | | | |
| Xylene P,M | ND | 0.0020 | mg/L | | | | | | | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 0.0319 | | mg/L | 0.02500 | | 128 | 70-130 | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 0.0225 | | mg/L | 0.02500 | | 90 | 70-130 | | | |
| <i>Surrogate: Dibromofluoromethane</i> | 0.0278 | | mg/L | 0.02500 | | 111 | 70-130 | | | |
| <i>Surrogate: Toluene-d8</i> | 0.0255 | | mg/L | 0.02500 | | 102 | 70-130 | | | |

LCS

| | | | | | |
|---------------------------|------|------|-------|-----|--------|
| 1,1,1,2-Tetrachloroethane | 8.84 | ug/L | 10.00 | 88 | 70-130 |
| 1,1,1-Trichloroethane | 10.6 | ug/L | 10.00 | 106 | 70-130 |
| 1,1,2,2-Tetrachloroethane | 10.3 | ug/L | 10.00 | 103 | 70-130 |
| 1,1,2-Trichloroethane | 10.6 | ug/L | 10.00 | 106 | 70-130 |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

8260B Volatile Organic Compounds

Batch CK80240 - 50308

| | | | | | | | | | | |
|-----------------------------|------|--|------|-------|-----|--------|--|--|--|----|
| 1,1-Dichloroethane | 11.2 | | ug/L | 10.00 | 112 | 70-130 | | | | |
| 1,1-Dichloroethene | 10.0 | | ug/L | 10.00 | 100 | 70-130 | | | | |
| 1,1-Dichloropropene | 10.6 | | ug/L | 10.00 | 106 | 70-130 | | | | |
| 1,2,3-Trichlorobenzene | 8.34 | | ug/L | 10.00 | 83 | 70-130 | | | | |
| 1,2,3-Trichloropropane | 9.25 | | ug/L | 10.00 | 92 | 70-130 | | | | |
| 1,2,4-Trichlorobenzene | 8.14 | | ug/L | 10.00 | 81 | 70-130 | | | | |
| 1,2,4-Trimethylbenzene | 8.87 | | ug/L | 10.00 | 89 | 70-130 | | | | |
| 1,2-Dibromo-3-Chloropropane | 8.10 | | ug/L | 10.00 | 81 | 70-130 | | | | |
| 1,2-Dibromoethane | 8.78 | | ug/L | 10.00 | 88 | 70-130 | | | | |
| 1,2-Dichlorobenzene | 9.37 | | ug/L | 10.00 | 94 | 70-130 | | | | |
| 1,2-Dichloroethane | 11.2 | | ug/L | 10.00 | 112 | 70-130 | | | | |
| 1,2-Dichloropropane | 10.6 | | ug/L | 10.00 | 106 | 70-130 | | | | |
| 1,3,5-Trimethylbenzene | 9.19 | | ug/L | 10.00 | 92 | 70-130 | | | | |
| 1,3-Dichlorobenzene | 9.18 | | ug/L | 10.00 | 92 | 70-130 | | | | |
| 1,3-Dichloropropane | 9.58 | | ug/L | 10.00 | 96 | 70-130 | | | | |
| 1,4-Dichlorobenzene | 9.85 | | ug/L | 10.00 | 98 | 70-130 | | | | |
| 1,4-Dioxane - Screen | 193 | | ug/L | 200.0 | 97 | 0-332 | | | | |
| 1-Chlorohexane | 7.92 | | ug/L | 10.00 | 79 | 70-130 | | | | |
| 2,2-Dichloropropane | 10.6 | | ug/L | 10.00 | 106 | 70-130 | | | | |
| 2-Butanone | 55.6 | | ug/L | 50.00 | 111 | 70-130 | | | | |
| 2-Chlorotoluene | 9.15 | | ug/L | 10.00 | 92 | 70-130 | | | | |
| 2-Hexanone | 49.1 | | ug/L | 50.00 | 98 | 70-130 | | | | |
| 4-Chlorotoluene | 9.46 | | ug/L | 10.00 | 95 | 70-130 | | | | |
| 4-Isopropyltoluene | 8.99 | | ug/L | 10.00 | 90 | 70-130 | | | | |
| 4-Methyl-2-Pentanone | 51.9 | | ug/L | 50.00 | 104 | 70-130 | | | | |
| Acetone | 53.7 | | ug/L | 50.00 | 107 | 70-130 | | | | |
| Benzene | 10.9 | | ug/L | 10.00 | 109 | 70-130 | | | | |
| Bromobenzene | 9.00 | | ug/L | 10.00 | 90 | 70-130 | | | | |
| Bromochloromethane | 10.4 | | ug/L | 10.00 | 104 | 70-130 | | | | |
| Bromodichloromethane | 9.56 | | ug/L | 10.00 | 96 | 70-130 | | | | |
| Bromoform | 9.06 | | ug/L | 10.00 | 91 | 70-130 | | | | |
| Bromomethane | 10.6 | | ug/L | 10.00 | 106 | 70-130 | | | | |
| Carbon Disulfide | 10.5 | | ug/L | 10.00 | 105 | 70-130 | | | | |
| Carbon Tetrachloride | 10.7 | | ug/L | 10.00 | 107 | 70-130 | | | | |
| Chlorobenzene | 9.11 | | ug/L | 10.00 | 91 | 70-130 | | | | |
| Chloroethane | 11.6 | | ug/L | 10.00 | 116 | 70-130 | | | | |
| Chloroform | 11.5 | | ug/L | 10.00 | 115 | 70-130 | | | | |
| Chloromethane | 13.9 | | ug/L | 10.00 | 139 | 70-130 | | | | B+ |
| cis-1,2-Dichloroethene | 10.3 | | ug/L | 10.00 | 103 | 70-130 | | | | |
| cis-1,3-Dichloropropene | 8.19 | | ug/L | 10.00 | 82 | 70-130 | | | | |
| Dibromochloromethane | 7.49 | | ug/L | 10.00 | 75 | 70-130 | | | | |
| Dibromomethane | 10.8 | | ug/L | 10.00 | 108 | 70-130 | | | | |
| Dichlorodifluoromethane | 10.9 | | ug/L | 10.00 | 109 | 70-130 | | | | |
| Diethyl Ether | 10.1 | | ug/L | 10.00 | 101 | 70-130 | | | | |
| Di-isopropyl ether | 10.3 | | ug/L | 10.00 | 103 | 70-130 | | | | |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

8260B Volatile Organic Compounds

Batch CK80240 - 5030B

| | | | | | | | | | | |
|----------------------------------|--------|--|------|---------|-----|--------|--|--|--|--|
| Ethyl tertiary-butyl ether | 8.88 | | ug/L | 10.00 | 89 | 70-130 | | | | |
| Ethylbenzene | 8.81 | | ug/L | 10.00 | 88 | 70-130 | | | | |
| Hexachlorobutadiene | 8.64 | | ug/L | 10.00 | 86 | 70-130 | | | | |
| Hexachloroethane | 9.87 | | ug/L | 10.00 | 99 | 70-130 | | | | |
| Isopropylbenzene | 8.97 | | ug/L | 10.00 | 90 | 70-130 | | | | |
| Methyl tert-Butyl Ether | 9.17 | | ug/L | 10.00 | 92 | 70-130 | | | | |
| Methylene Chloride | 10.6 | | ug/L | 10.00 | 106 | 70-130 | | | | |
| Naphthalene | 7.02 | | ug/L | 10.00 | 70 | 70-130 | | | | |
| n-Butylbenzene | 9.04 | | ug/L | 10.00 | 90 | 70-130 | | | | |
| n-Propylbenzene | 9.28 | | ug/L | 10.00 | 93 | 70-130 | | | | |
| sec-Butylbenzene | 9.14 | | ug/L | 10.00 | 91 | 70-130 | | | | |
| Styrene | 8.33 | | ug/L | 10.00 | 83 | 70-130 | | | | |
| tert-Butylbenzene | 8.68 | | ug/L | 10.00 | 87 | 70-130 | | | | |
| Tertiary-amyl methyl ether | 8.86 | | ug/L | 10.00 | 89 | 70-130 | | | | |
| Tetrachloroethene | 7.50 | | ug/L | 10.00 | 75 | 70-130 | | | | |
| Tetrahydrofuran | 9.74 | | ug/L | 10.00 | 97 | 70-130 | | | | |
| Toluene | 10.5 | | ug/L | 10.00 | 105 | 70-130 | | | | |
| trans-1,2-Dichloroethene | 9.45 | | ug/L | 10.00 | 94 | 70-130 | | | | |
| trans-1,3-Dichloropropene | 8.05 | | ug/L | 10.00 | 80 | 70-130 | | | | |
| Trichloroethene | 10.2 | | ug/L | 10.00 | 102 | 70-130 | | | | |
| Trichlorofluoromethane | 11.9 | | ug/L | 10.00 | 119 | 70-130 | | | | |
| Vinyl Acetate | 10.8 | | ug/L | 10.00 | 108 | 70-130 | | | | |
| Vinyl Chloride | 12.0 | | ug/L | 10.00 | 120 | 70-130 | | | | |
| Xylene O | 9.20 | | ug/L | 10.00 | 92 | 70-130 | | | | |
| Xylene P,M | 18.2 | | ug/L | 20.00 | 91 | 70-130 | | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.0304 | | mg/L | 0.02500 | 121 | 70-130 | | | | |
| Surrogate: 4-Bromo fluorobenzene | 0.0251 | | mg/L | 0.02500 | 100 | 70-130 | | | | |
| Surrogate: Dibromo fluoromethane | 0.0291 | | mg/L | 0.02500 | 116 | 70-130 | | | | |
| Surrogate: Toluene-d8 | 0.0240 | | mg/L | 0.02500 | 96 | 70-130 | | | | |

LCS Dup

| | | | | | | | | | | |
|-----------------------------|------|--|------|-------|-----|--------|------|----|--|--|
| 1,1,1,2-Tetrachloroethane | 9.10 | | ug/L | 10.00 | 91 | 70-130 | 3 | 25 | | |
| 1,1,1-Trichloroethane | 10.7 | | ug/L | 10.00 | 107 | 70-130 | 1 | 25 | | |
| 1,1,2,2-Tetrachloroethane | 10.6 | | ug/L | 10.00 | 106 | 70-130 | 3 | 25 | | |
| 1,1,2-Trichloroethane | 10.5 | | ug/L | 10.00 | 105 | 70-130 | 0.5 | 25 | | |
| 1,1-Dichloroethane | 11.1 | | ug/L | 10.00 | 111 | 70-130 | 0.6 | 25 | | |
| 1,1-Dichloroethene | 9.92 | | ug/L | 10.00 | 99 | 70-130 | 0.8 | 25 | | |
| 1,1-Dichloropropene | 10.7 | | ug/L | 10.00 | 107 | 70-130 | 1 | 25 | | |
| 1,2,3-Trichlorobenzene | 8.40 | | ug/L | 10.00 | 84 | 70-130 | 0.7 | 25 | | |
| 1,2,3-Trichloropropane | 9.47 | | ug/L | 10.00 | 95 | 70-130 | 2 | 25 | | |
| 1,2,4-Trichlorobenzene | 8.49 | | ug/L | 10.00 | 85 | 70-130 | 4 | 25 | | |
| 1,2,4-Trimethylbenzene | 9.16 | | ug/L | 10.00 | 92 | 70-130 | 3 | 25 | | |
| 1,2-Dibromo-3-Chloropropane | 9.19 | | ug/L | 10.00 | 92 | 70-130 | 13 | 25 | | |
| 1,2-Dibromoethane | 8.93 | | ug/L | 10.00 | 89 | 70-130 | 2 | 25 | | |
| 1,2-Dichlorobenzene | 9.69 | | ug/L | 10.00 | 97 | 70-130 | 3 | 25 | | |
| 1,2-Dichloroethane | 11.2 | | ug/L | 10.00 | 112 | 70-130 | 0.09 | 25 | | |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

8260B Volatile Organic Compounds

Batch CK80240 - 5030B

| | | | | | | | | | | |
|----------------------------|------|--|------|-------|-----|--------|------|-----|--|----|
| 1,2-Dichloropropane | 10.7 | | ug/L | 10.00 | 107 | 70-130 | 0.9 | 25 | | |
| 1,3,5-Trimethylbenzene | 9.54 | | ug/L | 10.00 | 95 | 70-130 | 4 | 25 | | |
| 1,3-Dichlorobenzene | 9.53 | | ug/L | 10.00 | 95 | 70-130 | 4 | 25 | | |
| 1,3-Dichloropropane | 9.65 | | ug/L | 10.00 | 96 | 70-130 | 0.7 | 25 | | |
| 1,4-Dichlorobenzene | 10.1 | | ug/L | 10.00 | 101 | 70-130 | 2 | 25 | | |
| 1,4-Dioxane - Screen | 197 | | ug/L | 200.0 | 99 | 0-332 | 2 | 200 | | |
| 1-Chlorohexane | 8.29 | | ug/L | 10.00 | 83 | 70-130 | 5 | 25 | | |
| 2,2-Dichloropropane | 10.6 | | ug/L | 10.00 | 106 | 70-130 | 0.3 | 25 | | |
| 2-Butanone | 56.5 | | ug/L | 50.00 | 113 | 70-130 | 1 | 25 | | |
| 2-Chlorotoluene | 9.51 | | ug/L | 10.00 | 95 | 70-130 | 4 | 25 | | |
| 2-Hexanone | 50.4 | | ug/L | 50.00 | 101 | 70-130 | 3 | 25 | | |
| 4-Chlorotoluene | 9.75 | | ug/L | 10.00 | 98 | 70-130 | 3 | 25 | | |
| 4-Isopropyltoluene | 9.30 | | ug/L | 10.00 | 93 | 70-130 | 3 | 25 | | |
| 4-Methyl-2-Pentanone | 52.0 | | ug/L | 50.00 | 104 | 70-130 | 0.2 | 25 | | |
| Acetone | 54.3 | | ug/L | 50.00 | 109 | 70-130 | 1 | 25 | | |
| Benzene | 10.9 | | ug/L | 10.00 | 109 | 70-130 | 0.5 | 25 | | |
| Bromobenzene | 9.23 | | ug/L | 10.00 | 92 | 70-130 | 3 | 25 | | |
| Bromochloromethane | 10.3 | | ug/L | 10.00 | 103 | 70-130 | 1 | 25 | | |
| Bromodichloromethane | 9.59 | | ug/L | 10.00 | 96 | 70-130 | 0.3 | 25 | | |
| Bromoform | 9.11 | | ug/L | 10.00 | 91 | 70-130 | 0.6 | 25 | | |
| Bromomethane | 10.7 | | ug/L | 10.00 | 107 | 70-130 | 0.7 | 25 | | |
| Carbon Disulfide | 10.6 | | ug/L | 10.00 | 106 | 70-130 | 1 | 25 | | |
| Carbon Tetrachloride | 10.6 | | ug/L | 10.00 | 106 | 70-130 | 0.6 | 25 | | |
| Chlorobenzene | 9.37 | | ug/L | 10.00 | 94 | 70-130 | 3 | 25 | | |
| Chloroethane | 11.6 | | ug/L | 10.00 | 116 | 70-130 | 0.09 | 25 | | |
| Chloroform | 11.5 | | ug/L | 10.00 | 115 | 70-130 | 0.2 | 25 | | |
| Chloromethane | 13.5 | | ug/L | 10.00 | 135 | 70-130 | 3 | 25 | | B+ |
| cis-1,2-Dichloroethene | 10.5 | | ug/L | 10.00 | 105 | 70-130 | 2 | 25 | | |
| cis-1,3-Dichloropropene | 8.24 | | ug/L | 10.00 | 82 | 70-130 | 0.6 | 25 | | |
| Dibromochloromethane | 7.50 | | ug/L | 10.00 | 75 | 70-130 | 0.1 | 25 | | |
| Dibromomethane | 10.8 | | ug/L | 10.00 | 108 | 70-130 | 0.4 | 25 | | |
| Dichlorodifluoromethane | 10.8 | | ug/L | 10.00 | 108 | 70-130 | 1 | 25 | | |
| Diethyl Ether | 10.2 | | ug/L | 10.00 | 102 | 70-130 | 1 | 25 | | |
| Di-isopropyl ether | 10.5 | | ug/L | 10.00 | 105 | 70-130 | 2 | 25 | | |
| Ethyl tertiary-butyl ether | 8.98 | | ug/L | 10.00 | 90 | 70-130 | 1 | 25 | | |
| Ethylbenzene | 9.02 | | ug/L | 10.00 | 90 | 70-130 | 2 | 25 | | |
| Hexachlorobutadiene | 8.92 | | ug/L | 10.00 | 89 | 70-130 | 3 | 25 | | |
| Hexachloroethane | 10.1 | | ug/L | 10.00 | 101 | 70-130 | 2 | 25 | | |
| Isopropylbenzene | 9.34 | | ug/L | 10.00 | 93 | 70-130 | 4 | 25 | | |
| Methyl tert-Butyl Ether | 9.30 | | ug/L | 10.00 | 93 | 70-130 | 1 | 25 | | |
| Methylene Chloride | 10.5 | | ug/L | 10.00 | 105 | 70-130 | 0.9 | 25 | | |
| Naphthalene | 6.92 | | ug/L | 10.00 | 69 | 70-130 | 1 | 25 | | B- |
| n-Butylbenzene | 9.25 | | ug/L | 10.00 | 92 | 70-130 | 2 | 25 | | |
| n-Propylbenzene | 9.63 | | ug/L | 10.00 | 96 | 70-130 | 4 | 25 | | |
| sec-Butylbenzene | 9.57 | | ug/L | 10.00 | 96 | 70-130 | 5 | 25 | | |



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Quality Control Data

| Analyte | Result | MRL | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Qualifier |
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|
|---------|--------|-----|-------|-------------|---------------|------|-------------|-----|-----------|-----------|

8260B Volatile Organic Compounds

Batch CK80240 - 5030B

| | | | | | | | | | | |
|---|---------------|------|----------------|--|------------|---------------|-----|----|--|--|
| Styrene | 8.70 | ug/L | 10.00 | | 87 | 70-130 | 4 | 25 | | |
| tert-Butylbenzene | 9.09 | ug/L | 10.00 | | 91 | 70-130 | 5 | 25 | | |
| Tertiary-amyl methyl ether | 8.93 | ug/L | 10.00 | | 89 | 70-130 | 0.8 | 25 | | |
| Tetrachloroethene | 7.65 | ug/L | 10.00 | | 76 | 70-130 | 2 | 25 | | |
| Tetrahydrofuran | 10.2 | ug/L | 10.00 | | 102 | 70-130 | 5 | 25 | | |
| Toluene | 10.6 | ug/L | 10.00 | | 106 | 70-130 | 0.6 | 25 | | |
| trans-1,2-Dichloroethene | 9.49 | ug/L | 10.00 | | 95 | 70-130 | 0.4 | 25 | | |
| trans-1,3-Dichloropropene | 8.25 | ug/L | 10.00 | | 82 | 70-130 | 2 | 25 | | |
| Trichloroethene | 10.2 | ug/L | 10.00 | | 102 | 70-130 | 0.8 | 25 | | |
| Trichlorofluoromethane | 11.8 | ug/L | 10.00 | | 118 | 70-130 | 0.6 | 25 | | |
| Vinyl Acetate | 11.1 | ug/L | 10.00 | | 111 | 70-130 | 2 | 25 | | |
| Vinyl Chloride | 11.8 | ug/L | 10.00 | | 118 | 70-130 | 1 | 25 | | |
| Xylene O | 9.52 | ug/L | 10.00 | | 95 | 70-130 | 3 | 25 | | |
| Xylene P,M | 19.0 | ug/L | 20.00 | | 95 | 70-130 | 5 | 25 | | |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>0.0293</i> | mg/L | <i>0.02500</i> | | <i>117</i> | <i>70-130</i> | | | | |
| <i>Surrogate: 4-Bromofluorobenzene</i> | <i>0.0250</i> | mg/L | <i>0.02500</i> | | <i>100</i> | <i>70-130</i> | | | | |
| <i>Surrogate: Dibromofluoromethane</i> | <i>0.0284</i> | mg/L | <i>0.02500</i> | | <i>114</i> | <i>70-130</i> | | | | |
| <i>Surrogate: Toluene-d8</i> | <i>0.0241</i> | mg/L | <i>0.02500</i> | | <i>97</i> | <i>70-130</i> | | | | |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

Notes and Definitions

| | |
|--------|---|
| U | Analyte included in the analysis, but not detected |
| D | Diluted. |
| CD+ | Continuing Calibration %Diff/Drift is above control limit (CD+). |
| B+ | Blank Spike recovery is above upper control limit (B+). |
| B- | Blank Spike recovery is below lower control limit (B-). |
| ND | Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes |
| dry | Sample results reported on a dry weight basis |
| RPD | Relative Percent Difference |
| MDL | Method Detection Limit |
| MRL | Method Reporting Limit |
| LOD | Limit of Detection |
| LOQ | Limit of Quantitation |
| DL | Detection Limit |
| I/V | Initial Volume |
| F/V | Final Volume |
| § | Subcontracted analysis; see attached report |
| 1 | Range result excludes concentrations of surrogates and/or internal standards eluting in that range. |
| 2 | Range result excludes concentrations of target analytes eluting in that range. |
| 3 | Range result excludes the concentration of the C9-C10 aromatic range. |
| Avg | Results reported as a mathematical average. |
| NR | No Recovery |
| [CALC] | Calculated Analyte |
| SUB | Subcontracted analysis; see attached report |
| RL | Reporting Limit |
| EDL | Estimated Detection Limit |



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 1811001

ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

Rhode Island Potable and Non Potable Water: LAI00179

<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750

http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutofStateCommercialLaboratories.pdf

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002

<http://www.maine.gov/dhhs/mecdc/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002

<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313

<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006

http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site=58715

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752

<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory Sample and Cooler Receipt Checklist

| Client: <u>ATC Group Services - KPB/HDM</u> | ESS Project ID: <u>1811001</u> | | | | | | |
|--|------------------------------------|--|---------------------|-------------------|--------------------|--------------|--|
| Shipped/Delivered Via: <u>ESS Courier</u> | Date Received: <u>11/1/2018</u> | | | | | | |
| | Project Due Date: <u>11/8/2018</u> | | | | | | |
| | Days for Project: <u>5 Day</u> | | | | | | |
| 1. Air bill manifest present? Air No.: <u>NA</u> <input type="checkbox"/> No | | 6. Does COC match bottles? <input type="checkbox"/> Yes | | | | | |
| 2. Were custody seals present? <input type="checkbox"/> No | | 7. Is COC complete and correct? <input type="checkbox"/> Yes | | | | | |
| 3. Is radiation count <100 CPM? <input type="checkbox"/> Yes | | 8. Were samples received intact? <input type="checkbox"/> Yes | | | | | |
| 4. Is a Cooler Present? Temp: <u>2.6</u> Iced with: <u>Ice</u> <input type="checkbox"/> Yes | | 9. Were labs informed about <u>short holds & rushes</u> ? <input type="checkbox"/> Yes / No / NA | | | | | |
| 5. Was COC signed and dated by client? <input type="checkbox"/> Yes | | 10. Were any analyses received outside of hold time? <input type="checkbox"/> Yes / No | | | | | |
| 11. Any Subcontracting needed? ESS Sample IDs: Analysis: TAT: | | 12. Were VOAs received? a. Air bubbles in aqueous VOAs? <input type="checkbox"/> Yes / No b. Does methanol cover soil completely? <input type="checkbox"/> Yes / No / NA | | | | | |
| 13. Are the samples properly preserved? a. If metals preserved upon receipt: b. Low Level VOA vials frozen: <input type="checkbox"/> Yes / No | | Date: _____ Time: _____ By: _____ Date: _____ Time: _____ By: _____ | | | | | |
| Sample Receiving Notes: <hr/> <hr/> | | | | | | | |
| 14. Was there a need to contact Project Manager? a. Was there a need to contact the client? Who was contacted? _____ Date: _____ | | Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Time: _____ By: _____ | | | | | |
| <hr/> <hr/> | | | | | | | |
| Sample Number | Container ID | Proper Container | Air Bubbles Present | Sufficient Volume | Container Type | Preservative | Record pH (Cyanide and 608 Pesticides) |
| 01 | 285150 | Yes | NA | Yes | 250 mL Poly - HNO3 | HNO3 | |
| 01 | 285160 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 01 | 285161 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 01 | 285162 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 02 | 285149 | Yes | NA | Yes | 250 mL Poly - HNO3 | HNO3 | |
| 02 | 285157 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 02 | 285158 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 02 | 285159 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 03 | 285148 | Yes | NA | Yes | 250 mL Poly - HNO3 | HNO3 | |
| 03 | 285154 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 03 | 285155 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 03 | 285156 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 04 | 285147 | Yes | NA | Yes | 250 mL Poly - HNO3 | HNO3 | |
| 04 | 285151 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 04 | 285152 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 04 | 285153 | Yes | No | Yes | VOA Vial - HCl | HCl | |
| 05 | 285440 | Yes | No | Yes | VOA Vial - HCl | HCl | |


2nd Review

Are barcode labels on correct containers?
Are all necessary stickers attached?

Yes / No
 Yes / No

Completed

ESS Laboratory Sample and Cooler Receipt Checklist

| | | | |
|---------------|---|-----------------|--------------|
| Client: | ATC Group Services - KPB/HDM | ESS Project ID: | 1811001 |
| By: |  | Date Received: | 11/1/2018 |
| Reviewed By: | | Date & Time: | 11/1/18 1838 |
| Delivered By: | | Date & Time: | 11/1/18 1838 |

ESS Laboratory

Division of Thielsch Engineering, Inc.
 185 Frances Avenue, Cranston RI 02910
 Tel. (401) 461-7181 Fax (401) 461-4486
www.esslaboratory.com

CHAIN OF CUSTODY

| | | | | | | | | | | |
|--|------------------------|--------------------------------|--------------------|---|---|-----------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Turn Time: 5-Day Rush: Regulatory State: RI GA Groundwater Objectives Is this project for any of the following? <input type="checkbox"/> MA-MCP <input type="checkbox"/> CT-RCP <input type="checkbox"/> RGP <input type="checkbox"/> Remediation | | | | | ESS Lab # <i>8/1/001</i> Reporting Limits RI GA Groundwater Objectives Electronic Deliverables <input checked="" type="checkbox"/> Limit Checker <input checked="" type="checkbox"/> Excel <input checked="" type="checkbox"/> Other (Please Specify) → pdf | | | | | |
| Company Name ATC Group Services, LLC | | Project # 3010000238 | | Project Name Former Portsmouth Landfill | | Analysis | VOC by 8260 | Total Sb, As, Ba, Be, Cd, Cr | Total Co, Cu, Pb, Ni, Se, Ag | Total Ti, V, Zn |
| Contact Person Stephen Gautie | | | | Address 400 Reservoir Ave., Suite 2C | | | | | | |
| City Providence | | State Rhode Island | | Zip Code 02907 | PO # 3010000238 | | | | | |
| Telephone Number (401) 639-4272 | | | | Email Address stephen.gautie@atcgs.com | | | | | | |
| ESS Lab ID | Collection Date | Collection Time | Sample Type | Sample Matrix | Sample ID | | | | | |
| 1 | 10/30/18 | 9:34 | Grab | Ground Water | MW-1 | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2 | | 15:04 | Grab | Ground Water | MW-2 | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 3 | | 14:10 | Grab | Ground Water | MW-3 | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| 4 | ↓ | 13:10 | Grab | Ground Water | MW-4 | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | | | | | Trip Blank | | <input checked="" type="checkbox"/> | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Container Type: AG-Amber Glass B-BOD Bottle G-Glass P-Poly S-Sterile V-Vial O-Other | | | | | V | P | P | P | | |
| Preservation Code: 1-Non Preserved 2-HCl 3-H2SO4 4-HNO3 5-NaOH 6-Methanol 7-Na2S2O3 8-ZnAcet, NaOH 9-NH4Cl 10-DI H2O 11-Other* | | | | | 2 | 4 | 4 | 4 | | |
| | | | | | Number of Containers: 13 4* | | | | | |

| | | | |
|---|--|--|--|
| Laboratory Use Only Cooler Present: <input checked="" type="checkbox"/> Seals Intact: <i>NA</i> Cooler Temperature: <i>°C ice temp: 2.6</i> | | Sampled by: Comments: Please specify "Other" preservative and containers types in this space <i>*Total Metals: one container per sample for all listed 15 metals.</i> | |
| | | | |
| Relinquished by: (Signature, Date & Time) <i>Brian Dunn 10/30/18 5:34</i> | | Received By: (Signature, Date & Time) <i>J. D. Dill 11/1/18 9:12</i> | Relinquished By: (Signature, Date & Time) <i>S. D. Dill 11/1/18 16:46</i> |
| Relinquished by: (Signature, Date & Time) | | Received By: (Signature, Date & Time) | Received By: (Signature, Date & Time) <i>C. M. 11/1/18 18:19</i> |
| | | | |

1811001
~~1706880~~

CONSTITUENTS FOR DETECTION MONITORING (1)

| Common name (2) | CAS RN (3) |
|-------------------------|------------|
| Inorganic Constituents: | |
| (1) Antimony..... | (Total) |
| (2) Arsenic..... | (Total) |
| (3) Barium..... | (Total) |
| (4) Beryllium..... | (Total) |
| (5) Cadmium..... | (Total) |
| (6) Chromium..... | (Total) |
| (7) Cobalt..... | (Total) |
| (8) Copper..... | (Total) |
| (9) Lead..... | (Total) |
| (10) Nickel..... | (Total) |
| (11) Selenium..... | (Total) |
| (12) Silver..... | (Total) |
| (13) Thallium..... | (Total) |
| (14) Vanadium..... | (Total) |
| (15) Zinc..... | (Total) |

→ 8260

Appendix E

Table 2

Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

| Location | Date | Ambient | | | | | Soil Gas | | | | | |
|----------|------------|------------------|---------------------------------|--------------------------------|----------------|---------------------------|-------------------------|----------------------------|--------------------------|--|------------------|---------|
| | | Temperature (F°) | Barometric Pressure (Inches Hg) | Wind Velocity (Miles Per Hour) | Wind Direction | Ambient Methane (CH4) (%) | Ambient Oxygen (O2) (%) | Soil Gas Methane (CH4) (%) | Soil Gas Oxygen (O2) (%) | Soil Gas Hydrogen Sulfide (H ₂ S) (ppm) | Soil Gas LEL (%) | C02 (%) |
| SG-1 | 5/30/2017 | 54 | 30.24 | 4 | SE | 0.0 | 20.5 | 0 | 20.5 | 0 | 0 | 0 |
| | 9/8/2017 | 72 | 30.03 | 5 | S | 0.0 | 19.2 | 0 | 19.1 | 0 | 0 | 0 |
| | 12/21/2017 | 32 | 30.24 | 8 | NW | 0.2 | 21.6 | 0 | 21.2 | 0 | 0 | 0 |
| | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 21.6 | 0 | 0 | 0 |
| | 7/31/2018 | 85 | 30.14 | 1 | S | 0.0 | 19.4 | 0 | 19.4 | 0 | 0 | 0 |
| | 10/30/2018 | 50 | 29.97 | 8 | SSE | 0.0 | 20.9 | 0 | 20.8 | 0 | 0 | 0.1 |
| SG-2 | 5/30/2017 | 56 | 30.22 | 6 | SE | 0.0 | 20.6 | 0 | 20.6 | 0 | 0 | 0 |
| | 9/8/2017 | 72 | 30.03 | 8 | S | 0.0 | 19.4 | 0 | 19.3 | 0 | 0 | 0 |
| | 12/21/2017 | 32 | 30.24 | 10 | NW | 0.0 | 21.6 | 0 | 21.4 | 0 | 0 | 0 |
| | 4/13/2018 | 72 | 30.03 | 8 | S | 0.0 | 19.4 | 0 | 19.3 | 0 | 0 | 0 |
| | 7/31/2018 | 85 | 30.15 | 12 | SW | 0.0 | 19.8 | 0 | 19.7 | 0 | 0 | 0.1 |
| | 10/30/2018 | 50 | 29.95 | 8 | SE | 0.0 | 21.1 | 0 | 20.9 | 0 | 0 | 0.1 |
| SG-3 | 5/30/2017 | 56 | 30.22 | 6 | SE | 0.0 | 20.4 | 9.7 | 1.3 | 0 | >100 | 12.5 |
| | 9/8/2017 | 73 | 30.04 | 4 | SE | 0.0 | 19.7 | 4.1 | 11.7 | 0 | 87 | 5.0 |
| | 12/21/2017 | 32 | 30.24 | 10 | NW | 0.0 | 21.6 | 4.6 | 7.8 | 0 | 90 | 9.0 |
| | 4/13/2018 | 73 | 30.04 | 4 | SE | 0.0 | 19.7 | 4.1 | 11.7 | 0 | 87 | 5.0 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.7 | 7.7 | 5.2 | 2 | >100 | 10.4 |
| | 10/30/2018 | 51 | 29.95 | 10 | SSE | 0.0 | 21.8 | 13.5 | 0.2 | 4 | >100 | 2.0 |
| SG-4 | 5/30/2017 | 56 | 30.20 | 8 | SE | 0.0 | 20.1 | 0 | 19.6 | 0 | 0 | 0.2 |
| | 9/8/2017 | 73 | 30.05 | 6 | SE | 0.0 | 19.2 | 0 | 18.5 | 0 | 0 | 0.4 |
| | 12/21/2017 | 32 | 30.24 | 6 | NW | 0.0 | 21.6 | 0 | 21.0 | 0 | 0 | 0.5 |
| | 4/13/2018 | 73 | 30.05 | 6 | SE | 0.0 | 19.2 | 0 | 18.5 | 0 | 0 | 0.4 |
| | 7/31/2018 | 85 | 30.13 | 1 | S | 0.0 | 19.7 | 0 | 19.3 | 0 | 0 | 0.4 |
| | 10/30/2018 | 55 | 29.96 | 14 | SSE | 0.0 | 21.7 | 0 | 18.8 | 0 | 0 | 15.3 |
| SG-5 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 20.1 | 0 | 0 | 0.7 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.9 | 0 | 17.0 | 0 | 0 | 3.3 |
| | 10/30/2018 | 51 | 29.96 | 7 | SE | 0.0 | 21.4 | 0 | 13.5 | 0 | 0 | 6.5 |
| SG-6 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 18.2 | 0 | 0 | 2.6 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.9 | 0 | 10.3 | 0 | 0 | 8.6 |
| | 10/30/2018 | 51 | 29.95 | 7 | SSE | 0.0 | 21.5 | 0 | 15.3 | 0 | 0 | 6.0 |
| SG-7 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 17.6 | 0 | 0 | 3.3 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.8 | 0 | 12.3 | 0 | 0 | 7.9 |
| | 10/30/2018 | 52 | 29.95 | 9 | SSE | 0.0 | 21.4 | 0 | 21.6 | 0 | 0 | 0.1 |
| SG-8 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 20.7 | 0 | 0 | 0.8 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.2 | 0 | 18.1 | 0 | 0 | 1.1 |
| | 10/30/2018 | 52 | 29.95 | 9 | SE | 0.0 | 21.9 | 0 | 20.1 | 0 | 0 | 1.7 |
| SG-9 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 14.9 | 0 | 0 | 5.4 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.2 | 0 | 13.7 | 0 | 0 | 5.2 |
| | 10/30/2018 | 54 | 29.94 | 12 | SSE | 0.0 | 21.7 | 0 | 13.0 | 0 | 0 | 7.4 |
| SG-10 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 19.4 | 0 | 0 | 2.2 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.3 | 0 | 12.9 | 1 | 0 | 5.9 |
| | 10/30/2018 | 53 | 29.94 | 14 | SE | 0.0 | 21.8 | 0 | 5.2 | 0 | 0 | 12.8 |
| SG-11 | 4/13/2018 | 45 | 29.92 | 6 | SSW | 0.0 | 21.9 | 0 | 20.1 | 0 | 0 | 1.4 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.6 | 0 | 16.3 | 0 | 0 | 1.8 |
| | 7/31/2018 | 85 | 30.16 | 12 | SW | 0.0 | 19.6 | 0 | 16.3 | 0 | 0 | 1.8 |
| | 10/30/2018 | 53 | 29.94 | 14 | SE | 0.0 | 21.6 | 0 | 19.1 | 0 | 0 | 2.1 |

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor