



**GROUNDWATER & LANDFILL GAS MONITORING REPORT No. 14
THE FORMER PORTSMOUTH LANDFILL
PARK AVENUE
PORTSMOUTH, RI 02871**

ATC PROJECT No. 3010000238

PREPARED FOR:

AP ENTERPRISE LLC
28 TEAL DRIVE
WAKEFIELD, RHODE ISLAND 02879

PREPARED BY:

ATC GROUP SERVICES LLC
400 RESERVOIR AVENUE, SUITE 3D
PROVIDENCE, RHODE ISLAND 02907

OCTOBER 30, 2020

TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 Site Location and Description.....	1
2.0 FIELD ACTIVITIES	1
2.1 Monitoring Well Gauging and Area Groundwater Flow.....	1
2.2 Groundwater Sampling and Analysis	1
2.3 Groundwater Analytical Results	2
2.4 Soil Gas Point Installation	2
2.5 Soil Gas Monitoring.....	2
3.0 CONCLUSIONS	3

Tables

- Table 1 Water Level Measurements Data
Table 2 Summary of Groundwater Analytical Results
Table 3 Summary of Soil Gas Monitoring Data

Figures

- Figure 1 Site Locus Map
Figure 2 Groundwater Elevation Contour Map

Appendices

- Appendix A Groundwater Laboratory Analytical Results

1.0 INTRODUCTION

ATC Group Services LLC (ATC) was retained by AP Enterprise to install four (4) groundwater monitoring wells and a total of eleven (11) landfill gas monitoring points, and to conduct quarterly groundwater and landfill gas monitoring at the former Portsmouth Landfill located on Park Avenue in Portsmouth, Rhode Island. The objective of this work is to support the Rhode Island Department of Environmental Management (RIDEM) approved Site Monitoring Plan as prepared by Tim O'Connor & Company LLC. This is the fourteenth quarterly report prepared by ATC.

1.1 Site Location and Description

The entrance to the former Portsmouth Landfill is located 500 feet west-northwest of the intersection formed by Boyds Lane and Park Avenue. The property is identified by the Portsmouth Tax Assessor as Plat 20 Lots 1, 2 & 13 and Plat 25 Lot 2 (the Site). The Site encompasses approximately 15.02 acres. The ground surface is generally level, with downward slopes along the landfill margins. A Site Locus Map and a Site Plan are included as **Figures 1 and 2** respectively.

On April 25, 2017, four soil borings were completed as groundwater monitoring wells MW-1, MW-2, MW-3, and MW-4. The four groundwater monitoring wells were constructed using two-inch diameter polyvinyl chloride (PVC) riser and 10 to 15 feet of machine-slotted 0.01 inch well screen. The well screens were placed to intercept the groundwater table. Groundwater monitoring well locations are depicted on **Figure 2**.

2.0 FIELD ACTIVITIES

The following activities were conducted to evaluate the potential presence of contamination in soil gas and groundwater as a result of historic landfill activities.

2.1 Monitoring Well Gauging and Area Groundwater Flow

On October 19, 2020, ATC gauged depth to groundwater in the four groundwater monitoring wells using a Solinst electronic oil/water interface probe. Depth to groundwater was measured from the top of the PVC well risers and ranged from 7.15 feet below top of casing in MW-1 to 15.09 feet below top of casing in MW-3. Non-aqueous phase liquids were not detected on the groundwater surface, or in the bottom of the wells. Based upon the groundwater elevation data, the groundwater gradient is generally toward the south on the southern portion of the Site, to the north on the northern portion of the Site and to the east on the eastern portion. A Water Level Gauging Sheet is provided as **Table 1**. Groundwater Contours are included on **Figure 2**.

2.2 Groundwater Sampling and Analysis

On October 19, 2020, ATC completed the fourteenth quarterly groundwater sampling round. The groundwater samples were obtained using the USEPA's Low Stress Purging and Sampling Procedure (EQA SOP-GW-001). ATC used a variable speed low-flow peristaltic pump to control the rate of purging and limit the drawdown. Disposable polyethylene tubing was used at each well. Field parameters were recorded during sampling using a YSI Pro Series with flow-through cell. Field parameters included pH, water temperature, specific conductance, oxidation reduction potential (ORP) and dissolved oxygen. The groundwater samples were collected upon parameter

stabilization, and contained in laboratory grade pre-preserved sample containers. The samples were chilled in a cooler and transported under Chain of Custody to ESS Laboratory (ESS), a Rhode Island certified laboratory. ESS analyzed the samples for volatile organic compounds (VOCs) by EPA Method 8260, and total metals by EPA Methods 6010 and 7010.

2.3 Groundwater Analytical Results

No VOCs or metals were reported in excess of the RIDEM GA Groundwater Objectives, in the groundwater samples obtained on October 19, 2020. The groundwater analytical data is summarized on **Table 2**. The laboratory analytical report is included in **Appendix A**.

2.4 Soil Gas Point Installation

Four permanent SGPs (SG-1, SG-2, SG-3 and SG-4) were installed in April of 2017. Each of the four SGPs were installed in the unsaturated zone, using a Geoprobe brand 21" stainless soil gas implant. The depth of placement was determined by the existing depth to groundwater at each location, which ranged from approximately four to ten feet below grade. Each SGP was backfilled with uniform grade, silica sand to approximately one foot above the screen section. Approximately one foot of bentonite was placed above each SGP to seal it from surface water intrusion. Each SGP was connected to 3/8" by 1/4" tubing that was brought to the ground surface. At the ground surface, the SGP tubing was protected by a two-inch, by five-foot lockable standpipe cemented at grade.

At the request of RIDEM, AP Enterprise directed ATC to install an additional seven permanent soil gas points (SGPs) along the Site boundary, near monitoring point SG-3. SG-3 is the only SGP to have exceeded methane's lower explosive limit (LEL) of 5% and the RIDEM limit of 25% of the LEL (1.25%). On April 13, 2018, ATC installed seven additional peripheral SGPs (SG-5, SG-6, SG-7, SG-8, SG-9, SG-10 and SG-11), located every 50 feet along the edge of the Site boundary near SG-3. The seven SGPs were installed in the vadose zone to a depth of 2.5 feet below grade using a slam bar and 1/4 inch OD polyethylene tubing terminating with an AMS slotted stainless steel soil gas point. The SGPs were secured at grade with a small concrete pad.

The eleven (11) peripheral SGPs are positioned to monitor for potential landfill gas migration away from the solid waste mound. These points are positioned between the landfill mound boundary and the nearby habitable structures. SGP locations are shown on **Figure 2**.

2.5 Soil Gas Monitoring

On October 19, 2020, ATC conducted the fourteenth quarterly round of landfill gas monitoring. Soil gas methane, hydrogen sulfide, oxygen and carbon dioxide concentrations were measured at the monitoring points using a Landtech Gem 5000 Landfill Gas Analyzer and a QRAE II Gas Analyzer. Additionally, ambient temperature, barometric pressure, wind speed and wind direction were measured and recorded. SGPs are depicted on **Figure 2**. The soil gas monitoring results are summarized on **Table 3**.

Methane was detected in monitoring point SG-3 at a concentration of 2.7%, which is less than the methane lower and upper explosive limits of 5% and 15%. Soil gas obtained from SG-3 has exceeded the lower explosive limit in previous monitoring events. The seven fence-line perimeter monitoring points located near SG-3 (SG-5 through SG-11) were "non-detect" for methane. All of

the remaining monitored soil gas points were also “non-detect” for methane. Therefore, the measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.

Hydrogen sulfide was detected at monitoring point SG-3 only, at 2% (similar to previous concentrations at SG-3). All of the other soil gas points were “non-detect” for hydrogen sulfide. The soil gas point carbon dioxide concentrations ranged from non-detect to a maximum of 9.0% at location SG-10. The oxygen concentrations ranged from atmospheric (approximately 20.9%) down to 12.6% at SG-3. The soil gas monitoring results are summarized in **Table 3**.

3.0 CONCLUSIONS

ATC has performed the fourteenth quarterly groundwater and landfill gas monitoring on October 19, 2020, at the former Portsmouth town landfill on Park Avenue in Portsmouth, Rhode Island. Based upon the scope of work and sampling activities completed, ATC concludes the following:

- No VOCs or metals were reported in excess of the RIDEM GA Groundwater Objectives, in the groundwater samples obtained on October 19, 2020.
- Methane was detected in monitoring point SG-3 at a concentration of 2.7%, which is less than the methane lower and upper explosive limits of 5% and 15%. SG-3 methane concentrations monitored from May 2017 to present have ranged from non-detect to 16.0%. All of the remaining monitored soil gas points were “non-detect” for methane. Therefore, the measured methane concentrations in the perimeter monitoring points did not exceed the RIDEM Solid Waste Regulation No. 2, Section 2.3.08 (d), of 25% of the LEL (1.25%) at the Site boundary.
- Hydrogen sulfide was detected at monitoring point SG-3 only, at 2% (similar to previous concentrations at SG-3). All of the other soil gas points were “non-detect” for hydrogen sulfide. The soil gas point carbon dioxide concentrations ranged from non-detect to a maximum of 9.0% at location SG-10. The oxygen concentrations ranged from atmospheric (approximately 20.9%) down to 12.6% at SG-3.

The next quarterly monitoring event is scheduled for January 2021.

TABLES



Location:	Portsmouth Landfill, Park Ave.	ATC #	3010000238
Client:	AP Enterprise LLC	Date:	10/19/2020
Instrument:	ORS Interface Probe	Gauged By:	AK
Checked By:	KC		

WELL #	M.P. ELEVATIONS	DEPTH TO PRODUCT	DEPTH TO WATER	PRODUCT THICKNESS	EQUIVALENT HD ELEV.
MW-1	8.84	---	7.15	0.00	1.69
MW-2	16.25	---	14.92	0.00	1.33
MW-3	16.40	---	15.09	0.00	1.31
MW-4	14.09	---	12.38	0.00	1.71

NOTES:

Height of PVC; MW-1: 3.21, MW-2: 4.01, MW-3: 3.27, MW-4: 2.97

Survey completed by DiPrete Engineering (6/15/17)

Table 2

Groundwater Analytical Results
Former Portsmouth Town Landfill
Park Avenue, Portsmouth, Rhode Island

Well ID	Date	Antimony	Arsenic	Barium	Cadmium	Copper	Lead	Nickel	Selenium	Zinc	1,4-Dichlorobenzene	Chlorobenzene	Chloroform	Dichlorodifluoro methane	Diethyl Ether	Isopropylbenzene	Tetrachloroethene	
MW-1	5/31/17	ND (0.025)	ND (0.002)	0.062	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	9/8/17	ND (0.002)	ND (0.002)	0.068	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	12/21/17	ND (0.002)	ND (0.002)	0.101	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.034	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	4/13/18	ND (0.0005)	ND (0.005)	0.050	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	7/31/18	ND (0.0005)	ND (0.010)	0.060	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	0.137	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	10/30/18	ND (0.001)	0.003	0.135	ND (0.0025)	0.030	ND (0.010)	ND (0.025)	ND (0.005)	0.137	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	1/9/19	ND (0.002)	ND (0.002)	0.059	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	4/12/19	ND (0.001)	ND (0.002)	0.051	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	7/29/19	ND (0.001)	ND (0.002)	0.085	0.0032	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	0.036	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	10/30/2019	ND (0.001)	ND (0.002)	0.088	ND (0.0025)	ND (0.001)	ND (0.001)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	1/15/2020	ND (0.010)	ND (0.025)	ND (0.25)	ND (0.025)	ND (0.1)	ND (0.1)	ND (0.25)	ND (0.25)	ND (0.25)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	4/23/2020	ND (0.001)	ND (0.002)	0.115	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	ND (0.025)	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	7/30/2020	ND (0.001)	ND (0.002)	0.134	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.040	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	10/19/2020	ND (0.001)	ND (0.002)	0.155	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.057	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
MW-2	5/31/17	ND (0.025)	ND (0.002)	0.084	ND (0.0025)	ND (0.010)	0.005	ND (0.025)	ND (0.005)	0.044	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	9/8/17	ND (0.002)	ND (0.002)	0.177	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	(ND 0.025)	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	0.0034	ND (0.0010)		
	12/21/17	ND (0.002)	ND (0.002)	0.187	ND (0.0025)	ND (0.010)	0.014	ND (0.025)	ND (0.025)	0.089	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	4/13/18	ND (0.0005)	ND (0.010)	0.094	ND (0.0025)	0.017	ND (0.010)	ND (0.025)	ND (0.025)	0.051	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	7/31/18	ND (0.0005)	ND (0.002)	0.119	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.060	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	0.0012	ND (0.0010)		
	10/30/18	ND (0.001)	ND (0.002)	0.141	ND (0.0025)	ND (0.010)	0.011	ND (0.025)	ND (0.025)	0.051	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	1/9/19	ND (0.002)	ND (0.002)	0.003	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.005)	ND (0.025)	0.071	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)
	4/12/2019	ND (0.001)	ND (0.002)	0.069	ND (0.0025)	ND (0.010)	0.015	ND (0.025)	ND (0.025)	0.071	ND (0.0010)	ND (0.0010)	ND (0.0020)	ND (0.0010)	ND (0.0010)	ND (0.0010)	ND (0.0010)	
	7/29/19	ND (0.001)	ND (0.002)	0.088	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	0.041	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	10/30/2019	ND (0.001)	0.003	0.082	ND (0.0025)	ND (0.01)	ND (0.01)	ND (0.025)	ND (0.005)	0.076	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	0.0014	ND (0.001)		
	1/15/2020	ND (0.001)	0.004	0.093	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.025	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	4/23/2020	ND (0.001)	0.003	0.074	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.025	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	
	7/30/2020	ND (0.001)	ND (0.002)	0.096	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.025	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	0.0138	ND (0.001)		
	10/19/2020	ND (0.001)	ND (0.002)	0.115	ND (0.0025)	ND (0.010)	ND (0.010)	ND (0.025)	ND (0.025)	0.019	ND (0.001)	ND (0.001)	ND (0.002)	ND (0.001)	0.0283	ND (0.001)		
MW-3	5/31/17	ND (0.025)	ND (0.002)	0.681	ND (0.0025)	ND (0.010)	ND (0.002)	ND (0.025)	ND (0.005)	0.035	0.0011	0.0040	ND (0.0010)	ND (0.0020)	0.0011	0.0240	ND (0.0010)	
	9/8/17	ND (0.002)	ND (0.002)	0.606	ND (0.0025)	ND (0.010)	0.027	ND (0.025)	ND (0.005)	0.026	ND (0.0010)	ND (0.0020)	0.0014	0.0025	ND (0.0010)			
	12/21/17	ND (0.002)	ND (0.002)	1.01	ND (0.0025)	ND (0.010)	0.025	ND (0.025)	ND (0.025)	0.010	0.0029	ND (0.0010)	0.0073	0.0017	0.0191	ND (0.0010)		
	4/13/18																	



Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

Location	Date	Ambient					Soil Gas					
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H ₂ S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-1	5/30/2017	54	30.24	4	SE	0.0	20.5	0	20.5	0	0	0
	9/8/2017	72	30.03	5	S	0.0	19.2	0	19.1	0	0	0
	12/21/2017	32	30.24	8	NW	0.0	21.6	0	21.2	0	0	0
	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	21.6	0	0	0
	7/31/2018	85	30.14	1	S	0.0	19.4	0	19.4	0	0	0
	10/30/2018	50	29.97	8	SSE	0.0	20.9	0	20.8	0	0	0.1
	1/9/2019	43	29.38	5	S	0.0	20.8	0	20.8	0	0	0.1
	4/12/2019	49	30.10	6	NW	0.0	21.3	No flow, obstructed well				
	4/25/2019	54	29.86	3	N	0.0	20.9	0	20.7	0	0	0
	7/29/2019	87	30.01	4	SE	0.0	21.9	Well protector knocked over, laying on ground. Tubing appeared intact but no flow.				
	10/30/2019	67	30.36	0	---	0.0	20.2	Well protector repaired. No flow in tubing.				
	1/15/2020	44	30.17	6	S	0.0	21.2	0	21.2	0	0	0
	4/23/2020	46	30.05	5	S	0.0	20.8	0	20.8	0	0	0
	7/30/2020	78	29.86	5	S	0.0	20.0	0	20.0	0	0	0
	10/19/2020	67	30.23	4	S	0.0	20.8	0	20.8	0	0	0
SG-2	5/30/2017	56	30.22	6	SE	0.0	20.6	0	20.6	0	0	0
	9/8/2017	72	30.03	8	S	0.0	19.4	0	19.3	0	0	0
	12/21/2017	32	30.24	10	NW	0.0	21.6	0	21.4	0	0	0
	4/13/2018	72	30.03	8	S	0.0	19.4	0	19.3	0	0	0
	7/31/2018	85	30.15	12	SW	0.0	19.8	0	19.7	0	0	0.1
	10/30/2018	50	29.95	8	SE	0.0	21.1	0	20.9	0	0	0.1
	1/9/2019	43	29.34	10	S	0.0	21.2	0	21.2	0	0	0
	4/12/2019	49	30.10	7	NE	0.0	21.2	0	21.2	0	0	0.2
	7/29/2019	99	30.04	3	S	0.0	21.8	0.1	21.6	0	0	0.2
	10/30/2019	67	30.36	0	---	0.0	20.2	0	20.6	0	0	0.1
	1/15/2020	45	30.14	5	S	0.0	21.3	0	21.2	0	0	0
	4/23/2020	49	29.99	3	S	0.0	20.8	0	20.8	0	0	0
	7/30/2020	80	28.86	10	S	0.0	20.4	0	20.4	0	0	0
	10/19/2020	65	30.23	2	S	0.0	20.9	0	20.9	0	0	0

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor



Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

Location	Date	Ambient					Soil Gas					
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-3	5/30/2017	56	30.22	6	SE	0.0	20.4	9.7	1.3	0	>100	12.5
	9/8/2017	73	30.04	4	SE	0.0	19.7	4.1	11.7	0	87	5.0
	12/21/2017	32	30.24	10	NW	0.0	21.6	4.6	7.8	0	90	9.0
	4/13/2018	73	30.04	4	SE	0.0	19.7	4.1	11.7	0	87	5.0
	7/31/2018	85	30.16	12	SW	0.0	19.7	7.7	5.2	2	>100	10.4
	10/30/2018	51	29.95	10	SSE	0.0	21.8	13.5	0.2	4	>100	2.0
	1/9/2019	42	29.33	12	S	0.0	21.3	16.0	0.0	4	>100	11.7
	4/12/2019	50	30.10	6	N	0.0	20.9	3.6	0.1	1	21	11.1
	7/29/2019	109	30.05	2	S	0.0	21.6	15.4	0.6	4	99	11.9
	10/30/2019	67	30.36	0	---	0.0	20.9	10.7	0.2	4	>100	14.4
	1/15/2020	45	30.13	2	S	0.0	21.2	3.0	12.4	1.1	58	4.8
	4/23/2020	52	29.95	5	S	0.0	21.3	0	21.2	0	0	0
	7/30/2020	83	29.86	5	S	0.0	20.6	0.1	20.5	0	0	0
	10/19/2020	64	30.23	1	S	0.0	21.2	2.7	12.6	2	0	6.1
SG-4	5/30/2017	56	30.20	8	SE	0.0	20.1	0	19.6	0	0	0.2
	9/8/2017	73	30.05	6	SE	0.0	19.2	0	18.5	0	0	0.4
	12/21/2017	32	30.24	6	NW	0.0	21.6	0	21.0	0	0	0.5
	4/13/2018	73	30.05	6	SE	0.0	19.2	0	18.5	0	0	0.4
	7/31/2018	85	30.13	1	S	0.0	19.7	0	19.3	0	0	0.4
	10/30/2018	55	29.96	14	SSE	0.0	21.7	0	18.8	0	0	15.3
	1/9/2019	43	29.34	10	S	0.0	21.6	0	18.7	0	0	2.1
	4/12/2019	47	30.10	5	N	0.0	20.7	0	19.9	0	0	1.4
	7/29/2019	104	30.03	0	SE	0.0	21.3	0	20.3	0	0	0.9
	10/30/2019	67	30.37	0	---	0.0	21.0	0	18.7	0	0	1.2
	1/15/2020	44	30.12	2	S	0.0	21.2	0	20.5	0	0	1.3
	4/23/2020	53	29.97	1	S	0.0	21.1	0	20.7	0	0	0.4
	7/30/2020	83	29.87	12	S	0.0	20.6	0	20.6	0	0	0.8
	10/19/2020	60	30.23	2	S	0.0	21.2	0	20.6	0	0	0.5

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor



Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

Location	Date	Ambient					Soil Gas					
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-5	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.1	0	0	0.7
	7/31/2018	85	30.16	12	SW	0.0	19.9	0	17.0	0	0	3.3
	10/30/2018	51	29.96	7	SE	0.0	21.4	0	13.5	0	0	6.5
	1/9/2019	42	29.33	10	S	0.0	21.2	0	17.0	0	0	3.9
	4/12/2019	46	30.20	9	N	0.0	21.2	0	19.4	1	0	2.7
	7/29/2019	101	30.04	5	S	0.0	21.9	0.7	0.6	0	6	14.5
	10/30/2019	67	30.37	0	---	0.0	20.2	0	7.2	0	0	9.4
	1/15/2020	44	30.13	5	S	0.0	21.2	0	19.8	0	0	2.2
	4/23/2020	51	29.97	2	S	0.0	21.2	0	20.9	0.5	0	0.2
	7/30/2020	84	29.86	8	S	0.0	20.4	0	20	0	0	4.1
	10/19/2020	65	30.23	2	S	0.0	20.9	0	19.7	0	0	6.4
SG-6	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	18.2	0	0	2.6
	7/31/2018	85	30.16	12	SW	0.0	19.9	0	10.3	0	0	8.6
	10/30/2018	51	29.95	7	SSE	0.0	21.5	0	15.3	0	0	6.0
	1/9/2019	42	29.33	15	S	0.0	21.1	0	15.9	0	0	5.0
	4/12/2019	48	30.20	7	NE	0.0	21.1	0	17.2	1	0	3.4
	7/29/2019	88	30.04	4	S	0.0	21.9	Inaccessible - Dense Vegetation				
	10/30/2019	67	30.34	0	---	0.0	20.6	0	7.4	0	0	10.9
	1/15/2020	44	30.13	5	S	0.0	21.2	0	18.1	0	0	2.9
	4/23/2020	51	29.97	5	S	0.0	21.2	0	20.7	0	0	0.6
	7/30/2020	84	29.86	10	S	0.0	20.4	0	20.1	0	0	0.9
	10/19/2020	65	30.23	3	S	0.0	20.9	0	20.6	0	0	3.3
SG-7	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	17.6	0	0	3.3
	7/31/2018	85	30.16	12	SW	0.0	19.8	0	12.3	0	0	7.9
	10/30/2018	52	29.95	9	SSE	0.0	21.4	0	21.6	0	0	0.1
	1/9/2019	42	29.34	12	S	0.0	21.2	0	20.0	0	0	3.0
	4/12/2019	48	30.20	7	N	0.0	20.9	0	21.2	0	0	0.2
	7/29/2019	88	30.04	4	S	0.0	21.9	Inaccessible - Dense Vegetation				
	10/30/2019	67	30.37	0	---	0.0	20.7	0	20.9	0	0	0.1
	1/15/2020	44	30.12	2	S	0.0	21.2	0	21.0	0	0	0.1
	4/23/2020	52	29.97	2	S	0.0	21.2	0	20.4	0	0	2.5
	7/30/2020	85	29.87	7	S	0.0	20.4	0	19.8	0	0	2
	10/19/2020	65	30.23	3	S	0.0	20.9	0	20.7	0	0	1.8

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor



Table 3
Soil Gas Monitoring Data
Former Portsmouth Landfill
Park Avenue, Portsmouth, RI

Location	Date	Ambient						Soil Gas				
		Temperature (F°)	Barometric Pressure (Inches Hg)	Wind Velocity (Miles Per Hour)	Wind Direction	Ambient Methane (CH4) (%)	Ambient Oxygen (O2) (%)	Soil Gas Methane (CH4) (%)	Soil Gas Oxygen (O2) (%)	Soil Gas Hydrogen Sulfide (H2S) (ppm)	Soil Gas LEL (%)	C02 (%)
SG-8	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.7	0	0	0.8
	7/31/2018	85	30.16	12	SW	0.0	19.2	0	18.1	0	0	1.1
	10/30/2018	52	29.95	9	SE	0.0	21.9	0	20.1	0	0	1.7
	1/9/2019	41	29.34	10	S	0.0	21.2	0	19.5	0	0	1.0
	4/12/2019	50	30.30	6	N	0.0	20.8	0	19.9	0	0	1.3
	7/29/2019	88	30.04	4	S	0.0	21.9	0	20.6	0	0	1.2
	10/30/2019	67	30.37	0	---	0.0	21.0	0	19.4	0	0	1.2
	1/15/2020	45	30.13	2	S	0.0	21.2	0	20.6	0	0	1.0
	4/23/2020	52	29.95	3	S	0.0	21.3	0	20.1	0	0	1.2
	7/30/2020	85	29.87	5	S	0.0	20.4	0	19.6	0	0	1.7
	10/19/2020	66	30.23	3	S	0.0	20.9	0	20.2	0	0	1.0
SG-9	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	14.9	0	0	5.4
	7/31/2018	85	30.16	12	SW	0.0	19.2	0	13.7	0	0	5.2
	10/30/2018	54	29.94	12	SSE	0.0	21.7	0	13.0	0	0	7.4
	1/9/2019	41	29.33	10	S	0.0	21.3	0	14.4	0	0	4.8
	4/12/2019	50	30.30	5	N	0.0	20.8	0	15.1	0	0	4.8
	7/29/2019	102	30.04	1	S	0.0	21.5	0	13.6	0	0	5.4
	10/30/2019	67	30.80	0	---	0.0	20.9	0	10.5	0	0	9.1
	1/15/2020	45	30.13	0	---	0.0	21.2	0	19.5	0	0	2.0
	4/23/2020	52	29.95	3	S	0.0	21.4	0	20.3	0	0	1.1
	7/30/2020	85	29.87	5	S	0.0	20.4	0	19.6	0	0	3.6
	10/19/2020	66	30.23	2	S	0.0	20.9	0	20.3	0	0	4.9
SG-10	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	19.4	0	0	2.2
	7/31/2018	85	30.16	12	SW	0.0	19.3	0	12.9	1	0	5.9
	10/30/2018	53	29.94	14	SE	0.0	21.8	0	5.2	0	0	12.8
	1/9/2019	41	29.33	12	S	0.0	21.3	0	19.0	0	0	5.1
	4/12/2019	49	30.30	4	NE	0.0	20.8	0	14.3	0	0	5.6
	7/29/2019	102	30.40	1	S	0.0	21.4	0.1	6	0	0	11.8
	10/30/2019	67	30.37	0	---	0.0	20.9	0	8.7	0	0	10.3
	1/15/2020	45	30.13	2	S	0.0	21.2	0	15.2	0	0	3.5
	4/23/2020	52	29.94	1	S	0.0	21.5	0	12.1	0	0	7.9
	7/30/2020	85	29.87	10	S	0.0	20.4	0	14.3	0	0	6.4
	10/19/2020	66	30.23	2	S	0.0	20.9	0	16.5	0	0	9.0
SG-11	4/13/2018	45	29.92	6	SSW	0.0	21.9	0	20.1	0	0	1.4
	7/31/2018	85	30.16	12	SW	0.0	19.6	0	16.3	0	0	1.8
	7/31/2018	85	30.16	12	SW	0.0	19.6	0	16.3	0	0	1.8
	10/30/2018	53	29.94	14	SE	0.0	21.6	0	19.1	0	0	2.1
	1/9/2019	41	29.33	10	S	0.0	21.2	0	18.9	0	0	1.2
	4/12/2019	49	30.30	4	N	0.0	20.6	0	19.8	0	0	1.7
	7/29/2019	88	30.04	4	S	0.0	21.9	0	20.9	0	0	1.2
	10/30/2019	67	30.37	0	---	0.0	20.9	0	18.1	0	0	2.8
	1/15/2020	45	30.13	2	S	0.0	21.2	0	18.7	0	0	1.5
	4/23/2020	52	29.94	1	S	0.0	21.5	0	18.6	0	0	1.9
	7/30/2020	85	29.87	8	S	0.0	20.4	0	16.9	0	0	2.2
	10/19/2020	66	30.23	4	S	0.0	20.5	0	16.4	0	0	1.6

Lower explosive limit (LEL) of methane (CH4) is 5%

Landfill gases measured using a Landtech Gem 2000 Plus Landfill Gas Monitor

FIGURES

RIDEM Environmental Resource Map




July 7, 2017

1:18,056

Figure 1: Site Locus Map

Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS



Progress Tracking 6/30/16
 (THIS NOTE TO BE REMOVED FOR FINAL RECORD PLAN)
 CAP PER RAWP PLAN DATED 12/23/13 = ±14.0 AC
 ANTICIPATED CAP = ±13.7 AC
FULLY CAPPED AS OF 6/30/16 = ±3.9 AC
PARTIALLY CAPPED = ±9.4 AC
 REMAINING TO BE CAPPED = ±0.5 AC

The base map for this figure was developed from a Diprete Engineering plan entitled "Landfill Monitoring Plan, Former Portsmouth Landfill, revised 07-18-2017."

General Notes

1. THE SITE IS LOCATED ON THE TOWN OF PORTSMOUTH ASSESSOR'S PLAT 20 LOTS 1, 2, & 13, AND ASSESSOR'S PLAT 25 LOT 2.
2. THE OWNER OF AP 20 LOTS 1, 2 & 13 AND AP 25 LOT 2 IS: AP ENTERPRISES LLC 28 TEAL DRIVE WAKEFIELD, RI 02879
3. DATUM OF SURVEY: RI STATE PLANE, NAD-83 HORIZONTAL, NAVD'88 VERTICAL.
4. REMEDIAL CAP CONSTRUCTION COMPLETED PER "PROPOSED CAP/EROSION CONTROL PLAN" BY DIPRETE ENGINEERING, INC. DATED APRIL 3, 2014.
5. EXISTING FEATURES ARE A COMPILATION OF AERIAL PHOTOGRAPHY, PLANS OF RECORD BY OTHERS, AND ON THE GROUND SURVEY BY DIPRETE ENGINEERING, INC.
6. THIS PLAN DEPICTS PRE-REMEDIATION TOPOGRAPHY OUTSIDE CAP AREA AS SHOWN ON "BOUNDARY & TOPOGRAPHIC SURVEY PLAN - ISLAND PARK" BY WATERMAN ENGINEERING CO. DATED 05/01/07 AND CONVERTED FROM DATUM NGVD29 TO DATUM NGVD88.
7. COASTAL FEATURE AND WETLANDS FLAGS / LINES SHOWN PER "GRADING PLAN, ISLAND PARK, AP 20 LOTS 1, 2 & 13 – AP 25 LOT 2, PORTSMOUTH, RHODE ISLAND" BY WATERMAN ENGINEERING, DATED 01/04/2010. FLAGGING BY VANASSE HANGEN BRUSTLIN, INC. AND LOCATED BY FIELD SURVEY BY WATERMAN ENGINEERING.

Monitoring Notes

1. PHASE 1 MONITORING WELLS AND SOIL AND GAS POINTS INSTALLED 04/25/2017.
2. SUPPLEMENTAL SOIL GAS POINTS INSTALLED ON 04/13/2018
3. WATER TABLE ELEVATIONS OBTAINED 07/31/2018

NAME/ADDRESS:
**Prepared for
 AP Enterprise LLC
 28 Teal Drive, Wakefield, RI 02879**

DRAWING TITLE:
**Groundwater Elevation Contour Map
 October 19, 2020
 Former Portsmouth Landfill**

ATLAS
ATC
 400 Reservoir Avenue, Suite 3D
 Providence, RI 0290
 (401) 714-0306

DRAWN BY:	AK	FIGURE NO.
CHECKED BY:	KC	
PROJECT NO.	3010000238	
DATE:	10/29/2020	

APPENDIX A



CERTIFICATE OF ANALYSIS

Adrienne Kee
ATC Group Services
400 Reservoir Ave Ste 3D
Providence, RI 02907

RE: Former Portsmouth Landfill (3010000238)
ESS Laboratory Work Order Number: 20J0655

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.

Laurel Stoddard
Laboratory Director

REVIEWED

By ESS Laboratory at 2:19 pm, Oct 27, 2020

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

SAMPLE RECEIPT

The following samples were received on October 20, 2020 for the analyses specified on the enclosed Chain of Custody Record.

Lab Number	Sample Name	Matrix	Analysis
20J0655-01	MW-1	Ground Water	6010C, 6020A, 7010, 8260B
20J0655-02	MW-2	Ground Water	6010C, 6020A, 7010, 8260B
20J0655-03	MW-3	Ground Water	6010C, 6020A, 7010, 8260B
20J0655-04	MW-4	Ground Water	6010C, 6020A, 7010, 8260B
20J0655-05	Trip Blank	Aqueous	8260B



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

PROJECT NARRATIVE

8260B Volatile Organic Compounds

D0J0365-CCV1	<u>Continuing Calibration %Diff/Drift is above control limit (CD+).</u> Bromomethane (50% @ 30%)
D0J0393-CCV1	<u>Continuing Calibration %Diff/Drift is above control limit (CD+).</u> Vinyl Acetate (43% @ 30%)
DJ02140-BS1	<u>Blank Spike recovery is above upper control limit (B+).</u> Bromomethane (162% @ 70-130%)
DJ02140-BSD1	<u>Blank Spike recovery is above upper control limit (B+).</u> Bromomethane (159% @ 70-130%)
DJ02222-BSD1	<u>Blank Spike recovery is below lower control limit (B-).</u> Dichlorodifluoromethane (69% @ 70-130%)
DJ02222-BSD1	<u>Relative percent difference for duplicate is outside of criteria (D+).</u> Tetrahydrofuran (46% @ 25%)

Total Metals

DJ02144-BSD1	<u>Blank Spike recovery is above upper control limit (B+).</u> Copper (122% @ 80-120%)
--------------	---

No other observations noted.

End of Project Narrative.

DATA USABILITY LINKS

To ensure you are viewing the most current version of the documents below, please clear your internet cookies for www.ESSLaboratory.com. Consult your IT Support personnel for information on how to clear your internet cookies.

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

CURRENT SW-846 METHODOLOGY VERSIONS

Analytical Methods

1010A - Flashpoint
6010C - ICP
6020A - ICP MS
7010 - Graphite Furnace
7196A - Hexavalent Chromium
7470A - Aqueous Mercury
7471B - Solid Mercury
8011 - EDB/DBCP/TCP
8015C - GRO/DRO
8081B - Pesticides
8082A - PCB
8100M - TPH
8151A - Herbicides
8260B - VOA
8270D - SVOA
8270D SIM - SVOA Low Level
9014 - Cyanide
9038 - Sulfate
9040C - Aqueous pH
9045D - Solid pH (Corrosivity)
9050A - Specific Conductance
9056A - Anions (IC)
9060A - TOC
9095B - Paint Filter
MADEP 04-1.1 - EPH
MADEP 18-2.1 - VPH

Prep Methods

3005A - Aqueous ICP Digestion
3020A - Aqueous Graphite Furnace / ICP MS Digestion
3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
3060A - Solid Hexavalent Chromium Digestion
3510C - Separatory Funnel Extraction
3520C - Liquid / Liquid Extraction
3540C - Manual Soxhlet Extraction
3541 - Automated Soxhlet Extraction
3546 - Microwave Extraction
3580A - Waste Dilution
5030B - Aqueous Purge and Trap
5030C - Aqueous Purge and Trap
5035A - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/19/20 13:50

Percent Solids: N/A

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-01

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	NAR	10/23/20 10:16	50	25	DJ02144
Arsenic	ND (0.002)		7010		1	KJK	10/22/20 17:28	50	25	DJ02144
Barium	0.155 (0.025)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Beryllium	ND (0.0005)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Cadmium	ND (0.0025)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Chromium	ND (0.010)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Cobalt	ND (0.010)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Copper	ND (0.010)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Lead	ND (0.010)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Nickel	ND (0.025)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Selenium	ND (0.025)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Silver	ND (0.005)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Thallium	ND (0.001)		6020A		1	NAR	10/22/20 16:10	50	25	DJ02144
Vanadium	ND (0.010)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144
Zinc	0.057 (0.025)		6010C		1	KJK	10/22/20 0:25	50	25	DJ02144



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/19/20 13:50

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,1-Dichloroethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,1-Dichloroethene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,1-Dichloropropene	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2-Dibromoethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2-Dichloroethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,2-Dichloropropane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,3-Dichloropropane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1,4-Dioxane - Screen	ND (0.500)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
1-Chlorohexane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
2,2-Dichloropropane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
2-Butanone	ND (0.0100)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
2-Chlorotoluene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
2-Hexanone	ND (0.0100)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
4-Chlorotoluene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
4-Isopropyltoluene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Acetone	ND (0.0100)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Benzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Bromobenzene	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/19/20 13:50

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Bromodichloromethane	ND (0.0006)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Bromoform	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Bromomethane	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Carbon Disulfide	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Carbon Tetrachloride	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Chlorobenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Chloroethane	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Chloroform	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Chloromethane	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Dibromochloromethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Dibromomethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Dichlorodifluoromethane	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Diethyl Ether	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Di-isopropyl ether	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Ethylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Hexachlorobutadiene	ND (0.0006)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Hexachloroethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Isopropylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Methylene Chloride	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Naphthalene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
n-Butylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
n-Propylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
sec-Butylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Styrene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
tert-Butylbenzene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Tetrachloroethene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-1

Date Sampled: 10/19/20 13:50

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-01

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Toluene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Trichloroethene	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Trichlorofluoromethane	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Vinyl Acetate	ND (0.0050)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Vinyl Chloride	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Xylene O	ND (0.0010)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Xylene P,M	ND (0.0020)		8260B		1	10/22/20 12:11	D0J0393	DJ02222
Xylenes (Total)	ND (0.00200)		8260B		1	10/22/20 12:11		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	98 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	95 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	99 %		70-130
<i>Surrogate: Toluene-d8</i>	94 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/19/20 13:00

Percent Solids: N/A

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-02

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	NAR	10/23/20 10:32	50	25	DJ02144
Arsenic	ND (0.002)		7010		1	KJK	10/22/20 17:51	50	25	DJ02144
Barium	0.115 (0.025)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Beryllium	ND (0.0005)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Cadmium	ND (0.0025)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Chromium	ND (0.010)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Cobalt	ND (0.010)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Copper	ND (0.010)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Lead	ND (0.010)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Nickel	ND (0.025)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Selenium	ND (0.025)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Silver	ND (0.005)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Thallium	ND (0.001)		6020A		1	NAR	10/22/20 16:37	50	25	DJ02144
Vanadium	ND (0.010)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144
Zinc	ND (0.025)		6010C		1	KJK	10/22/20 1:03	50	25	DJ02144



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/19/20 13:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,1-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,1-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,1-Dichloropropene	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2-Dibromoethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,3-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1,4-Dioxane - Screen	ND (0.500)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
1-Chlorohexane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
2,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
2-Butanone	ND (0.0100)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
2-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
2-Hexanone	ND (0.0100)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
4-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
4-Isopropyltoluene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Acetone	ND (0.0100)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Benzene	0.0012 (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Bromobenzene	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/19/20 13:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Bromodichloromethane	ND (0.0006)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Bromoform	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Bromomethane	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Carbon Disulfide	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Carbon Tetrachloride	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Chlorobenzene	0.0019 (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Chloroethane	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Chloroform	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Chloromethane	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Dibromochloromethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Dibromomethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Dichlorodifluoromethane	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Diethyl Ether	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Di-isopropyl ether	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Ethylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Hexachlorobutadiene	ND (0.0006)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Hexachloroethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Isopropylbenzene	0.0283 (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Methylene Chloride	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Naphthalene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
n-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
n-Propylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
sec-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Styrene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
tert-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Tetrachloroethene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-2

Date Sampled: 10/19/20 13:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-02

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Toluene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Trichloroethene	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Trichlorofluoromethane	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Vinyl Acetate	ND (0.0050)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Vinyl Chloride	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Xylene O	ND (0.0010)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Xylene P,M	ND (0.0020)		8260B		1	10/21/20 16:43	D0J0365	DJ02140
Xylenes (Total)	ND (0.00200)		8260B		1	10/21/20 16:43		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	113 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	98 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	102 %		70-130
<i>Surrogate: Toluene-d8</i>	99 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/19/20 12:00

Percent Solids: N/A

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-03

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	NAR	10/23/20 10:38	50	25	DJ02144
Arsenic	ND (0.002)		7010		1	KJK	10/22/20 17:57	50	25	DJ02144
Barium	0.175 (0.025)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Beryllium	ND (0.0005)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Cadmium	ND (0.0025)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Chromium	ND (0.010)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Cobalt	ND (0.010)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Copper	ND (0.010)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Lead	ND (0.010)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Nickel	ND (0.025)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Selenium	ND (0.025)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Silver	ND (0.005)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Thallium	ND (0.001)		6020A		1	NAR	10/22/20 16:43	50	25	DJ02144
Vanadium	ND (0.010)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144
Zinc	0.114 (0.025)		6010C		1	KJK	10/22/20 1:07	50	25	DJ02144



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/19/20 12:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,1-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,1-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,1-Dichloropropene	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2-Dibromoethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,3-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1,4-Dioxane - Screen	ND (0.500)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
1-Chlorohexane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
2,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
2-Butanone	ND (0.0100)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
2-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
2-Hexanone	ND (0.0100)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
4-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
4-Isopropyltoluene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Acetone	ND (0.0100)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Benzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Bromobenzene	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/19/20 12:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Bromodichloromethane	ND (0.0006)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Bromoform	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Bromomethane	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Carbon Disulfide	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Carbon Tetrachloride	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Chlorobenzene	0.0025 (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Chloroethane	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Chloroform	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Chloromethane	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Dibromochloromethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Dibromomethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Dichlorodifluoromethane	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Diethyl Ether	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Di-isopropyl ether	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Ethylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Hexachlorobutadiene	ND (0.0006)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Hexachloroethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Isopropylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Methylene Chloride	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Naphthalene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
n-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
n-Propylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
sec-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Styrene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
tert-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Tetrachloroethene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-3

Date Sampled: 10/19/20 12:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-03

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Toluene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Trichloroethene	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Trichlorofluoromethane	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Vinyl Acetate	ND (0.0050)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Vinyl Chloride	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Xylene O	ND (0.0010)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Xylene P,M	ND (0.0020)		8260B		1	10/21/20 17:09	D0J0365	DJ02140
Xylenes (Total)	ND (0.00200)		8260B		1	10/21/20 17:09		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	116 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	93 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	105 %		70-130
<i>Surrogate: Toluene-d8</i>	99 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/19/20 11:00

Percent Solids: N/A

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-04

Sample Matrix: Ground Water

Units: mg/L

Extraction Method: 3005A/200.7

Total Metals

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyst	Analyzed	I/V	F/V	Batch
Antimony	ND (0.001)		6020A		1	NAR	10/23/20 10:43	50	25	DJ02144
Arsenic	ND (0.002)		7010		1	KJK	10/22/20 18:02	50	25	DJ02144
Barium	0.043 (0.025)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Beryllium	ND (0.0005)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Cadmium	ND (0.0025)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Chromium	ND (0.010)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Cobalt	ND (0.010)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Copper	0.036 (0.010)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Lead	ND (0.010)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Nickel	ND (0.025)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Selenium	ND (0.025)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Silver	ND (0.005)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Thallium	ND (0.001)		6020A		1	NAR	10/22/20 16:48	50	25	DJ02144
Vanadium	ND (0.010)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144
Zinc	1.23 (0.025)		6010C		1	KJK	10/22/20 1:12	50	25	DJ02144



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/19/20 11:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,1-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,1-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,1-Dichloropropene	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2-Dibromoethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,3-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1,4-Dioxane - Screen	ND (0.500)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
1-Chlorohexane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
2,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
2-Butanone	ND (0.0100)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
2-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
2-Hexanone	ND (0.0100)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
4-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
4-Isopropyltoluene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Acetone	ND (0.0100)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Benzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Bromobenzene	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/19/20 11:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Bromodichloromethane	ND (0.0006)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Bromoform	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Bromomethane	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Carbon Disulfide	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Carbon Tetrachloride	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Chlorobenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Chloroethane	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Chloroform	0.0013 (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Chloromethane	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Dibromochloromethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Dibromomethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Dichlorodifluoromethane	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Diethyl Ether	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Di-isopropyl ether	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Ethylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Hexachlorobutadiene	ND (0.0006)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Hexachloroethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Isopropylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Methylene Chloride	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Naphthalene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
n-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
n-Propylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
sec-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Styrene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
tert-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Tetrachloroethene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: MW-4

Date Sampled: 10/19/20 11:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-04

Sample Matrix: Ground Water

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Toluene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Trichloroethene	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Trichlorofluoromethane	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Vinyl Acetate	ND (0.0050)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Vinyl Chloride	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Xylene O	ND (0.0010)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Xylene P,M	ND (0.0020)		8260B		1	10/21/20 17:34	D0J0365	DJ02140
Xylenes (Total)	ND (0.00200)		8260B		1	10/21/20 17:34		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	114 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	92 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	104 %		70-130
<i>Surrogate: Toluene-d8</i>	100 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: Trip Blank

Date Sampled: 10/19/20 00:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-05

Sample Matrix: Aqueous

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
1,1,1,2-Tetrachloroethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,1,1-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,1,2,2-Tetrachloroethane	ND (0.0005)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,1,2-Trichloroethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,1-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,1-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,1-Dichloropropene	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2,3-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2,3-Trichloropropane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2,4-Trichlorobenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2,4-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2-Dibromo-3-Chloropropane	ND (0.0050)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2-Dibromoethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2-Dichloroethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,3,5-Trimethylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,3-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,3-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,4-Dichlorobenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1,4-Dioxane - Screen	ND (0.500)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
1-Chlorohexane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
2,2-Dichloropropane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
2-Butanone	ND (0.0100)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
2-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
2-Hexanone	ND (0.0100)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
4-Chlorotoluene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
4-Isopropyltoluene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
4-Methyl-2-Pentanone	ND (0.0250)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Acetone	ND (0.0100)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Benzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Bromobenzene	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: Trip Blank

Date Sampled: 10/19/20 00:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-05

Sample Matrix: Aqueous

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Bromochloromethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Bromodichloromethane	ND (0.0006)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Bromoform	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Bromomethane	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Carbon Disulfide	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Carbon Tetrachloride	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Chlorobenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Chloroethane	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Chloroform	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Chloromethane	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
cis-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
cis-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Dibromochloromethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Dibromomethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Dichlorodifluoromethane	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Diethyl Ether	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Di-isopropyl ether	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Ethyl tertiary-butyl ether	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Ethylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Hexachlorobutadiene	ND (0.0006)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Hexachloroethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Isopropylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Methyl tert-Butyl Ether	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Methylene Chloride	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Naphthalene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
n-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
n-Propylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
sec-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Styrene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
tert-Butylbenzene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Tertiary-amyl methyl ether	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Tetrachloroethene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

Client Sample ID: Trip Blank

Date Sampled: 10/19/20 00:00

Percent Solids: N/A

Initial Volume: 5

Final Volume: 5

Extraction Method: 5030B

ESS Laboratory Work Order: 20J0655

ESS Laboratory Sample ID: 20J0655-05

Sample Matrix: Aqueous

Units: mg/L

Analyst: MD

8260B Volatile Organic Compounds

Analyte	Results (MRL)	MDL	Method	Limit	DF	Analyzed	Sequence	Batch
Tetrahydrofuran	ND (0.0050)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Toluene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
trans-1,2-Dichloroethene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
trans-1,3-Dichloropropene	ND (0.0004)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Trichloroethene	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Trichlorofluoromethane	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Vinyl Acetate	ND (0.0050)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Vinyl Chloride	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Xylene O	ND (0.0010)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Xylene P,M	ND (0.0020)		8260B		1	10/21/20 12:52	D0J0365	DJ02140
Xylenes (Total)	ND (0.00200)		8260B		1	10/21/20 12:52		[CALC]

	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Surrogate: 1,2-Dichloroethane-d4</i>	110 %		70-130
<i>Surrogate: 4-Bromofluorobenzene</i>	92 %		70-130
<i>Surrogate: Dibromofluoromethane</i>	101 %		70-130
<i>Surrogate: Toluene-d8</i>	100 %		70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Total Metals

Batch DJ02144 - 3005A/200.7

Blank

Barium	ND	0.025	mg/L
Beryllium	ND	0.0005	mg/L
Cadmium	ND	0.0025	mg/L
Chromium	ND	0.010	mg/L
Cobalt	ND	0.010	mg/L
Copper	ND	0.010	mg/L
Lead	ND	0.010	mg/L
Nickel	ND	0.025	mg/L
Selenium	ND	0.025	mg/L
Silver	ND	0.005	mg/L
Vanadium	ND	0.010	mg/L
Zinc	ND	0.025	mg/L

Blank

Antimony	ND	0.001	mg/L
Thallium	ND	0.001	mg/L

Blank

Arsenic	ND	0.002	mg/L
---------	----	-------	------

LCS

Barium	0.286	0.025	mg/L	0.2500	114	80-120
Beryllium	0.0295	0.0005	mg/L	0.02500	118	80-120
Cadmium	0.138	0.0025	mg/L	0.1250	110	80-120
Chromium	0.287	0.010	mg/L	0.2500	115	80-120
Cobalt	0.291	0.010	mg/L	0.2500	117	80-120
Copper	0.278	0.010	mg/L	0.2500	111	80-120
Lead	0.283	0.010	mg/L	0.2500	113	80-120
Nickel	0.294	0.025	mg/L	0.2500	118	80-120
Selenium	0.567	0.025	mg/L	0.5000	113	80-120
Silver	0.138	0.005	mg/L	0.1250	111	80-120
Vanadium	0.283	0.010	mg/L	0.2500	113	80-120
Zinc	0.272	0.025	mg/L	0.2500	109	80-120

LCS

Antimony	0.253	0.005	mg/L	0.2500	101	80-120
Thallium	0.256	0.005	mg/L	0.2500	102	80-120

LCS

Arsenic	0.283	0.062	mg/L	0.2500	113	80-120
---------	-------	-------	------	--------	-----	--------

LCS Dup

Barium	0.286	0.025	mg/L	0.2500	114	80-120	0.1	20
Beryllium	0.0290	0.0005	mg/L	0.02500	116	80-120	2	20
Cadmium	0.136	0.0025	mg/L	0.1250	109	80-120	1	20
Chromium	0.286	0.010	mg/L	0.2500	114	80-120	0.4	20
Cobalt	0.291	0.010	mg/L	0.2500	116	80-120	0.3	20
Copper	0.304	0.010	mg/L	0.2500	122	80-120	9	20
Lead	0.289	0.010	mg/L	0.2500	115	80-120	2	20



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Total Metals

Batch DJ02144 - 3005A/200.7

Nickel	0.292	0.025	mg/L	0.2500	117	80-120	0.7	20
Selenium	0.573	0.025	mg/L	0.5000	115	80-120	1	20
Silver	0.138	0.005	mg/L	0.1250	111	80-120	0.2	20
Vanadium	0.283	0.010	mg/L	0.2500	113	80-120	0.1	20
Zinc	0.285	0.025	mg/L	0.2500	114	80-120	5	20

LCS Dup

Antimony	0.251	0.005	mg/L	0.2500	100	80-120	0.8	20
Thallium	0.270	0.005	mg/L	0.2500	108	80-120	5	20

LCS Dup

Arsenic	0.281	0.062	mg/L	0.2500	113	80-120	0.4	20
---------	-------	-------	------	--------	-----	--------	-----	----

8260B Volatile Organic Compounds

Batch DJ02140 - 5030B

Blank

1,1,1,2-Tetrachloroethane	ND	0.0010	mg/L
1,1,1-Trichloroethane	ND	0.0010	mg/L
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,2-Trichloroethane	ND	0.0010	mg/L
1,1-Dichloroethane	ND	0.0010	mg/L
1,1-Dichloroethene	ND	0.0010	mg/L
1,1-Dichloropropene	ND	0.0020	mg/L
1,2,3-Trichlorobenzene	ND	0.0010	mg/L
1,2,3-Trichloropropane	ND	0.0010	mg/L
1,2,4-Trichlorobenzene	ND	0.0010	mg/L
1,2,4-Trimethylbenzene	ND	0.0010	mg/L
1,2-Dibromo-3-Chloropropane	ND	0.0050	mg/L
1,2-Dibromoethane	ND	0.0010	mg/L
1,2-Dichlorobenzene	ND	0.0010	mg/L
1,2-Dichloroethane	ND	0.0010	mg/L
1,2-Dichloropropane	ND	0.0010	mg/L
1,3,5-Trimethylbenzene	ND	0.0010	mg/L
1,3-Dichlorobenzene	ND	0.0010	mg/L
1,3-Dichloropropane	ND	0.0010	mg/L
1,4-Dichlorobenzene	ND	0.0010	mg/L
1,4-Dioxane - Screen	ND	0.500	mg/L
1-Chlorohexane	ND	0.0010	mg/L
2,2-Dichloropropane	ND	0.0010	mg/L
2-Butanone	ND	0.0100	mg/L
2-Chlorotoluene	ND	0.0010	mg/L
2-Hexanone	ND	0.0100	mg/L
4-Chlorotoluene	ND	0.0010	mg/L
4-Isopropyltoluene	ND	0.0010	mg/L
4-Methyl-2-Pentanone	ND	0.0250	mg/L
Acetone	ND	0.0100	mg/L



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02140 - 5030B

Benzene	ND	0.0010	mg/L							
Bromobenzene	ND	0.0020	mg/L							
Bromoform	ND	0.0010	mg/L							
Bromomethane	ND	0.0006	mg/L							
Carbon Disulfide	ND	0.0010	mg/L							
Carbon Tetrachloride	ND	0.0010	mg/L							
Chlorobenzene	ND	0.0010	mg/L							
Chloroethane	ND	0.0020	mg/L							
Chloroform	ND	0.0010	mg/L							
Chloromethane	ND	0.0020	mg/L							
cis-1,2-Dichloroethene	ND	0.0010	mg/L							
cis-1,3-Dichloropropene	ND	0.0004	mg/L							
Dibromochloromethane	ND	0.0010	mg/L							
Dibromomethane	ND	0.0010	mg/L							
Dichlorodifluoromethane	ND	0.0020	mg/L							
Diethyl Ether	ND	0.0010	mg/L							
Di-isopropyl ether	ND	0.0010	mg/L							
Ethyl tertiary-butyl ether	ND	0.0010	mg/L							
Ethylbenzene	ND	0.0010	mg/L							
Hexachlorobutadiene	ND	0.0006	mg/L							
Hexachloroethane	ND	0.0010	mg/L							
Isopropylbenzene	ND	0.0010	mg/L							
Methyl tert-Butyl Ether	ND	0.0010	mg/L							
Methylene Chloride	ND	0.0020	mg/L							
Naphthalene	ND	0.0010	mg/L							
n-Butylbenzene	ND	0.0010	mg/L							
n-Propylbenzene	ND	0.0010	mg/L							
sec-Butylbenzene	ND	0.0010	mg/L							
Styrene	ND	0.0010	mg/L							
tert-Butylbenzene	ND	0.0010	mg/L							
Tertiary-amyl methyl ether	ND	0.0010	mg/L							
Tetrachloroethene	ND	0.0010	mg/L							
Tetrahydrofuran	ND	0.0050	mg/L							
Toluene	ND	0.0010	mg/L							
trans-1,2-Dichloroethene	ND	0.0010	mg/L							
trans-1,3-Dichloropropene	ND	0.0004	mg/L							
Trichloroethene	ND	0.0010	mg/L							
Trichlorofluoromethane	ND	0.0010	mg/L							
Vinyl Acetate	ND	0.0050	mg/L							
Vinyl Chloride	ND	0.0010	mg/L							
Xylene O	ND	0.0010	mg/L							
Xylene P,M	ND	0.0020	mg/L							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0273		mg/L	0.02500		109		70-130		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02140 - 5030B

Surrogate: 4-Bromofluorobenzene	0.0230		mg/L	0.02500	92	70-130				
Surrogate: Dibromofluoromethane	0.0251		mg/L	0.02500	100	70-130				
Surrogate: Toluene-d8	0.0250		mg/L	0.02500	100	70-130				
LCS										
1,1,1,2-Tetrachloroethane	0.0092	0.0010	mg/L	0.01000	92	70-130				
1,1,1-Trichloroethane	0.0092	0.0010	mg/L	0.01000	92	70-130				
1,1,2,2-Tetrachloroethane	0.0099	0.0005	mg/L	0.01000	99	70-130				
1,1,2-Trichloroethane	0.0096	0.0010	mg/L	0.01000	96	70-130				
1,1-Dichloroethane	0.0098	0.0010	mg/L	0.01000	98	70-130				
1,1-Dichloroethene	0.0101	0.0010	mg/L	0.01000	101	70-130				
1,1-Dichloropropene	0.0103	0.0020	mg/L	0.01000	103	70-130				
1,2,3-Trichlorobenzene	0.0108	0.0010	mg/L	0.01000	108	70-130				
1,2,3-Trichloropropane	0.0093	0.0010	mg/L	0.01000	93	70-130				
1,2,4-Trichlorobenzene	0.0107	0.0010	mg/L	0.01000	107	70-130				
1,2,4-Trimethylbenzene	0.0102	0.0010	mg/L	0.01000	102	70-130				
1,2-Dibromo-3-Chloropropane	0.0084	0.0050	mg/L	0.01000	84	70-130				
1,2-Dibromoethane	0.0100	0.0010	mg/L	0.01000	100	70-130				
1,2-Dichlorobenzene	0.0101	0.0010	mg/L	0.01000	101	70-130				
1,2-Dichloroethane	0.0105	0.0010	mg/L	0.01000	105	70-130				
1,2-Dichloropropane	0.0098	0.0010	mg/L	0.01000	98	70-130				
1,3,5-Trimethylbenzene	0.0103	0.0010	mg/L	0.01000	103	70-130				
1,3-Dichlorobenzene	0.0101	0.0010	mg/L	0.01000	101	70-130				
1,3-Dichloropropane	0.0105	0.0010	mg/L	0.01000	105	70-130				
1,4-Dichlorobenzene	0.0102	0.0010	mg/L	0.01000	102	70-130				
1,4-Dioxane - Screen	0.196	0.500	mg/L	0.2000	98	0-332				
1-Chlorohexane	0.0094	0.0010	mg/L	0.01000	94	70-130				
2,2-Dichloropropane	0.0091	0.0010	mg/L	0.01000	91	70-130				
2-Butanone	0.0551	0.0100	mg/L	0.05000	110	70-130				
2-Chlorotoluene	0.0099	0.0010	mg/L	0.01000	99	70-130				
2-Hexanone	0.0550	0.0100	mg/L	0.05000	110	70-130				
4-Chlorotoluene	0.0100	0.0010	mg/L	0.01000	100	70-130				
4-Isopropyltoluene	0.0102	0.0010	mg/L	0.01000	102	70-130				
4-Methyl-2-Pentanone	0.0489	0.0250	mg/L	0.05000	98	70-130				
Acetone	0.0570	0.0100	mg/L	0.05000	114	70-130				
Benzene	0.0103	0.0010	mg/L	0.01000	103	70-130				
Bromobenzene	0.0104	0.0020	mg/L	0.01000	104	70-130				
Bromochloromethane	0.0097	0.0010	mg/L	0.01000	97	70-130				
Bromodichloromethane	0.0091	0.0006	mg/L	0.01000	91	70-130				
Bromoform	0.0083	0.0010	mg/L	0.01000	83	70-130				
Bromomethane	0.0162	0.0020	mg/L	0.01000	162	70-130				B+
Carbon Disulfide	0.0103	0.0010	mg/L	0.01000	103	70-130				
Carbon Tetrachloride	0.0089	0.0010	mg/L	0.01000	89	70-130				
Chlorobenzene	0.0099	0.0010	mg/L	0.01000	99	70-130				
Chloroethane	0.0109	0.0020	mg/L	0.01000	109	70-130				



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8260B Volatile Organic Compounds										
Batch DJ02140 - 5030B										
Chloroform	0.0098	0.0010	mg/L	0.01000	98	70-130				
Chloromethane	0.0095	0.0020	mg/L	0.01000	95	70-130				
cis-1,2-Dichloroethene	0.0099	0.0010	mg/L	0.01000	99	70-130				
cis-1,3-Dichloropropene	0.0096	0.0004	mg/L	0.01000	96	70-130				
Dibromochloromethane	0.0089	0.0010	mg/L	0.01000	89	70-130				
Dibromomethane	0.0098	0.0010	mg/L	0.01000	98	70-130				
Dichlorodifluoromethane	0.0080	0.0020	mg/L	0.01000	80	70-130				
Diethyl Ether	0.0102	0.0010	mg/L	0.01000	102	70-130				
Di-isopropyl ether	0.0105	0.0010	mg/L	0.01000	105	70-130				
Ethyl tertiary-butyl ether	0.0093	0.0010	mg/L	0.01000	93	70-130				
Ethylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130				
Hexachlorobutadiene	0.0107	0.0006	mg/L	0.01000	107	70-130				
Hexachloroethane	0.0078	0.0010	mg/L	0.01000	78	70-130				
Isopropylbenzene	0.0099	0.0010	mg/L	0.01000	99	70-130				
Methyl tert-Butyl Ether	0.0098	0.0010	mg/L	0.01000	98	70-130				
Methylene Chloride	0.0099	0.0020	mg/L	0.01000	99	70-130				
Naphthalene	0.0106	0.0010	mg/L	0.01000	106	70-130				
n-Butylbenzene	0.0105	0.0010	mg/L	0.01000	105	70-130				
n-Propylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130				
sec-Butylbenzene	0.0098	0.0010	mg/L	0.01000	98	70-130				
Styrene	0.0098	0.0010	mg/L	0.01000	98	70-130				
tert-Butylbenzene	0.0099	0.0010	mg/L	0.01000	99	70-130				
Tertiary-amyl methyl ether	0.0095	0.0010	mg/L	0.01000	95	70-130				
Tetrachloroethene	0.0088	0.0010	mg/L	0.01000	88	70-130				
Tetrahydrofuran	0.0093	0.0050	mg/L	0.01000	93	70-130				
Toluene	0.0101	0.0010	mg/L	0.01000	101	70-130				
trans-1,2-Dichloroethene	0.0099	0.0010	mg/L	0.01000	99	70-130				
trans-1,3-Dichloropropene	0.0088	0.0004	mg/L	0.01000	88	70-130				
Trichloroethene	0.0098	0.0010	mg/L	0.01000	98	70-130				
Trichlorofluoromethane	0.0108	0.0010	mg/L	0.01000	108	70-130				
Vinyl Acetate	0.0097	0.0050	mg/L	0.01000	97	70-130				
Vinyl Chloride	0.0105	0.0010	mg/L	0.01000	105	70-130				
Xylene O	0.0096	0.0010	mg/L	0.01000	97	70-130				
Xylene P,M	0.0204	0.0020	mg/L	0.02000	102	70-130				
Surrogate: 1,2-Dichloroethane-d4	0.0264		mg/L	0.02500	105	70-130				
Surrogate: 4-Bromofluorobenzene	0.0242		mg/L	0.02500	97	70-130				
Surrogate: Dibromofluoromethane	0.0254		mg/L	0.02500	101	70-130				
Surrogate: Toluene-d8	0.0247		mg/L	0.02500	99	70-130				
LCS Dup										
1,1,1,2-Tetrachloroethane	0.0093	0.0010	mg/L	0.01000	93	70-130	0.9	25		
1,1,1-Trichloroethane	0.0093	0.0010	mg/L	0.01000	93	70-130	0.5	25		
1,1,2,2-Tetrachloroethane	0.0100	0.0005	mg/L	0.01000	100	70-130	0.6	25		
1,1,2-Trichloroethane	0.0097	0.0010	mg/L	0.01000	97	70-130	0.9	25		
1,1-Dichloroethane	0.0099	0.0010	mg/L	0.01000	99	70-130	0.6	25		
1,1-Dichloroethene	0.0102	0.0010	mg/L	0.01000	102	70-130	2	25		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02140 - 5030B

1,1-Dichloropropene	0.0104	0.0020	mg/L	0.01000	104	70-130	0.8	25		
1,2,3-Trichlorobenzene	0.0108	0.0010	mg/L	0.01000	108	70-130	0.6	25		
1,2,3-Trichloropropane	0.0094	0.0010	mg/L	0.01000	94	70-130	1	25		
1,2,4-Trichlorobenzene	0.0105	0.0010	mg/L	0.01000	105	70-130	2	25		
1,2,4-Trimethylbenzene	0.0104	0.0010	mg/L	0.01000	104	70-130	3	25		
1,2-Dibromo-3-Chloropropane	0.0085	0.0050	mg/L	0.01000	85	70-130	0.9	25		
1,2-Dibromoethane	0.0100	0.0010	mg/L	0.01000	100	70-130	0.1	25		
1,2-Dichlorobenzene	0.0102	0.0010	mg/L	0.01000	102	70-130	2	25		
1,2-Dichloroethane	0.0105	0.0010	mg/L	0.01000	105	70-130	0.2	25		
1,2-Dichloropropane	0.0101	0.0010	mg/L	0.01000	101	70-130	3	25		
1,3,5-Trimethylbenzene	0.0106	0.0010	mg/L	0.01000	106	70-130	3	25		
1,3-Dichlorobenzene	0.0103	0.0010	mg/L	0.01000	103	70-130	2	25		
1,3-Dichloropropane	0.0106	0.0010	mg/L	0.01000	106	70-130	1	25		
1,4-Dichlorobenzene	0.0105	0.0010	mg/L	0.01000	105	70-130	2	25		
1,4-Dioxane - Screen	0.190	0.500	mg/L	0.2000	95	0-332	3	200		
1-Chlorohexane	0.0096	0.0010	mg/L	0.01000	96	70-130	2	25		
2,2-Dichloropropane	0.0091	0.0010	mg/L	0.01000	91	70-130	0	25		
2-Butanone	0.0553	0.0100	mg/L	0.05000	111	70-130	0.4	25		
2-Chlorotoluene	0.0102	0.0010	mg/L	0.01000	102	70-130	3	25		
2-Hexanone	0.0549	0.0100	mg/L	0.05000	110	70-130	0.1	25		
4-Chlorotoluene	0.0103	0.0010	mg/L	0.01000	103	70-130	3	25		
4-Isopropyltoluene	0.0103	0.0010	mg/L	0.01000	103	70-130	0.9	25		
4-Methyl-2-Pentanone	0.0489	0.0250	mg/L	0.05000	98	70-130	0.08	25		
Acetone	0.0573	0.0100	mg/L	0.05000	115	70-130	0.6	25		
Benzene	0.0104	0.0010	mg/L	0.01000	104	70-130	1	25		
Bromobenzene	0.0106	0.0020	mg/L	0.01000	106	70-130	3	25		
Bromochloromethane	0.0097	0.0010	mg/L	0.01000	97	70-130	0.7	25		
Bromodichloromethane	0.0091	0.0006	mg/L	0.01000	91	70-130	0.3	25		
Bromoform	0.0083	0.0010	mg/L	0.01000	83	70-130	1	25		
Bromomethane	0.0159	0.0020	mg/L	0.01000	159	70-130	1	25	B+	
Carbon Disulfide	0.0104	0.0010	mg/L	0.01000	104	70-130	0.1	25		
Carbon Tetrachloride	0.0090	0.0010	mg/L	0.01000	90	70-130	0.8	25		
Chlorobenzene	0.0100	0.0010	mg/L	0.01000	100	70-130	0.5	25		
Chloroethane	0.0109	0.0020	mg/L	0.01000	109	70-130	0	25		
Chloroform	0.0100	0.0010	mg/L	0.01000	100	70-130	2	25		
Chloromethane	0.0097	0.0020	mg/L	0.01000	97	70-130	2	25		
cis-1,2-Dichloroethene	0.0099	0.0010	mg/L	0.01000	99	70-130	0.1	25		
cis-1,3-Dichloropropene	0.0097	0.0004	mg/L	0.01000	97	70-130	1	25		
Dibromochloromethane	0.0089	0.0010	mg/L	0.01000	89	70-130	0.1	25		
Dibromomethane	0.0101	0.0010	mg/L	0.01000	101	70-130	3	25		
Dichlorodifluoromethane	0.0081	0.0020	mg/L	0.01000	81	70-130	0.9	25		
Diethyl Ether	0.0103	0.0010	mg/L	0.01000	103	70-130	0.8	25		
Di-isopropyl ether	0.0106	0.0010	mg/L	0.01000	106	70-130	1	25		
Ethyl tertiary-butyl ether	0.0094	0.0010	mg/L	0.01000	94	70-130	2	25		
Ethylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130	0.4	25		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02140 - 5030B

Hexachlorobutadiene	0.0104	0.0006	mg/L	0.01000	104	70-130	3	25		
Hexachloroethane	0.0079	0.0010	mg/L	0.01000	79	70-130	2	25		
Isopropylbenzene	0.0102	0.0010	mg/L	0.01000	102	70-130	3	25		
Methyl tert-Butyl Ether	0.0098	0.0010	mg/L	0.01000	98	70-130	0.1	25		
Methylene Chloride	0.0099	0.0020	mg/L	0.01000	99	70-130	0.4	25		
Naphthalene	0.0103	0.0010	mg/L	0.01000	103	70-130	3	25		
n-Butylbenzene	0.0106	0.0010	mg/L	0.01000	106	70-130	0.6	25		
n-Propylbenzene	0.0104	0.0010	mg/L	0.01000	104	70-130	3	25		
sec-Butylbenzene	0.0100	0.0010	mg/L	0.01000	100	70-130	1	25		
Styrene	0.0098	0.0010	mg/L	0.01000	98	70-130	0	25		
tert-Butylbenzene	0.0100	0.0010	mg/L	0.01000	100	70-130	1	25		
Tertiary-amyl methyl ether	0.0096	0.0010	mg/L	0.01000	96	70-130	0.7	25		
Tetrachloroethene	0.0097	0.0010	mg/L	0.01000	97	70-130	9	25		
Tetrahydrofuran	0.0093	0.0050	mg/L	0.01000	93	70-130	0.2	25		
Toluene	0.0101	0.0010	mg/L	0.01000	101	70-130	0.6	25		
trans-1,2-Dichloroethene	0.0098	0.0010	mg/L	0.01000	98	70-130	0.4	25		
trans-1,3-Dichloropropene	0.0088	0.0004	mg/L	0.01000	88	70-130	0.1	25		
Trichloroethene	0.0100	0.0010	mg/L	0.01000	100	70-130	2	25		
Trichlorofluoromethane	0.0109	0.0010	mg/L	0.01000	109	70-130	2	25		
Vinyl Acetate	0.0091	0.0050	mg/L	0.01000	91	70-130	6	25		
Vinyl Chloride	0.0105	0.0010	mg/L	0.01000	105	70-130	0	25		
Xylene O	0.0096	0.0010	mg/L	0.01000	96	70-130	0.2	25		
Xylene P,M	0.0205	0.0020	mg/L	0.02000	102	70-130	0.5	25		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0266		mg/L	0.02500	106	70-130				
<i>Surrogate: 4-Bromofluorobenzene</i>	0.0238		mg/L	0.02500	95	70-130				
<i>Surrogate: Dibromofluoromethane</i>	0.0258		mg/L	0.02500	103	70-130				
<i>Surrogate: Toluene-d8</i>	0.0249		mg/L	0.02500	100	70-130				

Batch DJ02222 - 5030B

Blank										
1,1,1,2-Tetrachloroethane	ND	0.0010	mg/L							
1,1,1-Trichloroethane	ND	0.0010	mg/L							
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L							
1,1,2-Trichloroethane	ND	0.0010	mg/L							
1,1-Dichloroethane	ND	0.0010	mg/L							
1,1-Dichloroethene	ND	0.0010	mg/L							
1,1-Dichloropropene	ND	0.0020	mg/L							
1,2,3-Trichlorobenzene	ND	0.0010	mg/L							
1,2,3-Trichloropropane	ND	0.0010	mg/L							
1,2,4-Trichlorobenzene	ND	0.0010	mg/L							
1,2,4-Trimethylbenzene	ND	0.0010	mg/L							
1,2-Dibromo-3-Chloropropane	ND	0.0050	mg/L							
1,2-Dibromoethane	ND	0.0010	mg/L							
1,2-Dichlorobenzene	ND	0.0010	mg/L							
1,2-Dichloroethane	ND	0.0010	mg/L							
1,2-Dichloropropane	ND	0.0010	mg/L							



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02222 - 5030B

1,3,5-Trimethylbenzene	ND	0.0010	mg/L
1,3-Dichlorobenzene	ND	0.0010	mg/L
1,3-Dichloropropane	ND	0.0010	mg/L
1,4-Dichlorobenzene	ND	0.0010	mg/L
1,4-Dioxane - Screen	ND	0.500	mg/L
1-Chlorohexane	ND	0.0010	mg/L
2,2-Dichloropropane	ND	0.0010	mg/L
2-Butanone	ND	0.0100	mg/L
2-Chlorotoluene	ND	0.0010	mg/L
2-Hexanone	ND	0.0100	mg/L
4-Chlorotoluene	ND	0.0010	mg/L
4-Isopropyltoluene	ND	0.0010	mg/L
4-Methyl-2-Pentanone	ND	0.0250	mg/L
Acetone	ND	0.0100	mg/L
Benzene	ND	0.0010	mg/L
Bromobenzene	ND	0.0020	mg/L
Bromochloromethane	ND	0.0010	mg/L
Bromodichloromethane	ND	0.0006	mg/L
Bromoform	ND	0.0010	mg/L
Bromomethane	ND	0.0020	mg/L
Carbon Disulfide	ND	0.0010	mg/L
Carbon Tetrachloride	ND	0.0010	mg/L
Chlorobenzene	ND	0.0010	mg/L
Chloroethane	ND	0.0020	mg/L
Chloroform	ND	0.0010	mg/L
Chloromethane	ND	0.0020	mg/L
cis-1,2-Dichloroethene	ND	0.0010	mg/L
cis-1,3-Dichloropropene	ND	0.0004	mg/L
Dibromochloromethane	ND	0.0010	mg/L
Dibromomethane	ND	0.0010	mg/L
Dichlorodifluoromethane	ND	0.0020	mg/L
Diethyl Ether	ND	0.0010	mg/L
Di-isopropyl ether	ND	0.0010	mg/L
Ethyl tertiary-butyl ether	ND	0.0010	mg/L
Ethylbenzene	ND	0.0010	mg/L
Hexachlorobutadiene	ND	0.0006	mg/L
Hexachloroethane	ND	0.0010	mg/L
Isopropylbenzene	ND	0.0010	mg/L
Methyl tert-Butyl Ether	ND	0.0010	mg/L
Methylene Chloride	ND	0.0020	mg/L
Naphthalene	ND	0.0010	mg/L
n-Butylbenzene	ND	0.0010	mg/L
n-Propylbenzene	ND	0.0010	mg/L
sec-Butylbenzene	ND	0.0010	mg/L
Styrene	ND	0.0010	mg/L



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	---------	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02222 - 5030B

tert-Butylbenzene	ND	0.0010	mg/L							
Tertiary-amyl methyl ether	ND	0.0010	mg/L							
Tetrachloroethene	ND	0.0010	mg/L							
Tetrahydrofuran	ND	0.0050	mg/L							
Toluene	ND	0.0010	mg/L							
trans-1,2-Dichloroethene	ND	0.0010	mg/L							
trans-1,3-Dichloropropene	ND	0.0004	mg/L							
Trichloroethene	ND	0.0010	mg/L							
Trichlorofluoromethane	ND	0.0010	mg/L							
Vinyl Acetate	ND	0.0050	mg/L							
Vinyl Chloride	ND	0.0010	mg/L							
Xylene O	ND	0.0010	mg/L							
Xylene P,M	ND	0.0020	mg/L							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0241		mg/L	0.02500		96	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	0.0245		mg/L	0.02500		98	70-130			
<i>Surrogate: Dibromofluoromethane</i>	0.0246		mg/L	0.02500		98	70-130			
<i>Surrogate: Toluene-d8</i>	0.0239		mg/L	0.02500		96	70-130			

LCS

1,1,1,2-Tetrachloroethane	0.0096	0.0010	mg/L	0.01000	96	70-130
1,1,1-Trichloroethane	0.0102	0.0010	mg/L	0.01000	102	70-130
1,1,2,2-Tetrachloroethane	0.0094	0.0005	mg/L	0.01000	94	70-130
1,1,2-Trichloroethane	0.0097	0.0010	mg/L	0.01000	97	70-130
1,1-Dichloroethane	0.0100	0.0010	mg/L	0.01000	100	70-130
1,1-Dichloroethene	0.0102	0.0010	mg/L	0.01000	102	70-130
1,1-Dichloropropene	0.0111	0.0020	mg/L	0.01000	111	70-130
1,2,3-Trichlorobenzene	0.0110	0.0010	mg/L	0.01000	110	70-130
1,2,3-Trichloropropane	0.0106	0.0010	mg/L	0.01000	106	70-130
1,2,4-Trichlorobenzene	0.0110	0.0010	mg/L	0.01000	110	70-130
1,2,4-Trimethylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130
1,2-Dibromo-3-Chloropropane	0.0083	0.0050	mg/L	0.01000	83	70-130
1,2-Dibromoethane	0.0101	0.0010	mg/L	0.01000	101	70-130
1,2-Dichlorobenzene	0.0098	0.0010	mg/L	0.01000	98	70-130
1,2-Dichloroethane	0.0101	0.0010	mg/L	0.01000	101	70-130
1,2-Dichloropropane	0.0103	0.0010	mg/L	0.01000	103	70-130
1,3,5-Trimethylbenzene	0.0102	0.0010	mg/L	0.01000	102	70-130
1,3-Dichlorobenzene	0.0097	0.0010	mg/L	0.01000	97	70-130
1,3-Dichloropropane	0.0104	0.0010	mg/L	0.01000	104	70-130
1,4-Dichlorobenzene	0.0098	0.0010	mg/L	0.01000	98	70-130
1,4-Dioxane - Screen	0.394	0.500	mg/L	0.2000	197	0-332
1-Chlorohexane	0.0101	0.0010	mg/L	0.01000	101	70-130
2,2-Dichloropropane	0.0104	0.0010	mg/L	0.01000	104	70-130
2-Butanone	0.0537	0.0100	mg/L	0.05000	107	70-130
2-Chlorotoluene	0.0096	0.0010	mg/L	0.01000	96	70-130
2-Hexanone	0.0477	0.0100	mg/L	0.05000	95	70-130
4-Chlorotoluene	0.0097	0.0010	mg/L	0.01000	97	70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02222 - 5030B

4-Isopropyltoluene	0.0096	0.0010	mg/L	0.01000	96	70-130
4-Methyl-2-Pentanone	0.0531	0.0250	mg/L	0.05000	106	70-130
Acetone	0.0451	0.0100	mg/L	0.05000	90	70-130
Benzene	0.0111	0.0010	mg/L	0.01000	111	70-130
Bromobenzene	0.0103	0.0020	mg/L	0.01000	103	70-130
Bromochloromethane	0.0102	0.0010	mg/L	0.01000	102	70-130
Bromodichloromethane	0.0097	0.0006	mg/L	0.01000	97	70-130
Bromoform	0.0094	0.0010	mg/L	0.01000	94	70-130
Bromomethane	0.0110	0.0020	mg/L	0.01000	110	70-130
Carbon Disulfide	0.0116	0.0010	mg/L	0.01000	116	70-130
Carbon Tetrachloride	0.0100	0.0010	mg/L	0.01000	100	70-130
Chlorobenzene	0.0097	0.0010	mg/L	0.01000	97	70-130
Chloroethane	0.0102	0.0020	mg/L	0.01000	102	70-130
Chloroform	0.0104	0.0010	mg/L	0.01000	104	70-130
Chloromethane	0.0096	0.0020	mg/L	0.01000	96	70-130
cis-1,2-Dichloroethene	0.0097	0.0010	mg/L	0.01000	97	70-130
cis-1,3-Dichloropropene	0.0117	0.0004	mg/L	0.01000	117	70-130
Dibromochloromethane	0.0097	0.0010	mg/L	0.01000	97	70-130
Dibromomethane	0.0105	0.0010	mg/L	0.01000	105	70-130
Dichlorodifluoromethane	0.0075	0.0020	mg/L	0.01000	75	70-130
Diethyl Ether	0.0118	0.0010	mg/L	0.01000	118	70-130
Di-isopropyl ether	0.0118	0.0010	mg/L	0.01000	118	70-130
Ethyl tertiary-butyl ether	0.0102	0.0010	mg/L	0.01000	102	70-130
Ethylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130
Hexachlorobutadiene	0.0108	0.0006	mg/L	0.01000	108	70-130
Hexachloroethane	0.0109	0.0010	mg/L	0.01000	109	70-130
Isopropylbenzene	0.0097	0.0010	mg/L	0.01000	97	70-130
Methyl tert-Butyl Ether	0.0109	0.0010	mg/L	0.01000	109	70-130
Methylene Chloride	0.0107	0.0020	mg/L	0.01000	107	70-130
Naphthalene	0.0111	0.0010	mg/L	0.01000	111	70-130
n-Butylbenzene	0.0106	0.0010	mg/L	0.01000	106	70-130
n-Propylbenzene	0.0104	0.0010	mg/L	0.01000	104	70-130
sec-Butylbenzene	0.0097	0.0010	mg/L	0.01000	97	70-130
Styrene	0.0103	0.0010	mg/L	0.01000	103	70-130
tert-Butylbenzene	0.0093	0.0010	mg/L	0.01000	93	70-130
Tertiary-amyl methyl ether	0.0112	0.0010	mg/L	0.01000	112	70-130
Tetrachloroethene	0.0079	0.0010	mg/L	0.01000	79	70-130
Tetrahydrofuran	0.0081	0.0050	mg/L	0.01000	81	70-130
Toluene	0.0112	0.0010	mg/L	0.01000	112	70-130
trans-1,2-Dichloroethene	0.0102	0.0010	mg/L	0.01000	102	70-130
trans-1,3-Dichloropropene	0.0107	0.0004	mg/L	0.01000	107	70-130
Trichloroethene	0.0100	0.0010	mg/L	0.01000	100	70-130
Trichlorofluoromethane	0.0104	0.0010	mg/L	0.01000	104	70-130
Vinyl Acetate	0.0110	0.0050	mg/L	0.01000	110	70-130
Vinyl Chloride	0.0089	0.0010	mg/L	0.01000	89	70-130



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

8260B Volatile Organic Compounds

Batch DJ02222 - 5030B

Xylene O	0.0103	0.0010	mg/L	0.01000	103	70-130				
Xylene P,M	0.0207	0.0020	mg/L	0.02000	103	70-130				
Surrogate: 1,2-Dichloroethane-d4	0.0256		mg/L	0.02500	102	70-130				
Surrogate: 4-Bromofluorobenzene	0.0248		mg/L	0.02500	99	70-130				
Surrogate: Dibromofluoromethane	0.0258		mg/L	0.02500	103	70-130				
Surrogate: Toluene-d8	0.0240		mg/L	0.02500	96	70-130				

LCS Dup

1,1,1,2-Tetrachloroethane	0.0098	0.0010	mg/L	0.01000	98	70-130	2	25		
1,1,1-Trichloroethane	0.0092	0.0010	mg/L	0.01000	92	70-130	10	25		
1,1,2,2-Tetrachloroethane	0.0101	0.0005	mg/L	0.01000	101	70-130	7	25		
1,1,2-Trichloroethane	0.0096	0.0010	mg/L	0.01000	96	70-130	1	25		
1,1-Dichloroethane	0.0099	0.0010	mg/L	0.01000	99	70-130	1	25		
1,1-Dichloroethene	0.0098	0.0010	mg/L	0.01000	98	70-130	4	25		
1,1-Dichloropropene	0.0106	0.0020	mg/L	0.01000	106	70-130	5	25		
1,2,3-Trichlorobenzene	0.0106	0.0010	mg/L	0.01000	106	70-130	4	25		
1,2,3-Trichloropropane	0.0096	0.0010	mg/L	0.01000	96	70-130	10	25		
1,2,4-Trichlorobenzene	0.0106	0.0010	mg/L	0.01000	106	70-130	4	25		
1,2,4-Trimethylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130	0	25		
1,2-Dibromo-3-Chloropropane	0.0081	0.0050	mg/L	0.01000	81	70-130	2	25		
1,2-Dibromoethane	0.0103	0.0010	mg/L	0.01000	103	70-130	2	25		
1,2-Dichlorobenzene	0.0098	0.0010	mg/L	0.01000	98	70-130	0.5	25		
1,2-Dichloroethane	0.0098	0.0010	mg/L	0.01000	98	70-130	4	25		
1,2-Dichloropropane	0.0101	0.0010	mg/L	0.01000	101	70-130	2	25		
1,3,5-Trimethylbenzene	0.0098	0.0010	mg/L	0.01000	98	70-130	4	25		
1,3-Dichlorobenzene	0.0092	0.0010	mg/L	0.01000	92	70-130	5	25		
1,3-Dichloropropane	0.0110	0.0010	mg/L	0.01000	110	70-130	6	25		
1,4-Dichlorobenzene	0.0099	0.0010	mg/L	0.01000	99	70-130	1	25		
1,4-Dioxane - Screen	0.292	0.500	mg/L	0.2000	146	0-332	30	200		
1-Chlorohexane	0.0102	0.0010	mg/L	0.01000	102	70-130	0.5	25		
2,2-Dichloropropane	0.0091	0.0010	mg/L	0.01000	91	70-130	14	25		
2-Butanone	0.0499	0.0100	mg/L	0.05000	100	70-130	7	25		
2-Chlorotoluene	0.0096	0.0010	mg/L	0.01000	96	70-130	0.6	25		
2-Hexanone	0.0510	0.0100	mg/L	0.05000	102	70-130	7	25		
4-Chlorotoluene	0.0092	0.0010	mg/L	0.01000	92	70-130	4	25		
4-Isopropyltoluene	0.0100	0.0010	mg/L	0.01000	100	70-130	4	25		
4-Methyl-2-Pentanone	0.0501	0.0250	mg/L	0.05000	100	70-130	6	25		
Acetone	0.0444	0.0100	mg/L	0.05000	89	70-130	1	25		
Benzene	0.0108	0.0010	mg/L	0.01000	108	70-130	3	25		
Bromobenzene	0.0101	0.0020	mg/L	0.01000	101	70-130	2	25		
Bromochloromethane	0.0100	0.0010	mg/L	0.01000	100	70-130	3	25		
Bromodichloromethane	0.0093	0.0006	mg/L	0.01000	93	70-130	5	25		
Bromoform	0.0095	0.0010	mg/L	0.01000	95	70-130	0.8	25		
Bromomethane	0.0108	0.0020	mg/L	0.01000	108	70-130	2	25		
Carbon Disulfide	0.0111	0.0010	mg/L	0.01000	111	70-130	5	25		
Carbon Tetrachloride	0.0098	0.0010	mg/L	0.01000	98	70-130	3	25		



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
8260B Volatile Organic Compounds										
Batch DJ02222 - 5030B										
Chlorobenzene	0.0101	0.0010	mg/L	0.01000	101	70-130	5	25		
Chloroethane	0.0104	0.0020	mg/L	0.01000	104	70-130	1	25		
Chloroform	0.0099	0.0010	mg/L	0.01000	99	70-130	5	25		
Chloromethane	0.0090	0.0020	mg/L	0.01000	90	70-130	6	25		
cis-1,2-Dichloroethene	0.0101	0.0010	mg/L	0.01000	101	70-130	4	25		
cis-1,3-Dichloropropene	0.0111	0.0004	mg/L	0.01000	111	70-130	5	25		
Dibromochloromethane	0.0096	0.0010	mg/L	0.01000	96	70-130	0.3	25		
Dibromomethane	0.0099	0.0010	mg/L	0.01000	99	70-130	6	25		
Dichlorodifluoromethane	0.0069	0.0020	mg/L	0.01000	69	70-130	8	25		B-
Diethyl Ether	0.0115	0.0010	mg/L	0.01000	115	70-130	3	25		
Di-isopropyl ether	0.0113	0.0010	mg/L	0.01000	113	70-130	5	25		
Ethyl tertiary-butyl ether	0.0104	0.0010	mg/L	0.01000	104	70-130	2	25		
Ethylbenzene	0.0106	0.0010	mg/L	0.01000	106	70-130	5	25		
Hexachlorobutadiene	0.0099	0.0006	mg/L	0.01000	99	70-130	8	25		
Hexachloroethane	0.0102	0.0010	mg/L	0.01000	102	70-130	6	25		
Isopropylbenzene	0.0095	0.0010	mg/L	0.01000	95	70-130	3	25		
Methyl tert-Butyl Ether	0.0105	0.0010	mg/L	0.01000	105	70-130	3	25		
Methylene Chloride	0.0101	0.0020	mg/L	0.01000	101	70-130	6	25		
Naphthalene	0.0106	0.0010	mg/L	0.01000	106	70-130	5	25		
n-Butylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130	5	25		
n-Propylbenzene	0.0101	0.0010	mg/L	0.01000	101	70-130	3	25		
sec-Butylbenzene	0.0094	0.0010	mg/L	0.01000	94	70-130	3	25		
Styrene	0.0106	0.0010	mg/L	0.01000	106	70-130	3	25		
tert-Butylbenzene	0.0093	0.0010	mg/L	0.01000	93	70-130	0.3	25		
Tertiary-amyl methyl ether	0.0106	0.0010	mg/L	0.01000	106	70-130	5	25		
Tetrachloroethene	0.0086	0.0010	mg/L	0.01000	86	70-130	8	25		
Tetrahydrofuran	0.0130	0.0050	mg/L	0.01000	130	70-130	46	25		D+
Toluene	0.0110	0.0010	mg/L	0.01000	110	70-130	0.9	25		
trans-1,2-Dichloroethene	0.0095	0.0010	mg/L	0.01000	95	70-130	7	25		
trans-1,3-Dichloropropene	0.0106	0.0004	mg/L	0.01000	106	70-130	0.7	25		
Trichloroethene	0.0097	0.0010	mg/L	0.01000	97	70-130	3	25		
Trichlorofluoromethane	0.0100	0.0010	mg/L	0.01000	100	70-130	4	25		
Vinyl Acetate	0.0112	0.0050	mg/L	0.01000	112	70-130	1	25		
Vinyl Chloride	0.0089	0.0010	mg/L	0.01000	89	70-130	0	25		
Xylene O	0.0106	0.0010	mg/L	0.01000	106	70-130	3	25		
Xylene P,M	0.0212	0.0020	mg/L	0.02000	106	70-130	3	25		
Surrogate: 1,2-Dichloroethane-d4	0.0246		mg/L	0.02500	98	70-130				
Surrogate: 4-Bromofluorobenzene	0.0249		mg/L	0.02500	100	70-130				
Surrogate: Dibromofluoromethane	0.0256		mg/L	0.02500	103	70-130				
Surrogate: Toluene-d8	0.0243		mg/L	0.02500	97	70-130				



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

Notes and Definitions

U	Analyte included in the analysis, but not detected
D+	Relative percent difference for duplicate is outside of criteria (D+).
D	Diluted.
CD+	Continuing Calibration %Diff/Drift is above control limit (CD+).
B+	Blank Spike recovery is above upper control limit (B+).
B-	Blank Spike recovery is below lower control limit (B-).
ND	Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
MDL	Method Detection Limit
MRL	Method Reporting Limit
LOD	Limit of Detection
LOQ	Limit of Quantitation
DL	Detection Limit
I/V	Initial Volume
F/V	Final Volume
§	Subcontracted analysis; see attached report
1	Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
2	Range result excludes concentrations of target analytes eluting in that range.
3	Range result excludes the concentration of the C9-C10 aromatic range.
Avg	Results reported as a mathematical average.
NR	No Recovery
[CALC]	Calculated Analyte
SUB	Subcontracted analysis; see attached report
RL	Reporting Limit
EDL	Estimated Detection Limit
MF	Membrane Filtration
MPN	Most Probably Number
TNTC	Too numerous to Count
CFU	Colony Forming Units



CERTIFICATE OF ANALYSIS

Client Name: ATC Group Services

Client Project ID: Former Portsmouth Landfill

ESS Laboratory Work Order: 20J0655

ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

Rhode Island Potable and Non Potable Water: LAI00179

<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750

http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutofStateCommercialLaboratories.pdf

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002

<http://www.maine.gov/dhhs/mecdc/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002

<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313

<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006

http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site:=58715

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752

<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory Sample and Cooler Receipt Checklist

Client: <u>001 Admin - ESS</u>	ESS Project ID: <u>20J0655</u>						
Shipped/Delivered Via: <u>Client</u>	Date Received: <u>10/20/2020</u>						
	Project Due Date: <u>10/27/2020</u>						
	Days for Project: <u>5 Day</u>						
1. Air bill manifest present? Air No.: <u>NA</u> <input type="checkbox"/> No							
2. Were custody seals present? <input type="checkbox"/> No							
3. Is radiation count <100 CPM? <input type="checkbox"/> Yes							
4. Is a Cooler Present? Temp: <u>5.7</u> Iced with: <u>Ice</u> <input type="checkbox"/> Yes							
5. Was COC signed and dated by client? <input type="checkbox"/> Yes							
6. Does COC match bottles? <input type="checkbox"/> Yes							
7. Is COC complete and correct? <input type="checkbox"/> Yes							
8. Were samples received intact? <input type="checkbox"/> Yes							
9. Were labs informed about <u>short holds & rushes</u> ? <input type="checkbox"/> Yes / No / <u>NA</u>							
10. Were any analyses received outside of hold time? <input type="checkbox"/> Yes / <u>No</u>							
<hr/>							
11. Any Subcontracting needed? <input type="checkbox"/> Yes / <u>No</u> ESS Sample IDs: Analysis: TAT:							
12. Were VOAs received? a. Air bubbles in aqueous VOAs? <input type="checkbox"/> Yes / No b. Does methanol cover soil completely? <input type="checkbox"/> Yes / No / <u>NA</u>							
13. Are the samples properly preserved? a. If metals preserved upon receipt: <input type="checkbox"/> Yes / No Date: _____ Time: _____ By: _____ b. Low Level VOA vials frozen: <input type="checkbox"/> Yes / No Date: _____ Time: _____ By: _____							
Sample Receiving Notes: <hr/> <hr/> <hr/>							
14. Was there a need to contact Project Manager? a. Was there a need to contact the client? Who was contacted? _____ Date: _____ Time: _____ By: _____							
<hr/> <hr/> <hr/>							
Sample Number	Container ID	Proper Container	Air Bubbles Present	Sufficient Volume	Container Type	Preservative	Record pH (Cyanide and 608 Pesticides)
1	98873	Yes	N/A	Yes	250 mL Poly	HNO3	
1	98877	Yes	N/A	Yes	VOA Vial	HCl	
1	98878	Yes	N/A	Yes	VOA Vial	HCl	
1	98879	Yes	N/A	Yes	VOA Vial	HCl	
2	98874	Yes	N/A	Yes	250 mL Poly	HNO3	
2	98880	Yes	N/A	Yes	VOA Vial	HCl	
2	98881	Yes	N/A	Yes	VOA Vial	HCl	
2	98882	Yes	N/A	Yes	VOA Vial	HCl	
3	98875	Yes	N/A	Yes	250 mL Poly	HNO3	
3	98883	Yes	N/A	Yes	VOA Vial	HCl	
3	98884	Yes	N/A	Yes	VOA Vial	HCl	
3	98885	Yes	N/A	Yes	VOA Vial	HCl	
4	98876	Yes	N/A	Yes	250 mL Poly	HNO3	
4	98886	Yes	N/A	Yes	VOA Vial	HCl	
4	98887	Yes	N/A	Yes	VOA Vial	HCl	
4	98888	Yes	N/A	Yes	VOA Vial	HCl	
5	98889	Yes	N/A	Yes	VOA Vial	HCl	

ESS Laboratory Sample and Cooler Receipt Checklist

Client: 001 Admin - ESSESS Project ID: 20J0655
Date Received: 10/20/2020**2nd Review**

Were all containers scanned into storage/lab?

Are barcode labels on correct containers?

Are all Flashpoint stickers attached/container ID # circled?

Are all Hex Chrome stickers attached?

Are all QC stickers attached?

Are VOA stickers attached if bubbles noted?

Initials TD
 Yes No
 Yes / No / NA
 Yes / No / NA
 Yes / No / NA
 Yes / No / NACompleted
By:Reviewed
By:Delivered
By:Date & Time: 10:23 10/20/20Date & Time: 10/20/20 192710/20/20 1927

ESS Laboratory

Division of Thielisch Engineering, Inc.
185 Frances Avenue, Cranston RI 02910
Tel. (401) 461-7181 Fax (401) 461-4486
www.esslaboratory.com

CHAIN OF CUSTODY